

Available from

NRC/GPO Sales Program

Superintendent of Documents
Government Printing Office
Washington, D. C. 20402

A year's subscription consists of 12 issues for
this publication.

Single copies of this publication
are available from National Technical
Information Service, Springfield, VA 22161

Microfiche of single copies are
available from NRC/GPO Sales Program
Washington, D. C. 20555

Title List of Documents Made Publicly Available

June 1-30, 1982

Division of Technical Information and Document Control
Office of Administration
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555



CONTENTS

Preface	v
Arrangement of Items by Docket Number.....	ix
Alphabetic Arrangement of Docket Items by Facility Name.....	xvii
Docketed Items	
Low Level Radwaste Disposal Sites — Docket 27.....	1
Domestic Licensing of Source Material — Docket 40.....	1
Domestic Licensing of Production and Utilization Facilities — Docket 50 ...	8
Domestic Licensing of Special Nuclear Material — Docket 70.....	406
Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71	414
Licensing of Independent Spent Fuel Storage — Docket 72	419
Nondocketed Items	
10 CFR — Commission Meeting Records	421
ACRS — Advisory Committee on Reactor Safeguards.....	422
COMMISSION — NRC Commissioners.....	422
CONTRACT — NRC Contracts and Modifications	423
FOIA — Freedom of Information Act Requests and Releases.....	428
GEN TECH IS — Generic Technical Issues	446
I&E — Inspection and Enforcement.....	447
MISC — Public Document Room Miscellaneous.....	448
NUREG — NUREG Reports and Related Correspondence.....	448
ORG — Correspondence with Other Organizations.....	454
PR — Proposed Rule.....	454
PRM — Petition for Rulemaking	459
PROJ — Projects - Predocket Licensing	460
PT 21 — Noncompliance Reports and Related Correspondence.....	461
QA999 — Quality Assurance Inspections.....	461
REGGD — Regulatory Guides	463
RES — Research and Technical Assistance Reports	465
REVIEW GROUP — NRC Research Review Groups.....	467
SECY — Position Papers Before the Commission.....	468
STATE PROG — State Programs.....	468
TOPREP — Vendor Reports and Related Correspondence	470
WASTE MGT — Nuclear Waste Management.....	472
XPORTLIC — Export and Import Licenses.....	474
Personal Author Index	481
Corporate Source Index	515
Report Number Index.....	553
Cross Reference of Enclosures to Principal Documents	555
Appendix A — Definitions of Docket 50 Categories	A-1
Appendix B — Definitions of Nondocketed Categories	B-1

PREFACE

The *Title List of Documents Made Publicly Available* is a monthly publication. It contains descriptions of the information received and generated by the U. S. Nuclear Regulatory Commission (NRC). This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radioactive materials and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. As used here, *docketed* does not refer to Court dockets, it refers to the system by which NRC maintains its regulatory records. This series of documents is indexed by a Personal Author Index, a Corporate Source Index, and a Report Number Index.

The docketed information contained in the *Title List* includes the information formerly issued through the Department of Energy publication *Power Reactor Docket Information*, last published in January 1979. Microfiche of the docketed information listed in the *Title List* is available for sale on a subscription basis from the National Technical Information Service (NTIS). See NOTES at the end of the Preface for the complete NTIS address.

We encourage your comments, criticisms, and suggestions. In particular, if there are title descriptions that are not meaningful, please let us know so that we can correct the data base. In so far as possible, we would like this document to be a valuable part of your reference material.


DOCKETED ITEMS

The listings within Docket 50 are divided into the categories used for filing and searching in the NRC Public Document Room. Those categories are:

- A. Application/construction stage documents and correspondence
- B. Utility Preliminary Safety Analysis Report (PSAR), amendments
- C. Utility Environmental Report (ER), amendments and correspondence
- D. NRC Draft and Final Environmental (Impact) Statements (DES and FES), and correspondence
- E. NRC Safety Evaluation Report (SER), supplements and correspondence
- F. Security, medical, emergency and fire-protection plans
- G. Adjudicatory correspondence
- H. General correspondence
- I. Financial information
- J. Insurance and indemnity information
- K. Utility Final Safety Analysis Report (FSAR) and amendments
- L. Limited work authorization and related correspondence
- M. Antitrust correspondence
- N. Antitrust hearing transcripts
- O. Advisory Committee on Reactor Safeguards (ACRS) reports and correspondence
- P. Operating license stage documents and correspondence
- Q. Inspection reports, IE Bulletins and correspondence
- R. Periodic operating reports and related correspondence
- S. Reportable occurrences, LERs and related correspondence
- T. Hearing transcripts on non-antitrust matters
- U. Congressional/executive correspondence
- V. Licensing operators and related correspondence

Appendix A sets forth those categories and describes the materials available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the entries in the list are.



1. NRC/PDR Document category (see Appendix A).
2. NRC Accession Number (year, month, day, and sequence number of item).
3. Description of information contained in the document
4. Personal author(s). An asterisk in this position indicates that there is no personal author
5. Corporate, agency or nonindividual source.
6. Date of document described.
7. Recipient of document and NRC or corporate affiliation
8. Pages in this document.
9. The NRC 48X microfiche designation for this document. This five-digit portion of this entry is the number of the microfiche copy of this document that is available to NRC staff who have access to 48X microfiche files.
10. This three-digit portion of this entry is the number of the frame on which this document starts.
11. The 24X Fiche designation consists of the docket number followed by the date of the document and the accession number for the document. This designation provides the information needed by subscribers to the National Technical Information Service docket microfiche to locate the document fiche.
12. If this space is blank, the document is available to the public only in the NRC Public Document Room, 1717 H St., N. W., Washington, D.C. 20555. If this space is filled, it gives other sources for copies of the document. The entry may be "Available at NRC" for sale; "Available at NTIS"; or "Available at GPO."

The Docketed Items list is arranged sequentially by Docket Number, category, and then by date of principal items. Entries indented and preceded by a dash are items that were submitted as enclosures to principal items. In general, indented items are not in accession number sequence. If the docketed document has a contract (FIN) number or a formal report number, it will appear in the last line of the item following entry 5.

NONDOCKETED ITEMS


The nondocketed items are divided into the categories used for filing and searching in the NRC Public Document Room. These categories and their symbols are:

10CFR -- Commission Meeting Records
 ACRS -- Advisory Committee on Reactor Safeguards
 COMMISSION -- NRC Commissioners
 CONTRACT -- NRC Contracts and Modifications
 DISCLOSURE -- Financial Disclosure Information
 FOIA -- Freedom of Information Act Requests and Releases
 GEN TECH IS -- Generic Technical Issues

I&E — Inspection and Enforcement
 MISC — Public Document Room Miscellaneous
 NUREG — NUREG Reports and Related Correspondence
 ORG — Correspondence with Other Organizations
 PR — Proposed Rule
 PRM — Petition for Rulemaking
 PROJ — Projects—Predocket Licensing
 PT21 — Noncompliance Reports and Related Correspondence
 QA999 — Quality Assurance Inspections
 REGGD — Regulatory Guides
 RES — Research and Technical Assistance Reports
 REVIEW GRP — NRC Research Review Groups
 RM — Rulemakings
 SECY — Position Papers Before the Commission
 STATE PROG — State Programs
 TOPREP — Vendor Reports and Related Correspondence
 WASH — Regulatory Publications—Pre-NUREG Series
 WASTE MGT — Nuclear Waste Management
 XPORTLIC — Export and Import Licenses

Appendix B sets forth these categories and describes the material available in each. Omission of a category in the listing for a docket indicates that no documents in that category were filed in the time period of the report.

The principal elements of the nondocketed items are:



1. Nondocketed category
2. NRC Accession Number (year, month, day, and sequence number of item)
3. NRC Report Number
4. Title and description of information contained in the document
5. Personal author(s). An asterisk in this position indicates that there is no personal author.
6. Corporate, agency or other nonindividual source.
7. Contract or financial (FIN) number (if any). If the document has a secondary report number, it will appear following this entry.
8. Secondary report number assigned by originator.
9. Date of document described.
10. NRC organizational recipient.
11. Pages in document.
12. All NUREG-series documents are available for purchase at NRC. Information on ordering documents is given below. All NUREG-series documents are also available at NTIS. Information on ordering from NTIS is also given below.
13. Price for which NRC sells the document.

The Nondocketed Items list is arranged sequentially by Accession Number within category. Indented items preceded by a dash are enclosures to unindented items.

NOTES.

1. The address for NRC is:

Director
Division of Technical Information and Document Control
U.S. Nuclear Regulatory Commission
Washington, D.C. 20555

To place orders, send check or money order, payable to the Superintendent of Documents. GPO Deposit Account holders may charge their orders by calling (301) 492-9530.

2. The address for NTIS is

National Technical Information Service
Springfield, Virginia 22161

To place orders for or to obtain price information about NRC publications at NTIS, either write to NTIS or call the Sales Desk at (703) 557-4650. Specify the NRC report number and title when you place your order. Publications can be charged to American Express credit cards, supply the chargecard number when placing your order.

3. The address for the PDR is:

1717 H Street, N.W.
Washington, D.C. 20555

To place orders, either write to the NRC PDR or call (202) 634-3274. When ordering documents listed in this publication, please identify the Document Accession Number for each citation.

Paper copy and microfiche of the documents listed in this title list may be purchased. Reproduction charges for duplication are as follows: (1) paper to paper is \$0.05 per page except for oversized documents and engineering drawings, which vary from \$0.50 to \$1.00 per square foot; (2) microform to paper is \$0.05 a page for pages on microfiche and is \$0.20 a square foot for a full-size print or \$0.25 for a reduced-size print (18" x 24") of a drawing on an aperture card; and (3) microform to microform is \$0.10 per microfiche and \$0.20 per aperture card. Orders completed for mailing or for a special delivery service will have an additional fee for the actual mailing, shipping, or delivery service rate. Unless a user requests special packing materials, there is no additional charge by the contractor for handling and wrapping materials.

Please acknowledge a willingness to assume charges for all orders but do not send payments. Orders will be processed and mailed with a bill from Literature Research Company. An account may be established with the Literature Research Company by calling (703)-941-8018.

ARRANGEMENT OF ITEMS BY DOCKET NUMBER

Docket	Name	Page	Docket	Name	Page
Low Level Radwaste Disposal Sites — Docket 27			40-8211	Chamberlain Manufacturing Corp., Waterloo, IA	4
27-039	Sheffield, IL, U.S. Ecology, Inc.	1	40-8355	Amax Speciality Metals Corp., Parkersburg, WV	4
27-048	Richland, WA, U.S. Ecology, Inc.	1	40-8380	Rocky Mountain Energy Co., Broomfield, CO	5
Domestic Licensing of Source Material — Docket 40			40-8406	Pesses Co., Solon, OH	5
40-0086	W.R. Grace & Co., Pompton Plains, NJ	1	40-8452	Bear Creek Uranium Co., Casper, WY	5
40-0299	Union Carbide Corp., Grand Junction, CO	1	40-8502	Wyoming Mineral Corp., Lakewood, CO	5
40-0820	Cleveland-Cliffs Iron Co., Casper, WY	2	40-8511	Cotter Corp., Golden, CO	5
40-1162	Western Nuclear Corp., Jeffrey City, WY	2	40-8550	Holmes & Narver, Inc., Anaheim, CA	5
40-1341	Tennessee Valley Authority, Chattanooga, TN	2	40-8584	Minerals Exploration Co., Los Angeles, CA	5
40-2061	Kerr-McGee Chemical Corp., Oklahoma City, OK	2	40-8598	Army, Dept. of, Ft. Monmouth, NJ	5
40-2225	Navy, Dept. of, Washington, DC	3	40-8599	Air Force, Dept. of, Brooks AFB, TX	6
40-2259	Pathfinder Mines Corp., Riverton, WY	3	40-8602	Silver King Mines, Inc., Casper, WY	6
40-3392	Allied Chemical Corp., Morristown, NJ	3	40-8610	Stepan Chemical Co., Maywood, NJ	6
40-3453	Atlas Mineral, Inc., Denver, CO	3	40-8674	Plateau Resources, Ltd., Grand Junction, CO	6
40-4348	Commerce, Dept. of, Washington, DC	3	40-8681	Energy Fuels Nuclear, Inc., Denver, CO	6
40-5259	Princeton Univ., Princeton, NJ	3	40-8697	Rocky Mountain Energy Co., Denver, CO	6
40-6264	Michigan Chemical Corp., St. Louis, MI	3	40-8698	Plateau Resources, Ltd., Grand Junction, CO	6
40-6622	Pathfinder Mines Corp., Shirley Basin, WY	3	40-8714	Cleveland-Cliffs Iron Co., Cleveland, OH	7
40-6659	Getty Oil Co. — Petrotomics Co., Shirley Basin, WY	4	40-8722	Brush Wellman, Inc., Cleveland, OH	7
40-6940	Kawecki Berylco Ind., Inc., Boyertown, PA	4	40-8727	Kerr-McGee Nuclear Corp., Oklahoma City, OK	7
40-7572	Homestake Mining Co., San Francisco, CA	4	40-8743	Conoco, Inc., Denver, CO	7
40-8027	Kerr-McGee Nuclear Corp., Oklahoma City, OK	4	40-8745	Ogle Petroleum, Inc., Casper, WY	7
40-8064	Exxon Minerals Co. USA, Houston, TX	4	40-8768	Kerr-McGee Nuclear Corp., Oklahoma City, OK	7
40-8084	Rio Algom Corp., Moab, UT	4	40-8771	Arizona Public Service Co., Phoenix, AZ	7
40-8102	Exxon Co. USA, Houston, TX	4	40-8786	Uranium Resources, Inc., Richardson, TX	7
40-8200	Cleveland-Cliffs Iron Co., Casper, WY	4	40-8793	Conoco, Inc., Denver, CO	7

Docket	Name	Page	Docket	Name	Page
40-8799	Udylite/Sel-Rex, Warren, MI	8	50-219	Oyster Creek Nuclear Power Plant	29
Domestic Licensing of Production and Utilization Facilities — Docket 50			50-220	Nine Mile Point Nuclear Station, Unit 1	32
50-3	Indian Point Station, Unit 1	8	50-224	Univ. of California Research Reactor	34
50-5	Pennsylvania State Univ. Research Reactor	9	50-237	Dresden Nuclear Power Station, Unit 2	34
50-6	Battelle Memorial Institute Research Reactor	9	50-241	Mississippi State Univ. Research Reactor	38
50-10	Dresden Nuclear Power Station, Unit 1	9	50-243	Oregon State Univ. Research Reactor	38
50-16	Enrico Fermi Atomic Power Plant, Unit 1	11	50-244	Robert Emmet Ginna Nuclear Plant, Unit 1	38
50-20	Massachusetts Institute of Technology Research Reactor	11	50-245	Millstone Nuclear Power Station, Unit 1	41
50-27	Washington State Univ. Research Reactor	11	50-247	Indian Point Station, Unit 2	44
50-29	Yankee-Rowe Nuclear Power Station	12	50-249	Dresden Nuclear Power Station, Unit 3	53
50-54	Union Carbide Research Reactor	14	50-250	Turkey Point Plant, Unit 3	57
50-62	Univ. of Virginia Research Reactor	14	50-251	Turkey Point Plant, Unit 4	59
50-72	Univ. of Utah Research Reactor	14	50-254	Quad-Cities Station, Unit 1	61
50-83	Univ. of Florida Training Reactor	14	50-255	Palisades Nuclear Plant	64
50-89	General Atomic Co.	14	50-259	Browns Ferry Nuclear Power Station, Unit 1	67
50-111	North Carolina State Univ. Research Reactor	14	50-260	Browns Ferry Nuclear Power Station, Unit 2	71
50-113	Univ. of Arizona Research Reactor	15	50-261	H.B. Robinson Plant, Unit 2	75
50-124	Virginia Polytechnic Institute Training Reactor	15	50-263	Monticello Nuclear Generating Plant	77
50-128	Texas A&M Univ. Research Reactor	15	50-264	Dow Chemical Co.	78
50-129	West Virginia Univ. Research Reactor	15	50-265	Quad-Cities Station, Unit 2	78
50-133	Humboldt Bay Power Plant, Unit 3	15	50-266	Point Beach Nuclear Plant, Unit 1	81
50-142	UCLA Training Reactor	16	50-267	Fort St. Vrain Nuclear Generating Station	84
50-155	Big Rock Point Nuclear Plant	17	50-269	Oconee Nuclear Station, Unit 1	86
50-160	Georgia Institute of Technology Research Reactor	21	50-270	Oconee Nuclear Station, Unit 2	89
50-170	National Naval Medical Center	21	50-271	Vermont Yankee Nuclear Power Station	92
50-171	Peach Bottom Atomic Power Station, Unit 1	21	50-272	Salem Nuclear Generating Station, Unit 1	94
50-186	Univ. of Missouri Research Reactor	21	50-274	U.S. Geological Survey Research Reactor	96
50-193	Rhode Island & Providence Plantations AEC	22	50-275	Diablo Canyon Nuclear Power Plant, Unit 1	96
50-200	B&W Test Reactor	22	50-276	Georgia Tech Research Reactor	100
50-201	West Valley Reprocessing Plant	22	50-277	Peach Bottom Atomic Power Station, Unit 2	100
50-206	San Onofre Nuclear Station, Unit 1	23	50-278	Peach Bottom Atomic Power Station, Unit 3	103
50-213	Haddam Neck Plant	26	50-280	Surry Power Station, Unit 1	106
			50-281	Surry Power Station, Unit 2	110

Docket	Name	Page	Docket	Name	Page
50-282	Prairie Island Nuclear Station, Unit 1	112	50-328	Sequoyah Nuclear Plant, Unit 2	204
50-284	Idaho State Univ. Research Reactor	114	50-329	Midland Plant, Unit 1	207
50-285	Fort Calhoun Station, Unit 1	114	50-330	Midland Plant, Unit 2	210
50-286	Indian Point Station, Unit 3	117	50-331	Duane Arnold Energy Center	213
50-287	Oconee Nuclear Station, Unit 3	125	50-333	James A. Fitzpatrick Nuclear Power Plant	215
50-289	Three Mile Island Nuclear Station, Unit 1	128	50-334	Beaver Valley Power Station, Unit 1	218
50-293	Pilgrim Nuclear Power Station, Unit 1	132	50-335	St. Lucie Plant, Unit 1	221
50-295	Zion Nuclear Power Station, Unit 1	135	50-336	Millstone Nuclear Power Station, Unit 2	223
50-296	Browns Ferry Nuclear Power Station, Unit 3	138	50-338	North Anna Power Station, Unit 1	226
50-297	North Carolina State Univ. PULSTAR Reactor	141	50-339	North Anna Power Station, Unit 2	229
50-298	Cooper Nuclear Station	142	50-341	Enrico Fermi Atomic Power Plant, Unit 2	232
50-301	Point Beach Nuclear Plant, Unit 2	144	50-344	Trojan Nuclear Plant	233
50-302	Crystal River Nuclear Plant, Unit 3	146	50-346	Davis-Besse Nuclear Power Station, Unit 1	236
50-303	Crystal River Nuclear Plant, Unit 4	149	50-348	Joseph M. Farley Nuclear Plant, Unit 1	238
50-304	Zion Nuclear Power Station, Unit 2	149	50-352	Limerick Generating Station, Unit 1	240
50-305	Kewaunee Nuclear Power Plant	151	50-353	Limerick Generating Station, Unit 2	243
50-306	Prairie Island Nuclear Station, Unit 2	153	50-354	Hope Creek Nuclear Station, Unit 1	246
50-309	Maine Yankee Atomic Power Plant	155	50-355	Hope Creek Nuclear Station, Unit 2	247
50-311	Salem Nuclear Generating Station, Unit 2	157	50-358	William H. Zimmer Nuclear Station, Unit 1	247
50-312	Rancho Seco Nuclear Generating Station	160	50-361	San Onofre Nuclear Station, Unit 2	250
50-313	Arkansas Nuclear One, Unit 1	164	50-362	San Onofre Nuclear Station, Unit 3	254
50-315	Donald C. Cook Nuclear Power Plant, Unit 1	167	50-364	Joseph M. Farley Nuclear Plant, Unit 2	257
50-316	Donald C. Cook Nuclear Power Plant, Unit 2	170	50-366	Edwin I. Hatch Nuclear Plant, Unit 2	259
50-317	Calvert Cliffs Nuclear Power Plant, Unit 1	173	50-367	Bailly Generating Station	263
50-318	Calvert Cliffs Nuclear Power Plant, Unit 2	176	50-368	Arkansas Nuclear One, Unit 2	263
50-320	Three Mile Island Nuclear Station, Unit 2	178	50-369	William B. McGuire Nuclear Station, Unit 1	266
50-321	Edwin I. Hatch Nuclear Plant, Unit 1	181	50-370	William B. McGuire Nuclear Station, Unit 2	268
50-322	Shoreham Nuclear Power Station	185	50-371	Technical Univ. of Munich Research Reactor	269
50-323	Diablo Canyon Nuclear Power Plant, Unit 2	190	50-373	LaSalle County Station, Unit 1	271
50-324	Brunswick Steam Electric Plant, Unit 2	192	50-374	LaSalle County Station, Unit 2	272
50-325	Brunswick Steam Electric Plant, Unit 1	196	50-375	Nuclear Examination Reactor	273
50-326	Univ. of California at Irvine Research Reactor	201	50-376	North Coast Nuclear Plant, Puerto Rico	279
50-327	Sequoyah Nuclear Plant, Unit 1	201	50-382	Waterford Generating Station, Unit 3	279

Docket	Name	Page	Docket	Name	Page
50-387	Susquehanna Steam Electric Station, Unit 1	281	50-440	Perry Nuclear Power Plant, Unit 1	333
50-388	Susquehanna Steam Electric Station, Unit 2	285	50-441	Perry Nuclear Power Plant, Unit 2	336
50-389	St. Lucie Plant, Unit 2	288	50-443	Seabrook Nuclear Station, Unit 1	338
50-390	Watts Bar Nuclear Plant, Unit 1	290	50-444	Seabrook Nuclear Station, Unit 2	340
50-391	Watts Bar Nuclear Plant, Unit 2	294	50-445	Comanche Peak Steam Electric Station, Unit 1	343
50-393	Ko-Ri, Unit 1, Korea	297	50-446	Comanche Peak Steam Electric Station, Unit 2	346
50-394	California State Polytechnic College Research Reactor	297	STN-50-447	GESSAR-238	348
50-395	Virgil C. Summer Nuclear Station, Unit 1	297	STN-50-454	Byron Station, Unit 1	348
50-396	Univ. of Virginia Cavalier Reactor	300	STN-50-455	Byron Station, Unit 2	352
50-397	WPPSS Nuclear Project, Unit 2	300	STN-50-456	Braidwood Station, Unit 1	356
50-400	Shearon Harris Nuclear Power Plant, Unit 1	301	STN-50-457	Braidwood Station, Unit 2	357
50-401	Shearon Harris Nuclear Power Plant, Unit 2	304	50-458	River Bend Station, Unit 1	358
50-402	Shearon Harris Nuclear Power Plant, Unit 3	306	50-459	River Bend Station, Unit 2	359
50-403	Shearon Harris Nuclear Power Plant, Unit 4	306	50-460	WPPSS Nuclear Project, Unit 1	360
50-404	North Anna Power Station, Unit 3	306	50-461	Clinton Power Station, Unit 1	362
50-405	North Anna Power Station, Unit 4	307	50-462	Clinton Power Station, Unit 2	364
50-406	Tuskegee Institute Research Reactor	307	50-465	Ringhals, Unit 3, Sweden	365
50-407	Univ. of Utah Research Reactor	308	50-466	Allens Creek Nuclear Station, Unit 1	365
50-409	La Crosse Boiling Water Reactor	308	50-467	Allens Creek Nuclear Station, Unit 2	365
50-410	Nine Mile Point Nuclear Station, Unit 2	310	STN-50-470	CESSAR System 80	366
50-412	Beaver Valley Power Station, Unit 2	311	50-471	Pilgrim Nuclear Power Station, Unit 2	366
50-413	Catawba Nuclear Station, Unit 1	312	50-472	Pilgrim Nuclear Power Station, Unit 3	366
50-414	Catawba Nuclear Station, Unit 2	313	STN-50-482	Wolf Creek Generating Station	366
50-416	Grand Gulf Nuclear Station, Unit 1	315	STN-50-483	Callaway Plant, Unit 1	368
50-417	Grand Gulf Nuclear Station, Unit 2	321	STN-50-485	Sterling Power Nuclear Project, Unit 1	369
50-418	Ohi, Unit 1, Japan	325	STN-50-486	Callaway Plant, Unit 2	369
50-423	Millstone Nuclear Power Station, Unit 3	325	STN-50-488	Perkins Nuclear Station, Unit 1	369
50-424	Alvin W. Vogtle Nuclear Plant, Unit 1	326	STN-50-489	Perkins Nuclear Station, Unit 2	370
50-425	Alvin W. Vogtle Nuclear Plant, Unit 2	327	STN-50-490	Perkins Nuclear Station, Unit 3	370
50-428	Almaraz Nuclear Station, Units 1 & 2, Spain	328	STN-50-491	Cherokee Nuclear Station, Unit 1	371
STN-50-437	Floating Nuclear Plant	328	STN-50-492	Cherokee Nuclear Station, Unit 2	371
50-438	Bellefonte Nuclear Plant, Unit 1	328	STN-50-493	Cherokee Nuclear Station, Unit 3	371
50-439	Bellefonte Nuclear Plant, Unit 2	331	STN-50-498	South Texas Project, Unit 1	372

Docket	Name	Page	Docket	Name	Page
STN-50-499	South Texas Project, Unit 2	373	STN-50-573	Ko-Ri, Unit 2, Korea	405
50-500	Davis-Besse Nuclear Power Station, Unit 2	375	STN-50-592	Palo Verde Nuclear Station, Unit 4	405
50-501	Davis-Besse Nuclear Power Station, Unit 3	376	STN-50-593	Palo Verde Nuclear Station, Unit 5	405
STN-50-502	Haven Nuclear Plant, Unit 1	376	STN-50-599	Carroll Facility I	405
STN-50-508	WPPSS Nuclear Project, Unit 3	376	STN-50-600	Carroll Facility II	406
STN-50-509	WPPSS Nuclear Project, Unit 5	379	Domestic Licensing of Special Nuclear Material — Docket 70		
50-513	WPPSS Nuclear Project, Unit 4	380	70-0008	Battelle Memorial Institute, Columbus, OH	406
50-514	Pebble Springs Nuclear Plant, Unit 1	380	70-0011	Army, Dept. of, Aberdeen, MD	406
50-515	Pebble Springs Nuclear Plant, Unit 2	380	70-0025	Rockwell International Corp., Canoga Park, CA	406
STN-50-516	Jamesport Nuclear Station, Unit 1	381	70-0027	Babcock & Wilcox Co., Lynchburg, VA	406
STN-50-517	Jamesport Nuclear Station, Unit 2	381	70-0033	Texas Instruments, Inc., Attleboro, MA	406
STN-50-518	Hartsville Nuclear Plant, Unit 1	381	70-0036	Combustion Engineering, Inc., Windsor, CT	406
STN-50-519	Hartsville Nuclear Plant, Unit 2	382	70-0123	Pennsylvania, Univ. of, Philadelphia, PA	407
STN-50-520	Hartsville Nuclear Plant, Unit 3	383	70-0135	Babcock & Wilcox Co., Apollo, PA	407
STN-50-521	Hartsville Nuclear Plant, Unit 4	384	70-0143	Nuclear Fuel Services, Inc., Erwin, TN	407
50-522	Skagit Nuclear Power Project, Unit 1	385	70-0182	Navy, Dept. of, Bethesda, MD	408
50-523	Skagit Nuclear Power Project, Unit 2	386	70-0241	Bucknell Univ., Lewisburg, PA	408
STN-50-528	Palo Verde Nuclear Station, Unit 1	388	70-0258	Illinois, Univ. of, Urbana, IL	408
STN 50-529	Palo Verde Nuclear Station, Unit 2	391	70-0268	Gettysburg College, Gettysburg, PA	408
STN-50-530	Palo Verde Nuclear Station, Unit 3	393	70-0296	Fairleigh Dickinson Univ., Teaneck, NJ	408
50-537	Clinch River Breeder Reactor	396	70-0343	Rutgers State Univ., New Brunswick, NJ	408
50-538	Memphis State Univ. Research Reactor	399	70-0355	National Aeronautics & Space Administration, Cleveland, OH	408
STN-50-546	Marble Hill Nuclear Station, Unit 1	399	70-0356	Nuclear Research Corp., Dover, NJ	409
STN-50-547	Marble Hill Nuclear Station, Unit 2	400	70-0364	Babcock & Wilcox Co., Apollo, PA	409
50-548	Fort Calhoun Station, Unit 2	401	70-0368	Navy, Dept. of, Annapolis, MD	409
STN-50-553	Phipps Bend Nuclear Station, Unit 1	401	70-0371	UNC Naval Products, Inc., Uncasville, CT	409
STN-50-554	Phipps Bend Nuclear Station, Unit 2	402	70-0374	St. Joseph's College, Philadelphia, PA	409
STN-50-556	Black Fox Station, Unit 1	403	70-0391	Princeton Univ., Princeton, NJ	409
STN-50-557	Black Fox Station, Unit 2	403	70-0398	Commerce, Dept. of, Washington, DC	409
50-558	Maanshan Nuclear Station, Unit 1, Taiwan	404	70-0435	Lafayette College, Easton, PA	409
50-559	Maanshan Nuclear Station, Unit 2, Taiwan	404	70-0442	Health & Human Services, Dept. of, Rockville, MD	409
STN-50-566	Yellow Creek Nuclear Plant, Unit 1	404	70-0478	Commerce, Dept. of, Kings Point, NY	410
STN-50-567	Yellow Creek Nuclear Plant, Unit 2	405			

Docket	Name	Page	Docket	Name	Page
70-0484	Philadelphia College of Pharmacy, Philadelphia, PA	410	70-2801	St. Mary's Hospital, Milwaukee, WI	414
70-0575	Lebanon Valley College, Annville, PA	410	70-2815	New Britain General Hospital, New Britain, CT	414
70-0600	Seattle Univ., Seattle, WA	410	70-2830	Burnham City Hospital, Champaign, IL	414
70-0687	Union Carbide Corp., Tuxedo, NY	410	70-2884	Long Island Lighting Co., Hicksville, NY	414
70-0728	Utah, Univ. of, Salt Lake City, UT	410	70-2909	Westinghouse Electric Corp., Prattville, AL	414
70-0734	General Atomic Co., San Diego, CA	410	70-2915	Princeton Gamma-Tech, Inc., Princeton, NJ	414
70-0749	Marywood College, Scranton, PA	410	70-2949	Arizona Public Service Co., Phoenix, AZ	414
70-0754	General Electric Co., Pleasanton, CA	410	70-2961	Union Electric Co., St. Louis, MO	414
70-0817	Chestnut Hill College, Philadelphia, PA	410	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71		
70-0820	United Nuclear Corp., Wood River Junction, RI	410	71-0210	Gulf Nuclear, Inc.	414
70-0824	Babcock & Wilcox Co., Lynchburg, VA	411	71-0236	American Airlines	414
70-0852	Wisconsin, Univ. of, Stevens Point, WI	411	71-0394	Nuclear Sources & Services, Inc.	415
70-0867	Army, Dept. of, Aberdeen, MD	411	71-0454	Atomic Energy of Canada, Ltd.	415
70-1029	East Stroudsburg State College, East Stroudsburg, PA	411	71-0473	Pittsburgh-Des Moines Corp.	415
70-1050	St. Francis College, Loretto, PA	411	71-0474	Navy, Dept. of	415
70-1100	Combustion Engineering, Inc., Windsor, CT	411	71-0475	Tuskegee Institute	415
70-1113	General Electric Co., Wilmington, NC	411	71-0476	Texas, State of	415
70-1143	Westinghouse Electric Corp., Pittsburgh, PA	412	71-0477	Wilson Inspection Service	415
70-1151	Westinghouse Electric Corp., Pittsburgh, PA	412	71-4909	Model: OR-5, Combustion Engineering Co., Inc.	415
70-1193	Kerr-McGee Nuclear Corp., Oklahoma City, OK	412	71-4986	Model: RA-2, RA-3, RA-J, General Electric Co.	415
70-1201	Babcock & Wilcox Co., Lynchburg, VA	413	71-5461	Model: ORNL TRU, Energy, Dept. of	415
70-1251	Albright College, Reading, PA	413	71-5608	Model: BR 63-0101, Energy, Dept. of	415
70-1257	Exxon Nuclear Co., Inc., Richland, WA	413	71-5768	Model: BB-250-2, Combustion Engineering Co., Inc.	415
70-1308	General Electric Co., San Jose, CA	413	71-5805	Model: Vandenberg, Chem-Nuclear Systems, Inc.	415
70-1334	AVCO Everett Research Laboratory, Inc., Everett, MA	413	71-5874	Model: WAPD-40, Energy, Dept. of	416
70-1359	IRT Corp., San Diego, CA	413	71-5908	Model: DOT-6M Type B, Babcock & Wilcox Co.	416
70-1621	Duquesne Light Co., Pittsburgh, PA	413	71-6003	Model: M-130, Energy, Dept. of	416
70-1994	Stevens Institute of Technology, Hoboken, NJ	414	71-6400	Model: 6400, Westinghouse Electric Corp.	416
70-2205	St. Luke's Hospital, Milwaukee, WI	414	71-6574	Model: HN-200, Hittman Nuclear & Development Corp.	416
70-2375	Pacific Gas & Electric Co., San Francisco, CA	414	71-6601	Model: CNS 8-120, Chem-Nuclear Systems, Inc.	416
70-2683	Doylestown Hospital, Doylestown, PA	414			

Docket	Name	Page	Docket	Name	Page
71-6679	Model: 6679, U.S. Ecology	416	71-9094	Model: CNS 14-195-H, Chem-Nuclear Systems, Inc.	418
71-6717	Model: 6717-B, Gamma Industries	416	71-9096	Model: CNS 21-300, Chem-Nuclear Systems, Inc.	418
71-6722	Model: BS-33-180, Tennessee Valley Authority	416	71-9111	Model: CNS 6-80-2, Chem-Nuclear Systems, Inc.	418
71-9001	Model: IF-300, General Electric Co.	416	71-9127	Model: 100, 100A, 200, 200A, Gamma Industries	418
71-9006	Model: 500-SU, Automation Industries, Inc.	416	71-9128	Model: C-8, Gamma Industries	418
71-9032	Model: 650, Technical Operations, Inc.	416	71-9132	Model: T-3, Energy, Dept. of	418
71-9033	Model: 660 & 660E, Technical Operations, Inc.	417	71-9136	Model: GE 9136, General Electric Co.	418
71-9034	Model: Triga-1, General Atomic Co.	417	71-9152	Model: CNS 1-13CII, Chem-Nuclear Systems, Inc.	418
71-9036	Model: C-1, Source Production & Equipment Co.	417	71-9160	Model: 20-VS & 40-VS, Gulf Nuclear Co.	418
71-9037	Model: Triga-2, General Atomic Co.	417	71-9161	Model: R, Gulf Nuclear Co.	418
71-9039	Model: 715, Technical Operations, Inc.	417	71-9162	Model: GNN-20, Gulf Nuclear Co.	419
71-9044	Model: GE-1600, General Electric Co.	417	71-9163	Model: GNG-20, Gulf Nuclear Co.	419
71-9056	Model: SPEC 2-T, Source Production & Equipment Co.	417	71-9165	Model: 855, Tech/Ops	419
71-9070	Model: N-55, Energy, Dept. of	417	71-9510	Model: GPHS, Energy, Dept. of	419
71-9079	Model: HN-100, Series 2 & 2A, Hittman Nuclear & Development Corp.	417	71-9931	Model: C47, C47 Extd., C47 Short & C47H, Energy, Dept. of	419
71-9081	Model: CNS-1600, Chem-Nuclear Systems, Inc.	417	Licensing of Independent Spent Fuel Storage — Docket 72		
71-9086	Model: HN-100, Series 1, Hittman Nuclear & Development Corp.	417	72-0001	Morris Operations, General Electric Co.	419
71-9088	Model: NLS-RF, Schlumberger Well Services	417			
71-9091	Model: 30A & 30B, Gulf Nuclear, Co.	417			

ALPHABETIC ARRANGEMENT OF DOCKET ITEMS BY FACILITY NAME

Name	Docket	Page	Name	Docket	Page
Low Level Radwaste Disposal Sites — Docket 27			Kerr-McGee Chemical Corp., Oklahoma City, OK	40-2061	2
Richland, WA, U.S. Ecology, Inc.	27-048	1	Kerr-McGee Nuclear Corp., Oklahoma City, OK	40-8027	4
Sheffield, IL, U.S. Ecology, Inc.	27-039	1	Kerr-McGee Nuclear Corp., Oklahoma City, OK	40-8727	7
Domestic Licensing of Source Material — Docket 40			Kerr-McGee Nuclear Corp., Oklahoma City, OK	40-8768	7
Air Force, Dept. of, Brooks AFB, TX	40-8599	6	Michigan Chemical Corp., St. Louis, MI	40-6264	3
Allied Chemical Corp., Morristown, NJ	40-3392	3	Minerals Exploration Co., Los Angeles, CA	40-8584	5
Amax Speciality Metals Corp., Parkersburg, WV	40-8355	4	Navy, Dept. of, Washington, DC	40-2225	3
Arizona Public Service Co., Phoenix, AZ	40-8771	7	Ogle Petroleum, Inc., Casper, WY	40-8745	7
Army, Dept. of, Ft. Monmouth, NJ	40-8598	5	Pathfinder Mines Corp., Riverton, WY	40-2259	3
Atlas Mineral, Inc., Denver, CO	40-3453	3	Pathfinder Mines Corp., Shirley Basin, WY	40-6622	3
Bear Creek Uranium Co., Casper, WY	40-8452	5	Pesses Co., Solon, OH	40-8406	5
Brush Wellman, Inc., Cleveland, OH	40-8722	7	Plateau Resources, Ltd., Grand Junction, CO	40-8674	6
Chamberlain Manufacturing Corp., Waterloo, IA	40-8211	4	Plateau Resources, Ltd., Grand Junction, CO	40-8698	6
Cleveland-Cliffs Iron Co., Casper, WY	40-0820	2	Princeton Univ., Princeton, NJ	40-5259	3
Cleveland Cliffs Iron Co., Casper, WY	40-8200	4	Rio Algom Corp., Moab, UT	40-8084	4
Cleveland-Cliffs Iron Co., Cleveland, OH	40-8714	7	Rocky Mountain Energy Co., Broomfield, CO	40-8380	5
Commerce, Dept. of, Washington, DC	40-4348	3	Rocky Mountain Energy Co., Denver, CO	40-8697	6
Conoco, Inc., Denver, CO	40-8743	7	Silver King Mines, Inc., Casper, WY	40-8602	6
Conoco, Inc., Denver, CO	40-8793	8	Stepan Chemical Co., Maywood, NJ	40-8610	6
Cotter Corp., Golden, CO	40-8511	5	Tennessee Valley Authority, Chattanooga, TN	40-1341	2
Energy Fuels Nuclear, Inc., Denver, CO	40-8681	6	Udylite/Sel-Rex, Warren, MI	40-8799	8
Exxon Co. USA, Houston, TX	40-8102	4	Union Carbide Corp., Grand Junction, CO	40-0299	1
Exxon Minerals Co. USA, Houston, TX	40-8064	4	Uranium Resources, Inc., Richardson, TX	40-8786	7
Getty Oil Co. — Petrotomics Co., Shirley Basin, WY	40-6659	4	W.R. Grace & Co., Pompton Plains, NJ	40-0086	1
Holmes & Narver, Inc., Anaheim, CA	40-8550	5	Western Nuclear, Corp., Jeffrey City, WY	40-1162	2
Homestake Mining Co., San Francisco, CA	40-7572	4	Wyoming Mineral Corp., Lakewood, CO	40-8502	5
Kaweckí Berylco Ind., Inc., Boyertown, PA	40-6940	4			

Name	Docket	Page	Name	Docket	Page
Domestic Licensing of Production and Utilization Facilities -- Docket 50			Carroll Facility I	STN-50-599	405
Allens Creek Nuclear Station, Unit 1	50-466	365	Carroll Facility II	STN-50-600	406
Allens Creek Nuclear Station, Unit 2	50-467	365	Catawba Nuclear Station, Unit 1	50-413	312
Almaraz Nuclear Station, Units 1 & 2, Spain	50-428	328	Catawba Nuclear Station, Unit 2	50-414	313
Alvin W. Vogtle Nuclear Plant, Unit 1	50-424	326	CESSAR System 80	STN-50-470	366
Alvin W. Vogtle Nuclear Plant, Unit 2	50-425	327	Cherokee Nuclear Station, Unit 1	STN-50-491	371
Arkansas Nuclear One, Unit 1	50-313	164	Cherokee Nuclear Station, Unit 2	STN-50-492	371
Arkansas Nuclear One, Unit 2	50-368	263	Cherokee Nuclear Station, Unit 3	STN-50-493	371
B&W Test Reactor	50-200	22	Clinch River Breeder Reactor	50-537	396
Bailly Generating Station	50-367	263	Clinton Power Station, Unit 1	50-461	362
Battelle Memorial Institute Research Reactor	50-6	9	Clinton Power Station, Unit 2	50-462	364
Beaver Valley Power Station, Unit 1	50-334	218	Comanche Peak Steam Electric Station, Unit 1	50-445	343
Beaver Valley Power Station, Unit 2	50-412	311	Comanche Peak Steam Electric Station, Unit 2	50-446	346
Bellefonte Nuclear Plant, Unit 1	50-438	328	Cooper Nuclear Station	50-298	142
Bellefonte Nuclear Plant, Unit 2	50-439	331	Crystal River Nuclear Plant, Unit 3	50-302	146
Big Rock Point Nuclear Plant	50-155	17	Crystal River Nuclear Plant, Unit 4	50-303	149
Black Fox Station, Unit 1	STN-50-556	403	Davis-Besse Nuclear Power Station, Unit 1	50-346	236
Black Fox Station, Unit 2	STN-50-557	403	Davis-Besse Nuclear Power Station, Unit 2	50-500	375
Braidwood Station, Unit 1	STN-50-456	356	Davis-Besse Nuclear Power Station, Unit 3	50-501	376
Braidwood Station, Unit 2	STN-50-457	357	Diablo Canyon Nuclear Power Plant, Unit 1	50-275	96
Browns Ferry Nuclear Power Station, Unit 1	50-259	67	Diablo Canyon Nuclear Power Plant, Unit 2	50-323	190
Browns Ferry Nuclear Power Station, Unit 2	50-260	71	Donald C. Cook Nuclear Power Plant, Unit 1	50-315	167
Browns Ferry Nuclear Power Station, Unit 3	50-296	138	Donald C. Cook Nuclear Power Plant, Unit 2	50-316	170
Brunswick Steam Electric Plant, Unit 1	50-325	196	Dow Chemical Co.	50-264	78
Brunswick Steam Electric Plant, Unit 2	50-324	192	Dresden Nuclear Power Station, Unit 1	50-10	9
Byron Station, Unit 1	STN-50-454	348	Dresden Nuclear Power Station, Unit 2	50-237	34
Byron Station, Unit 2	STN-50-455	352	Dresden Nuclear Power Station, Unit 3	50-249	53
California State Polytechnic College Research Reactor	50-394	297	Duane Arnold Energy Center	50-331	213
Callaway Plant, Unit 1	STN-50-483	368	Edwin I. Hatch Nuclear Plant, Unit 1	50-321	181
Callaway Plant, Unit 2	STN-50-486	369	Edwin I. Hatch Nuclear Plant, Unit 2	50-366	259
Calvert Cliffs Nuclear Power Plant, Unit 1	50-317	173	Enrico Fermi Atomic Power Plant, Unit 1	50-16	11
Calvert Cliffs Nuclear Power Plant, Unit 2	50-318	176	Enrico Fermi Atomic Power Plant, Unit 2	50-341	232
			Floating Nuclear Plant	STN-50-437	328
			Fort Calhoun Station, Unit 1	50-285	114

Name	Docket	Page	Name	Docket	Page
Fort Calhoun Station, Unit 2	50-548	401	Limerick Generating Station, Unit 1	50-352	240
Fort St. Vrain Nuclear Generating Station	50-267	84	Limerick Generating Station, Unit 2	50-353	243
General Atomic Co.	50-89	14	Maanshan Nuclear Station, Unit 1, Taiwan	50-558	404
Georgia Institute of Technology Research Reactor	50-160	21	Maanshan Nuclear Station, Unit 2, Taiwan	50-559	404
Georgia Tech Research Reactor	50-276	100	Maine Yankee Atomic Power Plant	50-309	155
GESSAR-238	STN-50-447	348	Marble Hill Nuclear Station, Unit 1	STN-50-546	399
Grand Gulf Nuclear Station, Unit 1	50-416	315	Marble Hill Nuclear Station, Unit 2	STN-50-547	400
Grand Gulf Nuclear Station, Unit 2	50-417	321	Massachusetts Institute of Technology Research Reactor	50-20	11
H.B. Robinson Plant, Unit 2	50-261	75	Memphis State Univ. Research Reactor	50-538	399
Haddam Neck Plant	50-213	26	Midland Plant, Unit 1	50-329	207
Hartsville Nuclear Plant, Unit 1	STN-50-518	381	Midland Plant, Unit 2	50-330	210
Hartsville Nuclear Plant, Unit 2	STN-50-519	382	Millstone Nuclear Power Station, Unit 1	50-245	41
Hartsville Nuclear Plant, Unit 3	STN-50-520	383	Millstone Nuclear Power Station, Unit 2	50-336	223
Hartsville Nuclear Plant, Unit 4	STN-50-521	384	Millstone Nuclear Power Station, Unit 3	50-423	325
Haven Nuclear Plant, Unit 1	STN-50-502	376	Mississippi State Univ. Research Reactor	50-241	38
Hope Creek Nuclear Station, Unit 1	50-354	246	Monticello Nuclear Generating Plant	50-263	77
Hope Creek Nuclear Station, Unit 2	50-355	247	National Naval Medical Center	50-170	21
Humboldt Bay Power Plant, Unit 3	50-133	15	Nine Mile Point Nuclear Station, Unit 1	50-220	32
Idaho State Univ. Research Reactor	50-284	114	Nine Mile Point Nuclear Station, Unit 2	50-410	310
Indian Point Station, Unit 1	50-3	8	North Anna Power Station, Unit 1	50-338	226
Indian Point Station, Unit 2	50-247	44	North Anna Power Station, Unit 2	50-339	229
Indian Point Station, Unit 3	50-286	117	North Anna Power Station, Unit 3	50-404	306
James A. Fitzpatrick Nuclear Power Plant	50-333	215	North Anna Power Station, Unit 4	50-405	307
Jamesport Nuclear Station, Unit 1	STN-50-516	381	North Carolina State Univ. PULSTAR Reactor	50-297	141
Jamesport Nuclear Station, Unit 2	STN-50-517	381	North Carolina State Univ. Research Reactor	50-111	14
Joseph M. Farley Nuclear Plant, Unit 1	50-348	238	North Coast Nuclear Plant, Puerto Rico	50-376	279
Joseph M. Farley Nuclear Plant, Unit 2	50-364	257	Nuclear Examination Reactor	50-375	279
Kewaunee Nuclear Power Plant	50-305	151	Oconee Nuclear Station, Unit 1	50-269	86
Ko-Ri, Unit 1, Korea	50-393	297	Oconee Nuclear Station, Unit 2	50-270	89
Ko-Ri, Unit 2, Korea	STN-50-573	405	Oconee Nuclear Station, Unit 3	50-287	125
La Crosse Boiling Water Reactor	50-409	308	Ohi, Unit 1, Japan	50-418	325
LaSalle County Station, Unit 1	50-373	269	Oregon State Univ. Research Reactor	50-243	38
LaSalle County Station, Unit 2	50-374	276	Oyster Creek Nuclear Power Plant	50-219	29

Name	Docket	Page	Name	Docket	Page
Palisades Nuclear Plant	50-255	64	Robert Emmet Ginna Nuclear Plant, Unit 1	50-244	38
Palo Verde Nuclear Station, Unit 1	STN-50-528	388	Salem Nuclear Generating Station, Unit 1	50-272	94
Palo Verde Nuclear Station, Unit 2	STN-50-529	391	Salem Nuclear Generating Station, Unit 2	50-311	157
Palo Verde Nuclear Station, Unit 3	STN-50-530	393	San Onofre Nuclear Station, Unit 1	50-206	23
Palo Verde Nuclear Station, Unit 4	STN-50-592	405	San Onofre Nuclear Station, Unit 2	50-361	250
Palo Verde Nuclear Station, Unit 5	STN-50-593	405	San Onofre Nuclear Station, Unit 3	50-362	254
Peach Bottom Atomic Power Station, Unit 1	50-171	21	Seabrook Nuclear Station, Unit 1	50-443	338
Peach Bottom Atomic Power Station, Unit 2	50-277	100	Seabrook Nuclear Station, Unit 2	50-444	340
Peach Bottom Atomic Power Station, Unit 3	50-278	103	Sequoyah Nuclear Plant, Unit 1	50-327	201
Pebble Springs Nuclear Plant, Unit 1	50-514	380	Sequoyah Nuclear Plant, Unit 2	50-328	204
Pebble Springs Nuclear Plant, Unit 2	50-515	380	Shearon Harris Nuclear Power Plant, Unit 1	50-400	301
Pennsylvania State Univ. Research Reactor	50-5	9	Shearon Harris Nuclear Power Plant, Unit 2	50-401	304
Perkins Nuclear Station, Unit 1	STN-50-488	369	Shearon Harris Nuclear Power Plant, Unit 3	50-402	306
Perkins Nuclear Station, Unit 2	STN-50-489	370	Shearon Harris Nuclear Power Plant, Unit 4	50-403	306
Perkins Nuclear Station, Unit 3	STN-50-490	370	Shoreham Nuclear Power Station	50-322	185
Perry Nuclear Power Plant, Unit 1	50-440	333	Skagit Nuclear Power Project, Unit 1	50-522	385
Perry Nuclear Power Plant, Unit 2	50-441	336	Skagit Nuclear Power Project, Unit 2	50-523	386
Phipps Bend Nuclear Station, Unit 2	STN-50-554	402	South Texas Project, Unit 1	STN-50-498	372
Phipps Bend Nuclear Station, Unit 1	STN-50-553	401	South Texas Project, Unit 2	STN-50-499	373
Pilgrim Nuclear Power Station, Unit 1	50-293	132	St. Lucie Plant, Unit 1	50-335	221
Pilgrim Nuclear Power Station, Unit 2	50-471	366	St. Lucie Plant, Unit 2	50-389	288
Pilgrim Nuclear Power Station, Unit 3	50-472	366	Sterling Power Nuclear Project, Unit 1	STN-50-485	369
Point Beach Nuclear Plant, Unit 1	50-266	81	Surry Power Station, Unit 1	50-280	106
Point Beach Nuclear Plant, Unit 2	50-301	144	Surry Power Station, Unit 2	50-281	110
Prairie Island Nuclear Station, Unit 1	50-282	112	Susquehanna Steam Electric Station, Unit 1	50-387	281
Prairie Island Nuclear Station, Unit 2	50-306	153	Susquehanna Steam Electric Station, Unit 2	50-388	285
Quad-Cities Station, Unit 1	50-254	61	Technical Univ. of Munich Research Reactor	50-371	269
Quad-Cities Station, Unit 2	50-265	78	Texas A&M Univ. Research Reactor	50-128	15
Rancho Seco Nuclear Generating Station	50-312	160	Three Mile Island Nuclear Station, Unit 1	50-289	128
Rhode Island & Providence Plantations AEC	50-193	22	Three Mile Island Nuclear Station, Unit 2	50-320	178
Ringhals, Unit 3, Sweden	50-465	365	Trojan Nuclear Plant	50-344	233
River Bend Station, Unit 1	50-458	358	Turkey Point Plant, Unit 3	50-250	57
River Bend Station, Unit 2	50-459	359	Turkey Point Plant, Unit 4	50-251	59

Name	Docket	Page	Name	Docket	Page
Tuskegee Institute Research Reactor	50-406	307	Yellow Creek Nuclear Plant, Unit 2	STN-50-567	405
U.S. Geological Survey Research Reactor	50-274	96	Zion Nuclear Power Station, Unit 1	50-295	135
UCLA Training Reactor	50-142	16	Zion Nuclear Power Station, Unit 2	50-304	149
Union Carbide Research Reactor	50-54	14	Domestic Licensing of Special Nuclear Material — Docket 70		
Univ. of Arizona Research Reactor	50-113	15	Albright College, Reading, PA	70-1251	413
Univ. of California at Irvine Research Reactor	50-326	201	Arizona Public Service Co., Phoenix, AZ	70-2949	414
Univ. of California Research Reactor	50-224	34	Army, Dept. of, Aberdeen, MD	70-0011	406
Univ. of Florida Training Reactor	50-83	14	Army, Dept. of, Aberdeen, MD	70-0867	411
Univ. of Missouri Research Reactor	50-186	21	AVCO Everett Research Laboratory, Inc., Everett, MA	70-1334	413
Univ. of Utah Research Reactor	50-72	14	Babcock & Wilcox Co., Apollo, PA	70-0135	407
Univ. of Utah Research Reactor	50-407	308	Babcock & Wilcox Co., Apollo, PA	70-0364	409
Univ. of Virginia Cavalier Reactor	50-396	300	Babcock & Wilcox Co., Lynchburg, VA	70-1201	413
Univ. of Virginia Research Reactor	50-62	14	Babcock & Wilcox Co., Lynchburg, VA	70-0824	411
Vermont Yankee Nuclear Power Station	50-271	92	Babcock & Wilcox Co., Lynchburg, VA	70-0027	406
Virgil C. Summer Nuclear Station, Unit 1	50-395	297	Battelle Memorial Institute, Columbus, OH	70-0008	406
Virginia Polytechnic Institute Training Reactor	50-124	15	Bucknell Univ., Lewisburg, PA	70-0241	408
Washington State Univ. Research Reactor	50-27	11	Burnham City Hospital, Champaign, IL	70-2830	414
Waterford Generating Station, Unit 3	50-382	279	Chestnut Hill College, Philadelphia, PA	70-0817	410
Watts Bar Nuclear Plant, Unit 1	50-390	290	Combustion Engineering, Inc., Windsor, CT	70-0036	406
Watts Bar Nuclear Plant, Unit 2	50-391	294	Combustion Engineering, Inc., Windsor, CT	70-1100	411
West Valley Reprocessing Plant	50-201	22	Commerce, Dept. of, Kings Point, NY	70-0478	410
West Virginia Univ. Research Reactor	50-129	15	Commerce, Dept. of, Washington, DC	70-0398	409
William B. McGuire Station, Unit 1	50-369	266	Doylestown Hospital, Doylestown, PA	70-2683	414
William B. McGuire Station, Unit 2	50-370	268	Duquesne Light Co., Pittsburgh, PA	70-1621	413
William H. Zimmer Nuclear Station, Unit 1	50-358	247	East Stroudsburg State College, East Stroudsburg, PA	70-1029	411
Wolf Creek Generating Station	STN-50-482	366	Exxon Nuclear Co., Inc., Richland, WA	70-1257	413
WPPSS Nuclear Project, Unit 1	50-460	360	Fairleigh Dickinson Univ., Teaneck, NJ	70-0296	408
WPPSS Nuclear Project, Unit 2	50-397	300	General Atomic Co., San Diego, CA	70-0734	410
WPPSS Nuclear Project, Unit 3	STN-50-508	376	General Electric Co., Pleasanton, CA	70-0754	410
WPPSS Nuclear Project, Unit 4	50-513	380	General Electric Co., San Jose, CA	70-1308	413
WPPSS Nuclear Project, Unit 5	STN-50-509	379	General Electric Co., Wilmington, NC	70-1113	411
Yankee-Rowe Nuclear Power Station	50-29	12	Gettysburg College, Gettysburg, PA	70-0268	408
Yellow Creek Nuclear Plant, Unit 1	STN-50-566	404			

	Docket	Page	Name	Docket	Page
Health & Human Services, Dept. of, Rockville, MD	70-0442	409	Utah, Univ. of, Salt Lake City, UT	70-0728	410
Illinois, Univ. of, Urbana, IL	70-0258	408	Westinghouse Electric Corp., Pittsburgh, PA	70-1143	412
IRT Corp., San Diego, CA	70-1359	413	Westinghouse Electric Corp., Pittsburgh, PA	70-1151	412
Kerr-McGee Nuclear Corp., Oklahoma City, OK	70-1193	412	Westinghouse Electric Corp., Prattville, AL	70-2909	414
Lafayette College, Easton, PA	70-0435	409	Wisconsin, Univ. of, Stevens Point, WI	70-0852	411
Lebanon Valley College, Annville, PA	70-0575	410	Packaging of Radioactive Material for Transport and Transportation of Radioactive Material Under Certain Conditions — Docket 71		
Long Island Lighting Co., Hicksville, NY	70-2884	414	American Airlines	71-0236	414
Marywood College, Scranton, PA	70-0749	410	Atomic Energy of Canada, Ltd.	71-0454	413
National Aeronautics & Space Administration, Cleveland, OH	70-0355	408	Gulf Nuclear, Inc.	71-0210	414
Navy, Dept. of, Annapolis, MD	70-0368	409	Model: 100, 100A, 200, 200A, Gamma Industries	71-9127	418
Navy, Dept. of, Bethesda, MD	70-0182	408	Model: 20-VS, & 40-VS, Gulf Nuclear Co.	71-9160	418
New Britain General Hospital, New Britain, CT	70-2815	414	Model: 30A & 30B, Gulf Nuclear, Co.	71-9091	417
Nuclear Fuel Services, Inc., Erwin, TN	70-0143	407	Model: 500-SU, Automation Industries, Inc.	71-9006	416
Nuclear Research Corp., Dover, NJ	70-0356	409	Model: 6400, Westinghouse Electric Corp.	71-6400	416
Pacific Gas & Electric Co., San Francisco, CA	70-2375	414	Model: 650, Technical Operations, Inc.	71-9032	416
Pennsylvania, Univ. of, Philadelphia, PA	70-0123	407	Model: 660 & 660E, Technical Operations, Inc.	71-9033	417
Philadelphia College of Pharmacy, Philadelphia, PA	70-0484	410	Model: 6679, U.S. Ecology	71-6679	416
Princeton Gamma-Tech, Inc., Princeton, NJ	70-2915	414	Model: 6717-B, Gamma Industries	71-6717	416
Princeton Univ., Princeton, NJ	70-0391	409	Model: 715, Technical Operations, Inc.	71-9039	417
Rockwell International Corp., Canoga Park, CA	70-0025	406	Model: 855, Tech/Ops	71-9165	419
Rutgers State Univ., New Brunswick, NJ	70-0343	408	Model: BB-250-2, Combustion Engineering Co., Inc.	71-5768	415
Seattle Univ., Seattle, WA	70-0600	410	Model: BR 63-0101, Energy, Dept. of	71-5608	415
St. Francis College, Loretto, PA	70-1050	411	Model: BS-33-180, Tennessee Valley Authority	71-6722	416
St. Joseph's College, Philadelphia, PA	70-0374	409	Model: C-1, Source Production & Equipment Co.	71-9036	417
St. Luke's Hospital, Milwaukee, WI	70-2205	414	Model: C-8, Gamma Industries	71-9128	418
St. Mary's Hospital, Milwaukee, WI	70-2801	414	Model: C47, C47 Extd., C47 Short & C47H, Energy, Dept. of	71-9931	419
Stevens Institute of Technology, Hoboken, NJ	70-1994	414	Model: CNS 1-13C11, Chem-Nuclear Systems, Inc.	71-9152	418
Texas Instruments, Inc., Attleboro, MA	70-0033	406	Model: CNS 14-195-H, Chem-Nuclear Systems, Inc.	71-9094	418
UNC Naval Products, Inc., Uncasville, CT	70-0371	409	Model: CNS 21-300, Chem-Nuclear Systems, Inc.	71-9096	418
Union Carbide Corp., Tuxedo, NY	70-0687	410			
Union Electric Co., St. Louis, MO	70-2961	414			
United Nuclear Corp., Wood River Junction, RI	70-0820	410			

Name	Docket	Page	Name	Docket	Page
Model: CNS 8-120, Chem-Nuclear Systems, Inc.	71-6601	416	Model: ORNL TRU, Energy, Dept. of	71-5461	415
Model: CNS-1600, Chem-Nuclear Systems, Inc.	71-9081	417	Model: R, Gulf Nuclear Co.	71-9161	418
Model: CNS 6-80-2, Chem-Nuclear Systems, Inc.	71-9111	418	Model. RA-2, RA-3, RA-J, General Electric Co.	71-4986	415
Model: DOT-6M Type B, Babcock & Wilcox Co.	71-5908	416	Model: SPEC 2-T, Source Production & Equipment Co.	71-9056	417
Model. GE 9136, General Electric Co.	71-9136	418	Model: T-3, Energy, Dept. of	71-9132	418
Model: GE-1600, General Electric Co.	71-9044	417	Model: Triga-1, General Atomic Co.	71-9034	417
Model: GNG-20, Gulf Nuclear Co.	71-9163	419	Model: Triga-2, General Atomic Co.	71-9037	417
Model: GNN-20, Gulf Nuclear Co.	71-9162	419	Model: Vandenberg, Chem-Nuclear Systems, Inc.	71-5805	415
Model: GPHS, Energy, Dept. of	71-9510	419	Model: WAPD-40, Energy, Dept. of	71-5874	416
Model: HN-100, Series 1, Hittman Nuclear & Development Corp.	71-9086	417	Navy, Dept. of	71-0474	415
Model: HN-100, Series 2 & 2A, Hittman Nuclear & Development Corp.	71-9079	417	Nuclear Sources & Services, Inc.	71-0394	415
Model: HN-200, Hittman Nuclear & Development Corp.	71-6574	416	Pittsburgh-Des Moines Corp.	71-0473	415
Model: IF-300, General Electric Co.	71-9001	416	Texas, State of	71-0476	415
Model: M-130, Energy, Dept. of	71-6003	416	Tuskegee Institute	71-0475	415
Model: N-55, Energy, Dept. of	71-9070	417	Wilson Inspection Service	71-0477	415
Model: NLS-RF, Schlumberger Well Services	71-9088	417	Licensing of Independent Spent Fuel Storage — Docket 72		
Model: OR-5, Combustion Engineering Co., Inc.	71-4909	415	Morris Operations, General Electric Co.	72-0001	419

DOCKETED ITEMS

LOW LEVEL RADWASTE DISPOSAL SITES

DOCKET 27-039 SHEFFIELD, IL, US ECOLOGY, INC

8206110350 Responds to NRC 820323 ltr requesting access to site for ongoing study by BNL Site owner (State of IL) should be notified Compliance w/listed conditions in performance of work requested
HIPSHER, W M US Ecology, Inc (Formerly Nuclear Engineering)
82/04/07 SHAFFNER, J NRC - No Detailed Affiliation Given 1p
13490 225

8206110348 Forwards sampling & analysis data for Mar 1982 steering committee rept on tritium investigation
GAYNOR, R K US Ecology, Inc (Formerly Nuclear Engineering)
82/05/11 SHAFFNER, J NRC - No Detailed Affiliation Given 4pp
13490 221

8206250067 Responds to 820407 request re BNL site visit to take trench sump water samples
SHAFFNER, J Low Level Waste Licensing Branch 82/05/11 HIPSHER, W
US Ecology, Inc (Formerly Nuclear Engineering) 1p 13628 297

82064040215 Joint motion to extend continuance until 821001 to provide addl time for settlement negotiations Certificate of Svc encl
LESSY, R P Hearing Branch 3 WETTERHANN, M J US Ecology, Inc (Formerly Nuclear Engineering) 82/06/01 Atomic Safety and Licensing Board Panel 3pp 13359 249

8206140372 Trip rept of 820512 & 13 visit to Sheffield low level waste disposal facility, to meet w/State of IL & USGS officials to discuss impressions of performance of site surface stabilization features
SIEFEN, D L, SHAFFNER, J A Low Level Waste Licensing Branch
82/06/01 SMITH, R D Low Level Waste Licensing Branch 4pp
13510 124

DOCKET 27-048 RICHLAND, WA, US ECOLOGY, INC.

8206300356 Notification of 820407-08 meeting w/State of WA Dept of Social & Health Svcs & US Ecology, Inc in Richland, WA to discuss proposed closure & decommissioning plan for facility
MARTIN, J D Division of Waste Management, 82/03/25 ENGELKEN, R H Region 5, Office of Director 1p 13661 361

8206140357 Forwards comments on US Ecology draft facility closure plan for low level radwaste disposal site, per 820408 meeting
Schedule for development of closure plan requested within 30 days
KIRNER, N P, Washington, State of 82/05/17 HIPSHER, W US Ecology, Inc (Formerly Nuclear Engineering) 11pp 13510 139

8206020358 Forwards IE Waste Packaging Insp Rept 15000046/82-06 on 820503 Noncompliance noted
BOOK, H E Division of Radiological Safety & Safeguards Program
82/05/26 GRELLA, A Fuel Facilities & Materials Branch, 1p
13320 307

--8206020363 IE Waste Packaging Rept 15000046/82-06 on 820503 Noncompliance noted one 55-gallon drum had broken ring bolt & lid forced off exposed contents
WAITE, J A, THOMAS, R D, BOOK, H E Division of Radiological Safety & Safeguards Program 82/05/26 Affiliation Unknown 27pp.
13320 308

8206300350 Submits status rept of State of WA & Dept of Social & Health Svcs progress on HEDL low level waste disposal license & decommissioning plan Plan must be consistent w/overall DOE decommissioning objectives.
SMITH, R D Low Level Waste Licensing Branch 82/06/08, MARTIN, J D Division of Waste Management 3pp 13661.355

8206280522 Forwards Waste Packaging Insp Rept 15000046/82-08 on 820607-11 No noncompliance noted
BOOK, H E Division of Radiological Safety & Safeguards Program
82/06/22 GRELLA, A Fuel Facilities & Materials Branch 1p.
13625 276

--8206280530 Waste Packaging Insp Rept 15000046/82-08 on 820607-11 No noncompliance noted Major area inspected low level radwaste shipments
GRAYSON, W M, THOMAS, R D, BOOK, H E Division of Radiological Safety & Safeguards Program 82/06/22 US Ecology, Inc (Formerly Nuclear Engineering) 23pp 13625 277

DOMESTIC LICENSING OF SOURCE MATERIAL

DOCKET 40-0086 W R GRACE & CO, POMPTON PLAINS, NJ

8206070671 Responds to 820429 ltr re request for NRC review of possibility of radioactivity at farm near Sheffield Brook
Radiation measurements showed no levels above background.
KINNEMAN, J D Division of Engineering & Technical Programs
82/05/28, O'BRIEN, J R Wayne, NJ 2pp 13390 230.

--8206070675 Requests NRC conduct radioactivity testing at farm near Sheffield Brook.
O'BRIEN, J R Wayne, NJ 82/04/29 KINNEMAN, J Region 1, Office of Director 1p 13390 232

8206150203 Discusses 820428 measurements of radiation levels & soil & water samples taken at Farm View Stand Extensive analyses at Region 1 & ORNL shows that all samples taken meet stds set by EPA for radioactive matls in drinking water
KINNEMAN, J D, Division of Engineering & Technical Programs.
82/06/08 KUEHM, O, Affiliation Unknown 2pp 13498 361.

DOCKET 40-0299 UNION CARBIDE CORP, GRAND JUNCTION, CO

8206030304 Forwards complete Tables 6 & 9 to be inserted into "Reclamation Plan - Inactive Tailings Areas & Heap Leach Site"
WONG, T, Union Carbide Corp. 82/05/13, EADIE, O Uranium Recovery Licensing Branch 8pp 13342.350.

8206100302 Forwards addl info for East Gas Hills heap leach extension, in response to NRC request. Three oversize maps encl.
Aperture cards are available in PDR.
WONG, T Union Carbide Corp 82/05/13 EADIE, O Uranium Recovery Licensing Branch. 3pp. 13469.155.

8206080023 Submits review of licensee 801218 & 820420 submittals of plan for reclamation of existing tailings impoundment
Analyses deficient in several areas Licensee should be required to submit revisions to reclamation plan
JOHNSON, T L, PETTENGILL, H J Uranium Recovery Licensing Branch
82/05/17 SCARANO, R A Uranium Recovery Licensing Branch 5pp
13441 100.

8206290031 Recommends that Condition 20 to License SUA-0648 be revised to require grab air sampling in yellowcake encl & discontinue use of label samplers
EADIE, O, PETTENGILL, H J Uranium Recovery Licensing Branch.
82/05/17 SCARANO, R A Uranium Recovery Licensing Branch. 3pp
13661.273

8206290045 Submits Amend 16 to License SUA-0648, revising License Condition 20 to require grab air sampling in yellowcake encl to complete worker MPC-h exposure evaluations
SCARANO, R A, Uranium Recovery Licensing Branch 82/05/17, LYDNE, P, Union Carbide Corp. 2pp 13661 278.

DOCKETED ITEMS

8206080454 Forwards for review & comment, draft final Geotechnical Engineers, Inc. rept, NRC support documents & Union Carbide Corp recent submittals re review of reclamation plan W/a encl
 SCARANO, R A Uranium Recovery Licensing Branch 82/05/19
 ACKERMAN, W C Wyoming, State of 2pp 13439 359

8206080475 Requests addl info re hydrologic aspects of plans for reclamation of tailings & heap leach areas
 SCARANO, R A Uranium Recovery Licensing Branch 82/05/19 LYONS, P
 Union Carbide Corp 2pp 13440 067

8206100116 Comments on State of WY 820305 ltr to Union Carbide Corp re preliminary views on reclamation plan issues relevant to reclaiming tailings & pertinent to approval of plan
 EADIE, G O Uranium Recovery Licensing Branch 82/05/19
 SCARANO, R A Uranium Recovery Licensing Branch 3pp 13471 036

8206090256 Notifies that NRC amended License SUA-648, License Condition 20 to permit use of grab air sampling technique for calculating worker max permissible concentration per hour exposure Amend exempt from fees
 EADIE, G O, PETTENGILL, H J Uranium Recovery Licensing Branch 82/05/26 MILLER, W O License Fee Management Branch 1p 13455 116

DOCKET 40-0820 CLEVELAND-CLIFFS IRON CO, CASPER, WY

8206210610 IE Insp Findings & Licensee Act dtd 820525 & 26 of License SUA-1199 Insp findings no noncompliance noted
 SPITZER, D B Region 4, Office of Director 82/05/26 1p 13564 041

DOCKET 40-1162 WESTERN NUCLEAR CORP, JEFFREY CITY, WY

8206220093 Forwards addendum to semiannual environ monitoring rept for Jul-Dec 1981 Addendum contains data for direct radiation, air particulate sampling & stack sampling
 BOGDEN, G Western Nuclear, Inc (subs of Phelps Dodge Corp) 82/05/20 PETTENGILL, H J Uranium Recovery Licensing Branch 2pp 13585 194

--8206220097 Addendum to "Semiannual Environ Monitoring Rept, Jul-Dec 1981"
 * Western Nuclear, Inc (subs of Phelps Dodge Corp) 82/05/20 13pp 13585 196

8206230246 Forwards rept of semiannual audit/ALARA 820208-12 proceedings & schedule for completion of recommended actions. Majority of actions already implemented
 BOGDEN, G Western Nuclear, Inc (subs of Phelps Dodge Corp) 82/05/20 PETTENGILL, H J Uranium Recovery Licensing Branch 27pp 13592 248

8206230171 Submits results of annual land use survey per requirement of Amend 2 to License SUA-36 Ranching & grazing uses continue as in past Residential usage declined.
 BOGDEN, G Western Nuclear, Inc (subs of Phelps Dodge Corp) 82/05/25 PETTENGILL, H J Uranium Recovery Licensing Branch 1p 13592 320

8206140379 Discusses reclamation bond for Split Rock Mill Bond amount adequate to cover cost of millsite & tailings area reclamation per Western Nuclear, Inc proposed plan
 GARCIA, P J, PETTENGILL, H J Uranium Recovery Licensing Branch 82/06/03 Uranium Recovery Licensing Branch 1p 13510 12J

8206180386 Requests that major amend fee be kept open pending amend of Condition 17 to License SUA-0056, scheduled for completion on 821015.
 GARCIA, P J Uranium Recovery Licensing Branch 82/06/08 MILLER, W O License Fee Management Branch 1p 13569 361

8206290040 Discusses licensee 820318 response to items of noncompliance noted in insp of License SUA-0056 on 820203-05 Corrective actions noted in response satisfactory No licensing action necessary.
 GARCIA, P J, PETTENGILL, H J Uranium Recovery Licensing Branch 82/06/08 Uranium Recovery Licensing Branch 2pp 13661 276

DOCKET 40-1341 TENNESSEE VALLEY AUTHORITY, CHATTANOOGA, TN

8206160497 Forwards "TVA Edgemont U Millsite Preliminary Millsite Evaluation" & other background info re mill site radiological cleanup criteria, in response to NRC request
 MILLER, L M Tennessee Valley Authority 82/05/03 SCARANO, R A Uranium Recovery Licensing Branch 1p 13527 258

--8206160498 "TVA Edgemont U Millsite Preliminary Millsite Evaluation" W/35 oversize graphs Aperture cards are available in PDR
 * Francis, Meador, Gellhaus, Inc 82/03/31 57pp 13527 257

8206080179 Submits review of Semiannual Effluent Release Rept 13 for second half of 1981 Concentrations of principal radionuclides in air & water within max permissible concentration limits
 ANASTASI, F S Uranium Recovery Licensing Branch 82/05/25
 SCARANO, R A Uranium Recovery Licensing Branch 2pp 13442 051

DOCKET 40-2061 KERR-MCGEE CHEMICAL CORP, OKLAHOMA CITY, OK

8203290133 Forwards ltr from S Munson confirming previous info provided during insp NRC should concur w/prudence in requesting written documentation in view of current controversy surrounding decommissioning
 SHELLEY, W J Kerr-McGee Corp 82/03/03 NICHOLSON, N Region 3, Office of Director 1p 12451 017

--8203310344 Confirms subj's of insp & discussion during 820219 insp & in response to info provided in 820216 telcon Ack requested
 MUNSON, S C Kerr-McGee Chemical Corp (subs of Kerr-McGee Corp) 82/03/08 NICHOLSON, N Region 3, Office of Director 2pp 12451 018

8206040449 Forwards replacement pages to health physics manual submitted Aug 1981 Revisions address specific comments transmitted in NRC 820104 ltr
 SHELLEY, W J Kerr-McGee Corp 82/03/26 NIXON, W A Uranium Fuel Licensing Branch 20pp 13391 209

8206100201 Informs that Low Level Waste Licensing Branch reviewed portions of revised proposed stabilization plan for Kerr-McGee facility re onsite waste disposal per 820312 request Suggested mods encl
 SMITH, R D Low Level Waste Licensing Branch 82/03/04 PAGE, R O Uranium Fuel Licensing Branch 6pp 13469 295

8206160471 Verifies official filing of DES entitled "Rare Earths Facility Decommissioning, West Chicago, Du Page County, IL (NUREG-0904)" DES scheduled for publication in 820521 FR
 WILSON, K L Environmental Protection Agency 82/05/19 PAGE, R O Uranium Fuel Licensing Branch 2pp 13543 231

8206160192 Ack receipt of DES, NUREG-0904 re Kerr-McGee Chemical Corp Rare Earths facility. No comments offered
 LEHR, E L Transportation, Dept of 82/05/21 PAGE, R O Uranium Fuel Licensing Branch 1p 13538 324

8206290064 FOIA request for records submitted in Dec 1980 re ANL preparation of preliminary DES for Rare Earth Facility
 SPELMAN, H J Harold J Spelman & Associates 82/05/25 Office of Administration 2pp 13661 268

8206290052 FOIA request for records submitted in May 1981 re ANL preparation of preliminary DES for Rare Earth Facility
 SPELMAN, H J Harold J Spelman & Associates 82/05/26 Office of Administration 2pp 13661 264

8206290059 FOIA request for records submitted subsequent to Dec 1981 re ANL preparation of preliminary DES for Rare Earth Facility
 SPELMAN, H J Harold J Spelman & Associates 82/05/26 Office of Administration 2pp 13661 266

8206290068 FOIA request for records re interagency agreement between NRC & DOE for preparation of preliminary DES for Rare Earth Facility
 SPELMAN, H J Harold J Spelman & Associates 82/05/26 Office of Administration 2pp 13661 270

8206220153 Comments on DES for decommissioning of Rare Earths Facility in West Chicago, IL Onsite disposal unlikely to result in effects on historic properties listed in Natl Register of Historic places
 TANNENBAUM, J E Advisory Council on Historic Preservation 82/05/27 PAGE, R O Uranium Fuel Licensing Branch 1p 13541 303

8206220150 Ack receipt of matl re vendor proposed decommissioning & stabilization of Rare Earths Facility in West Chicago, IL No comments offered
 DAVIS, V M Agriculture, Dept of 82/06/01 PAGE, R O Uranium Fuel Licensing Branch 1p 13591 302

8206230243 Comments on DES, NUREG-0904, re storage of nuclear waste matl Draft statement unacceptable
 SOLBERG, E W Affiliation Unknown 82/06/01 NRC - No Detailed Affiliation Given 1p 13592 277

8206280044 Informs of further assessment re radiological contamination & corrective actions that may be required Requests 811218 ltr be disregarded
PAGE, R G Uranium Fuel Licensing Branch 82/06/04 RAINEY, J C
Kerr-McGee Chemical Corp (subs of Kerr-McGee Corp) 1p
13630 353

8206280224 Forwards IE Insp Rept 40-2061/82-02 on 820217-0528 No noncompliance noted
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/15 SHELLEY, W J Kerr-McGee Corp 2pp 13624 161

--8206280230 IE Insp Rept 40-2061/82-02 on 820217-0528 No noncompliance noted Major areas inspected dismantling of Bldg 1 & removal of Bldg 4A baghouse, offsite air sampling & effluent results for storm sewer outflow
NICHOLSON, N A, SCHUMACHER, M C Division of Emergency Preparedness & Operational Support 82/06/15 7pp 13624 163

8206290072 Responds to 820525 & 26 FOIA requests for records re ANL preparation of preliminary DES for Rare Earth Facility Extension of 10-day deadline requested Response will be delivered by 820625
FELTON, J M Division of Rules and Records 82/06/15 SPELMAN, H J
Harold J Spelman & Associates 1p 13661 272

8206290325 Trip rept of 820621 site visit to West Chicago, IL for tour of factory & disposal sites No discussions took place re Bldgs 14 & 16 which are subj of hearing request
SHULMAN, H J Office of the General Counsel 82/06/28 Office of the General Counsel 1p 13636 123

DOCKET 40-2225 NAVY, DEPT OF, WASHINGTON, DC

8206030282 Forwards revised "Radiation Protection Manual " Requests that License SMD-448 be amended by substituting manual for 770808 submittal
EBBERT, E L Navy, Dept of, Naval Research Laboratory 82/05/10
Office of Nuclear Material Safety & Safeguards, Director 1p
13361 218

--8206030283 Revised "Radiation Protection Manual "
AITKEN, A H Navy, Dept of, Naval Research Laboratory 82/02/02
102pp 13361 219

DOCKET 40-2259 PATHFINDER MINES CORP, RIVERTON, WY

8206220100 Forwards "Quarterly Effluent Monitoring Rept, Jan-Mar 1982," including sample data for previous rept & recalculations of stack emission release rates based on actual operating time of yellowcake dryer for third & fourth quarters, 1981
NUGENT, E L Pathfinder Mines Corp 82/05/28 SCARAND, R A Uranium Recovery Licensing Branch 1p 13585 219

--8206220102 "Quarterly Effluent Monitoring Rept, Jan-Mar 1982 "
* Pathfinder Mines Corp 82/05/28 12pp 13585 220

DOCKET 40-3392 ALLIED CHEMICAL CORP., MORRISTOWN, NJ

8206280401 Forwards IE Insp Rept 40-3392/82-01 on 820518-21 No noncompliance noted
MILLER, J R Region 3, Office of Director 82/06/10 CIPOLLA, A J
Allied Chemical Corp 2pp 13623 313

--8206280411 IE Insp Rept 40-3392/82-01 on 820518-21, No noncompliance noted Major areas inspected: facility changes & mods, radiation protection, radwaste mgt, environ monitoring & emergency planning
PECK, C C, GREGER, L R Region 3, Office of Director 82/06/07, 6pp 13623 315

DOCKET 40-3453 ATLAS MINERAL, INC., DENVER, CO

8206030285 Forwards "Response to NRC Requests for Addl Info re Proposed Tailings Embankment Raise," in response to 820424 ltr Authorization requested
BLUBAUGH, R E Atlas Minerals 82/05/10, PETTENGILL, H J, Uranium Recovery Licensing Branch 1p 13361.095

--8206030287 "Response to NRC Requests for Addl Info re Proposed Tailings Embankment Raise "
BODDY, J R Dames & Moore 82/05/17 122pp 13361.096

8206160128 Responds to 820503 transmittal re initial review of environ monitoring data & dose calculations for nearest residence for fourth quarter of 1981
BLUBAUGH, R E Atlas Minerals 82/05/19 PETTENGILL, H J Uranium Recovery Licensing Branch 2pp 13538 179

8206140396 Discusses review of environ monitoring data for facility Licensee submittal of 820427 completes data reporting requirements for Jul-Dec 1981 No further action necessary
GARCIA, P J, PETTENGILL, H J Uranium Recovery Licensing Branch 82/06/03 Uranium Recovery Licensing Branch 2pp 13510 120

DOCKET 40-4348 COMMERCE, DEPT OF, WASHINGTON, DC

8206030016 Forwards draft Reg Guide FP 716-4 reflecting current views & needs for radiation safety to assist in preparation of renewal application & consolidation of licenses W/o encl
CROW, W T Uranium Fuel Licensing Branch 82/05/19 PEVEY, L E
Commerce, Dept of, National Bureau of Standards 2pp 13361 344

DOCKET 40-5259 PRINCETON UNIV, PRINCETON, NJ

8206070382 Act receipt of 820504 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 30-00882/82-01, 30-12287/82-01, 40-9259/82-01 & 70-0391/82-01
MARTIN, T T Division of Engineering & Technical Programs 82/06/03, HARUCA, A J Princeton Univ 1p 13363 073

--8206070391 Responds to NRC 820421 ltr re violations noted in IE Insp Repts 30-00882/82-01, 30-12287/82-01, 40-9259/82-01 & 70-0039/82-01 Corrective actions: small sealed sources relocated to locked storage cabinet
HARUCA, A J Princeton Univ 82/05/04 MARTIN, T T Division of Engineering & Technical Programs 2pp 13363 074

DOCKET 40-6264 MICHIGAN CHEMICAL CORP, ST LOUIS, MI

8206030297 Lists understanding of implementation of stabilization plan for organic matls at site to provide adequate protection of public & environ for contaminated matls onsite
GRAHAM, D B Velsicol Chemical Corp 82/04/08 PAGE, R G Uranium Fuel Licensing Branch 2pp 13342 298

DOCKET 40-6622 PATHFINDER MINES CORP, SHIRLEY BASIN, WY

8206040500 Forwards stack emissions survey for second half of 1981.
SMITH, J C Pathfinder Mines Corp 82/04/02 BROWN, G D Region 4, Office of Director, 1p 13391 270

--8206040503 "Stack Emission Survey of Pathfinder Mines Corp, Shirley Basin Mine, Shirley Basin, WY "
* Western Environmental Services & Testing, 81/11/30, 45pp
13391 271

8206150147 Comments on 820226 GA program submitted in response to License SUA-442 Condition 36 B Specific sample collection method & discussion of preanalytical techniques should be included in Licensee SOP manual
SOLLENBERGER, D, PETTENGILL, H J Uranium Recovery Licensing Branch, 82/05/21 SCARAND, R A Uranium Recovery Licensing Branch 7pp
13523 204

8206180324 Advises that License SUA-442 is amended by revising License Conditions 21, 36 & 38 & adding Condition 41 to modify & upgrade effluent & environ monitoring & QA programs
SCARAND, R A Uranium Recovery Licensing Branch 82/05/21, RUSSELL, J Pathfinder Mines Corp 5pp 13570 021

--8206180399 Approves proposed environ monitoring program per response to Amend 4 of License SUA-442 Recommends license be amended to revise License Conditions 36, 38 & add Condition 41 re environ monitoring program
SOLLENBERGER, D, PETTENGILL, H J Uranium Recovery Licensing Branch 82/05/21 SCARAND, R A Uranium Recovery Licensing Branch 5pp 13570 026

8206180379 Forwards license amend & backup memo, issued after review of insp rept & mill appraisal rept, as requested in Region 4
820301 ltr to NRC W/o encl
SCARAND, R A Uranium Recovery Licensing Branch, 82/06/08, COLLINS, J T Region 4, Office of Director 1p 13569 360,

DOCKETED ITEMS

8206290055 Submits Amend 8 to License SUA-0442, revising License Condition 28 & adding Condition 42 to incorporate current dam stability & insp policies
SCARANO, R A Uranium Recovery Licensing Branch 82/06/08
RUSSELL, J Pathfinder Mines Corp 3pp 13661 280

--8206290063 Summarizes NRC B10824-28 special team appraisal at site re tailings mgt program Revision of License Condition 28 & addition of Condition 42 to upgrade dam monitoring program & evaluate dam stability recommended
BOLLENBERGER, D, PETTENGILL, H J Uranium Recovery Licensing Branch 82/06/08 Uranium Recovery Licensing Branch 3pp 13661 283

DOCKET 40-4659 GETTY OIL CO - PETRODOMICS CO, SHIRLEY BASIN, WY

8206080113 Forwards radiological assessment for inclusion in EIS for 3-yr renewal of License SUA-551
PANTELL, S E, MARTIN, D E Uranium Recovery Licensing Branch 82/05/20 JONES, S Z Uranium Recovery Licensing Branch 9pp 13441 287

8206080027 Submits review of licensee 820302 & 11 submittals re environ monitoring data & 40CFR190 dose calculations for fourth quarter 1981 Licensee will submit revised rept to correct noted deficiencies
JONES, S Z, PETTENGILL, H J Uranium Recovery Licensing Branch 82/05/26 Uranium Recovery Licensing Branch 4pp 13441 112

DOCKET 40-6940 KAWECKI BERYLCO IND, INC, BOYERTOWN, PA

8206020184 Advises that review of license renewal application has indicated need for EIA Environ info required within 90 days from receipt of itr
CROW, W T Uranium Fuel Licensing Branch 82/05/11 COYLE, F I Kaweck Berylco Industries, Inc 1p 13340 174

DOCKET 40-7572 HOMESTAKE MINING CO, SAN FRANCISCO, CA

8206210635 IE Insp Findings & Licensee Ack dtd 820524 of License BUC-894 Insp Findings no noncompliance noted
SPITZBERG, D B Region 3, Office of Director 82/05/24 1p 13361:073

DOCKET 40-8027 KERR-MCOEE NUCLEAR CORP, OKLAHOMA CITY, OK

8206290597 Advises of partial refund of fee paid for review of 820309 application for Amend 16 to License SUB-1010
MILLER, W O License Fee Management Branch 82/06/11 SHELLEY, W J Kerr-McOee Corp 1p 13658 117

DOCKET 40-8064 EXXON MINERALS CO USA, HOUSTON, TX

8206010046 Submits first quarter rept re U solution mining pilot program per Condition 21 of License SUA-1064
SHANNON, J B Exxon Corp 82/05/06 LINEHAN, J J Uranium Recovery Licensing Branch 3pp 13331 357

--8206010049 "U Solution Mining Pilot Program, First Quarter 1982"
* Exxon Corp 82/05/06 3pp 13331 360

8206110067 Responds to 820426 telcon requesting addl info re pilot U solution mine project Well water sample analytical results & well drawings encl.
ESTEV, M P Exxon Corp 82/05/07 KALMAN, K L Uranium Recovery Licensing Branch 7pp 13493 181

DOCKET 40-8084 RIO ALGON CORP, MOAB, UT

8206110067 Responds to 820426 telcon requesting addl info re pilot U solution mine project Well water sample analytical results & well drawings encl.
ESTEV, M P Exxon Corp 82/05/07 KALMAN, K L Uranium Recovery Licensing Branch 7pp 13493 181

8206220167 "Quarterly Environ Monitoring Rept for Jan-Mar 1982"
LAWTON, M D Rio Algon, Ltd 82/05/26 16pp 13391 324

DOCKET 40-8102 EXXON CO USA, HOUSTON, TX

8206040513 Comments on "Highland U Tailings Impoundment Seepage Study,"
* 820504-06 site visit
WILLIAMS, R E Williams-Robinette & Associates, Inc 82/05/07
PETTENGILL, H Uranium Recovery Licensing Branch 26pp 13341 318

8206080033 Summarizes licensee analysis of airborne U concentrations in yellowcake packaging & drying areas for Aug 1981-Jan 1982
NRC calculations concur w/ licensee findings of reduced concentrations No further action required
JONES, S Z PETTENGILL, H J Uranium Recovery Licensing Branch 82/05/19 Uranium Recovery Licensing Branch 2pp 13441 116

8206090257 Reviews environ monitoring data for fourth quarter 1981 & 10CFR190 dose calculations for Exxon Mill, provided in 820226 submittal External radiation monitoring w/continuous passive TLDs required
JONES, S Z, PETTENGILL, H J Uranium Recovery Licensing Branch 82/05/26 Uranium Recovery Licensing Branch 4pp 13435 117

8206220105 Forwards first quarter 1982 environ monitoring program rept per License Condition 36
YARNICK, T P Exxon Corp 82/05/26 PETTENGILL, H J Uranium Recovery Licensing Branch 1p 13583 111

--8206220109 First quarter 1982 environ monitoring program rept
* Exxon Corp 82/05/31 16pp 13583 112

DOCKET 40-8200 CLEVELAND-CLIFFS IRON CO, CASPER, WY

8206020215 Requests closeout insp & confirmatory survey at North Rolling Pin R&D solution mining site in early Spring for final reclamation by 820531
SCARANO, R A Uranium Recovery Licensing Branch 82/03/24
COLLINS, J T Region 4, Office of Director 2pp 13334 348

--8206020219 Advises that 12 55-gallon drums of waste matl produced during site restoration activities at North Rolling Pin site has been transferred to Petrodomics Shirley Basin U Mill, per NRC B10212 ltr Transport contamination survey encl
LOUDERBACK, T E Cleveland-Cliffs Iron Co 81/03/26 SCARANO, R A Uranium Recovery Licensing Branch 4pp 13334 352

8206210055 Advises that Amend 2 to License SUA-1199 exempt from fees
POHLE, J A, LINEHAN, J J Uranium Recovery Licensing Branch 82/05/18 MILLER, W O License Fee Management Branch 1p 13583 065

8206150165 Discusses Region 4 closeout insp of North Rolling Pin Site Final recontouring & reseeded of site at time of insp acceptable, per 820318 telcon.
POHLE, J A Uranium Recovery Licensing Branch 82/05/21
LINEHAN, J J Uranium Recovery Licensing Branch 1p 13525 216

DOCKET 40-8211 CHAMBERLAIN MANUFACTURING CORP, WATERLOO, IA

8206170044 Discusses IE insp of License SUB-119B on 820518-19 & forwards notice of violation
WIEDEMAN, D O Division of Engineering & Technical Programs 82/06/11 PRUNTY, H E Chamberlain Manufacturing Corp 1p 13529 360

--8206170047 Notice of violation from insp on 820518-19 Noncompliance noted failure to meet requirement of License Condition 14 to have survey meters & alpha meters calibr semiannually
WIEDEMAN, D O Division of Engineering & Technical Programs 82/06/07 1p 13529 361

DOCKET 40-8355 AMAX SPECIALITY METALS CORP, PARKERSBURG, WV

8206030318 Forwards "AMAX Property, Wood County, West VA, Stabilization Plan Control Program Manual" w/o encl "Chem-Nuclear Radiological Protection Manual"
KERRIGAN, J E AMAX Environmental Services, Inc (subs of AMAX, Inc) 82/06/07 NIXON, W A Uranium Fuel Licensing Branch 1p 13342 274

--8206030322 "AMAX Property, Wood County, West VA, Stabilization Plan Control Program Manual"
KERRIGAN, J E AMAX Environmental Services, Inc (subs of AMAX, Inc) 82/05/05 24pp 13342 275

8206220604 Requests EIS for "AMAX, Inc. Negative Declaration Re Storage of Contaminated Soil Under License PASATIEMPO, J E Affiliation Unknown 82/06/04 Division of Fuel Cycle & Material Safety 1p 13591 346

DOCKET 40-8380 ROCKY MOUNTAIN ENERGY CO , BROOMFIELD, CO

8206160493 Forwards NRC 811210 ltr requesting fee for review of U1030 ltr re amend to License SUA-122B Fee not received & must be submitted within 15 days of ltr date
WEISS, D License Fee Management Branch 82/01/19 NEUMANN, M R
Rocky Mountain Energy Co 1p 13527 318

--8206160494 Ack receipt of 811030 ltr requesting amend to License SUA-122B Amend fee required
WEISS, D License Fee Management Branch 81/12/10 NEUMANN, M R
Rocky Mountain Energy Co 1p 13527 319

--8206160495 Application for amend to License SUA-122B, deleting portions of "Environ Radiation Sampling & Monitoring for Nine Mile Lake ISL Facility" Revised sampling & monitoring document encl
NEUMANN, M P Rocky Mountain Energy Co 81/10/30 ROSS, F
Uranium Recovery Licensing Branch 3pp 13527 320

--8206160496 "Environ Radiation Sampling & Monitoring for Nine Mile Lake ISL Facility" One oversize drawing encl Aperture card is available in PDR
* Rocky Mountain Energy Co 81/10/30 8pp 13527 323

8206070231 Advises that Amend 2 to License SUA-122B exempt from fees
KALMAN, K L, LINEHAN, J J Uranium Recovery Licensing Branch 82/05/18 MILLER, W D License Fee Management Branch 1p 13427 224

DOCKET 40-8406 PESSES CO , SOLON, OH

8206290557 Advises of Amend 1 to License STB-1254, changing Item B A to read 100,000 kg containing 2,000 kg thorium License renewal contingent on radiation safety review of application Addl info requested to continue review
PAGE, R G Division of Fuel Cycle & Material Safety 82/06/17
PESSER, M Pesses Co 1p 13698 242

--8206290562 Safety evaluation supporting Amend 1 to License STB-1254 changing Item B A to read 100,000 kg containing 2,000 kg thorium
KOBLA, B M, CROW, W T Division of Fuel Cycle & Material Safety 82/06/17 Division of Fuel Cycle & Material Safety 1p 13698 243

DOCKET 40-8452 BEAR CREEK URANIUM CO , CASPER, WY

8206220104 Responds to 820505 request for comments on list of revisions pertinent to Rocky Mountain Energy Bear Creek Mill
WILLIAMS, R E Williams-Robinette & Associates, Inc 82/05/28
FLORY, C Uranium Recovery Licensing Branch 6pp 13585 233

8206210313 Forwards IE Insp Rept 40-8452/82-01 on 820503-06, No noncompliance noted
BROWN, G D Division of Vendor & Technical Programs, 82/06/10
BAUMANN, W Bear Creek Uranium Co 2pp 13564 307

--8206210314 IE Insp Rept 40-8452/82-01 on 820503-06 No noncompliance noted Major areas inspected organization & administration, facilities & equipment, maint, waste mgt access control & posting & labeling & shipping
SHOPP, N M, EVERETT, R J Division of Vendor & Technical Programs 82/06/07 8pp 13564 309

DOCKET 40-8502 WYOMING MINERAL CORP , LAKEWOOD, CO

8206100413 Advises that Amend 3 to License SUA-1341 issued, incorporating licensee 820119 proposed action levels for wells monitored at production well fields during temporary suspension of operations except for Well RB-65
ANASTASI, F S, LINEHAN, J J Uranium Recovery Licensing Branch 82/05/18 MILLER, W D License Fee Management Branch 1p 13458 339

8206220121 Forwards "Irigaray Wellfield A Baseline Water Quality Package," for incorporation into IFN 1 6/201, Vol 3
WICKERS, D L Wyoming Mineral Corp 82/05/24 CHANCELLOR, R A
Wyoming, State of 10pp 13591 290

8206150174 Discusses 820322 stabilization plan for facility WY Dept of Environ Quality denial of licensee request to temporarily suspend mining operations cannot be reversed Proposed pumping plan will not be implemented
LINEHAN, J J Uranium Recovery Licensing Branch 82/05/28
SCARANO, R A Uranium Recovery Licensing Branch 2pp 13525 217.

8206220115 Submits rept per License Condition 16(D), outlining action plan developed & implemented for wells which exceed applicable action levels
CONROY, B W Wyoming Mineral Corp 82/05/25 SCARANO, R A Uranium Recovery Licensing Branch 5pp 13591 242

DOCKET 40-8511 COTTER CORP , GOLDEN, CO

8205280574 Requests that submittal of 820423 request for info re need for evaporation pond engineering rept to support License SUA-1273 renewal be postponed until completion & evaluation of hydrologic tests
MCCLUSKEY, J P Cotter Corp 82/05/11 LINEHAN, J J Uranium Recovery Licensing Branch 1p 13318 345

8206160445 Forwards 820504 memo, "Evaluation of Ventilation for Cotter Corp Charlie Project, R&D ISL Plant," per SER Section 5.3 4
SMITH, T Cotter Corp 82/05/18 WOODLEY, R T Uranium Recovery Licensing Branch 6pp 13543 056

8206140392 Discusses review for renewal of license for R&D ISL evaporation pond Licensee requested postponement of further field or lab design work Case considered closed until new info received
LINEHAN, J J Uranium Recovery Licensing Branch 82/05/28
SCARANO, R A Uranium Recovery Licensing Branch 1p 13510 122

DOCKET 40-8550 HOLMES & NARVER, INC , ANAHEIM, CA

8206010537 Discusses 820518 telcon re info needed to terminate License SUA-1307, Results of final surveys performed on equipment coming in contact w/ licensed matl required.
BROWN, G D Division of Vendor & Technical Programs 82/05/25.
BRIM, E Holmes & Narver, Inc 1p 13307 352

DOCKET 40-8584 MINERALS EXPLORATION CO , LOS ANGELES, CA

8206150324 Forwards "Dose Evaluation for Members of Public in General Environ" & summary of environ monitoring & meteorological conditions
SNYDER, H L Union 76 Minerals Exploration Co 82/05/28, Region 4, Office of Director 2pp 13503 040

--8206150327 "Dose Evaluation for Members of Public in General Environ," first quarter 1982 & summary of environ monitoring & meteorological conditions
* Union 76 Minerals Exploration Co, 82/05/24 114pp 13503 043

8206100211 Reviews 40CFR190 compliance for fourth quarter 1981 & 10CFR40 65 rept for second half of 1981 for Sweetwater U mill
FLORY, C A, PETTENIOLL, H J Uranium Recovery Licensing Branch, 82/05/26 Uranium Recovery Licensing Branch 8pp 13469 003.

DOCKET 40-8598 ARMY, DEPT OF, FT MONMOUTH, NJ

8206010036 Forwards US Army Communications-Electronics Command request for amend to License SMB-1300, listing Anniston Army Depot as performing maint on night vision devices & naming JL Henson as radiation protection officer at depot
TARAS, D N Army, Dept of 82/05/12 Office of Nuclear Material Safety & Safeguards, Director 1p 13331 341

--8206010041 Application to amend License SMB-1300, listing Anniston Army Depot as performing maint on night vision devices & listing JL Henson as radiation protection officer at depot
SAVAIKO, B M Army, Dept of 82/05/07, 15pp 13331 342

8206020004 Forwards application for amend to Condition 12 of License SMB-1300
TARAS, D N Army, Dept of, Headquarters Material Development & Readiness Command 82/05/12 Radiisotopes Licensing Branch (Pre 790501) 1p 13332 377.

--8206020008 Application for amend to Condition 12 of License SMB-1300 to indicate licensed matl to be used by military &/or civilian personnel under Dept of Army control.
SAVAIKO, B M Army, Dept of, Headquarters Material Development & Readiness Command 82/05/10 2pp, 13332 358.

DOCKET 40-8599 AIR FORCE DEPT OF, BROOKS AFB, TX

8206210472 Ack receipt of 820318 ltr informing NRC of steps taken to correct violations noted in IE insp of Licenses 42-05834-02, 42-05834-03 & SM8-1317
BROWN, G D Division of Vendor & Technical Programs 82/03/24
BOYDSTON, J Air Force School of Aerospace Medicine 1p 13570 334

--8206210478 Responds to NRC 820225 ltr re violations noted in IE insp of Licenses 42-05834-02 42-05834-03 & SM8-1317 Corrective actions sufficient TLD badges received & problems w/TLD readers & computers corrected
BOYDSTON, J A Air Force School of Aerospace Medicine 82/03/18
Region 4, Office of Director 2pp 13570 335

DOCKET 40-8602 SILVER KING MINES, INC, CASPER, WY

8206090465 Advises that SE Pantell assigned project manager in New Facilities Section, responsible for licensing activities re Morton Ranch Project
MARTIN, D E Uranium Recovery Licensing Branch 82/05/14
WOLFF, C E Silver King Mining, Inc 1p 13440 039

DOCKET 40-8610 STEPAN CHEMICAL CO, MAYWOOD, NJ

8206220158 Proposes relocation of certain thorium-bearing mats to northeast corner of Ballod Associates property in Rochelle Park, NJ to provide disposal area consistent w/NRC guidelines & to permit unrestricted use of remaining land
JACOBSON, R L Mayer, Brown & Platt JACOBSON, R L Stepan Chemical Co 82/05/26 PAGE, R O Uranium Fuel Licensing Branch 4pp 13591 342

8206210424 Discusses radiation surveys of Sheffield Brook completed 820421 & surveys of WR Grace & Co scheduled to begin June or Jul 1982 Preliminary surveys indicate that no radiation levels above normal background exist in any residence
WAYNES, R C Region 1, Office of Director 82/06/13 DIDONATO, J Wayne, NJ 2pp 13564 219

--8206210430 Forwards certified copy of Municipal Council of Township of Wayne Resolution 134 requesting removal of nuclear waste at former WR Grace site adopted at 820421 meeting
O'BRIEN, J R Wayne, NJ 82/04/23 Region 1, Office of Director 3pp 13564 221

DOCKET 40-8674 PLATEAU RESOURCES, LTD, GRAND JUNCTION, CO

8206100391 Recommends that License Condition 26 be amended requiring license to provide for site reclamation & decommissioning as described in licensee 810625 submittal, subj to listed mods
CHUGHOLI, G N, MARTIN, D E Uranium Recovery Licensing Branch 82/05/18 SCARANO, R A Uranium Recovery Licensing Branch 3pp 13469 295

DOCKET 40-8681 ENERGY FUELS NUCLEAR, INC, DENVER, CO

8206080021 Advises that Amend 12 to License SUA-1358 exempt from fee
GILLEN, D M, MARTIN, D E Uranium Recovery Licensing Branch 82/05/18 MILLER, W O License Fee Management Branch 1p 13441 099

8206280033 Confirms surety requirement provided that surety arrangements acceptable to NRC, including self-bonding, based upon reasonable criteria for U milling industry, in response to 820506 meeting in Silver Spring, MD
GLASIER, Q E Energy Fuels Nuclear, Inc 82/05/20 GILLEN, D NRC - No Detailed Affiliation Given 1p 13630 350

8206090236 Forwards "Effluent & Monitoring Rept, Jan-Mar 1982"
BAKER, C E Energy Fuels Nuclear, Inc 82/05/21 GILLEN, D Uranium Recovery Licensing Branch 1p 13456 096

--8206090237 "Effluent & Monitoring Rept, Jan-Mar 1982"
Energy Fuels Nuclear, Inc 82/05/19 45pp 13456 097

8206140348 Application for amend to License SUA-1358, changing thickness of tailings reclamation cover from 13 ft of clay, soil, rock & topsoil to 7-7.5 ft of soil & rock.
BAKER, C E Energy Fuels Nuclear, Inc 82/05/21 GILLEN, D Uranium Licensing Branch 2pp 13509 109

8206150156 Forwards "Effluent & Monitoring Rept, Jan-Mar 1982"
BAKER, C E Energy Fuels Nuclear, Inc 82/05/21 GILLEN, D Uranium Recovery Licensing Branch 1p 13505 155

--8206150160 "Effluent & Monitoring Rept, Jan-Mar 1982"
Energy Fuels Nuclear, Inc 82/05/21 45pp 13505 156

8206230275 Request for amend to License SUA-1358 to allow disposal of non-tailings matl in tailings disposal sys at White Mesa
BAKER, C E Energy Fuels Nuclear, Inc 82/05/21 GILLEN, D Uranium Recovery Licensing Branch 2pp 13592 233

8206230131 Forwards analytical data from low vol filters for second half of Dec. 1981 Data received too late to include in & environ monitoring rept for fourth quarter, 1981
BAKER, C E Energy Fuels Nuclear, Inc 82/05/24 GILLEN, D Uranium Recovery Licensing Branch 1p 13592 335

--8206230153 "Low Vol Sample Analysis, 811215-820103"
Energy Fuels Nuclear, Inc 82/05/24 6pp 13592, 336

DOCKET 40-8697 ROCKY MOUNTAIN ENERGY CO, DENVER, CO

8206160074 Advises that no further groundwater restoration of Test Pattern II necessary Final determination of adequacy of restoration will be made upon receipt of groundwater quality data from addl two quarterly stability sampling rounds
SCARANO, R A Uranium Recovery Licensing Branch 82/05/20 NEUMANN, M Rocky Mountain Energy Co 1p 13538 139

8206080458 Advises of issuance of Amend 5 to Source Matl License SUA-1338, revising License Conditions 20, 26 & 30.
SCARANO, R A Uranium Recovery Licensing Branch 82/05/28 NEUMANN, M Rocky Mountain Energy Co 2pp 13440 032

8206140383 Comments on 820105 request to amend License Conditions 20, 26 & 30 of Amend 5 to License SUA-1338, reducing in-plant & environ radiation monitoring program Editorial changes recommended
KALMAN, K L, LINEHAN, J J Uranium Recovery Licensing Branch 82/05/28 SCARANO, R A Uranium Recovery Licensing Branch 3pp 13509 349

8206180327 Advises that License SUA-1338 is amended by adding License Condition 33 re post-restoration monitoring plan for Pattern 1
SCARANO, R A Uranium Recovery Licensing Branch 82/06/01 NEUMANN, M Rocky Mountain Energy Co 2pp 13583 077

--8206180333 Recommends issuance of Amend 4 to License SUA-1338, adding License Condition 33 re post-restoration monitoring plan for Pattern 1
KALMAN, K L, LINEHAN, J J Uranium Recovery Licensing Branch 82/06/01 SCARANO, R A Uranium Recovery Licensing Branch 4pp 13583 079

DOCKET 40-8698 PLATEAU RESOURCES, LTD, GRAND JUNCTION, CO

8206160187 Forwards cost breakdown for Page 5-2 of "Decommissioning & Reclamation Plan, Shooting Canyon Processing Facility."
GERDEMAN, F W Plateau Resources, Ltd 82/05/17, FLEMING, T NRC - No Detailed Affiliation Given 8pp 13538 316

8206150157 Trip rept of 820405-08 visit to Shooting Canyon U Mill, Tickaboo, UT to perform preoperational site visit & participate in insp of Plateau Resources Limited
FLEMING, T E Uranium Recovery Licensing Branch 82/05/21 SCARANO, R A Uranium Recovery Licensing Branch 5pp 13525 211

8206220118 Requests Bureau of Radiation & Occupational Health 781024 ltr re removal of tailings from site be amended to allow removal of samples for research or analysis purposes w/o UT Dept of Health approval
GERDEMAN, F W Plateau Resources, Ltd 82/05/21 WARREN, D Utah, State of 1p 13591 247

8206250322 Informs of items in 820226 effluent monitoring rept for Jul-Dec 1981 that require further input
MARTIN, D E Uranium Recovery Licensing Branch 82/06/10 GUPTA, U K Plateau Resources, Ltd 3pp 13629 058

8206290001 Informs that no addl Category 2A fee will be required for 820107 application for Amend 6 to License SUA-1371 Max fee, per 10CFR170.31, paid
MILLER, W O License Fee Management Branch 82/06/22, GUPTA, U K Plateau Resources, Ltd 1p 13661 096

DOCKETED ITEMS

DOCKET 40-8714 CLEVELAND-CLIFFS IRON CO , CLEVELAND, OH

8206220046 Forwards "Groundwater Restoration Rept,Collins Draw In Situ U Mining R&D Project " LOUDERBACK,T E Cleveland-Cliffs Iron Co 82/05/21 SCARAND,R A Uranium Recovery Licensing Branch ACKERMAN,W C , GARLAND,W L Wyoming, State of 2pp 13584 123

--8206220052 "Groundwater Restoration Rept,Collins Draw In Situ U Mining R&D Project " * Cleveland-Cliffs Iron Co 82/05/21 63pp 13584 125

DOCKET 40-8722 BRUSH WELLMAN, INC , CLEVELAND, OH

8206150209 Forwards "Effluent Monitoring Rept Stack Emissions,Jul-Dec 1981 " GEMPERLINE,H F Brush-Wellman, Inc 82/05/21 Region 4, Office of Director 1p 13504 283

DOCKET 40-8727 KERR-MCGEE NUCLEAR CORP , OKLAHOMA CITY, OK

8206220156 Notifies of deferral of const of solar evaporation pond for surface mining operation FREEMAN,M D Kerr-McGee Nuclear Corp 82/05/27 YOUNG,Y Uranium Recovery Licensing Branch 1p 13591 313

DOCKET 40-8743 CONOCO, INC , DENVER, CO

8206010032 Advises that DES reviewed DES adequately addresses DDI concerns Proposed action will have no apparent conflicts or impacts on programs or jurisdiction BLANCHARD,B Interior,Dept of 82/05/14 SCARAND,R A Uranium Recovery Licensing Branch 1p 13319 360

8206160204 Submits comments for consideration in making FES more complete & accurate Seed mixtures & details on reclamation should be included DEXTER,W D Wyoming, State of 82/05/14 SCARAND,R A Uranium Recovery Licensing Branch 1p 13538 326

8206160450 Comments on Sand Rock Mill project DES No OL should be issued due to problems cited HADDENHAM,R R Affiliation Unknown 82/05/15 NRC - No Detailed Affiliation Given 1p 13543 189

8206160452 Submits comments on Sand Rock Mill project DES BLANCHARD,B Interior,Dept of 82/05/17 SCARAND,R A Uranium Recovery Licensing Branch 1p 13543 190

8206280041 Forwards environ rept Page 6-30,Table 6 2-i Info also occurs in license application Page 5-33 as Table 5 5-4 Revised pages of Table 5,5-4 will be submitted w/comprehensive revision to Sections 5 0 & 7 0 QUIGLEY,T W CONOCO, Inc (Continental Oil Co) 82/05/18 FLEMING,T E NRC - No Detailed Affiliation Given 3pp 13630 338

8206160447 Forwards comments by state agencies on Sand Rock Mill project DES HARTMAN,D Wyoming, State of 82/05/20 SCARAND,R A Uranium Recovery Licensing Branch 6pp 13543 182

8206160181 Forwards comments on Sand Rock Mill DES,NUREG-0889 LOCHSTET,W A Pennsylvania State Univ 82/05/21 Uranium Recovery Licensing Branch 6pp 13538 310

8206220103 Informs that although comments were not sent on DES, state is technically analyzing mine plan & mill plan & will provide comments when review complete ACKERMAN,W C Wyoming, State of 82/05/21 SCARAND,R A Uranium Recovery Licensing Branch 1p 13585 232

8206220176 Forwards revised pages to Sections 5 0 & 7 0 of license application Response to 820217 telcon comments on Sections 3 0 & 4 0 submitted QUIGLEY,T W CONOCO, Inc (Continental Oil Co) 82/05/24 SOLLENDERGER,D Uranium Recovery Licensing Branch 2pp 13592 029

--8206220181 Revised pages to Sections 5 & 7 of license application, re operations & QA, respectively * CONOCO, Inc (Continental Oil Co,) 82/05/24 42pp 13592 031

8206220147 Forwards comments on DES,NUREG-0889 & reiterates 810730 comments on environ rept DURHAM,S J Environmental Protection Agency 82/05/25 SCARAND, Uranium Recovery Licensing Branch 7pp 13591 290

8206160023 Summary of 820601 meeting w/CONOCO, Inc in Silver Spring, re review of U mill license application & current schedule for providing info for completion of review FLEMING,T E Uranium Recovery Licensing Branch 82/06/01 SCARAND,R A Uranium Recovery Licensing Branch 3pp 13525 353

8206180429 Requests addl info needed for FES, as discussed in 820505 meeting & 820514 telcon w/Conoco MARTIN,D E Uranium Recovery Licensing Branch 82/06/10 QUIGLEY,T W CONOCO, Inc (Continental Oil Co) 4pp 13569 341

DOCKET 40-8745 OGLE PETROLEUM, INC , CASPER, WY

8206080013 Advises that restoration of Unit 2 must be reflected in bonding before injection can occur FRANCIS,E Wyoming, State of 82/05/06 CATCHPOLE,G Ogle Petroleum, Inc 1p 13441 050

8206010054 Submits in-plant external gamma,radon & airborne particulate survey data for first 6 months of facility operation per Condition 19 of License SUA-1396 CATCHPOLE,G Ogle Petroleum, Inc 82/05/13 SCARAND,R A Uranium Recovery Licensing Branch 1p 13331 275

--8206010067 In-plant external gamma,radon & airborne particulate survey data for first 6 months of facility operation per Condition 19 of License SUA-1396 * Ogle Petroleum, Inc 82/05/13 6pp 13331 276

8206080174 Accepts increase in bonding level Injection of Unit 2 will not be deferred unless unforeseen circumstances arise FRANCIS,E Wyoming, State of 82/05/20 LAWSON,B Ogle Petrol Inc 1p 13442 111

8206080178 Discusses bond adjustment as result of inflation & dispo of evaporation pond residue offsite, in response to 820306 ltr LAWSON,B Ogle Petroleum, Inc 82/05/25 FRANCIS,E Wyoming, State of 1p, 13442 053

8206080462 Advises of issuance of Amend 11 to Source Matl License SUA-1396, modifying License Condition 67 SCARAND,R A Uranium Recovery Licensing Branch 82/05/28 CATCHPOLE,G Ogle Petroleum, Inc 2pp 13440 036

8206090258 Reviews surety arrangements & reclamation/restoration ci for License SUA-1396, per requirements of License Condition 67 JOHNSON,T L Uranium Recovery Licensing Branch 82/05/28 SCARAND,R A Uranium Recovery Licensing Branch 4pp 13455 12

DOCKET 40-8768 KERR-MCGEE NUCLEAR CORP , OKLAHOMA CITY, OK

8206090260 Reviews Kerr McGee Q Sand project fourth quarter rept A 1981 No Followup actions required WESTBROOK,K B Uranium Recovery Licensing Branch 82/05/28 SCARAND,R A Uranium Recovery Licensing Branch 3pp 13455 12

DOCKET 40-8771 ARIZONA PUBLIC SERVICE CO , PHOENIX, AZ

8206220171 Application for in situ R&D testing license from State WY BECK,M K , ACKERMAN,W C , GARLAND,W Wyoming, State of 80/06/ 3pp 13591 316

8206220112 Forwards revised pages for AZ Public Svc Co application WY R&D License 1RD, which reflect requested mods WARD,B Nuclear Assurance Corp 82/05/25 SMITH,M A Wyoming State of 20pp 13585 239

DOCKET 40-8786 URANIUM RESOURCES, INC , RICHARDSON, TX

8206220037 Forwards "North Platte Project Quarterly Rept - First Quarter 1982 " PELIZZA,M B Uranium Resources, Inc 82/05/21, LINEHAN,J J, Uranium Recovery Licensing Branch 1p 13584 196

--8206220041 "North Platte Project Quarterly Rept - First Quarter * Uranium Resources, Inc 82/05/21, 125pp, 13584 197,

8206210040 Lists contract costs incurred & manhours expended in reviewing B10331 application for License SUA-1400
WESTBROOK, K. J. LINHAN, J. J. Uranium Recovery Licensing Branch
81/11/24 MILLER, W. O. License Fee Management Branch 1p
13582 328

8206010054 Forwards revised restoration procedure to replace technical documentation accompanying B2021B amend request
FELIZIA, M. S. Uranium Resources, Inc. 82/05/10 LINHAN, J. J.
Uranium Recovery Licensing Branch 1p 13332 011

--8206010057 Aquifer restoration process at project
* Uranium Resources, Inc. 82/05/10 6pp 13332 012

8206100194 Summary of B20422 meeting w/ U Resources, Inc. in Silver Spring, MD re North Platte RAD ISL project operational history & proposed application for commercial ISL
WESTBROOK, K. B. Uranium Recovery Licensing Branch 82/05/26
SCARANO, R. A. Uranium Recovery Licensing Branch 5pp 13458 248

DOCKET 40-8793 CONOCO, INC., DENVER, CO

8206160453 Forwards ltr of agreement re add pump tests between Dept of Environ Quality & Conoco per B20429 meeting
SCHMITTDEL, P. Wyoming, State of 82/05/17 YOUNG, Y. Uranium Recovery Licensing Branch 4pp 13943 191

8206090259 Proposes revised schedule for review of Conoco proposed H&I ISL Target date changed to B20830
LINHAN, J. J. Uranium Recovery Licensing Branch 82/05/28
SCARANO, R. A. Uranium Recovery Licensing Branch 1p 13455 1/5

DOCKET 40-8799 UDYLLITE/SEL-REX, WARREN, MI

8206010016 Requests encl Molycorp ltr be used in lieu of confirmatory survey required per Item 13 Costs of survey excessive for license W/a encl
GILSDORF, C. N. Hooker Chemical Co. 82/05/13 WRIGHT, E. O.
Procedures & Certification Branch 1p 13319 352

8206030330 Informs of discrepancies re License SHB-1405 License authorizes use of cesium fluoride instead of cerium fluoride blending to be done onsite in fourth quarter of 1982
GILSDORF, C. N. Udyllite/Sel-Rex 82/05/13 WRIGHT, E. O. Procedures & Certification Branch 1p 13361 359

DOMESTIC LICENSING OF PRODUCTION AND UTILIZATION FACILITIES

DOCKET 50-3 INDIAN POINT STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J. M. Division of Rules and Records 82/04/21 MADE, J.
Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8203040308 Submits list of facilities that have filled exemption requests from B20201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D. O. Division of Licensing 82/02/03 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 2pp 13524 28U
24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J. M. Division of Rules and Records 82/05/11 REYNOLDS, N. J.
DeBevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8205060494 Forwards monthly status rpt of licensee implementation of prompt notification sys
DIRCKS, W. J. Office of the Executive Director for Operations 82/03/30 PALLADINO, N. J. Commissioners 2pp 13454 252 24X
Fiche 50-000, 82/03/11, 8206090002

8206080028 Releases public version of page changes to emergency plan
FELTON, J. M. Division of Rules and Records 82/05/27 Document Management Branch 1p 13440 217 24X Fiche 50-003, 82/05/27, 8206080028

--8206080032 Forwards public version of page changes to emergency plan consisting of new App I re county evacuation planning matl
O'TOOLE, J. D. Consolidated Edison Co. of New York 82/05/17
HAYNES, R. C. Region 1, Office of Director 2pp 13440 220 24X
Fiche 50-003, 82/05/27, 8206080028

--8206080036 Public version of page changes to emergency plan consisting of new App I re county evacuation planning matl
Five oversize drawings encl Aperture cards available in PDR
* Consolidated Edison Co. of New York 82/04/16 46pp
13440 222 24X Fiche 50-003, 82/05/27, 8206080028

8206160160 Releases public version of revised emergency plan implementing procedures
FELTON, J. M. Division of Rules and Records 82/06/14 Document Management Branch 1p 13938 248 24X Fiche 50-003, 82/06/14, 8206160160

- 8206160165 Forwards public version of revised emergency plan implementing procedures, including Procedures IP-101B re periodic check of stored equipment & IP-1035 re technical support ctr Privacy info deleted per Generic Ltr B1-27
O'TOOLE, J. D. Consolidated Edison Co. of New York 82/05/24
HAYNES, R. C. Region 1 Office of Director 3pp 1353B 249 24X
Fiche 50-003, 82/06/14, 8206160160

--8206160172 Public version of revised emergency plan implementing procedures including Procedures IP-101B, "Periodic Check of Stored Equipment" & IP-1035, "Technical Support Ctr"
* Consolidated Edison Co. of New York 82/04/28 56pp
1353B 252 24X Fiche 50-003, 82/06/14, 8206160160

8206220157 Confirmatory Action Ltr 82-14 ack until 820609 ltr re alert & notification sys Corrective & preventive actions to be examined in future insp
SMITH, G. H. Division of Emergency Preparedness & Operational Support 82/06/16
O'TOOLE, J. D. Consolidated Edison Co. of New York 1p
13971 350 24X Fiche 50-247, 82/06/16, 8206220157

--8206220161 Verifies that planned actions discussed w/NRC on 82042/ remain unchanged re alert & notification sys deficiencies
BAYNE, J. P. Power Authority of the State of New York O'TOOLE, J. D.
Consolidated Edison Co. of New York 82/06/09 SMITH, G. H.
Division of Emergency Preparedness & Operational Support 2pp
13571 351 24X Fiche 50-247, 82/06/16, 8206220157

0 Adjudicatory correspondence

8206070163 Notice of issuance of Director's Decision B2-1, denying MI Lewis B11016 10CFR2 206 petition to close down all suspect reactors, BWRs & PWRs until & unless all areas of nonconservatism explored
MANAUER, S. H. Division of Safety Technology 82/03/31 3pp
13427 316 24X Fiche 50-003, 82/03/31, 8206070163

--8205190357 Denies B11016 request to close down all suspect reactors, BWRs & PWRs, until & unless all areas of nonconservatism re pressurized thermal shock are explored
DENTON, H. R. Office of Nuclear Reactor Regulation, Director 82/03/31 LEWIS, M. I. Affiliation Unknown 1p 13427 319 24X
Fiche 50-003, 82/03/31, 8206070163

--8205190361 Director's Decision DD-B2-1 denying request for shutdown of suspect reactors pending resolution of pressurized thermal shock
DENTON, H. R. Office of Nuclear Reactor Regulation, Director 82/03/31 3pp 13427 320 24X Fiche 50-003, 82/03/31, 8206070163

8206070068 Advises that Commission declined to review Director's Decision B2-1 re petition to close down all suspect reactors pending pressurized thermal shock issue resolution Decision became final agency action on B20602
CHILK, S. J. Office of the Secretary of the Commission 82/06/02
LEWIS, M. I. Lewis, M. 1p 13368 201 24X Fiche 50-003, 82/06/02, 8206070068

H General correspondence

8206080175 Responds to R Johnson B20317 ltr to B Bradley opposing continued operation of facilities Forwards Director's Decision emphasizing series of measures imposed on operation of plants to assure public safety
DIRCKS, W. J. Office of the Executive Director for Operations, 82/05/20 BRADLEY, B. Senate 4pp 13442 054 24X
Fiche 50-003, 82/05/20, 8206080175

--8206080177 Requests response to encl ltr from constituent R Johnson opposing operation of facilities
BRADLEY, B. Senate 82/05/04 Office of Congressional Affairs 2pp 13442 058 24X Fiche 50-003, 82/05/20, 8206080175

J Insurance & indemnity information

8206020398 Forwards Endorsements 124 & 109 to ANI Policy NF-100 & MACIU Policy MF-27, respectively
 O'TOOLE, J Consolidated Edison Co. of New York 82/05/25
 SALTZMAN, J Antitrust & Economic Analysis Branch (Utility Finance)
 3pp 13326 253 24X Fiche 50-003, 82/05/25, 8206020398

P Operating license stage documents & correspondence

8206170051 RESPONSE OF THE ZION & INDIAN POINT CONTAINMENT BUILDINGS TO SEVERE ACCIDENT PRESSURE
 BUTLER, T A, FUGELSO, L E Los Alamos Scientific Laboratory 11N
 A-7270 NUREG/CR-2967 82/05/31 Division of Engineering 41pp
 Available at NTIS #3 00 13555 240 24X Fiche 50-000, 82/05/31, 8206170051

0206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
 EISENHUT, D G Division of Licensing 82/06/07 HAUSPURO, A Consolidated Edison Co. of New York ANGLERO, O Puerto Rico Water Resources Authority MORISI, A Boston Edison Co 13pp 13557 347 24X Fiche 50-000, 82/06/07, 8206090153

8206210427 Forwards approved state pollutant discharge elimination discharge sys permit renewal w/conditions, effective 810314
 O'TOOLE, J D Consolidated Edison Co. of New York 82/06/10
 DENTON, H R Office of Nuclear Reactor Regulation, Director 19pp 13568 263 24X Fiche 50-003, 82/06/10, 8206210427

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8204210385 IE Info Notice 82-19, "Loss of High Head Safety Injection Emergency Boration & Reactor Coolant Makeup Capability " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/18 111pp 13715 119 24X Fiche 50-000, 82/06/18, 8204210385

S Reportable occurrences, LERs & related correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8007150020 RD 79-58/OIP on 790906, review of NBSB equipment environ qualifications identified that conditions associated w/high energy line breaks impacting on nonsafety control sys could constitute unresolved safety question
 MIDURA, H J Public Service Electric & Gas Co. of New Jersey 79/09/10 1p 13639 180 24X Fiche 50-000, 82/05/12, 8206280071

8206280329 RD during scheduled sample collection for May 1982, Windsor Farm's Environ Sampling Station 51 ceased commercial milk production Potential replacement locations are being investigated
 O'TOOLE, J D Consolidated Edison Co. of New York 82/06/10
 HAYNES, R C Region 1, Office of Director 2pp 13624 084 24X Fiche 50-003, 82/06/10, 8206280329

DOCKET 50-5 PENNSYLVANIA STATE UNIV RESEARCH REACTOR

P Operating license stage documents & correspondence

8206150340 Requests cancellation of request for exemption from 10CFR70 requirements of criticality monitoring sys per 801014 ltr
 Sys removed because SNM is less than 700 g of contained U-235
 LEVINE, S H Pennsylvania State Univ 82/06/10 Standardization & Special Projects Branch 1P 13503 156 24X Fiche 50-005, 82/06/10, 8206150340

DOCKET 50-6 BATTELLE MEMORIAL INST RESEARCH REACTOR

R Periodic operating reports & related correspondence

8206210395 Forwards "Environ Rept for CVBI on Radiological & Nonradiological Parameters "
 MCKONN, D A Battelle Memorial Institute, Columbus Laboratories 82/06/15 EISENHUT, D G Division of Licensing 3pp 13564:142 24X Fiche 50-006, 82/06/15, 8206210395

--8206210398 "Environ Rept for CVBI on Radiological & Nonradiological Parameters "
 EVANS, R G, STEWART, D G, PAULIAN, J L Battelle Memorial Institute, Columbus Laboratories 81/12/31 70pp 13564 145 24X Fiche 50-006, 82/06/15, 8206210395

DOCKET 50-10 DRESDEN NUCLEAR POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, 8206150016

--8206150023 Updates delivery schedule for siren shipments to facilities
 ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P Affiliation Unknown 5pp 13524 234 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by 820601
 HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

8206040315 Forwards exemption from scheduler requirements of fire protection rule 10CFR50 48(c), as requested in util 820317 ltr Date for required submittals & completion of fire protection features extended
 CRUTCHFIELD, D Operating Reactors Branch 5 82/05/18 DELGORDGE, L Commonwealth Edison Co 3pp 13357,311 24X Fiche 50-010, 82/05/18, 8206040315

--8206040320 Exemption from scheduler requirements of fire protection rule 10CFR50 48(c), as requested in util 820317 ltr Date for required submittals extended to 18 months prior to scheduled startup, Completion of required features extended to startup
 DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/18 Commonwealth Edison Co 26pp 13357:314 24X Fiche 50-010, 82/05/18, 8206040315

DOCKETED ITEMS

8206080253 Advises that annex changes for all App C items should be submitted by 820731 Response to Generic Ltr 82-05 provided status of App D items Response to Generic Ltr 82-10 will discuss NUREG-0737 status re emergency response facilities PAUSCH, T J Commonwealth Edison Co 82/05/26 KEPPLER, J G Region 3, Office of Director 4pp 13420 166 24X Fiche 50-000, 82/05/26, 8206080253

8206180297 Forwards post-exercise evaluation of "Small Scale Exercise on 810930." final rept deficiencies will be corrected by 820627 re offsite emergency preparedness KRIMM, R W Federal Emergency Management Agency 82/05/26 JAMES, B Division of Emergency Preparedness 3pp 13545 340 24X Fiche 50-010, 82/05/26, 8206180297

8206180700 Final rept of "Small Scale Exercise on 810930" * Federal Emergency Management Agency 82/03/31 21pp 13545 343 24X Fiche 50-010, 82/03/26, 8206180297

8206070807 Informs that deficiencies identified during initial testing of prompt public notification sys for facilities documented in util 820216 ltr have been corrected prior to 820601 DELGEORGE, L D Commonwealth Edison Co 82/05/28 KEPPLER, J G Region 3, Office of Director 2pp 13389 115 24X Fiche 50-000, 82/05/28, 8206070807

8206080449 Releases public version of emergency plan implementing procedure FELTON, J M Division of Rules and Records 82/05/28 Document Management Branch 1p 13439 347 24X Fiche 50-010, 82/05/20, 8206080449

8206080459 Forwards public version of Emergency Plan Implementing Procedures EPIP 500-B, "Quarterly Emergency Operations Facility Inventory (Primary Responsibility - Generating Station Emergency Plan Coordinator)" SCOTT, D J Commonwealth Edison Co 82/05/21 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13439 348 24X Fiche 50-010, 82/05/28, 8206080449

8206080466 Public version of Emergency Plan Implementing Procedure EPIP 500-B, "Quarterly Emergency Operations Facility Inventory (Primary Responsibility - Generating Station Emergency Plan Coordinator)" * Commonwealth Edison Co 82/05/20 4pp 13439 352 24X Fiche 50-010, 82/05/23, 8206080449

8206080493 Releases public version of revised emergency plan implementing procedures FELTON, J M Division of Rules and Records 82/05/28 Document Management Branch 1p 13440 074 24X Fiche 50-010, 82/05/28, 8206080493

8206080496 Forwards public version of revised emergency plan implementing procedures, including Procedures EPIP 200-3 re criticality accident in SNM area & EPIP 300-5 re emergency treatment of injured personnel Receipt forms encl SCOTT, D J Commonwealth Edison Co 82/05/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp 13440 075 24X Fiche 50-010, 82/05/28, 8206080493

8206080499 Public version of revised emergency plan implementing procedures, including Procedures EPIP 200-3 re criticality accident in SNM area & EPIP 300-5 re emergency treatment of injured personnel * Commonwealth Edison Co 82/05/13 15pp 13440 083 24X Fiche 50-010, 82/05/28, 8206080493

8206140321 Advises that Revision 10 to Quad Cities Station security plan & Revision 11 to Dresden Nuclear Power Station security plan transmitted by util 810610 & 1027 ltrs, respectively, consistent w/provisions of 10CFR50 54(f) & approved VASSALLO, D B Operating Reactors Branch 2 82/06/01 DELGEORGE, L Commonwealth Edison Co 3pp 13509 042 24X Fiche 50-000, 82/06/01, 8206140321

8206110367 Clarifies NRC evaluation of basis for fee exemption, for fire protection made per util 811029 request Revision to 10CFR170 expected to resolve inconsistencies in fee policies MILLER, W D License Fee Management Branch 82/06/04 DELGEORGE, L D Commonwealth Edison Co 2pp 13490 288 24X Fiche 50-010, 82/06/04, 8206110367

8206110074 Releases public version of revised emergency plan implementing procedure FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13493 246 24X Fiche 50-010, 82/06/08, 8206110074

8206110098 Forwards public version of Revision 0 to Emergency Plan Implementing Procedure 300-T1, "Table of Conditions Requiring Post-Accident Lineup of High Radiation Sampling Sys & Use of Post-Accident Sampling Procedures" SCOTT, D J Commonwealth Edison Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13493 247 24X Fiche 50-010, 82/06/08, 8206110074

8206110104 Public version of Revision 0 to Emergency Plan Implementing Procedure 300-T1, "Table of Conditions Requiring Post-Accident Lineup of High Radiation Sampling Sys & Use of Post-Accident Sampling Procedures" Revised index encl * Commonwealth Edison Co 82/05/27 3pp 13493 250 24X Fiche 50-010, 82/06/08, 8206110074

8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring programs SCHROEDER, C H Commonwealth Edison Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X Fiche 50-000, 82/06/16, 8206240332

8206240338 Revision 4 to QA program for meteorological monitoring programs * Murray & Trettel, Inc 81/01/31 51pp 13601 018 24X Fiche 50-000, 82/06/16, 8206240332

8206230021 Releases public version of generating stations emergency plan telephone directory FELTON, J M Division of Rules and Records 82/06/17 Document Management Branch 1p 13594 073 24X Fiche 50-000, 82/06/17, 8206230021

8206230032 Forwards public version of generating stations emergency plan telephone directory MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC No Detailed Affiliation Given 1p 13594 074 24X Fiche 50-000, 82/06/17, 8206230021

8206230037 Public version of generating stations emergency plan telephone directory * Commonwealth Edison Co 82/05/28 40pp 13594 076 24X Fiche 50-000, 82/06/17, 8206230021

8206240032 Releases public version of generating stations emergency plan telephone directory FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18, 8206240032

8206240049 Public version of generating stations emergency plan telephone directory * Commonwealth Edison Co 82/05/28 41pp 13617 337 24X Fiche 50-000, 82/06/18, 8206240032

8206300112 Releases public version of revised generating station emergency plan environ director emergency plan implementing procedures FELTON, J M Division of Rules and Records 82/06/23 Document Management Branch 1p 13693 001 24X Fiche 50-000, 82/06/23, 8206300112

8206300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data CICHY, D Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement DENTON, H R NRC - No Detailed Affiliation Given 2pp 13693 002 24X Fiche 50-000, 82/06/23, 8206300112

8206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data LITERSKIE, A FLEISSNER, P A Commonwealth Edison Co 82/06/02 11pp 13693 004 24X Fiche 50-000, 82/06/23, 8206300112

G Adjudicatory correspondence

8206040206 Response to petitioner 820510 response to ASLB 820406 memorandum & order & to motion to amend 81124 intervention petition & contentions New issues re need for power & util financial status should be rejected w/certificate of Svc RAMSON, R J Hearing Branch 4 82/06/01 Atomic Safety and Licensing Board Panel 21pp 13339 319 24X Fiche 50-010, 82/06/01, 8206040206

DOCKETED ITEMS

11

J Insurance & indemnity information

B206080378 Forwards Endorsements 136 to NELIA Policy NF-43, 144 to NELIA Policy MF-22, 59 to MAELU Policy MF-94, 72 to NELIA Policy MF-187, 59 to NELIA Policy NF-201 & 50 to MAELU Policy MF-64
OSTER, J Commonwealth Edison Co 82/05/20 SALTZMAN, J Office of State Programs, Director 7pp 13417 137 24X
Fiche 50-000, 82/05/20, B206080378

P Operating license stage documents & correspondence

B206040168 Informs that B20505 response to B00513 proposed Tech Spec change also applies to Dresden 1
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/20
DELGEORGE, L O Commonwealth Edison Co 2pp 13356 358 24X
Fiche 50-010, 82/05/20, B206040168

B206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1 A
SHWARTZ, E D Commonwealth Edison Co 82/06/07 HAASS, W P Quality Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07, B206160222

B206160236 Revised pages to CE-1-A Revision 21, "QA Topical Rept."
* Commonwealth Edison Co CE-1-A R21 EHR 82/06/06 20pp
13527 028 24X Fiche 50-000, 82/06/07, B206160222

B206170335 Responds to request for submittal of mod of proposed tech Spec changes reflecting current organizational structure & titles at facilities Revised submittal expected by Jul 1982
RAUSCH, T J Commonwealth Edison Co 82/06/09 VASSALLO, D B Operating Reactors Branch 2 1p 13331 015 24X
Fiche 50-000, 82/06/09, B206170335

G Inspection reports, IE Bulletins & correspondence

B206070781 Forwards IE Insp Repts 50-010/82-04, 50-237/82-06 & 50-249/82-06 on 820130-0402 & notice of violation
SPESBARD, R L Division of Project & Resident Programs 82/05/21
REED, C Commonwealth Edison Co 2pp 13389 197 24X
Fiche 50-010, 82/05/21, B206070781

--B206070785 Notice of violation from insp on 820130-0402
SPESBARD, R L Division of Project & Resident Programs 82/05/21
2pp 13389 201 24X Fiche 50-010, 82/05/21, B206070781

--B206070795 IE Insp Repts 50-010/82-04, 50-237/82-06 & 50-249/82-06 on 820130-0402 Noncompliance noted failure to calibr safety-related instruments & failure to meet requirement of NRC order
TONQUE, T M, JORDAN, M J, WALKER, R D Division of Project & Resident Programs 82/05/12 15pp 13389 203 24X
Fiche 50-010, 82/05/21, B206070781

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYDUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 093 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYDUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYDUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, B204210384

B204210385 IE Info Notice 82-19, "Loss of High Head Safety Injection Emergency Boration & Reactor Coolant Makeup Capability " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/18 111pp 13715 119 24X Fiche 50-000, 82/06/18, B204210385

R Periodic operating reports & related correspondence

B206030150 Forwards "Annual Operating Rept, 1981 "
SCOTT, D J Commonwealth Edison Co 82/03/10 Director's Office, Office of Inspection and Enforcement 1p 13338 012 24X
Fiche 50-010, 82/03/10, B206030150

--B206030151 "Annual Operating Rept, 1981 "
* Commonwealth Edison Co 82/03/10 25pp 13338 013 24X
Fiche 50-010, 82/03/10, B206030150

B206150310 Forwards monthly operating repts for May 1982
SCOTT, D J Commonwealth Edison Co 82/06/01 Director's Office, Office of Inspection and Enforcement 1p 13506 137 24X
Fiche 50-010, 82/06/01, B206150310

--B206150313 Monthly operating repts for May 1982
SCHROEDER, B A Commonwealth Edison Co 82/06/01 32pp 13506 138 24X Fiche 50-010, 82/06/01, B206150310

S Reportable occurrences, LERs & related correspondence

B206170337 RO 82-027 on B20511, excessive radioactive contamination identified in two areas of offsite dump Caused by inadequate control of dump access & failure to survey large loads of mat'l thoroughly Area cleaned up & Procedure 12-5 revised
SCOTT, D J Commonwealth Edison Co 82/06/09 KEPLER, J O Region 3, Office of Director 3pp 13531 153 24X Fiche 50-010, 82/06/09, B206170337

DOCKET 50-16 ENRICO FERMI ATOMIC POWER PLANT, UNIT 1

W Decommissioning Stage Documents & Correspondence

B206300367 Forwards documents requested in NRDC & Sierra Club interrogatories that are not yet placed in PDR Encl documents include draft "Reactor Safety Study Consequence Model COMO Computer Code Users Manual "
SHEENY, M F Hearings Division 82/06/24 SCOTT, G Document Management Branch 2pp 13676 099 24X Fiche 50-000, 82/06/24, B206300367

--B206300389 "Retirement of Enrico Fermi Atomic Power Plant," Suppl 1
* Energy Research & Development Admin (Presently DOE) NP-P004/ S01 75/10/31 120pp 13677 100 24X Fiche 50-000, 82/06/24, B206300367

DOCKET 50-20 MASSACHUSETTS INST OF TECH RES REACTOR

P Operating license stage documents & correspondence

B206100329 Forwards Amend 1 to License R-37 & safety evaluation Amend authorizes storage of fresh fuel in safe inside containment bldg & revises fuel handling
BERNARD, H Standardization & Special Projects Branch 82/05/20
CLARK, L Massachusetts Institute of Technology 7pp 13469 322 24X Fiche 50-020, 82/05/28, B206100329

--B206100337 Amend 21 to License R-37, authorizing storage of fresh fuel in safe inside containment bldg, revising fuel handling & changing storage facilities at reactor
BERNARD, H Standardization & Special Projects Branch 82/05/20 2pp 13469 329 24X Fiche 50-020, 82/05/28, B206100329

--B206100344 Safety evaluation supporting Amend 21 to License R-37, * Office of Nuclear Reactor Regulation, Director 82/05/20 1pp 13469 331 24X Fiche 50-020, 82/05/28, B206100329

DOCKET 50-27 WASHINGTON STATE UNIV RESEARCH REACTOR

P Operating license stage documents & correspondence

B206240029 SAFETY EVALUATION REPORT RELATED TO THE RENEWAL OF THE OPERATING LICENSE FOR THE WASHINGTON STATE UNIVERSITY TRIUMPH REACTOR Docket No 50-27
* Division of Licensing NUREG-0711 82/05/31, 64pp Available at NTIS #4 75 13610 003 24X Fiche 50-027, 82/05/31, B206240029

DOCKETED ITEMS

DOCKET 50-29 YANKEE-ROWE NUCLEAR POWER STATION

F Security, medical, emergency & fire protection plans

8206080016 Releases public version of notice of revision in progress for revised emergency plan implementing procedure
 FELTON, J M Division of Rules and Records 82/05/27 Document
 Management Branch 1p 13441 037 24X Fiche 50-029, 82/05/27,
 8206080016

--8206080017 Forwards public version of notice of revision in progress for Revision 3 to Emergency Plan Implementing Procedure
 OP-3310, "Evaluation of Radiological Data"
 MARKT, D Yankee Atomic Electric Co 82/05/18 Office of
 Nuclear Reactor Regulation, Director 2pp 13441 038 24X
 Fiche 50-029, 82/05/27, 8206080016

--8206080019 Public version of notice of revision in progress for
 Revision 3 to Emergency Plan Implementing Procedure OP-3310,
 "Evaluation of Radiological Data"
 * Yankee Atomic Electric Co 82/05/13 1p 13441 040 24X
 Fiche 50-029, 82/05/27, 8206080016

8206080372 Forwards corrected 820513 ltr requesting exemption from
 installation of fixed fire suppression sys in control room
 Original ltr cited incorrect docket # license number
 KAY, J A Yankee Atomic Electric Co 82/05/08 EISENHUT, D G
 Division of Licensing 1p 13416 037 24X Fiche 50-029, 82/06/01,
 8206080372

--8206080379 Corrected ltr requesting exemption from requirements of
 App R, Section III G 3 & requiring installation of both fire
 detection & fixed fire suppression sys in control room, per
 10CFR50.12 Fixed suppression sys unnecessary
 KAY, J A Yankee Atomic Electric Co 82/05/13 EISENHUT, D G
 Division of Licensing 2pp 13416 038 24X Fiche 50-029,
 82/06/08, 8206080372

8206220379 Ack receipt of 820528 ltr informing NRC of corrective
 actions taken in response to 820425 Confirmatory Action
 Ltr 82-10 re emergency public notification sys
 SMITH, G H Division of Emergency Preparedness & Operational Support
 82/06/10 KAY, J A Yankee Atomic Electric Co 1p 13582 005
 24X Fiche 50-029, 82/06/10, 8206220379

--8206220382 Provides status of augmentation of emergency public
 notification sys
 KAY, J A Yankee Atomic Electric Co 82/05/28 HAYNES, R C
 Region 1, Office of Director 2pp 13582 006 24X
 Fiche 50-029, 82/06/10, 8206220379

J Insurance & indemnity information

8206300256 Forwards application for exemption from property damage
 insurance requirements of 10CFR50.54
 RITSHER, J A Ropes & Gray 82/06/28 DENTON, H R Office of
 Nuclear Reactor Regulation, Director 1p 13652 353 24X
 Fiche 50-029, 82/06/28, 8206300256

--8206300261 Application for exemption from property damage insurance
 requirements of 10CFR50.54
 * Yankee Atomic Electric Co 82/06/28 Commissioners App
 13652 354 24X Fiche 50-029, 82/06/28, 8206300256

P Operating license stage documents & correspondence

8206040112 Forwards request for addl info re spent fuel pool mods
 Response requested within 30 days of ltr receipt
 CRUTCHFIELD, D Operating Reactors Branch 5 82/05/12 KAY, J A
 Yankee Atomic Electric Co 3pp 13348 323 24X
 Fiche 50-029, 82/05/12, 8206040112

8206240360 Advises that util 790403 '10 requests for withholding
 N-17-79-19, 'Exam of Exxon Nuclear Fuel at Yankee Rowe, Ho
 1978, ' approved per 10CFR2.790
 CRUTCHFIELD, D Operating Reactors Branch 5 82/06/08 KAY, J A
 Yankee Atomic Electric Co 3pp 13596 032 24X
 Fiche 50-029, 82/06/08, 8206240360

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
 applicants re transmittal of NUREG-0916 relative to
 restart of RE Ginna Rept documents findings re cause of
 event Wro encl
 EISENHUT, D G Division of Licensing 82/06/09 HAYNES, R C
 Consolidated Edison Co of New York ANGELERO, D Puerto Rico Util
 Resources Authority MORISI, A Boston Edison Co 13pp 17577 149
 24X Fiche 50-000, 82/06/09, 8206090153

8206170057 Advises that draft safety evaluations submitted 820601 1, 10
 re SEP Topics VI-7 & 3 & VI-10 A will be considered final
 CARUSO, R Operating Reactors Branch 5 82/06/10 KAY, J A Yankee
 Atomic Electric Co 2pp 13529 299 24X Fiche 50-019, 82/06/10,
 8206170057

8206170025 Forwards evaluation of SEP Topic IX-3, "Station Svr &
 Cooling Water Sys" Licensee has not demonstrated that
 adequate procedures exist to ensure sys operability
 CARUSO, R Operating Reactors Branch 5 82/06/11 KAY, J A Yankee
 Atomic Electric Co 8pp 13529 329 24X Fiche 50-029, 82/06/11,
 8206170025

8206170343 Forwards response to request for addl info re TMI Action
 Plan Items I A 2.1 & II B 4, upgrading reactor operator
 senior reactor operator training & training to mitigate core
 damage, respectively
 KAY, J A Yankee Atomic Electric Co 82/06/11 CRUTCHFIELD, D
 Operating Reactors Branch 5 7pp 13531 030 24X
 Fiche 50-029, 82/06/11, 8206170343

8206180191 Forwards safety assessment on SEP Topic VI-1, "Organic Matter
 & Post-Accident Chemistry," summarizing previously submitted
 info & considering only organic matter inside containment
 Post-accident water chemistry not applicable to facility
 KAY, J A Yankee Atomic Electric Co 82/06/14 CRUTCHFIELD, D
 Operating Reactors Branch 5 3pp 13552 239 24X
 Fiche 50-029, 82/06/14, 8206180191

8206220397 Forwards final safety evaluation of SEP Topic IX-5,
 "Ventilation Sys" Battery room ventilation sys will be
 evaluated during integrated assessment
 CARUSO, R Operating Reactors Branch 5 82/06/14 KAY, J A Yankee
 Atomic Electric Co 13pp 13580 033 24X Fiche 50-029, 82/06/14,
 8206220397

--8206080389 "Review of Design & Operation of Ventilation Sys for GIP
 Plants, Yankee Rowe Nuclear Plant," technical evaluation
 rept
 HOFFMAN, I HERRICK, R C Franklin Institute/Franklin Research
 Center NRC-03-79-118 TER-C5297-416 82/06/04 BROWN, B NRC
 No Detailed Affiliation Given 20pp 13580 046 24X
 Fiche 50-029, 82/06/14, 8206220397,

8206240152 Lists status of listed TMI items scheduled for
 implementation after 820301
 MOODY, D E Yankee Atomic Electric Co 82/06/14 CRUTCHFIELD, D
 Operating Reactors Branch 5 3pp 13599 267 24X
 Fiche 50-029, 82/06/14, 8206240152

8206210130 Forwards final evaluation of SEP Topic IX-4, "Boron
 Addition Sys" Util method for prevention of boron
 precipitation acceptable Evaluation to be basic input to
 integrated safety assessment
 CARUSO, R Operating Reactors Branch 5 82/06/15 KAY, J A Yankee
 Atomic Electric Co 3pp 13559 224 24X Fiche 50-029, 82/06/15,
 8206210130

8206240156 Discusses NRC assessment of SEP Topic V-5, "RCBP Leakage
 Detection" Offers clarification re leakage detection sys
 KAY, J A Yankee Atomic Electric Co 82/06/15 CRUTCHFIELD, D
 Operating Reactors Branch 5 3pp 13599 130 24X
 Fiche 50-029, 82/06/15, 8206240156,

8206240357 Forwards response to 820428 request for addl info re BOP
 Topic III-4 A, "Tornado Missiles," providing clarification
 on associate missile protection for selected components
 KAY, J A Yankee Atomic Electric Co 82/06/15 CRUTCHFIELD, D
 Operating Reactors Branch 5 4pp 13596 062 24X
 Fiche 50-029, 82/06/15, 8206240357

8206250128 Forwards Revision 1 to RCB vent sys operational guidelines &
 addl info describing when sys should & should not be
 manually vented, per 820225 request Plant-specific procedures
 forthcoming
 KAY, J A Yankee Atomic Electric Co, 82/06/15, CRUTCHFIELD, D
 Operating Reactors Branch 5 7pp 13616 241 24X
 Fiche 50-029, 82/06/15, 8206250128

--B206250130 Revision 1 to RCS vent sys operational guidelines
 * Yankee Atomic Electric Co 82/05/26 16pp 13616 249 24X
 Fiche 50-029, 82/06/15, B206250128

B206250211 Forwards clarification of assumptions used to assess SEP
 Topic XV-16, "Failure of Small Lines Carrying Primary
 Coolant Outside Containment," in response to B20323 ltr
 KAY, J A Yankee Atomic Electric Co 82/06/15 CRUTCHFIELD, D
 Operating Reactors Branch 5 3pp 13617 237 24X
 Fiche 50-029, 82/06/15, B206250211

B206250233 Forwards addl info re SEP Topics III-3 C, II-3 A, II-3 B,
 II-3 B i & II-3 C, per NRC B20330 & 31 ltrs Info supports
 util B20203 assessment & provides addl info on inservice
 insp programs, precipitation, runoff & UHS
 KAY, J A Yankee Atomic Electric Co 82/06/16 CRUTCHFIELD, D
 Operating Reactors Branch 5 37pp 13613 093 24X
 Fiche 50-029, 82/06/16, B206250233

B206240147 Approves util B10518 & 0727 requests to withhold repts
 YAE-1249P & YAE-1265P from public disclosure, per
 10CFR2 790
 CRUTCHFIELD, D Operating Reactors Branch 5 82/06/17 KAY, J A
 Yankee Atomic Electric Co 3pp 13600 011 24X
 Fiche 50-000, 82/06/17, B206240147

B206250291 Forwards addl info re SEP Topics V-II A re requirements
 for isolation of high & low pressure sys, VII-3 & III-1 re
 safe shutdown sys & VII-1 A re isolation of reactor
 protection sys, clarifying NRC B20201, 02 & 22 evaluations
 KAY, J A Yankee Atomic Electric Co 82/06/18 CRUTCHFIELD, D
 Operating Reactors Branch 5 3pp 13613 041 24X
 Fiche 50-029, 82/06/18, B206250291

B206250245 Summary of B20511 meeting w/util re SEP topics on dedicated
 shutdown sys Viewgraphs encl
 CARUSO, R Operating Reactors Branch 5 82/06/21 Operating
 Reactors Branch 5 10pp 13613 169 24X Fiche 50-029, 82/06/21,
 B206250245

B206280270 Forwards addl info re degraded grid voltage, per NRC B20526
 telcon request
 KAY, J A Yankee Atomic Electric Co 82/06/24 CRUTCHFIELD, D
 Operating Reactors Branch 5 2pp 13624 211 24X
 Fiche 50-029, 82/06/24, B206280270

B206300183 Forwards Revision 11 to YQAP-I-A, operational QA program
 JOHNSON, W P Yankee Atomic Electric Co 82/06/30, HAAS, W P
 Quality Assurance Branch 1p 13634 074 24X Fiche 50-000,
 82/06/30, B206300183

Q Inspection reports, IE Bulletins & correspondence

B206040108 Forwards IE Safequards Insp Rept 50-029/B2-02 on B20222-26 &
 notice of violation Rept & notice of violation withheld
 (ref 10CFR73 21)
 MARTIN, T T Division of Engineering & Technical Programs 82/05/12
 KAY, J A Yankee Atomic Electric Co 3pp 13345 361 24X
 Fiche 50-029, 82/05/12, B206040108

B202040147 IE Info Notice B2-19, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints "
 Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in
 Reactor Coolant Pressure Boundary of PWR Plants "
 Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/06/02, 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, B204210380

B206070337 Ack receipt of B20504 ltr informing NRC of steps taken to
 correct violations noted in IE Insp Rept 50-029/B2-04
 SMITH, G H Division of Emergency Preparedness & Operational Support
 82/06/02, KAY, J A Yankee Atomic Electric Co 1p 13363 143
 24X Fiche 50-029, 82/06/02, B206070337

--B206070341 Responds to NRC B20225 ltr re violations noted in IE Insp
 Rept 50-029/B2-04 Corrective actions procedure "Evaluation
 of Radiological Data" expanded to include App E delegating
 responsibility & authority for safety recommendations
 HOODY, D E Yankee Atomic Electric Co 82/05/04 HAYNES, R
 Region 2, Office of Director 2pp 13363, 244, 24X
 Fiche 50-029, 82/06/02, B206070337

B206220374 Forwards IE Insp Rept 50-029/B2-07 on B20504-07 & notice
 of violation
 MARTIN, T T Division of Engineering & Technical Programs 82/06/04
 KAY, J A Yankee Atomic Electric Co 2pp 13582 023 24X
 Fiche 50-029, 82/06/04, B206220374

--B206220380 Notice of violation from insp on B20504-07
 MARTIN, T T Division of Engineering & Technical Programs
 82/06/04 2pp 13582 025 24X Fiche 50-029, 82/06/04, B206220374

--B206220384 IE Insp Rept 50-029/B2-07 on B20504-07 Noncompliance noted
 ineffective corrective action associated w/licensee
 identified QA audit findings
 MEYER, G W, CAPTHON, D L Division of Engineering & Technical
 Programs 82/05/28 9pp 13582 027 24X Fiche 50-029, 82/06/04,
 B206220374

B204210393 IE Info Notice B2-17, "Overpressurization of RCB " Svc list
 encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210393

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive
 Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, B204210384

B206250242 Provides response to B20120 request for addl info re IE
 Bulletin B2-04, "Analysis of PWR Main Steam Line Break
 W/Continued Feedwater Addition " Questions re dynamics of
 introducing boron to prevent recirculation undecided
 KAY, J A Yankee Atomic Electric Co 82/06/14, CRUTCHFIELD, D
 Operating Reactors Branch 5 2pp 13617 191 24X
 Fiche 50-029, 82/06/14, B206250242

B206250233 Forwards addl info re SEP Topics III-3 C, II-3 A, II-3 B,
 II-3 B i & II-3 C, per NRC B20330 & 31 ltrs Info supports
 util B20203 assessment & provides addl info on inservice
 insp programs, precipitation, runoff & UHS
 KAY, J A Yankee Atomic Electric Co 82/06/16 CRUTCHFIELD, D
 Operating Reactors Branch 5 37pp 13613 093 24X
 Fiche 50-029, 82/06/16, B206250233

S Reportable occurrences, LERs & related correspondence

B206010044 Forwards LER B2-006/03L-0
 AUTIO, H A Yankee Atomic Electric Co 82/05/20 HAYNES, R C
 Region 1, Office of Director 1p 13313 219, 24X
 Fiche 50-029, 82/05/20, B206010044

--B206010058 LER B2-006/03L-0 on B20420, primary vent stack iodine
 radiation monitor ratemeter failed high Caused by failure
 of air dryer due to moisture. Detector replaced
 MAY, E L Yankee Atomic Electric Co 82/05/20 Region 1, Office
 of Director 1p 13313 220 24X Fiche 50-029, 82/05/20,
 B206010044

B206010083 Forwards LER B2-007/03L-0.
 AUTIO, H A Yankee Atomic Electric Co 82/05/20 HAYNES, R C
 Region 1, Office of Director 1p 13300 004 24X
 Fiche 50-029, 82/05/20, B206010083

--B206010088 LER B2-007/03L-0, on B20420, check valve HC-V-119 found
 leaking from inlet & outlet flanges Caused by relaxation of
 bolting for flanged mating surfaces Bolting replaced &
 torqued
 FRENCH, L D Yankee Atomic Electric Co 82/05/20 Region 1,
 Office of Director 1p 13300, 005 24X Fiche 50-029, 82/05/20,
 B206010083

B206110317 Forwards LER B2-008/03L-0
 AUTIO, H A Yankee Atomic Electric Co 82/06/03 HAYNES, R C
 Region 1, Office of Director 1p 13467 070 24X
 Fiche 50-029, 82/06/03, B206110317

--B206110320 LER B2-008/03L-0 on B20504, 3 gpm leak found in underground
 fire main between waste disposal & primary auxiliary bldgs
 Isolation of leak resulted in loss of yard hydrant 15 Caused
 by an improper gasket to coupling seal 1.
 MAY, E L Yankee Atomic Electric Co, 82/06/03, Region 1, Office
 of Director 1p 13467 071 24X Fiche 50-029, 82/06/03,
 B206110317

B206150149 Forwards LER B2-009/03L-0
 AUTIO, H A Yankee Atomic Electric Co, 82/06/07 HAYNES, R C
 Region 1, Office of Director 1p 13477 361 24X
 Fiche 50-029, 82/06/07, B206150149

--B206150173 LER 82-009/03L-0 on B2050B, containment isolation valve AS-V-719 to emergency boiler feed pump found leaking by seat. Caused by poor valve seating. Valve isolated & lapped & bonnet gasket replaced.
FRENCH, L. D. Yankee Atomic Electric Co. 82/06/07 Region 1,
Office of Director 1p 13497 362 24X Fiche 50-029, 82/06/07,
8206150169

B206220385 Forwards LER 82-010/03L-0
AUTIO, H. A. Yankee Atomic Electric Co. 82/06/11 HAYNES, R. C.
Region 1, Office of Director 1p 13582 126 24X
Fiche 50-029, 82/06/11, 8206220385

--B206220398 LER 82-010/03L-0 on B20514, during normal operation in Mode 1, zone 2 flow alarm sounded. Continuous flow revealed through alarm check auxiliary valve. Caused by insufficient seating. Disc seal piece turned over.
MAY, E. L. Yankee Atomic Electric Co. 82/06/11 Region 1, Office of Director 1p 13582 127 24X Fiche 50-029, 82/06/11,
8206220365

B206280526 Forwards LER 82-011/03L-0
AUTIO, H. A. Yankee Atomic Electric Co. 82/06/18 HAYNES, R. C.
Region 1, Office of Director 1p 13626 158 24X
Fiche 50-029, 82/06/18, 8206280526

--B206280531 LER 82-011/03L-0 on B20521, during normal operation in mode 1, number 4 steam generator blowdown radiation monitor failed low. Caused by buildup of foreign matter on electrical contacts of circuit board. Contacts cleaned.
FRENCH, L. D. Yankee Atomic Electric Co. 82/06/18 Region 1,
Office of Director 1p 13626 159 24X Fiche 50-029, 82/06/18,
8206280526

DOCKET 50-54 UNION CARBIDE RESEARCH REACTOR

P Operating license stage documents & correspondence

B206010432 Requests rewording of Tech Specs Item 3.5.1.C (10) re 7/05/1, Amend 14 to License R-B1.
RUZICKA, W. Q. Union Carbide Corp. 82/05/07 Operating Reactors
Branch 4 2pp 13313 236 24X Fiche 50-054, 82/05/07, 8206010432

B206070200 Forwards Amend 17 to License R-B1, to correct typographical error in Section 2 of Amend 16.
BERNARD, H. Standardization & Special Projects Branch 82/05/28
MCGOVERN, J. Union Carbide Corp. 2pp 13424 344 24X
Fiche 50-054, 82/05/28, 8206070200

--B206070213 Amend 17 to License R-B1, correcting typographical error in Section 2 of Amend 16 to read Paragraph 2 c (2) instead of Paragraph 3.5.2 c (5) & Paragraph 3.5.2 d.
BERNARD, H. Standardization & Special Projects Branch 82/05/28
2pp 13424 346 24X Fiche 50-054, 82/05/28, 8206070200

B206240047 Forwards corrected Page 2 of safety evaluation transmitted on 820506.
BERNARD, H. Standardization & Special Projects Branch. 82/06/11
MCGOVERN, J. Union Carbide Corp. 2pp 13610 354 24X
Fiche 50-054, 82/06/11, 8206240047

S Reportable occurrences, LERs & related correspondence

B206010248 RO, on B20506, stack monitor high level alarm received. Caused by release from hot lab cells & failure of technician to re-energize vacuum pump after calibr. Remote stack reset button installed in control room.
RUZICKA, W. Q. Union Carbide Corp. 82/05/19. KEIMIG, R. Region 1,
Office of Director. 3pp 13307 070 24X Fiche 50-054, 82/05/19,
8206010248

DOCKET 50-62 UNIV OF VIRGINIA RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

DOCKET 50-72 UNIV OF UTAH RESEARCH REACTOR

P Operating license stage documents & correspondence

B206230157 Forwards current rosters for univ committees affected by state licenses.
HOFFMAN, R. J. Utah, Univ of 82/05/14 WALKER, W. J. Division of
Fuel Cycle & Material Safety App 13592 708 24X
Fiche 50-072, 82/05/14, 8206230157

DOCKET 50-83 UNIV OF FLORIDA TRAINING REACTOR

F Security, medical, emergency & fire protection plans

B206070378 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl.
STOHR, J. P. Division of Emergency Preparedness & Operational Support
82/05/12 JACOBBS, A. M. Florida, Univ of, Gainesville 1p
13363 135 24X Fiche 50-083, 82/05/12, 8206070378

P Operating license stage documents & correspondence

B206240021 SAFETY EVALUATION REPORT RELATED TO THE RENEWAL OF THE OPERATING LICENSE FOR THE RESEARCH REACTOR AT THE UNIVERSITY OF FLORIDA Docket No. 50-83
* Office of Nuclear Reactor Regulation, Director NUREG-0713
82/05/31 70pp Available at NTIS \$5.00 13612 080 24X
Fiche 50-083, 82/05/31, 8206240021

DOCKET 50-89 GENERAL ATOMIC CO

P Operating license stage documents & correspondence

B206010102 Forwards Amend 24 to License R-3B & safety evaluation Amend revises Tech Specs to permit neutron radiography program to be extended to include new explosive devices.
BERNARD, H. Standardization & Special Projects Branch 82/05/11
MOMRY, W. R. GA Technologies, Inc./General Atomic Co. 2pp
13330 009 24X Fiche 50-089, 82/05/11, 8206010102

--B206010108 Amend 24 to License R-3B, allowing neutron radiography program to be extended to include certain new explosive devices being used or studied by various govt agencies & contractors.
BERNARD, H. Standardization & Special Projects Branch 82/05/11
5pp 13330 011 24X Fiche 50-089, 82/05/11, 8206010102

--B206010113 Safety evaluation supporting Amend 24 to License R-3B.
* Office of Nuclear Reactor Regulation, Director 82/05/11 4pp
13330 016 24X Fiche 50-089, 82/05/11, 8206010102

DOCKET 50-111 NORTH CAROLINA STATE UNIV RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

B206070370 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl.
STOHR, J. P. Division of Emergency Preparedness & Operational Support
82/05/12 COCKRELL, R. G. North Carolina State Univ 1p
13363 125 24X Fiche 50-111, 82/05/12, 8206070370

Q Inspection reports, IE Bulletins & correspondence

B206220547 Ack receipt of 820518 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-111/82-02 & 50-297/82-01 Violation A withdrawn.
LONG, F. J. Division of Project & Resident Programs 82/07/03.
COCKRELL, R. G. North Carolina State Univ 1p 13580 319 24X
Fiche 50-111, 82/07/03, 8206220547

--B206220556 Responds to NRC 820421 ltr re violations noted in IE Insp Repts 50-111/82-02 & 50-297/82-01 Corrective actions 820312 incident reported & reactor safeguards advisory group met.
B20331 Disputes item A re safeguards advisory group met.
COCKRELL, R. G. North Carolina State Univ 82/05/18 LONG, F. J.
Division of Project & Resident Programs 6pp 13580 320, 24X
Fiche 50-111, 82/07/03, 8206220547

--B206220559 Forwards IE Insp Repts 50-111/82-02 & 50-297/82-01 on 820315-19 & notice of violation.
LONG, F. J. Division of Project & Resident Programs. 82/04/21
COCKRELL, R. G. North Carolina State Univ. 2pp 13580 328, 24X
Fiche 50-111, 82/07/03, 8206220547.

--B206220569 Notice of violation from insp on B20315-19
 * Division of Project & Resident Programs 82/04/21 1p
 13580 330 24X Fiche 50-111,82/07/03,8206220547

--B206220578 IE Insp Repts 50-111/82-02 & 50-297/82-01 on B20315-19
 Noncompliance noted control room left unattended & reactor
 safeguards advisory group not convened semiannually
 JULIAN, C, BURGER, C Division of Project & Resident Programs
 82/04/21 7pp 13580 331 24X Fiche 50-111,82/07/03,8206220547

DOCKET 50-113 UNIV OF ARIZONA RESEARCH REACTOR

Q Inspection reports, IE Bulletins & correspondence

B206020553 Forwards IE Insp Rept 50-113/82-01 on B20505-07
 No noncompliance noted
 STERNBERG, D M Division of Resident, Reactor Project & Engineering
 Programs 82/05/17 GALLAGHER, R H Arizona, Univ of 2pp
 13322 350 24X Fiche 50-113,82/05/17,8206020553

--B206020557 IE Insp Rept 50-113/82-01 on B20505-07 No noncompliance
 noted Major areas inspected followup on open items & items
 of noncompliance, organization, logs & records, review & audit
 requalification training, procedures & surveillance
 KIRSCH, D F, WILLETT, D J, ZWETZIO, G B Division of Resident,
 Reactor Project & Engineering Programs 82/05/14 6pp
 13322 352 24X Fiche 50-113,82/05/17,8206020553

DOCKET 50-124 VIRGINIA POLYTECH INST TRAINING REACTOR

F Security, medical, emergency & fire protection plans

B206070383 Forwards Region 2 incident response plan dtd Mar 1982 Plan
 issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
 Incident Response Plan " Plan should be of benefit to
 understanding of NRC response to emergency W/o encl
 STOHR, J P Division of Emergency Preparedness & Operational Support
 82/05/12 PARKINSON, T F Virginia Tech 1p 13363 134 24X
 Fiche 50-124,82/05/12,8206070383

DOCKET 50-128 TEXAS A&M UNIV RESEARCH REACTOR

P. Operating license stage documents & correspondence

B206070631 Application for amend to License R-83, changing
 administrative controls to require director, nuclear science
 ctr, to rept to director, TX engineering experiment station,
 through head of nuclear engineering research
 PORTER, W A Texas A & M Univ 82/05/27 BERNARD, H
 Standardization & Special Projects Branch 2pp 13390 352 24X
 Fiche 50-128,82/05/27,8206070631.

--B206070635 Proposed Tech Specs to application for amend to License
 R-83, re administrative controls/organization
 * Texas A & M Univ 82/05/27 3pp 13390 354 24X
 Fiche 50-128,82/05/27,8206070631

DOCKET 50-129 WEST VIRGINIA UNIV RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

B206070392 Forwards Region 2 incident response plan dtd Mar 1982 Plan
 issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
 Incident Response Plan " Plan should be of benefit to
 understanding of NRC response to emergency W/o encl
 STOHR, J P Division of Emergency Preparedness & Operational Support
 82/05/12 West Virginia Univ 1p 13363 340 24X
 Fiche 50-129,82/05/12,8206070392

DOCKET 50-133 HUMBOLDT BAY POWER PLANT, UNIT 3

Q. Adjudicatory correspondence

B206090159 Forwards until B20528 request for exemption from certain
 insurance requirements
 YOUNG, M A Hearing Branch 4 82/06/04 LAZO, R M, LINENBERGER, G,
 SCHINK, D Atomic Safety and Licensing Board Panel 1p 13438 310
 24X Fiche 50-133,82/06/04,8206090159

--B206090163 Forwards request for exemption from certain insurance
 requirements
 CRANE, P A Pacific Gas & Electric Co 82/05/28 BALTZMAN, J
 Assistant Director for State & Licensee Relations 1p 13438 311
 24X Fiche 50-133,82/06/04,8206090159

--B206090165 Request for exemption from certain insurance requirements.
 Unit is shut down & should be considered as plant where fuel
 is onsite but reactor not yet operating
 MANEATIS, G A Pacific Gas & Electric Co 82/05/28
 Commissioners 3pp 13438 312 24X Fiche 50-133,82/06/04,
 8206090159

H General correspondence

B206080349 Expresses concern re deterioration of facility
 Decommissioning of plant supported
 SIMPSON, L Affiliation Unknown 82/06/04 DENTON, H Office of
 Nuclear Reactor Regulation, Director 1p 13416 226 24X
 Fiche 50-133,82/06/04,8206080349

J Insurance & indemnity information

B206090159 Forwards until B20528 request for exemption from certain
 insurance requirements
 YOUNG, M A Hearing Branch 4 82/06/04 LAZO, R M, LINENBERGER, G,
 SCHINK, D Atomic Safety and Licensing Board Panel 1p 13438 310
 24X Fiche 50-133,82/06/04,8206090159

--B206090163 Forwards request for exemption from certain insurance
 requirements
 CRANE, P A Pacific Gas & Electric Co 82/05/28 BALTZMAN, J
 Assistant Director for State & Licensee Relations 1p 13438 311
 24X Fiche 50-133,82/06/04,8206090159

--B206090165 Request for exemption from certain insurance requirements
 Unit is shut down & should be considered as plant where fuel
 is onsite but reactor not yet operating
 MANEATIS, G A Pacific Gas & Electric Co 82/05/28
 Commissioners 3pp 13438 312 24X Fiche 50-133,82/06/04,
 8206090159

P Operating license stage documents & correspondence

B206090140 Responds to B20505 Generic Ltr 82-10, requesting commitment
 to implement remaining NUREG-0737 items Unit currently
 shutdown Implementation schedule for NUREG-0737 items will
 be submitted if decision made to resume operation of unit
 SCHUYLER, J D Pacific Gas & Electric Co 82/06/04 EISENHUT, D O
 Division of Licensing 1p 13439 316 24X Fiche 50-133,82/06/04,
 8206090140

B206140231 Submits addendum to B20116 petition for decommissioning
 of facility Article from Star Root Newspaper supporting
 petition encl
 QUENTHER, R Affiliation Unknown 82/06/08 DENTON, H Office of
 Nuclear Reactor Regulation, Director 4pp 13630 122 24X
 Fiche 50-133,82/06/08,8206140231

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
 applicants re transmittal of NUREG-0916 relative to
 restart of RE Ginna Rept documents findings re cause of
 event W/o encl
 EISENHUT, D O Division of Licensing. 82/06/09 HAUSPURG, A
 Consolidated Edison Co of New York 13pp 13597 349 24X
 Fiche 50-000,82/06/09,8206090153

Q Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/05/28 107pp 13426 099. 24X
 Fiche 50-000,82/05/28,8202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
 Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
 103pp 13440,264 24X Fiche 50-000,82/05/28,8204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
 Reactor Coolant Pressure Boundary of PWR Plants "
 Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection &
 Enforcement 82/06/02 108pp 13527 150 24X

DOCKETED ITEMS

4 Periodic operating reports & related correspondence

B206010258 Forwards monthly operating report for Apr 1982
 WEEKS, E D Pacific Gas & Electric Co 82/05/07 Office of
 Management and Program Analysis 1p 13307 040 24X
 Fiche 50-133, 82/05/07, B206010258

--B206010260 Monthly operating report for Apr 1982
 DERKS, P S Pacific Gas & Electric Co 82/05/06 4pp 13307 041
 24X Fiche 50-133 82/05/07 B206010258

JOEY 50 142 UCLA TRAINING REACTOR

4 Adjudicatory correspondence

S-06010270 Reply to applicant requests in B20510 response to Committee
 to Bridge the Gap motion for deferral. Objects to requests
 in midst of responsive pleading & failure to denominate
 requests as motions. Declaration of svc encl
 HIRSCH, D Committee to Bridge the Gap 82/05/25 Atomic Safety
 and Licensing Board Panel 9pp 13307 132 24X
 Fiche 50-142, 82/05/25, B206010270

B206010342 Advises of significant changes & developments relevant to
 proceeding re new regulations on protection of unclassified
 safeguards info
 HIRSCH, D Committee to Bridge the Gap 82/05/25 FRYE, J H,
 PARIS, D H, LUEBKE, E A Atomic Safety and Licensing Board Panel 2pp
 13301 148 24X Fiche 50-142, 82/05/25, B206010342

B206010346 Discusses B20517 telcon re failure to receive B20510
 pleading & photographs. Pleading delayed due to incorrect zip
 code. Manner of conferring disputes extremely cumbersome.
 HIRSCH, D Committee to Bridge the Gap 82/05/25 CORNIER, W
 California, Univ of, Los Angeles 2pp 13301 008 24X
 Fiche 50-142, 82/05/25, B206010346

B206040045 Response in opposition to NRC B20512 motion for
 reconsideration of ASLB B20430 order denying NRC motion for
 summary disposition of Contention XX. NRC failed to show
 significant changes in circumstances. W/Certificate of Svc
 HIRSCH, D Committee to Bridge the Gap 82/05/28 Atomic Safety
 and Licensing Board Panel 11pp 13347 302 24X
 Fiche 50-142, 82/05/28, B206040045

B206040234 Responses opposing NRC B20513 motion for revocation of ASLB
 order suspending consideration of NRC motion for summary
 disposition of Contention XX. Relevant discovery should be
 completed. Declaration of svc encl
 SHIRLEY, S J Santa Monica, CA 82/05/28 Atomic Safety and
 Licensing Board Panel 7pp 13357 304 24X Fiche 50-142, 82/05/28,
 B206040234

B206090016 Order granting UCLA 4B-h to comply w/Paragraph 1c of ASLB
 B20416 order UCLA to preserve photographs which are subj of
 Paragraph 1c until further ASLB order
 FRYE, J H Atomic Safety and Licensing Board Panel 82/06/04
 California, Univ of, Los Angeles 1p 13435 298 24X
 Fiche 50-142, 82/06/04, B206090016

B206090069 Memorandum & Order LBP-B2-44 admitting City of Santa Monica,
 CA as interested municipality. Objections to City
 participation in future discovery overruled. City to outline
 within 10 days issues on which City intends to participate.
 LUEBKE, E A, PARIS, D H, FRYE, J H Atomic Safety and Licensing Board
 Panel 82/06/04 Santa Monica, CA 5pp 13435 285 24X
 Fiche 50-142, 82/06/04, B206090069

B206140096 Response opposing Committee to Bridge the Gap B20518 request
 for release of photograph. Political association of certain
 univ employees irrelevant to proceeding Certificate of Svc
 encl
 CORNIER, W H California, Univ of, Los Angeles 82/06/04 Atomic
 Safety and Licensing Board Panel 10pp 13489 347 24X
 Fiche 50-142, 82/06/04, B206140096

B206090094 Lists refs provided by Cort as addition to response to
 Committee to Bridge the Gap Interrogatory 17
 WOODHEAD, C P Hearing Branch 1 82/06/07 HIRSCH, D Committee to
 Bridge the Gap 1p 13438 348 24X Fiche 50-142, 82/06/07,
 B206090094

B206160076 Response to ASLB B20604 order re release of photographs
 Proposes alternative to order wherein univ would retake
 photographs excluding objectionable physical security sys
 features. Certificate of Svc encl
 CORNIER, W H California, Univ of, Los Angeles 82/06/11 5pp
 13517 313 24X Fiche 50-142, 82/06/11, B206160076

B206170280 Requests leave to respond to portions of applicant B20604
 objection re release of photograph taken on insp Response
 constitutes impermissible answer under 10CFR2 730(c)
 HIRSCH, D Committee to Bridge the Gap 82/06/14 FRYE, J H,
 PARIS, D H, LUEBKE, E A Atomic Safety and Licensing Board Panel
 1p 13529 141 24X Fiche 50-142, 82/06/14, B206170280

B206170287 Request for addl info on Interrogatories 17, 18 & 19 re
 fission inventory & heat output after shutdown
 HIRSCH, D Committee to Bridge the Gap 82/06/14 WOODHEAD, C P
 Hearing Branch 1 1p 13529 194 24X Fiche 50-142, 82/06/14,
 B206170287

B206170297 Requests copies of reg guide dealing w/protection of
 unclassified safeguards info. New regulations may be used in
 proceedings re affidavits of nondisclosure, protective orders
 & basis for access to protected info
 HIRSCH, D Committee to Bridge the Gap 82/06/14 WOODHEAD, C P
 Hearing Branch 1 2pp 13529 195 24X Fiche 50-142, 82/06/14,
 B206170297

B206170291 Forwards integrated list of pages of operating logs to be
 copied for review
 HIRSCH, P Committee to Bridge the Gap 82/06/16 CORNIER, W
 California, Univ of, Los Angeles 3pp 13531 337 24X
 Fiche 50-142, 82/06/16, B206170291

B206210275 Memorandum & order denying UCLA objection to release of
 irrelevant photograph as moot. UCLA ordered to retake 20
 photographs to eliminate objectionable subj matter. Both sets
 of photographs to be brought to prehearing conference.
 FRYE, J H Atomic Safety and Licensing Board Panel 82/06/17
 California, Univ of, Los Angeles 7pp 13559 064 24X
 Fiche 50-142, 82/06/17, B206210275

B206210277 Order requesting Committee to Bridge the Gap to clarify
 requests in B20408 motion to compel in light of UCLA B20503
 comments. Items & areas Committee not permitted to inspect to
 be specifically identified
 FRYE, J H Atomic Safety and Licensing Board Panel 82/06/17
 Committee to Bridge the Gap 2pp 13559 062 24X
 Fiche 50-142, 82/06/17, B206210277

B206240372 Recommends that implications of 10CFR73 21 & 10CFR2 744(i)
 on protection of unclassified safeguards info be topic of
 discussion at B20629-30 prehearing conference. Protective
 order & affidavit of nondisclosure may not be necessary.
 HIRSCH, D Committee to Bridge the Gap 82/06/17 FRYE, J H,
 PARIS, D H, LUEBKE, E A Atomic Safety and Licensing Board Panel
 2pp 13603 010 24X Fiche 50-142, 82/06/17, B206240372

B206230191 Forwards recent IE insp report on facility Counsel will
 attempt to locate NRC documents re emergency plans for
 research reactors requested in B20614 ltr. W/o encl
 WOODHEAD, C P Hearing Branch 1 82/06/22 HIRSCH, D Committee to
 Bridge the Gap 1p 13586 193 24X Fiche 50-142, 82/06/22,
 B206230191

B206240412 Identification of subs upon which City of Santa Monica, CA
 intends to participate, per ASLB B20604 memorandum & order.
 Declaration of svc encl
 SHIRLEY, S J Santa Monica, CA 82/06/22 8pp 13601 351 24X
 Fiche 50-142, 82/06/22, B206240412

P Operating license stage documents & correspondence

B206290487 Forwards amends to B00229 application for renewal of
 License R-71, changing pages to include recent financial data
 & improve clarity
 WEGST, W F California, Univ of, Los Angeles 82/06/23 BERNARD, H
 Standardization & Special Projects Branch 2pp 13632 022 24X
 Fiche 50-142, 82/06/23, B206290487

--B206290492 Amends to B00229 application for renewal of License R-71,
 changing pages to include recent financial data & improve
 clarity
 O'NEILL, R R California, Univ of, Los Angeles 82/04/30 41pp
 13632 024 24X Fiche 50-142, 82/06/23, B206290487

--B206290494 Amended Tech Specs for License R-71,
 California, Univ of, Los Angeles 82/04/30 46pp 13632 064
 24X Fiche: 50-142, 82/06/23, B206290487

Q Inspection reports, IE Bulletins & correspondence

B206280218 Forwards IE Insp Rept 50-142/B2-01 on B20405-09 & notice
 of violation
 SPENCER, O S Region 5, Office of Director 82/06/09 WEGST, W F
 California, Univ of, Los Angeles 2pp 13624 171 24X
 Fiche: 50-142, 82/06/09, B206280218

8206280222 Notice of violation from insp on 820405-09
WENSLAWSKI, F A Region 5, Office of Director 82/06/09 1p
13624 172 24X Fiche 50-142, 82/06/09, 8206280218

--8206280228 IE Insp Rept 50-142/82-01 on 820405-09 Noncompliance noted
no approved written procedures for control & calibr of
portable radiation survey instruments
CILLIS, M, GARCIA, E, WENSLAWSKI, F A Region 5, Office of
Director 82/06/09 20pp 13624 174 24X Fiche 50-142, 82/06/09,
8206280218

DOCKET 50-155 BIG ROCK POINT NUCLEAR PLANT

F Security, medical, emergency & fire protection plans

9205090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N &
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
8206090002

--8206090033 Forwards updated info re prompt notification & warning sys
for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch
81/12/01 RAMOS, S L Emergency Preparedness & Program Support
Branch 4pp 13454 12B 24X Fiche 50-000, 82/05/11, 8206090002

--8203110477 Forwards update on prompt notification & warning sys for
Region 3 licensees FEMA estimates approx 65% of reviews of
proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational
Support 82/01/05 GRIMES, B K Division of Emergency
Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11,
8206090002

--8203110473 Submits update of current assessment of licensees ability
to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations
82/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt
notification sys
SPENCER, G S Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
24X Fiche 50-000, 82/05/11, 8206090002

--8206090033 Forwards monthly status rept re prompt notification sys nt
facilities Commitments made by licensees to ensure
deficiencies are corrected by 820601
HIND, J A Division of Emergency Preparedness & Operational
Support 82/02/17 GRIMES, B K Division of Emergency Preparedness
3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

8206100321 Forwards NRC concerns re physical security deficiencies
identified by Region 3 inspectors Appropriate security plan
changes & implementation schedule requested within 45 days
from receipt of ltr Encl withheld (ref 10CFR73.21)
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/07 DEWITT, R H,
Consumers Power Co 2pp 13444 065 24X Fiche 50-155, 82/06/07,
8206100321

Q Adjudicatory correspondence

8206010280 Answer opposing util motion to quash subpoenas Directors of
emergency planning can present essential info re
Christa-Maria contention Related correspondence
O'NEILL, J O'Neill, J 82/05/23 Commissioners 1p 13307 111,
24X Fiche 50-155, 82/05/23, 8206010280

--8206010283 Supports J O'Neil motion for extension of time to file
testimony on plant history contention Restaurant duties have
prevented O'Neill from working on testimony
O'NEILL, M A Affiliation Unknown 82/05/23 Atomic Safety and
Licensing Board Panel 1p 13307 112 24X Fiche 50-155, 82/05/23,
8206010280

8206010269 Forwards NRC 820521 ltr requesting info which is subj of
litigation Util to file motion to enjoin NRC from seeking
such info ASLB should enter temporary restraining order
barring 14-day deadline in NRC ltr from running
GALLO, J Isham, Lincoln & Beale 82/05/23 BLOCH, P B, PARIS, O H,
SHON, F J Atomic Safety and Licensing Board Panel 2pp 13307 141
24X Fiche 50-155, 82/05/23, 8206010269

8206010320 Suppl 820525 ltr re util motion for injunction re
administrative action of NRC in seeking info under
10CFR50.54(f) Ref to O'Neill Contention IIC corrected
GALLO, J Isham, Lincoln & Beale 82/05/26 BLOCH, P B, PARIS, O H,
SHON, F J Atomic Safety and Licensing Board Panel 2pp 13300 047
24X Fiche 50-155, 82/05/26, 8206010320

8206040043 Response opposing util 820525 motion to restrain NRC from
seeking relevant info, add grounds supporting motion for
continuance until NRC prepared to proceed & motion to
restrain ex parte communications Certificate of Svc encl
SEMMELE, H Christa-Maria SEMMELE, H Antioch College of Law
82/05/26 Atomic Safety and Licensing Board Panel 3pp
13347 313 24X Fiche 50-155, 82/05/26, 8206040043

8206040212 Forwards L Reiter affidavits correcting & clarifying 820416
deposition re spent fuel pool mod
GODDARD, R J Hearing Branch 2 82/05/27 GALLO, J Isham, Lincoln
& Beale 1p 13359 243 24X Fiche 50-155, 82/05/27, 8206040212

--8206040217 Affidavit of L Reiter correcting 820416 deposition re spent
fuel pool mod
REITER, L Geosciences Branch 82/05/19 2pp 13359 244 24X
Fiche 50-155, 82/05/27, 8206040212

--8206040220 Affidavit of L Reiter clarifying & updating 820416
deposition re spent fuel pool mod Prof qualifications encl
REITER, L Geosciences Branch 82/05/25 3pp 13359 246 24X
Fiche 50-155, 82/05/27, 8206040212

8206040289 Motion to allow law student intern participation in
evidentiary hearing Certificate of Svc encl
SEMMELE, H Christa-Maria SEMMELE, H Antioch College of Law
82/05/27 Atomic Safety and Licensing Board Panel 4pp
13354 333 24X Fiche 50-155, 82/05/27, 8206040289

8206070502 Motion to approve util, NRC & Christa-Maria stipulation re
scheduling of issues & witnesses Certificate of Svc encl
GALLO, J Consumers Power Co GALLO, J Isham, Lincoln & Beale
82/06/01 Atomic Safety and Licensing Board Panel 4pp
13375 039 24X Fiche 50-155, 82/06/01, 8206070502

--8206070506 Stipulation re scheduling of issues & witnesses
GODDARD, R Hearing Branch 3 SEMMELE, H Christa-Maria GALLO, J,
Consumers Power Co 82/06/01 10pp 13375 043 24X
Fiche 50-155, 82/06/01, 8206070502

8206090128 Notice of appearance in proceeding
HURST, P H, HANSON, L P Christa-Maria HURST, P H Hurst & Hanson,
82/06/01 1p 13439 323 24X Fiche 50-155, 82/06/01, 8206090128

8206080115 Forwards IH Sargent & DJ Vito prof qualifications which were
unavailable when testimony filed on 820614
MOORE, J E Hearing Branch 1 82/06/04 BLOCH, P B, SHON, F J,
PARIS, O H Atomic Safety and Licensing Board Panel 4pp
13423 333 24X Fiche 50-155, 82/06/04, 8206080115

8206230137 Forwards response to petition to intervene in startup of
facility until reactor core can be safely offloaded in
event of emergency Declines to take action re request
Decision will be filed w/Secretary of Commission for review
DENTON, H R Office of Nuclear Reactor Regulation, Director
82/06/15 BIER, J Affiliation Unknown, 5pp 13592 282 24X
Fiche 50-155, 82/06/15, 8206230137

--8206230144 Director's Decision under 10CFR2.206 denying J Bier &
Christa-Maria 820406 petition requesting intervention in
startup of facility until reactor core can be safely
offloaded in event of emergency
DENTON, H R Office of Nuclear Reactor Regulation, Director,
82/06/15 7pp 13592 286 24X Fiche 50-155, 82/06/15, 8206230137,

--8206230150 Forwards response to petition to intervene in startup of
facility until reactor core can be safely offloaded in event
of emergency Declines to take action re request Decision
will be filed w/Secretary of Commission for review
DENTON, H R Office of Nuclear Reactor Regulation, Director
82/06/15 CHRISTA-MARIA Christa-Maria 4pp 13592 293 24X
Fiche 50-155, 82/06/15, 8206230137

--8206230154 Discusses 2.206 petition to intervene in facility
restart Interim response attached explains why no
immediate actions in response to petition following restart
were made.
MURRAY, J P Deputy Executive Legal Director, 82/04/19
DENTON, H R Office of Nuclear Reactor Regulation, Director, 1p
13592 298 24X Fiche 50-155, 82/06/15, 8206230137

--B206230156 Petition for intervention in startup of facility until reactor core can be safely offloaded in event of emergency such as Apr 1979 incident
BIER, J Affiliation Unknown CHRISTA-MARIA Christa-Maria
82/04/07 Commissioners 2pp 13592 297 24X
Fiche 50-155, 82/06/15, B206230137

B206220080 Lists schedule for filing findings of fact intervenor must file any motion to introduce rebuttal witnesses on spent fuel pool criticality contention by B20628 NRC intends to file motion to reconsider simultaneous filing requirements
GODDARD, R J Hearing Branch 3 82/06/18 BLOCH, P B SHON, J J
PARIS, D H Atomic Safety and Licensing Board Panel 2pp 13373 098 24X Fiche 50-155, 82/06/18, B206220080

B2062390306 Informs that date for filing findings of fact for Contentions 9(2) & 9(3) changed to B20628 Reply date changed to B20709
WIKTOR, D L Antioch College of Law 82/06/23 BLOCH, P B
PARIS, D H SHON, F J Atomic Safety and Licensing Board Panel 1p 13636 319 24X Fiche 50-155, 82/06/23, B2062390306

B206280145 Confirms B20624 telcon. in which ASLB permits NRC to file testimony re seismic spectra on B20702 instead of B20625
All parties agreed to later date
BACHMAN, R G Hearing Branch 1 82/06/24 BLOCH, P B Atomic Safety and Licensing Board Panel 1p 13624 244 24X
Fiche 50-155, 82/06/24, B206280145

B206300037 Motion for reconsideration of ASLB B20612 ruling requiring simultaneous filings of findings of fact & conclusions of law w/simultaneous filings of reply Commission regulations provide for serial filings Certificate of Svc encl
BACHMAN, R G Hearing Branch 1 82/06/25 Atomic Safety and Licensing Board Panel 7pp 13656 018 24X Fiche 50-155, 82/06/25, B206300037

B206300041 Order extending time until B20812 for Commission to act to review Director's Decision DD-82-05
CHILK, B J Office of the Secretary of the Commission 82/06/29 Commissioners 1p 13658 064 24X Fiche 50-155, 82/06/29, B206300041

J Insurance & indemnity information

B206280325 Forwards request for exemption from property damage insurance requirements of 10CFR50.54(w) until May 1984
Expedited handling requested
BACON, J L Consumers Power Co 82/06/22 DENTON, H Office of Nuclear Reactor Regulation, Director 1p 13624 001 24X
Fiche 50-155, 82/06/22, B206280325

--B206280327 Request for exemption from property damage insurance requirements of 10CFR50.54(w) until May 1984
* Consumers Power Co 82/06/22 Commissioners 5pp 13624 002 24X Fiche 50-155, 82/06/22, B206280325

--B206280328 Affidavit of AB Bass re other operating & maint expense base adjustments to include added insurance costs
BASS, A B Consumers Power Co 82/06/21 2pp 13624 007 24X
Fiche 50-155, 82/06/22, B206280325

--B206280330 Affidavit of JA Parker re cost of decontamination & cleanup of plant in event of worst credible accident
PARKER, J A Consumers Power Co 82/06/22 3pp 13624 009 24X
Fiche 50-155, 82/06/22, B206280325

--B206280331 Affidavit of JD Cooper re onsite property damage coverage in event of worst credible accident
COOPER, J D Consumers Power Co 82/06/22 7pp 13624 012 24X
Fiche 50-155, 82/06/22, B206280325

--B206280333 Affidavit of RM Marusich re extent of decontamination & cleanup required after worst credible accident Review of cost estimates & evaluation of licensee compliance w/Category A items of NRC TMI-2 recommendations encl
MARUSICH, R M Consumers Power Co 82/06/22 65pp 13624 019 24X Fiche 50-155, 82/06/22, B206280325

--B104020509 "CPC Probabilistic Risk Assessment, Big Rock Point Plant," Vol I
* Consumers Power Co 81/03/31 150pp 65181 129 24X
Fiche 50-155, 81/04/08, B104160590

--B104020512 "CPC Probabilistic Risk Assessment, Big Rock Point Plant," Vol II App I
* Consumers Power Co 81/03/31 150pp 65181 189 24X
Fiche 50-155, 81/04/08, B104160590

--B104020513 "CPC Probabilistic Risk Assessment, Big Rock Point Plant," Vol IV Apps III-V
* Consumers Power Co 81/03/31 350pp 65182 104 24X
Fiche 50-155, 81/04/08, B104160590

--B104020516 "CPC Probabilistic Risk Assessment, Big Rock Point Plant," Vol VI Apps XI-IX
* Consumers Power Co 81/03/31 250pp 65183 120 24X
Fiche 50-155, 81/04/08, B104160590

--B104020517 "CPC Probabilistic Risk Assessment, Big Rock Point Plant," Vol VII Apps XIV-XIII
* Consumers Power Co 81/03/31 250pp 65184 036 24X
Fiche 50-155, 81/04/08, B104160590

--B104020519 "CPC Probabilistic Risk Assessment, Big Rock Point Plant," Vol VIII Apps XVII
* Consumers Power Co 81/03/31 150pp 65184 278 24X
Fiche 50-155, 81/04/08, B104160590

B206020542 Notification of B20601 meeting w/util in Bethesda, MD to discuss overall approach to licensing activities Agenda encl
EMCH, R Operating Reactors Branch 5 82/05/26 CRUTCHFIELD, D
Operating Reactors Branch 5 4pp 13339 310 24X
Fiche 50-155, 82/05/26, B206020542

B206080073 Forwards Science Applications, Inc request for addl info needed to complete review of NUREG-0737, Items I A 2.1 re upgraded senior reactor & reactor operator training & II B 4 re training for mitigating core damage
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/28
VANDEWALLE, D Consumers Power Co 5pp 13423 298 24X
Fiche 50-000, 82/05/28, B206080073

B206070247 Submits addl info in response to NRC request re SEP Topic XV-19, "LOCA Resulting From Spectrum of Postulated Piping Breaks Within RCPB (Radiological Portion)" Re-evaluation of site boundary doses encl
VINCENT, R A Consumers Power Co 82/06/02 CRUTCHFIELD, D
Operating Reactors Branch 5 5pp 13369 249 24X
Fiche 50-155, 82/06/02, B206070247

B206070672 Informs of correction that should be made to NRC B11014 evaluation of SEP Topic XV-3, "Loss of External Loads"
Corrected sentence reflects as-built capability of turbine bypass sys
VINCENT, R A Consumers Power Co 82/06/02 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13390 229 24X
Fiche 50-155, 82/06/02, B206070672

B206070681 Responds to NRC B20513 ltr re NRC evaluation of util response to SEP Topic IX-1, "Fuel Storage" No comments offered on NRC evaluation
VINCENT, R A Consumers Power Co 82/06/02 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13390 301 24X
Fiche 50-155, 82/06/02, B206070681

B206080306 Informs that cover ltr to B20504 evaluation of SEP Topic III-4 C incorrectly stated that recent mod had removed plant dependency on instrument & svc air sys for remote makeup to shell side of emergency condenser
VINCENT, R A Consumers Power Co 82/06/03 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13420 016 24X
Fiche 50-155, 82/06/03, B206080306

B206080248 Ack receipt of NRC B20521 ltr requesting addl info re adequacy of spent fuel pool Requests addl time to provide info info being prepared for spent fuel pool expansion hearing should satisfy request
VANDEWALLE, D J Consumers Power Co 82/06/04 LAINAS, D C
Assistant Director for Safety Assessment 4pp 13420 160 24X
Fiche 50-155, 82/06/04, B206080248

B206140017 Forwards util comments re SEP Topic VI-7 A 3, "EGCS Actuation Sys." safety evaluation
VINCENT, R A Consumers Power Co 82/06/04 CRUTCHFIELD, D
Operating Reactors Branch 5 22pp 13487 030 24X
Fiche 50-155, 82/06/04, B206140017

8206100144 Submits addl info re radiological effluent Tech Specs, supplementing until 820203 ltr responding to requests made at 820104-07 meeting w/NRC Draft offsite dose calculation manual will be submitted by Oct 1982
VANDEWALLE, D J Consumers Power Co 82/06/07 CRUTCHFIELD, D
Operating Reactors Branch 5 3pp 13451 167 24X
Fiche 50-000, 82/06/07, 8206100144

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206140015 Forwards responses to NRC questions raised per 820316 evaluation of SEP Topic VI-1 re organic matls & post-accident chemistry
VINCENT, R A Consumers Power Co 82/06/09 CRUTCHFIELD, D
Operating Reactors Branch 5 4pp 13484 353 24X
Fiche 50-155, 82/06/09, 8206140015

8206170255 Forwards evaluation of SEP Topic III-4 B re turbine missiles Probability of turbine missile being produced w/Facility design noncredible QE hypothetical turbine missile data encl
VINCENT, R A Consumers Power Co 82/06/09 CRUTCHFIELD, D
Operating Reactors Branch 5 22pp 13532 343 24X
Fiche 50-155, 82/06/09, 8206170255

8206150207 Submits addl info in response to NRC concerns re SEP Topic XV-1, "Decrease in Feedwater Temp. Increase in Feedwater Flow & Increase in Steam Flow"
VINCENT, R A Consumers Power Co 82/06/10 CRUTCHFIELD, D
Operating Reactors Branch 5 4pp 13505 003 24X
Fiche 50-155, 82/06/10, 8206150207

8206150356 Forwards until SAR of SEP Topic IX-5, "Ventilation Sys" Spent fuel pool, radwaste area & turbine & avc bldg ventilation sys require no mods
VINCENT, R A Consumers Power Co 82/06/11 CRUTCHFIELD, D
Operating Reactors Branch 5 9pp 13505 272 24X
Fiche 50-155, 82/06/11, 8206150356

8206170059 Forwards draft evaluation rept of SEP Topic VI-4, "Containment Isolation Sys" Response requested within 30 days
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/11
VANDEWALLE, D J Consumers Power Co 39pp 13530 001 24X
Fiche 50-155, 82/06/11, 8206170059

8206210326 Forwards addl info requested to complete review of SEP Topic III-4 A, "Tornado Missiles" Encl contains floor plans for applicable structures & related equipment Complete set of drawings will be transmitted later
VANDEWALLE, D J Consumers Power Co 82/06/16 CRUTCHFIELD, D
Operating Reactors Branch 5 6pp 13559 147 24X
Fiche 50-155, 82/06/16, 8206210326

8206220586 Forwards final evaluation of SEP Topic XV-3 re loss of external load, turbine trip, loss of condenser vacuum, close of MSIV & steam pressure regulator failure Facility meets current licensing criteria
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/18
VANDEWALLE, D J Consumers Power Co 7pp 13582 161 24X
Fiche 50-155, 82/06/18, 8206220586

8206240168 Forwards draft technical & safety evaluation repts re SEP Topic VI-10 A, "Testing of Reactor Trip Sys & EBFs" Mods to Tech Spec & equipment to test response time testing program suggested
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/22
VANDEWALLE, D J Consumers Power Co 35pp 13599 286 24X
Fiche 50-155, 82/06/22, 8206240168

8206280480 Forwards review of NRC 820305 safety evaluation of SEP Topic VII-1 A, "Isolation of Reactor Protection Sys From Nonsafety Sys, Including Qualification of Isolation Devices" Existing motor generation set design adequate No mods warranted
VANDEWALLE, D J Consumers Power Co 82/06/22 CRUTCHFIELD, D
Operating Reactors Branch 5 73pp 13626 029 24X
Fiche 50-155, 82/06/22, 8206280480

8206300330 Forwards revised safety evaluation of SEP Topic VIII-2, "Onsite Emergency Power Sys - Diesel Generator," based on EQ&O final technical evaluation rept Diesel generator output may be too low under accident loading conditions
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/22
VANDEWALLE, D J Consumers Power Co 6pp 13658 086 24X
Fiche 50-155, 82/06/22, 8206300330

--8206300334 "SEP Topic VII-1-2, Diesel Generator, Big Rock Point," informal rept
FARMER, F O EQ&O, Inc FIN A-6425 E00-EA-5882 82/05/31
SCHOLL, R F Division of Licensing 12pp 13658 092 24X
Fiche 50-155, 82/06/22, 8206300330

8206300052 Forwards clarification of SEP consideration of inelastic response using NUREG/CR-0098 ductility factor approach as part of seismic reanalysis programs
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/23
VANDEWALLE, D J Consumers Power Co 7pp 13656 003 24X
Fiche 50-155, 82/06/23, 8206300052

8206300178 Forwards corrections to 820430 electrical equipment qualification status rept Sys component evaluation worksheets inadvertently omitted from rept encl
BORDINE, T C Consumers Power Co 82/06/23 CRUTCHFIELD, D
Operating Reactors Branch 5 15pp 13653 341 24X
Fiche 50-155, 82/06/23, 8206300178

8206300209 Forwards Div of Licensing evaluation of SEP Topic II-2 C, "Atmospheric Transport & Diffusion Characteristics for Accident Analysis," per Reg Guide 1.3 Values appropriate.
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/23
VANDEWALLE, D J Consumers Power Co 6pp 13654 335 24X
Fiche 50-155, 82/06/23, 8206300209

8206300214 Forwards final evaluation of SEP Topic III-8 C re irradiation damage, use of sensitized stainless steel & fatigue integrity of internal structures will be assured by inservice insp program per 10CFR50.55a
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/23
VANDEWALLE, D J Consumers Power Co 6pp 13654 317 24X
Fiche 50-155, 82/06/23, 8206300214

8206250269 Notification of 820628 meeting w/util in Bethesda, MD to discuss approach to min shift staffing at facility & licensing philosophy
EMCH, R Operating Reactors Branch 5 82/06/24 CRUTCHFIELD, D
Operating Reactors Branch 5 4pp 13613 191 24X
Fiche 50-155, 82/06/24, 8206250269

8206290496 Forwards application to amend License DPR-6, changing Tech Specs to change technical advisor from shift 24-h on-call schedule
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13631 111 24X
Fiche 50-155, 82/06/25, 8206290496

--8206290502 Application to amend License DPR-6, changing Tech Specs to change technical advisor from shift to 24-h on-call schedule
DEWITT, R B Consumers Power Co 82/06/25 3pp 13631 112 24X
Fiche 50-155, 82/06/25, 8206290496

--8206290507 Tech Spec Table 6 2-1 re min shift crew composition
* Consumers Power Co 82/06/25 2pp 13631 115 24X
Fiche 50-155, 82/06/25, 8206290496

8206300347 Forwards final safety evaluation of SEP Topic XV-1 re decrease in feedwater temp, increase in feedwater flow & increase in steam flow Results of util 820610 reanalysis of increase in feedwater flow comply w/current criteria
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/25
VANDEWALLE, D J Consumers Power Co 15pp 13658 068 24X
Fiche 50-155, 82/06/25, 8206300347

G Inspection reports, IE Bulletins & correspondence

8206020531 Forwards IE Insp Rept 50-155/82-06 on 820307-0423 No noncompliance noted
KNOP, R C Division of Project & Resident Programs 82/05/18
DEWITT, R B Consumers Power Co 2pp 13325 087 24X
Fiche 50-155, 82/05/18, 8206020531

--8206020535 IE Insp Rept 50-155/82-06 on 820307-0423 No noncompliance noted Major areas inspected operational safety verification, IE circular followup, refueling activities, containment integrated leak rate test review & NUREG-0737 review
WRIGHT, G C, PARKER, M E, BOYD, D C Division of Project & Resident Programs 82/05/18 8pp 13325 089 24X Fiche 50-155, 82/05/18, 8206020531

8206070685 Forwards IE Insp Rept 50-155/82-07 on 820427-29 & 0505-11 No noncompliance noted
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/05/20 DEWITT, R B Consumers Power Co 2pp 13390 218 24X Fiche 50-155, 82/05/20, 8206070685

DOCKETED ITEMS

--820607069A IE Insp Rept 50-155/82-07 on 820427-29 & 0505-11 No noncompliance noted Major areas inspected radiological environ monitoring & confirmatory measurements program ROZAK, B. NICHOLSON, N. A. SCHUMACHER, M. C. Division of Emergency Preparedness & Operational Support 82/05/18 7pp 13390 24X 24X Fiche 50-155, 82/05/20, 820607069S

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPC1/RC10 High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/14 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206040318 Submits response to Generic Ltr B1-03 re implementation & recommendations of NUREG-0313 to minimize safe-end intergranular stress corrosion cracking Plant poses no safety hazard to public
VANDEWALLE, D. J. Consumers Power Co 82/05/28 CRUTCHFIELD, D. Operating Reactors Branch 5 200pp 13355 075 24X
Fiche 50-155, 82/05/28, 8206040318

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206010181 Forwards monthly operating rept for Apr 1982
HARTMAN, C. J. Consumers Power Co 82/05/07 Office of Management and Program Analysis 1p 13307 198 24X Fiche 50-155, 82/05/07, 8206010181

--8206010186 Monthly operating rept for Apr 1982
AMSTUTZ, B. Consumers Power Co 82/05/07 8pp 13307 199. 24X
Fiche 50-155, 82/05/07, 8206010181

S Reportable occurrences, LERs & related correspondence

8206070757 Forwards LER 82-015/03L-0
BORDINE, T. C. Consumers Power Co. 82/05/27 KEPPLER, J. Q. Region 3, Office of Director. 1p 13387 171 24X Fiche 50-155, 82/05/27, 8206070757

--8206070763 LER 82-015/03L-0 on 820427, following hydrostatic testing, reactor mode switch was left in refuel position when control rod withdrawal started Caused by bypass of four reactor scram parameters Startup checklist revised.
* Consumers Power Co 82/05/27 Region 3, Office of Director 1p 24X Fiche 50-155, 82/05/27, 8206070757

8206070430 RO retracting LER 82-18 before formal submittal Based on review of reactor crane analysis, until determined concerns identified by analysis not reportable per Tech Specs.
BORDINE, T. C. Consumers Power Co 82/05/28 KEPPLER, J. Q. Region 3, Office of Director 1p 13374 208 24X Fiche 50-155, 82/05/28, 8206070430.

8206100130 Forwards LER 82-017/03L-0
BORDINE, T. C. Consumers Power Co 82/06/03 KEPPLER, J. Q. Region 3, Office of Director. 1p. 13449, 104 24X Fiche 50-155, 82/06/03,

8206100171 Forwards LER 82-016/03L-0
BORDINE, T. C. Consumers Power Co 82/06/03 KEPPLER, J. Q. Region 3, Office of Director 1p 13451 166 24X Fiche 50-155 82/06/03, 8206100171

--8206100176 LER 82-016/03L-0 on 820503, pilot cell of reactor depressurizing sys battery for channel C had specific gravity reading below spec Cause unknown Specific gravity returned to normal following equalizing charge
* Consumers Power Co 82/06/03 Region 3, Office of Director 1p 24X Fiche 50-155 82/06/03, 8206100171

8206150140 Forwards LER 82-018/01T-0
BORDINE, T. C. Consumers Power Co 82/06/08 KEPPLER, J. Q. Region 3, Office of Director 1p 13505 096 24X Fiche 50-155 82/06/08, 8206150140

--8206150143 LER 82-018/01T-0 on 820525, following water loss in open tank for reactor bldg heating & cooling sys testing revealed tube leakage in B heating & cooling sys heat exchanger (caused by corrosion Evaluation of fluid characteristics planned
* Consumers Power Co 82/06/08 Region 3, Office of Director 2pp 13505 097 24X Fiche 50-155, 82/06/08, 8206150140

8206170342 PND-111-82-055 on 820611, reactor tripped when fire discovered in main generator exciter housing Smoke released to environ via turbine bldg Cause of fire unknown Reactor will remain shut down longer than 48-h
BOYD, D. KNOX, R. Region 3, Office of Director SPESSARD, R. L. Division of Project & Resident Programs 82/06/11 1p 13511 067 24X Fiche 50-155, 82/06/11, 8206170342

8206170305 Telecopy message of RO on 820611, electrical fire in turbine generator exciter forced shutdown of reactor No radiological release or injuries to employees Fire controlled in 1/2-h Extensive damage to exciter brushes
KOSCHIK, M. G. Consumers Power Co 81/06/15 STRASMA, I. Region 3, Office of Director 2pp 13531 288 24X Fiche 50-155, 82/06/11, 8206170305

T Hearing transcripts on non-antitrust matters

8206010224 Transcript of 820507 hearing in Washington, DC Pp 457 591
* Atomic Safety and Licensing Board Panel 82/05/07 100pp 13301 184 24X Fiche 50-155, 82/05/07, 8206010224

8206010297 Forwards two pages inadvertently omitted from Christa-Maria testimony on Christa-Maria Contention 9 & O'Neill Contention IID Certifies svc of document
SERMEL, H. Antioch College of Law 82/05/24 BLOCH, P. B., PARIS, D. H., SHON, F. J. Atomic Safety and Licensing Board Panel 1p 13301 067 24X Fiche 50-155, 82/05/24, 8206010297

--8206010312 Two pages inadvertently omitted from Christa-Maria testimony on Christa-Maria Contention 9 & O'Neill Contention IID Svc list encl
CHRISTA-MARIA Christa-Maria 82/05/24 3pp 13301 068 24X Fiche 50-155, 82/05/24, 8206010297

8206040236 Forwards E Lantz & RL Emch testimony per ASLB 820513 memorandum
BACHMAN, R. Q. Hearing Branch 1 82/06/01 BLOCH, P. B., SHON, F. J., PARIS, D. H. Atomic Safety and Licensing Board Panel 1p 13317 294 24X Fiche 50-155, 82/06/01, 8206040236

--8206040240 Testimony of E Lantz & RL Emch re spent fuel pool and LANTZ, E. Reactor Systems Branch EMCH, R. L. Division of Licensing 82/06/01 3pp 13337 294 24X Fiche 50-155, 82/06/01, 8206040236

8206070547 Forwards DP Blanchard testimony re natural water convection currents
GALL, J. Isham, Lincoln & Beale GALL, J. Consumers Power Co 82/06/01 BLOCH, P. B., PARIS, D. H., SHON, F. J. Atomic Safety and Licensing Board Panel 1p 13373 072 24X Fiche 50-155, 82/06/01, 8206070547

--8206070550 Testimony of DP Blanchard re ASLB questions on natural water convection currents Nothing exists in design of spent fuel pool, spent fuel racks or fuel assemblies to alter natural water convection currents substantially
BLANCHARD, D. P. Consumers Power Co 82/06/01 12pp 13373 071 24X Fiche 50-155, 82/06/01, 8206070547

8206160062 Transcript of 820607 hearing in Boyne Falls, MI Pp 552-918
* Atomic Safety and Licensing Board Panel. 82/06/07 368pp 13516 087 24X Fiche 50-155, 82/06/07, 8206160062

DOCKETED ITEMS

21

8206160043 Transcript of 820608 hearing in Boyne Falls, MI
Pp 919-1,328 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/08 490pp
13513 008 24X Fiche 50-155,82/06/08,8206160043

8206160037 Transcript of 820609 evidentiary hearing in Boyne Falls, MI
Pp 1,339-1,674
* Atomic Safety and Licensing Board Panel 82/06/09 361pp
13511 001 24X Fiche 50-155,82/06/09,8206160037

8206160224 Transcript of 820610 hearing in Boyne Falls, MI Pp 1,695
2,078 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/10 375pp
13519 025 24X Fiche 50-155,82/06/10,8206160224

8206160226 Transcript of 820611 hearing in Boyne Falls, MI Pp 2,079 -
2,159 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/11 250pp
13520 103 24X Fiche 50-155,82/06/11,8206160226

8206160066 Transcript of 820612 hearing in Boyne Falls, MI Pp 2,360-
2,624 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/12 365pp
13515 001 24X Fiche 50-155,82/06/12,8206160066

8206300072 Transcript of 820628 telcon in Washington, DC re OL amend
Pp 2,625-2,645
* Atomic Safety and Licensing Board Panel 82/06/28 23pp
13655 311 24X Fiche 50-155,82/06/28,8206300072

DOCKET 50-160 GEORGIA INST OF TECH RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

8206070362 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan" Plan should be of benefit to
understanding of NRC response to emergency w/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 WEAVER, L E Georgia Institute of Technology 1p
13363 119 24X Fiche 50-160,82/05/12,8206070362

DOCKET 50-170 NATIONAL NAVAL MEDICAL CENTER

F Security, medical, emergency & fire protection plans

8206100138 Forwards Revision 1 to physical security plan Revision
withheld (ref 10CFR2.790)
TYLER, P E Defense Dept of Defense Nuclear Agency 82/06/09
MILLER, J Office of Nuclear Reactor Regulation, Director 1p
13449 096 24X Fiche 50-170,82/06/09,8206100138

DOCKET 50-171 PEACH BOTTOM ATOMIC POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US Forwards
documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000,82/04/21,8206150016

--8206150023 Updates delivery schedule for siren shipments to facilities
ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P
Affiliation Unknown 5pp 13524,234 24X Fiche 50-000,82/04/21,
8206150016

--8206150070 Provides status rept re implementation of prompt
notification sys. Siren tests scheduled for 820120-0228
BOYER, V S Philadelphia Electric Co 82/01/22 Region 1,
Philadelphia, Office of the Director (81/03/01) 3pp 13524 165
24X Fiche 50-000,82/04/21,8206150016

8206020014 Addl response to FOIA request for six categories of
documents re emergency preparedness Documents listed in
App A available in PDR
FELTON, J M Division of Rules and Records 82/04/26 SHOLLY, S C
Union of Concerned Scientists 2pp 13342 255, 24X
Fiche 50-000,82/04/26,8206020014

8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Bebevoise & Liberman 3pp 13454 003 24X Fiche 50-000,82/05/11,
8206090002

--8203110473 Submits update of current assessment of licensees ability
to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director For Operations
82/01/26 Commissioners 2pp 17494 164 24X
Fiche 50-000,82/03/11,8206090002

--8203110481 Submits monthly update of status of implementation of prompt
notification sys
SPENCER, O S Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
24X Fiche 50-000,82/03/11,8206090002

--8206090088 Provides implementation status of prompt notification sys
for facilities Eight licensees failed to meet 820201
deadline
DIRCKS, W J Office of the Executive Director for Operations
82/03/04 PALLADINO, N J Commissioners 1p 13454 196 24X
Fiche 50-000,82/03/11,8206090002

--8205060494 Forwards monthly status rept of licensee implementation of
prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations
82/03/30 PALLADINO, N J, GILINSKY, V, AHEARNE, J Commissioners
2pp 13454 252 24X Fiche 50-000,82/03/11,8206090002

8206080100 Informs that fees not applicable to 820209 amend request
re emergency response facility since no approval under
License DPR-12 required Class III fee will be refunded
MILLER, W D License Fee Management Branch 82/06/02 BAUER, E O
Philadelphia Electric Co 1p 13441 206 24X Fiche 50-171,
82/06/02,8206080100

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000,82/05/28,8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000,82/05/28,8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000,82/06/02,8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11,
106pp 13675 258, 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000,82/06/11,8204210384

DOCKET 50-186 UNIV OF MISSOURI RESEARCH REACTOR

S Reportable occurrences, LERs & related correspondence

8206170229 RO advises of mod to corrective action noted in 810320 ltr
informing NRC of valve left open in line that penetrates
containment wall Red danger tags on valves outside
containment removed, as pipe cap insures flow path isolated
MCKIBBEN, J C Missouri, Univ of, Columbia 82/05/25 Division
of Licensing, 1p 13534 316 24X Fiche 50-186,82/05/25,8206170229,

DOCKETED ITEMS

DOCKET 50-193 RHODE ISLAND & PROVIDENCE PLANTATIONS AEC

Q Inspection reports, IE Bulletins & correspondence

8206170227 Forwards IE Insp Rept 50-193/82-01 on 820513 No noncompliance noted
 MARTIN, T T Division of Engineering & Technical Programs 82/06/08
 DIMEGLIO, A F Rhode Island & Providence Plantations 2pp
 13533 187 24X Fiche 50-193, 82/06/08, 8206170227

--8206170230 IE Insp Rept 50-193/82-01 on 820513 No noncompliance noted
 Major areas inspected organization, operations, storage & internal control, records & Repts Details withheld (ref 10CFR2 790)
 COHEN, I. GODY, A T Region 1, Office of Director 82/06/03 1p
 13535 189. 24X Fiche 50-193, 82/06/08, 8206170227

DOCKET 50-200 B&W TEST REACTOR

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
 13638 055 24X Fiche: 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
 MEDEIRROS, M S Reactor Systems Standards Branch 81/02/02
 ARLOTT, O A Division of Engineering Standards. 20pp 13638 102
 24X Fiche 50-000, 82/05/12, 8206280071

DOCKET 50-201 WEST VALLEY REPROCESSING PLANT

Q Adjudicatory correspondence

8204300297 Forwards ltr from NRC to Sierra Club & co-licensees re License CSF-1, Change 32, per ASLB 811231 memorandum & order, Note 2
 WOLFE, J Regulations Division 82/04/29 BRENNER, L. MORRIS, P A, HARBOUR, J Atomic Safety and Licensing Board Panel 1p. 12889 165
 24X Fiche 50-201, 82/04/29, 8204300297

--8204300306 Ack receipt of 820326 ltr ltr constitutes request for reconsideration of issuance of Change No 32
 DAVIS, J G Office of Nuclear Material Safety & Safeguards, Director 82/04/26. RESNIKOFF, M Sierra Club 1p.
 12889 166 24X Fiche 50-201, 82/04/29, 8204300297.

--8204300308 Advises that Sierra Club 820326 show cause petition constitutes request for reconsideration of issuance of Change 32 & requests views by 820517
 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 82/04/27 DEUSTER, R W Nuclear Fuel Services, Inc (subs of Getty Oil Co) 1p 12889 167 24X Fiche 50-201, 82/04/29, 8204300297

--8204300315 Advises that Sierra Club 820326 show cause petition constitutes request for reconsideration of issuance of Change 32 & requests views by 820517 Certificate of Svc encl.
 CUNNINGHAM, R E. Division of Fuel Cycle & Material Safety 82/04/27 LAROCCA, J New York, State of, Energy Research & Development Administration 3pp 12889 168 24X
 Fiche 50-201, 82/04/29, 8204300297

8206010440 Brief opposing IDJ Gross appeal of ASLB 820430 memorandum & order denying request for hearing on Change 32 to License CSF-1 Change 32 immaterial to Gross basis for request
 Commission does not have jurisdiction w/ Certificate of Svc
 CLEMENTE, O J, CLEMENTE, O J New York, State of, Energy Research & Development Administration 82/05/24 Atomic Safety and Licensing Appeal Panel 13pp 13314 279 24X Fiche. 50-201, 82/05/24, 8206010440

8206040075 Brief in opposition to ID Gross appeal of ASLB decision that Commission lacks jurisdiction to consider Gross hearing request Party may not take appeal as to any issue not raised below Certificate of Svc encl
 WOLFE, J R Regulations Division 82/05/24 Atomic Safety and Licensing Appeal Panel 14pp 13345 324 24X Fiche 50-201.

8206040520 Responds to NRC 820427 ltr requesting comments on Sierra Club 820326 petition for show cause proceeding to rescind Change 32 to License CSF-1 Sierra Club has failed to advance any facts required by 10CFR2 206
 HIESTAND, D S Morgan, Lewis & Bockius HIESTAND, D S Nuclear Fuel Services, Inc (subs of Getty Oil Co) 82/05/24 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 14pp 13391 254 24X
 Fiche 50-201, 82/05/24, 8206040520

8206230167 Responds to request for NY State Energy R&D Authority views on Sierra Club show cause petition Petition provides no legitimate reason for reconsidering or rescinding Change 32 to License CSF-1
 JACK, H A New York, State of, Energy Research & Development Administration 82/05/27 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 5pp 13592 315 24X Fiche 50-201, 82/05/27, 8206230167

8206070499 Brief opposing IDJ Gross appeal of ASLB 820430 memorandum & order denying Gross request for hearing on Changes 31 & 32 to License CSF-1 ASLB decision that NRC has no jurisdiction is correct Certificate of Svc encl
 BERGHOLZ, W E Energy, Dept of 82/06/03 Atomic Safety and Licensing Appeal Panel 10pp 13374 268 24X Fiche. 50-201, 82/06/03, 8206070499

8206100094 Request for reconsideration of decision granting DDE motion for amicus curiae status on Change 32 DOE is already party to case New status deprives petitioner of symmetric opportunities of adversary sys Certificate of Svc encl
 BROSB, I D Affiliation Unknown 82/06/03 Atomic Safety and Licensing Appeal Panel 6pp 13448 267 24X Fiche 50-201, 82/06/03, 8206100094

8206090025 Forwards corrected Page 7 to DOE brief opposing IDJ Gross appeal of ASLB 820430 memorandum & order
 BERGHOLZ, W E Energy, Dept of 82/06/04 MOORE, T S, JOHNSON, W R., EDLES, O J Atomic Safety and Licensing Appeal Panel 1p 13434 093 24X Fiche 50-201, 82/06/04, 8206090025

--8206090027 Corrected Page 7 to DOE brief opposing IDJ Gross appeal of ASLB 820430 memorandum & order Certificate of Svc encl.
 Energy, Dept of 82/06/04 Atomic Safety and Licensing Appeal Panel 3pp 13434 094 24X Fiche 50-201, 82/06/04, 8206090025

8206140346 Forwards response received from NY State ERDA re statements & arguments of Sierra Club on Change 32 to Provisional License CSF-1 Ltr to Sierra Club containing views of both co-licensees also encl
 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety. 82/06/07. DEUSTER, R W Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 13509 101 24X Fiche 50-201, 82/06/07, 8206140346.

--8206140352 Responds to request for views on Sierra Club show cause petition for reconsideration of Change 32 to License CSF-1. Change would terminate authority & responsibility of NPS upon concurrence of certain events. Urges petition be denied.
 JACK, H A New York, State of, Energy Research & Development Administration 82/05/27 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 5pp 13509 103 24X Fiche 50-201, 82/06/07, 8206140346

--8206140355 Forwards responses of co-licensees re issuance of Change 32 to License CSF-1 Addl info requested within 15 days of ltr receipt
 DAVIS, J G Office of Nuclear Material Safety & Safeguards, Director 82/06/04 RESNIKOFF, M, Sierra Club. 1p 13509 108 24X Fiche 50-201, 82/06/07, 8206140346.

8206150028 Forwards co-licensees responses re issuance of Change 32 to Provisional License CSF-1.
 DAVIS, J G Office of Nuclear Material Safety & Safeguards, Director 82/06/07 RESNIKOFF, M Sierra Club 1p 13510 319, 24X
 Fiche 50-201, 82/06/07, 8206150028

--8206150032 Responds to request for comments re Sierra Club show cause petition on Change 32 to License CSF-1 Petition does not provide legitimate reason to reconsider or rescind Change 32
 JACK, H A New York, State of, Energy Research & Development Administration 82/06/04 CUNNINGHAM, R E Office of Nuclear Material Safety & Safeguards, Director 5pp. 13510 334 24X
 Fiche 50-201, 82/06/07, 8206150028

8206150451 Forwards response received from NPS re statements & arguments of Sierra Club on Change 32 to Provisional Facility OL CSF-1 Ltr to Sierra Club w/ views of co-licensees also encl
 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 82/06/07. LAROCCA, J New York, State of, Energy Research & Development Administration 2pp 13523 074. 24X Fiche 50-201, 82/06/07, 8206150451

8206110079 Forwards "Status Rept on West Valley Commercial Low Level Waste Burial Ground" per B20521 memo request Copies to be sent to ASLB & all parties
WOLF, J R Regulations Division 82/06/10 BRENNER, L, MORRIS, P A, HARBOUR, J Atomic Safety and Licensing Board Panel 1p 13465 343 24X Fiche 50-201, 82/06/10, 8206110079

--8206110082 Forwards "Status Rept on West Valley Commercial Low Level Waste Burial Ground," per B20521 memo request Copies to be sent to ASLB & all parties
DIRCKS, W J Office of the Executive Director for Operations 82/06/08 PALLADINO, N J Commissioners 1p 13465 344 24X Fiche 50-201, 82/06/10, 8206110079

--8206110086 "Status Rept on West Valley Commercial Low Level Waste Burial Ground" Certificate of Svc encl
* Office of State Programs, Director 82/06/30 7pp 13465 345 24X Fiche 50-201, 82/06/10, 8206110079

P Operating license stage documents & correspondence

8206150394 Summary of 820510 meeting in Bethesda, MD re waste burial ground at Facility
REHFELD, W R High Level Waste Licensing Management Branch 82/05/17 BOYLE, R R High Level Waste Licensing Management Branch 3pp 13525 226 24X Fiche 50-201, 82/05/17, 8206150394

8206180005 Notification of contract execution, Mod 3 to "West Valley Waste Burial" Contractor State Univ of NY at Stony Brook
JACOBS, A Research Contracts Branch FIN B-6350 82/06/03 BATSON, W, NICHOLSON, T Office of Nuclear Regulatory Research, Director 1p 13570 037 24X Fiche 50-201, 82/06/03, 8206180005

--8206180008 Mod 3, extending period of performance to 821231, to "West Valley Waste Burial"
MAURER, R J New York State Univ of, (Albany) MORTON, K V Research Contracts Branch FIN B-6350 82/06/03 1p 13570 038 24X Fiche 50-201, 82/06/03, 8206180005

X Onsite Storage of Low Level Waste

8206110079 Forwards "Status Rept on West Valley Commercial Low Level Waste Burial Ground"
WOLF, J R Regulations Division 82/06/10 BRENNER, L, MORRIS, P A, HARBOUR, J Atomic Safety and Licensing Board Panel 1p 13465 343 24X Fiche 50-201, 82/06/10, 8206110079

--8206110082 Forwards "Status Rept on West Valley Commercial Low Level Waste Burial Ground," per B20521 memo request Copies to be sent to ASLB & all parties
DIRCKS, W J Office of the Executive Director for Operations 82/06/08 PALLADINO, N J Commissioners 1p 13465 344 24X Fiche 50-201, 82/06/10, 8206110079

--8206110086 "Status Rept on West Valley Commercial Low Level Waste Burial Ground" Certificate of Svc encl
* Office of State Programs, Director 82/06/30 7pp 13465 345 24X Fiche 50-201, 82/06/10, 8206110079

DOCKET 50-206 SAN ONOFRE NUCLEAR STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 9pp 13454 006 24X Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of Prompt notification sys
SPENCER, G S Division of Technical Inspection 82/01/05 GRIMES, B W Division of Emergency Preparedness 8pp 13454 176 24X Fiche 50-000, 82/05/11, 8206090002

8206020433 Forwards "Acoustical Test of Prompt Alerting Sys for San Onofre Nuclear Generating Station"
BASKIN, K P Southern California Edison Co 82/05/28 MIRAOLIA, F Licensing Branch 3 2pp 13326 162 24X Fiche 50-206, 82/05/28, 8206020433

--8206020439 "Acoustical Test of Prompt Alerting Sys for San Onofre Nuclear Generating Station"
* Wyle Laboratories 82/05/31 29pp 13326 164 24X Fiche 50-206, 82/05/28, 8206020433

8206090007 Informs that proposed temporary changes to physical security plan are acceptable Period of time mods will be in effect must be identified Response requested within 45 days of ltr receipt
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 DIETCH, R Southern California Edison Co 2pp 13435 305 24X Fiche 50-206, 82/06/03, 8206090007

8206090020 Informs that changes to facility guard & training qualification plan submitted w/util 811215 ltr consistent w/provisions of 10CFR50 54(p)
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 DIETCH, R Southern California Edison Co 2pp 13435 296 24X Fiche 50-206, 82/06/03, 8206090020

8206090050 Informs that physical security plan changes described in Attachment A to util 811215 ltr are consistent w/provisions of 10CFR50 54(p) Revised pages incorporating changes should be submitted within 45 days
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 DIETCH, R Southern California Edison Co 2pp 13436 279 24X Fiche 50-206, 82/06/03, 8206090050

8206110135 Advises that revisions to security plan are consistent w/provisions of 10CFR50 54(p), in response to util 811130-1230, & 820125 ltrs. Plans & amend identified in util 820401 ltr are currently in effect
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 DIETCH, R Southern California Edison Co 2pp 13465 214 24X Fiche 50-206, 82/06/03, 8206110135

8206080210 Advises that problems w/five public alert sys sirens have been corrected & siren operability was confirmed by growl testing from control ctrs by 820528
BASKIN, J P Southern California Edison Co 82/06/04 MIRAOLIA, F Licensing Branch 3 1p 13420 343 24X Fiche 50-206, 82/06/04, 8206080210

8206170061 EN-82-019 on 820617, notice of violation & notice of proposed imposition of civil penalty will be issued based on violations re positive access control to vital areas associated w/implementation of physical security plan
ROSANO, D, LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/06/14 1p 13529 298 24X Fiche 50-206, 82/06/14, 8206170061

8206250120 Forwards notices of violation & proposed imposition of civil penalty based on violations identified in 820110-12 & 0208-12 insp Noncompliance noted in implementation of physical security plan Encl withheld (ref 10CFR73 21)
ENGELKEN, R H Region 5, Office of Director 82/06/17, PAPA, L T Southern California Edison Co 2pp 13628 324 24X Fiche 50-206, 82/06/17, 8206250120

G Adjudicatory correspondence

8206160096 Order extending time until 820715 for Commission to act to review Director's Decision 81-20
CHILK, B J Office of the Secretary of the Commission 82/06/11 Commissioners 1p 13517 331 24X Fiche 50-206, 82/06/11, 8206160096

8206160101 Order extending time until 820715 for Commission to act to review Director's Decision 81-19
CHILK, B J Office of the Secretary of the Commission 82/06/11, Commissioners 1p 13517 301 24X Fiche 50-206, 82/06/11, 8206160101

P Operating license stage documents & correspondence

8206040272 Informs that Proposed Change 103, submitted 810505 requesting revision to Tech Specs, has been withdrawn Proposed Change 103, submitted 811224, modifies Tech Specs re omitted number
CRUTCHFIELD, D Operating Reactors Branch 5, 82/05/12 DIETCH, R Southern California Edison Co 2pp 13354 221 24X Fiche 50-206, 82/05/12, 8206040272

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M, Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

8206040110 Forwards response to util 820224 questions on determination of sampling line losses per requirements of NUREG-0737, Item II F 1 re sampling analysis of effluents Empirical data on sampling line losses acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/13 DIETCH, R
Southern California Edison Co 14pp 13348 309 24X
Fiche 50-206, 82/05/13, 8206040110

8206020361 Forwards evaluation of SEP Topic VIII-4 re adequacy of electrical penetrations, per B10630 request Penetrations do not comply w/IEEE Std 317-1976
KRIEGER, R W Southern California Edison Co 82/05/26
CRUTCHFIELD, D Operating Reactors Branch 5 15pp 13320 284 24X
Fiche 50-206 82/05/26, 8206020361

8206030012 Informs that 820112 draft evaluation of SEP Topics VI 2 & 3, "Mass & Energy Release for Possible Break Inside Containment" & VI-3, "Containment Pressure & Heat Removal Capability" considered final
PAULSON, W A Operating Reactors Branch 5 82/05/27 DIETCH, R
Southern California Edison Co 2pp 13336 347 24X
Fiche 50-206, 82/05/27, 8206030012

8206030194 Informs of results of effort to examine design alternatives which would reduce particulate & iodine plate-out in sys & enable high radiation grab sample to be taken per TH1 Action Item II F 1
BASKIN, K P Southern California Edison Co 82/05/20
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13337 291 24X
Fiche 50-206, 82/05/20, 8206030194

8206030069 Informs that audit on pressurized thermal shock will be conducted during wk of 820614, per 820422 ltr Audit will review completion of revised operator training procedures
BASKIN, K P Southern California Edison Co 82/06/01
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13336 333 24X
Fiche 50-206, 82/06/01, 8206030069

8206030085 Confirms telcon commitment to modify Tech Spec Section 4 2 4 re safety injection sys hydraulic valve testing surveillance requirement to permit performance of test during plant startup Proposed change will be submitted by 820623
BASKIN, K P Southern California Edison Co 82/06/01
CRUTCHFIELD, D Operating Reactors Branch 5 1p 13336 330 24X
Fiche 50-206, 82/06/01, 8206030085

8206030179 Submits addl info re NUREG-0737, Item II B 1, "RCS Vents," in response to NRC 820316 ltr
BASKIN, K P Southern California Edison Co 82/06/01
CRUTCHFIELD, D Operating Reactors Branch 5 6pp 13337 336 24X
Fiche 50-206, 82/06/01, 8206030179

8206080181 Notification of 820603-04 meetings w/util & O&L in San Diego County, CA to review in-plant training programs & operating procedures for pressurized thermal shock
PAULSON, W A Operating Reactors Branch 5 82/06/01 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13442 048 24X
Fiche 50-206, 82/06/01, 8206080181

8206040387 Provides updated schedule for implementation of mode re components of auxiliary feedwater sys installed as control grade equipment as part of TH1 requirements for automatic initiation (Item II E 1 2)
BASKIN, K P Southern California Edison Co 82/06/02
CRUTCHFIELD, D Operating Reactors Branch 5 3pp 13390 353 24X
Fiche 50-206, 82/06/02, 8206040387

8206090166 Forwards "Steam Generator Integrity Considerations for San Onofre Unit 1 Following Postulated Steam & Feedline Breaks," in response to NRC 820420 ltr
BASKIN, J P Southern California Edison Co 82/06/03
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13435 319 24X
Fiche 50-206, 82/06/03, 8206090166

--8206090167 "Steam Generator Integrity Considerations for San Onofre Unit 1 Following Postulated Steam & Feedline Breaks,"
BAFFORD, W H Westinghouse Electric Corp 82/05/31, 16pp 13435, 321 24X Fiche 50-206, 82/06/03, 8206090166

8206080278 Forwards final safety evaluation re SEP Topic VII-03, "Sys Required for Safe Shutdown" Conclusions have been modified Basis for revision is discovery that component cooling water surge tank level indication does not satisfy criterion
PAULSON, W A Operating Reactors Branch 5 82/06/04 DIETCH, R
Southern California Edison Co 4pp 13420, 148, 24X
Fiche 50-206, 82/06/04, 8206080278

8206090161 Submits status of NUREG-0737, Items I A 1 3 1, I A 1 3 2, I C 1 1 D 1 2, I D 1 3, I I K 3 30, I I K 3 31, I I I A 1 2, I I I A 2 2 & I I I D 3 4
BASKIN, K P Southern California Edison Co 82/06/04
CRUTCHFIELD, D Operating Reactors Branch 5 4pp 13438 321 24X
Fiche 50-206, 82/06/04, 8206090161

8206180092 Informs of results of evaluation performed on GE, GE/Vulkrum 7 Rockbestos cables reported to have potential problems per NRC 79119 ltr Reworked sections found satisfactory
BASKIN, K P Southern California Edison Co 82/06/07
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13552 231 24X
Fiche 50-206, 82/06/07, 8206180092

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13957 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206240132 Summary of 820514 meeting w/licensee & Westinghouse re safe shutdown Following postulated steam line break Attendance list, agenda & info re loss of secondary coolant actions encl
PAULSON, W A Operating Reactors Branch 5 82/06/09
Operating Reactors Branch 5 93pp 13599 153 24X Fiche 50-206, 82/06/09, 8206240132

8206180104 Informs that application for Amend 102 to DPR-13 re mechanical snubber surveillance testing criteria based on IE Bulletin B1-01 will be modified to reflect use of Grinnel in situ test as discussed in DG Eisenhut 810323 ltr
BASKIN, K P Southern California Edison Co 82/06/10
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13552 173 24X
Fiche 50-206, 82/06/10, 8206180104

8206210498 Discusses fee determination for Amend 110 to License DPR-13 re organization changes Proposed change should be considered Class 1 fee category Refund owed to util
BASKIN, K P Southern California Edison Co 82/06/10 MILLER, W H
License Fee Management Branch 2pp 13568 351 24X
Fiche 50-206, 82/06/10, 8206210498

8206240177 Forwards safety evaluation opposing 820405 Proposed Tech Spec Change 109 to modify min allowable pH acceptance criteria for performance verification testing of containment sump post-accident pH control sys
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/10 DIETCH, R
Southern California Edison Co 2pp 13599 337 24X
Fiche 50-206, 82/06/10, 8206240177

--8206240181 Safety evaluation opposing 820405 Proposed Tech Spec Change 109 to modify min allowable pH acceptance criteria for performance verification testing of containment sump post-accident pH control sys
Southern California Edison Co 82/06/10 3pp 13599 334 24X
Fiche 50-206, 82/06/10, 8206240177

8206240238 Discusses proposed change to Tech Spec 4 2 3 to permit safety injection sys hydraulic valve testing during plant startup when plant shut down at time testing required
Concurs w/proposed change to place unit in Modes 3 or 4
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/11 DIETCH, R
Southern California Edison Co 2pp 13597 306 24X
Fiche 50-206, 82/06/11, 8206240238

8206240193 Summary of 820511-13 meetings w/util, Bechtel & Computech at site re masonry wall audit Limited dynamic tests conducted to verify masonry quality Results indicate walls not adequate Wall mods scheduled
PAULSON, W A Operating Reactors Branch 5 82/06/14
Operating Reactors Branch 5 4pp 13599 094 24X Fiche 50-206, 82/06/14, 8206240193

8206290604 Requests that only editorial errors to transcript of 420420 meetings as discussed in util 820607 ltr, Pages 2-4, be corrected
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/14, WARD, A H
Allison Reporting 1p 13658 122 24X Fiche 50-206, 82/06/14, 8206290604

8206170076 Agrees to provide matl necessary to comply w/BRO510 request re implementation of NUREG-0737, Items I A 2 1 on operator training & II B 4 on training to mitigate core damage by 820628
KRIEGER, R W Southern California Edison Co 82/06/15
CRUTCHFIELD, D Operating Reactors Branch 5 1p 13529 362 24X
Fiche 50-206, 82/06/15, 8206170076

8206170129 Confirms telcons held during wk of 820607 re plans to accelerate enhancement of facility earthquake resistance Implementation plan, including scope of work & schedule for completion of upgrade will be submitted during wk of 820621
BASKIN, K P Southern California Edison Co 82/06/15
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13530 233 24X
Fiche 50-206, 82/06/15, 8206170129

8206210006 Notification of 820622 meeting w/uttl in Bethesda, MD to discuss confirmatory info re appropriate free motion for seismic reanalysis
PAULSON, W Operating Reactors Branch 5 82/06/15 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13583 012 24X
Fiche 50-206, 82/06/15, 8206210006

8206250178 Summary of 820520 meeting w/uttl, consultants & media re original seismic design basis capability Concerns remain on large stress values reported in 800423 ltr Viewgraphs encl
PAULSON, W Operating Reactors Branch 5 82/06/21 Operating Reactors Branch 5 67pp 13616 322 24X Fiche 50-206, 82/06/21, 8206250178

8206300165 Notifies that proposed electrical design mods & draft tech Spec changes re degraded grid protection for Class IE power sys are acceptable Proposed Tech Spec changes should be submitted 60 days prior to completion of mods
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/23 DIETCH, R Southern California Edison Co 2pp 13634 238 24X
Fiche 50-206, 82/06/23, 8206300165

--8206300167 Safety evaluation supporting proposed electrical design mods & draft Tech Spec changes re degraded grid protection for Class IE power sys
* Office of Nuclear Reactor Regulation, Director 82/06/23 6pp 13654 240 24X Fiche 50-206, 82/06/23, 8206300165

--8206300169 "Technical Evaluation Rept on Proposed Design Mods & Tech Spec Changes on Grid Voltage Degradation for San Onofre Nuclear Generating Station, Unit 1"
SELAN, J C Lawrence Livermore Laboratory FIN A-0250 UCID-19138 82/05/26 NRC - No Detailed Affiliation Given 16pp 13654 246 24X Fiche 50-206, 82/06/23, 8206300165

8206300262 Forwards SEP position re consideration of inelastic response using NUREG/CR-0098 ductility factor approach as part of seismic reanalysis programs
PAULSON, W Operating Reactors Branch 5 82/06/23 DIETCH, R Southern California Edison Co 6pp 13652 329 24X
Fiche 50-206, 82/06/23, 8206300262

8206280505 Forwards proposed implementation plan for accelerating structural upgrade to withstand 0.67 g ground motion, consisting of scope of activities, schedule for analysis & mods & licensing milestones, per 820619 ltr
BASKIN, K P Southern California Edison Co 82/06/24 CRUTCHFIELD, D Operating Reactors Branch 5 1p 13626 102 24X
Fiche 50-206, 82/06/24, 8206280505

--8206280511 Implementation plan for accelerating structural upgrade to withstand 0.67 g ground motion
* Southern California Edison Co 82/06/24 23pp 13626 103 24X Fiche 50-206, 82/06/24, 8206280505

8206300172 Requests comments within 30 days of ltr date on encl draft evaluation of SEP Topic III-4 B, "Turbine Missiles"
PAULSON, W Operating Reactors Branch 5 82/06/24 DIETCH, R Southern California Edison Co 7pp 13653 336 24X
Fiche 50-206, 82/06/24, 8206300172

8206290414 Forwards application for Amend 106 to License DPR-13 re proposed change to Tech Spec 4.2.3, "Safety Injection Sys Hydraulic Valve Testing (Surveillance Requirement)"
PAPAY, L T Southern California Edison Co 82/06/25 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13634 291 24X
Fiche 50-206, 82/06/25, 8206290414

--8206290418 Application for Amend 106 to License DPR-13 re proposed change to Tech Spec 4.2.3, "Safety Injection Sys Hydraulic Valve Testing (Surveillance Requirement)" Certificate of Svc encl
PAPAY, L T Southern California Edison Co 82/06/25 10pp 13634 292 24X Fiche 50-206, 82/06/25, 8206290414

8206300139 Informs that existing anchorages of safety-related electrical equipment in control room adequate, based on review of calculations & design margins using actual floor response spectra, as discussed in 820412 ltr to NRC
BASKIN, K P Southern California Edison Co 82/06/28 CRUTCHFIELD, D Operating Reactors Branch 5 1p 13655 298 24X
Fiche 50-206, 82/06/28, 8206300139

Q Inspection reports, IE Bulletins & correspondence

8206020479 Forwards IE Insp Rept 50-206/82-14 on 820419-22 No noncompliance noted
BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/05/11 PAPAY, L T Southern California Edison Co 2pp 13325 287 24X Fiche 50-206, 82/05/11, 8206020479

--8206020486 IE Insp Rept 50-206/82-14 on 820419-22 No noncompliance noted Major areas inspected const activities associated w/ seismic upgrading of turbine bldg, eddy current testing of steam generator tubes & inservice insp
WAGNER, W J, ECKHARDT, J H Division of Resident, Reactor Project & Engineering Programs 82/05/10 5pp 13325 287 24X
Fiche 50-206, 82/05/11, 8206020479

8206040186 Discusses NRC 820512 meeting w/uttl re steam generator insp program Resolution of foreign objects & program for inspecting steam generator tubes in region of flow slots in generators A & C required 2 wks prior to scheduled restart
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/14 DIETCH, R Southern California Edison Co 2pp 13360 112 24X
Fiche 50-206, 82/05/14, 8206040186

8206080197 Forwards IE Insp Rept 50-206/82-15 on 820401-30 & notice of violation
STERNBERG, D M Division of Resident, Reactor Project & Engineering Programs 82/05/20 PAPAY, L T Southern California Edison Co 2pp 13420 229 24X Fiche 50-206, 82/05/20, 8206080197

--8206080200 Notice of violation from insp on 820401-30
ZWETZIG, G B Division of Resident, Reactor Project & Engineering Programs 82/05/20 2pp 13420 231 24X Fiche 50-206, 82/05/20, 8206080197

--8206080204 IE Insp Rept 50-206/82-15 on 820401-30 Noncompliance noted failure to perform sprinkler/spray sys surveillance & inadequate core power distribution limits surveillance procedures
HILLER, L, ZWETZIG, G B Division of Resident, Reactor Project & Engineering Programs 82/05/19 10pp 13420 233 24X
Fiche 50-206, 82/05/20, 8206080197

8206040171 Forwards IE Safeguards Insp Rept 50-206/82-01 on 820110, 12 & 0208-12
SPENCER, G S Division of Radiological Safety & Safeguards Program 82/05/25 PAPAY, L T Southern California Edison Co 2pp 13359 001 24X Fiche 50-206, 82/05/25, 8206040171

--8206040179 IE Insp Rept 50-206/82-01 on 820110, 12 & 0208-12 Noncompliance noted watchmen did not have written security procedures & failure to respond to all intrusion alarms. Details & notice of violation withheld (ref 10CFR73.21).
MORTENSEN, W P, SCHUSTER, M D Division of Radiological Safety & Safeguards Program 82/03/26 2pp 13359 003 24X
Fiche 50-206, 82/05/25, 8206040171

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 075 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HFC1/RC10 High Steam Flow Setpoints" Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28, 103pp 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378

8206030149 Advises that IE Insp Rept 50-206/82-08 dtd 820308 has been canceled
BEIERLE, C Region 5, Office of Director 82/05/28 NRC - No Detailed Affiliation Given 1p 13337 006 24X
Fiche 50-206, 82/05/28, 8206030149

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206250239 Forwards documentation presently on file re possible overexposure to util employees IE Insp Rept 50-206/82-03 & util 820324 response to violation encl W/o encl
BOOK, H E Division of Radiological Safety & Safeguards Program 82/06/08 STUHFF, M Industrial Claims Service 2pp 13412 072 24X Fiche 50-206, 82/06/08, 8206250239

8206280376 Forwards IE Insp Rept 50-206/82-16 on 820419-22 noncompliance noted
STERNBERG, D M Region 5, Office of Director Southern California Edison Co 2pp 13420 229 24X
Fiche 50-206, 82/06/08, 8206280376

--8206280386 IE Insp Rept 50-206/82-16 on 820419-22 noncompliance noted Major areas inspected circulars, procurement program, receipt, storage & handling of equipment & matls program
HORNOR, J W, ZWETZIG, G B Division 5 Office of Director 82/06/07 8pp 13420 229 24X

DOCKETED ITEMS

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers " Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206250120 Forwards notices of violation & proposed imposition of
civil penalty based on violations identified in 820110-12 &
8203-12 insp Noncompliance noted in implementation of
physical security plan Encl withheld (ref 10CFR73 21)
ENGELKEN, R H Region 5, Office of Director 82/06/17 PAPAY, L T
Southern California Edison Co 2pp 13628 324 24X
Fiche 50-206, 82/06/17, 8206250120

A Periodic operating reports & related correspondence

8206010368 Forwards monthly operating rept for Apr 1982
RAY, H B Southern California Edison Co 82/05/12 Office of
Management and Program Analysis 1p 13301 328 24X
Fiche 50-206, 82/05/12, 8206010368

--8206010369 Monthly operating rept for Apr 1982
RAY, H B Southern California Edison Co 82/05/06 5pp
13301 329 24X Fiche 50-206, 82/05/12, 8206010368

B Reportable occurrences, LERs & related correspondence

8206010428 RO 82-013 on 811002, liquid waste release was made from
reheater pit sump w/o passing through radwaste monitor
Channel R-1218 Discharge maintained below limits set by
10CFR20 Written rept will be submitted by 820601
RAY, H B Southern California Edison Co 82/05/19 ENGELKEN, R H
Region 5, Office of Director 2pp 13313 238 24X
Fiche 50-206, 82/05/19, 8206010428

8206010565 Forwards LER 81-025/01X-1 Detailed event analysis submitted.
RAY, H B Southern California Edison Co 82/05/19 ENGELKEN, R H
Region 5, Office of Director 2pp 13313 242 24X
Fiche 50-206, 82/05/19, 8206010565

--8206010576 LER 81-025/01X-1 on 811025, during cold shutdown valve
testing, ball valve CV-534 did not close automatically on
initiation & on 81101, valve CV-107 did not close caused by
sticking relays in closing circuit relays replaced.
RAY, H B Southern California Edison Co 82/03/24 Region 5,
Office of Director 1p 13315 244 24X Fiche 50-206, 82/05/19,
8206010565

8206010545 RO 82-012 on 820513, two of three boric acid flowpaths
discovered inadvertently isolated at same time during maint
for 3-day period, from 820510-13 Prompt notification occurred
on 820514, not 820513 as originally reported
RAY, H B Southern California Edison Co 82/05/24 ENGELKEN, R H
Region 5, Office of Director 2pp 13311 393 24X
Fiche 50-206, 82/05/24, 8206010545

8206070848 Forwards LER 82-012/01T-0 Detailed event analysis submitted
RAY, H B Southern California Edison Co 82/05/28 ENGELKEN, R H
Region 5, Office of Director 2pp 13387 360 24X
Fiche 50-206, 82/05/28, 8206070848

--8206070848 LER 82-012/01T-0 on 820510, charging pump suction cross-tie
valve 237-4-042 closed to repair flange leak on valve
CV-406B Deficiency identified & corrected 820513 Caused by
closing of valve in charging pump suction
RAY, H B Southern California Edison Co 82/05/28 Region 5,
Office of Director 1p 13387 362 24X Fiche 50-206, 82/05/28,
8206070848

8206070053 Forwards LER 82-014/03L-0 Detailed event analysis
submitted
RAY, H B Southern California Edison Co 82/06/01 ENGELKEN, R H
Region 5, Office of Director 3pp 13368 208 24X
Fiche 50-206, 82/06/01, 8206070053

--8206070053 LER 82-014/03L-0 on 820429, four snubbers identified as
having empty reservoirs Upon further testing, one snubber
failed to pass stroke test Caused by excessive hydraulic
fluid leakage Snubbers rebuilt
RAY, H B Southern California Edison Co 82/06/01 Region 5,
Office of Director 1p 13368 211 24X Fiche 50-206, 82/06/01,
8206070053

8206090103 Forwards LER 82-013/01T-0 Detailed event analysis submitted
RAY, H B Southern California Edison Co 82/06/01 ENGELKEN, R H
Region 5, Office of Director 2pp 13438 341 24X
Fiche 50-206, 82/06/01, 8206090103

--8206090108 LER 82-013/01T-0 on 811002, reheater sump discharged to
circulating water outfall Midpoint & endpoint samples not
collected Caused by rapid rate of discharge & inexperience
of temporary chemistry foreman
RAY, H B Southern California Edison Co 82/06/01 Region 5,
Office of Director 1p 13438 343 24X Fiche 50-206, 82/06/01,
8206090103

8206090111 Provides addl info for LER 82-004 re injection of sodium
hypochlorite into cooling water sys above allowable limit.
Initially reported 820204 Sys components found to function
correctly Sys will be continuously monitored
RAY, H B Southern California Edison Co 82/06/01 ENGELKEN, R H
Region 5, Office of Director 2pp 13439 342 24X
Fiche 50-206, 82/06/01, 8206090111

8206100070 RO 82-007 re failure of four feedwater sys pipe supports
Final rept cannot be completed by 820601 due date
Metallurgical analysis revealed excessive side-slip movement
of 10-inch feedwater line resulted in fatigue cracking
RAY, H B Southern California Edison Co 82/06/01 ENGELKEN, R H
Region 5, Office of Director 2pp 13448 315 24X
Fiche 50-206, 82/06/01, 8206100070

8206210631 RO 82-016 on 820609, mixed-bed demineralizer charged w/
resin placed in svc w/o following required procedure,
resulting in dilution of boron concentration No adverse
impact on public safety LER will be sent within 14 days
RAY, H B Southern California Edison Co 82/06/10 ENGELKEN, R H
Region 5, Office of Director 1p 13561 125 24X
Fiche 50-206, 82/06/10, 8206210631

T Hearing transcripts on non-antitrust matters

8206140090 Forwards corrections to transcript of 820320 meeting
Bethesda, MD re seismic reanalysis
DASKIN, K P Southern California Edison Co 82/06/07 WARD, J
Alderson Reporting 1p 13483 046 24X Fiche 50-206, 82/06/01,
8206140090

--8206140091 Corrections to transcript of 820320 meeting in Bethesda
re seismic reanalysis
Southern California Edison Co 82/06/07 App 13411 0
Fiche 50-206, 82/06/07, 8206140090

8206240308 Informs that some proposed changes to 820320 meeting
transcript are considered substantive in nature & should be
addressed in clarification ltr Alderson Reporting ltr will
be asked to correct only editorial errors
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/14 046
Southern California Edison Co 2pp 13597 010 24X
Fiche 50-206, 82/06/14, 8206240308

DOCKET 50-213 HADDAM NECK PLANT

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re event w/
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US forwgs
documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WARD, J
Public Interest Research Group, New York 7pp 13524 020
Fiche 50-000, 82/04/21, 8206150016

--8201200541 Petitions for limited exemption from Section 5
to 10CFR50, requiring installation of prompt notification
by 820201 Sys will be installed by 820801
COUNTELL, H O Connecticut Yankee Atomic Power Co 82/03/1
DIRCKS, W J Office of the Executive Director for License
11pp 13524 088 24X Fiche 50-000, 82/04/21, 8201200541

--8203040508 Submits list of facilities that have filed for
exemption from 820201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D O Division of Licensing 82/02/03 046
Office of Nuclear Reactor Regulation, Director 2pp 1
24X Fiche 50-000, 82/04/21, 8203040508

--8206150068 Forwards draft ltr to licensees re proposed
exemption from 820201 deadline for installation of prompt
notification sys.
SCHWARTZ, S A Emergency Preparedness Development Branch
820201 82/01/21 CRUTCHFIELD, D Operating Reactors
4pp 13524 161 24X Fiche 50-000, 82/04/21, 8206150068

- 8206150075 Forwards draft ltr to licensee in response to request for exemption from 820201 deadline from prompt notification sys installation
SCHWARTZ, S A Emergency Preparedness Development Branch (Pre 820201) 82/01/27 CRUTCHFIELD, D Operating Reactors Branch 5 3pp 13524 222 24X Fiche 50-000, 82/04/21, 8206150016
- 8206150080 Requests reconsideration of util request for exemption from 820201 deadline re implementation of prompt notification sys Current state of emergency preparedness adequate Related info encl
COUNSIL, W G Connecticut Yankee Atomic Power Co COUNSIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/02/09 PALLADINO, N Commissioners 3pp 13524 335 24X Fiche 50-000, 82/04/21, 8206150016
- 8206150079 Status of prompt notification sys
* NRC - No Detailed Affiliation Given 82/03/09 1p 13525 154 24X Fiche 50-000, 82/04/21, 8206150016
- 8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J H Division of Rules and Records 82/03/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002
- 8203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X Fiche 50-000, 82/05/11, 8206090002
- 8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, G S Division of Technical Inspection 82/01/05
CRIMES, B K Division of Emergency Preparedness 8pp 13454 174 24X Fiche 50-000, 82/05/11, 8206090002
- 8206090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet 820201 deadline
DIRCKS, W J Office of the Executive Director for Operations 82/03/04 PALLADINO, N Commissioners 1p 13454 196 24X Fiche 50-000, 82/05/11, 8206090002
- 8205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations 82/03/30 PALLADINO, N Commissioners 2pp 13454 252 24X Fiche 50-000, 82/05/11, 8206090002
- 8206170339 Advises that Amends 30 & 46 to License DPR-61 issued on 790228 & 820129 incorporating security plan & guard training & qualification plan into license satisfy SEP Topic XIII-2, "Safeguards/Industrial Security" Topic complete
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/10 COUNSIL, W G Connecticut Yankee Atomic Power Co 2pp 13531 196 24X Fiche 50-213, 82/06/10, 8206170339
- 8206250272 Responds to 820212 ltr re changes to plant physical security plan Changes acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/18 COUNSIL, W G Connecticut Yankee Atomic Power Co 2pp 13617 189 24X Fiche 50-213, 82/06/18, 8206250272
- 8206240242 Discusses NRC review of fire protection capabilities of all operating reactors for compliance w/10CFR30.4B & App R as Multi-Plant Action Item B-41 SEP Topic IX-6, "Fire Protection," encompassed by B-41 & considered complete
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/22 COUNSIL, W G Connecticut Yankee Atomic Power Co 2pp 13597 292 24X Fiche 50-213, 82/06/22, 8206240242
- F Operating license stage documents & correspondence
- 8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
FELTON, J H Division of Rules and Records 82/05/12 McMURRAY, C N Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 035 24X Fiche 50-000, 82/05/12, 8206280071
- 8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIROB, M G Reactor Systems Standards Branch 81/02/02 ARLOTTO, G A Division of Engineering Standards, 20pp 13638 104 24X Fiche 50-000, 82/05/12, 8206280071
- 8206020038 Requests confirmation of encl 820322-30 telcon records re NUREG-0737 Items II F 1.4, "Containment Pressure Monitor", II F 1.5, "Containment Water Level Monitor" & II F 1.6, "Containment Hydrogen Monitor"
CONNOR, E L Operating Reactors Branch 3 82/05/14 COUNSIL, W G Connecticut Yankee Atomic Power Co 18pp 13333 301 24X Fiche 50-000, 82/05/14, 8206020038
- 8206040373 Comments on NRC evaluation of SEP Topic III-10 B, "Pump Flywheel Integrity" Util intends to remove paint from flywheels in order to permit magnetic particle exam on accessible surfaces of flywheels during future insps
COUNSIL, W G, CAGNETTA, J P Connecticut Yankee Atomic Power Co 82/05/25 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13334 320 24X Fiche 50-213, 82/05/25, 8206040373
- 8206040136 Forwards amended "Pump Testing Program," as part of inservice insp & testing program
COUNSIL, W G, CAGNETTA, J P Connecticut Yankee Atomic Power Co 82/05/24 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13344 269 24X Fiche 50-213, 82/05/24, 8206040136
- 8206040146 "Pump Testing Program"
* Connecticut Yankee Atomic Power Co 82/05/31 10pp 13344 271 24X Fiche 50-213, 82/05/26, 8206040136
- 8206100273 Forwards addl info requested by NRC 820316 & 19 ltrs re TMI Action Item II B 1, "RCS Vents"
COUNSIL, W G Connecticut Yankee Atomic Power Co COUNSIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/02 CRUTCHFIELD, D Operating Reactors Branch 5 CLARK, R A Operating Reactors Branch 3 16pp 13451 343 24X Fiche 50-000, 82/06/02, 8206100273
- 8206160368 Forwards response to Generic Ltr 82-10 requesting info re implementation dates for selected TMI action plan items in NUREG-0737
COUNSIL, W G Connecticut Yankee Atomic Power Co COUNSIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/04 EISENHUT, D G Division of Licensing 102pp 13512 073 24X Fiche 50-000, 82/06/04, 8206160368
- 8206170074 Forwards evaluation of SEP Topics II-4 & II-4 B No capable faults or unique geologic features that would indicate that spectrum proposed for site inadequate or needs special mods
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/04 COUNSIL, W G Connecticut Yankee Atomic Power Co 22pp 13530 057 24X Fiche 50-213, 82/06/04, 8206170074
- 8206170179 Forwards evaluation rept of SEP Topic IX-3, "Station Svc & Cooling Water Sys" Licensee should verify that motor-operated valves relied on for sys isolation have fail close design
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/07 COUNSIL, W G Connecticut Yankee Atomic Power Co 13pp 13534 145 24X Fiche 50-213, 82/06/07, 8206170179
- 8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olina Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSFURD, A Consolidated Edison Co of New York CPREA, J Northeast Utilities Service Co DISE, D P Niagara Mohawk Power Corp 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153
- 8206300303 Forwards "Natural Circulation Test at CT Yankee Nuclear Power Plant," demonstrating ability of facility to undergo sustained natural circulation cooldown w/o formation of steam bubble in reactor vessel upper head region
COUNSIL, W G Connecticut Yankee Atomic Power Co, 82/06/09, EISENHUT, D G Division of Licensing 2pp 13658 005 24X Fiche 50-213, 82/06/09, 8206300303
- 8206300308 "Natural Circulation Test at CT Yankee Nuclear Power Plant"
* Connecticut Yankee Atomic Power Co 82/03/31 40pp 13658 007 24X Fiche 50-213, 82/06/09, 8206300303
- 8206170234 Forwards supplemental info in response to Generic re status of NUREG-0737, Items II B 2, "Plant Shielding," II B 3, "Post-Accident Sampling," II F 1.1, II F 1.2 & II F 1.6, "Effluent & Hydrogen Monitoring"
COUNSIL, W G, FEE, W F Connecticut Yankee Atomic Power Co COUNSIL, W G Northeast Nuclear Energy Co (subs of North Utilities) 82/06/10 EISENHUT, D G Division of Licensing 13533 013 24X Fiche 50-000, 82/06/10, 8206170234

8206210633 Application to amend Licenses DPR-65, DPR-61 & DPR-21, revising ETS to reflect organizational title changes & revising upper range of intake water temp for Haddam Neck COUNCIL, W G Connecticut Yankee Atomic Power Co COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 CRUTCHFIELD, D Operating Reactors Branch 5 CLARK, R A Operating Reactors Branch 3 3pp 13561 074 24X Fiche 50-000, 82/06/11, 8206210633

--8206210638 Proposed revision to ETS Section 5.1, reflecting organizational title changes
* Northeast Nuclear Energy Co (subs of Northeast Utilities)
82/06/30 App 13561 077 24X Fiche 50-000, 82/06/11, 8206210638

--8206210644 Proposed revisions to ETS Sections 2.1 & 5.1, revising upper range of intake water temp & reflecting organizational title changes respectively
* Connecticut Yankee Atomic Power Co 82/06/30 9pp 13561 081 24X Fiche 50-000, 82/06/11, 8206210644

8206220218 Forwards evaluation of util assessment of SEP Topic XV 1, "Increase in Feedwater Flow, Decrease in Feedwater Temp, Increase in Steam Flow" Time for operator to diagnose & mitigate transient must be demonstrated
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/18 COUNCIL, W G Connecticut Yankee Atomic Power Co 13pp 13572 307 24X Fiche 50-213, 82/06/18, 8206220218

8206240233 Forwards NRC evaluation of SEP Topic III-B A, "Loose Parts Monitoring & Core Barrel Vibration Program" Need for loose parts monitoring sys will be determined at integrated assessment Core barrel vibration issue deleted
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/21 COUNCIL, W G Connecticut Yankee Atomic Power Co 4pp 13597 319 24X Fiche 50-213, 82/06/21, 8206240233

8206240341 Forwards evaluation of SEP Topic V-7, "Reactor Coolant Pump Overspeed." Topic considered complete
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/21 COUNCIL, W G Connecticut Yankee Atomic Power Co 4pp 13603 168 24X Fiche 50-213, 82/06/21, 8206240341

8206300127 Submits CT Yankee Atomic Power Co comments on draft SEP operating experience rept, Sections 4.2 & 4.5.1.1.
COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/22 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13656 041 24X Fiche 50-213, 82/06/22, 8206300127

8206300060 Forwards addl clarification re SEP application of NUREG/CR-0098 ductility factor approach to evaluate inelastic response of structures, sys & components
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/23 COUNCIL, W G Connecticut Yankee Atomic Power Co 6pp 13655 351 24X Fiche 50-213, 82/06/23, 8206300060

0 Inspection reports, IE Bulletins & correspondence

8206100180 Forwards IE Insp Rept 50-213/82-10 on 820329-0509 No noncompliance noted
STARDBECKI, R Division of Project & Resident Programs 82/05/24 COUNCIL, W G Connecticut Yankee Atomic Power Co 2pp 13450 274 24X Fiche 50-213, 82/05/24, 8206100180

8206220197 Advises that inservice date for containment level detection sys is postponed until 830101, in response to IE Bulletin 80-24, "Prevention of Damage Due to Water Leakage Inside Containment"
COUNCIL, W G Connecticut Yankee Atomic Power Co 82/06/01 HAYNES, R C Region 1, Office of Director 2pp 13572 333 24X Fiche 50-213, 82/06/01, 8206220197

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants"
Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206290493 Forwards IE Insp Rept 50-213/82-09 on 820503-07 No noncompliance noted
SMITH, G H Division of Emergency Preparedness & Operational Support 82/06/08 COUNCIL, W G Connecticut Yankee Atomic Power Co 2pp 13632 005 24X Fiche 50-213, 82/06/08, 8206290493

--8206290498 IE Insp Rept 50-213/82-09 on 820503-07 No noncompliance noted Major areas inspected program for QC of analytical measurements, audit results, performance on radiological analyses of split actual effluent samples & procedures
JANG, J C, BRES, R J Division of Emergency Preparedness & Operational Support 82/06/08 7pp 13632 007 24X Fiche 50-213, 82/06/08, 8206290493

8204210387 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 105pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210387

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Material by Workers" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206170361 Ack receipt of 820515 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-213/82-07
MARTIN, T T Division of Engineering & Technical Programs 82/06/11 COUNCIL, W G Connecticut Yankee Atomic Power Co 1p 13531 070 24X Fiche 50-213, 82/06/11, 8206170361

--8206170369 Responds to NRC 820415 ltr re violations noted in IE Insp Rept 50-213/82-07 Corrective actions monthly check of power operated relief valve & safety valve position indication being performed Test Procedure SUR 5.1-15 will be revised
COUNCIL, W G Connecticut Yankee Atomic Power Co 82/05/14 MARTIN, T T Division of Engineering & Technical Programs 1pp 13531 091 24X Fiche 50-213, 82/06/11, 8206170361

R Periodic operating reports & related correspondence

8206210194 Forwards monthly operating rept for May 1982
GRAVES, R H Connecticut Yankee Atomic Power Co 82/06/14 Office of Resource Management, Director 1p 13560 094 24X Fiche 50-213, 82/06/14, 8206210194

--8206210197 Monthly operating rept for May 1982
ANDERSON, D Connecticut Yankee Atomic Power Co 82/06/14 7pp 13560 093 24X Fiche 50-213, 82/06/14, 8206210194

9 Reportable occurrences, LERs & related correspondence

8206220216 LER 82-004/01P on 820606, during maint insp, maint steam trap isolation valve 1 disc showed physical evidence of having been wedged against body of valve Condition will be corrected prior to startup
GRAVES, R H Connecticut Yankee Atomic Power Co 82/06/06 HAYNES, R C Region 1, Office of Director 1p 13572 301 24X Fiche 50-213, 82/06/06, 8206220216

8206240410 Forwards LER 82-005/03L-0
GRAVES, R H Connecticut Yankee Atomic Power Co 82/06/09 HAYNES, R C Region 1, Office of Director 1p 13601 359 24X Fiche 50-213, 82/06/09, 8206240410

--8206240413 LER 82-008/03L-0 on 820603, during test of containment and recirculation fan dampers, some louvers of bypass damper on one fan would not respond to control signals Caused by disconnected control linkage Linkage reconnected
TEST, R Z Connecticut Yankee Atomic Power Co 82/06/09 HAYNES, R C Region 1, Office of Director 1p 13601 360 24X Fiche 50-213, 82/06/09, 8206240410

8206240325 Forwards LER 82-004/01T-0
 CHAVES, R H Connecticut Yankee Atomic Power Co 82/06/18
 HAYNES, R C Region 1, Office of Director 1p 13603 186 24X
 Fiche 50-213, 82/06/18, 8206240325

--8206240327 LER 82-004/01T-0 on 820606, during shutdown, main steam trap
 isolation valve 1 disassembled to determine why valve would
 not cycle when cooled down. Caused by misaligned valve disc
 due to warped tail link
 TEST, R Z Connecticut Yankee Atomic Power Co 82/06/18 Region
 1, Office of Director 2pp 13603 187 24X Fiche 50-213,
 82/06/18, 8206240325

Operator Examinations

8206300219 Clarifies training & experience of shift technical advisors,
 per NRC 820331 ltr re util 801231 & 820219 responses to
 NUREG-0737, Item I A 1 One advisor does not hold current
 senior reactor operator license NUREG requirements met
 COUNSILL, W G, CAONEITA, J P Connecticut Yankee Atomic Power Co
 82/06/23 CRUTCHFIELD, D Operating Reactors Branch 5 2pp
 13654 292 24X Fiche 50-213, 82/06/23, 8206300219

DOCKET 50-219 OYSTER CREEK NUCLEAR POWER PLANT

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys
 installed to provide early notification to populace in
 plume pathway around nuclear reactor sites in US Forwards
 documents listed in App A
 FELTON, J M Division of Rules and Records 82/04/21 WADC, J
 Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, 82/04/21, 8206150016

--8203040508 Submits list of facilities that have filled exemption
 requests from 820201 prompt notification deadline
 Exemption requests will be denied
 EISENHUT, D Q Division of Licensing 82/02/03 DENTON, H H
 Office of Nuclear Reactor Regulation, Director 2pp 13524 200
 24X Fiche 50-000, 82/04/21, 8206150016

--8203090690 Requests encl response be forwarded to licensee denying
 820201 request for exemption from prompt notification sys
 820201 implementation deadline
 GRIMES, B K Division of Emergency Preparedness 82/02/22
 EISENHUT, D Q Division of Licensing 8pp 13525 084 24X
 Fiche 50-000, 82/04/21, 8206150016

--8206150079 Status of prompt notification sys
 * NRC - No Detailed Affiliation Given 82/03/09 1p 13525 154
 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission
 decision to extend deadline for licensees to implement
 prompt notification sys Forwards documents listed in App A
 Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
 Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/06/11,
 8206090002

--8203110473 Submits update of current assessment of licensee ability
 to implement prompt notification sys by 820201 deadline
 Thirteen licensees may not meet deadline
 DIRCKS, W J Office of the Executive Director for Operations
 82/01/26 Commissioners 2pp 13454 164 24X
 Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt
 notification sys
 SPENCER, O S Division of Technical Inspection 82/01/05
 GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
 24X Fiche 50-000, 82/05/11, 8206090002

--8206090088 Provides implementation status of prompt notification sys
 for facilities Eight licensees failed to meet 820201
 deadline
 DIRCKS, W J Office of the Executive Director for Operations
 82/03/04 PALLADINO, N Commissioners 1p 13454 176 24X
 Fiche 50-000, 82/05/11, 8206090002

--8205060494 Forwards monthly status rept of licensee implementation of
 prompt notification sys
 DIRCKS, W J Office of the Executive Director for Operations
 82/03/30 PALLADINO, N J Commissioners 2pp 13454 252 24X
 Fiche 50-000, 82/05/11, 8206090002

8206020321 Forwards drawing showing present location of protected area
 fence following 820326 completion of const activities for
 fire protection alternate water supply tank Drawing withheld
 (ref 10CFR2 790)

FIEDLER, P B General Public Utilities - GPU Service Corp 82/05/26
 Office of Nuclear Reactor Regulation, Director 2pp 13320 282
 24X Fiche 50-219, 82/05/26, 8206020321

8206240477 Responds to FOIA request for documents re exemption from
 10CFR50 App E emergency planning & preparedness
 requirements DO Eisenhut 820122 & 0203 ltrs encl
 TQHS, N L Division of Rules and Records 82/06/10 WATKINS, M
 Debevoise & Liberman 1p 13620 010 24X Fiche 50-219, 82/06/10,
 8206240477

--8206240480 Denies 820105 & 0201 10CFR50 App C exemption requests re
 installation of prompt notification sys by 820201 All
 licensees should have been able to meet deadline if
 sufficient resources were applied to task w/o delay
 EISENHUT, D Q Division of Licensing 82/02/03 FIEDLER, P B
 Jersey Central Power & Light Co 7pp 13620 019 24X
 Fiche 50-219, 82/06/10, 8206240477

8206220376 Ack receipt of 820602 ltr informing NRC of steps taken to
 correct violations noted in IE Insp Rept 50-219/82-02
 STAROSTECKI, R Division of Project & Resident Programs 82/06/11
 FIEDLER, P B General Public Utilities - GPU Service Corp 2pp
 13581 286 24X Fiche 50-219, 82/06/11, 8206220376

--8206220386 Responds to NRC 820503 ltr re violations noted in IF Insp
 Rept 50-219/82-02 Corrective actions Revisions 15 & 9 issued
 to Procedures 105 & 116, respectively Attachment B
 containing safeguards info withheld (ref 10CFR73 21)
 FIEDLER, P B General Public Utilities - GPU Service Corp
 82/06/02 STAROSTECKI, R Division of Project & Resident Programs
 3pp, 13581 288 24X Fiche 50-219, 82/06/11, 8206220376

8206240389 Forwards IE Emergency Preparedness Appraisal Rept
 50-219/82-01 on 820104-15 & emergency preparedness findings,
 improvement items & evaluation
 SMITH, G H Division of Emergency Preparedness & Operational Support
 82/06/11 FIEDLER, P B General Public Utilities - GPU Service
 Corp 37pp 13602 001 24X Fiche 50-219, 82/06/11, 8206240389

--8206240394 IE Emergency Preparedness Appraisal Rept 50-219/82-01 on
 820104-15 Areas inspected emergency training, facilities
 & equipment & emergency implementing procedures, revisions &
 corrective actions
 KIRNEY, W M, CROCKER, H W Division of Emergency Preparedness &
 Operational Support 82/06/10 70pp 13602, 038 24X
 Fiche 50-219, 82/06/11, 8206240389

8206210298 Advises that SEP Topic IX-6 re fire protection considered
 complete for integrated assessment of Facility Aspects of
 implementation of Multi-plant Item B-14 will be considered
 to extent practicable
 CRUTCHFIELD, D Operating Reactors Branch 5 82/06/13 FIEDLER, P B
 Jersey Central Power & Light Co 2pp 13558 128 24X
 Fiche 50-219, 82/06/13, 8206210298

F Operating license stage documents & correspondence

8206040237 Notifies of 820518-19 site visit to review SEP Topics
 III-4 A re tornado missiles & III-4 C re internally
 generated missiles
 CRUTCHFIELD, D Operating Reactors Branch 5 82/05/12 FIEDLER, P B
 Jersey Central Power & Light Co 2pp 13357 291, 24X
 Fiche 50-219, 82/05/12, 8206040237

8206220504 Forwards revised "SEP Topic III-5A, High Energy Piping Sys
 Inside Containment," providing info per B10610 request
 SCHMIDT, W R MPR Associates, Inc 82/05/12 FELL, R NRC - No
 Detailed Affiliation Given 1p 13581 045, 24X
 Fiche 50-219, 82/05/12, 8206220504

--8206220514 Revised "SEP Topic III-5A, High Energy Piping Sys Inside
 Containment"
 * MPR Associates, Inc 82/03/16 43pp 13581 046 24X
 Fiche 50-219, 82/05/12, 8206220504

8206040182 Forwards draft TER-C5257-528, "Control of Heavy Loads,"
 technical evaluation rept, based on util 810922 response to
 NRC 801222 generic ltr Conference call requested
 CRUTCHFIELD, D Operating Reactors Branch 5 82/05/13 FIEDLER, P B
 Jersey Central Power & Light Co 2pp 13360 058 24X
 Fiche 50-219, 82/05/13, 8206040182

--8206040190 "Control of Heavy Loads," draft technical evaluation rept,
 VITO, D J Franklin Institute/Franklin Research Center
 NRC-03-79-118 TER-C5257-528 DRAFT 82/04/27 CLEMENSON, F. NRC -
 No Detailed Affiliation Given 38pp 13360 060 24X
 Fiche 50-219, 82/05/13, 8206040182

8206030086 Provides addl response to NUREG-0737, Item II K 3 3 re reporting of relief & safety valve failures & challenges, per 820303 request
FIEDLER, P B General Public Utilities - GPU Service Corp 82/05/26
CRUTCHFIELD, D Operating Reactors Branch 5 1p 13336 329 24X
Fiche 50-219, 82/05/26, 8206030086

8206030276 Notification of 820602 meeting w/ util in Bethesda, MD to discuss SEP Topic III 5 B re pipe break outside containment for plant integrated assessment program
LOMBARD, J J Operating Reactors Branch 5 82/05/27
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13361 326 24X
Fiche 50-219, 82/05/27, 8206030276

8206030068 Forwards draft evaluation of SEP Topics XV-13 & XV-14 Recommends that plant Tech Specs for controlling & limiting reactor coolant iodine concentrations be changed to conform w/ limits in GF SIS for BWR
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/28 FIEDLER, P B
General Public Utilities - GPU Service Corp 10pp 13336 335 24X
Fiche 50-219, 82/05/28, 8206030068

8206040413 Application to amend DPR-16, consisting of Tech Spec Change Request 105, requesting one-time annotation to definition of refueling outage to extend time between successive tests or surveillances not to exceed 30 months Related info encl
FIEDLER, P B General Public Utilities - GPU Service Corp 82/05/28
Office of Nuclear Reactor Regulation, Director 7pp 13355 318 24X
Fiche 50-219, 82/05/28, 8206040413

8206040417 Proposed Tech Spec change, extending time between successive tests or surveillances not to exceed 30 months on one-time only
* General Public Utilities - GPU Service Corp 82/05/28 1p
13355 349 24X
Fiche 50-219, 82/05/28, 8206040417

8206040296 Forwards evaluation of SEP Topic IX-J, "Fuel Storage" Evaluation will be basic input to integrated safety assessment Plant sys meet criteria Topic closed
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/01 FIEDLER, P B
Jersey Central Power & Light Co 4pp 13354 166 24X
Fiche 50-219, 82/06/01, 8206040296

8206090134 Responds to util 820408 ltr re flow rate of domestic & sanitary waste from plant in excess of figure evaluated in FES Evaluation of impacts in FES adequate & need not be revised
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 FIEDLER, P B
Jersey Central Power & Light Co 2pp 13438 349 24X
Fiche 50-219, 82/06/03, 8206090134

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents Findings re cause of event W/O encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSFUR, A
Consolidated Edison Co of New York FINFRDCK, I R Jersey Central Power & Light Co JURGENSEN, R W American Electric Power Service Corp 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206240234 Advises that util 810210 & 820529 responses to TMI Action Plan Item II K 3 3 reporting relief valve & safety valve failures & challenges, have been reviewed & are acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/10 FIEDLER, P B
Jersey Central Power & Light Co 2pp 13597 317 24X
Fiche 50-219, 82/06/10, 8206240234

8206240131 Forwards Amend 61 to License DPR-16, safety evaluation & notice of issuance & availability Amend extends interval between successive tests prior to Cycle 10 to 30 months
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/11 FIEDLER, P B
Jersey Central Power & Light Co 2pp 13599 321 24X
8240131

8206240276 Forwards check for Tech Spec Change Request 106, per 820528 application
KHUBEL, J General Public Utilities - GPU Service Corp 82/06/11
Division of Accounting & Finance 2pp 13597 001 24X
Fiche 50-219, 82/06/11, 8206240276

8206210177 Forwards evaluation of SEP Topic II-4 F, "Settlement of Foundations & Buried Equipment" Settlement & Category I structures complete & liquefaction highly unlikely Review complete & will be input into integrated safety assessment
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 FIEDLER, P B
General Public Utilities - GPU Service Corp 8pp 13560 292 24X
Fiche 50-219, 82/06/15, 8206210177

8206220429 Forwards NRC final evaluation of SEP Topic VI-4, "Containment Isolation Sys"
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 FIEDLER, P B
Jersey Central Power & Light Co 48pp 13578 052 24X
Fiche 50-219, 82/06/15, 8206220429

8206220460 Forwards updated status of NUREG-0737 items, clarifying util 820420 ltr responding to Generic Ltr 82-05 Items include
1 A 3 1, 11 B 2, 11 B 3, 11 B 4, 11 E 4 2, 11 F 1, 11 K 2 10, 11 K 3 15, 11 K 3 19, 11 K 3 22, 11 K 3 24 & 11 K 3 27
FIEDLER, P B General Public Utilities - GPU Service Corp 82/06/15
EISENHUT, D G Division of Licensing 4pp 13576 171 24X
Fiche 50-219, 82/06/15, 8206220460

8206220516 Forwards technical evaluation rept, "Wind & Tornado Loadings" (SEP III-2), & safety evaluation as basis for comparison w/ 820507 safety analysis Either plant mods or justifying analyses must be performed
CRUTCHFIELD, D Operating Reactors Branch 5 NRC-03-79-118
82/06/15 FIEDLER, P B Jersey Central Power & Light Co 10pp
13579 060 24X
Fiche 50-219, 82/06/15, 8206220516

8206110193 "Wind & Tornado Loadings (SEP III-2)," technical evaluation rept
BARETT, D J Franklin Institute/Franklin Research Center
NRC-03-79-118 TER-C9257-402 82/06/08 PERBINKO, D NRC - No
Detailed Affiliation Given 49pp 13579 070 24X
Fiche 50-219, 82/06/15, 8206220516

8206240261 Forwards final evaluation of SEP Topic III-4 C, "Internally Generated Missiles" Facility meets criteria for protection against internally generated missiles
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 FIEDLER, P B
Jersey Central Power & Light Co 22pp 13597 160 24X
Fiche 50-219, 82/06/15, 8206240261

8206300202 Forwards application for amend to License DPR-16, consisting of Tech Spec Change Request 107 to revise App A, Section 6 & App B, Figure 5-1 re administrative organization Class II fee encl
FIEDLER, P B General Public Utilities - GPU Service Corp 82/06/15
Office of Nuclear Reactor Regulation, Director 1p 13654 342 24X
Fiche 50-219, 82/06/15, 8206300202

8206300207 Application for amend to License DPR-16, consisting of Tech Spec Change Request 107, revising App A, Section 6 & App B, Figure 5-1 re administrative organization Certificate of Evc encl
FIEDLER, P B General Public Utilities - GPU Service Corp 82/06/15 5pp 13654 343 24X
Fiche 50-219, 82/06/15, 8206300202

8206300208 Proposed changes to Tech Specs revising App A, Section 6 & App B, Figure 5-1 re administrative organization
* General Public Utilities - GPU Service Corp 82/06/15 14pp
13654 348 24X
Fiche 50-219, 82/06/15, 8206300202

8206220318 Forwards safety evaluation of SEP Topics IV-2, "Reactivity Control Sys Design & Protection Against Single Failures" & XV-8, "Control Rod Misoperation" Evaluation of Topic IV-2 incomplete & Topic XV-8 invalid until listed criteria met
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/18 FIEDLER, P B
Jersey Central Power & Light Co 6pp 13571 023 24X
Fiche 50-219, 82/06/18, 8206220318

8206280215 Advises that NUREG-0737, Item II, K 3 44, "Evaluation of Anticipated Transients W/Single Failure," complete for facility, based on 820223 response assuring that BWR owners group response to item representative of plant
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/18 FIEDLER, P B
Jersey Central Power & Light Co 5pp 13624 216 24X
Fiche 50-219, 82/06/18, 8206280215

8206240189 Forwards final evaluation of SEP Topic III-4 D, "Site Proximity Missiles," based on safety analysis submitted in 810307 ltr Plant does not meet acceptance criteria for topic items will be included in integrated assessment
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/21 FIEDLER, P B
Jersey Central Power & Light Co 7pp 13599 121 24X
Fiche 50-219, 82/06/21, 8206240189

B206240366 Forwards draft evaluation of SEP Topic III-4 A, "Tornado Missiles," per NRC B20518-17 site visit. Some sys at site not adequately protected from tornado generated missiles. Exam of facts upon which NRC based evaluation requested.
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/21 FIEDLER, P B Jersey Central Power & Light Co 21pp 13596 001 24X
Fiche 50-219, 82/06/21, B206240366

B206240311 Forwards final evaluation of SEP Topic III-5 B, "Pipe Break Outside Containment." Plant adequately protected from dynamic effects of pipe break outside containment, subj to resolution of identified items.
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/22 FIEDLER, P B Jersey Central Power & Light Co 13pp 13577 004 24X
Fiche 50-219, 82/06/22, B206240311

G Inspection reports, IE Bulletins & correspondence

B206030232 Forwards IE Insp Rept 50-219/82-03 on B20302-0405 No noncompliance noted.
STAROSTECKI, R Division of Project & Resident Programs 82/05/17 FIEDLER, P B General Public Utilities - GPU Service Corp 1p 13337 205 24X Fiche 50-219, 82/05/17, B206030232

--B206030235 IE Insp Rept 50-219/82-03 on B20302-0405 No noncompliance noted. Major areas inspected plant operations, logs & records, surveillance observation & periodic & special repts.
THOMAS, J A Division of Project & Resident Programs TRIPP, L L Region 1, Office of Director 82/05/17 7pp 13337 206 24X
Fiche 50-219, 82/05/17, B206030232

B206070680 Forwards IE Insp Rept 50-219/82-06 on B20317-0406 & notice of violation.
MARTIN, T T Division of Engineering & Technical Programs 82/05/20 FIEDLER, P B General Public Utilities - GPU Service Corp 2pp 13390 302 24X Fiche 50-219, 82/05/20, B206070680

--B206070684 Notice of violation from insp on B20317-0406.
MARTIN, T T Division of Engineering & Technical Programs 82/05/20 3pp 13390 304 24X Fiche 50-219, 82/05/20, B206070680

--B206070688 IF Insp Rept 50-219/82-06 on B20317-0406 Noncompliance noted. Failure to submit required LER & failure to implement approved procedures properly.
REKATO, W A, PULLANI, S V, BETTENHAUSEN, L Region 1, Office of Director 82/05/11 12pp 13390 307 24X Fiche 50-219, 82/05/20, B206070680

B206070734 Forwards IE Insp Rept 50-219/82-07 on B20327-0402 No noncompliance noted.
MARTIN, T T Division of Engineering & Technical Programs 82/05/20 FIEDLER, P B General Public Utilities - GPU Service Corp 2pp 13369 199 24X Fiche 50-219, 82/05/20, B206070734

--B206070759 IE Insp Rept 50-219/82-07 on B20529-0402 No noncompliance noted. Major areas inspected implementation of administrative procedures & fire brigade training.
FINKELE, A E, ERNETER, S D Division of Engineering & Technical Programs 82/05/13 2pp 13389 161 24X Fiche 50-219, 82/05/20, B206070734

B206040210 Requests IR Finrock B10605 ltr re use of later code publications & JT Carroll B10805 ltr on relief request re reactor vessel welds, be included in NRC review of inservice insp relief requests.
FIEDLER, P B General Public Utilities - GPU Service Corp 82/05/21 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13360 012 24X
Fiche 50-219, 82/05/21, B206040210

B202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl.
DEVYUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl.
DEVYUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206290385 Forwards IE Insp Rept 50-219/82-09 on B20406-0503 No noncompliance noted.
STAROSTECKI, R Division of Project & Resident Programs 82/06/01 FIEDLER, P B General Public Utilities - GPU Service Corp 2pp 13634 127 24X Fiche 50-219, 82/06/02, B206290385

--B206290397 IE Insp Rept 50-219/82-09 on B20406-0503 No noncompliance noted. Major areas inspected review of previous insp findings, control room operations, plant instrumentation, monitoring & change areas & safety-related sys.
COWGILL, C J, THOMAS, J A, TRIPP, L E Division of Project & Resident Programs 82/05/27 11pp 13634 129 24X
Fiche 50-219, 82/06/02, B206290385

B204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl.
DEVYUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

B206220376 Ack receipt of B20602 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-219/82-02.
STAROSTECKI, R Division of Project & Resident Programs 82/06/11, FIEDLER, P B General Public Utilities - GPU Service Corp 2pp 13581 286 24X Fiche 50-219, 82/06/11, B206220376

--B206220386 Responds to NRC B20503 ltr re violations noted in IE Insp Rept 50-219/82-02. Corrective actions Revisions 15 & 9 issued to Procedures 105 & 116, respectively. Attachment B containing safeguards info withheld (ref 10CFR73.21).
FIEDLER, P B General Public Utilities - GPU Service Corp. 82/06/02 STAROSTECKI, R Division of Project & Resident Programs 3pp 13581 288 24X Fiche 50-219, 82/06/11, B206220376

B206240389 Forwards IE Emergency Preparedness Appraisal Rept 50-219/82-01 on B20104-15 & emergency preparedness findings, improvement items & evaluation.
SMITH, G H Division of Emergency Preparedness & Operational Support 82/06/11 FIEDLER, P B General Public Utilities - GPU Service Corp 37pp 13602 001 24X Fiche 50-219, 82/06/11, B206240389

--B206240394 IE Emergency Preparedness Appraisal Rept 50-219/82-01 on B20104-15. Areas inspected emergency training, facilities & equipment & emergency implementing procedures, revisions & corrective actions.
KINNEY, W W, CROCKER, H W Division of Emergency Preparedness & Operational Support 82/06/10 70pp 13602 038 24X
Fiche 50-219, 82/06/11, B206240389

B206220188 Forwards IE Mgt Meeting Rept 50-219/82-12 on B20416. Performance in areas of maint & surveillance requires increased mgt attention.
HAYNES, R C Region 1, Office of Director 82/06/16 CLARK, P R General Public Utilities - GPU Service Corp 2pp 13572 001 24X
Fiche 50-219, 82/06/16, B206220188

--B206220192 IE Mgt Meeting Rept 50-219/82-12 on B20416. No noncompliance noted. Major areas discussed systematic assessment of licensee performance for Nov 1980-Oct 1981, plant operations & radiological control.
THOMAS, J A, TRIPP, L E Region 1, Office of Director 82/05/29 57pp 13572 003 24X Fiche 50-219, 82/06/16, B206220188

B206290148 Ack receipt of B20518 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-219/82-05.
MARTIN, T T Division of Engineering & Technical Programs 82/06/23 FIEDLER, P B General Public Utilities - GPU Service Corp 1p 13635 302 24X Fiche 50-219, 82/06/23, B206290148

--B206290192 Responds to NRC B20412 ltr re violations noted in IE Insp Rept 50-219/82-05. Corrective actions maint & const div in process of developing, drafting & revising administrative instructions. Annual rept prepared.
FIEDLER, P B General Public Utilities - GPU Service Corp 82/05/18 MARTIN, T T Division of Engineering & Technical Programs 8pp 13635 303 24X Fiche 50-219, 82/06/23, B206290148

R Periodic operating reports & related correspondence

B206010249 Forwards monthly operating rept for Apr 1982.
FIEDLER, P B General Public Utilities - GPU Service Corp 82/05/18 Office of Management and Program Analysis 1p 13307 058 24X
Fiche 50-219, 82/05/18, B206010249

--B206010252 Monthly operating rept for Apr 1982.
SKLAR, J B General Public Utilities - GPU Service Corp. 82/05/12 11pp 13307 059 24X Fiche 50-219, 82/05/18, B206010249

B206290012 Forwards monthly operating rept for May 1982.
FIEDLER, P B General Public Utilities - GPU Service Corp. 82/06/16 Office of Management and Program Analysis 2pp 13617:168, 24X
Fiche 50-219, 82/06/16, B206290012

DOCKETED ITEMS

--B206250014 Monthly operating rept for May 1982
BARAN,R General Public Utilities - GPU Service Corp 82/04/10
9pp 13617 170 24X Fiche 50-219,82/06/14,8206250012

S Reportable occurrences, LERs & related correspondence

8206030163 Forwards Nonroutine Environ Operating Repts 82-1,82-2, 82-3
FIEDLER,P B General Public Utilities - GPU Service Corp 82/05/20
HAYNES,R C Region 1, Office of Director 1p 13337 350 24X
Fiche 50-219,82/05/20,8206030163

--B206030165 RD 82-1 on 820417,only one dilution pump placed in svc during reactor startup w/ambient water temp less than 60 F
Caused by procedural inadequacy Procedure revised to require two pumps to be in operation during startup
* General Public Utilities - GPU Service Corp 82/05/20 2pp
13337 351 24X Fiche 50-219,82/05/20,8206030163

--B206030167 RD 82-2 on 820429,dilution pump 1-2 tripped off leaving only pump 1-3 in operation Caused by low oil pressure Pump restarted Total dilution pump improvement program submitted on 810701
* General Public Utilities - GPU Service Corp 82/05/20 2pp
13337 353 24X Fiche 50-219,82/05/20,8206030163

--B206030171 RD 82-3 on 820430,dilution pumps 1-2 & 1-3 taken out of svc & pump 1-2 tripped off leaving only one pump in operation
Caused by low oil flow,seal water flow & calibr flow switch problems Pump improvement program designed
* General Public Utilities - GPU Service Corp 82/05/20 3pp
13337 355 24X Fiche 50-219,82/05/20,8206030163

8206030214 Forwards LER 82-014/01T-0 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/05/20
HAYNES,R C Region 1, Office of Director 4pp 13337 230 24X
Fiche 50-219,82/05/20,8206030214

--B206030218 LER 82-014/01T-0 on 820410,local leak rate testing found that five containment isolation valves & one gasket did not meet 11 9 SCFH acceptance criteria Caused by 1-B sump discharge seats degrading Valves repaired & gasket replaced
HUTKO,K General Public Utilities - GPU Service Corp 82/05/20
Region 1, Office of Director 1p 13337 234 24X
Fiche 50-219,82/05/20,8206030214

8206030259 Forwards LER 82-023/03L-0 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/05/20
HAYNES,R C Region 1, Office of Director 3pp 13337 213 24X
Fiche 50-219,82/05/20,8206030259

--B206030264 LER 82-023/03L-0 on 820418,during normal operation,control rod drive pump A failed,resulting in operation in degraded mode Cause undetermined Rotating assembly replaced
BINZ,B General Public Utilities - GPU Service Corp 82/05/20
Region 1, Office of Director 1p 13337 216 24X
Fiche 50-219,82/05/20,8206030259

8206040098 Forwards updated LER 81-061/03X-1 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/05/25
HAYNES,R C Region 1, Office of Director 5pp 13354 197 24X
Fiche 50-219,82/05/25,8206040098

--B206040102 Updated LER 81-061/03X-1 on 811223,of 11 deficient hydraulic snubbers,nine found to be inoperable during functional testing Caused by seal degradation &/or worn poppet valves
Snubbers replaced w/operable spares
BASB,K General Public Utilities - GPU Service Corp 82/05/25
Region 1, Office of Director, 1p 13354 202 24X
Fiche 50-219,82/05/25,8206040098

8206210443 LER 82-025/01P-0 on 820506,during routine surveillance testing,reactor trip1a low sensor RE18D output circuit failed to provide proper indication Caused by corroded wire at inline splice Wire replaced & circuit adjusted
FIEDLER,P B Jersey Central Power & Light Co 82/06/02
HAYNES,R C Region 1, Office of Director 3pp 13568 314 24X
Fiche 50-219,82/06/02,8206210443

8206210284 LER 82-029/01P-0 on 820601 & 02,all four reactor high pressure scram switches tripped at values greater than Tech Spec limiting safety sys setting,Caused by instrument drift. Switches reset.
FIEDLER,P B Jersey Central Power & Light Co 82/06/03
HAYNES,R C Region 1, Office of Director 3pp 13558 123 24X
Fiche 50-219,82/06/03,8206210284

8206170099 Forwards LER 82-026/03L-0 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/06/07
HAYNES,R C Region 1, Office of Director 3pp 13530 110 24X
Fiche 50-219,82/06/07,8206170099

--B206170101 LER 82 026/03L-0 on 820507,thermocouple for safety valve NR2BJ found open during surveillance testing Caused by broken lead wire at thermocouple One of adjacent valve acoustic monitor setpoints reduced Thermocouple replaced
FITZGERALD,M J General Public Utilities - GPU Service Corp 82/06/07
Region 1, Office of Director 1p 13530 117 24X
Fiche 50-219 82/06/07,8206170099

8206210297 Forwards LER 82-030/01P
FIEDLER,P B Jersey Central Power & Light Co 82/06/08
HAYNES,R C Region 1, Office of Director 1p 13557 168 24X
Fiche 50 219,82/06/08,8206210297

--B206210301 LER 82-030/01P on 820528,stack gas was not continuously monitored as required by Tech Specs Caused by electrical trip of stack gas sample sys Stack gas sample flow immediately reinitiated by closing respective breaker
* Jersey Central Power & Light Co 82/06/08 Region 1, Office of Director 1p 13559 169 24X Fiche 50-219,82/06/08,8206210297

8206280392 Forwards LER 82-027/03L-0 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/06/10
HAYNES,R C Region 1, Office of Director 3pp 13621 138, 144
Fiche 50-219,82/06/10,8206280392

--B206280421 LER 82-027/03L-0 on 820512,during routine visual inspection puddle discovered below liquid poison pump B Caused by plugged stuffing box 1-inch drain Pump tagged out,oil changed & drain cleared
FANDAK,D M General Public Utilities - GPU Service Corp 82/06/10
Region 1, Office of Director 1p 13621 141 24X
Fiche 50-219,82/06/10,8206280392

8206230121 Forwards LER 82-029/01T-0 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/06/14
HAYNES,R C Region 1, Office of Director 3pp 13591 045 24X
Fiche 50-219,82/06/14,8206230121

--B206230129 LER 82-029/01T-0 on 820601,all four reactor high pressure scram switches found to trip at values greater than limiting safety sys settings in Tech Specs Caused by instrument drift Switches reset & scheduled to be replaced
FITZGERALD,M J General Public Utilities - GPU Service Corp 82/06/14
Region 1, Office of Director 1p 13591 010 24X
Fiche 50-219,82/06/14,8206230121

8206280427 Forwards LER 82-028/03L-0 Detailed event analysis encl
FIEDLER,P B General Public Utilities - GPU Service Corp 82/06/14
HAYNES,R C Region 1, Office of Director 3pp 13621 327 24X
Fiche 50 219,82/06/14,8206280427

--B206280431 LER 82-028/03L-0 on 820513,pump breaker permissive switch placed in off position in response to vibration readings in required action range,rendering core spray pump NZ01A inoperable Cause not determined.Sys restarted
FERRER,R General Public Utilities - GPU Service Corp 82/06/14
Region 1, Office of Director 1p 13621 330 24X
Fiche 50-219,82/06/14,8206280427

8206290248 Forwards LER 82-031/01P
FIEDLER,P B General Public Utilities - GPU Service Corp 82/06/15
HAYNES,R C Region 1, Office of Director 1p 13636 087 24X
Fiche 50-219,82/06/15,8206290248

--B206290252 LER 82-031/01P on 820614,w/control rod drive pump A out of svc,diesel generator for pump B removed from svc for maint
Caused by personnel error Diesel generator 2 returned to svc immediately
* General Public Utilities - GPU Service Corp 82/06/15
Region 1, Office of Director 2pp 13636 088 24X
Fiche 50-219,82/06/15,8206290248

8206280068 PNO-1-82-046 on 820611,plugged vent filter caused backflow of condensate water & resin beads into svc air sys in new radwaste facility
THOMAS,J , TRIPP,L , MCCABE,E Region 1, Office of Director 82/06/22 1p 13624,252 24X Fiche 50-219,82/06/22,8206280068

DOCKET 50-220 NINE MILE POINT NUCLEAR STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206180271 Forwards "Post-Exercise Assessment,Exercise of NY State & Oswego County Radiological Emergency Plans for Nine Mile Point " Internal memos re corrective actions work plan & field monitors training encl
KRIMM,R W Federal Emergency Management Agency 82/05/27
GRIMES,B Emergency Preparedness Development Br (after 801119 501 14E) 14pp 13551 106 24X Fiche 50-220,82/05/27,8206180271

--8206180282 "Post-Exercise Assessment Exercise of NY State & Oswego County Radiological Emergency Plans for Nine Mile Point"
* Federal Emergency Management Agency 81/09/30 31pp
13551 120 24X Fiche 50-220,82/05/27,8206180271

8206210030 Forwards Amend 48 to License DPR-63 & notice of issuance & availability Amend adds Paragraph 2 C (5) to license re guard training & qualification plan
VASSALLO, D B Operating Reactors Branch 2 82/06/09 DISE, D P
Niagara Mohawk Power Corp 3pp 13582 335 24X
Fiche 50-220,82/06/09,8206210030

--8206210033 Amend 48 to License DPR-63 adding Paragraph 2 C (5) re guard training & qualification plan
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp
13582 338 24X Fiche 50-220,82/06/09,8206210030

--8206210035 Notice of issuance & availability of Amend 48 to License DPR-63
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp
13582 340 24X Fiche 50-220,82/06/09,8206210030

8206250122 Responds to 820518 ltr re changes to security plan Changes consistent w/provisions of 10CFR50.54(p)
VASSALLO, D B Licensing Branch 2 82/06/15 SUNSER, J J Niagara Mohawk Power Corp 2pp 13628 326 24X Fiche 50-220,82/06/15,8206250122

8206240018 Releases public version of revision to station emergency procedure
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13612 307 24X Fiche 50-220,82/06/18,8206240018

--8206240022 Forwards public version of Revision 9 to Station Emergency Procedure EPP-11, "Review & Revisions of Site Emergency Plan & Procedures"
LEMPGES, T E Niagara Mohawk Power Corp 82/06/08 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13612 310 24X Fiche 50-220,82/06/18,8206240018

--8206240026 Public version of Revision 9 to Station Emergency Procedure EPP-11, "Review & Revisions of Site Emergency Plan & Procedures"
* Niagara Mohawk Power Corp 82/05/29 43pp 13612 311 24X
Fiche 50-220,82/06/18,8206240018

H General correspondence

8206170398 Responds to 820520 ltr requesting info re operability of radwaste incinerator No incinerator installed at facility
NRC has ceased review of proposed incinerator
EISENHUT, D G Division of Licensing 82/06/11 WASSERBACH, A E Affiliation Unknown 1p 13555 239 24X Fiche 50-220,82/06/11,8206170398

I Financial information

8206020312 Forwards Annual Financial Repts 1981 for Niagara Mohawk Power Corp, NY State Electric & Gas Corp, LILCO, Rochester Gas & Electric Corp & Central Hudson Gas & Electric Corp
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae TROSTEN, L M Niagara Mohawk Power Corp 82/05/27 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13324 022 24X Fiche 50-000,82/05/27,8206020312

--8206020381 Annual Financial Rept 1981
* New York State Electric & Gas 82/03/01 39pp 13324 063 24X Fiche 50-220,82/05/27,8206020312

--8206020385 Annual Financial Rept 1981
* Long Island Lighting Co 82/05/27 37pp 13324 103 24X
Fiche 50-000,82/05/27,8206020312

--8206020438 Annual Financial Rept 1981
* Central Hudson Gas & Electric Corp 82/03/01 72pp
13324 183 24X Fiche 50-000,82/05/27,8206020312

8206020322 Forwards Annual Financial Rept 1981
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae TROSTEN, L M Niagara Mohawk Power Corp 82/05/27 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13326 104 24X Fiche 50-220,82/05/27,8206020322

--8206020324 Annual Financial Rept 1981
HAHEL, J O, DONLON, W J Niagara Mohawk Power Corp 82/02/18 39pp 13326 105 24X Fiche 50-220,82/05/27,8206020322

P Operating license stage documents & correspondence

8206010315 "ALARA Program Description for Replacement of Recirculation Safe-Ends at Nine Mile Point 1 Nuclear Generating Plant," preliminary instruction rept
QUASTAFERRI, C Newport News Industrial Corp (subs of Newport News Shipbuilding & Dry Dock Co) 82/05/09 7pp 13300 176 24X
Fiche 50-220,82/05/24,8206010310

8206010310 Forwards plans for mitigation of worker radiation doses during safe-end replacement outage
LEMPGES, T E Niagara Mohawk Power Corp 82/05/24 EISENHUT, D G Division of Licensing 4pp 13300 172 24X Fiche 50-220,82/05/24,8206010315

8206070363 Submits addl info on ALARA program re mitigation of worker radiation doses during safe-end replacement outage
LEMPGES, T E Niagara Mohawk Power Corp 82/06/01 EISENHUT, D G Division of Licensing 22pp 13363 091 24X Fiche 50-220,82/06/01,8206070363

8206110293 Submits details of cutting & welding operations for safe end replacement project, initially identified in 820511 ltr
Heat sink welding procedure currently being qualified
Replacement matl will be 316 nuclear-grade stainless steel
LEMPGES, T E Niagara Mohawk Power Corp 82/06/07 EISENHUT, D G Division of Licensing 2pp 13466 199 24X Fiche 50-220,82/06/07,8206110293

8206140076 Forwards requested completion dates & schedules for implementation of various TMI action items, in response to Generic Ltr 82-10
LEMPGES, T E Niagara Mohawk Power Corp 82/06/07 EISENHUT, D G Division of Licensing 15pp 13483 139 24X Fiche 50-220,82/06/07,8206140076

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olmsted Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUBPURI, A Consolidated Edison Co of New York DPRA, J Northeast Utilities Service Co DISE, D P Niagara Mohawk Power Corp 19pp 13557 349 24X Fiche 50-000,82/06/09,8206090153

8206210030 Forwards Amend 48 to License DPR-63 & notice of issuance & availability Amend adds Paragraph 2 C (5) to license re guard training & qualification plan
VASSALLO, D B Operating Reactors Branch 2 82/06/09 DISE, D P Niagara Mohawk Power Corp 3pp 13582 335 24X
Fiche 50-220,82/06/09,8206210030

--8206210033 Amend 48 to License DPR-63 adding Paragraph 2 C (5) re guard training & qualification plan
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp
13582 338 24X Fiche 50-220,82/06/09,8206210030

--8206210035 Notice of issuance & availability of Amend 48 to License DPR-63
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp
13582 340 24X Fiche 50-220,82/06/09,8206210030

Q Inspection reports, IC Bulletins & correspondence

8206030217 Forwards IE Insp Rept 50-220/82-05 on 820404-0502 & notice of violation
STAROSTECKI, R Division of Project & Resident Programs 82/05/17, LEMPGES, T E Niagara Mohawk Power Corp 2pp 13337 268 24X
Fiche 50-220,82/05/17,8206030219

--8206030222 Notice of violation from insp on 820404-0502
STAROSTECKI, R Division of Project & Resident Programs 82/05/17 1p 13337 270 24X Fiche 50-220,82/05/17,8206030219

--8206030227 IE Insp Rept 50-220/82-05 on 820404-0502 Noncompliance noted failure to follow administrative procedures for tagging
HUDSON, B D, DOERFLEIN, L T, KISTER, H B Division of Project & Resident Programs 82/05/14 9pp 13337 271 24X
Fiche 50-220,82/05/17,8206030219

8206070364 Forwards IE Insp Rept 50-220/81-04 on 810303-06 & 24-27 & notice of violation
MARTIN, T T Division of Engineering & Technical Programs 82/05/21, LEMPGES, T E Niagara Mohawk Power Corp, 2pp 13363 318 24X
Fiche 50-220,82/05/21,8206070364

--8206070368 Notice of violation from insp on 810303-06 & 24-27, MARTIN, T T Division of Engineering & Technical Programs, 82/05/21 2pp 13363 320, 24X Fiche 50-220,82/05/21,8206070364

DOCKETED ITEMS

--B206070771 IE Insp Rept 50-220/81-04 on B20303-06 & 24-27 Noncompliance noted failure to follow procedures & adequately perform surveys
BAER, R E, GREENMAN, E G Division of Engineering & Technical Programs 82/05/20 10pp 13363 322 24X Fiche 50-220, 82/05/21, B206070344

B206030238 Ack receipt of B20517 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-220/82-04
STAROSTECHKI, R Division of Project & Resident Programs 82/05/26 LEMPGES, T E Niagara Mohawk Power Corp 1p 13337 241 24X Fiche 50-220, 82/05/26, B206030238

--B206030241 Responds to NRC B20420 ltr re violations noted in IE Insp Rept 50-220/82-04 Corrective actions procedure IV A 20 reflecting resistor sizes currently used has been revised & personnel normally performing procedure retained
LEMPGES, T E Niagara Mohawk Power Corp 82/05/17 STAROSTECHKI, R Division of Project & Resident Programs 2pp 13337 242 24X Fiche 50-220, 82/05/26, B206030238

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206070293 Ack receipt of B20512 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-220/82-03
MARTIN, T T Division of Engineering & Technical Programs 82/06/01 LEMPGES, T E Niagara Mohawk Power Corp 1p 13368 273 24X Fiche 50-220, 82/06/01, B206070293

--B206070298 Responds to NRC B20416 ltr re violations noted in IE Insp Rept 50-220/82-03 Corrective actions AFN-13 will be revised to include establishment of independent insp group Personnel will be retrained in revised procedure
DISE, D P Niagara Mohawk Power Corp 82/05/12 MARTIN, T T Division of Engineering & Technical Programs 3pp 13368 274 24X Fiche 50-220, 82/06/01, B206070293

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 106pp 13527 150 24X Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mail by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, B204210384

B206210453 Forwards response to B20422 request for addl info re util response to IE Bulletin 80-11, "Masonry Wall Design "
LEMPGES, T E Niagara Mohawk Power Corp 82/06/14 VASSALLO, D B Operating Reactors Branch 2 53pp 13564 087 24X Fiche 50-220, 82/06/14, B206210453

B206210484 Advises that util unable to provide response to B20414 request for info re intervice insp program until B20801, due to safe and replacement project
LEMPGES, T E Niagara Mohawk Power Corp 82/06/14, VASSALLO, D B Operating Reactors Branch 2 1p 13570 360 24X Fiche 50-220, 82/06/14, B206210484

B206290258 Forwards IE Insp Rept 50-220/82-07 on B20503-31 No noncompliance noted
STAROSTECHKI, R Division of Project & Resident Programs 82/06/14 LEMPGES, T E Niagara Mohawk Power Corp 2pp 13636 148 24X Fiche 50-220, 82/06/14, B206290258

--B206290265 IE Insp Rept 50-220/82-07 on B20503-31 No noncompliance noted Major areas inspected operational safety verification, physical security, surveillance testing, plant maint & licensee action on IE bulletins & circulars
HUDSON, B D, DOERFLEIN, L T, KISTEP, K R Region 1, Office of Director 82/06/11 11pp 13636 150 24X Fiche 50-220, 82/06/14, B206290258

R Periodic operating reports & related correspondence

B206140074 Forwards monthly operating rept for May 1982
LEMPGES, T E Niagara Mohawk Power Corp 82/06/08 Director's Office, Office of Inspection and Enforcement 1p 13487 188 24X Fiche 50-220, 82/06/08, B206140074

--B206140075 Monthly operating rept for May 1982
ROMAN, T W Niagara Mohawk Power Corp 82/06/01 6pp 13487 189 24X Fiche 50-220, 82/06/08, B206140074

DOCKET 50-224 UNIV OF CALIFORNIA RESEARCH REACTOR

0 Inspection reports, IE Bulletins & correspondence

B206080408 Forwards IE Insp Rept 50-224/82-03 on B20511-13 No noncompliance noted
BOKH, H E Region 5, Office of Director 82/05/25 PISTER, C California, Univ of, Berkeley 1p 13416 265 24X Fiche 50-224, 82/05/25, B206080408

--B206080416 IE Insp Rept 50-224/82-03 on B20511-13 No noncompliance noted Major areas inspected radiation protection, effluent releases, training, instrument calibr, records & repts, emergency planning program & mail transportation activities
CILLIS, M, WENSLAWSKI, F A Region 5, Office of Director 82/05/24 8pp 13416 266 24X Fiche 50-224, 82/05/25, B206080416

DOCKET 50-237 DRESDEN NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, B206150016

--B206150023 Updates delivery schedule for siren shipments to facilities
ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P Affiliation Unknown 3pp 13524 234 24X Fiche 50-000, 82/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11, REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERZELLO, C J Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRINES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by B20601
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRINES, B K Division of Emergency Preparedness 3pp 13454 150 24X Fiche 50-000, 82/05/11, B206090002

B206080253 Advises that annex changes for all App C items should be submitted by B20731 Response to Generic Ltr 82-05 provided status of App D items Response to Generic Ltr 82-10 will discuss NUREG-0737 status re emergency response facilities
RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPLER, J G Region 3, Office of Director 6pp 13420 166 24X Fiche 50-000, 82/05/26, B206080253

B206180297 Forwards post-exercise evaluation of "Small Scale Exercise" on B10930. Final rept Deficiencies will be corrected by B20629 re offsite emergency preparedness
KRIMM, R W Federal Emergency Management Agency 82/05/26 GRINES, B Division of Emergency Preparedness 3pp 13454 340 24X Fiche 50-010, 82/05/26, B206180297

--8206180300 Final rept of "Small Scale Exercise on 810930 "
 * Federal Emergency Management Agency 82/03/31 21pp
 13545 343 24X Fiche 50-010, 82/03/26, 8206180297

8206070809 Informs that deficiencies identified during initial testing
 of prompt public notification sys for facilities documented
 in util 820216 ltr have been corrected prior to 820601
 DELGEOERGE, L D Commonwealth Edison Co 82/03/28 KEPLER, J G
 Region 3, Office of Director 2pp 13389 115 24X
 Fiche 50 000 82/03/28, 8206070809

8206060449 Releases public version of emergency plan implementing
 procedure
 FELTON, J M Division of Rules and Records 82/05/28 Document
 Management Branch 1p 13439 347 24X Fiche 50-010, 82/05/20,
 8206080449

--8206080459 Forwards public version of Emergency Plan Implementing
 Procedures EPIP 500-S, "Quarterly Emergency Operations
 Facility Inventory (Primary Responsibility - Generating
 Station Emergency Plan Coordinator) "
 SCOTT, D J Commonwealth Edison Co 82/05/21 DENTON, H R Office
 of Nuclear Reactor Regulation, Director 4pp 13439 348 24X
 Fiche 50-010, 82/03/28, 8206080449

--8206080466 Public version of Emergency Plan Implementing Procedure
 EPIP 500-S, "Quarterly Emergency Operations Facility
 Inventory (Primary Responsibility - Generating Station
 Emergency Plan Coordinator) "
 * Commonwealth Edison Co 82/05/20 4pp 13439 352 24X
 Fiche 50-010, 82/03/28, 8206080449

8206080493 Releases public version of revised emergency plan
 implementing procedures
 FELTON, J M Division of Rules and Records 82/05/28 Document
 Management Branch 1p 13440 074 24X Fiche 50-010, 82/05/28,
 8206080493

--8206080496 Forwards public version of revised emergency plan
 implementing procedures, including Procedures EPIP 200-3 re
 criticality accident in SNM area & EPIP 300-5 re emergency
 treatment of injured personnel Receipt Forms encl
 SCOTT, D J Commonwealth Edison Co 82/05/14 DENTON, H R Office
 of Nuclear Reactor Regulation, Director 8pp 13440 075 24X
 Fiche 50-010, 82/05/28, 8206080493

--8206080499 Public version of revised emergency plan implementing
 procedures, including Procedures EPIP 200-3 re criticality
 accident in SNM area & EPIP 300-5 re emergency treatment
 of injured personnel
 * Commonwealth Edison Co 82/05/13 15pp 13440 083 24X
 Fiche 50-010, 82/05/28, 8206080493

8206140321 Advises that Revision 10 to Quad Cities Station security
 plan & Revision 11 to Dresden Nuclear Power Station security
 plan transmitted by util 810610 & 1027 ltrs, respectively,
 consistent w/provisions of 10CFR50 54(p) & approved
 VASSALLO, D B Operating Reactors Branch 2 82/06/01 DELGEOERGE, L
 Commonwealth Edison Co 3pp 13509 042 24X Fiche 50-000, 82/06/01,
 8206140321

8206110074 Releases public version of revised emergency plan
 implementing procedure
 FELTON, J M Division of Rules and Records 82/06/08 Document
 Management Branch 1p 13493 246 24X Fiche 50-010, 82/06/08,
 8206110074

--8206110098 Forwards public version of Revision 0 to Emergency Plan
 Implementing Procedure 300-T1, "Table of Conditions
 Requiring Post-Accident Lineup of High Radiation Sampling
 Sys & Use of Post-Accident Sampling Procedures "
 SCOTT, D J Commonwealth Edison Co 82/05/28 DENTON, H R Office
 of Nuclear Reactor Regulation, Director 3pp 13493 247 24X
 Fiche 50-010, 82/06/08, 8206110074

--8206110104 Public version of Revision 0 to Emergency Plan Implementing
 Procedure 300-T1, "Table of Conditions Requiring Post-
 Accident Lineup of High Radiation Sampling Sys & Use of
 Post-Accident Sampling Procedures," Revised index encl
 * Commonwealth Edison Co 82/05/27 3pp 13493 250 24X
 Fiche 50-010, 82/06/08, 8206110074

8206240332 Forwards Revision 3 to Procedure Q291A, "Meteorological
 Monitoring, Offsite Dose Calculation Program for Emergency
 Preparedness at Operating Nuclear Power Plants" & Revision 4
 to QA program for meteorological monitoring programs
 SCHRADER, C W Commonwealth Edison Co 82/06/16 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 1p 13600 315, 24X
 Fiche 50-000, 82/06/16, 8206240332,

8206230021 Releases public version of generating stations emergency
 plan telephone directory
 FELTON, J M Division of Rules and Records 82/06/17 Document
 Management Branch 1p 13594 073 24X Fiche 50-000, 82/06/17,
 8206230021

--8206230032 Forwards public version of generating stations emergency
 plan telephone directory
 MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC -
 No Detailed Affiliation Given 1p 13594 074 24X
 Fiche 50-000, 82/06/17, 8206230021

--8206230037 Public version of generating stations emergency plan
 telephone directory
 * Commonwealth Edison Co 82/05/28 40pp 13594 076 24X
 Fiche 50-000, 82/06/17, 8206230021

8206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 &
 DPR-30 changing Tech Specs to clarify licensee
 responsibilities & actions necessary to protect public
 health & safety during emergency
 RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office
 of Nuclear Reactor Regulation, Director 2pp 13600 313 24X
 Fiche 50-000, 82/06/17, 8206240425

8206240032 Releases public version of generating stations emergency
 plan telephone directory
 FELTON, J M Division of Rules and Records 82/06/18 Document
 Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18,
 8206240032

--8206240049 Public version of generating stations emergency plan
 telephone directory
 * Commonwealth Edison Co 82/05/28 41pp 13617 337 24X
 Fiche 50-000, 82/06/18, 8206240032

8206300112 Releases public version of revised generating station
 emergency plan environ director emergency plan implementing
 procedures
 FELTON, J M Division of Rules and Records 82/06/23 Document
 Management Branch 1p 13695 001 24X Fiche 50-000, 82/06/23,
 8206300112

--8206300121 Forwards public version of revised generating station
 emergency plan environ director emergency plan implementing
 procedures, including Revision 2 to Procedure ED-3 re demand
 polling of meteorological data
 CICHY, G Commonwealth Edison Co 82/06/08 Director's Office,
 Office of Inspection and Enforcement DENTON, H R NRC - No
 Detailed Affiliation Given 2pp 13695 002 24X
 Fiche 50-000, 82/06/23, 8206300112

--8206300125 Public version of revised generating station emergency plan
 environ director emergency plan implementing procedures,
 including Revision 2 to Procedure ED-3 re demand polling of
 meteorological data
 LITERSKI, L A, FLESSNER, P A Commonwealth Edison Co 82/06/02
 11pp 13695 004 24X Fiche 50-000, 82/06/23, 8206300112

8206300197 Advises that SEP Topic IX-6 re fire protection, considered
 completed for conducting integrated assessment
 O'CONNOR, P Operating Reactors Branch 5 82/06/23 DELGEOERGE, L,
 Commonwealth Edison Co 2pp 13655 338 24X Fiche 50-237, 82/06/23,
 8206300197,

0 Adjudicatory correspondence

8206010336 Notice of appearance in proceeding Notice of change of
 business address & Certificate of Svc encl
 FITZQIBBONS, R, Commonwealth Edison Co FITZQIBBONS, R, Isham,
 Lincoln & Beale 82/05/24 3pp 13301 281 24X
 Fiche 50-000, 82/05/24, 8206010336

8206170083 Notice of 820713 hearing in Bethesda, MD, to continue to 0714
 if necessary Evidence relevant to issue of whether spent
 fuel pool floors can withstand loads which could be imposed
 by new fuel racks during seismic event will be taken
 WOLF, J F Atomic Safety and Licensing Board Panel 82/06/09 2pp,
 13529 288 24X Fiche 50-237, 82/06/09, 8206170083

8206180330 Motion for reconsideration or clarification of hearing
 scheduled for 820713 by ASLB 820609 notice of hearing
 Further evidentiary sessions unnecessary & improper Final
 decision proper Certificate of Svc encl
 FITZQIBBONS, R Commonwealth Edison Co FITZQIBBONS, R, Isham,
 Lincoln & Beale 82/06/16 Atomic Safety and Licensing Board
 Panel 7pp 13545 177 24X Fiche 50-237, 82/06/16, 8206180330

DOCKETED ITEMS

8206230184 Forwards Harstead Engineering Associates, Inc. NRC consultant, analysis of spent fuel pool & rack sys NRC supplementary SER partially based on rept
GODDARD, R J Hearing Branch 3 82/06/21 WOLF, J F, LITTLE, L W, REMICK, F J Atomic Safety and Licensing Board Panel 1p
13386 162 24X Fiche 50-237, 82/06/21, 8206230184

--8206230186 "Impact Effects on Spent Fuel Pool Slab"
HARSTEAD, G A Harstead Engineering Associates, Inc 82/05/19
6pp 13386 163 24X Fiche 50-237, 82/06/21, 8206230184

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, L M KIRKPATRICK, Lockhart, Hill, Christopher & Phillips 28pp
13365 055 24X Fiche 50-000, 82/05/12, 8206280071

8206040156 Forwards Amend 71 to License DPR-19, safety evaluation & notice of issuance & availability Amend authorizes increase in setpoint of main steam line radiation trip level during hydrogen addition test
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/13 DELGEOURGE, L Commonwealth Edison Co 2pp 13344 251 24X Fiche 50-237, 82/05/13, 8206040156

--8206040159 Amend 71 to License DPR-19, authorizing increase in setpoint of main steam line radiation monitor trip level during hydrogen addition test scheduled during May & June 1982
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/13 11pp
13344 253 24X Fiche 50-237, 82/05/13, 8206040156

--8206040161 Safety evaluation supporting Amend 71 to License DPR-19
* Office of Nuclear Reactor Regulation, Director 82/05/13 3pp
13344 264 24X Fiche 50-237, 82/05/13, 8206040156

--8206040166 Notice of issuance & availability of Amend 71, to License DPR-19
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/13 2pp
13344 267 24X Fiche 50-237, 82/05/13, 8206040156

8206040392 Forwards Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, safety evaluation & notice of issuance & availability Amends change App A Tech Specs re undervoltage protection
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 DELGEOURGE, L Commonwealth Edison Co 4pp 13355 001 24X Fiche 50-000, 82/05/19, 8206040392

--8206040394 Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, changing App A Tech Specs re undervoltage protection
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 41pp
13355 005 24X Fiche 50-000, 82/05/19, 8206040392

--8206040402 Safety evaluation supporting Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/19 3pp
13355 047 24X Fiche 50-000, 82/05/19, 8206040392

--8206040405 Notice of issuance & availability of Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 2pp
13355 073 24X Fiche 50-000, 82/05/19, 8206040392

8206010480 Forwards draft evaluation of SEP Topic III-7, B, "Design Codes, Design Criteria & Loading Combinations" Response requested within 30 days
O'CONNOR, P W Operating Reactors Branch 5 82/05/20 DELGEOURGE, L Commonwealth Edison Co 8pp 13302 210 24X Fiche 50-237, 82/05/20, 8206010480

8206020342 Forwards SAR for SEP Topic VI-1, "Organic Matls & Post Accident Chemistry"
RAUSCH, T J Commonwealth Edison Co 82/05/21 CRUTCHFIELD, D Operating Reactors Branch 5 9pp 13321 289 24X
Fiche 50-237, 82/05/21, 8206020342

8206020441 Responds to NRC 811218 ltr re SEP Topic VI-4, "Containment Isolation Sys" Requested data on primary containment isolation valves encl
RAUSCH, T J Commonwealth Edison Co 82/05/21 CRUTCHFIELD, D Operating Reactors Branch 5 11pp 13326 147 24X
Fiche 50-237, 82/05/21, 8206020441

8206030244 Forwards draft evaluation of SEP Topic III-4 B, "Turbine Missiles" Turbine missile risk acceptably low w/addition of inservice insps described in SER Comments requested within 30 days of receipt of ltr
O'CONNOR, P W Operating Reactors Branch 5 82/05/26 DELGEOURGE, L Commonwealth Edison Co 34pp 13337 171 24X Fiche 50-237, 82/05/26, 8206030244

3206040122 Responds to NRC 820426 ltr re SEP Topic V-4, "Piping & Safe-End Integrity" Fourteen furnace sensitized safe-ends still remain & are inspected during every refueling outage
Intent of NUREG-0313 has been met
RAUSCH, T J Commonwealth Edison Co 82/05/27 EISENHUT, D G Division of Licensing 2pp 13345 355 24X Fiche 50-237, 82/05/27, 8206040122

8206070326 Responds to NRC 820224 ltr re detection of leakage from RCPB Several sys would meet acceptance criteria of Reg Guide 1.45 Leak detection for RCS is accomplished using several methods of continuous monitoring of drywell
RAUSCH, T J Commonwealth Edison Co 82/05/27 O'CONNOR, P W Operating Reactors Branch 5 10pp 13363 027 24X
Fiche 50-237, 82/05/27, 8206070326

8206070330 Submits correction factors modifying instrument readings to correspond w/actual radiation levels inside containment re TMI Action Item II F 1.3 Procedures will not be submitted at this time, but are available for onsite review
SWARTZ, E D Commonwealth Edison Co 82/06/01 EISENHUT, D G Division of Licensing 5pp 13363 037 24X Fiche 50-000, 82/06/01, 8206070330

8206090032 Informs that facility training program outline submitted in util 820403 ltr meets requirements of NUREG-0737, Item II B 4 re training for mitigating core damage Program covers subs specified in INPD Rept STG-01, Revision 1
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 DELGEOURGE, L Commonwealth Edison Co 2pp 13435 031 24X Fiche 50-237, 82/06/03, 8206090032

8206080228 Forwards final evaluation of SEP Topic III-3 A, "Effects of High Water Level on Structures" Structures can adequately withstand loads imparted by high water levels
O'CONNOR, P W Operating Reactors Branch 5 82/06/04 DELGEOURGE, L Commonwealth Edison Co 4pp 13421 343 24X Fiche 50-237, 82/06/04, 8206080228

8206100214 Forwards requested info re implementation status of NUREG-0737 items per Generic Ltr 82-10
SWARTZ, E D Commonwealth Edison Co 82/06/04 EISENHUT, D G Division of Licensing 20pp 13453 214 24X Fiche 50-000, 82/06/04, 8206100214

8206140099 Forwards, "Dresden 2 Nuclear Power Station SEP Topic III-5 A, High Energy Pipe Break Inside Containment," interim progress rept
RAUSCH, T J Commonwealth Edison Co 82/06/04 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13489 272 24X
Fiche 50-237, 82/06/04, 8206140099

--8206140102 "Dresden 2 Nuclear Power Station SEP Topic III-5 A, High Energy Pipe Break Inside Containment," interim progress rept
DAINDORA, J Target Technology Ltd 1105-CECO-PR-1 ROO 82/05/18 36pp 13489 274 24X Fiche 50-237, 82/06/04, 8206140099

8206170108 Forwards draft suppl to evaluation of SEP Topic III-7 B, "Design Codes, Design Criteria, Load Combinations" Facility drywell will function as intended under combined seismic - LOCA loads Confirmation/correction requested
O'CONNOR, P W Operating Reactors Branch 5 82/06/04 DELGEOURGE, L Commonwealth Edison Co 9pp 13530 087 24X Fiche 50-237, 82/06/04, 8206170108

8206160222 Forwards Revision 21 to QA Program, Topical Rept LF-1-A
SWARTZ, E D Commonwealth Edison Co 82/06/07 HAABBS, W P Quality Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept "
 * Commonwealth Edison Co CE-1-A R21 ERR 82/06/04 20pp
 13522 028 24X Fiche 50-000, 82/06/07, 8206160222

8206170335 Responds to request for submittal of mod of proposed tech
 Spec changes reflecting current organizational structure
 & titles at facilities Revised submittal expected by Jul
 1982
 RAUSCH, T J Commonwealth Edison Co 82/06/09 VASSALLO, D B
 Operating Reactors Branch 2 1p 13531 015 24X
 Fiche 50-000, 82/06/09, 8206170335

8206170320 Forwards suppl to 820415 ltr in response to Generic Ltr
 82-05 re implementation status of listed NUREG-0737 items
 DOUGLAS, E Commonwealth Edison Co 82/06/11 EISENHUT, D O
 Division of Licensing 4pp 13531 299 24X Fiche 50-237, 82/06/11,
 8206170320

8206180197 Submits info re SEP Topic III-2, "Wind & Tornado Loadings "
 Vendor drawings for ventilation chimney foundation listed
 RAUSCH, T J Commonwealth Edison Co 82/06/11 O'CONNOR, P
 Operating Reactors Branch 5 2pp 13554 279 24X
 Fiche 50-237, 82/06/11, 8206180197

8206210406 Advises that SEP Topic VIII-1 A, "Potential Equipment
 Failures Associated W/Degraded Grid Voltage," has been
 completed satisfactorily based on Amend 72 to License DPR-19
 & NRC 811007 safety evaluation
 O'CONNOR, P W Operating Reactors Branch 5 82/06/15 DELGEOERGE, L
 Commonwealth Edison Co 2pp 13568 329 24X Fiche 50-237, 82/06/15,
 8206210406

8206240154 Forwards evaluation approving util 801215 & 820415 response
 re TH1 item 11 K 3 24 on adequacy of space cooling for HPCI
 & reactor core isolation cooling sys Action on item
 complete
 CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 DELGEOERGE, L
 Commonwealth Edison Co 3pp 13599 272 24X Fiche 50-237,
 82/06/15, 8206240154

8206240356 Forwards safety evaluation approving 810701 & 1207 proposed
 method for implementing guidance of NUREG-0737, Item
 11 K 3 15, "Isolation of HPCI & Reactor Core Isolation
 Cooling " Proposed method acceptable
 CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 DELGEOERGE, L
 Commonwealth Edison Co 4pp 13595 066 24X Fiche 50-000,
 82/06/15, 8206240356

8206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 &
 DPR-30 changing Tech Specs to clarify licensee
 responsibilities & actions necessary to protect public
 health & safety during emergency
 RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office
 of Nuclear Reactor Regulation, Director, 2pp 13600 313 24X
 Fiche 50-000, 82/06/17, 8206240425

8206250255 Forwards final draft safety assessment rept, "SEP Topic
 11 C Potential Hazards Due to Nearby Industrial,
 Transportation & Military Facilities "
 RAUSCH, T J Commonwealth Edison Co 82/06/17 O'CONNOR, P
 Operating Reactors Branch 5 32pp 13613 195 24X
 Fiche 50-237, 82/06/17, 8206250255

8206220315 Forwards proposed schedule of events listing course of
 action to complete draft integrated assessment for facility
 Assessment scheduled to be performed in parallel w/Oyster
 Creek & Millstone 1
 O'CONNOR, P Operating Reactors Branch 5 82/06/18 DELGEOERGE, L
 Commonwealth Edison Co 4pp 13571 014 24X Fiche 50-237, 82/06/18,
 8206220315

8206230184 Forwards Harstead Engineering Associates, Inc. NRC consultant,
 analysis of spent fuel pool & rack sys NRC supplementary
 SER partially based on rept
 OGDARD, R J Hearing Branch 3 82/06/21 WOLF, J F, LITTLE, L W,
 REMICK, F J Atomic Safety and Licensing Board Panel 1p
 13586 162 24X Fiche 50-237, 82/06/21, 8206230184

--8206230186 "Impact Effects on Spent Fuel Pool Slab "
 HARSTEAD, G A Harstead Engineering Associates, Inc 82/05/19
 6pp 13586 163 24X Fiche 50-237, 82/06/21, 8206230184

8206280083 Forwards revised Section 10.1 of FSAR, amending certain
 commitments re installation of high density fuel storage
 racks Revision will be included in first update to entire
 FSAR expected by Jul 1982
 RAUSCH, T J Commonwealth Edison Co 82/06/22 DENTON, H R Office
 of Nuclear Reactor Regulation, Director 10pp 13624 232 24X
 Fiche 50-237, 82/06/22, 8206280083

8206300015 Notifies that scope of review & evaluation performed for
 Multi-Plant Generic Activity B-24 includes electrical
 aspects of SEP Topic VI-4 re containment isolation sys
 (electrical) eliminating addl review Topic completed
 O'CONNOR, P W Operating Reactors Branch 5 82/06/23 DELGEOERGE, L
 Commonwealth Edison Co 5pp 13656 036 24X Fiche 50-237, 82/06/23,
 8206300015

8206300276 Forwards final evaluation of SEP Topic V-5 re RCPB leakage
 detection Sys sensitivity, seismic qualification &
 testability do not meet min recommendations
 O'CONNOR, P Operating Reactors Branch 5 82/06/23 DELGEOERGE, L
 Commonwealth Edison Co 8pp 13653 311 24X Fiche 50-237, 82/06/23,
 8206300276

0 Inspection reports, IE Bulletins & correspondence

8206070781 Forwards IE Insp Repts 50-010/82-04, 50-237/82-06 &
 50-249/82-06 on 820130-0402 & notice of violation
 SPESSARD, R L Division of Project & Resident Programs 82/05/21
 REED, C Commonwealth Edison Co 2pp 13389 199 24X
 Fiche 50-010, 82/05/21, 8206070781

--8206070785 Notice of violation from insp on 820130-0402
 SPESSARD, R L Division of Project & Resident Programs 82/05/21
 2pp 13389 201 24X Fiche 50-010, 82/05/21, 8206070785

--8206070795 IE Insp Repts 50-010/82-04, 50-237/82-06 & 50-249/82-06 on
 820130-0402 Noncompliance noted failure to calibr
 safety-related instruments & failure to meet requirement
 of NRC order
 TONGUE, T M, JORDAN, M J, WALKER, R D Division of Project &
 Resident Programs 82/05/12 15pp 13389 203 24X
 Fiche 50-010, 82/05/21, 8206070781

8206020493 Forwards info re IE Bulletin 79-14, "Seismic Analysis for
 As-Built Safety-Related Piping Sys" & IE Insp Repts
 50-237/82-01, 50-249/82-01, 50-254/82-01 & 50-265/82-01,
 discussed during 820520 meeting
 STIEDE, W L Commonwealth Edison Co 82/05/24, KEPLER, J O Region
 3, Office of Director 14pp 13325 001, 24X Fiche 50-000, 82/05/24,
 8206020493

--8206020502 "Seismic Ground Motion Hazard at Zion Nuclear Power Plant
 Site for Pickard, Lowe & Garrick, Inc "
 MCQUIRE, R K Damas & Moore 82/07/02 37pp, 13325 015 24X
 Fiche 50-000, 82/05/24, 8206020493

--8112020951 "Conditional Probabilities of Seismic Induced Failures for
 Structures & Components for Zion Nuclear Generating
 Station "
 WESLEY, D A Structural Mechanics Associates BMA 12901 02,
 80/10/31 35pp 13325 032 24X Fiche 50-000, 82/05/24, 8206020493

8206070487 Submits monthly status rept of evaluations performed in
 response to IE Bulletin 79-14, "Seismic Analysis for
 As-Built Safety-Related Piping Sys " No changes since last
 status rept
 RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPLER, J O Region
 3, Office of Director 1p 13374 326 24X Fiche 50-000, 82/05/26,
 8206070487

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/05/28 107pp 13426 099 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
 Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
 Reactor Coolant Pressure Boundary of PWR Plants "
 Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8206220350 Forwards IE Insp Repts 50-237/82-07 & 50-249/82-07 on
 820412-16 & 19-23 & notice of violation
 SPESSARD, R L Division of Project & Resident Programs 82/06/07
 REED, C Commonwealth Edison Co, 2pp 13580 066 24X
 Fiche 50-237, 82/06/07, 8206220350

--8206220355 Notice of violation from insp on 820412-16 & 19-23
 SPESSARD, R L Division of Project & Resident Programs 82/06/07,
 3pp, 13580 068 24X Fiche 50-237, 82/06/07, 8206220350

DOCKETED ITEMS

--8206220563 IE Insp Repts 50-237/82-07 & 50-249/82-07 on 820412-14
19-23 Noncompliance noted Failure to retrain maint
personnel every 2 yrs; failure to train maint personnel in
station plans & procedures & failure to document training
SHAFFER, W D, HELLER, J K, MADISON, A L Division of Project &
Resident Programs 82/05/24 26pp 13580 071 24X
Fiche 50-237, 82/06/07, 8206220550

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220377 Responds to IE Bulletin 81-01, Revision 1, "Surveillance of
Mechanical Snubbers " Mechanical Snubber 23 in Dresden
reactor cleanup sys found inoperable & replaced Quad Cities
snubbers will be tested per new Tech Spec requirements
SHARTZ, E D Commonwealth Edison Co 82/06/15 KEPLER, J G Region
3, Office of Director 4pp 13581 316 24X Fiche 50-000, 82/06/15,
8206220377

R Periodic operating reports & related correspondence

8206030150 Forwards "Annual Operating Rept, 1981 "
SCOTT, D J Commonwealth Edison Co 82/03/10 Director's Office,
Office of Inspection and Enforcement 1p 13338 012 24X
Fiche 50-010, 82/03/10, 8206030150

--8206030151 "Annual Operating Rept, 1981 "
* Commonwealth Edison Co 82/03/10 25pp 13338 013 24X
Fiche 50-010, 82/03/10, 8206030150

8206150310 Forwards monthly operating repts for May 1982
SCOTT, D J Commonwealth Edison Co 82/06/01 Director's Office,
Office of Inspection and Enforcement 1p 13506 137 24X
Fiche 50-010, 82/06/01, 8206150310

--8206150313 Monthly operating repts for May 1982
SCHROEDER, B A Commonwealth Edison Co 82/06/01 32pp
13506 138 24X Fiche 50-010, 82/06/01, 8206150310

S Reportable occurrences, LERs & related correspondence

8206210574 Forwards LER 82-013/03X-1
SCOTT, D J Commonwealth Edison Co 82/05/14 KEPLER, J G Region
3, Office of Director 1p 13563 204 24X Fiche 50-237, 82/05/14,
8206210574

--8206210587 LER 82-013/03X-1 on 820402, LPC1 differential pressure switch
2-261-358 failed to operate on increasing pressure Caused by
wear of contact point in mechanical linkage operating
switch Internal zero screw adjusted
SCHROEDER, B A Commonwealth Edison Co 82/06/04 Region 3,
Office of Director 2pp 13563 205 24X Fiche 50-237, 82/05/14,
8206210574

8206070716 Forwards LER 82-015/03L-0
SCOTT, D J Commonwealth Edison Co 82/05/19 KEPLER, J G Region
3, Office of Director 1p 13389 156 24X Fiche 50-237, 82/05/19,
8206070716

--8206070723 LER 82-015/03L-0 on 820511, during quarterly surveillance of
HSIVs, valve 203-1D had 2 9-s closure time Caused by timing
mechanism drift Valve readjusted & tested satisfactorily
HOLLAND, P Commonwealth Edison Co 82/05/19 Region 3, Office
of Director 2pp 13389 157 24X Fiche 50-237, 82/05/19,
8206070716

8206070771 Forwards LER 82-014/03L-0 & NPDES deviation notification
SCOTT, D J Commonwealth Edison Co 82/05/28 KEPLER, J G Region
3, Office of Director 1p 13389 275 24X Fiche 50-237, 82/05/28,
8206070771

erring contents of
floor drain
"region"

egion 3, Office
2/05/28,

8206170337 RO 82-027 on 820511, excessive radioactive contamination
identified in two areas of offsite dump Caused by inadequate
control of dump access & failure to survey large loads of
matl thoroughly Area cleaned up & Procedure 12 3 revised
SCOTT, D J Commonwealth Edison Co 82/06/07 KEPLER, J G Region
3, Office of Director 3pp 13531 153 24X Fiche 50-010, 82/06/07,
8206170337

DOCKET 50-241 MISSISSIPPI STATE UNIV RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

8206070339 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0943, "Agency Procedures for NRC
Incident Response Plan " Plan should be of benefit to
understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 PAULK, J J Mississippi State Univ 1p 13363 066 24X
Fiche 50-241, 82/05/12, 8206070339

DOCKET 50-243 OREGON STATE UNIV RESEARCH REACTOR

P Operating license stage documents & correspondence

8206080417 Responds to 820412 ltr re NRC licensing requirements
applicable to planned transfer of irradiated TRIGA fuel
elements from Westinghouse Hanford to DOE contractor DOE
will assume full responsibility for transfer
MACDONALD, C E Transportation Branch 82/05/26 WANG, C H Ohio
State Univ 1p 13442 190 24X Fiche 50-243, 82/05/26, 8206080417

DOCKET 50-244 ROBERT ERMET GINNA NUCLEAR PLANT, UNIT 1

8206040418 Summary of 820427 meeting w/utl & consultants in
Churchill, PA to exchange metallurgical data on facility
List of attendees, agenda, supportive info & viewgraphs
encl
LYONS, J E Operating Reactors Branch 5 82/05/22 Operating
Reactors Branch 5 77pp 13356 277 24X Fiche 50-244, 82/05/22,
8206040418

F Security, medical, emergency & fire protection plans

8206100192 Forwards IE Emergency Preparedness Appraisal Rept
50-244/B1-22 on 81102-13, significant preparedness findings,
improvement items & evaluation rept No noncompliance noted
Corrective actions required
SMITH, O H Division of Emergency Preparedness & Operational Support
82/05/20 MAIER, J E Rochester Gas & Electric Corp 31pp
13452 015 24X Fiche 50-244, 82/05/20, 8206100192

--8206100199 IE Emergency Preparedness Appraisal Rept 50-244/B1-22 on
81102-13 No noncompliance noted Major areas inspected
administration of emergency preparedness & organization,
training/retraining & emergency facilities & equipment
TERC, N M, CROCKER, H W Division of Emergency Preparedness &
Operational Support 82/05/04 56pp 13452 066 24X
Fiche 50-244, 82/05/20, 8206100192

8206020191 Releases public version of revised emergency plan

implementing procedure
FELTON, J M Division of Rules and Records 82/05/25 Document
Management Branch 1p 13340 177 24X Fiche 50-244, 82/05/25,
8206020191

--8206020196 Forwards public version of Revision 1 to Emergency Plan
Implementing Procedure SC-322, "Manning Emergency Survey
Ctr " Procedure SC-1 16 has been deleted
MAIER, J E Rochester Gas & Electric Corp 82/05/05
CRUTCHFIELD, D Operating Reactors Branch 5 1p 13340 178 24X
Fiche 50-244, 82/05/25, 8206020191

--8206020202 Public version of Revision 1 to Emergency Plan Implementing
Procedure SC-322, "Manning Emergency Survey Ctr "
BODINE, J C Rochester Gas & Electric Corp 82/04/30 5pp
13340 179 24X Fiche 50-244, 82/05/25, 8206020191

8206040127 Forwards safety evaluation re proposed mods to select

fire suppression sys
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/26 MAIER, J
Rochester Gas & Electric Corp 2pp 13347 083 24X
Fiche 50-244, 82/05/26, 8206040127

--8206040130 Safety evaluation supporting proposed mods to select fire
suppression sys
* Office of Nuclear Reactor Regulation, Director 82/05/26 2pp
13347 085 24X Fiche 50-244, 82/05/26, 8206040127

8206180290 Forwards "Post-Exercise Assessment Exercise of NY State & Wayne & Monroe Counties Radiological Emergency Plans for Ginna Nuclear Power Station"
KRITH, R W Federal Emergency Management Agency 82/05/26
GRINES, B Division of Emergency Preparedness 1p 13547 076 24X
Fiche 50-244, 82/05/26, 8206180290

--8206180293 "Post-Exercise Assessment Exercise of NY State & Wayne & Monroe Counties Radiological Emergency Plans for Ginna Nuclear Power Station"
* Federal Emergency Management Agency 82/02/12 42pp
13547 077 24X Fiche 50-244, 82/05/26, 8206180290

8206140001 Releases public version of Revision 1B to emergency plan & revised implementing procedures
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13506 229 24X Fiche 50-244, 82/06/08, 8206140001

--8206140002 Forwards public version of Revision 1B to emergency plan & revised implementing procedures, including Procedures SC-606 re specialized notification list, SC-410 re insp of emergency equipment & SC-701 re initial notification status rept
MAIER, J E Rochester Gas & Electric Corp 82/05/27
CRUTCHFIELD, D Operating Reactors Branch 5 1p 13506 230 24X
Fiche 50-244, 82/06/08, 8206140001

--8206140003 Public version of revised emergency plan implementing procedures including Procedures SC-606 re specialized notification list, SC-410 re insp of emergency equipment & SC-701 re initial notification status rept
* Rochester Gas & Electric Corp 82/05/22 52pp 13506 231
24X Fiche 50-244, 82/06/08, 8206140001

--8206140004 Public version of Revision 1B to emergency plan
* Rochester Gas & Electric Corp 82/05/22 81pp 13506 263
24X Fiche 50-244, 82/06/08, 8206140001

8206300087 Releases public version of revised emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/23 Document
Management Branch 1p 13684 086 24X Fiche 50-244, 82/06/23, 8206300087

--8206300091 Forwards public version of Revision 1 to Emergency Plan implementing Procedure SC-200, "Emergency Response Organization/Responsibilities," per App E to 10CFR50
MAIER, J E Rochester Gas & Electric Corp 82/06/15
CRUTCHFIELD, D Operating Reactors Branch 5 1p 13684 089 24X
Fiche 50-244, 82/06/23, 8206300087

--8206300097 Public version of Revision 1 to Emergency Plan implementing Procedure SC-200, "Emergency Response Organization/Responsibilities"
* Rochester Gas & Electric Corp 82/05/28 44pp 13684 090
24X Fiche 50-244, 82/06/23, 8206300087

G Adjudicatory correspondence

8206140349 Forwards Director's Decision 82-3 in response to Sierra Club 820311 petition, revised 820325, requesting consideration & resolution of issues prior to resumption of operation FR notice of issuance encl
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/22 CAPLAN, R Sierra Club 2pp 13509 121 24X
Fiche 50-244, 82/05/22, 8206140349

--8206140351 Director's Decision 82-3 denying 820311 request for suspension of OL or issuance of show cause order
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/22 14pp 13509 123 24X Fiche 50-244, 82/05/22, 8206140349

--8206140356 Notice of issuance of Director's Decision 82-3 responding to Sierra Club 820311 & 24 petitions
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/22 2pp 13509 137 24X Fiche 50-244, 82/05/22, 8206140349

8206140036 Order extending time until 820702 for Commission to act to review 820522 Director's decision
CHILK, G J Office of the Secretary of the Commission. 82/06/09 Commissioners 1p 13484 313 24X Fiche 50-244, 82/06/09, 8206140036

P Operating license stage documents & correspondence

8206040306 Forwards Amend 51 to License DPR-1B & notice of issuance Amend revises Tech Spec requirements for RCS I-131 activity & coolant activity sampling
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/22 MAIER, J E Rochester Gas & Electric Corp 4pp 13357 344 24X
Fiche 50-244, 82/05/22, 8206040306

--8206040309 Amend 51 to License DPR-1B, revising Tech Specs re RCS iodine activity
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/22 12pp 13357 348 24X Fiche 50-244, 82/05/22, 8206040306

--8206040313 Notice of issuance & availability of Amend 51 to License DPR-1B
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/22 8pp 13357 360 24X Fiche 50-244, 82/05/22, 8206040306

8206040418 Summary of 820427 meeting w/util & consultants in Churchill, PA to exchange metallurgical data on facility List of attendees, agenda, supportive info & viewgraphs encl
LYONS, J E Operating Reactors Branch 5 82/05/22 Operating Reactors Branch 5 77pp 13356 277 24X Fiche 50-244, 82/05/22, 8206040418

8206140349 Forwards Director's Decision 82-3 in response to Sierra Club 820311 petition, revised 820325, requesting consideration & resolution of issues prior to resumption of operation FR notice of issuance encl
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/22 CAPLAN, R Sierra Club 2pp 13509 121 24X
Fiche 50-244, 82/05/22, 8206140349

--8206140351 Director's Decision 82-3 denying 820311 request for suspension of OL or issuance of show cause order
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/22 14pp 13509 123 24X Fiche 50-244, 82/05/22, 8206140349

--8206140356 Notice of issuance of Director's Decision 82-3 responding to Sierra Club 820311 & 24 petitions
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/22 2pp 13509 137 24X Fiche 50-244, 82/05/22, 8206140349

8206100392 Forwards Pages 4 & 39-61 to Director's Decision DD-82-3 Attachment 1, which were missing
SMITH, H I Operating Reactors Branch 5 82/05/24 Operating Reactors Branch 5 1p 13469 268 24X Fiche 50-244, 82/05/24, 8206100392

--8206100394 Pages 4 & 36-61 to Director's Decision DD-82-3, Attachment 1
* Office of Nuclear Reactor Regulation, Director 82/05/22 24pp 13469 269 24X Fiche 50-244, 82/05/24, 8206100392

8206010610 Forwards repts of addl confirmatory testing, as Addendums 1-4 to "Steam Generator Evaluation, Ginna Steam Tube Failure Incident, 820125, RE Ginna Nuclear Power Plant," submitted 820426
MAIER, J E Rochester Gas & Electric Corp 82/05/25 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13315 154 24X
Fiche 50-244, 82/05/25, 8206010610

--8206010628 Addendum 1, "Lab Collapse Tests," Revision 0, to "Steam Generator Evaluation, Ginna Steam Tube Failure Incident, 820125, RE Ginna Nuclear Power Plant"
* Rochester Gas & Electric Corp 82/05/18 22pp 13315 156 24X Fiche 50-244, 82/05/25, 8206010610

--8206010640 Addendum 2, "Lab Fatigue Testing," Revision 0, to "Steam Generator Evaluation, Ginna Steam Generator Tube Failure Incident, 820125, RE Ginna Nuclear Power Plant"
* Rochester Gas & Electric Corp 82/05/18 15pp 13315 178 24X Fiche 50-244, 82/05/25, 8206010610

--8206010653 Addendum 3, "Phase II Metallurgical Exams," Revision 0, to "Steam Generator Evaluation, Ginna Steam Generator Tube Failure Incident, 820125, RE Ginna Nuclear Power Plant"
* Rochester Gas & Electric Corp 82/05/18 15pp 13315 193 24X Fiche 50-244, 82/05/25, 8206010610

--8206010663 Addendum 4, "External Tube Loading Test," Revision 1 to "Steam Generator Evaluation, Ginna Steam Generator Tube Failure Incident, 820125, RE Ginna Nuclear Power Plant"
* Rochester Gas & Electric Corp 82/05/18 34pp 13315 208 24X Fiche 50-244, 82/05/25, 8206010610

8206040149 Authorizes resumption of full power operations
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/25 MAIER, J Rochester Gas & Electric Corp 2pp 13344 317 24X
Fiche 50-244, 82/05/25, 8206040149

8206110182 SAFETY EVALUATION REPORT RELATED TO THE RESTART OF R E GINNA NUCLEAR POWER PLANT Docket No 50-244 (Rochester Gas And Electric Corporation)
* Office of Nuclear Reactor Regulation, Director. NUREG-0916 ERR. 82/05/26 2pp Available at NTIS. 13493 268 24X
Fiche 50-244, 82/05/26, 8206110182

DOCKETED ITEMS

8206030120 Forwards technical evaluation rept. "Hydrological Considerations" For SEP Topics II-3 A, II-3 B, II-3 C & II-4 D. Evaluations will serve as input to integrated safety assessment
CRUTCHFIELD, D Operating Reactors Branch 5 82/03-79-118
82/03/27 MAIER, J E Rochester Gas & Electric Corp 9pp
13337 030 24X Fiche 50-244, 82/03/27, 8206030120

--8206030127 "Hydrological Considerations," technical evaluation rept in SEP Topics II-3 A, II-3 B, II-3 C & II-4 D
SCHERRER, J, TURNER, J, ERIKSON, W Franklin Institute/Franklin Research Center NRC-03-79-118 TER-C5257-419 82/04/27
STALEY, G NRC - No Detailed Affiliation Given 46pp 13337 049
24X Fiche 50-244, 82/05/27, 8206030120

8206250099 Forwards draft NUREG-0821, "Integrated Plant Safety Assessment Rept." documenting review completed under SEP & notice of availability Equipment & procedural changes identified w/o NUREG-0821
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/27 MAIER, J
Rochester Gas & Electric Corp 3pp 13626 351 24X
Fiche 50-244, 82/05/27, 8206250099

--8206290103 Notice of availability of draft integrated plant safety assessment rept. Rept will be one of bases in considering conversion of provisional OL to full-term OL
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/27 2pp
13626 355 24X Fiche 50-244, 82/05/27, 8206250099

8206100045 SAFETY EVALUATION REPORT RELATED TO RESTART OF R E GINNA NUCLEAR POWER PLANT Docket No 50-244 (Rochester Gas And Electric Corporation)
* Office of Nuclear Reactor Regulation, Director NUREG-0916
82/05/31 250pp 13478 034 24X Fiche 50-244, 82/05/31, 8206100045

8206110322 INTEGRATED PLANT SAFETY ASSESSMENT SYSTEMATIC EVALUATION PROGRAM FOR R E GINNA NUCLEAR POWER PLANT Docket No 50-244 (Rochester Gas & Electric Corporation)
* Division of Licensing NUREG-0821 DRAFT 82/05/31 400pp,
Available at NTIS 13481 302 24X Fiche 50-244, 82/05/31, 8206110322

8206080163 Notification of 820603 meeting w/uttl & ORNL in Bethesda, MD to discuss recent loose parts monitor alarms
LYONS, J E Operating Reactors Branch 5 82/06/01 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13441 343 24X
Fiche 50-244, 82/06/01, 8206080163

8206170319 Forwards Amend 52 to License DPR-18, consisting of commitment to discuss recent loose parts monitor alarms
inadvertently omitted from License Condition 2 C(9) re procedures for steam generator tube rupture events Notice of issuance of amend encl
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/02 MAIER, J E
Rochester Gas & Electric Corp 3pp 13331 290 24X
Fiche 50-244, 82/06/02, 8206170319

--8206170324 Amend 52 to License DPR-18 adding commitment to License Condition 2 C(9) re procedures for steam generator tube rupture events
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/02 2pp
13331 293 24X Fiche 50-244, 82/06/02, 8206170319

--8206170327 Notice of issuance of Amend 52 to License DPR-18, re procedures for steam generator tube rupture events
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/02 2pp
13331 293 24X Fiche 50-244, 82/06/02, 8206170319

8206070270 Forwards safety evaluations of SEP Topics, Vols I-III, per App E of NUREG-0821, "Integrated Plant Safety Assessment Rept for RE Ginna Nuclear Power Plant"
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/04 SHENNON, P L
ACRS - Advisory Committee on Reactor Safeguards 1,500pp,
13381 153 24X Fiche 50-244, 82/06/04, 8206070270

8206300415 Requests remittance of Class IV fee for review of application to amend License DPR-18
MILLER, W O License Fee Management Branch 82/06/04 MAIER, J E
Rochester Gas & Electric Corp. 1p 13661 358 24X
Fiche 50-244, 82/06/04, 8206300415

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EIBENHUT, D O Division of Licensing 82/06/09 HAUSFURD, A
Consolidated Edison Co of New York, MAIER, J Rochester Gas & Electric Corp ARNOLD, R C General Public Utilities - GPU Service Corp 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206160161 Discusses commitment to install environmentally qualified items by 820630. Several solenoid valves & resistance temp detectors could not be completed during current outage but will be installed during Spring 1983
MAIER, J E Rochester Gas & Electric Corp 82/06/10 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13521 262 24X
Fiche 50-244, 82/06/10, 8206160161

8206180180 Forwards response to Generic Ltr 82-10 requesting confirmation for completion of certain TMI items & addl scheduler info
MAIER, J E Rochester Gas & Electric Corp 82/06/10 CRUTCHFIELD, D
Operating Reactors Branch 5 6pp 13552 233 24X
Fiche 50-244, 82/06/11, 8206180180

8206240321 Forwards proposed FR notice for ACRS Subcommittee on "LI 820620 meeting w/uttl in Washington, DC to review integrated plant safety assessment & SEP
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/11 MAIER, J
Baltimore Gas & Electric Co 4pp 13596 187 24X
Fiche 50-244, 82/06/11, 8206240321

8206230227 Discusses review of integrated plant safety assessment "LI" (NUREG-0821) Completion of integrated & balanced evaluation of all safety-related topics identified in SEP awaits inclusion of unresolved safety issues & TH1-related items
ISHIN, H S Ishin, H 82/06/13 RUSSELL, W T Systematic Evaluation Program Branch 1p 13586 013 24X Fiche 50-244, 82/06/13, 8206230227

8206240264 Forwards supplemental safety evaluation re NUREG-0737, Item II E 11, "Auxiliary Feedwater Sys." Resolution of six open items provided
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/16 MAIER, J E
Rochester Gas & Electric Corp 10pp 13597 149 24X
Fiche 50-244, 82/06/16, 8206240264

8206230119 Advises that installation of post-accident sampling sys due for completion on 820901 in response to TMI Action Item II B 3 will be delayed due to labor strike by contractor employees. Interim sampling provisions remain in effect
MAIER, J E Rochester Gas & Electric Corp 82/06/17 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13591 051 24X
Fiche 50-244, 82/06/17, 8206230119

8206240231 Forwards request for addl info re status of unresolved safety issues for OL review. Interim measures pending full resolution required
LAINAS, G C Operating Reactors Assessment Branch 82/06/17
MAIER, J E Rochester Gas & Electric Corp 31pp 13597 194 24X
Fiche 50-244, 82/06/17, 8206240231

8206280424 Summary of 820603 meeting w/uttl, ORNL & Westinghouse re loose parts monitor alarms at facility Meeting agenda & handouts encl
LYONS, J E Operating Reactors Branch 5 82/06/18
Operating Reactors Branch 5 29pp 13621 199 24X Fiche 50-244, 82/06/18, 8206280424

8206300157 Forwards balance of fee for review of submittals re Facility restart
MAIER, J E Rochester Gas & Electric Corp 82/06/23 MILLER, W O
License Fee Management Branch 1p 13655 302 24X
Fiche 50-244, 82/06/23, 8206300157

8206280407 Forwards BAI-186-029-11R & BAI-186-029-31, "Improvements in Training & Requalification Programs as Required by TMI Items I A 2.1 & II B 4," technical evaluation repts
JOHNSON, B W Science Applications, Inc NRC-03-82-096 82/06/24
NRC - No Detailed Affiliation Given 1p 13621 168 24X
Fiche 50-000, 82/06/24, 8206280407

--8206280425 "Improvements in Training & Requalification Programs as Required by TMI Action Items I A 2.1 & II B 4"
* Science Applications, Inc NRC-03-82-096 BAI-186-029-11R 82/06/24
NRC - No Detailed Affiliation Given 14pp
13621 169 24X Fiche 50-000, 82/06/24, 8206280407

--8206280436 "Improvements in Training & Requalification Programs as Required by TMI Action Items I A 2.1 & II B 4"
* Science Applications, Inc NRC-03-82-096 BAI-186-029-31 82/06/14
NRC - No Detailed Affiliation Given 16pp
13621 183 24X Fiche 50-000, 82/06/24, 8206280407

8206290188 Forwards "Ginna Nuclear Station ECCS Switchover to Recirculation," in response to NRC 820309 ltr re SEP Topic VI-7 B, "ESF Switchover"
MAIER, J E Rochester Gas & Electric Corp 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 3pp 13636 272 24X
Fiche 50-244, 82/06/25, 8206290188

DOCKETED ITEMS

41

--B206290177 "Ginna Nuclear Station ECCS Switchover to Recirculation " FLEMING R W Westinghouse Electric Corp FSD/SS-M-2083 R01 82/06/30 17pp 13636 275 24X Fiche 50-244, 82/06/25, B206290180

B206290270 Repts under Purchase Order DR-82-0961 re review of two draft SEP integrated assessments for facilities Ltr comprises rpt on Ginna SEP (draft NUREG-0821) RUDNITZ, R J Future Resources Associates, Inc 82/06/28 RUSSELL, W T NRC - No Detailed Affiliation Given Bpp 13636 341 24X Fiche 50-000, 82/06/28, B206290270

G Inspection reports, IE Bulletins & correspondence

B206040253 Forwards IE Insp Rept 50-244/82-07 on B20410-30 No noncompliance noted STARUSHECKI, R Division of Project & Resident Programs 82/07/13 MAIER, J E Rochester Gas & Electric Corp 2pp 13358 001 24X Fiche 50-244, 82/05/13, B206040263

-B206040268 IE Insp Rept 50-244/82-07 on B20410-30 No noncompliance noted Major areas inspected plant operating records; surveillance testing, maint, matl accountability for steam generator mods & action on previous insp findings ZIMMERMAN, R P, KISTER, H B Division of Project & Resident Programs 82/05/12 6pp 13358 003 24X Fiche 50-244, 82/05/13, B206040263

B206100192 Forwards IE Emergency Preparedness Appraisal Rept 50-244/81-22 on B1102-13, significant preparedness findings, improvement items & evaluation rpt No noncompliance noted Corrective actions required SMITH, G H Division of Emergency Preparedness & Operational Support 82/05/20 MAIER, J E Rochester Gas & Electric Corp 5pp 13452 015 24X Fiche 50-244, 82/05/20, B206100192

--B206100199 IE Emergency Preparedness Appraisal Rept 50-244/81-22 on B1102-13 No noncompliance noted Major areas inspected administration of emergency preparedness & organization, training/retraining & emergency facilities & equipment TERC, N H, CROCKER, H W Division of Emergency Preparedness & Operational Support 82/05/04 5pp 13452 066 24X Fiche 50-244, 82/05/20, B206100192

B206030005 Informs that B20222 draft safety evaluation for SEP Topic III-3 C, "Inservise Insp of Water Control Structures," considered final No adequate basis for change contained in util B20405 ltr to eliminate Deer Creek CRUTCHFIELD, D Operating Reactors Branch 5 82/05/27 MAIER, J E Rochester Gas & Electric Corp 2pp 13336 351 24X Fiche 50-244, 82/05/27, B206030005

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of RWR Plants " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, B204210384

B206290187 Ack receipt of B20527 ltr informing NRC of steps taken to correct violations noted in IE Health Physics Appraisal Insp Rept 50-244/80-16 MARTIN, T T Division of Engineering & Technical Programs 82/06/23 MAIER, J E Rochester Gas & Electric Corp 1p 13632 001 24X Fiche 50-244, 82/06/23, B206290187

--B206290569 Advises that response to Item 1 of App A to IE Health Physics Appraisal Insp Rept 50-244/80-16 will be delayed until B20701 due to increased work experienced during period since B20123 tube rupture MAIER, J E Rochester Gas & Electric Corp 82/05/27 HAYNES, R C Region 1, Office of Director 1p 13632 002 24X Fiche 50-244, 82/06/23, B206290187

R Periodic operating reports & related correspondence

B206010696 Forwards monthly operating rept for Apr 1982 SNOW, B A Rochester Gas & Electric Corp 82/05/06 Office of Management and Program Analysis 1p 13313 305 24X Fiche 50-244, 82/05/06, B206010696

--B206010698 Monthly operating rept for Apr 1982 MCNAMARA, A C Rochester Gas & Electric Corp 82/05/06 5pp 13313 306 24X Fiche 50-244, 82/05/06, B206010696

S Reportable occurrences, LERs & related correspondence

B206010378 LER 82-013/01T-0 on B20518 while performing safety injection functional test, satellite station A for fire detection sys lost ac power Condition existed for more than 1-h w/o fire watch patrols in inoperable fire detection zone areas SNOW, B A Rochester Gas & Electric Corp 82/05/18 HAYNES, R C Region 1, Office of Director 1p 13301 308 24X Fiche 50-244, 82/05/18, B206010378

B206010415 Forwards LER 82-011/03L-0 MAIER, J E Rochester Gas & Electric Corp 82/05/21 HAYNES, R C Region 1, Office of Director 1p 13313 251 24X Fiche 50-244, 82/05/21, B206010415

--B206010422 LER 82-011/03L-0 on B20423, while performing local leak rate testing on containment penetration isolation valves, containment gas radiation monitor return line check valve was leaking excessively Possibly caused by dirt SPECTOR, S M Rochester Gas & Electric Corp 82/05/23 Region 1, Office of Director 1p 13313 252 24X Fiche 50-244, 82/05/21, B206010415

B206110284 Forwards LER 82-013/01T-0 MAIER, J E Rochester Gas & Electric Corp 82/06/02 HAYNES, R C Region 1, Office of Director 1p 14691 254 24X Fiche 50-244, 82/06/02, B206110284

--B206110288 LER 82-013/01T-0 on B20519, during safety injection functional test, satellite station A for fire detection sys lost ac power Caused by inadequate procedures, Procedures revised to correct deficiency BODINE, J C Rochester Gas & Electric Corp 82/06/02 Region 1, Office of Director 2pp 13466 197 24X Fiche 50-244, 82/06/02, B206110284

B206170053 Forwards LER 82-012/03L-0 MAIER, J E Rochester Gas & Electric Corp 82/06/09 HAYNES, R C Region 1, Office of Director 1p 13529 339 24X Fiche 50-244, 82/06/09, B206170053

--B206170056 LER 82-012/03L-0 on B20510, Halon sys for relay room declared inoperable On B20426, results received of Halon concentration test indicating that min concentration was not maintained for 5 minutes at 15-ft elevation STRAIGHT, J E Rochester Gas & Electric Corp 82/06/09 Region 1, Office of Director 2pp 13529 340 24X Fiche 50-244, 82/06/09, B206170053

T Hearing transcripts on non-antitrust matters

B206220160 Transcript of B20618 special investigative proceeding in White Plains, NY Pp 1, 126-1, 233 # Atomic Safety and Licensing Board Panel 82/06/18 127pp 13573 282 24X Fiche 50-244, 82/06/18, B206220160

DOCKET 50-245 MILLSTONE NUCLEAR POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206190016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, B206190016

DOCKETED ITEMS

- 8201200541 Petitions for limited exemption from Section IV D J of App 1 to 10CFR50, requiring installation of prompt notification sys by 820201 Sys will be installed by 820801
COUNCIL, W G Connecticut Yankee Atomic Power Co 82/01/18
DIRCKS, W J Office of the Executive Director for Operations
11pp 13524 088 24X Fiche 50-000, 82/04/21, 8206150016
- 8203040508 Submits list of facilities that have filled exemption requests from 820201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D G Division of Licensing 82/02/03 DENTON, H H
Office of Nuclear Reactor Regulation, Director 2pp 13524 280
24X Fiche 50-000, 82/04/21, 8206150016
- 8206150068 Forwards draft ltr to licensees in response to request for exemption from 820201 deadline for installation of prompt notification sys
SCHWARTZ, S A Emergency Preparedness Development Branch (Pre 820201) 82/01/21 CRUTCHFIELD, D Operating Reactors Branch 5
4pp 13524 161 24X Fiche 50-000, 82/04/21, 8206150016
- 8206150075 Forwards draft ltr to licensee in response to request for exemption from 820201 deadline from prompt notification sys installation
SCHWARTZ, S A Emergency Preparedness Development Branch (Pre 820201) 82/01/27 CRUTCHFIELD, D Operating Reactors Branch 5
3pp 13524 222 24X Fiche 50-000, 82/04/21, 8206150016
- 76150080 Requests reconsideration of util request for exemption from 820201 deadline re implementation of prompt notification sys Current state of emergency preparedness adequate
[elated info encl]
COUNCIL, W G Connecticut Yankee Atomic Power Co COUNCIL, W G
Northeast Nuclear Energy Co (subs of Northeast Utilities)
82/02/09 PALLADINO, N Commissioners 3pp 13524 335 24X
Fiche 50-000, 82/04/21, 8206150016
- 76150079 Status of prompt notification sys
NRC - No Detailed Affiliation Given 82/03/09 1p 13525 154
24X Fiche 50-000, 82/04/21, 8206150016
- 090002 Responds to FOIA request for documents re Commission cision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A documents also available in PDR
LTON, J M Division of Rules and Records 82/03/11 REYNOLDS, N G
Ebovise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002
- 03110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations
82/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/05/11, 8206090002
- 03110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, G S Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
24X Fiche 50-000, 82/05/11, 8206090002
- 206090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet 820201 deadline
DIRCKS, W J Office of the Executive Director for Operations
82/03/04, PALLADINO, N Commissioners 1p 13454 196 24X
Fiche 50-000, 82/05/11, 8206090002
- 205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations
82/03/30 PALLADINO, N J Commissioners, 2pp 13454 252 24X
Fiche 50-000, 82/05/11, 8206090002
- 6080208 Requests addl info re Items 1 & 3 of util 820301 ltr informing NRC of actions taken to improve emergency preparedness
MITH, G H Division of Emergency Preparedness & Operational Support
82/06/02 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13420 310 24X Fiche 50-245, 82/06/02, 8206080208
- Items listed in NRC 820204 ltr re Normal & emergency
Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/02, 8206080208
- 8206080224 Responds further to Item 4 of NRC 820204 ltr re emergency preparedness appraisal Addl training of station emergency organization members completed
COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/04/30 HAYNES, R C Region 1, Office of Director
2pp 13420 341 24X Fiche 50-245, 82/06/02, 8206080208
- 8206140184 Forwards Revision 2 to safeguards contingency plan (Revision withheld (ref 10CFR2 790)
COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/02 CLARK, R A Operating Reactors Branch 1
CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13484 181 24X
Fiche 50-245, 82/06/02, 8206140184
- 8206170193 Forwards Revision 9 to modified amended security plan Revision withheld (ref 10CFR23 21)
COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/03 EISENHUT, D G Division of Licensing 1pp 13534 274 24X Fiche 50-245, 82/06/03, 8206170193
- 8206170194 Advises that Amends 59 & 82 to License UPR-21 re modified security plan & training & qualification plan satisfies SEP Topic XIII-2 Topic complete
SHEA, J Operating Reactors Branch 5 82/06/09 COUNCIL, W G
Northeast Nuclear Energy Co (subs of Northeast Utilities) 1pp 13535 042 24X Fiche 50-245, 82/06/09, 8206170194
- 8206240370 Forwards IE Emergency Preparedness Appraisal Repts 50-245/82-01 & 50-336/82-01 on 820104-14, significant emergency preparedness findings & emergency preparedness improvement items
EMITH, G H Division of Emergency Preparedness & Operational Support
82/06/11 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 9pp 13602 281 24X Fiche 50-245, 82/06/11, 8206240370
- 8206240375 IE Emergency Preparedness Appraisal Repts 50-245/82-01 & 50-336/82-01 on 820104-14 Areas inspected emergency organization, training, facilities & equipment, procedures for implementation & coordination of offsite agencies
KANTOR, F, CROCKER, H W Division of Emergency Preparedness & Operational Support 82/06/10 76pp 13602 291 24X
Fiche 50-245, 82/06/11, 8206240370
- 8206240348 Forwards response to util 820503 ltr re proposed changes to physical security plan Changes consistent w/provisions of 10CFR50 54 & acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/14 COUNCIL, W G
Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13603 154 24X Fiche 50-245, 82/06/14, 8206240348
- 8206210527 Advises that SEP Topic IX-6 re fire protection is considered complete for purpose of conducting integrated assessment
SHEA, J Operating Reactors Branch 5 82/06/15 COUNCIL, W G
Northeast Nuclear Energy Co (subs of Northeast Utilities) 1pp 13566 146 24X Fiche 50-245, 82/06/15, 8206210527
- F Operating license stage documents & correspondence
- 8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCHURRAY, I H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, 8206230007
- 811170117 Summary of 811023 meeting to assess in-house availability & completeness of control sys info on operating plant for A-47 review Meeting scheduled for 811109 to discuss findings of nonsafety control info
SZUKIENICZ, A J Generic Issues Branch 81/10/28 KNIEL, K
Generic Issues Branch 3pp 13605 347 24X Fiche 50-000, 82/04/29, 8206230007
- 820620038 Requests confirmation of encl 820322-30 telcon records re NUREG-0737 Items II F 1 4, "Containment Pressure Monitor", II F 1 5, "Containment Water Level Monitor" & II F 1 6, "Containment Hydrogen Monitor"
CONNER, E L Operating Reactors Branch 3 82/05/14 COUNCIL, W G
Connecticut Yankee Atomic Power Co, 18pp 13533 301 24X
Fiche 50-000, 82/05/14, 820620038
- 8206040352 Submits addl info re NUREG-0737, Item II B 1, "RCB Vents" Efforts underway to accurately model generation of hydrogen & oxygen following LOCA to determine desirability of mods to isolation condenser vent sys
COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/24 CRUTCHFIELD, D Operating Reactors Branch 5
3pp 13550 359 24X Fiche 50-245, 82/05/24, 8206040352

DOCKETED ITEMS

43

B206040276 Forwards draft evaluation of SEP Topic IX-3. "Station Svc & Cooling Water Sys." Licensee must demonstrate that cooling sys function is nonessential by showing that sys it serves can function w/o being cooled
SHEA, J J Operating Reactors Branch 5 82/05/25 COUNCIL, W C
Northeast Nuclear Energy Co (subs of Northeast Utilities) 11pp
13554 186 24X Fiche 50-245, 82/05/25, B206040276

B206070576 Forwards response to NRC B20125 request for addl info required to complete evaluation of SEP Topic III-3 C, "Inservice Insp of Water Control Structures"
COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/28 CRUTCHFIELD, D Operating Reactors Branch 5 4pp 13373 319 24X Fiche 50-245, 82/05/28, B206070576

B206140101 Forwards Amends B4 & 77 to Licenses DPR-21 & DPR-65, respectively, EIA & notice of issuance & availability Amends add monitoring & sampling requirements for distillate discharge from condensate polishing radwaste evaporator
CONNOR, E L Operating Reactors Branch 3 82/05/28 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 4pp 13507 276 24X Fiche 50-245, 82/05/28, B206140101

--B206140107 Amends B4 & 77 to Licenses DPR-21 & DPR-65, respectively, adding monitoring & sampling requirements for distillate discharge from condensate polishing radwaste evaporator & revising liquid radioactive effluent limits
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/28 18pp 13507 280 24X Fiche 50-245, 82/05/28, B206140107

--B206140110 EIA supporting Amends B4 & 77 to Licenses DPR-21 & DPR-65, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/28 1pp 13507 298 24X Fiche 50-245, 82/05/28, B206140110

--B206140113 Notice of issuance & availability of Amends B4 & 77 to Licenses DPR-21 & DPR-65, respectively
CONNOR, E L Operating Reactors Branch 3 82/05/28 2pp 13507 301 24X Fiche 50-245, 82/05/28, B206140113

B206080142 Forwards draft evaluation of SEP Topic IV-2, "Reactivity Control Sys." Confirmation of similarity between Millstone, Unit 1 & Dresden, Unit 2 & single failure analysis on Topic XV-B revision requested
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 8pp 13423 322 24X Fiche 50-245, 82/06/03, B206080142

B206100198 Forwards draft safety evaluation for SEP Topics VI-2 D, "Mass & Energy Release for Possible Pipe Break Inside Containment," & VI-3, "Containment Pressure & Heat Removal Capability." Comments requested within 30 days
SHEA, J J Operating Reactors Branch 5 82/06/03 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 61pp 13452 124 24X Fiche 50-245, 82/06/03, B206100198

B206160368 Forwards response to Generic Ltr B2-10 requesting info re implementation dates for selected TMI action plan items in NUREG-0737
COUNCIL, W C Connecticut Yankee Atomic Power Co COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/04 EISENHUT, D O Division of Licensing 102pp 13512.073 24X Fiche 50-000, 82/06/04, B206160368

B206170348 Submits addl info re SEP Topic VII-2, "ESF Sys Control Logic & Energy" Addl electrical isolation determined unnecessary
COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/08 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13531 320 24X Fiche 50-245, 82/06/08, B206170348

B206170090 Forwards final evaluation of SEP Topic III-4 C, "Internally Generated Missiles," per B20413 SAR Facility meets intent of internally generated missile criteria
SHEA, J J Operating Reactors Branch 5 82/06/09 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 22pp 13530 133 24X Fiche 50-245, 82/06/09, B206170090

B206170234 Forwards supplemental info in response to Generic Ltr B2-05 re status of NUREG-0737, Items II B 2, "Plant Shielding," II B 3, "Post-Accident Sampling," II F 1 1, II F 1 2 & II F 1 6, "Effluent & Hydrogen Monitoring"
COUNCIL, W C FEE, W F Connecticut Yankee Atomic Power Co COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/10 EISENHUT, D O Division of Licensing 16pp 13533 013 24X Fiche 50-000, 82/06/10, B206170234

B206210281 Informs of merger of Hartford Electric Light Co into CT Light & Power Co Amend to existing list of companies which hold facility licenses required
COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 EISENHUT, D O Division of Licensing 2pp 13539 043 24X Fiche 50-245, 82/06/11, B206210281

B206210633 Application to amend Licenses DPR-65, DPR-41 & DPR-21, revising ETS to reflect organizational title changes & revising upper range of intake water temp for Haddam Neck
COUNCIL, W C Connecticut Yankee Atomic Power Co COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 CRUTCHFIELD, D Operating Reactors Branch 5 CLARK, R A Operating Reactors Branch 3 3pp 13561 074 24X Fiche 50-000, 82/06/11, B206210633

--B206210638 Proposed revision to ETS Section 5 1, reflecting organizational title changes
* Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/30 4pp 13561 077 24X Fiche 50-000, 82/06/11, B206210638

B206220454 Application for amend to Licenses DPR-21 & DPR-65, changing ETS 3 1 2 1 2, 3 1 2 1 3, 3 1 2 1 5, 3 1 2 1 6 & 3 1 2 1 7 to revise ecological monitoring studies
COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 CLARK, R A Operating Reactors Branch 3 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13578 108 24X Fiche 50-245, 82/06/11, B206220454

--B206220472 Proposed changes to ETS 3 1 2 1 2, 3 1 2 1 3, 3 1 2 1 5, 3 1 2 1 6 & 3 1 2 1 7, revising ecological monitoring studies
* Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/30 5pp 13578 110 24X Fiche 50-245, 82/06/11, B206220472

B206210115 Forwards safety evaluation of SEP Topic II-4 F, "Settlement of Foundations & Buried Equipment." Corrective actions required to ensure adequate protection of safety-related structures, sys & components against excessive settlement
SHEA, J J Operating Reactors Branch 5 82/06/15 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 30pp 13559 194 24X Fiche 50-245, 82/06/15, B206210115

B206240294 Forwards request for addl info re adequacy of station electric distribution sys voltages Response requested within 60 days of receipt of ltr
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 4pp 13597 031 24X Fiche 50-245, 82/06/15, B206240294

B206250204 Forwards safety evaluation documenting review of response to NUREG-0737, Item II K 3 21, "Restart of Core Spray & LPCI Sys." Agrees w/BWR owners group that logic mode for LPCI & core spray sys unwarranted
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/21 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 5pp 13613 287 24X Fiche 50-245, 82/06/21, B206250204

B206300048 Responds to B10924 request for addl info re inservice testing program Diagrams encl
COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/22 CRUTCHFIELD, D Operating Reactors Branch 5 5pp 13656 011 24X Fiche 50-245, 82/06/22, B206300048

B206300351 Forwards safety evaluation & technical evaluation re degraded grid protection for Class IE power sys Procedures re first level loss of voltage relaying will be considered unresolved issue in integrated assessment for plant
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/23 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 3pp 13656 306 24X Fiche 50-245, 82/06/23, B206300351

--B206300357 Safety evaluation of degraded grid protection for Class IE sys Addl info required
* Office of Nuclear Reactor Regulation, Director 82/06/23 6pp 13656 309 24X Fiche 50-245, 82/06/23, B206300357

--B206300359 "Technical Evaluation Rpt on Proposed Design Mods & Tech Spec Changes on Grid Voltage Degradation for Millstone Nuclear Power Station, Unit 1"
SELAND, J C Lawrence Livermore Laboratory FIN A-0250 UCLD-19139 82/05/13 NRC - No Detailed Affiliation Given. 11pp 13656 315 24X Fiche 50-245, 82/06/23, B206300359

B206300210 Forwards revised safety evaluation of Generic Issue B-24 & SEP Topic VI-4 re override of containment purge isolation & other ESF actuation signals SEP topic complete for purpose of integrated assessment
SHEA, J J Operating Reactors Branch 5 82/06/24 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 4pp 13654 331 24X Fiche 50-245, 82/06/24, B206300210

B206300305 Forwards proposed schedule of events listing course of action to support timely completion of SEP draft integrated assessment, per B20616 discussion
SHEA, J J Operating Reactors Branch 5 82/06/24 COUNCIL, W C Northeast Nuclear Energy Co (subs of Northeast Utilities) 4pp 13656 360 24X Fiche 50-245, 82/06/24, B206300305

8206300315 Forwards safety evaluation of SEP Topic III-5 A "Effects of Pipe Break on Structures, Sys & Components Inside Containment, per util 820413 submittal Plant adequately protected from effects subj to resolution of listed items SHEA, J J Operating Reactors Branch 5 82/06/24 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 1 ppp 13655 320 24X Fiche 50-245, 82/06/24, 8206300315

8206300028 Forwards revised safety evaluation re SEP Topic VII-2, "Bus Sys Control Logic & Design" Plant satisfies acceptance criteria for topic Topic completed SHEA, J J Operating Reactors Branch 5 82/06/25 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 1 ppp 13656 028 24X Fiche 50-245 82/06/25, 8206300028

Q Inspection reports, IE Bulletins & correspondence

8206030116 Forwards IE Insp Repts 50-245/82-08 & 50-336/82-10 on 820419-23 No noncompliance noted MARTIN, T T Division of Engineering & Technical Programs 82/05/12 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13337 087 24X Fiche 50-245, 82/05/12, 8206030116

--8206030118 IE Insp Repts 50-245/82-08 & 50-336/82-10 on 820419-23 No noncompliance noted Major areas inspected fire protection/prevention program & completion of fire hazard analysis commitments & SER commitments PACILIND, R J, BECKMAN, C A Division of Engineering & Technical Programs 82/05/03 7pp 13337 087 24X Fiche 50-215, 82/05/12, 8206030118

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206080208 Requests addl info re Items 1 & 3 of util 820301 ltr informing NRC of actions taken to improve emergency preparedness SMITH, G H Division of Emergency Preparedness & Operational Support 82/06/02 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13420 310 24X Fiche 50-245, 82/06/02, 8206080208

--8206080218 Responds to 12 deficiencies listed in NRC 820204 ltr re emergency preparedness appraisal Normal & emergency organization charts encl COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/03/01 HAYNES, R C Region 1, Office of Director 18pp 13420 312 24X Fiche 50-245, 82/06/02, 8206080218

--8206080224 Responds further to Item 4 of NRC 820204 ltr re emergency preparedness appraisal Addl training of station emergency organization members completed COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/04/30 HAYNES, R C Region 1, Office of Director 2pp 13420 341 24X Fiche 50-245, 82/06/02, 8206080224

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13475 177 24X Fiche 50-000, 82/06/11, 8204210384

Repts

11 Support
in of
12/06/11.

--8204200375 IE Emergency Preparedness Appraisal Repts 50-245 R. 01 & 50-336/82-01 on 820104 ltr. Areas inspected emergency organization, training, facilities & equipment, procedures for implementation & coordination of offsite agencies HANFORD, F CROCKER, H W Division of Emergency Preparedness & Operational Support 82/05/10 71pp 13602 291 24X Fiche 50-245, 82/06/11, 8204200375

8206290065 Forwards IE Insp Repts 50-245/82-08 & 50-336/82-10 on 820426-29 No noncompliance noted SMITH, G H Division of Emergency Preparedness & Operational Support 82/06/14 COUNCIL, W G Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13634 312 24X Fiche 50-215, 82/06/14, 8206290065

--8206290064 IE Insp Repts 50-245 82-08 & 50-336/82-10 on 820426-29 No noncompliance noted Major areas inspected chemical & radiochemical measurements program KOTTA, J J, BORES, R J Region 1, Office of Director 82/06/11 8pp 13634 344 24X Fiche 50-215, 82/06/14, 8206290064

P Periodic operating reports & related correspondence

8206010411 Forwards monthly operating rept for Apr 1982 PROCKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/14 Office of Management and Program Analysis 1p 13313 237 24X Fiche 50-245, 82/05/14, 8206010411

8206010414 Monthly operating rept for Apr 1982 HARRAN, P Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/02 5pp 13313 294 24X Fiche 50-245, 82/05/14, 8206010414

S Reportable occurrences, LERs & related correspondence

8206110056 RD 82-03 on 820504, anomalous levels of radioactivity observed in sample of oysters from within 500 ft of discharge caused by increase in activity discharged from Unit 2 steam generator blowdown due to leakage PROCKA, E J Northeast Utilities 82/06/03 HAYNES, R C Region 1, Office of Director 3pp 13467 109 24X Fiche 50-245, 82/06/03, 8206110056

8206220325 Forwards LER 82-011/03L-0 Detailed event analysis encl PROCKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/07 HAYNES, R C Region 1, Office of Director 2pp 13581 306 24X Fiche 50-245, 82/06/07, 8206220325

--8206220331 LER 82-011/03L-0 on 820508, gas turbine trouble annunciator alarmed on Panel 90B in control room Caused by shorted undervoltage relay for ac lube oil pump Undervoltage relay replaced One amp fuse will be added THULL, T S Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/07 Region 1, Office of Director 1p 13581 308 24X Fiche 50-245, 82/06/07, 8206220331

DOCKET 50-247 INDIAN POINT STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, 8206150016

--8203040508 Submits list of facilities that have filled exemption requests from 820201 prompt notification deadline Exemption requests will be denied EISENHUT, D O Division of Licensing 82/02/03 DENTON, H W Office of Nuclear Reactor Regulation, Director 2pp 13524 244 24X Fiche 50-000, 82/04/21, 8206150016

--8206150079 Status of prompt notification sys * NRC - No Detailed Affiliation Given 82/03/09 1p 13425 174 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, H W Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

- B20600038 Provides implementation status or prompt notification for facilities eight licensees failed to meet B20201 deadline
DIPKAY, W J Office of the Executive Director for Operations
02/03/24 FALLABING H J, GILIBAY V, BRADFORD, P Commissioners
1c 13451 196 24X Fiche 50-003, B2/05/11, B206090002
- B20600194 Forwards monthly status rept of licensee implementation of prompt notification sys
DIPKAY, W J Office of the Executive Director for Operations
02/07/20 FALLABING H J Commissioners 2pp 13454 252 24X
Fiche 50-003, B2/01/11, B206090002
- B206170123 Forwards IE Insp Rept 50-247/02-08 on B20503-07 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs B2/05/24
O'TOOLE, J D Consolidated Edison Co of New York 2pp 13530 173
24X Fiche 50-247, B2/05/24, B206170123
- B206170124 IE Insp Rept 50-247/02-08 on B20503-07 No noncompliance noted
Major areas inspected fire protection/prevention program, completion of fire hazards analysis commitments & SER commitments
PAULINO, R J Region 1, Office of Director B2/05/20 5pp
13530 174 24X Fiche 50-247, B2/05/24, B206170123
- B206080028 Releases public version of page changes to emergency plan
FELTON, J M Division of Rules and Records B2/05/27 Document
Management Branch 1p 13440 217 24X Fiche 50-003, B2/05/27, B206080028
- B206080032 Forwards public version of page changes to emergency plan, consisting of new App I re county evacuation planning
matl
O'TOOLE, J D Consolidated Edison Co of New York B2/05/11
HAYNES, R C Region 1, Office of Director 2pp 13440 220 24X
Fiche 50-003, B2/05/27, B206080028
- B206080036 Public version of page changes to emergency plan consisting of new App I re county evacuation planning matl
Five oversize drawings encl Aperture cards available in PUR
* Consolidated Edison Co of New York B2/04/16 46pp
13440 222 24X Fiche 50-003, B2/05/27, B206080028
- B206150299 Forwards addl info re staffing capabilities during emergency functions, per B20211 confirmatory order Thirty-minute addition staffing not feasible
O'TOOLE, J D Consolidated Edison Co of New York B2/06/07
EISENHUT, D G Division of Licensing 3pp 13505 351 24X
Fiche 50-247, B2/06/07, B206150299
- B206160160 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records B2/06/14 Document
Management Branch 1p 13538 248 24X Fiche 50-003, B2/06/14, B206160160
- B206160165 Forwards public version of revised emergency plan implementing procedures, including Procedures IP-101B re periodic check of stored equipment & IP-103B re technical support ctr Privacy info deleted per Denenic Ltr B1-27
O'TOOLE, J D Consolidated Edison Co of New York B2/05/20
HAYNES, R C Region 1, Office of Director 3pp 13538 249 24X
Fiche 50-003, B2/06/14, B206160160
- B206160172 Public version of revised emergency plan implementing procedures including Procedures IP-101B, "Periodic Check of Stored Equipment" & IP-103B, "Technical Support Ctr"
* Consolidated Edison Co of New York B2/04/28 56pp
13538 232 24X Fiche 50-003, B2/06/14, B206160160
- B206220141 Ack receipt of B20524 ltr informing NRC of steps taken to correct violations noted in IE Safeguards Insp Rept
50-247/B2-04
STAROSTECKI, R Division of Project & Resident Programs B2/06/16
O'TOOLE, J D Consolidated Edison Co of New York 2pp 13540 339
24X Fiche 50-247, B2/06/16, B206220141
- B206220157 Confirmatory Action Ltr B2-14 ack util B20609 ltr re alert & notification sys Corrective & preventive actions to be examined in future insp
SMITH, O H Division of Emergency Preparedness & Operational Support
B2/06/16 O'TOOLE, J D Consolidated Edison Co of New York 1p
13571 350 24X Fiche 50-247, B2/06/16, B206220157
- B206220161 Verifies that planned actions discussed w/NRC on B2042/ remain unchanged re alert & notification sys deficiencies
BAYNES, J P Power Authority of the State of New York O'TOOLE, J D
Consolidated Edison Co of New York B2/06/09 SMITH, O H
Division of Emergency Preparedness & Operational Support 2pp
13571 351 24X Fiche 50-247, B2/06/16, B206220157
- B206240347 Forwards RS Jurkowski, AD DelBello, FC Bohlander, AS Curran, WG Borghard, M Kaminski & AR Marasco testimony re emergency evacuation plan F Bohlander & AD DelBello should be added to witness list Certificate of Svc encl Related correspondence
VETERE, L A Westchester County, NY B2/06/16 CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 4pp
13603 019 24X Fiche 50-247, B2/06/16, B206240347
- B206240350 Testimony of RS Jurkowski re emergency evacuation plan
JURKOWSKI, R S Westchester County, NY B2/06/16 14pp
13603 023 24X Fiche 50-247, B2/06/16, B206240347
- B206240351 Testimony of AD DelBello re emergency evacuation plan
DELBELLO, A B Westchester County, NY B2/06/16 4pp 13603 037
24X Fiche 50-247, B2/06/16, B206240347
- B206240354 Testimony of FC Bohlander re emergency evacuation plan
BOHLANDER, F C Westchester County, NY B2/06/16 2pp 13603 041
24X Fiche 50-247, B2/06/16, B206240347
- B206240358 Testimony of AS Curran re emergency evacuation plan
CURRAN, A S Westchester County, NY B2/06/16 5pp 13603 043
24X Fiche 50-247, B2/06/16, B206240347
- B206240359 Testimony of WG Borghard re emergency evacuation plan
BORGHARD, W G Westchester County, NY B2/06/16 2pp 13603 048
24X Fiche 50-247, B2/06/16, B206240347
- B206240362 Testimony of M Kaminski re emergency evacuation plan
KAMINSKI, M Westchester County, NY B2/06/16 5pp 13603 050
24X Fiche 50-247, B2/06/16, B206240347
- B206240367 Testimony of AR Marasco re emergency evacuation plan
NY State critique of B20303 simulated evacuation of surrounding 10-mile area encl
MARASCO, A R Westchester County, NY B2/06/16 16pp 13603 055
24X Fiche 50-247, B2/06/16, B206240347
- G Adjudicatory correspondence

- B206010272 Answers to NRC interrogatories Certificate of Svc encl
Related correspondence
POTTERFIELD, A, HOLT, J Public Interest Research Group, New York
BLUM, J M Union of Concerned Scientists B2/05/21 Office of the
Executive Legal Director 9pp 13307 123 24X
Fiche 50-247, B2/05/21, B206010272
- B206010307 Responses to interrogatories Certificate of Svc encl Related
correspondence
REMSHAW, R P, BRANDENBURG, B Consolidated Edison Co of New York
SPECTER, H Power Authority of the State of New York B2/05/24
Friends of the Earth 31pp 13300 183 24X Fiche 50-247, B2/05/24, B206010307
- B206010338 Responses to first set of requests for production of documents & interrogatories Certificate of Svc encl Related
correspondence
BRANDENBURG, B Consolidated Edison Co of New York MOROAN, C,
Power Authority of the State of New York MOROAN, C Morgan
Associates B2/05/24 Parents Concerned About Indian Point
34pp 13300 214 24X Fiche 50-247, B2/05/24, B206010338
- B206010344 Responds to interrogatories Certificate of Svc encl Related
correspondence
BRANDENBURG, B Consolidated Edison Co of New York MOROAN, C
Power Authority of the State of New York MOROAN, C Morgan
Associates B2/05/24 Rockland Citizens for Safe Energy 41pp
13300 248 24X Fiche 50-247, B2/05/24, B206010338
- B206010347 Responds to interrogatories Certificate of Svc encl Related
correspondence
BRANDENBURG, B Consolidated Edison Co of New York MOROAN, C
Power Authority of the State of New York MOROAN, C Morgan
Associates B2/05/24 Westchester Peoples Action Coalition, Inc
58pp 13300 288 24X Fiche 50-247, B2/05/24, B206010338
- B206010398 Notice of change of address
POTTERFIELD, A Public Interest Research Group, New York B2/05/25
1p 13311 156 24X Fiche 50-247, B2/05/25, B206010398
- B206010405 Answer opposing licensee petition for directed certification of issues arising from ASLB B20423 order NRC does not review
interlocutory orders of ASLB Directed certification of
issues arising from ASLB orders impermissible
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public
Interest Research Group, New York BLUM, J M New York Univ.
B2/05/25 Commissioners 12pp 13311 157 24X
Fiche 50-247, B2/05/25, B206010398

- B206010410 Response opposing PASNY appeal of ASLB B20423 order granting Greater NY Council on Energy intervenor status Group cannot be denied intervenor status because of previously made statements Certificate of SVC encl
CORRENN, D Greater New York Council on Energy 82/05/24
Commissioners 7pp 13311 263 24X Fiche 50-247, 82/05/25, B206010398
- B206040095 Objects to West Branch Conservation Assoc B20515 interrogatories as untirely Interrogatories Failed to meet ASLB B20423 order deadline by nearly 2 wks Response to late interrogatories declined
CZAJA, R F Shea & Gould CZAJA, R F Power Authority of the State of New York 82/05/25 FLEISHER, Z S West Branch Conservation Association 2pp 13350 040 24X Fiche 50-247, 82/05/25, B206040095
- B206040126 Forwards outstanding answers & objections to B20503 interrogatories & document requests W/o corrected Question B3 & corrected State of NY answers & objections Related correspondence
FEINBERG, J D New York, State of 82/05/25 HOLT, J, POTTERFIELD, A Public Interest Research Group, New York BLUM, J M Union of Concerned Scientists 1p 13347 087 24X Fiche 50-247, 82/05/25, B206040126
- B206040134 Answers & objections to B20503 interrogatories & document requests Affidavits & Certificate of SVC encl Related correspondence
FEINBERG, J D New York, State of 82/05/27 Union of Concerned Scientists 90pp 13347 057 24X Fiche 50-247, 82/05/25, B206040126
- B206040123 Supplemental interrogatories & requests for production of documents Certificate of SVC encl
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York BLUM, J M New York Univ 82/05/26 Consolidated Edison Co of New York 9pp 13347 274 24X Fiche 50-247, 82/05/26, B206040123
- B206040142 Notices that all requested documents not objected to will be produced for insp & copying by all parties on B20601 at ofcs of Shea & Gould in New York, NY Formal response forthcoming
SCHINW, I S Power Authority of the State of New York PIKUS, D H Consolidated Edison Co of New York 82/05/26 Office of the Executive Legal Director 1p 13347 277 24X Fiche 50-247, 82/05/26, B206040142
- B206100093 Interrogatories to & requests for documents re Question & contentions
MCGURREN, H J Hearing Branch 1 82/05/26 Parents Concerned About Indian Point 4pp 13448 273 24X Fiche 50-247, 82/05/26, B206100093
- B206100096 Interrogatories to & request for documents re Question & contentions
MCGURREN, H J Hearing Branch 1 82/05/26 Greater New York Council on Energy 5pp 13448 277 24X Fiche 50-247, 82/05/26, B206100093
- B206100100 Interrogatories to & request for documents re Question & contentions
MCGURREN, H J Hearing Branch 1 82/05/26 West Branch Conservation Association 4pp 13448 282 24X Fiche 50-247, 82/05/26, B206100093
- B206100103 Interrogatories to & request for production of documents
MCGURREN, H J Hearing Branch 1 82/05/26 Power Authority of the State of New York 8pp 13448 284 24X Fiche 50-247, 82/05/26, B206100093
- B206100107 Interrogatories & request for documents Certificate of SVC encl
MCGURREN, H J Hearing Branch 1 82/05/26 Consolidated Edison Co of New York 11pp 13448 294 24X Fiche 50-247, 82/05/26, B206100093
- B206040071 Affidavit of JM Blum supporting UCS B20527 motion for order compelling util to produce RR Dynes, S Lecker, PL Rosenblatt, MD Rocca & B Podwal for depositions Certificate of SVC encl
BLUM, J M Union of Concerned Scientists 82/05/27 6pp 13344 343 24X Fiche 50-247, 82/05/27, B206040070
- B206040073 Memorandum supporting B20527 motion to compel util to produce RR Dynes, S Lecker, PL Rosenblatt, MD Rocca & B Podwal for depositions Util presented no reasons for ignoring 10CFR2 requirements Certificate of SVC encl
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York 82/05/27 Atomic Safety and Licensing Board Panel 8pp 13344 334 24X Fiche 50-247, 82/05/27, B206040073
- B206040180 Maintains that US Court of Appeals for DC Circuit B20314 opinion under NEPA applies only to TMI site Licensee B11201 motion to exclude fear as issue in proceeding unaffected
MORGAN, C Morgan Associates 82/05/27 CARTER, L J, SHON, F J, PARIS, O H Atomic Safety and Licensing Board Panel 2pp 13360 056 24X Fiche 50-247, 82/05/27, B206040180
- B206040184 Discusses status of matters raised in B20510 & 12 ltrs to Rockland Citizens for Safe Energy & Parents Concerned About Indian Point, in response to B20525, request
CZAJA, R F Shea & Gould 82/05/27 CARTER, L J Atomic Safety and Licensing Board Panel 4pp 13360 104 24X Fiche 50-247, 82/05/27, B206040184
- B206040208 Motion for leave to file reply & reply to UCS/NY PIRB response to licensee motion for directed certification of motion for stay of Commission B1010B & 0918 orders
Certificate of SVC encl
MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/05/27 Commissioners 4pp 13344 328 24X Fiche 50-247, 82/05/27, B206040208
- B206040080 Followon response to interrogatories listing addl witnesses Certificate of SVC encl Related correspondence
KESSLER, J Rockland Citizens for Safe Energy 82/05/28 Office of the Executive Legal Director 3pp 13350 027 24X Fiche 50-247, 82/05/28, B206040080
- B206040082 Supplemental response to request for production of documents Certificate of SVC encl
HARTZMAN, R M Friends of the Earth HARTZMAN, R M Audubon Society 82/05/28 Consolidated Edison Co of New York 7pp 13350 010 24X Fiche 50-247, 82/05/28, B206040082
- B206040137 Requests for admissions Matrix for responses & Certificate of SVC encl
JORDAN, W S Union of Concerned Scientists JORDAN, W S Harmon & Weiss 82/05/28 Consolidated Edison Co of New York 11pp 13347 259 24X Fiche 50-247, 82/05/28, B206040137
- B206040228 Motion to impose sanctions for default & to strike contentions Westchester Peoples Action Coalition, Rockland Citizens for Safe Energy & West Branch Conservation Assoc failure to respond warrants dismissal W/Certificate of SVC
BRANDENBURG, B Consolidated Edison Co of New York LEVIN, J J Power Authority of the State of New York LEVIN, J J Morgan Associates 82/05/28 Atomic Safety and Licensing Board Panel 13pp 13355 274 24X Fiche 50-247, 82/05/28, B206040228
- B206040238 Response to request for production of documents by all parties Certificate of SVC encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/05/28 Affiliation Unknown 10pp 13357 281 24X Fiche 50-247, 82/05/28, B206040238
- B206070122 Response to first set of interrogatories Certificate of SVC encl Related correspondence
SCHWARTZ, R Metropolitan Transportation Authority New York, NY SCHWARTZ, R Botein, Hays, Sklar & Herzberg 82/05/28 Westchester Peoples Action Coalition, Inc 18pp 13369 329 24X Fiche 50-247, 82/05/28, B206070122
- B206040010 Second interrogatory for onsite insp Certificate of SVC encl Related correspondence
FLEISHER, Z S West Branch Conservation Association 82/05/29 Consolidated Edison Co of New York 2pp 13350 018 24X Fiche 50-247, 82/05/29, B206040010
- B206040084 Interrogatory re probability of meltdown accident propounded pursuant to ASLB B20423 order Certificate of SVC encl Related correspondence
FLEISHER, Z S West Branch Conservation Association, 82/05/29 Consolidated Edison Co of New York 2pp 13347 257 24X Fiche 50-247, 82/05/29, B206040084

8206040247 Request that M Holland be scheduled to appear during wk of 820622 Scheduled date conflicts w/witness vacation & prof conferences Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/05/29 Atomic Safety and Licensing Board Panel 2pp 13354 346 24X
Fiche 50-247, 82/05/29, 8206040267

8206040290 List of addl witnesses Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/05/29 3pp
13354 332 24X Fiche 50-247, 82/05/29, 8206040290

8206070532 Answer opposing UCS/NY PIRG 820528 motion to compel FR Dynes S Lecker & three employees or Parsons, Drinkeroff, Quad & Douglas, Inc depositions Request fails to comply w/Commission rules & ASLB order Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/05/31 Atomic Safety and Licensing Board Panel 13pp 13374 071 24X Fiche 50-247, 82/05/31, 8206070532

8206040076 Response supporting until 820510 request for certification & for waiver of 10CFR9 103 Questions re formulation & admission of contentions by ASLB need to be decided by Commission Certificate of Svc encl
MOORE, J E Hearing Branch 1 82/06/01 Commissioners 3Ppp
13345 292 24X Fiche 50-247, 82/06/01, 8206040076

8206040143 Response to 820503 requests for documents re Interrogatories 2-5
HASSELL, D F Hearing Branch 1 82/06/01 Westchester Peoples Action Coalition, Inc 3pp 13344 287 24X Fiche 50-247, 82/06/01, 8206040143

--8206040148 Response to 820503 requests for documents re Interrogatories 10 & 11
HASSELL, D F Hearing Branch 1 82/06/01 Rockland Citizens for Safe Energy 2pp 13314 290 24X Fiche 50-247, 82/06/01, 8206040143

--8206040151 Response to 820503 first set of document requests, pursuant to ASLB 820423 order
HASSELL, D F Hearing Branch 1 82/06/01 Friends of the Earth 2pp 13344 292 24X Fiche 50-247, 82/06/01, 8206040143

8206040154 Response to 820515 second set of interrogatories pursuant to ASLB 820123 order Affidavit encl
HASSELL, D F Hearing Branch 1 82/06/01 West Branch Conservation Association 5pp 13344 294 24X
Fiche 50-247, 82/06/01, 8206040143

--8206040157 Response to Interrogatory 1 listing individuals to be presented as witnesses in proceeding re Commission Questions 3, 2, 5 & 6
MOORE, J E Hearing Branch 1 82/06/01 Union of Concerned Scientists 13pp 13344 299 24X Fiche 50-247, 82/06/01, 8206040143

--8206040160 Response to 820503 first request for documents Certificate of Svc encl
HASSELL, D F Hearing Branch 1 82/06/01 Union of Concerned Scientists 5pp 13344 312 24X Fiche 50-247, 82/06/01, 8206040143

8206090017 Requests extension of time to file formal testimony Council unable to find pro bono hearing counsel Certificate of Svc encl
MERRINGER, R W New York, NY 82/06/02 CARTER, L J Atomic Safety and Licensing Board Panel 6pp 13435 299 24X
Fiche 50-247, 82/06/02, 8206090017

8206090028 Answers & objections to 820501 interrogatories Related correspondence
FEINBERG, J D New York, State of, Energy Office 82/06/02 Friends of the Earth 12pp 13440 001 24X Fiche 50-247, 82/06/02, 8206090028

--8206090031 Answers & objections to interrogatories & document requests Certificate of Svc encl
FEINBERG, J D New York, State of, Energy Office 82/06/02 Rockland Citizens for Safe Energy 19pp 13440 013 24X
Fiche 50-247, 82/06/02, 8206090028

8206080092 Memorandum & order granting discovery by deposition by UCS/NY PIRG & licensees All parties entitled to right of discovery by deposition
CARTER, L J PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 82/06/03 Union of Concerned Scientists 4pp 13423 272 24X Fiche 50-247, 82/06/03, 8206080092

8206100106 Motion for order compelling responses to interrogatories from UCS/NY PIRG, Parents Concerned About Indian Point & Friends of the Earth/NY City Audubon Soc or, alternatively, to impose sanctions Certificate of Svc encl
BRANDENBURG, B Commonwealth Edison Co MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/03 Atomic Safety and Licensing Board Panel 31pp 13449 166 24X
Fiche 50-247, 82/06/03, 8206100106

8206080110 Response to licensee 820528 motion for sanction & to compel answers to interrogatories Opposes request for sanctions but supports request for order compelling answers Sanction of striking contentions too severe Certificate of Svc encl
MOORE, J E Hearing Branch 1 82/06/04 Atomic Safety and Licensing Board Panel 8pp 13423 081 24X Fiche 50-247, 82/06/04, 8206080110

8206090034 Changes to witness list Related correspondence
FLEISHER, Z S West Branch Conservation Association 82/06/04 1p
13435 274 24X Fiche 50-247, 82/06/04, 8206090034

--8206090037 Reply opposing licensee 820528 motion to impose sanctions & strike contentions Answers to interrogatories depend on info which only licensee can supply
FLEISHER, Z S West Branch Conservation Association 82/06/04 Atomic Safety and Licensing Board Panel 2pp 13435 275 24X
Fiche 50-247, 82/06/04, 8206090034

--8206090041 Request for loan of Vol 1 of Indian Point probabilistic safety study Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/06/04 Consolidated Edison Co of New York 3pp 13435 277 24X
Fiche 50-247, 82/06/04, 8206090034

8206090068 Motion to dismiss licensee motion to impose sanctions for default & to strike contentions Intervenor has acted in good faith & should not be subj to sanctions Certificate of Svc encl
SCHEINER, C A Westchester Peoples Action Coalition, Inc 82/06/04 Atomic Safety and Licensing Board Panel 6pp 13439 290 24X
Fiche 50-247, 82/06/04, 8206090068

8206090143 Motion for order to amend svc list to add D Davidoff, director of radiological emergency preparedness group Time to reproduce documents reduces time to review & respond to papers
FRISHER, H A New York, State of, Energy Office 82/06/04 Atomic Safety and Licensing Board Panel 5pp 13439 266 24X
Fiche 50-247, 82/06/04, 8206090143

8206090152 Motion for reconsideration of Commission ruling allowing interim operation & for issuance of show cause order New info presented Certificate of Svc encl
HOLT, J V POTTERFIELD, A Public Interest Research Group, New York WEISS, E R Union of Concerned Scientists 82/06/04 Atomic Safety and Licensing Board Panel 40pp 13439 014 24X
Fiche 50-247, 82/06/04, 8206090152

8206170162 Lists events associated w/aborted highway projects involving county Related correspondence
CHASE, W M Rockland County, NY 82/06/04 GRANIRER, M Affiliation Unknown 1p 13331 329 24X Fiche 50-247, 82/06/04, 8206170162

--8206170272 Testimony of O O'Leary, providing demographic data
O'LEARY, O Rockland County, NY 82/05/15 5pp 13531 330 24X
Fiche 50-247, 82/06/04, 8206170162

8206100110 Response opposing request to inspect plant West Branch Conservation Assoc fails to specify items to be inspected, to justify necessity, to show other discovery methods insufficient & to show relevance w/Certificate of Svc
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/07 West Branch Conservation Association 8pp
13449 157 24X Fiche 50-247, 82/06/07, 8206100110

8206110094 Supplemental answer to interrogatories Certificate of Svc encl
POTTERFIELD, A Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York POTTERFIELD, A Rockland Citizens for Safe Energy 82/06/07 Office of the Executive Legal Director 350pp 13461 101 24X Fiche 50-247, 82/06/07, 8206110094

--8206110064 Request for extension of time until 820621 to file testimony & for ASLB to set date by which UCS/NY PIRG requests for admissions must be answered Good cause exists due to unusually rapid hearing schedule
BLUM, J M Union of Concerned Scientists POTTERFIELD, HOLT, J Public Interest Research Group, New York 82/06/07 Atomic Safety and Licensing Board Panel 50pp 13463 065 24X
Fiche 50-247, 82/06/07, 8206110094

8206140031 Objects to interrogatories dtd 820426 & 0526 but received on 820528 Deposition of Parsons, Brinckerhoff, Guade & Douglas. Inc adequate Remaining interrogatories not proper Related correspondence
BRANDENBURG, B Power Authority of the State of New York CZAM, R L Consolidated Edison Co of New York 82/06/07 BLUM, J M Union of Concerned Scientists BLUM, J M Public Interest Research Group, New York 2pp 13494 229 24X Fiche 50-247, 82/06/07, 8206140031

8206170085 Notice of appearance in proceeding Certificate of Svc encl
VETTER, L A Westchester County, NY 82/06/07 App 13529 284 24X Fiche 50-247, 82/06/07, 8206170085

8206170167 Third response to interrogatories supplementing 820531 response, per ASLB 820604 order Certificate of Svc encl Related correspondence
KESSLER, J Rockland Citizens for Safe Energy 82/06/07 Consolidated Edison Co of New York 6pp 13534 033 24X Fiche 50-247, 82/06/07, 8206170167

8206170341 List of witnesses on Contentions 3 & 4
VETTER, L A Westchester County, NY 82/06/07 2pp 13531 02/ 24X Fiche 50-247, 82/06/07, 8206170341

8206280203 Requests to make limited appearance statement at public hearing
BRENNAN, M Affiliation Unknown 82/06/07 CARTER, L Atomic Safety and Licensing Board Panel 2pp 13624 223 24X Fiche 50-247, 82/06/07, 8206280203

8206140103 Response supporting UCS/NY PIRG 820604 motion for reconsideration of Commission ruling permitting interim operation of plants pending investigation & for show cause order Certificate of Svc encl
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City Audubon Society SCHEINER, C A Westchester Peoples Action Coalition, Inc 82/06/08 Commissioners 20pp 13487 192 24X Fiche 50-247, 82/06/08, 8206140103

8206170236 Forwards D Davidoff & L Czech testimony & exhibit State radiological emergency plan will be mailed separately
FEINBERG, J D New York, State of 82/06/08 CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 1p 13531 048 24X Fiche 50-247, 82/06/08, 8206170236

--8206170240 Motion for waiver of filing rules for exhibits re NY state radiological emergency preparedness plan for plants Document voluminous, expensive & limited number of copies available Proposed order encl
FEINBERG, J D New York, State of 82/06/08 Atomic Safety and Licensing Board Panel App 13531 049 24X Fiche 50-247, 82/06/08, 8206170236

--8206170243 Testimony of DB Davidoff & LB Czech on Commission Questions 3 & 4 NY State radiological emergency preparedness plan discussed Certificate of Svc encl
DAVIDOFF, D B, CIECH, L B New York, State of 82/06/07 34pp 13531 053 24X Fiche 50-247, 82/06/08, 8206170236

8206170247 Response supporting UCS/NY PIRG 820604 motion for reconsideration of Commission ruling allowing interim operation Show cause order should be issued Certificate of Svc encl
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City Audubon Society SCHEINER, C A Westchester Peoples Action Coalition, Inc 82/06/08 Atomic Safety and Licensing Board Panel 23pp 13533 145 24X Fiche 50-247, 82/06/08, 8206170247

8206170160 First set of interrogatories & document request re Commission Question & Certificate of Svc encl Related correspondence
LEVIN, J J Power Authority of the State of New York BRANDENBURG, B Consolidated Edison Co of New York, LEVIN, J J Morgan Associates 82/06/09 Greater New York Council on Energy 33pp, 13534 230 24X Fiche 50-247, 82/06/09, 8206170160

8206170250 Forwards payment of penalties re 801211 notice of violation & proposed imposition of civil penalties. Payment due to costs to carry matter to conclusion requiring extensive litigation Liability remains disputed
BRANDENBURG, B Consolidated Edison Co of New York 82/06/09 BICKWIT, L Office of the General Counsel 3pp 13533 007 24X Fiche 50-247, 82/06/09, 8206170250

--8206170257 Ack receipt of certified check in settlement of civil penalty proposed by NRC on 801211 Commission notes that mgt sys improved sufficiently to assure that reactor could resume operation by 1981
BICKWIT, L Office of the General Counsel 82/06/09 BRANDENBURG, B L Consolidated Edison Co of New York 1p 13533 010, 24X Fiche 50-247, 82/06/09, 8206170250

--8206170258 Stipulation & agreement that action is discontinued w/ prejudice & each part bear own costs re imposition of civil penalties
CAMPBELL, S M U S District Court, Southern District of New York BRANDENBURG, B L Consolidated Edison Co of New York 82/06/09 1p 13533 011 24X Fiche 50-247, 82/06/09, 8206170250

8206160095 Cross-examination plans re Contentions 3 & 4 on intervenor 820607 testimony concerning road conditions, capacity & flow rates, population & equipment estimates Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/06/11 4p 13517 310 24X Fiche 50-247, 82/06/11, 8206160095

8206160121 Response opposing licensee motion for order compelling responses to interrogatories, or alternatively, for imposing sanctions for failure to respond Responses adequate Certificate of Svc encl Related correspondence
WEISS, E R Union of Concerned Scientists WEISS, E R Harmon & Weiss 82/06/11 Atomic Safety and Licensing Board Panel App 13514 334 24X Fiche 50-247, 82/06/11, 8206160121

8206170381 Order directing responses to licensee 820603 motion for order compelling responses or, alternatively, for imposition of sanctions, be delivered to licensees by 820615 Copies to Washington parties & ASLB to be mailed by 820614
CARTER, L J Atomic Safety and Licensing Board Panel 82/06/11 4pp 13531 147 24X Fiche 50-247, 82/06/11, 8206170381

8206180214 List of documents licensees have no objection to producing Documents absent at 820526 document production requested Various documents have been copied & await receipt
PIKUS, D H Power Authority of the State of New York BRANDENBURG, B Consolidated Edison Co of New York 82/06/11 POTTERFIELD, A Public Interest Research Group, New York 3pp 13554 259 24X Fiche 50-247, 82/06/11, 8206180214

8206180328 Amend to request for extension of time to file testimony & for ASLB to set date by which UCS/NY PIRG admission requests must be answered Ref to R Albert should be deleted Certificate of Svc encl
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York BLUM, J M New York Univ 82/06/11 Atomic Safety and Licensing Board Panel 8pp 13545 159 24X Fiche 50-247, 82/06/11, 8206180328

8206160110 Response to licensee motion to compel interrogatory responses or, alternatively, for imposition of sanctions NRC will take no position on motion to compel IF discovery order not obeyed, ASLB should consider imposing sanctions
MOORE, J E Hearing Branch 1 82/06/14 Atomic Safety and Licensing Board Panel 3pp 13517 345 24X Fiche 50-247, 82/06/14, 8206160110

--8206160115 Cross-examination plan for emergency planning Certificate of Svc encl
MOORE, J E, HASSELL, D F Hearing Branch 1 82/06/14 5pp 13517 348 24X Fiche 50-247, 82/06/14, 8206160110

8206170157 Motion for order striking UCS/NY PIRG direct testimony & for denial of UCS/NY PIRG request for extension of time to file testimony Filing entirely inconsistent w/direction & schedule of proceeding Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/14 Atomic Safety and Licensing Board Panel 16pp 13534-042 24X Fiche 50-247, 82/06/14, 8206170157

8206170165 Answers & objections to interrogatories & document requests Certificate of Svc encl
FEINBERG, J D New York, State of 82/06/14 West Branch Conservation Association 13pp 13534 130 24X Fiche 50-247, 82/06/14, 8206170165

8206170263 Cross-examination plan for intervenor, NRC, FEMA, licensee, NY State & County witnesses Certificate of Svc encl
DAVIDOFF, D Westchester Peoples Action Coalition, Inc 82/06/14 7pp 13531 340 24X Fiche 50-247, 82/06/14, 8206170263

8206170268 Cross-examination plans for State of NY, Rockland County, FEMA & NRC under Commission Questions 3 & 4 Certificate of Svc encl
MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/14 12pp 13531 352 24X Fiche 50-247, 82/06/14, 8206170268

8206180154 Motion for order striking intervenor witnesses B Palenik & J Baga testimony Until has not been served w/testimony despite ASLB 820423 order to do so Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York 82/06/14 Atomic Safety and Licensing Board Panel 7pp 13552 220 24X Fiche 50-247, 82/06/14, 8206180154

- 8206180211 Forwards DP Guido & CN Bates testimony & amended list of witnesses Related correspondence
VETTERE, L A Westchester County, NY 82/06/14 CARTER, L J, PARISH, D H, SHON, F J Atomic Safety and Licensing Board Panel 1p 13554 262 24X Fiche 50-247, 82/06/14, 8206180211
- 8206180221 Amended list of witnesses Certificate of Svc encl Related correspondence
VETTERE, L A Westchester County, NY 82/06/14 5pp 13554 263 24X Fiche 50-247, 82/06/14, 8206180211
- 8206180230 Testimony of DP Guido Emergency planning drill demonstrated that directions issued from emergency operating ctr could not be implemented in field due to variety of deficiencies
GUIDO, D P Westchester County, NY 82/06/14 4pp 13554 268 24X Fiche 50-247, 82/06/14, 8206180211
- 8206180243 Testimony of CW Bates that Westchester County Dept of Social Svcs is not prepared to implement total responsibility in real crisis due to significant problems in staffing, communication, equipment & training
BATES, C W Westchester County, NY 82/06/14 4pp 13554 272 24X Fiche 50-247, 82/06/14, 8206180211
- 8206180257 Cross-examination plans for proposed Rockland County, NRC, FEMA & State of NY witnesses on issues re Commission Questions 3 & 4 Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York 82/06/14 6pp 13551 277 24X Fiche 50-247, 82/06/14, 8206180257
- 8206180316 Motion for order compelling UCS/NY PIRG to produce witness J Beyea, B Palenik & K Erickson for deposition, pursuant to ASLB 820603 memorandum & order Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/14 Atomic Safety and Licensing Board Panel, 18pp 13548 008 24X Fiche 50-247, 82/06/14, 8206180316
- 8206210588 Forwards emergency petition for directed certification of Village of Buchanan request for order directing ASLB to schedule upcoming safety hearings at location within 10-mile emergency planning zone
PIERCE, F W Buchanan, NY 82/06/14 PALLADIO, N J Commissioners 1p 13564 077 24X Fiche 50-247, 82/06/14, 8206210588
- 8206210594 Emergency petition for directed certification of Village of Buchanan request for order directing ASLB to schedule upcoming safety hearings at location within 10-mile emergency planning zone Certificate of Svc encl
BLATL, W H Buchanan, NY 82/06/15 Commissioners 6pp 13564 078 24X Fiche 50-247, 82/06/15, 8206210588
- 8206170130 Urges granting of licensee 820510 petition for directed certification immediately to prevent inquiry from exceeding intended scope Commission never intended same admitted contentions to be heard by ASLB
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York 82/06/15 PALLADIO, W J, AHEARNE, J F, QILINSKY, V Commissioners 3pp 13530 230 24X Fiche 50-247, 82/06/15, 8206170130
- 8206180163 Forwards corrected 8220614 motion for order striking intervenor witnesses B Palenik & J Beyea testimony Notice of appearance encl
JOHNSON, P W Consolidated Edison Co of New York 82/06/15 CARTER, L J, SHON, F J, PARISH, D H Atomic Safety and Licensing Board Panel 2pp 13552 200 24X Fiche 50-247, 82/06/15, 8206180163
- 8206180171 Corrected motion for order striking intervenor witnesses B Palenik & J Beyea testimony Until has not been served w/ testimony despite ASLB 820423 order to do so Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York 82/06/14 Atomic Safety and Licensing Board Panel 7pp 13552 202 24X Fiche 50-247, 82/06/15, 8206180163
- 8206180262 Response supporting UCS/NY PIRG & Friends of the Earth/ Audubon Soc 820604 & 08 motions for reconsideration of Commission ruling allowing interim operation & for issuance of show cause order against licensees
FLEISHER, Z B West Branch Conservation Association 82/06/15 Atomic Safety and Licensing Board Panel 3pp 13551 101 24X Fiche 50-247, 82/06/15, 8206180262
- 8206180269 Added list of witnesses for cross-examination on Contentions 3 & 4 & on status of evacuation plans Certificate of Svc encl
FLEISHER, Z B West Branch Conservation Association 82/06/15 3pp 13551 103 24X Fiche 50-247, 82/06/15, 8206180262
- 8206240405 Confirms that Friends of the Earth, NY City Audubon Soc & Parents Concerned About Indian Point subscribe to UCS/NY PIRG 820611 response to licensee motion for order compelling responses to interrogatories
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City Audubon Society 82/06/15 CARTER, L J, SHON, F J, PARISH, D H Atomic Safety and Licensing Board Panel 1p 13603 080 24X Fiche 50-247, 82/06/15, 8206240405
- 8206170169 Memorandum & order amending svc list by adding Director, Radiological Emergency Planning Group of State of NY
CARTER, L J Atomic Safety and Licensing Board Panel 82/06/16 2pp 13534 143 24X Fiche 50-247, 82/06/16, 8206170169
- 8206180296 First set of interrogatories & document requests re ASLB Contention 1 Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/16 Union of Concerned Scientists 33pp 13547 037 24X Fiche 50-247, 82/06/16, 8206180296
- 8206240221 Response to West Branch Conservation Assoc supplementary interrogatories Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/16 West Branch Conservation Association 10pp 13597 343 24X Fiche 50-247, 82/06/16, 8206240221
- 8206240235 Response to UCS/NY PIRG supplementary interrogatories Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/16 Union of Concerned Scientists 10pp 13597 353 24X Fiche 50-247, 82/06/16, 8206240221
- 8206240239 Prehearing motion on procedural matters Free daily transcript should be provided to intervenors Opening statement should be allowed Intervenor direct case on emergency planning should be after NRC case
POTTERFIELD, A Public Interest Research Group, New York BLUM, J M Union of Concerned Scientists POTTERFIELD, A Potterfield, A 82/06/16 Atomic Safety and Licensing Board Panel 6pp 13597 300 24X Fiche 50-247, 82/06/16, 8206240239
- 8206240257 First set of interrogatories re Commission Question 6
CORREN, D R Greater New York Council on Energy 82/06/16 Consolidated Edison Co of New York, 8pp 13599 067 24X Fiche 50-247, 82/06/16, 8206240257
- 8206280066 Submittal per ASLB 820616 oral order re intervenor witnesses on emergency planning issues
POTTERFIELD, A Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York POTTERFIELD, A Rockland Citizens for Safe Energy 82/06/16 23pp 13625 073 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280094 Testimony of L Kaagan re public opinion climate in which nuclear facilities built Public responses to plans & procedures for evacuation during serious accident will be highly volatile, unpredictable & possibly unmanageable
KAGAN, L Union of Concerned Scientists KAGAN, L Public Interest Research Group, New York KAGAN, L Rockland Citizens for Safe Energy 82/06/16 16pp 13625 103 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280104 Testimony of M Melbin re emergency plans Any set of plans will be carried out less effectively at night Add'l precautions must be taken to compensate for risks of errors in judgment & behavior
MELBIN, M Union of Concerned Scientists MELBIN, M Public Interest Research Group, New York MELBIN, M Rockland Citizens for Safe Energy 82/06/16 5pp 13625 117 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280115 Testimony of J Kagan re emergency evacuation of children in 10-mile emergency planning zone Evacuating children separately from parents places children at serious levels of psychological risk
KAGAN, J Union of Concerned Scientists KAGAN, J Public Interest Research Group, New York KAGAN, J Rockland Citizens for Safe Energy 82/06/16 2pp 13625 124 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280123 Testimony of TB Brazelton that emergency plans should take account that parents would not be evacuated separately from children Proposed stipulation of facts encl
BRAZELTON, T B Union of Concerned Scientists BRAZELTON, T B Public Interest Research Group, New York BRAZELTON, T B Parents Concerned About Indian Point 82/06/15 22pp 13626 126 24X Fiche 50-247, 82/06/16, 8206280066

DOCKETED ITEMS

--8206280128 Testimony of C Maxwell re organizational response of four hosps closest to plant Recommends future planning efforts
MAXWELL, C Union of Concerned Scientists MAXWELL, C Public Interest Research Group, New York MAXWELL, C Rockland Citizens for Safe Energy 82/06/15 8pp 13625 147 24X
Fiche 50-247, 82/06/16, 8206280066

--8206280133 Testimony of RL Morris re emergency evacuation planning --
ASLB Questions 3 i, 3 j & 3 k Util consultant evacuation
repts not based on worst case condition & thus are invalid
MORRIS, R L Union of Concerned Scientists MORRIS, R L Public Interest Research Group, New York 82/06/21 12pp 13625 155
24X Fiche 50-247, 82/06/16, 8206280066

--8206280135 Motion for order compelling licensees to produce certain documents requested in formal & informal discovery & to respond to UCS/NY PIRQ Interrogatory 67 No agreement could be reached List of witnesses encl
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York BLUM, J M New York Univ 82/06/21 Atomic Safety and Licensing Board Panel 17pp 13625 167 24X Fiche 50-247, 82/06/16, 8206280066

--8206280137 List of witnesses on ASLB Contention 4 J
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City Audubon Society 82/06/22 2pp 13625 184 24X
Fiche 50-247, 82/06/16, 8206280066

--8206280142 Testimony of RJ Lifton Disasters involving ionizing radiation strongly & decisively different from natural catastrophes used in most disaster research Certificate of Svc encl
LIFTON, R J Union of Concerned Scientists LIFTON, R J Public Interest Research Group, New York LIFTON, R J Rockland Citizens for Safe Energy 82/06/22 19pp 13625 186 24X
Fiche 50-247, 82/06/16, 8206280066

8206230166 Reply to NRC 820526 interrogatories
FLEISHER, Z S West Branch Conservation Association 82/06/17
Office of the Executive Legal Director 3pp 13586 347 24X
Fiche 50-247, 82/06/17, 8206230166

--8206230169 Reply to licensee first set of interrogatories, Question 4
Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/06/16
Consolidated Edison Co of New York 4pp 13586 350 24X
Fiche 50-247, 82/06/17, 8206230166

8206240169 Responses to NRC interrogatories & requests for documents
Certificate of Svc encl Related correspondence
REISMAN, R P Consolidated Edison Co of New York 82/06/17
Office of the Executive Legal Director 66pp 13601 082 24X
Fiche 50-247, 82/06/17, 8206240169

8206240185 Responses to NRC interrogatories & document requests
Certificate of Svc encl Related correspondence
PRATT, C M Power Authority of the State of New York 82/06/17
Office of the Executive Legal Director 45pp 13600 014 24X
Fiche 50-247, 82/06/17, 8206240185

8206240208 Responses to NRC interrogatories & document requests
Certificate of Svc encl
MORGAN, C Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/17 Office of the Executive Legal Director 37pp 13598 081 24X Fiche 50-247, 82/06/17, 8206240208

8206240260 Notice of appearance in proceeding Certificate of Svc encl
DUBOFF, D B Westchester Peoples Action Coalition, Inc 82/06/17
8pp 13597 183 24X Fiche 50-247, 82/06/17, 8206240260

8206240263 Certifies svc on 820617 of Greater NY Council on Energy
first set of interrogatories to licensees on Commission
Question A & UCS/NY PIRQ rehearing motion on procedural
matters
HOLT, J Public Interest Research Group, New York 82/06/17 1p
13597 159 24X Fiche 50-247, 82/06/17, 8206240263

8206230174 Joins util protest of ASLB expansion of scope of inquiry &
inclusion of addl witnesses beyond Commission order
TODD, D VICH, M M Scientists & Engineers for Secure Energy 82/06/18
PALLADINO, J Commissioners 1p 13586 308 24X
Fiche 50-247, 82/06/18, 8206230174

8206240379 Response opposing UCS/NY PIRQ motion for reconsideration
of Commission ruling allowing interim operation & for
issuance of show cause order re plant safety. Alleged new
evidence over 6 months old Certificate of Svc encl
MORGAN, C Power Authority of the State of New York MORGAN, C
Morgan Associates 82/06/21 Atomic Safety and Licensing Board
Panel 75pp 13602 189 24X Fiche 50-247, 82/06/21, 8206240379

8206280200 Interrogatories on Contention 6 2 Related correspondence
* Parents Concerned About Indian Point 82/06/21 Consolidated
Edison Co of New York 2pp 13624 225 24X Fiche 50-247, 82/06/21,
8206280200

8206280473 Reorganization of witnesses necessary to prove Contentions
3 7 & 4 7 on emergency evacuation & notification Svc list
encl
* Parents Concerned About Indian Point 82/06/21 9pp 13625 353
24X Fiche 50-247, 82/06/21, 8206280473

8206280532 Response opposing UCS/NY PIRQ 820604 motion for
reconsideration of Commission ruling allowing interim
operation & for issuance of show cause order New evidence
more than 6 months old Exhibits & Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York 82/06/21
Commissioners 23pp 13625 304 24X Fiche 50-247, 82/06/21,
8206280532

8206230190 Response opposing NY City Council 820602 request for
extension of time to file testimony No good cause shown
Sufficient time given to obtain counsel Testimony can be
filed w/o counsel Certificate of Svc encl
MCQUARREN, H J Hearing Branch 1 82/06/22 Atomic Safety and
Licensing Board Panel 6pp 13586 154 24X Fiche 50-247, 82/06/22,
8206230190

8206280149 Response to UCS/NY PIRQ requests for admissions. Details
surrounding TMI-2 accident would require burdensome &
oppressive research Affidavits & Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/06/22 Union of Concerned Scientists 22pp
13624 326 24X Fiche 50-247, 82/06/22, 8206280149

8206230144 Second set of interrogatories re Commission Questions 1, 2 &
5
MCQUARREN, H J Hearing Branch 1 82/06/24 Consolidated Edison
Co of New York 5pp 13616 285 24X Fiche 50-247, 82/06/24,
8206230144

--8206230147 Second set of interrogatories re Commission Questions 1, 2 &
5 Certificate of Svc encl
MCQUARREN, H J Hearing Branch 1 82/06/24 Power Authority of
the State of New York 8pp 13616 290 24X Fiche 50-247,
82/06/24, 8206230144

8206250153 Response opposing UCS/NY PIRQ motion for reconsideration of
Commission ruling allowing interim operation & for show
cause order No new evidence presented Request for order to
change proceeding inappropriate w/ Certificate of Svc
MCQUARREN, H J Hearing Branch 1 82/06/24 Commissioners 19pp
13613 307 24X Fiche 50-247, 82/06/24, 8206250153

8206290301 Responses to first set of interrogatories re Questions 1 &
2 Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York COLARULLI, P F
Power Authority of the State of New York COLARULLI, P F Morgan
Associates 82/06/25 Office of the Executive Legal Director
65pp 13637 095 24X Fiche 50-247, 82/06/25, 8206290301

8206300215 Final response to util interrogatories Certificate of Svc
encl Related correspondence
KESSLER, J Rockland Citizens for Safe Energy 82/06/25
Consolidated Edison Co of New York 18pp 13654 297 24X
Fiche 50-247, 82/06/25, 8206300215

H General correspondence

8206010048 Act receipt of 820331 ltr to President Reagan opposing
continued operation of units 1E has increased NRC onsite
staff to provide added surveillance & insp
VARGA, B A Operating Reactors Branch 1 82/03/12 GURRAN, M
Gurran Oil Co 2pp 13332 003 24X Fiche 50-247, 82/05/12,
8206010048

--8206010050 Forwards correspondence directed at DOE re facility
safety Requests reply
ROHM, H H Energy, Dept of 82/04/27 DIRCKS, W Office of the
Executive Director for Operations 8pp 13332 005 24X
Fiche 50-247, 82/05/12, 8206010048

8206080175 Responds to R Johnson 820317 ltr to B Bradley opposing
continued operation of facilities. Forwards Director's
Decision emphasizing series of measures imposed on
operation of plants to assure public safety
DIRCKS, W J Office of the Executive Director for Operations
82/05/20 BRADLEY, B Senate App 13442 054 24X
Fiche 50-003, 82/05/20, 8206080175

8206080177 Requests response to encl ltr from constituent R Johnson opposing operation of facilities
BRADLEY, B Senate 82/05/04 Office of Congressional Affairs
2pp 13442 058 24X Fiche 50-003, 82/05/20, 8206080175

P Operating license stage documents & correspondence

8206020062 Addl response to FOIA request for all documents re probabilistic risk assessment for facilities Forwards
CS Woodhead 800530 memo to ES Christenbury
FELTON, J M Division of Rules and Records 81/11/06 DORSEY, J A
Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06, 8206020062

-8206020075 Discusses 800527 meeting re possible legal &/or public perception consequences to NRC plan for risk assessment of sites near high population areas Interim revision of 10CFR100 should be issued pending proposed rule
WOODHEAD, C P Office of the Executive Legal Director 80/05/30
CHRISTENBURY, E Office of the Executive Legal Director 2pp 13339 213 24X Fiche 50-000, 81/11/06, 8206020062

8206080097 Forwards safety evaluation re electric distribution sys voltages Requests results of voltage verification tests within 30 days of receipt of ltr Technical evaluation encl
VAROA, S A Operating Reactors Branch 1 82/05/05 O'TOOLE, J D
Consolidated Edison Co of New York 8pp 13441 180 24X Fiche 50-247, 82/05/05, 8206080097

8206070560 Forwards licenset response to NRC 820330 request for addl info, including details of functional routing of cables & automatic transfer of dc loads between redundant power sources
O'TOOLE, J D Commonwealth Edison Co 82/05/27 VAROA, S A
Operating Reactors Branch 1 15pp 13372 331 24X Fiche 50-247, 82/05/27, 8206070560

8206170051 RESPONSE OF THE ZION & INDIAN POINT CONTAINMENT BUILDINGS TO SEVERE ACCIDENT PRESSURES
BUTLER, T A, FUDELSON, L E Los Alamos Scientific Laboratory FIN A-7270 NUREG/CR-2569 82/05/31 Division of Engineering 41pp
Available at NTIS #3 00 13355 240 24X Fiche 50-000, 82/05/31, 8206170051

8206070137 Requests list of items that have been resolved w/basis for resolution & schedule for completing remaining items, including flood protection Tech Specs, within 30 days of ltr receipt
VAROA, S A Operating Reactors Branch 1 82/06/01 O'TOOLE, J D
Consolidated Edison Co of New York 2pp 13427 009 24X Fiche 50-247, 82/06/01, 8206070137

8206080318 Forwards addl info re implementation of NUREG-0737, Item II B 1, "RCS Vents," in response to NRC 820225 ltr Three oversize figures encl Aperture cards are available in PWR
O'TOOLE, J D Consolidated Edison Co of New York 82/06/02
VAROA, S A Operating Reactors Branch 1 52pp 13419 316 24X Fiche 50-247, 82/06/02, 8206080318

8206140073 Submits addl info for inclusion in analysis of fishery resources & existing radioactive containment levels in fish near facility
RADLE, E New York, State of 82/06/08 CODELL, R NRC - No Detailed Affiliation Given 2pp 13487 165 24X Fiche 50-247, 82/06/08, 8206140073

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUERPOUR, A
Consolidated Edison Co of New York ANGLERO, D Puerto Rico Water Resources Authority MORISIA, A Boston Edison Co 13pp 13557 347 24X Fiche 50-000, 82/06/09, 8206090153

8204210427 Forwards approved state pollutant discharge elimination discharge sys permit renewal w/conditions, effective 810514
O'TOOLE, J D Consolidated Edison Co of New York 82/06/10
BENTON, H R Office of Nuclear Reactor Regulation, Director 19pp 13569 263 24X Fiche 50-003, 82/06/10, 8206210427

8206250225 Forwards response to NRC 820505 Generic Ltr 82-10 requesting schedule for applicable TMI items after 820301, per 10CFR50.54(f)
SOUTAR, C F Consolidated Edison Co of New York 82/06/17
EISENHUT, D G Division of Licensing 4pp 13613 233 24X Fiche 50-247, 82/06/17, 8206250225

8206300161 Forwards prioritized tables of open items to be completed Listing of mutually agreed upon priority items, procedure to expedite review process & meeting scheduled for no later than 820716 suggested
VAROA, S A Operating Reactors Branch 1 82/06/21 O'TOOLE, J D
Commonwealth Edison Co 7pp 13678 283 24X Fiche 50-247, 82/06/21, 8206300161

O Inspection reports, IE Bulletins & correspondence

8206170123 Forwards IE Insp Rept 50-247/82-08 on 820503-07 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/24
O'TOOLE, J D Consolidated Edison Co of New York 2pp 13530 172 24X Fiche 50-247, 82/05/24, 8206170123

--8206170126 IE Insp Rept 50-247/82-08 on 820503-07 No noncompliance noted Major areas inspected fire protection/prevention program, completion of fire hazards analysis commitments & SER commitments
PAOLINO, R J Region 1, Office of Director 82/05/20 6pp 13530 174 24X Fiche 50-247, 82/05/24, 8206170123

8206040372 Ack receipt of 820419 ltr informing NRC of steps taken to correct violations noted in IE Safeguards Insp Rept 50-247/82-03
STAROSTECKI, R Division of Project & Resident Programs 82/05/26
O'TOOLE, J D Consolidated Edison Co of New York 2pp 13355 332 24X Fiche 50-247, 82/05/26, 8206040372

--8206040378 Responds to NRC 820319 ltr re violations noted in IE Insp Rept 50-247/82-03 Corrective actions process of implementation of mods involving fire protection under review Encl B withheld (ref 10CFR73.21)
O'TOOLE, J D Consolidated Edison Co of New York 82/04/19
STAROSTECKI, R Division of Project & Resident Programs 5pp 13355 334 24X Fiche 50-247, 82/05/26, 8206040372

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206170250 Forwards payment of penalties re 801211 notice of violation & proposed imposition of civil penalties Payment due to costs to carry matter to conclusion requiring extensive litigation Liability remains disputed
BRANDENBURG, B Consolidated Edison Co of New York 82/06/09
BICKWIT, L Office of the General Counsel 3pp 13533 007 24X Fiche 50-247, 82/06/09, 8206170250

--8206170257 Ack receipt of certified check in settlement of civil penalty proposed by NRC on 801211 Commission notes that mgt sys improved sufficiently to assure that reactor could resume operation by 1981
BICKWIT, L Office of the General Counsel 82/06/09
BRANDENBURG, B L Consolidated Edison Co of New York 1p 13533 010 24X Fiche 50-247, 82/06/09, 8206170250

--8206170262 Stipulation & agreement that action is discontinued w/ prejudice & each part bear own costs re imposition of civil penalties
CAMPBELL, S M U S District Court, Southern District of New York, BRANDENBURG, B L Consolidated Edison Co of New York 82/06/07 1p 13533 011 24X Fiche 50-247, 82/06/09, 8206170250

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206220141 Ack receipt of 820524 ltr informing NRC of steps taken to correct violations noted in IE Safeguards Insp Rept
50-247/82-04
STAROSTECKI, R Division of Project & Resident Programs 82/06/16
O'TOOLE, J D Consolidated Edison Co of New York 2pp 13520 31X
24X Fiche 50-247, 82/06/16, 8206220141

R Periodic operating reports & related correspondence

8206010238 Forwards monthly operating rept for Apr 1982
O'TOOLE, J D Consolidated Edison Co of New York 82/05/14
MCDONALD, W O Office of Management and Program Analysis 1p
13307 096 24X Fiche 50-247, 82/05/14, 8206010238

--8206010240 Monthly operating rept for Apr 1982
EICH, E F Consolidated Edison Co of New York 82/05/05 1pp
13307 097 24X Fiche 50-247, 82/05/14, 8206010238

8206080368 Forwards "Changes, Test & Experiments, 1980"
O'TOOLE, J D Consolidated Edison Co of New York 82/05/24
HAYNES, R C Region 1, Office of Director 1p 13416 021 24X
Fiche 50-247, 82/05/24, 8206080368

--8206080371 "Changes, Test & Experiments, 1980"
* Consolidated Edison Co of New York 82/05/24 13pp
13416 022 24X Fiche 50-247, 82/05/24, 8206080368

8206220413 Forwards monthly operating rept for May 1982
SOUTAR, C F Consolidated Edison Co of New York 82/06/15
MCDONALD, W O Office of Management and Program Analysis 1p
13577 160 24X Fiche 50-247, 82/06/15, 8206220413

--8206220416 Monthly operating rept for May 1982
EICH, E F Consolidated Edison Co of New York 82/06/04 6pp
13577 161 24X Fiche 50-247, 82/06/15, 8206220413

S Reportable occurrences, LERs & related correspondence

8206010062 Forwards LER 82-017/01T-0
O'TOOLE, J D Consolidated Edison Co of New York 82/05/19
HAYNES, R C Region 1, Office of Director 1p 13313 215 24X
Fiche 50-247, 82/05/19, 8206010062

--8206010066 LER 82-017/01T-0 on 820505, motors for central control room air conditioning sys booster fans failed. Caused by previous operation of 3-phase motors in single phase mode. Motors replaced.
HINRICHSEN, G Consolidated Edison Co of New York 82/05/19
Region 1, Office of Director 3pp 13313 216 24X
Fiche 50-247, 82/05/19, 8206010062

8206030202 Forwards LER 82-015/03L-0
O'TOOLE, J D Consolidated Edison Co of New York 82/05/21
HAYNES, R C Region 1, Office of Director 1p 13337 239 24X
Fiche 50-247, 82/05/21, 8206030202

--8206030206 LER 82-015/03L-0 on 820421, during routine surveillance, one of two redundant heat tracing circuits associated w/safety injection pump train 23 inoperable. Caused by lead wiring failure. Wiring repaired & heaters re-energized.
FITZPATRICK, R Consolidated Edison Co of New York 82/05/21
Region 1, Office of Director 1p 13337 240 24X
Fiche 50-247, 82/05/21, 8206030202

8206080069 Forwards LER 82-016/03L-0
O'TOOLE, J D Consolidated Edison Co of New York 82/05/24
HAYNES, R C Region 1, Office of Director 1p 13423 303 24X
Fiche 50-247, 82/05/24, 8206080069

--8206080077 LER 82-016/03L-0 on 820423, cell 36 of battery 21 found leaking electrolyte. Caused by cracked cell casing due to expansion of positive plates. New cell installed. All remaining cells to be replaced.
FITZPATRICK, R Consolidated Edison Co of New York 82/05/24
Region 1, Office of Director 1p 13423 304 24X
Fiche 50-247, 82/05/24, 8206080069

8206170088 RO provides addl info re 820601 diver exposure in excess of limits. Review conducted & instrumentation used in radiation surveys of pool immediately prior to exposure. One alarming dosimeter used by divers found inoperable.
O'TOOLE, J D Consolidated Edison Co of New York 82/06/09
HAYNES, R C Region 1, Office of Director 3pp 13550 165 24X
Fiche 50-247, 82/06/09, 8206170088

8206220329 RO during scheduled sample collection for May 1982, Windsr Farms Environ Sampling Station 51 ceased commercial milk production. Potential replacement locations are being investigated.
O'TOOLE, J D Consolidated Edison Co of New York 82/06/10
HAYNES, R C Region 1, Office of Director 2pp 13624 084 24X
Fiche 50-003, 82/06/10, 8206220329

T Hearing transcripts on non-antitrust matters

8206040291 Transcript of 820601 telephone conference in Washington, DC Pg 935-949
* Atomic Safety and Licensing Board Panel 82/06/01 36pp
13355 290 24X Fiche 50-247, 82/06/01, 8206040291

8206170162 Lists events associated w/aborted highway projects involving county Related correspondence
CHASE, W M Rockland County, NY 82/06/04 GRANIER, M Affiliation Unknown 1p 13331 329 24X Fiche 50-247, 82/06/04, 8206170162

--8206170272 Testimony of G O Lear, providing demographic data
O'LEAR, G Rockland County, NY 82/05/15 5pp 13531 330 24X
Fiche 50-247, 82/06/04, 8206170162

8206090175 Forwards testimonies of BK Grimes, JR, Sears, T, Urbanik, P, McIntire, JH, Keller & I Husar re Commission Questions 3 & 4 & emergency planning contentions, pursuant to ASLB 820423 order Certificate of Svc encl
HASSELL, D F Hearing Branch 1 82/06/07 Atomic Safety and Licensing Board Panel 4pp 13434 097 24X Fiche 50-247, 82/06/07, 8206090175

--8206090179 Testimony of BK Grimes re emergency planning contentions admitted by ASLB 820423 order Prof qualifications encl
GRIMES, B K Division of Emergency Preparedness 82/06/07 1/p
13434 101 24X Fiche 50-247, 82/06/07, 8206090175

--8206090185 Testimony of JR Sears on Commission Questions 3 & 4 & emergency planning contentions admitted by ASLB 820423 order Prof qualifications encl
SEARS, J R EP Licensing Branch 82/06/07 61pp 13434 116 24X
Fiche 50-247, 82/06/07, 8206090175

--8206090188 Testimony of T Urbanik re evacuation time estimate studies. Prof qualifications encl
URBANIK, T Texas A & M Univ 82/06/04 14pp 13434 181 24X
Fiche 50-247, 82/06/07, 8206090175

--8206090192 Testimony of P McIntire, I Husar & JH Keller re Commission Questions 3 & 4 Prof qualifications encl
MCINTIRE, P, HUSAR, I, KELLER, J H Federal Emergency Management Agency 82/06/07 175pp 13434 195 24X Fiche 50-247, 82/06/07, 8206090175

8206140093 Testimony re Commission Questions 3 & 4, addressing on-site emergency plan, relationship of plan to other emergency measures, utility personnel training, emergency facilities & equipment & communication sys Certificate of Svc encl
* Consolidated Edison Co of New York 82/06/07 30pp 13489 317 24X Fiche 50-247, 82/06/07, 8206140093

8206140112 Testimony of R Dynes re Commission Questions 3 & 4 Human responses to various emergencies show consistency across different types of disaster agents, including radiological agents. Related correspondence
DYNES, R R Consolidated Edison Co of New York DYNES, R R Power Authority of the State of New York 82/06/07 28pp 13483 164 24X Fiche 50-247, 82/06/07, 8206140112

--8206140115 Testimony of S Lecker re Commission Questions 3 & 4 Human responses to radiological emergencies do not differ materially than response to other emergencies. Psychological & behavioral assumptions valid. Related correspondence
LECKER, S Consolidated Edison Co of New York LECKER, S Power Authority of the State of New York 82/06/07 18pp 13483 182 24X Fiche 50-247, 82/06/07, 8206140112

--8206140120 Testimony of MS Della Rocca, DE Podwal & RL Rosenblatt re Commission Questions 3 & 4 Demonstrates adequacy of evacuation components of radiological emergency response plans. Related correspondence
DELLA ROCCA, M, PODWAL, B E, ROSENBLATT, R L Consolidated Edison Co of New York 82/06/07 57pp 13483 200 24X
Fiche 50-247, 82/06/07, 8206140112

DOCKETED ITEMS

53

- E206140131 Testimony of JC Brons, L Lomonaco & D Quinn Plant sitr plan & procedures more than adequate to protect integrity & health & safety (Util) committed to making reasonable changes
w/Certificate of Svc Related correspondence
BRONS, J C LOMONACO, L, QUINN, D Power Authority of the State of New York 82/06/07 41pp 13483 297 24X Fiche 50-247, 82/06/07, 8206110112
- 8206170236 Forwards D Davidoff & L Czech testimony & exhibit State radiological emergency plan will be mailed separately
FEINDERG, J D New York, State of 82/06/08 CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 1p 13531 048 24X Fiche 50-247, 82/06/08, 8206170236
- 8206170243 Testimony of DB Davidoff & LB Czech on Commission Questions 3 & 4 Nv State radiological emergency preparedness plan discussed Certificate of Svc encl
DAVIDOFF, D B, CZECH, L B New York, State of 82/06/07 34pp 13531 053 24X Fiche 50-247, 82/06/08, 8206170236
- 8206170254 Forwards O Q Lear testimony R Northrup & C Bull testimony submitted on 820607 W/o testimony Unexecuted affidavit of svr encl Related correspondence
THORSEN, E O Rockland County, NY 82/06/10 CARTER, L J, PARIS, O H Atomic Safety and Licensing Board Panel 4pp 13933 003 24X Fiche 50-247, 82/06/10, 8206170234
- 8206180211 Forwards DP Guido & CW Bates testimony & amended list of witnesses Related correspondence
VETERE, L A Westchester County, NY 82/06/14 CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 1p 13554 262 24X Fiche 50-247, 82/06/14, 8206180211
- 8206180230 Testimony of DP Guido Emergency planning drill demonstrated that directions issued from emergency operating ctr could not be implemented in field due to variety of deficiencies
GUIDO, D P Westchester County, NY 82/06/14 4pp 13554 260 24X Fiche 50-247, 82/06/14, 8206180211
- 8206180243 Testimony of CW Bates that Westchester County Dept of Social Svcs is not prepared to implement total responsibility in real crisis due to significant problems in staffing, communication, equipment & training
BATES, C W Westchester County, NY 82/06/14 4pp 13554 272 24X Fiche 50-247, 82/06/14, 8206180211
- 8206240347 Forwards RB Jurkowski, AB DelBello, FC Bohlander, AS Curran, WQ Borghard, M Kaminski & AR Marasco testimony re emergency evacuation plan F Bohlander & AB DelBello should be added to witness list Certificate of Svc encl Related correspondence
VETERE, L A Westchester County, NY 82/06/16 CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 4pp 13603 019 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240350 Testimony of RB Jurkowski re emergency evacuation plan JURKOWSKI, R B Westchester County, NY 82/06/16 14pp 13603 023 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240351 Testimony of AB DelBello re emergency evacuation plan DELBELLO, A B Westchester County, NY 82/06/16 4pp 13603 037 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240354 Testimony of FC Bohlander re emergency evacuation plan BOHLANDER, F C Westchester County, NY 82/06/16 2pp 13603 041, 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240358 Testimony of AS Curran re emergency evacuation plan CURRAN, A S Westchester County, NY 82/06/16 5pp 13603 043 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240359 Testimony of WQ Borghard re emergency evacuation plan BORGHARD, W Q Westchester County, NY 82/06/16 2pp 13603 048 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240362 Testimony of M Kaminski re emergency evacuation plan KAMINSKI, M Westchester County, NY 82/06/16 3pp 13603 050 24X Fiche 50-247, 82/06/16, 8206240347
- 8206240367 Testimony of AR Marasco re emergency evacuation plan NY State critique of 820303 simulated evacuation of surrounding 10-mile area encl
MARASCO, A R Westchester County, NY 82/06/16 16pp 13603 055 24X Fiche 50-247, 82/06/16, 8206240347
- 8206280066 Submittal per ASLB 820616 oral order re intervenor witnesses on emergency planning issues
POTTERFIELD, A, Union of Concerned Scientists POTTERFIELD, A Public Interest Research Group, New York POTTERFIELD, A Rockland Citizens for Safe Energy 82/06/16 23pp 13625 073 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280094 Testimony of L Kaagan re public opinion climate in which nuclear facilities built Public responses to plans & procedures for evacuation during serious accident will be highly volatile, unpredictable & possibly unmanageable
KAAGAN, L Union of Concerned Scientists KAAGAN, L Public Interest Research Group, New York KAAGAN, L Rockland Citizens for Safe Energy 82/06/16 16pp 13625 103 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280104 Testimony of M Melbin re emergency plans Any set of plans will be carried out less effectively at night Addl precautions must be taken to compensate for risks of errors in judgment & behavior
MELBIN, M Union of Concerned Scientists MELBIN, M Public Interest Research Group, New York MELBIN, M Rockland Citizens for Safe Energy 82/06/16 5pp 13625 117 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280115 Testimony of J Kagan re emergency evacuation of children in 10-mile emergency planning zone Evacuating children separately from parents places children at serious levels of psychological risk
KAGAN, J Union of Concerned Scientists KAGAN, J Public Interest Research Group, New York KAGAN, J Rockland Citizens for Safe Energy 82/06/15 2pp 13625 124 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280123 Testimony of TB Brazelton that emergency plans should take account that parents would not be evacuated separately from children Proposed stipulation of facts encl
BRAZELTON, T B Union of Concerned Scientists BRAZELTON, T B Public Interest Research Group, New York BRAZELTON, T B Parents Concerned About Indian Point 82/06/15 22pp 13625 125 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280128 Testimony of C Maxwell re organizational response of four hops closest to plant Recommends future planning efforts
MAXWELL, C Union of Concerned Scientists MAXWELL, C Public Interest Research Group, New York MAXWELL, C Rockland Citizens for Safe Energy 82/06/15 8pp 13625 147 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280133 Testimony of RL Morris re emergency evacuation planning - ASLB Questions 3 1, 3 3 & 3 6 Util consultant evacuation repts not based on worst case condition & thus are invalid
MORRIS, R L Union of Concerned Scientists MORRIS, R L Public Interest Research Group, New York 82/06/21 12pp 13625 155 24X Fiche 50-247, 82/06/16, 8206280066
- 8206280142 Testimony of RJ Lifton Disasters involving ionizing radiation strongly & decisively different from natural catastrophes used in most disaster research Certificate of Svc encl
LIFTON, R J Union of Concerned Scientists LIFTON, R J Public Interest Research Group, New York LIFTON, R J Rockland Citizens for Safe Energy 82/06/22 19pp 13625 166 24X Fiche 50-247, 82/06/16, 8206280066
- 8206210531 Transcript of 820617 prehearing conference in White Plains, NY Pp 935-1, 125
* Atomic Safety and Licensing Board Panel 82/06/17 192pp 13565 310 24X Fiche 50-247, 82/06/17, 8206210531
- 8206250129 Transcript of 820622 hearing in White Plains, NY Pp 1, 294-1, 304 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/22 385pp 13613 331 24X Fiche 50-247, 82/06/22, 8206250129
- 8206290410 Transcript of 820625 hearing in White Plains, NY Pp 2, 050-2, 260
* Atomic Safety and Licensing Board Panel, 82/06/25 205pp, 13632 112 24X Fiche 50-247, 82/06/25, 8206290410
- DOCKET 50-249 DRESDEN NUCLEAR POWER STATION, UNIT 3
F Security, medical, emergency & fire protection plans
- 8206150016 Responds to FOIA request for documents re siren system installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, 8206150016
- 8206150023 Updates delivery schedule for siren shipments to facilities.
ANDERSON, M E Federal Signal Corp 82/01/28, CANNON, P, Affiliation Unknown 9pp 13524 234 24X Fiche 50-000, 82/04/21, 8206150016

- 8206150458 Forwards corrected Tech Spec Pages 156q & 156m-156q re fire protection for previously issued Amend 61 to License DPR-25
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/07 DELGEOUGH, I
Commonwealth Edison Co 1p 13523 092 24X Fiche 50-249, 82/05/07,
8206150458
- 8206150463 Corrected Pages 156q & 156m-156q of Amend 61 to License 1HR
25 Tech Specs re fire protection
* Operating Reactors Branch 5 82/05/07 6pp 13523 093 24X
Fiche 50-249, 82/05/07, 8206150458
- 8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N L
Bebevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11
8206090002
- 8206090033 Forwards updated info re prompt notification & warning sys
for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch
81/12/01 RAMOS, S L Emergency Preparedness & Program Support
Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002
- 8206110477 Forwards update on prompt notification & warning sys for
Region 3 licensees FEMA estimates approx 65% of reviews of
proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational
Support 82/01/05 GRIMES, B K Division of Emergency
Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11,
8206090002
- 8206090073 Forwards monthly status rept re prompt notification sys at
facilities Commitments made by licensees to ensure
deficiencies are corrected by 820601
HIND, J A Division of Emergency Preparedness & Operational
Support 82/02/17 GRIMES, B Division of Emergency Preparedness
3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002
- 8206080253 Advises that annex changes for all App C items should be
submitted by 820731 Response to Generic Ltr 82-05 provided
status of App B items Response to Generic Ltr 82-10 will
discuss NUREG-0737 status re emergency response facilities
RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPLER, J O Region
3, Office of Director 6pp 13420 146 24X Fiche 50-000, 82/05/26,
8206080253
- 8206180297 Forwards post-exercise evaluation of "Small Scale Exercise
on 810930." final rept Deficiencies will be corrected by
820629 re offsite emergency preparedness
KRIMM, R W Federal Emergency Management Agency 82/05/26
GRIMES, B Division of Emergency Preparedness 3pp 13545 340 24X
Fiche 50-010, 82/05/26, 8206180297
- 8206180300 Final rept of "Small Scale Exercise on 810930"
* Federal Emergency Management Agency 82/03/31 21pp
13545 343 24X Fiche 50-010, 82/05/26, 8206180297
- 8206070809 Informs that deficiencies identified during initial testing
of prompt public notification sys for facilities documented
in util 820216 ltr have been corrected prior to 820601
DELGEOUGH, L O Commonwealth Edison Co 82/05/28 KEPLER, J O
Region 3, Office of Director 2pp 13389 115 24X
Fiche 50-000, 82/05/28, 8206070809
- 8206080449 Releases public version of emergency plan implementing
procedure
FELTON, J M Division of Rules and Records 82/05/28 Document
Management Branch 1p 13439 347 24X Fiche 50-010, 82/05/28,
8206080449
- 8206080459 Forwards public version of Emergency Plan Implementing
Procedures EPIP 500-8, "Quarterly Emergency Operations
Facility Inventory (Primary Responsibility - Generating
Station Emergency Plan Coordinator)"
SCOTT, D J Commonwealth Edison Co 82/05/21 DENTON, H R Office
of Nuclear Reactor Regulation, Director 4pp 13439 348 24X
Fiche 50-010, 82/05/28, 8206080449
- 8206080496 Forwards public version of revised emergency plan
implementing procedures, including Procedures EPIP 200-3 re
criticality accident in SNM area & EPIP 300-5 re emergency
treatment of injured personnel Receipt forms encl
SCOTT, D J Commonwealth Edison Co 82/05/14 DENTON, H R Office
of Nuclear Reactor Regulation, Director 8pp 13440 075 24X
Fiche 50-010, 82/05/28, 8206080493
- 8206080499 Public version of revised emergency plan implementing
procedures, including Procedures EPIP 200-3 re criticality
accident in SNM area & EPIP 300-5 re emergency treatment
of injured personnel
* Commonwealth Edison Co 82/05/13 15pp 13440 083 24X
Fiche 50-010, 82/05/28, 8206080493
- 8206140321 Advises that Revision 10 to Quad Cities Station security
plan & Revision 11 to Dresden Nuclear Power Station security
plan transmitted by util 810610 & 1027 ltrs, respectively,
consistent w/provisions of 10CFR50.54(p) & approved
VASSALLO, D B Operating Reactors Branch 2 82/06/01 DELGEOUGH, L
Commonwealth Edison Co 3pp 13509 042 24X Fiche 50-000, 82/06/01,
8206140321
- 8206110074 Releases public version of revised emergency plan
implementing procedure
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13493 246 24X Fiche 50-010, 82/06/08,
8206110074
- 8206110098 Forwards public version of Revision 0 to Emergency Plan
Implementing Procedure 300-T1, "Table of Conditions
Requiring Post-Accident Lineup of High Radiation Sampling
Sys & Use of Post-Accident Sampling Procedures"
SCOTT, D J Commonwealth Edison Co 82/05/28 DENTON, H R Office
of Nuclear Reactor Regulation, Director 3pp 13493 247 24X
Fiche 50-010, 82/06/08, 8206110074
- 8206110104 Public version of Revision 0 to Emergency Plan Implementing
Procedure 300-T1, "Table of Conditions Requiring Post-
Accident Lineup of High Radiation Sampling Sys & Use of
Post-Accident Sampling Procedures" Revised index encl
* Commonwealth Edison Co 82/05/27 3pp 13493 250 24X
Fiche 50-010, 82/06/08, 8206110074
- 8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological
Monitoring, Offsite Dose Calculation Program for Emergency
Preparedness at Operating Nuclear Power Plants" & Revision 4
to QA program for meteorological monitoring programs
SCHROEDER, C W Commonwealth Edison Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X
Fiche 50-000, 82/06/16, 8206240332
- 8206230021 Releases public version of generating stations emergency
plan telephone directory
FELTON, J M Division of Rules and Records 82/06/17 Document
Management Branch 1p 13594 073 24X Fiche 50-000, 82/06/17,
8206230021
- 8206230032 Forwards public version of generating stations emergency
plan telephone directory
MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R Office
of Nuclear Reactor Regulation, Director 1p 13594 074 24X
Fiche 50-000, 82/06/17, 8206230021
- 8206230037 Public version of generating stations emergency plan
telephone directory
* Commonwealth Edison Co 82/05/28 40pp 13594 074 24X
Fiche 50-000, 82/06/17, 8206230021
- 8206240425 Application for amend to Licensee DPR-19, DPR-25, DPR-26 &
DPR-30 changing Tech Specs to clarify licensee
responsibilities & actions necessary to protect public
health & safety during emergency
RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office
of Nuclear Reactor Regulation, Director 2pp 13600 313 24X
Fiche 50-000, 82/06/17, 8206240425
- 8206240032 Releases public version of generating stations emergency
plan telephone directory
FELTON, J M Division of Rules and Records 82/06/18 Document
Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18,

DOCKETED ITEMS

55

8206300112 Releases public version of revised generating station emergency plan environ director emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/23 Document Management Branch 1p 13695 001 24X Fiche 50-000, 82/06/23, 8206300112

--8206300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
CICHY, G Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement DENTON, H R NRC - Nn Detailed Affiliation Given 2pp 13695 002 24X Fiche 50-000, 82/06/23, 8206300112

-8206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
LITERSKI, L A, FLESSNER, P A Commonwealth Edison Co 82/06/02 11pp 13695 004 24X Fiche 50-000, 82/06/23, 8206300112

G Adjudicatory correspondence

8206010336 Notice of appearance in proceeding Notice of change of business address & Certificate of Svc encl
FITZGIBBONS, R Commonwealth Edison Co FITZGIBBONS, R Isham, Lincoln & Beale 82/05/24 3pp 13301 281 24X Fiche 50-000, 82/05/24, 8206010336

8206170083 Notice of 820713 hearing in Bethesda, MD, to continue to 0714 if necessary Evidence relevant to issue of whether spent fuel pool floors can withstand loads which could be imposed by new fuel racks during seismic event will be taken
WOLF, J F Atomic Safety and Licensing Board Panel 82/06/09 2pp 13529 288 24X Fiche 50-237, 82/06/09, 8206170083

8206180330 Motion for reconsideration or clarification of hearing scheduled for 820713 by ASLD 820609 notice of hearing Further evidentiary sessions unnecessary & improper Final decision proper Certificate of Svc encl
FITZGIBBONS, R Commonwealth Edison Co FITZGIBBONS, R Isham, Lincoln & Beale 82/06/16 Atomic Safety and Licensing Board Panel 7pp 13545 177 24X Fiche 50-237, 82/06/16, 8206180330

8206230184 Forwards Harstead Engineering Associates, Inc, NRC consultant, analysis of spent fuel pool & rack sys NRC supplementary SER partially based on rept
OODDARD, R J Hearing Branch 3 82/06/21 WOLF, J F, LITTLE, L W, REMICK, F J Atomic Safety and Licensing Board Panel 1p 13586 162 24X Fiche 50-237, 82/06/21, 8206230184

--8206230186 "Impact Effects on Spent Fuel Pool Slab"
HARSTEAD, G A Harstead Engineering Associates, Inc 82/05/17 6pp 13586 163 24X Fiche 50-237, 82/06/21, 8206230184

P Operating license stage documents & correspondence

8206150458 Forwards corrected Tech Spec Pages 156q & 156m-156q re fire protection for previously issued Amend 61 to License DPR-25
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/07 DELGEOGE, L Commonwealth Edison Co 1p 13523 092 24X Fiche 50-249, 82/05/07, 8206150458

--8206150463 Corrected Pages 156q & 156m-156q of Amend 61 to License DPR-25 Tech Specs re fire protection
* Operating Reactors Branch 5 82/05/07 6pp 13523 093 24X Fiche 50-249, 82/05/07, 8206150458

8206040392 Forwards Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, safety evaluation & notice of issuance & availability Amends change App A Tech Specs re undervoltage protection
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 DELGEOGE, L Commonwealth Edison Co 4pp 13355 001 24X Fiche 50-000, 82/05/19, 8206040392

--8206040396 Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, changing App A Tech Specs re undervoltage protection
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 41pp 13355 005, 24X Fiche 50-000, 82/05/19, 8206040392

--8206040402 Safety evaluation supporting Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/19 3pp 13355 047, 24X Fiche 50-000, 82/05/19, 8206040392

--8206040405 Notice of issuance & availability of Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 2pp 13355 073 24X Fiche 50-000, 82/05/19, 8206040392

8206020374 Forwards addl info in response to NUREG-0737, Item II K 3 17 re ECCS outage repts, per 820317 request
SWARTZ, E D Commonwealth Edison Co 82/05/20 EISENHUT, D G Division of Licensing 38pp 13320 207 24X Fiche 50-000, 82/05/20, 8206020374

8206020359 Forwards corrected Page 24 to License DPR-25, Amend 59 re scram discharge vol requirements Footnote 3 changed to correct typographic error from greater than 100 psig to greater than 600 psig
RAUSCH, T J Commonwealth Edison Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13320 304 24X Fiche 50-249, 82/05/25, 8206020359

--8206020365 Corrected Page 24, Footnote 3, Table 3 i 1, to Tech Specs Footnote 3 corrected to read greater than 600 psig
* Commonwealth Edison Co 82/05/25 2pp 13320 305 24X Fiche 50-249, 82/05/25, 8206020359

8206070330 Submits correction factors modifying instrument readings to correspond w/actual radiation levels inside containment re TMI Action Item II F 1 3 Procedures will not be submitted at this time, but are available for onsite review
SWARTZ, E D Commonwealth Edison Co 82/06/01 EISENHUT, D G Division of Licensing 5pp 13363 037 24X Fiche 50-000, 82/06/01, 8206070330

8206090032 Informs that facility training program outline submitted in util 820405 ltr meets requirements of NUREG-0737, Item II, B 4 re training for mitigating core damage Program covers subs specified in INFO Rept BYG-01, Revision 1
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/03 DELGEOGE, L Commonwealth Edison Co 2pp 13435 031 24X Fiche 50-237, 82/06/03, 8206090032

8206100214 Forwards requested info re implementation status of NUREG-0737 items per Generic Ltr 82-10
SWARTZ, E D Commonwealth Edison Co 82/06/04 EISENHUT, D G Division of Licensing 20pp 13453 214, 24X Fiche: 50-000, 82/06/04, 8206100214

8206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A
SWARTZ, E D Commonwealth Edison Co 82/06/07 HAASS, W P Quality Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept"
* Commonwealth Edison Co, CE-1-A R21 ERR 82/06/06 20pp, 13522 028 24X Fiche 50-000, 82/06/07, 8206160222

8206170335 Responds to request for submittal of mod of proposed Tech Spec changes reflecting current organizational structure & titles at facilities Revised submittal expected by Jul 1982
RAUSCH, T J Commonwealth Edison Co 82/06/09 VASSALLO, D B Operating Reactors Branch 2 1p 13531 015 24X Fiche 50-000, 82/06/09, 8206170335

8206170320 Forwards suppl to 820415 ltr in response to Generic Ltr 82-05 re implementation status of listed NUREG-0737 items
DOUGLAS, E Commonwealth Edison Co 82/06/11 EISENHUT, D G Division of Licensing 4pp 13531 299 24X Fiche 50-237, 82/06/11, 8206170320

8206240154 Forwards evaluation approving util 801215 & 820415 responses re TMI Item II K 3 24 on adequacy of space cooling for HPCI & reactor core isolation cooling sys Action on item complete
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 DELGEOGE, L Commonwealth Edison Co 3pp, 13599 272 24X Fiche: 50-237, 82/06/15, 8206240154

8206240356 Forwards safety evaluation approving 810701 & 1207 proposed method for implementing guidance of NUREG-0737, Item II K 3 15, "Isolation of HPCI & Reactor Core Isolation Cooling" Proposed method acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15, DELGEOGE, L Commonwealth Edison Co, 4pp 13596 066, 24X Fiche 50-000, 82/06/15, 8206240356

8206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 & DPR-30 changing Tech Specs to clarify licensee responsibilities & actions necessary to protect public health & safety during emergency
RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director, 2pp 13600 313 24X Fiche 50-000, 82/06/17, 8206240425

DOCKETED ITEMS

8206230184 Forwards Harstead Engineering Associates, Inc. NRC consultant, analysis of spent fuel pool & rack sys NRC supplementary SER partially based on rept GODDARD, R J Hearing Branch 3 82/06/21 WOLF, J F Atomic Safety and Licensing Board Panel 1p 13586 162 24X Fiche 50-237, 82/06/21, 8206230184

--8206230185 "Impact Effects on Spent Fuel Pool Slab" HARSTEAD, Q A Harstead Engineering Associates, Inc 82/05/19 6pp 13586 163 24X Fiche 50-237, 82/06/21, 8206230184

8206280083 Forwards revised Section 10.1 of FSAR, amending certain commitments re installation of high density fuel storage racks. Revision will be included in first update to entire FSAR expected by Jul 1982 RAUSCH, T J Commonwealth Edison Co 82/05/22 GENTON, H R Office of Nuclear Reactor Regulation, Director 10pp 13624 232 24X Fiche 50-237, 82/06/22, 8206280083

8206290262 Forwards table of reactor core boundaries conditions that were assumed in evaluation of max critical power ratio operating limits for automatic flow control in XN-NF-B1-B4, "Dresden Unit 3 Analysis for Reduced Flow Operation" KELLEY, R H Exxon Nuclear Co, Inc (subs of Exxon Corp) 82/06/22 GRAVES, C C Reactor Systems Branch 2pp 13636 161 24X Fiche 50-249, 82/06/22, 8206290262

G Inspection Reports, IE Bulletins & correspondence

8206070781 Forwards IE Insp Repts 50-010/82-04, 50-237/82-06 & 50-249/82-06 on 820130-0402 & notice of violation SPESSARD, R L Division of Project & Resident Programs 82/05/21 REED, C Commonwealth Edison Co 2pp 13389 199 24X Fiche 50-010, 82/05/21, 8206070781

--8206070785 Notice of violation from insp on 820130-0402 SPESSARD, R L Division of Project & Resident Programs 82/05/21 2pp 13389 201 24X Fiche 50-010, 82/05/21, 8206070781

--8206070795 IE Insp Repts 50-010/82-04, 50-237/82-06 & 50-249/82-06 on 820130-0402 Noncompliance noted failure to calibrate safety-related instruments & failure to meet requirement of NRC order TONGUE, T M, JORDAN, E L, WALKER, R D Division of Project & Resident Programs 82/05/12 15pp 13389 203 24X Fiche 50-010, 82/05/21, 8206070795

8206020493 Forwards info re IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys" & IE Insp Repts 50-237/82-01, 50-249/82-01, 50-254/82-01 & 50-265/82-01, discussed during B20520 meeting STIEDE, W L Commonwealth Edison Co 82/05/24 KEPPLER, J Q Region 3, Office of Director 14pp 13325 001 24X Fiche 50-000, 82/05/24, 8206020493

8206070487 Submits monthly status rept of evaluations performed in response to IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys" No changes since last status rept RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPPLER, J Q Region 3, Office of Director 1p 13374 326 24X Fiche 50-000, 82/05/26, 8206070487

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 10pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RIC High Steam Flow Setpoints" Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 180 24X Fiche 50-000, 82/06/02, 8204210380

8206220550 Forwards IE Insp Repts 50-237/82-07 & 50-249/82-07 on 820412-16 & 19-23 & notice of violation SPESSARD, R L Division of Project & Resident Programs 82/06/07 REED, C Commonwealth Edison Co 2pp 13580 066 24X Fiche 50-237, 82/06/07, 8206220550

--8206220555 Notice of violation from insp on 820412-16 & 19-23 SPESSARD, R L Division of Project & Resident Programs 82/06/07 3pp 13580 068 24X Fiche 50-237, 82/06/07, 8206220555

- 8206220563 IE Insp Repts 50-237/82-07 & 50-249/82-07 on 820412-16 & 19-23 Noncompliance noted failure to retrain maint personnel every 2 yrs, failure to train maint personnel in station plans & procedures & failure to document training SHAFFER, W D, HELLER, J K, MADISON, A L Division of Project & Resident Programs 82/05/24 26pp 13580 071 24X Fiche 50-237, 82/06/07, 8206220560

8214210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Material by Workers" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13679 189 24X Fiche 50-000, 82/06/11, 8204210384

8206220377 Responds to IE Bulletin 81-01, Revision 1, "Surveillance of Mechanical Snubbers" Mechanical Snubber 23 in Dresden reactor cleanup sys found inoperable & replaced Quad Cities snubbers will be tested per new Tech Spec requirements SWARTZ, E D Commonwealth Edison Co 82/06/15 KEPPLER, J Q Region 3, Office of Director 4pp 13581 316 24X Fiche 50-000, 82/06/15, 8206220377

R Periodic operating reports & related correspondence

8206030150 Forwards "Annual Operating Rept, 1981" SCOTT, D J Commonwealth Edison Co 82/03/10 Director's Office, Office of Inspection and Enforcement 1p 13338 012 24X Fiche 50-010, 82/03/10, 8206030150

--8206030151 "Annual Operating Rept, 1981" * Commonwealth Edison Co 82/03/10 25pp 13338 013 24X Fiche 50-010, 82/03/10, 8206030150

8206150310 Forwards monthly operating repts for May 1982 SCOTT, D J Commonwealth Edison Co 82/06/01 Director's Office, Office of Inspection and Enforcement 1p 13506 137 24X Fiche 50-010, 82/06/01, 8206150310

--8206150313 Monthly operating repts for May 1982 SCHROEDER, B A Commonwealth Edison Co 82/06/01 32pp 13506 138 24X Fiche 50-010, 82/06/01, 8206150310

S Reportable occurrences, LERs & related correspondence

8206020303 Forwards LER 82-021/03L-0 Detailed event analysis encl SCOTT, D J Commonwealth Edison Co 82/05/18 KEPPLER, J Q Region 3, Office of Director 2pp 13322 248 24X Fiche 50-249, 82/05/18, 8206020303

--8206020306 LER 82-021/03L-0 on 820505, during normal operations w/ full core scram testing in progress, control rod drive C-12 overtravel alarm came up & rod position indication lost. Caused by detached inner filter C-12 recoupled HOLLAND, P Commonwealth Edison Co 82/05/18 Region 3, Office of Director 1p 13322 250 24X Fiche 50-249, 82/05/18, 8206020303

8206140131 Forwards LER 82-022/03L-0 SCOTT, D J Commonwealth Edison Co 82/06/01 KEPPLER, J Q Region 3, Office of Director 1p 13483 299 24X Fiche 50-249, 82/06/01, 8206140131

--8206140146 LER 82-022/03L-0 on 820508, time required for scram discharge, vol vent & drain valves to close exceeded Tech Spec limits. Probably caused by inaccurate method of monitoring scram discharge, vol vent & drain valve closure time HOLLAND, P Commonwealth Edison Co 82/06/01 Region 3, Office of Director 2pp 13483 300 24X Fiche 50-249, 82/06/01, 8206140131

8206210085 Forwards LER 82-011/03X-1 SCOTT, D J Commonwealth Edison Co 82/06/03 KEPPLER, J Q Region 3, Office of Director 1p 13559 359 24X Fiche 50-249, 82/06/03, 8206210085

--8206210091 LER 82-011/03X-1 on 820203, HPCI turbine exhaust check val 3-2301-45 leaked in excess of Tech Spec limits during test DTB 1600-1. Caused by defective valve seat. Defective valve replaced. Valve will be tested each outage. ANANDAPPA, A N Commonwealth Edison Co 82/06/03 Region 3, Office of Director 2pp 13559 360 24X Fiche 50-249, 82/06/03, 8206210085

8206220163 Forwards LER 82-023/03L-0
SCOTT, D J Commonwealth Edison Co 82/06/07 KEPLER, J G Region
3, Office of Director 1p 13574 054 24X Fiche 50-249, 82/06/07,
8206220163

--8206220168 LER 82-023/03L-0 on 820510, while performing DDP 700-EG, power
range neutron monitoring sys check, no local power range
monitor inputs to rod block monitor noted for certain
control rods Caused by shorted steering diodes
MORGAN, W Commonwealth Edison Co 82/06/07 Region 3, Office
of Director 2pp 13574 055 24X Fiche 50-249, 82/06/07,
8206220163

8206170337 RO 82-027 on 820511, excessive radioactive contamination
identified in two areas of offsite dump Caused by inadequate
control of dump access & failure to survey large loads of
matt thoroughly Area cleaned up & Procedure 12-b revised
SCOTT, D J Commonwealth Edison Co 82/06/09 KEPLER, J G Region
3, Office of Director 3pp 13531 153 24X Fiche 50-010, 82/06/09,
8206170337

DOCKET 50-250 TURKEY POINT PLANT, UNIT 3

F Security, medical, emergency & fire protection plans

8206070474 Comments on util 820211 proposed amend to Tech Specs re
fire hose station Tech Specs should require hose at exterior
locations to be hydrostatic tested annually & at interior
locations every 3 yrs
OLSHINSKI, J A Division of Engineering & Technical Programs
82/04/28 EISENHUT, D G Division of Licensing 1p 13375 004
24X Fiche 50-250, 82/04/28, 8206070474

8206010070 Forwards exemption from scheduler requirements of
10CFR50 4B, allowing for complete reassessment of fire
protection features
EISENHUT, D G Division of Licensing 82/05/10 UHRIG, R E Florida
Power & Light Co 4pp 13331 240 24X Fiche 50-250, 82/05/10,
8206010070

--8206010074 Exemption from 10CFR50 4B(c) re schedule for satisfying
provisions of fire protection plans
DENTON, H R Division of Licensing 82/05/10 Florida Power &
Light Co 30pp, 13331 245 24X Fiche 50-250, 82/05/10, 8206010070

8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
DeBevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
8206090002

--8206090090 Discusses status of emergency planning in State of IL re
St Lucie facilities County does not wish to participate in
exercise scheduled for 820210
TRJANOWSKI, R Division of Engineering & Technical Inspection
82/01/22 STOHR, J P Emergency Preparedness & Program Support
Branch 4pp 13454 160 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rpt re status of prompt notification
sys implementation at facilities Meteorological programs,
emergency response facilities & research reactors need addl
mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of
Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies
identified in initial testing of prompt notification sys
Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational
Support 82/02/04 GRIHES, D K Division of Emergency
Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11,
8206090002

8206070473 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan" Plan should be of benefit to
understanding of NRC response to emergency W/O encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 UHRIG, R E Florida Power & Light Co 1p 13374.324
24X Fiche 50-000, 82/05/12, 8206070473

8206100342 Discusses 820518 meeting re App R fire protection submittal
dates Util attempting to provide Unit 1 App R fire
protection submittal before 820701 to provide addl review
time prior to in of industry submittals on 820701
VESSELY, J E Florida Power & Light Co 82/06/04 EISENHUT, D G
Division of Licensing 1p 13450 306 24X Fiche 50-000, 82/06/04,
8206100342

8206160205 Releases public version of Revision 11 to emergency plan
FELTON, J M Division of Rules and Records 82/06/14 Document
Management Branch 1p 13539 257 24X Fiche 50-250, 82/06/14,
8206160205

--8206160211 Forwards public version of Revision 11 to emergency plan
UHRIG, R E Florida Power & Light Co 82/06/04 EISENHUT, D G
Office of Nuclear Reactor Regulation, Director 1p 13539 260
24X Fiche 50-250, 82/06/14, 8206160205

--8206160218 Public version of Revision 11 to emergency plan
* Florida Power & Light Co 82/05/31 160pp 13539 261 24X
Fiche 50-250, 82/06/14, 8206160205

J Insurance & indemnity information

8206110231 Forwards Endorsement 59 to MAELU Policy NF-1B5 &
Endorsement 49 to MAELU Policy NF-55
FIELDER, J Marsh & McLennan, Inc , M & M Nuclear Consultants, Inc.
Div 82/06/07 SALTZMAN, J Antitrust & Economic analysis Branch
(Utility Finance) 3pp 13466 300 24X Fiche 50-250, 82/06/07,
8206110231

P Operating license stage documents & correspondence

8206070474 Comments on util 820211 proposed amend to Tech Specs re
fire hose station Tech Specs should require hose at exterior
locations to be hydrostatic tested annually & at interior
locations every 3 yrs
OLSHINSKI, J A Division of Engineering & Technical Programs
82/04/28 EISENHUT, D G Division of Licensing 1p 13375 004
24X Fiche 50-250, 82/04/28, 8206070474

8206280071 Addl response to FOIA request for eight categories of
documents Forwards documents listed in App A Documents
listed in App B available in PDR Confidential financial
info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13438 055 24X Fiche 50-000, 82/05/12, 8206280071

---8103020313 Updates 801222 memo re decisions for degraded cooling
rulemaking Steering group to issue justification for
rulemaking activity in advance of agreement on quantitative
safety goal Examples of valve misoperation provided.
MEETINGS, M S Reactor Systems Standards Branch 81/02/02
ARLOTT, G A Division of Engineering Standards 20pp 13438 102
24X Fiche 50-000, 82/05/12, 8206280071

8206010335 Advises that util 800413 & 810227 ltrs committed to meeting
requirements of TMI Action Plan Item II K 3 G, "Reporting
Safety & Relief Valve Failures & Challenges," in response to
NRC 820416 ltr
UHRIG, R E Florida Power & Light Co 82/05/24, VARQA, S A
Operating Reactors Branch 1 1p 13301 285 24X
Fiche 50-250, 82/05/24, 8206010335

8206040064 Forwards request for addl info re TMI Action Items & J, A 2 1
re upgraded senior reactor operator & reactor operator
training & II B 4 re training for mitigating core damage.
Response within 30 days requested
VARQA, S A Operating Reactors Branch 1 82/05/24 UHRIG, R E
Florida Power & Light Co 4pp 13362 347 24X
Fiche 50-250, 82/05/24, 8206040064

8206010010 Informs of Class III fee requirements for 820405 application
for license Amend B5 to make changes in boric acid transfer
pumps
DIQOS, R M License Fee Management Branch 82/05/25 UHRIG, R E
Florida Power & Light Co 1p 13319 340 24X Fiche 50-250,
82/05/25, 8206010010

8206020407 Forwards response to 820409 request for addl info re seismic
qualification of auxiliary feedwater sys
UHRIG, R E Florida Power & Light Co 82/05/25 VARQA, S A
Operating Reactors Branch 1 4pp 13326 237 24X
Fiche 50-250, 82/05/25, 8206020407

8206010290 Forwards addl info re NUREG-0737, Item II B 1, "RCB Vents,"
in response to NRC 820224 request One oversize drawing encl
Aperture card is available in PDR
UHRIG, R E Florida Power & Light Co 82/05/26 VARQA, S A
Operating Reactors Branch 1 18pp 13310 012, 24X
Fiche 50-250, 82/05/26, 8206010290

8206100285 Responds to 820502 request for LER re 820429 power failure
No LER required by Tech Specs due to type of incident, PNO
issued by Region 2
GROTHENHUIS, M Operating Reactors Branch 1 82/05/26 ONCAVADE, M. P.
Floridians United for Safe Energy 3pp 13469, 314 24X
Fiche 50-250, 82/05/26, 8206100285

--8206100271 Informs of 820429 Unit 3 trip due to feed flow-steam flow mismatch & steam generator low level. Caused by condensate pump motor failure Unit 4 tripped due to loss of power to rod position indicators
GROTEKHUIS, M Operating Reactors Branch 1 82/04/30
DENTON, H R , CASE, E , CARTER, J NRC - No Detailed Affiliation
Given 2pp 13469 317 24X Fiche 50-250, 82/05/26, 8206100271

--8206100295 Summary of 820505 operating reactor events meeting list of attendees, events discussed & significant elements of events
encl
LAINAS, O C Assistant Director for Safety Assessment 82/05/14
EISENHUT, D G Division of Licensing App 13469 319 21X
Fiche 50-250, 82/05/26, 8206100295

8206250072 Forwards corrected Tech Spec Table 4 I-1 incorporation change in Item 3, Remark 1 inadvertently erased in 820317
Amends 80 & 74 to Licenses DPR-31 & DPR-41, respectively
VARGA, S A Operating Reactors Branch 1 82/05/26 UHRIG, R E
Florida Power & Light Co 3pp 13628 301 24X
Fiche 50-250, 82/05/26, 8206250072

8206020330 Advises that response to Generic Ltr 82-10 re post-TM requirements will be submitted by 820702
UHRIG, R E Florida Power & Light Co 82/05/27 EISENHUT, D G
Division of Licensing 1p 13322 233 24X Fiche 50-250, 82/05/27
8206020330

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York LEE, D Public Service Co of
Colorado VAN BRUNT, E E Arizona Public Service Co 13pp
13557 349 24X Fiche 50-000, 82/06/09 8206090153

8206140072 Forwards initial response to NRC 820428 & 0503 requests for addl info re control room habitability requirements of NUREG-0737, Item III D 3 & 4 Response to Questions 1 & 2 will be submitted by 820716
UHRIG, R E Florida Power & Light Co 82/06/09 VARGA, S A
Operating Reactors Branch 1 2pp 13487 180 21X
Fiche 50-250, 82/06/09, 8206140072

8206140168 Submits revised schedules for implementation of NUREG 04/17, Items II B 2, II B 3 & II F 1, per Generic Ltr 82-05
UHRIG, R E Florida Power & Light Co 82/06/09 EISENHUT, D G
Division of Licensing 2pp 13484 183 24X Fiche 50-250, 82/06/09, 8206140168

8206210455 Application to amend App A of Licenses DPR-31 & DPR-41, adding safety-related mechanical snubbers to Table 3 I-1
UHRIG, R E Florida Power & Light Co 82/06/10 EISENHUT, D G
Division of Licensing 2pp 13568 285 24X Fiche 50-250, 82/06/10, 8206210455

--8206210457 Proposed Tech Spec Table 3 I-1b re safety-related mechanical snubbers
* Florida Power & Light Co 82/06/10 2pp 13568 287 24X
Fiche 50-250, 82/06/10, 8206210455

8206230079 Forwards Revision 5 to Topical QA Rept FPL-NQA-100, "QA Manual" Revision includes latest organization changes submitted on 810928 & new reg guide & ANSI std commitments requested & approved in facility SER
UHRIG, R E Florida Power & Light Co 82/06/16 HAASS, W P Quality
Assurance Branch 1p 13589 244 24X Fiche 50-000, 82/06/16, 8206230079

--8206230083 "QA Manual"
HADDIBURG, J J Florida Power & Light Co FPL-NQA-100 R05
82/05/07 125pp 13589 245 24X Fiche 50-000, 82/06/16, 8206230079

8206240283 Forwards check for payment of proposed license amend re safety-related snubbers
UHRIG, R E Florida Power & Light Co 82/06/17 EISENHUT, D G
Division of Licensing 1p 13596 163 24X Fiche 50-250, 82/06/17, 8206240283

Q Inspection reports, IE Bulletins & correspondence

8206070715 Forwards IE Insp Repts 50-250/82-16 & 50-251/82-15 on 820412-16 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/10
UHRIG, R E Florida Power & Light Co 2pp 13490 131 24X
Fiche 50-250, 82/05/10, 8206070715

--8206070725 IE Insp Repts 50-250/82-16 & 50-251/82-15 on 820412-16 No noncompliance noted Major areas inspected Filtration sys tests, health physics organization, portable instrumentation, internal exposure records & solid radwaste mgt & shipping
WRAV, J R BARR, P Division of Engineering & Technical Progr.,
82/05/06 6pp 13373 133 24X Fiche 50-250, 82/05/10, 8206070715

8206020384 Forwards Emergency Operating Procedure 20002-2 on loss of secondary coolant referred to in 820521 ltr (Ref IE Bulletin 80-04)
UHRIG, R E Florida Power & Light Co 82/05/27 VARGA, S A
Operating Reactors Branch 1 1p 13724 258 24X
Fiche 50-250, 82/05/27, 8206020384

--8206020390 Emergency Operating Procedure 20002 IE 21 "loss of Secondary Coolant"
* Florida Power & Light Co 82/02/17 6pp 13326 299 24X
Fiche 50-250, 82/05/27, 8206020384

8206020516 Forwards addl info requested 820329 re response to IE Bulletin 80-11, "Masonry Wall Design"
UHRIG, R E Florida Power & Light Co 82/05/27 VARGA, S A
Operating Reactors Branch 1 1p 13722 316 24X
Fiche 50-250, 82/05/27, 8206020516

--8206020530 "Response to NRC Request for Addl Info, Masonry Wall Re-Evaluation, NRC IE Bulletin 80-11"
* Bechtel Corp 82/05/27 20pp 13722 317 24X
Fiche 50-250, 82/05/27, 8206020516

8206040147 IE Info Notice 82-15, "Notification of NRC 'Svc list' and DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8206040147

8204210378 IE Info Notice 82-16, "HPCI/RIC High Steam Flow Setpoints Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-07, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants"
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 21X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220219 Forwards response to NRC 820316 preliminary questions re inservice insp program
UHRIG, R E Florida Power & Light Co 82/06/14 VARGA, S A
Operating Reactors Branch 1 5pp 13572 296 24X
Fiche 50-250, 82/06/14, 8206220219

R Periodic operating reports & related correspondence

8206010291 Forwards monthly operating repts for Apr 1982
WILLIAMS, J W Florida Power & Light Co 82/05/14 Office of
Management and Program Analysis 1p 13301 072 24X
Fiche 50-000, 82/05/14, 8206010291

--8206010296 Monthly operating repts for Apr 1982
PACE, P L Florida Power & Light Co 82/05/14 11pp 13301 072 24X
Fiche 50-000, 82/05/14, 8206010291

8206090004 Forwards summary operating repts for Apr 1982 W/o Turkey Point 2 rept
WILLIAMS, J W Florida Power & Light Co 82/05/14 Management
Information Branch 3pp 13435 307 24X Fiche 50-000, 82/05/14, 8206090004

8206140157 Forwards "Final Radiological Progress Rept(5), B10624-820407"
UHRIG, R E Florida Power & Light Co 82/06/04 VARGA, S A
Operating Reactors Branch 1 1p 13483 315 24X
Fiche 50-250, 82/06/04, 8206140157

--8206140159 "Final Radiological Progress Rept(5), B10624-820407"
* Florida Power & Light Co 82/06/04 33pp 13483 316 24X
Fiche 50-250, 82/06/04, 8206140157

Reportable occurrences, LERs & related correspondence

8206010497 Forwards updated LER 81-013/03X-1

WILLIAMS, J W Florida Power & Light Co 82/04/28 O'REILLY, J P
Region 2, Office of Director 1p 13314 329 24X
Fiche 50-250, 82/04/28, 8206010497

--8206010506 Updated LER 81-013/03X-1 on 810710, while making alterations to equipment hatch ramp, small void in concrete immediately below equipment hatch barrel discovered. Probably caused by design problem. Concrete void repaired.
PACE, P L Florida Power & Light Co 82/04/28 Region 2, Office of Director 2pp 13314 330 24X Fiche 50-250, 82/04/28, 8206010497

8206170049 PHO II 82 062 on 820603, two inspectors dispatched to plant to suppl resident staff in monitoring operations if hurricane hit plant. Inspectors equipped w/high frequency radio unit for communicating during adverse weather.
BAHRIS, C F, STOHR, J P Region 2, Office of Director 82/06/04 1p 13529 338 24X Fiche 50-250, 82/06/04, 8206170049

8206220335 Forwards LER 82-004/03L-0

WILLIAMS, J W Florida Power & Light Co 82/06/15 O'REILLY, J P
Region 2, Office of Director 1p 13581 271 24X
Fiche 50 250, 82/06/15, 8206220335

--8206220342 LER 82-004/03L-0 on 820517, during routine reactor startup, augmented surveillance of hot channel factors not maintained as required. Caused by computer taken out of svc during surveillance sequence. Personnel reinstructed.
PACE, P L Florida Power & Light Co 82/06/15 Region 2, Office of Director 1p 13581 272 24X Fiche 50-250, 82/06/15, 8206220335

8206240051 Forwards LER 82-005/03L-0

WILLIAMS, J W Florida Power & Light Co 82/06/18 O'REILLY, J P
Region 2, Office of Director 1p 13599 260 24X
Fiche 50-250, 82/06/18, 8206240051

--8206240057 LER 82-005/03L-0 on 820519, during routine startup, augmented surveillance of hot channel factors not initiated when threshold power (98%) was passed. Caused by procedural error. Procedure change initiated.
PACE, P L Florida Power & Light Co 82/06/18 Region 2, Office of Director 2pp 13599 261 24X Fiche 50-250, 82/06/18, 8206240051

DOCKET 50-251 TURKEY POINT PLANT, UNIT 4

F Security, medical, emergency & fire protection plans

8206070474 Comments on util 820211 proposed amend to Tech Specs re fire hose station. Tech Specs should require hose at exterior locations to be hydrostatic tested annually & at interior locations every 3 yrs.
OLSHINSKI, J A Division of Engineering & Technical Programs 82/04/28 EISENHUT, D G Division of Licensing 1p 13375 004 24X Fiche 50-250, 82/04/28, 8206070474

8206010070 Forwards exemption from scheduler requirements of 10CFR50.48, allowing for complete reassessment of fire protection features.
EISENHUT, D G Division of Licensing 82/05/10 UHRIG, R E Florida Power & Light Co 4pp 13331 240 24X Fiche 50-250, 82/05/10, 8206010070

--8206010074 Exemption from 10CFR50.48(c) re schedule for satisfying provisions of fire protection plans.
BENTON, H R Division of Licensing 82/05/10 Florida Power & Light Co 30pp 13331 245 24X Fiche 50-250, 82/05/10, 8206010070

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090090 Discusses status of emergency planning in State of FL re St Lucie facilities. County does not wish to participate in exercise scheduled for 820210.
TROJANOWSKI, R Division of Engineering & Technical Inspection 82/01/22 STOHR, J P Emergency Preparedness & Program Support Branch 4pp 13454 160 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities. Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, D K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070473 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency. W/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 UHRIG, R E Florida Power & Light Co 1p 13374 324 24X Fiche 50-000, 82/05/12, 8206070473

8206100342 Discusses 820519 meeting re App R fire protection submittal dates. Util attempting to provide Unit 1 App R fire protection submittal before 820701 to provide addl review time prior to in of industry submittals on 820701.
VESSELY, J E Florida Power & Light Co 82/06/04 EISENHUT, D G Division of Licensing 1p 13450 306 24X Fiche 50-000, 82/06/04, 8206100342

8206160205 Releases public version of Revision 11 to emergency plan.
FELTON, J M Division of Rules and Records 82/06/14 Document Management Branch 1p 13539 257 24X Fiche 50-250, 82/06/14, 8206160205

--8206160211 Forwards public version of Revision 11 to emergency plan.
UHRIG, R E Florida Power & Light Co 82/06/04 EISENHUT, D G Office of Nuclear Reactor Regulation, Director 1p 13539 260 24X Fiche 50-250, 82/06/14, 8206160205

--8206160218 Public version of Revision 11 to emergency plan.
* Florida Power & Light Co 82/05/31 160pp 13539:261 24X
Fiche 50-250, 82/06/14, 8206160205

J Insurance & indemnity information

8206110231 Forwards Endorsement 59 to MAELU Policy NF-185 & Endorsement 49 to MAELU Policy NF-95.
FIELDER, J Marsh & McLennan, Inc., M & M Nuclear Consultants, Inc Div 82/06/07 SALTZMAN, J Antitrust & Economic analysis Branch (Utility Finance) 3pp 13466 300 24X Fiche 50-250, 82/06/07, 8206110231

P Operating license stage documents & correspondence

8206070474 Comments on util 820211 proposed amend to Tech Specs re fire hose station. Tech Specs should require hose at exterior locations to be hydrostatic tested annually & at interior locations every 3 yrs.
OLSHINSKI, J A Division of Engineering & Technical Programs 82/04/28 EISENHUT, D G Division of Licensing 1p 13375 004 24X Fiche 50-250, 82/04/28, 8206070474

8206010335 Advises that util 800613 & 810227 ltrs committed to meeting requirements of TMI Action Plan Item II K 3.3, "Reporting Safety & Relief Valve Failures & Challenges," in response to NRC 820416 ltr.
UHRIG, R E Florida Power & Light Co 82/05/24 VARGA, S A Operating Reactors Branch 1 1p 13301 285 24X
Fiche 50-250, 82/05/24, 8206010335

8206040064 Forwards request for addl info re TMI Action Items & I A 2 I re upgraded senior reactor operator & reactor operator training & II B 4 re training for mitigating core damage. Response within 30 days requested.
VARGA, S A Operating Reactors Branch 1 82/05/24, UHRIG, R E Florida Power & Light Co 4pp 13362 347 24X
Fiche 50-250, 82/05/24, 8206040064

8206020407 Forwards response to 820409 request for addl info re seismic qualification of auxiliary feedwater sys.
UHRIG, R E Florida Power & Light Co 82/05/25 VARGA, S A Operating Reactors Branch 1 4pp 13326 237 24X
Fiche 50-250, 82/05/25, 8206020407

DOCKETED ITEMS

8206010290 Forwards addl info re NUREG-0737, Item II B 1, "RCS Vents," in response to NRC 820224 request One oversize drawing encl Aperture card is available in PDR
UHRIG, R E Florida Power & Light Co 82/05/26 VARQA, S A
Operating Reactors Branch 1 18pp 13310 012 24X
Fiche 50-250, 82/05/26, 8206010290

8206100285 Responds to 820502 request for LER re 820429 power failure No LER required by Tech Specs due to type of incident PNO issued by Region 2
GROTHENHUIS, M Operating Reactors Branch 1 82/05/26 ONCAVACE, M P
Floridians United for Safe Energy 3pp 13469 314 24X
Fiche 50-250, 82/05/26, 8206100285

--8206100291 Informs of 820429 Unit 3 trip due to Feed flow-steam flow mismatch & steam generator low level Caused by condensate pump motor failure Unit 4 tripped due to loss of power to rod position indicators
GROTHENHUIS, M Operating Reactors Branch 1 82/04/30
DENTON, H R, CASE, E, CARTER, J NRC - No Detailed Affiliation
Given 2pp 13469 317 24X Fiche 50-250, 82/05/26, 8206100291

8206250072 Forwards corrected Tech Spec Table 4 i-1 incorporating changes in Item 1, Remark 1 inadvertently erased in 820317 Amends 80 & 74 to Licenses DPR-31 & DPR-41, respectively
VARQA, S A Operating Reactors Branch 1 82/05/26 UHRIG, R E
Florida Power & Light Co 3pp 13628 301 24X
Fiche 50-250, 82/05/26, 8206250072

8206020330 Advises that response to Generic Ltr 82-10 re post-TM1 requirements will be submitted by 820702
UHRIG, R E Florida Power & Light Co 82/05/27 EISENHUT, D G
Division of Licensing 1p 13322 253 24X Fiche 50-250, 82/05/27, 8206020330

8206160050 Forwards Amend 80 to License DPR-41, safety evaluation & notice of issuance & availability Amend extends operating interval to 10 equivalent full power months from 811210 steam generator insp
GROTHENHUIS, M Operating Reactors Branch 1 82/06/04 UHRIG, R E
Florida Power & Light Co 3pp 13527 337 24X
Fiche 50-251, 82/06/04, 8206160050

--8206160055 Amend 80 to License DPR-41, extending operating interval to 10 equivalent full power months from 811210 steam generator insp
VARQA, S A Operating Reactors Branch 1 82/06/04 4pp
13527 340 24X Fiche 50-251, 82/06/04, 8206160055

--8206160060 Safety evaluation supporting Amend 80 to License DPR-41
* Operating Reactors Branch 1 82/06/04 3pp 13527 344 24X
Fiche 50-251, 82/06/04, 8206160060

--8206160065 Notice of issuance & availability of Amend 80 to License DPR-41
NEIGHBORS, J D. Operating Reactors Branch 1. 82/06/04 2pp
13527 347 24X Fiche 50-251, 82/06/04, 8206160065

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York, VAD, E Public Service Co of New Mexico DIETCH, R Southern California Edison Co 13pp
13557 349, 24X Fiche 50-000, 82/06/09, 8206090153

8206140072 Forwards initial response to NRC 820428 & 0503 requests for addl info re control room habitability requirements of NUREG-0737, Item III, D 3 4 Response to Questions 1 & 2 will be submitted by 820716
UHRIG, R E Florida Power & Light Co 82/06/09, VARQA, S A
Operating Reactors Branch 1 2pp 13487 180 24X
Fiche 50-250, 82/06/09, 8206140072

8206140168 Submits revised schedules for implementation of NUREG-0737, Items II, B 2, II B 3 & II F, 1, per Generic Ltr 82-05
UHRIG, R E Florida Power & Light Co 82/06/09 EISENHUT, D G
Division of Licensing 2pp 13527 344 24X
Fiche 50-250, 82/06/09, 8206140168

8206230079 Forwards Revision 5 to Topical QA Rept FPL-NQA-100, "QA Manual" Revision includes latest organization changes submitted on 810928 & new reg guide & AFSL std commitments requested & approved in Facility SER
UHRIG, R E Florida Power & Light Co 82/06/16 HAASS, W P
Insurance Branch 1p 13589 244 24X Fiche 50-000 82/06/16, 8206230079

--8206230083 'QA Manual'
HAASS, W P Florida Power & Light Co FPL-NQA-100 R05
82/05/07 12pp 13509 245 24X Fiche 50-000, 82/06/16, 8206230079

8206240283 Forwards check for payment of proposed license amend re safety-related snubbers
UHRIG, R E Florida Power & Light Co 82/06/17 EISENHUT, D G
Division of Licensing 1p 13596 163 24X Fiche 50-250, 82/06/17, 8206240283

4 Inspection reports, IE Bulletins & correspondence

8206070715 Forwards IE Insp Repts 50-250/82-16 & 50-251/82-15 on 820412-16 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/10
UHRIG, R E Florida Power & Light Co 2pp 13390 131 24X
Fiche 50-250 82/05/10, 8206070715

--8206070725 IE Insp Repts 50-250/82-16 & 50-251/82-15 on 820412-16 No noncompliance noted Major areas inspected Filtration sys tests, health physics organization, portable instrumentation, internal exposure records & solid radwaste mgt & shipping
WRAY, J R, BARR, K P Division of Engineering & Technical Programs 82/05/06 4pp 13390 133 24X Fiche 50-250, 82/05/10, 8206070715

8206020384 Forwards Emergency Operating Procedure 20002 2 on loss of secondary coolant referred to in 820521 ltr (Ref IE Bulletin 80-04,
UHRIG, R E Florida Power & Light Co 82/05/27 VARQA, S A
Operating Reactors Branch 1 1p 13326 258 24X
Fiche 50-250, 82/05/27, 8206020384

--8206020390 Emergency Operating Procedure 20002 (E-2), "Loss of Secondary Coolant"
* Florida Power & Light Co 82/02/17 8pp 13326 259 24X
Fiche 50-250, 82/05/27, 8206020384

8206020516 Forwards addl info requested 820329 re response to IL Bulletin 80-11, "Masonry Wall Design"
UHRIG, R E Florida Power & Light Co 82/05/27 VARQA, S A
Operating Reactors Branch 1 1p 13322 316 24X
Fiche 50-250, 82/05/27, 8206020516

--8206020530 "Response to NRC Request for Addl Info, Masonry Wall Re-Evaluation, NRC IE Bulletin 80-11"
* Bechtel Corp 82/05/27 20pp 13322 317 24X
Fiche 50-250, 82/05/27, 8206020516

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206160050 Forwards Amend 80 to License DPR-41, safety evaluation & notice of issuance & availability Amend extends operating interval to 10 equivalent full power months from 811210 steam generator insp
GROTHENHUIS, M Operating Reactors Branch 1 82/06/04 UHRIG, R E
Florida Power & Light Co 3pp 13527 337 24X
Fiche 50-251, 82/06/04, 8206160050

--8206160055 Amend 80 to License DPR-41, extending operating interval to 10 equivalent full power months from 811210 steam generator insp
VARQA, S A Operating Reactors Branch 1. 82/06/04 4pp
13527 340 24X Fiche 50-251, 82/06/04, 8206160050

--8206160060 Safety evaluation supporting Amend 80 to License DPR-41
* Operating Reactors Branch 1. 82/06/04 3pp, 13527 344 24X
Fiche 50-251, 82/06/04, 8206160050

--B206160065 Notice of issuance & availability of Amend 80 to License
 8/7-41
 JOHNSON, J D Operating Reactors Branch 1 82/06/04 2pp
 13527 347 24X Fiche 50-251, 82/06/04, 8206160050

B206210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
 encl
 JOHNSON, E L Division of Engineering & Quality Assurance 82/06/11
 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

B206210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
 Matl by Workers " Svc list encl
 JOHNSON, R C Director's Office, Office of Inspection and
 Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

B206220219 Forwards response to NRC B20316 preliminary questions re
 inservice insp program
 JOHNSON, R E Florida Power & Light Co 82/06/14 VARGA, S A
 Operating Reactors Branch 1 5pp 13572 296 24X
 Fiche 50-250, 82/06/14, 8206220219

Periodic operating reports & related correspondence

B206010291 Forwards monthly operating repts for Apr 1982
 WILLIAMS, J W Florida Power & Light Co 82/05/14 Office of
 Management and Program Analysis 1p 13301 072 24X
 Fiche 50-000, 82/05/14, 8206010291

--B206010296 Monthly operating repts for Apr 1982
 PACE, P L Florida Power & Light Co 82/05/14 11pp 13301 0/3
 24X Fiche 50-000, 82/05/14, 8206010291

B206090004 Forwards summary operating repts for Apr 1982 W/o Turkey
 Point 2 rept
 WILLIAMS, J W Florida Power & Light Co 82/05/14 Management
 Information Branch 3pp 13435 307 24X Fiche 50-000, 82/05/14,
 8206090004

Reportable occurrences, LERs & related correspondence

B206070454 Forwards LER 82-006/01T-0
 WILLIAMS, J W Florida Power & Light Co 82/05/24 O'REILLY, J P
 Region 2, Office of Director 1p 13374 226 24X
 Fiche 50-251, 82/05/24, 8206070454

--B206070458 LER 82-006/01T-0 on B20509, boron concentration found lower
 than min allowable concentration during routine chemical
 analysis of boron injection tank sample. Caused by plugging
 of normal recirculation supply line
 PACE, P L Florida Power & Light Co 82/05/24 Region 2, Office
 of Director 1p 13374 227 24X Fiche 50-251, 82/05/24,
 8206070454

B206170049 PNO-11-B2 062 on B20603, two inspectors dispatched to plant
 to suppl resident staff in monitoring operations if
 hurricane hit plant. Inspectors equipped w/high frequency
 radio unit for communicating during adverse weather
 BANKS, C T, STOHRE, J P Region 2, Office of Director 82/06/04 1p
 13529 338 24X Fiche 50-250, 82/06/04, 8206170049

B206210376 Forwards LER 82-007/01T-0
 WILLIAMS, J W Florida Power & Light Co 82/06/07 O'REILLY, J P
 Region 2, Office of Director 1p 13567 181 24X
 Fiche 50-251, 82/06/07, 8206210376

--B206210385 LER 82-007/01T-0 on B20522, while boron injection tank
 recirculating w/boric acid storage tank C, low boron
 concentration found in both tanks. Caused by MOV-4-B678 being
 open one turn. Valve manually closed
 PACE, P L Florida Power & Light Co 82/06/07 Region 2, Office
 of Director 2pp 13567 182 24X Fiche 50-251, 82/06/07,
 8206210376

DOCKET 50-254 QUAD-CITIES STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys
 installed to provide early notification to populace in
 plume pathway around nuclear reactor sites in US. Forwards
 documents listed in App A
 FELTON, J M Division of Rules and Records 82/04/21 WADE, J
 Public Interest Research Group, New York 7pp 13524.010 24X
 Fiche 50-000, 82/04/21, 8206150016

--B206150023 Updates delivery schedule for siren shipments to facilities
 ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P
 Affiliation Unknown 5pp 13524 234 24X Fiche 50-000, 82/04/21,
 8206150016

B206090002 Responds to FOIA request for documents re Commission
 decision to extend deadline for licensees to implement
 prompt notification sys. Forwards documents listed in App A
 Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B
 Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
 8206090002

--B206090033 Forwards updated info re prompt notification & warning sys
 for Region 3 licensees
 PAPERIELLO, C J Emergency Preparedness & Program Support Branch
 81/12/01 RAMOS, S L Emergency Preparedness & Program Support
 Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

--B203110477 Forwards update on prompt notification & warning sys for
 Region 3 licensees. FEMA estimates approx 65% of reviews of
 proposed sys now complete
 HIND, J A Division of Emergency Preparedness & Operational
 Support 82/01/05 GRINES, B K Division of Emergency
 Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11,
 8206090002

--B206090073 Forwards monthly status rept re prompt notification sys at
 facilities. Commitments made by licensees to ensure
 deficiencies are corrected by B20601
 HIND, J A Division of Emergency Preparedness & Operational
 Support 82/02/17 GRINES, B K Division of Emergency Preparedness,
 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

B206020179 Releases public version of revised emergency plan
 implementing procedures
 FELTON, J M Division of Rules and Records 82/05/25 Document
 Management Branch 1p 13340 150 24X Fiche 50-254, 82/05/25,
 8206020179

--B206020188 Forwards public version of revised emergency plan
 implementing procedures, including Procedures GEP 180-0 re
 rad/chem director, GEP 440-0 re communication sys & GEP 440-1
 re emergency communication facilities
 KOVACK, T J, GERNER, L F Commonwealth Edison Co 82/04/27
 DENTON, H R NRC - No Detailed Affiliation Given 3pp 13340 151
 24X Fiche 50-254, 82/05/25, 8206020179

--B206020193 Public version of revised emergency plan implementing
 procedures, including Procedure GEP 180-0 re rad/chem
 director, GEP 440-0 re communication sys & GEP 440-1 re
 emergency communication facilities
 * Commonwealth Edison Co 82/04/27 11pp 13340 154 24X
 Fiche 50-254, 82/05/25, 8206020179

B206080253 Advises that annex changes for all App C items should be
 submitted by B20731. Response to Generic Ltr 82-05 provided
 status of App D items. Response to Generic Ltr B2-10 will
 discuss NUREG-0737 status re emergency response facilities
 RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPLER, J G Region
 3, Office of Director 4pp 13420 166 24X Fiche 50-000, 82/05/26,
 8206080253

B206070809 Informs that deficiencies identified during initial testing
 of prompt public notification sys for facilities documented
 in util B20216 ltr have been corrected prior to B20601
 DELGEO, L O Commonwealth Edison Co 82/05/28 KEPLER, J G
 Region 3, Office of Director 2pp 13389 115 24X
 Fiche 50-000, 82/05/28, 8206070809

B206140321 Advises that Revision 10 to Quad Cities Station security
 plan & Revision 11 to Dresden Nuclear Power Station security
 plan transmitted by util B10610 & 1027 ltrs, respectively,
 consistent w/provisions of 10CFR50.54(p) & approved
 VASSALLO, D B Operating Reactors Branch 2 82/06/01 DELGEO, L O
 Commonwealth Edison Co 3pp 13509 042 24X Fiche 50-000, 82/06/01,
 8206140321

B206150283 Ack receipt of util B20525 response to B20202 confirmation
 of action ltr re emergency preparedness appraisal. Util
 actions meet commitments for planned action
 PAPERIELLO, C J Division of Emergency Preparedness & Operational
 Support 82/06/10 REED, C Commonwealth Edison Co 1p
 13506 192 24X Fiche 50-254, 82/06/10, 8206150283

--B206150292 Responds to NRC B20202 confirmation of action ltr re IE
 Emergency Preparedness Appraisal Repts 50-254/82-02 &
 50-265/82-02. Corrective actions first aid/decontamination
 facility renovated
 RAUSCH, T J Commonwealth Edison Co 82/05/25 KEPLER, J G
 Region 3, Office of Director 2pp 13506 193 24X
 Fiche 50-254, 82/06/10, 8206150283

DOCKETED ITEMS

8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring programs
 SCHREIBER, C W Commonwealth Edison Co 82/06/16 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 1p 13600 31x 24x
 Fiche 50-000, 82/06/16, 8206240332

8206230021 Releases public version of generating stations emergency plan telephone directory
 FELTON, J M Division of Rules and Records 82/06/17 Document
 Management Branch 1p 13594 073 24x Fiche 50-000 82/06/17, 8206230021

--8206230032 Forwards public version of generating stations emergency plan telephone directory
 MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC
 No Detailed Affiliation Given 1p 13594 074 24x
 Fiche 50-000, 82/06/17, 8206230032

--8206230037 Public version of generating stations emergency plan telephone directory
 * Commonwealth Edison Co 82/05/28 40pp 13594 076 24x
 Fiche 50-000, 82/06/17, 8206230037

8206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 & DPR-30 changing Tech Specs to clarify licensee responsibilities & actions necessary to protect public health & safety during emergency
 RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13600 313 24x
 Fiche 50-000, 82/06/17, 8206240425

8206240032 Releases public version of generating stations emergency plan telephone directory
 FELTON, J M Division of Rules and Records 82/06/18 Document
 Management Branch 1p 13617 336 24x Fiche 50-000, 82/06/18, 8206240032

--8206240047 Public version of generating stations emergency plan telephone directory
 * Commonwealth Edison Co 82/05/28 41pp 13617 337 24x
 Fiche 50-000, 82/06/18, 8206240047

8206240112 Releases public version of revised emergency plan implementing procedures
 FELTON, J M Division of Rules and Records 82/06/18 Document
 Management Branch 1p 13620 029 24x Fiche 50-254, 82/06/18, 8206240112

--8206240121 Forwards public version of Revision 7 to Emergency Plan Implementing Procedure GEP 110-1, "Station Director Implementing Procedure" & Revision 4 to GEP 340-1, "Operation During Earthquake Conditions"
 * Commonwealth Edison Co 82/05/18 DENTON, H R NRC - Nn
 Detailed Affiliation Given 1p 13620 032 24x
 Fiche 50-254, 82/06/18, 8206240121

--8206240128 Public version of Revision 7 to Emergency Plan Implementing Procedure GEP 110-1, "Station Director Implementing Procedure" & Revision 4 to GEP 340-1, "Operation During Earthquake Conditions"
 * Commonwealth Edison Co 82/05/18 10pp 13620 033 24x
 Fiche 50-254, 82/06/18, 8206240128

--8206300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
 CICHY, G Commonwealth Edison Co 82/06/08 Director's Office
 Office of Inspection and Enforcement 2pp 13695 002 24x
 Fiche 50-000, 82/06/23, 8206300121

--8206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
 LITERER, L A Commonwealth Edison Co 82/06/02 11pp
 13695 004 24x Fiche 50-000, 82/06/23, 8206300125

G Adjudicatory correspondence

8206010336 Notice of appearance in proceeding Notice of change of business address & Certificate of Suc encl
 FITZGIBBONS, R Commonwealth Edison Co FITZGIBBONS, R 1sham,
 Lincoln & Beale 82/05/24 3pp 13301 291 24x
 Fiche 50 000, 82/05/24, 8206010336

J Insurance & indemnity information

8206080378 Forwards Endorsements 136 to NELIA Policy NF-43, 144 to NELIA Policy MF-22, 59 to MAELU Policy MF-54, 72 to NELIA Policy NF-187, 59 to NELIA Policy NF-201 & 50 to MAELU Policy MF-64
 OSTER, J Commonwealth Edison Co 82/05/20 SALTZMAN, J Office of State Programs, Director 7pp 13417 137 24x
 Fiche 50 000, 82/05/20, 8206080378

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCHURRIAN, C H
 Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
 13638 055 24x Fiche 50-000 82/05/12 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
 MEDENDORP, M S Reactor Systems Standards Branch 81/02/02
 ARLOTTO, G A Division of Engineering Standards 20pp 13418 104 24x Fiche 50-000, 82/05/12, 8206280071

8206040392 Forwards Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, safety evaluation & notice of issuance & availability Amends change App A Tech Specs re undervoltage protection
 CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 DELOFUNKEL, J
 Commonwealth Edison Co 4pp 13355 001 24x Fiche 50-000, 82/05/19, 8206040392

--8206040396 Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, changing App A Tech Specs re undervoltage protection
 CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 41pp
 13355 005 24x Fiche 50-000, 82/05/19, 8206040396

8206020374 Forwards addl info in response to NUREG-0737, Item II K 3 1 / re ECCS outage repts, per 820317 request
 SMARTZ, E D Commonwealth Edison Co 82/05/20 EISENHUT, D G
 Division of Licensing 30pp 13700 207 24X Fiche 50-000, 82/05/20, 8206020374

8206020394 Application to amend Licenses DPR-29 & DPR-30, allowing continued operation of both units using cross-tie line until 820701, while mod to Unit 1 loop A s.v.c water line is being completed
 RAUSCH, T J Commonwealth Edison Co 82/05/20 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13326 002 24X Fiche 50-254, 82/05/20, 8206020394

--8206020404 Proposed amend to Tech Specs for DPR-29 & DPR-30, allowing continued operation of units using cross-tie line until 820701, while mod to Unit 1 loop A s.v.c water line is being completed
 * Commonwealth Edison Co 82/05/20 6pp 13326 004 24X Fiche 50-254, 82/05/20, 8206020394

8206070330 Submits correction factors modifying instrument readings to correspond w/actual radiation levels inside containment re TMI Action Item II F 1 3 Procedures will not be submitted at this time, but are available for onsite review
 SMARTZ, E D Commonwealth Edison Co 82/06/01 EISENHUT, D G Division of Licensing 5pp 13363 037 24X Fiche 50-000, 82/06/01, 8206070330

8206100214 Forwards requested info re implementation status of NUREG-0737 items per Generic Ltr 82-10
 SMARTZ, E D Commonwealth Edison Co 82/06/04 EISENHUT, D G Division of Licensing 20pp 13453 214 24X Fiche 50-000, 82/06/04, 8206100214

8206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1 A
 SMARTZ, E D Commonwealth Edison Co 82/06/07 HAASS, W P, Quality Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept"
 * Commonwealth Edison Co CE-1-A R21 ERR 82/06/06 20pp 13522 028 24X Fiche 50-000, 82/06/07, 8206160222

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
 EISENHUT, D G Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York CROUSE, R Toledo Edison Co DAVIDSON, D R Cleveland Electric Illuminating Co 13pp 13556 / 349 24X Fiche 50-000, 82/06/09, 8206090153

8206170335 Responds to request for submittal of mod of proposed Tech Spec changes reflecting current organizational structure & titles at facilities Revised submittal expected by Jul 1982
 RAUSCH, T J Commonwealth Edison Co 82/06/09 VASSALLO, D B Operating Reactors Branch 2 1p 13531 015 24X Fiche 50-000, 82/06/09, 8206170335

8206210015 Forwards Amends 79 & 73 to Licenses DPR-29 & DPR-30 respectively, safety evaluation, EIA & notice of issuance & availability Amends allow increase in spent fuel storage capacity from 2,920 to 7,684 assemblies
 BEVAN, R Operating Reactors Branch 2 82/06/09 DELGEORGE, L Commonwealth Edison Co 2pp 13583 017 24X Fiche 50-254, 82/06/09, 8206210015

--8206210018 Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively, revising Tech Specs to allow for increase in spent fuel storage capacity from 2,920 to 7,684 assemblies
 NOVAK, T M Assistant Director for Operating Reactors 82/06/09 8pp 13583 019 24X Fiche 50-254, 82/06/09, 8206210015

--8206210021 Safety evaluation supporting Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively
 * Office of Nuclear Reactor Regulation, Director 82/06/09 18pp 13583 027 24X Fiche 50-254, 82/06/09, 8206210015

--8206210023 EIA supporting Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively
 * Operating Reactors Branch 2 82/06/09 18pp 13583 04b 24X Fiche 50-254, 82/06/09, 8206210015

--8206210025 Notice of issuance & availability of Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively
 VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp 13583 063 24X Fiche 50-254, 82/06/09, 8206210015

8206240356 Forwards safety evaluation approving 810701 & 1207 proposed method for implementing guidance of NUREG-0737, Item II K 3 15, "Isolation of HPCI & Reactor Core Isolation Cooling" Proposed method acceptable
 CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 DELGEORGE, L Commonwealth Edison Co 4pp 13596 06a 24X Fiche 50-000, 82/06/15, 8206240356

8206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 & DPR-30 changing Tech Specs to clarify licensee responsibilities & actions necessary to protect public health & safety during emergency
 RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13600 313 24X Fiche 50-000, 82/06/17, 8206240425

G Inspection reports, IE Bulletins & correspondence

8206020493 Forwards info re IE Bulletin 79-14, "Seismic Analysis For As-Built Safety-Related Piping Sys" & IE Insp Repts 90-237/82-01, 50-249/82-01, 50-254/82-01 & 50-265/82-01, discussed during 820520 meeting
 STIEDE, W L Commonwealth Edison Co 82/05/24 KEPPLER, J G Region 3, Office of Director 14pp 13325 001 24X Fiche 50-000, 82/05/24, 8206020493

8206070487 Submits monthly status rept of evaluations performed in response to IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys" No changes since last status rept
 RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPPLER, J G Region 3, Office of Director 1p 13374 326 24X Fiche 50-000, 82/05/26, 8206070487

8202040147 IE Info Notice 82-15, "Notification of NRC" Bvc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Bvc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Bvc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206150283 Ack receipt of util 820525 response to 820202 confirmation of action ltr re emergency preparedness appraisal Util actions meet commitments for planned action
 PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/10 REED, C Commonwealth Edison Co 1p 13506 192 24X Fiche 50-254, 82/06/10, 8206150283

--8206150292 Responds to NRC 820202 confirmation of action ltr re IE Emergency Preparedness Appraisal Repts 50-254/82-02 & 50-265/82-02 Corrective actions first aid/decontamination facility renovated
 RAUSCH, T J Commonwealth Edison Co 82/05/25 KEPPLER, J G Region 3, Office of Director 2pp 13506 193 24X Fiche 50-254, 82/06/10, 8206150283

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Bvc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Bvc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206220136 Forwards addl info re inservice insp program, per NRC 820415 request Also forwards "Basis for Design of Drywall Containment Vessel Penetrations"
 RAUSCH, T J Commonwealth Edison Co 82/06/15 VASSALLO, D B Operating Reactors Branch 2 9pp 13571 334 24X Fiche 50-254, 82/06/15, 8206220136

--8206220146 Design Spec, "Basis for Design of Drywall Containment Vessel Penetration"
 KEEVER, R E, PASHOB, T J, NAYMARK, S General Electric Co 79/02/18 4pp 13571 343 24X Fiche 50-254, 82/06/15, 8206220136

DOCKETED ITEMS

B206220377 Responds to IE Bulletin 81-01, Revision 1, "Surveillance of Mechanical Snubbers - Mechanical Snubber 2J in Dresden reactor cleanup sys found inoperable & replaced Quad Cities snubbers will be tested per new Tech Spec requirements
SWARTZ, E D Commonwealth Edison Co 82/06/15 KEPLER, J Q Region 3, Office of Director 4pp 13581 316 24X Fiche 50-000, 82/06/15, 8206220377

B206250195 Ack receipt of 820527 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-254/82-07 & 50-265/82-07 Violation withdrawn
LITTLE, W S Region 3, Office of Director 82/06/22 REED, C Commonwealth Edison Co 1p 13613 264 24X Fiche 50-254, 82/06/22, 8206250195

--B206250198 Responds to NRC 820415 ltr re violations noted in IE Insp Repts 50-254/82-07 & 50-265/82-07 Disputes noncompliance
ANSI N18 7-1972 implemented at time of insp
DELGEOURGE, L O Commonwealth Edison Co 82/05/27 KEPLER, J Q Region 3, Office of Director 5pp 13613 265 24X Fiche 50-254, 82/06/22, 8206250195

R Periodic operating reports & related correspondence

B206170192 Forwards monthly operating repts for May 1982
KALIVIANAKIS, N Commonwealth Edison Co 82/06/01 Director's Office, Office of Inspection and Enforcement 1p 13534 276 24X Fiche 50-254, 82/06/01, 8206170192

--B206170195 Monthly operating repts for May 1982
WEINFURTER, E Commonwealth Edison Co 82/06/04 23pp 13534 277 24X Fiche 50-254, 82/06/01, 8206170192

B206210534 Forwards list of changes, tests & experiments completed during May 1982 Supports designed & soft seated check valve installed in response to IE Bulletin 80-11
KALIVIANAKIS, N Commonwealth Edison Co 82/06/01 CASE, E G Office of Nuclear Reactor Regulation, Director 3pp 13567 007 24X Fiche 50-254, 82/06/01, 8206210534

S Reportable occurrences, LERs & related correspondence

B206070587 Forwards LER 82-009/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 82/05/21 KEPLER, J Region 3, Office of Director 1p 13374 030 24X Fiche 50-254, 82/05/21, 8206070587

--B206070598 LER 82-009/03L-0 on 820430, significant amount of water found in bearing oil reservoir of 1-1001-65C RHR sys svc water pump Caused by leaking seal packing, due to normal packing wear Reservoir changed & seals repacked
BUSS, R Commonwealth Edison Co 82/05/21 Region 3, Office of Director 3pp 13374 031 24X Fiche 50-254, 82/05/21, 8206070587

B206170185 Forwards LER 82-010/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 82/06/04 KEPLER, J Region 3, Office of Director 1p 13534 304 24X Fiche 50-254, 82/06/04, 8206170185

--B206170186 LER 82-010/03L-0 on 820519, while performing cooling water pump flow rate test quarterly surveillance emergency diesel generator cooling water pump 1/2 overheated Caused by failed motor bearing, due to improper oil level
KNOESPEL, P Commonwealth Edison Co 82/06/04 Region 3, Office of Director 3pp 13534 305 24X Fiche 50-254, 82/06/04, 8206170185

B206240378 Forwards LER 82-011/01T-0
KALIVIANAKIS, N Commonwealth Edison Co 82/06/16 KEPLER, J Region 3, Office of Director 1p 13603 138 24X Fiche 50-254, 82/06/16, 8206240378

--B206240385 LER 82-011/01T-0 on 820605, control valve 4 failed to fast close & no reactor protection sys channel B trip received Caused by damaged amphenol connector Connector removed & solenoid hardwired to junction box
CLARK, D Commonwealth Edison Co 82/06/16 Region 3, Office of Director 4pp 13603 139 24X Fiche 50-254, 82/06/16, 8206240378

DOCKET 50-255 PALISADES NUCLEAR PLANT

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch, 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, 8206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by 820601
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B K Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

B206080419 Ack receipt of 820526 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-255/82-08
SPESARD, R L Division of Project & Resident Programs 82/06/04 DEWITT, R B Consumers Power Co 1p 13416 210 24X Fiche 50-255, 82/06/04, 8206080419

--B206080424 Responds to NRC 820426 ltr re violations noted in IE Insp Rept 50-255/82-08 Corrective actions review of emergency implementation procedures will be conducted to ensure that App E requirements addressed
JOHNSON, B D Consumers Power Co 82/05/26 KEPLER, J Q Region 3, Office of Director 3pp 13416 211 24X Fiche 50-255, 82/06/04, 8206080419

B206150223 Requests extension until 820701 to respond to Generic Ltr 81-12, "Fire Protection Rule - 10CFR50 48(c)(5) - Alternative Safe Shutdown - Section III Q 3 of App R to 10CFR50 "
JOHNSON, B D Consumers Power Co 82/06/10 CRUTCHFIELD, D Operating Reactors Branch 5 1p 13503 163 24X Fiche 50-255, 82/06/10, 8206150223

B206240009 Releases public version of temporary changes to emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13607 357 24X Fiche 50-255, 82/06/18, 8206240009

--B206240012 Forwards public version of Temporary Changes EI-82-016, -017 & -018 to emergency plan implementing procedures
* Consumers Power Co 82/06/03 NRC - No Detailed Affiliation Given 1p 13607 351 24X Fiche 50-255, 82/06/18, 8206240009

--B206240015 Public version of Temporary Changes EI-82-016, -017 & -018 to emergency plan implementing procedures
* Consumers Power Co 82/05/27 5pp 13607 352 24X Fiche 50-255, 82/06/18, 8206240009

B206240432 Releases public version of revision to emergency plan implementation procedure
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13619 182 24X Fiche 50-255, 82/06/18, 8206240432

--B206240437 Forwards public version of Revision 5 to Emergency Plan Implementation Procedure EI-2, "Palisades Plant Actions/Notifications During Emergency" Receipt form encl
* Consumers Power Co 82/06/01 NRC - No Detailed Affiliation Given 1p 13619 183 24X Fiche 50-255, 82/06/18, 8206240432

--B206240440 Public version of Revision 5 to Emergency Plan Implementation Procedure EI-2, "Palisades Plant Actions/Notifications During Emergency"
* Consumers Power Co 82/05/26 14pp 13619 184 24X Fiche 50-255, 82/06/18, 8206240432

B206300085 Releases public version of temporary change to emergency plan implementing procedure
FELTON, J M Division of Rules and Records, 82/06/22, Document Management Branch, 1p 13684 083 24X Fiche 50-255, 82/06/22, 8206300085

--B206300088 Forwards public version of Temporary Change EI-82-019, consisting of Revision 1 to Emergency Plan Implementing Procedure EI-19, "Training & Drills"
* Consumers Power Co 82/06/11 NRC - No Detailed Affiliation Given 1p 13684 084 24X Fiche 50-255, 82/06/22, 8206300088

-2706300090 Public version of Temporary Change EI-B2-019, consisting of
Revision 1 to Emergency Plan Implementing Procedure EI-19,
"Training & Drills" (Ref NUREG-0654)
* Consumers Power Co 82/06/09 1p 13684 085 24X
Fiche 50-255, 82/06/22, 8206300085

8206290121 Forwards application to amend License DPR-20, revising Tech
Spec 4 7 re emergency power sys periodic tests Class II fee
encl
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13634 318 24X
Fiche 50-255, 82/06/25, 8206290121

8206290127 Application to amend License DPR-20, revising Tech Spec 4 7
re emergency power sys periodic tests
DEWITT, R B Consumers Power Co 82/06/25 1p 13634 319 24X
Fiche 50-255, 82/06/25, 8206290121

-8206290132 Proposed Tech Spec 4 7 re emergency power sys periodic
tests
* Consumers Power Co 82/06/25 3pp 13634 320 24X
Fiche 50-255, 82/06/25, 8206290121

8206290403 Forwards application to amend License DPR-20, changing Tech
Specs re fire protection sys to conform w/Tech Spec insp
checklists
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13632 358 24X
Fiche 50-255, 82/06/25, 8206290403

8206290408 Application to amend License DPR-20, changing Tech Specs re
fire protection sys to conform w/Tech Spec insp checklists
DEWITT, R B Consumers Power Co 82/06/25 3pp 13632 359 24X
Fiche 50-255, 82/06/25, 8206290403

--8206290412 Proposed Tech Specs 3 22 3 & 4 17 5 re fire protection sys
* Consumers Power Co 82/06/25 2pp 13632 362 24X
Fiche 50-255, 82/06/25, 8206290403

G Adjudicatory correspondence

8206040023 Memorandum & order granting NRC/Util Workers Union of
America, AFL-CIO & NJ State Util Workers Council joint
motion to terminate proceeding. Issues have been settled
fairly
LAURENSEN, J A, MORRIS, P A, KLINE, J R Atomic Safety and Licensing
Board Panel 82/05/28 Office of the Executive Legal Director
3pp 13347 361 24X Fiche 50-255, 82/05/28, 8206040023

8206070145 Order extending time until 820726 for Commission to
determine whether to review ALAD-670
CHILK, S J Office of the Secretary of the Commission 82/06/02
Commissioners 1p 13368 349 24X Fiche 50-255, 82/06/02,
8206070145

8206280537 Memorandum & order directing parties to file statement by
820712 re current status of matters, including whether util
intends to replace steam generators, when NRC will complete
or has completed EIS & status of discovery
LAURENSEN, J A Atomic Safety and Licensing Board Panel 82/06/23
3pp 13629 301 24X Fiche 50-255, 82/06/23, 8206280537

J Insurance & indemnity information

8206210117 Forwards Endorsements 75 & 65 to ANI Policy NF-179 & MAFIU
Policy NF-50, respectively
FROUNFELKER, R Consumers Power Co 82/06/15 BALTZMAN, J
Antitrust & Economic analysis Branch (Utility Finance) 3pp
13559 191 24X Fiche 50-255, 82/06/15, 8206210117

P Operating license stage documents & correspondence

8204300003 Responds to FOIA request for five categories of documents
re Sept 1979 rept, "Recommendations of TH1-2 IE
Investigation Team" Approx 170 pages of matl being placed
in PDR
FELTON, J M Division of Rules and Records 82/04/02 WEISS, L H
Union of Concerned Scientists 1p 12920 032 24X
Fiche 50-000, 82/04/02, 8204300003

8206040132 Forwards draft review of BEP rept Mods could be discussed
during 820417 trip to Bethesda, MD & implemented by 820529
deadline Critique of contents could be beneficial when
Qlnna rept available
BUSH, S H Battelle Memorial Institute, Pacific Northwest Laboratory
82/04/16 RUSSELL, W T Systematic Evaluation Program Branch 7pp
13347, 270 24X Fiche 50-255, 82/04/16, 8206040132

8206040280 Forwards partial rescission of 810309 order confirming
licensee actions to upgrade facility performance, revising
work hour restrictions
KEPPLER, J G Region 3, Office of Director 82/04/21 REYNOLDS, J W
Consumers Power Co 1p 13358 355 24X Fiche 50-255, 82/04/21,
8206040280

--8206040284 Order for partial rescission of 810309 order confirming
licensee actions to upgrade facility performance Work hour
restrictions revised
KEPPLER, J G Region 3, Office of Director 82/04/21 Consumers
Power Co 4pp 13358 356 24X Fiche 50-255, 82/04/21, 8206040280

8206280071 Addl response to FOIA request for eight categories of
documents Forwards documents listed in App A Documents
listed in App B available in PDR Confidential financial
info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling
rulemaking Steering group to issue justification for
rulemaking activity in advance of agreement on quantitative
safety goal Examples of valve misoperation provided
MEDEIROS, M S Reactor Systems Standards Branch 81/02/02
ARLOTT, O A Division of Engineering Standards 20pp 13638 102
24X Fiche 50-000, 82/05/12, 8206280071

8206040260 Forwards 820325-29 talcon record re TMI Action Plan Items
II F 1 4, II F 1 5 & II F 1 6 Response required by 820611
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/14
VANDEWALLE, D Consumers Power Co 7pp 13358 221 24X
Fiche 50-255, 82/05/14, 8206040260

8206040245 Forwards ACRS 820511 rept re SEP program Phase II integrated
plant safety assessment, per NUREG-0820, for facility
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/25
VANDEWALLE, D J Consumers Power Co 3pp 13358 277 24X
Fiche 50-255, 82/05/25, 8206040245

--8205270619 Discusses SEP, Phase II & application to Palisades plant
Actions taken thus far by NRC in SEP assessment considered
acceptable ACRS will defer review of full-term OL until NRC
has completed actions on remaining SEP topics
BREMMON, P ACRS - Advisory Committee on Reactor Safeguards
82/05/11 PALLADINO, N J Commissioners 4pp 13358 280 24X
Fiche 50-255, 82/05/25, 8206040245

8206080073 Forwards Science Applications, Inc request for addl info
needed to complete review of NUREG-0737, Items I A 2 1 re
upgraded senior reactor & reactor operator training & II B 4
re training for mitigating core damage
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/28
VANDEWALLE, D Consumers Power Co 5pp 13423 298 24X
Fiche 50-000, 82/05/28, 8206080073

8206070253 Submits confirmation of completion for implementation of
NUREG-0737 items applicable to plant, in response to Generic
Ltr 82-05
VANDEWALLE, D J Consumers Power Co 82/06/01 CRUTCHFIELD, D
Operating Reactors Branch 5 5pp 13370 346 24X
Fiche 50-255, 82/06/01, 8206070253

8206100239 Forwards "EPRI PWR Safety & Relief Valve Test Program, Power
Operated Relief Valve Block Valve Info Package," in response
to NUREG-0737, Item II D 1 B, as discussed at 810717 meeting
w/NRC
YOUNGDAHL, R C Consumers Power Co 82/06/01 DENTON, H Office of
Nuclear Reactor Regulation, Director 2pp 13452 192 24X
Fiche 50-000, 82/06/01, 8206100239

--8206100261 "EPRI PWR Safety & Relief Valve Test Program, Power Operated
Relief Valve Block Valve Info Package"
* Electric Power Research Institute 82/05/31 13pp 13452, 194
24X Fiche 50-000, 82/06/01, 8206100239

--8206100265 "EPRI/Marshall Electric Motor Operated Valve (Block Valve),
Interim Test Data Rept"
KUCZAREK, S D, HOUDE, R K, CORDES, G A Intermountain
Technologies, Inc 82/05/31 16pp 13452, 209 24X
Fiche 50-000, 82/06/01, 8206100239

--8206100268 "EPRI Summary Rept Westinghouse Gate Valve Closure Testing
Program," Revision 1
DRAKE, J A, LERI, M A, COLLIER, D R Westinghouse Electric Corp.
EM 5683 R01, 82/03/31 8pp 13453 013 24X
Fiche 50-000, 82/06/01, 8206100239

DOCKETED ITEMS

B206040241 Submits clarification of Tech Spec re containment isolation valve testing Clarification intended for use until appropriate changes are made to Section 3 & of Tech Specs
JOHNSON, B D Consumers Power Co 82/06/02 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13357 275 24X
Fiche 50-255, 82/06/02, B206040241

B206100164 Submits addl info re radiological effluent Tech Specs, supplementing until B20203 ltr responding to requests made at B20104-07 meeting w/NRC Draft offsite dose calculation manual will be submitted by Oct 1982
VANDEWALLE, D J Consumers Power Co 82/06/07 CRUTCHFIELD, D
Operating Reactors Branch 5 3pp 13451 167 24X
Fiche 50-000, 82/06/07, B206100164

B206110077 Forwards response to Generic Ltr B2-10, "Post-TMI Requirements"
VANDEWALLE, D J Consumers Power Co 82/06/07 CRUTCHFIELD, D
Operating Reactors Branch 5 5pp 13465 352 24X
Fiche 50-255, 82/06/07, B206110077

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents Findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, B206090153

B206160367 Forwards response to B20225 ltr requesting addl info in response to NUREG-0737, Item II B 1 re RCS vents
JOHNSON, B D Consumers Power Co 82/06/09 CRUTCHFIELD, D
Operating Reactors Branch 5 47pp 13512 180 24X
Fiche 50-255, 82/06/09, B206160367

B206150145 Responds to B20514 ltr requesting confirmation of Mar, 1982 telcon re TMI Items II F 1 4, II F 1 5 & II F 1 6 concerning accident monitoring info Record accurate except for info on placement of hydrogen sample ports
JOHNSON, B D Consumers Power Co 82/06/11 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13505 091 24X
Fiche 50-255, 82/06/11, B206150145

B206240240 Discusses inactivity of util request for NRC review of Exon Topical Rept XN-76-4 for purpose of using C-E Type ABC fuel & inactivity of util 760609 application for Tech Spec change for diesel generators
CRUTCHFIELD, D J Operating Reactors Branch 5 82/06/18
VANDEWALLE, D J Consumers Power Co 3pp 13597 297 24X
Fiche 50-255, 82/06/18, B206240240

B206290121 Forwards application to amend License DPR-20, revising Tech Spec 4 7 re emergency power sys periodic tests Class II fee encl
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13634 318 24X
Fiche 50-255, 82/06/25, B206290121

--B206290127 Application to amend License DPR-20, revising Tech Spec 4 7 re emergency power sys periodic tests
DEWITT, R B Consumers Power Co 82/06/25 1p 13634 319 24X
Fiche 50-255, 82/06/25, B206290127

--B206290132 Proposed Tech Spec 4 7 re emergency power sys periodic tests
* Consumers Power Co. 82/06/25 3pp 13634 320 24X
Fiche 50-255, 82/06/25, B206290132

B206290235 Forwards proposed Tech Spec change request re minimization of time spent in high radiation areas & handling of radiation sources
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13636 299 24X
Fiche 50-255, 82/06/25, B206290235

--B206290239 Application to amend License DPR-20, changing Tech Specs to minimize time spent in high radiation areas & handling of radiation sources
DEWITT, R B Consumers Power Co 82/06/25 1p 13636 300 24X
Fiche 50-255, 82/06/25, B206290239

--B206290241 Proposed Tech Specs to permit monthly tests of containment high radiation & area/process monitors
* Consumers Power Co 82/06/25 3pp 13636 301 24X
Fiche 50-255, 82/06/25, B206290241

B206290386 Forwards application to amend License DPR-20, changing Tech Specs to permit reduction of primary coolant sys boron concentration w/o bubble & normal water level in pressurizer, per util B20218 ltr
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13634 260 24X
Fiche 50-255, 82/06/25, B206290386

--B206290387 Application to amend License DPR-20, changing Tech Specs to permit reduction of primary coolant sys boron concentration w/o bubble & normal water level in pressurizer, per util B20218 ltr
DEWITT, R B Consumers Power Co 82/06/25 2pp 13634 261 24X
Fiche 50-255, 82/06/25, B206290386

--B206290391 Proposed Tech Spec changes, reducing primary coolant sys boron concentration & permitting dilution w/o containment integrity being maintained
* Consumers Power Co 82/06/25 3pp 13634 263 24X
Fiche 50-255, 82/06/25, B206290386

B206290403 Forwards application to amend License DPR-20, changing Tech Specs re fire protection sys to conform w/Tech Spec insp checklists
VANDEWALLE, D J Consumers Power Co 82/06/25 CRUTCHFIELD, D
Operating Reactors Branch 5 1p 13632 358 24X
Fiche 50-255, 82/06/25, B206290403

--B206290408 Application to amend License DPR-20, changing Tech Specs re fire protection sys to conform w/Tech Spec insp checklists
DEWITT, R B Consumers Power Co 82/06/25 3pp 13632 359 24X
Fiche 50-255, 82/06/25, B206290408

--B206290412 Proposed Tech Specs 3 22 3 & 4 17 5 re fire protection sys
* Consumers Power Co 82/06/25 2pp 13632 362 24X
Fiche 50-255, 82/06/25, B206290403

B206290270 Repts under Purchase Order DR-B2-0961 re review of twm draft SEP integrated assessments for facilities Ltr comprises rept on Ginna SEP (draft NUREG-0821)
BUDNITZ, R J Future Resources Associates, Inc 82/06/28
RUSSELL, W T NRC - No Detailed Affiliation Given 8pp 13636 341 24X
Fiche 50-000, 82/06/28, B206290270

0 Inspection reports, IE Bulletins & correspondence

B206020025 Forwards IE Insp Rept 50-255/B2-12 on B20401-30 No noncompliance noted
WIND, R C Region 3, Office of Director 82/05/20 DEWITT, R B
Consumers Power Co 2PP 13320 346 24X Fiche 50-255, 82/05/20, B206020025

--B206020029 IE Insp Rept 50-255/B2-12 on B20401-30 No noncompliance noted Major areas inspected activities during long-term shutdown, surveillance, maint & overview of steam generator tube exam
JORGENSEN, B L, BLOYD, D C Region 3, Office of Director 82/05/14
4pp 13320 348 24X Fiche 50-255, 82/05/20, B206020025

B206020392 Ack receipt of B20514 ltr informing NRC of steps taken to correct violation noted in IE Insp Rept 50-255/B2-07
NORELIUS, C E Division of Engineering & Technical Programs 82/05/27 DEWITT, R B Consumers Power Co 1p 13326 016 24X
Fiche 50-255, 82/05/27, B206020392

--B206020397 Responds to NRC B20412 ltr re violation noted in IE Insp Rept 50-255/B2-07 Corrective actions program developed to periodically perform single check of hydrometers used in surveillances required by Tech Specs
VANDEWALLE, D J Consumers Power Co 82/05/11 KEPLER, J G
Region 3, Office of Director 3pp 13326 017 24X
Fiche 50-255, 82/05/27, B206020392

B202040147 IE Info Notice B2-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/20 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206080419 Ack receipt of B20526 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-255/B2-08
SPESARD, R L Division of Project & Resident Programs 82/06/04 DEWITT, R B Consumers Power Co 1p 13416 210 24X
Fiche 50-255, 82/06/04, B206080419

--B206080424 Responds to NRC B20426 ltr re violations noted in IL Insp Rept 50-255/82-08 Corrective actions review of emergency implementation procedures will be conducted to ensure that App E requirements addressed
JOHNSON, B D Consumers Power Co 82/05/26 KEPLER, J G Region 3, Office of Director 3pp 13416 211 24X Fiche 50-255, 82/06/04, B206080419

B206170313 Responds to NRC B20512 notice of violation & proposed imposition of civil penalties re noncompliance noted in IE Insp Rept 50-255/81-28 on B11101-1218 Corrective action supervisor removed from duties pending re-evaluation
DEWITT, R B Consumers Power Co 82/06/10 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 7pp 13531 25J 24X Fiche 50-255, 82/06/10, B206170313

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 25B 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13673 189 24X Fiche 50-000, 82/06/11, B204210384

R Periodic operating reports & related correspondence

B206140021 Forwards monthly operating rept for May 1982
VANDENBERG, D Consumers Power Co 82/06/07 NRC - No Detailed Affiliation Given 1p 13484 34B 24X Fiche 50-255, 82/06/07, B206140021

- B206140022 Monthly operating rept for May 1982
PETERSON, D, VANDENBERG, D Consumers Power Co 82/06/04 4pp 13484 349 24X Fiche 50-255, 82/06/07, B206140021

S Reportable occurrences, LERs & related correspondence

B206100223 Forwards updated LER B2-012/01X-1
JOHNSON, B D Consumers Power Co 82/06/04 KEPLER, J G Region 3, Office of Director 1p 13458 200 24X Fiche 50-255, 82/06/04, B206100223

--B206100229 Updated LER B2-012/01X-1 on B20423, primary to secondary leakage in steam generator tubes increased to approx 0.32 gpm Caused by two through-wall defects Tubes w/defects plugged
* Consumers Power Co 82/06/04 Region 3, Office of Director 2pp 13458 201 24X Fiche 50-255, 82/06/04, B206100223

B206100282 Forwards updated LER B1-037/03X-1
JOHNSON, B D Consumers Power Co 82/06/04 KEPLER, J G Region 3, Office of Director 1p 13453 361 24X Fiche 50-255, 82/06/04, B206100282

--B206100300 Updated LER B1-037/03X-1 on B10908, disc nut on check valves CK-3103, CK-3118, CK-3133 & CK-3148, disc nut, washer & pin found missing Caused by high fluid velocity & turbulence creating accelerated wear
* Consumers Power Co 82/06/04 Region 3, Office of Director 1p 13453 362 24X Fiche 50-255, 82/06/04, B206100282

B206220295 Forwards LER B2-015/03L-0
JOHNSON, B D Consumers Power Co 82/06/15 KEPLER, J G Region 3, Office of Director 1p 13373 273 24X Fiche 50-255, 82/06/15, B206220295

--B206220300 LER B2-015/03L-0 on B20519, during routine surveillance of hydraulic snubbers, snubber 17 contained insufficient oil, Caused by deteriorated O-rings Snubber replaced Program developed to rebuild all hydraulic snubbers on 5-yr cycle
* Consumers Power Co 82/06/15 Region 3, Office of Director, 1p 24X Fiche 50-255, 82/06/15, B206220295

DOCKET 50-259 BROWNS FERRY NUCLEAR POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records, 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13494 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090082 Forwards updated info re status of prompt notification sys for facilities Util expects to meet B20201 deadline
STOHR, J P Emergency Preparedness & Program Support Branch 82/01/21 GRIMES, B K Division of Emergency Preparedness 3pp 13454 155 24X Fiche 50-000, 82/05/11, B206090002

--B203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by B20201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X Fiche 50-000, 82/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O S Division of Technical Inspection 82/01/05 GRIMES, B K Division of Emergency Preparedness 8pp 13454 176 24X Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, B206090002

B206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0945, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PARRIS, H O Tennessee Valley Authority 1p 13375 053 24X Fiche 50-000, 82/05/12, B206070481

B206020108 Releases public version of revision to radiological emergency plan
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13333 074 24X Fiche 50-259, 82/05/25, B206020108

--B206020116 Forwards public version of Revision BFN-REP-B2-002 to radiological emergency plan Receipt form encl
WIGENDURG, M R Tennessee Valley Authority 82/04/30, DENTON, H R Office of Nuclear Reactor Regulation, Director, 2pp 13333 075 24X Fiche 50-259, 82/05/25, B206020108

--B206020121 Public version of Revision BFN-REP-B2-002 to radiological emergency plan Revision log sheet encl
* Tennessee Valley Authority 82/04/28 43pp 13333 077, 24X Fiche 50-259, 82/05/25, B206020108

B206030217 Forwards summary description of prompt notification sys at facilities Four oversize locator maps for fixed sirens encl
Aperture cards are available in PDR
MILLS, L M Tennessee Valley Authority 82/05/25 VASSALLO, D B Operating Reactors Branch 2 2pp 13337 265 24X Fiche 50-259, 82/05/25, B206030217

B206180129 Forwards FEMA B10922 ltr to State of AL containing rept of deficiencies noted in B10909-10 emergency preparedness exercise & regional assistance committee & State of AL review of exercise
KRIMM, R W Federal Emergency Management Agency 82/06/02 GRIMES, B Division of Emergency Preparedness 14pp 13552 159 24X Fiche 50-259, 82/06/02, B206180129

B206170127 Forwards revised physical security plan Plan withheld (ref 10CFR73.21)
MILLS, L M Tennessee Valley Authority 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13331 047, 24X Fiche 50-259, 82/06/11, B206170127

G Adjudicatory correspondence

B206040288 Response to ASLAD B20517 order requesting why util B11103 submittal not provided to ASLAD Util did not intentionally mislead ASLAD & does not believe submittal matl to issues before ASLAD Certificate of Evc encl
SANGER, H S, WALLACE, L E, BURGER, J F, Tennessee Valley Authority, 82/05/27, 7pp 13358 284 24X Fiche 50-259, 82/05/27, B206040288.

DOCKETED ITEMS

B206040297 Memorandum in response to ASLAB B20517 order Util failed to serve parties w/ B11103 amended application NRC technical staff did not inquire into document distribution & NRC counsel unaware of document existence W/Certificate of Svc RABSON, R J Hearing Branch 4 82/05/28 8pp 13354 145 24X Fiche 50-259, 82/05/28, B206040297

B206170246 Memorandum ALAB-677, re-emphasizing need for ASLAB to be informed of all significant developments which may have bearing on decisions in pending proceedings Util failure to serve mod violated ASLAB imposed requirements SHOMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/10 13pp 13533 190 24X Fiche 50-259, 82/06/10, B206170246

P Operating license stage documents & correspondence

B108210179 Advises that facility licensing documents should be changed due to physical security commitments which are too restrictive Recommended revisions outlined MILLS, L M Tennessee Valley Authority 81/07/29 ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 4pp 09454 001 24X Fiche 50-259, 81/07/29, B108210179

B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted FELTON, J M Division of Rules and Records 82/04/29 McMurray, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, B206230007

--B11170117 Summary of B11023 meeting to assess in-house availability & completeness of control sys info on operating plant for A-47 reviews Meeting scheduled for B11109 to discuss findings of nonsafety control info SZUKIEWICZ, A J Generic Issues Branch 81/10/28 KNIEL, K Generic Issues Branch 3pp 13605 347 24X Fiche 50-000, 82/04/29, B206230007

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted FELTON, J M Division of Rules and Records 82/05/12 McMurray, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided MEDEROS, M S Reactor Systems Standards Branch 81/02/02 ARLOTT, O A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, B206280071

B206010051 Forwards Amends B3, B0 & 54 to Licenses DPR-33, DPR-52 & DPR-6B, respectively, safety evaluation & notice of issuance & availability Amends change Tech Specs to provide addl surveillance requirements for scram discharge vol vent CLARK, R J Operating Reactors Branch 2 82/05/19 PARRIS, H O Tennessee Valley Authority 2pp 13320 020 24X Fiche 50-259, 82/05/19, B206010051

--B206010055 Amends B3, B0 & 54 to Licenses DPR-33, DPR-52 & DPR-6B, respectively, changing Tech Specs to provide addl surveillance requirements for scram discharge vol vent, drain valves & limit switches VASSALLO, D B Operating Reactors Branch 2 82/05/19 31pp 13332 022 24X Fiche 50-259, 82/05/19, B206010051

--B206010060 Safety evaluation supporting Amends B3, B0 & 54 to Licenses DPR-33, DPR-52 & DPR-6B, respectively, Technical Evaluation Rept TER-C5506-67/71/76 encl * Office of Nuclear Reactor Regulation, Director 82/05/19 2pp 13332 052 24X Fiche 50-259, 82/05/19, B206010051

--B206040365 Amends B4 B1 & 55 to Licenses DPR-33, DPR-52 & DPR-6B, respectively, changing Tech Specs to add addl requirements for insp of snubbers' seismic restraints in response to B11120 generic request VASSALLO, D B Operating Reactors Branch 2 82/05/24 60pp 13391 003 24X Fiche 50-259, 82/05/24, B206040365

--B206040367 Safety evaluation supporting Amends B4 B1 & 55 to Licenses DPR-33, DPR-52 & DPR-6B, respectively * Office of Nuclear Reactor Regulation, Director 82/05/24 4pp 13391 049 24X Fiche 50-259, 82/05/24, B206040365

--B206040068 Notice of issuance & availability of Amends B4, B1 & 55 to Licenses DPR-33, DPR-52 & DPR-6B, respectively VASSALLO, D B Operating Reactors Branch 2 82/05/24 2pp 13391 073 24X Fiche 50-259, 82/05/24, B206040068

B206100419 Notification of B20602 meeting w/ Util & EG&O in Chattanooga TN to discuss info needed by NRC for Unresolved Safety Issue A-47, "Safety Implications for Control Sys" CLARK, R J Operating Reactors Branch 2 82/05/24 VASSALLO, D B Operating Reactors Branch 2 2pp 13458 352 24X Fiche 50-259, 82/05/24, B206100419

B206140169 Forwards info re Section 2.1 of NUREG-0612, "Control of Heavy Loads at Nuclear Power Plants," in response to NRC B01222 ltr Six oversize drawings encl Aperture cards are available in PDR KAMMER, D S Tennessee Valley Authority 82/06/03 VASSALLO, D B Operating Reactors Branch 2 17pp 13487 212 24X Fiche 50-259, 82/06/03, B206140169

--B206140178 "Mechanical Maint Instruction 119 Refuel Floor Lifting Instruction" Six oversize drawings encl Aperture cards are available in PDR * Tennessee Valley Authority 81/05/05 11pp 13487 227 24X Fiche 50-259, 82/06/03, B206140169

--B206140207 "Mechanical Maint Instruction 102 Rigging Equipment Program" * Tennessee Valley Authority 81/01/13 62pp 13487 240 24X Fiche 50-259, 82/06/03, B206140169

--B206140211 "Mechanical Maint Instruction 117 Installed Overhead Traveling Bridge Cranes - Insp, Testing & Preventative Maint" * Tennessee Valley Authority 81/03/03 48pp 13487 302 24X Fiche 50-259, 82/06/03, B206140169

--B206140214 "Crane Operator Qualification & Authorization" * Tennessee Valley Authority 81/03/25 10pp 13487 350 24X Fiche 50-259, 82/06/03, B206140169

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York THOMAS, J E San Diego Gas & Electric Co CRANE, P A Pacific Gas & Electric Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206210380 Forwards corrections to B20430 Tech Spec change request MILLS, L M Tennessee Valley Authority 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13582 342 24X Fiche 50-259, 82/06/10, B206210380

--B206210393 Corrections to B20430 proposed Tech Spec changes, clarifying requirements on inoperable control rods to avoid misinterpretation * Tennessee Valley Authority 82/06/10 5pp 13582 344 24X Fiche 50-259, 82/06/10, B206210380

B206230272 Forwards request for addl info re environ qualification of safety-related electrical equipment, including TMI action plan equipment VASSALLO, D B Operating Reactors Branch 2 82/06/16 PARRIS, H O Tennessee Valley Authority 6pp 13592 227 24X Fiche 50-259, 82/06/16, B206230272

B206230075 Forwards response to NRC B20513 request for addl info re NUREG-0737, Items II B 2.11 F.1.1 & II F.1.2 re plant shielding, sampling of plant effluents & sampling of high-range radiiodine, respectively MILLS, L M Tennessee Valley Authority 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13588 445 24X Fiche 50-259, 82/06/17, B206230075

8206290357 Declines participation in study re NUREG-0705, "Identification of New Unsolved Safety Issues re Nuclear Power Plants" & Task A-47, "Safety Implications of Control Sys." per 820602 request
MILLS, L M Tennessee Valley Authority 82/06/23 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13632 341
24X Fiche 50-259, 82/06/23, 8206290357

8206290091 Forwards response to Generic Ltr 82-10, "Post-TMI Requirements " Continued operation w/o suspension, mod or revocation of DLs justified
MILLS, L M Tennessee Valley Authority 82/06/24 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13634 330
24X Fiche 50-259, 82/06/24, 8206290091

8206290109 Endorses BWH owners group work addressing interim hydrogen control rule, 10CFR50.44 Mark I containment design adequately controls combustible gases w/o need for containment venting
Add design features not required
MILLS, L M Tennessee Valley Authority 82/06/24 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13634 316
24X Fiche 50-259, 82/06/24, 8206290109

Q Inspection reports, IE Bulletins & correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150043 Ack receipt of B11013 ltr informing NRC of steps taken to correct deficiencies noted in B10922 notice of violation
Actions acceptable
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/01/04 PARRIS, H G Tennessee Valley Authority
1p 13524 023 24X Fiche 50-000, 82/04/21, 8206150016

8206070745 Confirms arrangements made between NRC & util during 820518 telcon for 820527 meeting in Region 2 ofc to discuss recent insp findings re exceeding limiting condition for operation & failure to follow procedure Proposed agenda encl
O'REILLY, J P Region 2, Office of Director 82/03/19 PARRIS, H G
Tennessee Valley Authority 2pp 13387 167 24X
Fiche 50-259, 82/03/19, 8206070745

8206070505 Ack receipt of 820517 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12
LEWIS, R C Division of Project & Resident Programs 82/05/26
PARRIS, H G Tennessee Valley Authority 1p 13374 102 24X
Fiche 50-259, 82/05/26, 8206070505

--8206070512 Responds to NRC 820415 ltr re violations noted in IL Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12 Corrective actions rupture disc assembled correctly & mechanical maint Instruction 22 will be revised
MILLS, L M Tennessee Valley Authority 82/05/17 O'REILLY, J P
Region 2, Office of Director 7p 13374 103 24X
Fiche 50-259, 82/05/26, 8206070505

--8206070526 Forwards IE Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12 on 820226-0325 & notices of violation & deviation
LEWIS, R C Division of Project & Resident Programs 82/04/15
PARRIS, H G Tennessee Valley Authority 2pp 13374 110 24X
Fiche 50-259, 82/05/26, 8206070505

--8206070533 Notice of violation from insp on 820226-0325
* Division of Project & Resident Programs 82/04/15, 2pp
13374 112 24X Fiche 50-259, 82/05/26, 8206070505.

--8206070543 Notice of deviation from insp on 820226-0325
* Division of Project & Resident Programs 82/04/15 1p
13374 114 24X Fiche 50-259, 82/05/26, 8206070505

--8206070554 IE Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12 on 820226-0325 Noncompliance noted, violation of 10CFR50 App B Criterion V & Tech Specs & 3 A & 4 & H 1 & failure to meet commitment date
SULLIVAN, R F, CHASE, J W, PAULK, Q L Division of Project & Resident Programs 82/04/14 10pp 13374 115 24X
Fiche 50-259, 82/05/26, 8206070505

8206070561 Ack receipt of 820517 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/81-37, 50-260/81-37 & 50-296/81-37
LEWIS, R C Division of Project & Resident Programs, 82/05/26
PARRIS, H G Tennessee Valley Authority 1p 13373 086 24X
Fiche 50-259, 82/05/26, 8206070561

--8206070571 Suppls responses to NRC 820121 & 0315 ltrs re violations noted in IE Insp Repts 50-259/81-37, 50-260/81-37 & 50-296/81-37 Corrective actions new valve check list run on radiaste sys to ensure proper alignment of all valves
MILLS, L M Tennessee Valley Authority 82/05/17 O'REILLY, J P
Region 2, Office of Director 5pp 13373 087 24X
Fiche 50-259, 82/05/26, 8206070561

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/03/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220568 Provides addl justification for suspension of functional testing of scram discharge instrument vol level switches following each scram per IE Bulletin 80-17, Suppl 3
Reconsideration of suspension denial requested
MILLS, L M Tennessee Valley Authority 82/06/04 O'REILLY, J P
Region 2, Office of Director 3pp 13582 198 24X
Fiche 50-259, 82/06/04, 8206220568

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206250078 Ack receipt of 820601 ltr w/info re wiring funds for payment of civil penalties
LIEBERMAN, J Enforcement Staff 82/06/21 MILLS, L M Tennessee Valley Authority 2pp 13628 320 24X Fiche 50-259, 82/06/21, 8206250078

R Periodic operating reports & related correspondence

8206010319 Forwards monthly operating repts for Apr 1982
JONES, G T Tennessee Valley Authority 82/05/11 Office of Management and Program Analysis 1p 13300 127 24X
Fiche 50-259, 82/05/11, 8206010319

--8206010326 Monthly operating repts for Apr 1982
JONES, G T Tennessee Valley Authority 82/05/01 42pp
13300 130 24X Fiche 50-259, 82/05/11, 8206010319

8206290558 Forwards revisions to effluent & waste disposal semiannual rept for 1980 Corrects errors in solid waste-dry compressible waste containment equipment figures, submitted on 820513
MILLS, L M Tennessee Valley Authority 82/06/23 VASSALLO, D B
Operating Reactors Branch 2 2pp 13631 053 24X
Fiche 50-259, 82/06/23, 8206290558

--8206290563 Revisions to effluent & waste disposal semiannual rept for 1980
* Tennessee Valley Authority 82/06/23 4pp 13631 055 24X
Fiche 50-259, 82/06/23, 8206290558

S Reportable occurrences, LERs & related correspondence

8206010464 Forwards LER 82-01B/03L-0
GREEN, H J Tennessee Valley Authority 82/04/13 O'REILLY, J P
Region 2, Office of Director 1p 13315 018 24X
Fiche 50-259, 82/04/13, 8206010464

--8206010472 LER 82-01B/03L-0 on 820317, bolts & outer rupture diaphragm discovered missing from reactor core isolation cooling turbine exhaust rupture diaphragm assembly Cause under investigation
CROKELL, J C Tennessee Valley Authority 82/04/13 Region 2,
Office of Director 2pp 13315 019 24X Fiche 50-259, 82/04/13, 8206010464

6206010542 Forwards LER 82-021/03L-0

GREEN, H J Tennessee Valley Authority 82/04/14 O'REILLY, J P
Region 2, Office of Director 1p 13315 334 24X
Fiche 50-259, 82/04/14, 8206010542

--8206010551 LER 82-021/03L-0 on 820317, while performing surveillance checks, apparent increase in standby liquid control tank level noted Cause unknown Tank concentration restored to Tech Spec limits
RICKS, D W Tennessee Valley Authority 82/04/14 Region 2,
Office of Director 2pp 13315 335 24X Fiche 50-259, 82/04/14,
8206010542

6206010560 Forwards LER 82-020/03L-0

GREEN, H J Tennessee Valley Authority 82/04/14 O'REILLY, J P
Region 2, Office of Director 1p 13315 351 24X
Fiche 50-259, 82/04/14, 8206010560

--8206010567 LER 82-020/03L-0 on 820320, unidentified drywell leakage exceeded Tech Spec limits Caused by vibration-induced fatigue crack in 3/4-inch reactor water cleanup sys test connection due to inadequate bracing of line Line rerouted
PORTER, H R Tennessee Valley Authority 82/04/14 Region 2,
Office of Director 2pp 13315 352 24X Fiche 50-259, 82/04/14,
8206010560

6206010577 Forwards LER 82-022/03L-0

GREEN, H J Tennessee Valley Authority 82/04/20 O'REILLY, J P
Region 2, Office of Director 1p 13313 326 24X
Fiche 50-259, 82/04/20, 8206010577

--8206010589 LER 82-022/03L-0 on 820324, containment atmosphere monitor channel A would not function in drywell mode Caused by electrical short in Valcor Model V52630-527-1 solenoid assembly FSV76 51 due to shorted bridge rectifier
CARTER, S Tennessee Valley Authority 82/04/20 Region 2,
Office of Director 2pp 13313 327 24X Fiche 50-259, 82/04/20,
8206010577

6206010598 Forwards LER 82-023/03L-0

GREEN, H J Tennessee Valley Authority 82/04/20 O'REILLY, J P
Region 2, Office of Director 1p 13313 313 24X
Fiche 50-259, 82/04/20, 8206010598

--8206010605 LER 82-023/03L-0 on 820327, recirculation pump A trapped due to spurious generator stator relay operation Relay (GE Model 12 IRT51C1A, Type 3RT) action initiated by RTD high temp trip
CHRISTOPHER, W Tennessee Valley Authority 82/04/20 Region 2,
Office of Director 2pp 13313 314 24X Fiche 50-259, 82/04/20,
8206010598

6206010511 Forwards LER 82-024/03L-0

GREEN, H J Tennessee Valley Authority 82/04/30 O'REILLY, J P
Region 2, Office of Director 1p 13311 357 24X
Fiche 50-259, 82/04/30, 8206010511

--8206010519 LER 82-024/03L-0 on 820402, low bias instrumentation for average power range monitor B trip sys caused automatic rod block & sys to be nonconservative re flow-biased scram & rod block setpoints Caused by failure of transmitter
IRBY, B J Tennessee Valley Authority 82/04/30 Region 2,
Office of Director 2pp 13311 358 24X Fiche 50-259, 82/04/30,
8206010511

6206010155 Forwards updated LER 80-011/01X-4

GREEN, H J Tennessee Valley Authority 82/05/04 O'REILLY, J P
Region 2, Office of Director 1p 13300 001 24X
Fiche 50-259, 82/05/04, 8206010155

--8206010161 Updated LER 80-011/01X-4 on 800201, potential loss of primary containment discovered, should primary containment purging be conducted during hot standby or power operations concurrent w/LUCA Purging operations restricted
HOLDER, G Tennessee Valley Authority 82/05/04 Region 2,
Office of Director 2pp 13300 002 24X Fiche 50-259, 82/05/04,
8206010155

6206010426 Forwards LER 82-030/03T-0

GREEN, H J Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13313 242 24X
Fiche 50-259, 82/05/18, 8206010426

--8206010431 LER 82-030/03T-0 on 820506, notification given by OE of error in transient analysis for cycle 5 Caused by use of incorrect fuel bundle data in transient analysis code due to procedural error by OE
LOCHBAUM, D A Tennessee Valley Authority 82/05/19 Region 2,
Office of Director 2pp 13313 243 24X Fiche 50-259, 82/05/18,
8206010426

6206010569 Forwards LER 82-026/03L-0

GREEN, H J Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 1p 13314 024 24X
Fiche 50-259, 82/05/20, 8206010569

--8206010582 LER 82-026/03L-0 on 820422, XR-90-104 channel C of windspeed indication for 687 MSL elevation found inoperable Caused by slipping gear in TX Instruments recorder, Model F811D60 Recorder repaired & returned to svc
IRBY, B J Tennessee Valley Authority 82/05/20 Region 2,
Office of Director 2pp 13314 025 24X Fiche 50-259, 82/05/20,
8206010569

6206010279 Forwards LER 82-027/03L-0

GREEN, H J Tennessee Valley Authority 82/05/21 O'REILLY, J P
Region 2, Office of Director 1p 13307 113 24X
Fiche 50-259, 82/05/21, 8206010279

--8206010285 LER 82-027/03L-0 on 820425, recorders 1-RR-90-249 & 0-RR-90-252 found out of tolerance Caused by calibr drift Turbine bldg fans stopped & dampers closed Recorders recalibr
IRBY, B J Tennessee Valley Authority 82/05/21 Region 2,
Office of Director 2pp 13307 114 24X Fiche 50-259, 82/05/21,
8206010279

6206040106 PNO-II-82-037 on 820521, during test of control rod driven,

reactor tripped on RCS pressure Main feedwater flow mismatch caused high RCS pressure Reactor will be out of svc for repair & insp for 2 wks
IGNATOWIS, A J, BRYANT, J C Region 2, Office of Director 82/05/24
1p 13344 361 24X Fiche 50-259, 82/05/24, 8206040106

6206070085 Forwards LER 82-028/03L-0

GREEN, H J Tennessee Valley Authority 82/05/26 O'REILLY, J P
Region 2, Office of Director 1p 13370 329 24X
Fiche 50-259, 82/05/26, 8206070085

--8206070114 LER 82-028/03L-0 on 820428, phase C relay of 4-iv shutdown board D tripped above max allowable value Caused by instrument drift Gould-Brown Boveri ITE 27/59H relay recalibr Tests will be completed by 820801
CHRISTOPHER, W Tennessee Valley Authority 82/05/26 Region 2,
Office of Director 2pp 13370 326 24X Fiche 50-259, 82/05/26,
8206070085

6206070297 Forwards LER 82-029/03L-0

GREEN, H J Tennessee Valley Authority 82/05/26 O'REILLY, J P
Region 2, Office of Director 1p 13363 023 24X
Fiche 50-259, 82/05/26, 8206070297,

--8206070306 LER 82-029/03L-0 on 820428, standby gas treatment train C declared inoperable due to failure to meet flow distribution requirements Caused by HEPA filters loaded w/sandblasting debris Filters replaced & train C tested.
MIMS, D C, WINDO, M D Tennessee Valley Authority 82/05/26,
Region 2, Office of Director 2pp 13363 024 24X
Fiche 50-259, 82/05/26, 8206070297

6206110292 Forwards updated LER 82-031/03X-1

GREEN, H J Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13466 205 24X
Fiche 50-259, 82/06/01, 8206110292

--8206110296 Updated LER 82-031/03X-1 on 820415, during 4 kv shutdown bus 2 transfer, fault on normal feeder bus from T818 to 480-volt 8D BD 18 caused loss of power to board Caused by fault condition at busway joint above board.
SOLLEY, S W Tennessee Valley Authority 82/06/01 Region 2,
Office of Director 2pp 13466 206 24X Fiche 50-259, 82/06/01,
8206110292

6206110313 Forwards updated LER 82-018/03X-1

GREEN, H J Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13465 164 24X
Fiche 50-259, 82/06/01, 8206110313

--8206110316 Updated LER 82-018/03X-1 on 820317, inspector observed bolts missing from reactor core isolation cooling turbine exhaust rupture diaphragm assembly Outer rupture diaphragm missing Caused by failure to install outer rupture disc
CROWELL, J C Tennessee Valley Authority 82/06/01 Region 2,
Office of Director 2pp 13465 165 24X Fiche 50-259, 82/06/01,
8206110313

6206110192 Forwards LER 82-031/03L-0

GREEN, H J Tennessee Valley Authority 82/06/04 O'REILLY, J P
Region 2, Office of Director, 1p, 13466 332 24X
Fiche 50-259, 82/06/04, 8206110192

--B20611019B LER 82-031/03L-0 on B20510, Unit 1 hydrogen analyzer B discovered inoperable due to failure of hydrogen sample inlet pump. Caused by failure of Allen Bradley relay model 700-N400A1 contacts. Relay replaced.
CARTER, S Tennessee Valley Authority 82/06/04 Region 2,
Office of Director 2pp 13466 333 24X Fiche 50-259, 82/06/04,
B206110192

B206140121 NPDES noncompliance notification on B20513, samples taken of sewage treatment plant effluent flow exceeded Tech Spec limit. Caused by malfunctioning of lift pumps in equalization tank. Mod proposals being reviewed.
EL-ASHRY, M T Tennessee Valley Authority 82/06/08 MARLAR, J
Environmental Protection Agency 1p 13483 349 24X
Fiche 50-259, 82/06/08, B206140121

B206210307 Forwards LER 82-033/01T-0
GREEN, H J Tennessee Valley Authority 82/06/08 O'REILLY, J P
Region 2, Office of Director 1p 13558 132 24X
Fiche 50-259, 82/06/08, B206210307

--B206210309 LER 82-033/01T-0 on B20526, while performing recurrence control calibr of degraded voltage relays, eight of nine relays on 4 kV found operating above Tech Spec limit. Probably caused by increased room temp. Relays recalibr.
CHRISTOPHER, W Tennessee Valley Authority 82/06/08 Region 2,
Office of Director 2pp 13558 133 24X Fiche 50-259, 82/06/08,
B206210307

B206210361 Forwards LER 82-034/03L-0
GREEN, H J Tennessee Valley Authority 82/06/10 O'REILLY, J P
Region 2, Office of Director 3p 13558 096 24X
Fiche 50-259, 82/06/10, B206210361

--B206210373 LER 82-034/03L-0 on B20513, control room ventilation radiation monitor RM-90-259B trip level exceeded Tech Spec limit. Caused by radiation monitor model AM-30F trip level setting drift. Trip setting recalibr.
IRBY, B J Tennessee Valley Authority 82/06/10 Region 2,
Office of Director 2pp 13558 097 24X Fiche 50-259, 82/06/10,
B206210361

B206210555 Forwards LER 82-032/03L-0
GREEN, H J Tennessee Valley Authority 82/06/10 O'REILLY, J P
Region 2, Office of Director 1p 13563 341 24X
Fiche 50-259, 82/06/10, B206210555

--B206210561 LER 82-032/03L-0 on B20512, while performing test on 4 kV relays, A RHR & core spray pump motor breakers were racked out making pumps & MPC1 sys inoperable. Caused by procedure deficiency & lack of communication.
DURNETTE, A L Tennessee Valley Authority 82/06/10 Region 2,
Office of Director 2pp 13563 342 24X Fiche 50-259, 82/06/10,
B206210555

B206240196 Forwards updated LER 82-023/03X-1
GREEN, H J Tennessee Valley Authority 82/06/17 O'REILLY, J P
Region 2, Office of Director 1p 13599 090 24X
Fiche 50-259, 82/06/17, B206240196

--B206240200 Updated LER 82-023/03X-1 on B20327, A recirculation pump tripped due to spurious generator stator relay operation. Relay initiated by resistance temp device high temp trip. SIS 4 & A-6 & 7 performed to place pump in svc.
CHRISTOPHER, W Tennessee Valley Authority 82/06/17 Region 2,
Office of Director 3pp 13599 091 24X Fiche 50-259, 82/06/17,
B206240196

B206300137 Forwards LER 82-035/03L-0
GREEN, H J Tennessee Valley Authority 82/06/22 O'REILLY, J P
Region 2, Office of Director 1p 13655 299 24X
Fiche 50-259, 82/06/22, B206300137

--B206300140 LER 82-035/03L-0 on B20525, 4-h functional test/calibr time limit exceeded w/o monitor in downscale tripped condition. Caused by personnel error. Personnel reminded of time limit & procedure revised.
IRBY, B J Tennessee Valley Authority 82/06/22 Region 2,
Office of Director 2pp 13655 300 24X Fiche 50-259, 82/06/22,
B206300137

X Onsite Storage of Low Level Waste

B206220055 Forwards safety evaluation re low level radwaste storage facility at Browns Ferry & notice of availability.
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/04
PARRIS, H O Tennessee Valley Authority 1p 13585 048 24X
Fiche 50-259, 82/06/04, B206220055

--B206220060 Safety evaluation supporting low level radwaste storage facility at Browns Ferry
* Advanced Fuel & Spent Fuel Licensing Branch 82/05/31 27pp,
13585 049 24X Fiche 50-259, 82/06/04, B206220055

--B206220064 Notice of availability of safety evaluation re low level radwaste storage facility at Browns Ferry
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/04
3pp 13585 076 24X Fiche 50-259, 82/06/04, B206220055

B206300009 Forwards EIA, supporting application for authority to store low level radwaste at Browns Ferry Units 1, 2 & 3 site & notice of issuance & availability.
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/09
PARRIS, H O Tennessee Valley Authority 3pp 13683 241 24X
Fiche 50-259, 82/06/09, B206300009

--B206300012 Notice of issuance & availability of EIA, supporting application for authority to store low level radwaste at Browns Ferry, Units 1, 2 & 3 site.
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/09
2pp 13683 244 24X Fiche 50-259, 82/06/09, B206300009

--B206300014 EIA supporting application for authority to store low level radwaste at Browns Ferry, Units 1, 2 & 3 site
* Division of Fuel Cycle & Material Safety 82/06/30 71pp
13683 246 24X Fiche 50-259, 82/06/09, B206300009

DOCKET 50-260 BROWNS FERRY NUCLEAR POWER STATION, UNIT 2

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US. Forwards documents listed in App A.
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13924 010 24X
Fiche 50-000, 82/04/21, B206150016

--B202180137 Forwards final rept on case study re reactor vessel level instrumentation in BWRs, consisting of findings & conclusions re B10120 & 0313 events. W/o encl.
DIRCKS, W J Office of the Executive Director for Operations
82/02/02 PALLADINO, N J Commissioners 1p 13924 279 24X
Fiche 50-000, 82/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
B206090002

--B206090002 Forwards updated info re status of prompt notification sys for facilities Util expects to meet B20201 deadline.
STOHR, J P Emergency Preparedness & Program Support Branch
82/01/21 GRIMES, B K Division of Emergency Preparedness 3pp
13454 155 24X Fiche 50-000, 82/05/11, B206090002

--B203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by B20201 deadline. Thirteen licensees may not meet deadline.
DIRCKS, W J Office of the Executive Director for Operations
82/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/05/11, B206090002

--B206090007 Forwards first monthly rept re status of prompt notification sys implementation at facilities. Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys.
SPENCER, G B Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176,
24X Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 3pp 13454 239 24X Fiche 50-000, 82/05/11,
B206090002

8206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STCHER, J P Division of Emergency Preparedness & Operational Support
82/05/12 PARRIS, H G Tennessee Valley Authority 1p 13375 05J
24X Fiche 50-000, 82/05/12, 8206070481

8206020108 Releases public version of revision to radiological emergency plan
FELTON, J M Division of Rules and Records 82/05/25 Document
Management Branch 1p 13333 074 24X Fiche 50-259, 82/05/25,
8206020108

--8206020116 Forwards public version of Revision BFN-REP-82-002 to radiological emergency plan Receipt form encl
WISENBURG, M R Tennessee Valley Authority 82/04/30 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13333 075
24X Fiche 50-259, 82/05/25, 8206020108

--8206020121 Public version of Revision BFN-REP-82-002 to radiological emergency plan Revision log sheet encl
* Tennessee Valley Authority. 82/04/28 43pp 13333 077 24X
Fiche 50-259, 82/05/25, 8206020108

8206030217 Forwards summary description of prompt notification sys at facilities Four oversize locator maps for fixed sirens encl
Aperture cards are available in PDR
MILLS, L M Tennessee Valley Authority 82/05/25 VASSALLO, D B
Operating Reactors Branch 2 2pp 13337 265 24X
Fiche 50-259, 82/05/25, 8206030217

8206180129 Forwards FEMA 810922 ltr to State of AL containing rept of deficiencies noted in 810907-10 emergency preparedness exercise & regional assistance committee & State of AL review of exercise
KRIMM, R W Federal Emergency Management Agency 82/06/02
GRIHES, B Division of Emergency Preparedness 14pp 13552 159
24X Fiche 50-259, 82/06/02, 8206180129

8206170127 Forwards revised physical security plan Plan withheld (ref 10CFR73.21)
MILLS, L M Tennessee Valley Authority 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13531 047 24X
Fiche 50-259, 82/06/11, 8206170127

G Adjudicatory correspondence

8206040286 Response to ASLAB 820517 order requesting why util 811104 submittal not provided to ASLAB Util did not intentionally mislead ASLAB & does not believe submittal matl to issues before ASLAB Certificate of Svc encl
SANGER, H S, WALLACE, L E, BURGER, J F Tennessee Valley Authority
82/05/27 7pp 13398 284 24X Fiche 50-259, 82/05/27, 8206040286

8206040297 Memorandum in response to ASLAB 820517 order Util failed to serve parties w/811103 amended application NRC technical staff did not inquire into document distribution & NRC counsel unaware of document existence w/Certificate of Svc
RAMBON, R J Hearing Branch 4 82/05/28 8pp 13354 145 24X
Fiche 50-259, 82/05/28, 8206040297

8206170246 Memorandum ALAB-677, re-emphasizing need for ASLAB to be informed of all significant developments which may have bearing on decisions in pending proceedings Util failure to serve mod violated ASLAB imposed requirements
SHOENAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/10
13pp 13533 190 24X Fiche 50-259, 82/06/10, 8206170246

P Operating license stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C N
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C N
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 25pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8203020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIROS, M S Reactor Systems Standards Branch 81/02/02
ARLOTT, O A Division of Engineering Standards 20pp 13638 107
24X Fiche 50-000, 82/05/12, 8206280071

8206010051 Forwards Amends 83.80 & 54 to Licenses DPR-33, DPR-52 & DPR-68, respectively, safety evaluation & notice of issuance & availability Amends change Tech Specs to provide addl surveillance requirements for scram discharge vol vent
CLARK, R J Operating Reactors Branch 2 82/05/19 PARRIS, H G
Tennessee Valley Authority 2pp 13320 020 24X
Fiche 50-259, 82/05/19, 8206010051

--8206010055 Amends 83.80 & 54 to Licenses DPR-33, DPR-52 & DPR-68, respectively, changing Tech Specs to provide addl surveillance requirements for scram discharge vol vent, drain valves & limit switches
VASSALLO, D B Operating Reactors Branch 2 82/05/19 31pp
13332 022 24X Fiche 50-259, 82/05/19, 8206010051

--8206010060 Safety evaluation supporting Amends 83.80 & 54 to Licenses DPR-33, DPR-52 & DPR-68, respectively Technical Evaluation Rept TER-C3506-67/71/76 encl
* Office of Nuclear Reactor Regulation, Director 82/05/17 3pp
13332 052 24X Fiche 50-259, 82/05/19, 8206010051

--8202090403 "BWR Scram Discharge Vol Long-Term Mods, TVA, Browns Ferry Nuclear Plants 1, 2 & 3," technical evaluation rept
HUCHA, E Franklin Institute/Franklin Research Center
TER-C3506-67/71/76 82/02/05 71pp 13332 053 24X
Fiche 50-259, 82/05/19, 8206010051

--8206010063 Notice of issuance & availability of Amends 83.80 & 54 to Licenses DPR-33, DPR-52 & DPR-68, respectively
VASSALLO, D B Operating Reactors Branch 2 82/05/19 2pp
13332 123 24X Fiche 50-259, 82/05/19, 8206010051

8206040063 Forwards Amends 84.81 & 55 to Licenses DPR-33, DPR-52 & DPR-68, respectively, safety evaluation & notice of issuance & availability Amends change Tech Specs, adding addl requirements for insp of snubbers & seismic restraints
CLARK, R J Operating Reactors Branch 2 82/05/24 PARRIS, H G
Tennessee Valley Authority 2pp 13391 001 24X
Fiche 50-259, 82/05/24, 8206040063

--8206040065 Amends 84.81 & 55 to Licenses DPR-33, DPR-52 & DPR-68, respectively, changing Tech Specs to add addl requirements for insp of snubbers & seismic restraints in response to 811120 generic request
VASSALLO, D B Operating Reactors Branch 2 82/05/24 60pp
13391 003 24X Fiche 50-259, 82/05/24, 8206040063

--8206040067 Safety evaluation supporting Amends 84.81 & 55 to Licenses DPR-33, DPR-52 & DPR-68, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/24 4pp
13391 069 24X Fiche 50-259, 82/05/24, 8206040063

--8206040068 Notice of issuance & availability of Amends 84.81 & 55 to Licenses DPR-33, DPR-52 & DPR-68, respectively
VASSALLO, D B Operating Reactors Branch 2 82/05/24 2pp
13391 073 24X Fiche 50-259, 82/05/24, 8206040063

8206100419 Notification of 820602 meeting w/util & EG&O in Chattanooga, TN to discuss info needed by NRC for Unresolved Safety Issue A-47, "Safety Implications for Control Sys"
CLARK, R J Operating Reactors Branch 2 82/05/24 VASSALLO, D B
Operating Reactors Branch 2 2pp 13458 352 24X
Fiche 50-259, 82/05/24, 8206100419

8206090008 Forwards response to D Vassallo 820209 request for addl info & corrections to Tech Spec typographical & omission errors
KANMER, D S Tennessee Valley Authority 82/06/03 DENTON, H R
Office of Nuclear Reactor Regulation, Director 25pp 13435 107
24X Fiche 50-260, 82/06/03, 8206090008

8206140169 Forwards info re Section 2.1 of NUREG-0612, "Control of Heavy Loads at Nuclear Power Plants," in response to NRC 801222 ltr Six oversize drawings encl Aperture cards are available in PDR
KANMER, D S Tennessee Valley Authority 82/06/03 VASSALLO, D B
Operating Reactors Branch 2 13pp 13487 212 24X
Fiche 50-259, 82/06/03, 8206140169

--B206140170 "Mechanical Maint Instruction 119 Refuel Floor Lifting Instruction " Six oversize drawings encl Aperture cards are available in PDR
* Tennessee Valley Authority 01/05/05 11pp 13487 227 24X
Fiche 50-259, 02/06/03, 0206140169

--B206140207 "Mechanical Maint Instruction 102 Rigging Equipment Program "
* Tennessee Valley Authority 01/01/13 62pp 13487 240 24X
Fiche 50-259, 02/06/03, 0206140169

--B206140211 "Mechanical Maint Instruction 117 Installed Overhead Traveling Bridge Cranes - Insp, Testing & Preventative Maint "
* Tennessee Valley Authority 01/03/03 48pp 13487 302 24X
Fiche 50-259, 02/06/03, 0206140169

--B206140214 "Crane Operator Qualification & Authorization "
* Tennessee Valley Authority 01/03/25 10pp 13487 350 24X
Fiche 50-259, 02/06/03, 0206140169

0206090193 Generic Ltr 02-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 02/06/09 HAUSPURG, A Consolidated Edison Co of New York RATTIMOE, J J Sacramento Municipal Utility District WITHERS, B D Portland General Electric Co 13pp 13557 349 24X Fiche 50-000, 02/06/09, 0206090193

B206210330 Forwards corrections to 020430 Tech Spec change request
MILLS, L M Tennessee Valley Authority 02/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13582 346 24X Fiche 50-259, 02/06/10, 0206210330

-B206210393 Corrections to 020430 proposed Tech Spec changes, clarifying requirements on inoperable control rods to avoid misinterpretation
* Tennessee Valley Authority 02/06/10 5pp 13582 344 24X
Fiche 50-259, 02/06/10, 0206210380

B206230272 Forwards request for addl info re environ qualification of safety-related electrical equipment, including TMI action plan equipment
VASSALLO, D B Operating Reactors Branch 2 02/06/16 PARRIS, H O Tennessee Valley Authority 6pp 13392 227 24X
Fiche 50-259, 02/06/16, 0206230272

B206230075 Forwards response to NRC 020513 request for addl info re NUREG-0737, Items II D 2.11 F 1.1 & II F 1.2 re plant shielding, sampling of plant effluents & sampling of high-range radiiodine, respectively
MILLS, L M Tennessee Valley Authority 02/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13588 245 24X Fiche 50-259, 02/06/17, 0206230075

B206290359 Declines participation in study re NUREG-0705, "Identification of New Unsolved Safety Issues re Nuclear Power Plants" & Task A-47, "Safety Implications of Control Sys," per 020602 request.
MILLS, L M Tennessee Valley Authority 02/06/23 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13632 341 24X Fiche 50-259, 02/06/23, 0206290359

B206290091 Forwards response to Generic Ltr 02-10, "Post-TMI Requirements " Continued operation w/o suspension, mod or revocation of DLS justified
MILLS, L M Tennessee Valley Authority 02/06/24 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13634 330 24X Fiche 50-259, 02/06/24, 0206290091

B206290109 Endorses B&W owners group work addressing interim hydrogen control rule, 10CFR50.44 Mark I containment design adequately controls combustible gases w/o need for containment venting
Addl design features not required
MILLS, L M Tennessee Valley Authority 02/06/24 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13634 316 24X Fiche 50-259, 02/06/24, 0206290109

0 Inspection reports, IE Bulletins & correspondence

0206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 02/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 02/04/21, 0206150016

--B206150043 Ack receipt of 01013 ltr informing NRC of steps taken to correct deficiencies noted in 010922 notice of violation
Actions acceptable
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 02/01/04 PARRIS, H O Tennessee Valley Authority 1p 13524 023 24X Fiche 50-000, 02/04/21, 0206150016

B206070505 Ack receipt of 020517 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/02-12, 50-260/02-12 & 50-296/02-12
LEWIS, R C Division of Project & Resident Programs 02/05/26 PARRIS, H O Tennessee Valley Authority 1p 13374 102 24X
Fiche 50-259, 02/05/26, 0206070505

--B206070512 Responds to NRC 020415 ltr re violations noted in IE Insp Repts 50-259/02-12, 50-260/02-12 & 50-296/02-12 Corrective actions rupture disc assembled correctly & mechanical maint Instruction 22 will be revised
MILLS, L M Tennessee Valley Authority 02/05/17 O'REILLY, J P Region 2, Office of Director 7p 13374 103 24X
Fiche 50-259, 02/05/26, 0206070505

--B206070526 Forwards IE Insp Repts 50-259/02-12, 50-260/02-12 & 50-296/02-12 on 020226-0325 & notices of violation & deviation
LEWIS, R C Division of Project & Resident Programs 02/04/15 PARRIS, H O Tennessee Valley Authority 2pp 13374 110 24X
Fiche 50-259, 02/05/26, 0206070505

--B206070533 Notice of violation from insp on 020226-0325
* Division of Project & Resident Programs 02/04/15 2pp 13374 112 24X Fiche 50-259, 02/05/26, 0206070505

--B206070543 Notice of deviation from insp on 020226-0325
* Division of Project & Resident Programs 02/04/15 1p 13374 114 24X Fiche 50-259, 02/05/26, 0206070505

--B206070554 IE Insp Repts 50-259/02-12, 50-260/02-12 & 50-296/02-12 on 020226-0325 Noncompliance noted violation of 10CFR50 App D Criterion V & Tech Specs 6.3 A & 4 & 6 H 1 & failure to meet commitment date
SULLIVAN, R F, CHASE, J W, PAULK, O L Division of Project & Resident Programs 02/04/14 10pp 13374 115 24X
Fiche 50-259, 02/05/26, 0206070505

B206070551 Ack receipt of 020517 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/01-37, 50-260/01-37 & 50-296/01-37
LEWIS, R C Division of Project & Resident Programs 02/05/26 PARRIS, H O Tennessee Valley Authority 1p 13373 086 24X
Fiche 50-259, 02/05/26, 0206070551

--B206070571 Suppls responses to NRC 020121 & 0315 ltrs re violations noted in IE Insp Repts 50-259/01-37, 50-260/01-37 & 50-296/01-37 Corrective actions new valve check list run on radwaste sys to ensure proper alignment of all valves
MILLS, L M Tennessee Valley Authority 02/05/17 O'REILLY, J P Region 2, Office of Director 5pp 13373 087 24X
Fiche 50-259, 02/05/26, 0206070551

B202040147 IE Info Notice 02-15, "Notification of NRC," Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 02/05/28 107pp 13426 095 24X
Fiche 50-000, 02/05/28, 0202040147

B204210378 IE Info Notice 02-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 02/05/28 103pp 13440 264 24X Fiche 50-000, 02/05/28, 0204210378

B204210380 IE Bulletin 02-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 02/06/02 108pp 13527 150 24X
Fiche 50-000, 02/06/02, 0204210380

B206220568 Provides addl justification for suspension of functional testing of scram discharge instrument vol level switches following each scram per IE Bulletin 00-17, Suppl 3
Reconsideration of suspension denial requested
MILLS, L M Tennessee Valley Authority 02/06/04 O'REILLY, J P Region 2, Office of Director 3pp 13582 198 24X
Fiche 50-259, 02/06/04, 0206220568

B204210383 IE Info Notice 02-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 02/06/11 106pp 13675 298 24X Fiche 50-000, 02/06/11, 0204210383

DOCKETED ITEMS

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers - Svc list incl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 12pp 13675 189 24X
Fiche 50-260, 82/06/11, 8204210384

8206250078 Ack receipt of 820601 ltr w/info re wiring funds for payment of civil penalties
LIEBERMAN, J Enforcement Staff 82/06/21 MILLS, L M Tennessee Valley Authority 2pp 13628 320 24X Fiche 50-259, 82/06/21, 8206250078

R Periodic operating reports & related correspondence

8206010319 Forwards monthly operating repts for Apr 1982
JONES, G T Tennessee Valley Authority 82/05/11 Office of Management and Program Analysis 1p 13300 129 24X
Fiche 50-259, 82/05/11, 8206010319

--8206010325 Monthly operating repts for Apr 1982
JONES, G T Tennessee Valley Authority 82/05/01 42pp
13300 130 24X Fiche 50-259, 82/05/11, 8206010319

8206290558 Forwards revisions to effluent & waste disposal semiannual rept for 1980 Corrects errors in solid waste-dry compressible waste, containment equipment figures, submitted on 820513
MILLS, L M Tennessee Valley Authority 82/06/23 VASSALLO, U H Operating Reactors Branch 2 2pp 13631 053 24X
Fiche 50-259, 82/06/23, 8206290558

--8206290563 Revisions to effluent & waste disposal semiannual rept for 1980
Tennessee Valley Authority 82/06/23 4pp 13631 055 24X
Fiche 50-259, 82/06/23, 8206290558

S Reportable occurrences, LERs & related correspondence

8206010609 Forwards updated LER 81-052/03X-1
GREEN, H J Tennessee Valley Authority 82/04/13 O'REILLY, J P Region 2, Office of Director 1p 13314 085 24X
Fiche 50-260, 82/04/13, 8206010609

--8206010617 Updated LER 81-052/03X-1 on 811007, containment atmosphere hydrogen analyzer B sample return pump discovered cycling
Gas calibr performed & analyzer returned to svc
CARTER, S Tennessee Valley Authority 82/04/12 Region 2, Office of Director 2pp 13314 086 24X Fiche 50-260, 82/04/13, 8206010609

8206010167 Forwards updated LER 81-050/03X-2
GREEN, H J Tennessee Valley Authority 82/05/04 O'REILLY, J P Region 2, Office of Director 1p 13307 209 24X
Fiche 50-260, 82/05/04, 8206010167

--8206010177 Updated LER 81-050/03X-2 on 811003, containment atmosphere hydrogen analyzer 2-H2M-76-104 removed from svc for maint
Water found in sensing lines & removed Design change request initiated to add refrigeration unit to sample coolers
HOLDER, G Tennessee Valley Authority 82/03/04 Region 2, Office of Director 2pp 13307 210 24X Fiche 50-260, 82/05/04, 8206010167

8206010194 Forwards LER 82-014/03L-0
GREEN, H J Tennessee Valley Authority 82/05/18 O'REILLY, J P Region 2, Office of Director 1p 13307 181 24X
Fiche 50-260, 82/05/18, 8206010194

--8206010198 LER 82-014/03L-0 on 820420, HPCI sys made inoperable for calibr of speed sensing & control circuits w/o performing surveillance tests Caused by personnel error in failing to determine inoperability
BURNETTE, A L Tennessee Valley Authority 82/05/18 Region 2, Office of Director 2pp 13307 182 24X Fiche 50-260, 82/05/18, 8206010194

8206110234 Forwards updated LER 82-013/03X-1
GREEN, H J Tennessee Valley Authority 82/06/01, O'REILLY, J P Region 2, Office of Director 1p 13466:235 24X
Fiche 50-260, 82/06/01, 8206110234

--8206110242 Updated LER 82-013/03X-1 on 820412, pressure switch 2-PS-68-76 found to operate above Tech Spec limits Caused by drifted calibr Barton Model 288 pressure switch recalibr, functionally tested & returned to svc
IRBY, B J Tennessee Valley Authority 82/06/01 Region 2, Office of Director 4pp 13466.236 24X Fiche 50-260, 82/06/01, 8206110234

8206110058 Forwards LER 82-015/03L-0
GREEN, H J Tennessee Valley Authority 82/06/04 O'REILLY, J P Region 2, Office of Director 1p 13467 112 24X
Fiche 50-260, 82/06/04, 8206110058

--8206110063 LER 82-015/03L-0 on 820510, condensate collected & blocked sample flow to containment atmospheric monitor of turbine bldg exhaust for 52-h Caused by loose temporary support allowing low point to form in sample line
SHARPE, T J Tennessee Valley Authority 82/06/04 Region 2, Office of Director 3pp 13467 113 24X Fiche 50-260, 82/06/04, 8206110058

8206140121 NPDES noncompliance notification on 820513, samples taken at sewage treatment plant effluent flow exceeded Tech Spec limit Caused by malfunctioning of lift pumps in equalization tank Mod proposals being reviewed
EL-AASHRY, M T Tennessee Valley Authority 82/06/08 MARLAR, J Environmental Protection Agency 1p 13483 349 24X
Fiche 50-259, 82/06/08, 8206140121

8206210591 Forwards LER 82-016/03L 0
GREEN, H J Tennessee Valley Authority 82/06/14 O'REILLY, J P Region 2, Office of Director 1p 13561 097 24X
Fiche 50-260, 82/06/14, 8206210591

--8206210602 LER 82-016/03L-0 on 820519, HPCI lubricating oil reservoirs found almost empty & reservoir drain valve 1-1/2 turns open, rendering HPCI inoperable Caused by personnel error
Reservoir filled Lighting will be improved
Tennessee Valley Authority 82/06/14 Region 2, Office of Director 2pp 13561 098 24X Fiche 50-260, 82/06/14, 8206210591

8206300142 Forwards updated LER 81-054/03X-1
GREEN, H J Tennessee Valley Authority 82/06/17 O'REILLY, J P Region 2, Office of Director 1p 13655 307 24X
Fiche 50-260, 82/06/17, 8206300142

--8206300146 Updated LER 81-054/03X-1 on 811010, hydrogen analyzer B sample return pump found inoperable Caused by tripped motor overloads due to motor current being 10-15% high due to high supply voltage
CARTER, S Tennessee Valley Authority 82/06/17 Region 2, Office of Director 1p 13655 308 24X Fiche 50-260, 82/06/17, 8206300142

X Onsite Storage of Low Level Waste

8206220055 Forwards safety evaluation re low level radwaste storage facility at Browns Ferry & notice of availability
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/04 PARRIS, H G Tennessee Valley Authority 1p 13585 048 24X
Fiche 50-259, 82/06/04, 8206220055

--8206220060 Safety evaluation supporting low level radwaste storage facility at Browns Ferry
Advanced Fuel & Spent Fuel Licensing Branch 82/05/31 2/1pp
13585 049 24X Fiche 50-259, 82/06/04, 8206220055

--8206220064 Notice of availability of safety evaluation re low level radwaste storage facility at Browns Ferry
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/04 3pp 13585 076 24X Fiche 50-259, 82/06/04, 8206220055

8206300009 Forwards EIA, supporting application for authority to store low level radwaste at Browns Ferry Units 1, 2 & 3 site & notice of issuance & availability
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/09 PARRIS, H G Tennessee Valley Authority 3pp 13683 241 24X
Fiche 50-259, 82/06/09, 8206300009

--8206300012 Notice of issuance & availability of EIA, supporting application for authority to store low level radwaste at Browns Ferry, Units 1, 2 & 3 site
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/09 2pp 13683 244 24X Fiche 50-259, 82/06/09, 8206300009

--8206300014 EIA supporting application for authority to store low level radwaste at Browns Ferry, Units 1, 2 & 3 site
Division of Fuel Cycle & Material Safety 82/06/30 71pp
13683 246 24X Fiche 50-259, 82/06/09, 8206300009

DOCKETED ITEMS

75

DOCKET 50-261 H B ROBINSON PLANT, UNIT 2

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Bebevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 7pp 13454 006 24X Fiche 50-000, 82/05/11, 8206090002

-8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454, 167 24X Fiche 50-000, 82/05/11, 8206090002

- 8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070277 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 JONES, J A Carolina Power & Light Co 1p 13381 152 24X Fiche 50-000, 82/05/12, 8206070277

8206020120 Releases public version of revised emergency plan & procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13333 124 24X Fiche 50-261, 82/05/25, 8206020120

--8206020122 Forwards public version of Revision 2 to emergency plan & procedures Vol 13, PEP-App A 3, "Police, Fire & Medical Phone Numbers "
ZIMMERMAN, S R Carolina Power & Light Co 82/05/07 O'REILLY, J P Region 2, Office of Director 1p 13333 125 24X Fiche 50-261, 82/05/25, 8206020120

--8206020127 Public version of Revision 2 to Emergency Plan & Procedures, Vol 13, PEP-App A 3, "Police, Fire & Medical Phone Numbers "
* Carolina Power & Light Co 82/03/26 3pp 13333 126 24X Fiche 50-261, 82/05/25, 8206020120

P Operating license stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 McMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--B11230007 Submits alternate recommendations for facilities to be reviewed re designs & identification of control sys whose failure would have significant safety implications
SZUKIEWICZ, A J Generic Issues Branch 81/10/07 BASDEKAS, D L Instrumentation & Control Branch 4p 65710 239 24X Fiche 50-000, 82/04/29, 8206230007

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 035 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIROS, M S Reactor Systems Standards Branch 81/02/02 ARLOTT, G A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

8206010079 Advises that 820120 submittal & 820107 telcon resolved concerns re NUREG-0737, Item II F 1 re noble gas monitors Item II F 1 2 submittal re iodine/particulate sampling also acceptable
VAROA, S A Operating Reactors Branch 1 82/05/18 JONES, J A Carolina Power & Light Co 2pp 13331 237 24X Fiche 50-261, 82/05/18, 8206010079

8206030140 Advises that Sections 5.5.1 & 5.5.2 of ANSI N18.1-1971 on retraining & replacement training intended to apply to entire operating organization not just to licensed operators as in util 820317 interpretation
VASSALLO, D B Operating Reactors Branch 2 82/05/19 JONES, J A Carolina Power & Light Co 3pp 13342 311 24X Fiche 50-000, 82/05/19, 8206030140

8206070338 Confirms 820520 telcon re 820528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl
O'REILLY, J P Region 2, Office of Director 82/05/21 JONES, J A Carolina Power & Light Co 2pp 13363 067 24X Fiche 50-000, 82/05/21, 8206070338

8206080209 Forwards results of util & consultant evaluations re NUREG-0737, Item II D 1, "Relief & Safety Valve Test Requirements " Final plant-specific evaluations will be completed consistent w/response to Generic Ltr 82-10 HOWE, P W Carolina Power & Light Co 82/06/01 EISENHUT, D G Division of Licensing 4pp 13420 344 24X Fiche 50-261, 82/06/01, 8206080209

8206110027 Notification of 820616 meeting w/util in Raleigh, NC to discuss NRC need for info for pursuing studies of Unresolved Safety Issues A-47 & A-49 re safety implications of control sys & pressurized thermal shock, respectively
REQUA, Q Operating Reactors Branch 1 82/06/04 VAROA, S A Operating Reactors Branch 1 2pp 13493 124 24X Fiche 50-261, 82/06/04, 8206110027

8206290579 Forwards Amend 69 to License DPR-23, safety evaluation, EIA & notice of issuance & availability Amend revises Tech Specs to enlarge capacity of spent fuel from 276 to 334 assemblies
ROSS, W J Operating Reactors Branch 1 82/06/08 JONES, J A Carolina Power & Light Co 2pp 13646 039, 24X Fiche 50-261, 82/06/08, 8206290579

--8206290582 Amend 69 to License DPR-23, revising Tech Specs to enlarge capacity of spent fuel pool from 276 fuel assemblies to 334 assemblies
VAROA, S A Operating Reactors Branch 1 82/06/08 4pp, 13646 041 24X Fiche 50-261, 82/06/08, 8206290579

--8206290587 Safety evaluation supporting Amend 69 to License DPR-23
* Office of Nuclear Reactor Regulation, Director 82/06/08 20pp 13646 045 24X Fiche 50-261, 82/06/08, 8206290579

--8206290588 EIA supporting Amend 69 to License DPR-23
* Office of Nuclear Reactor Regulation, Director 82/06/08 16pp 13646 045 24X Fiche 50-261, 82/06/08, 8206290579

--8206290592 Notice of issuance & availability of Amend 69 to License DPR-23
WIGGINTON, D Operating Reactors Branch 1 82/06/08 2pp 13646 081 24X Fiche 50-261, 82/06/08, 8206290579

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olmstead documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York UBERTO, H Municipal Electric Co of Georgia HARRINGTON, A H Jacksonville Electric Authority 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206140106 Responds to Generic Ltr 82-10, "Post-TMI Requirements " Schedule of NUREG-0737 items encl
UTLEY, E E Carolina Power & Light Co 82/06/09 EISENHUT, D G Division of Licensing 7pp 13484 156 24X Fiche 50-261, 82/06/09, 8206140106

8206150329 Forwards "Reactor Containment Bldg Integrated Leak Rate Test," per 10CFR50 App J, V B 1 Bldg successfully passed test
STARKEY, R B Carolina Power & Light Co 82/06/09 DENTON, H Office of Nuclear Reactor Regulation, Director 1p, 13506 042, 24X Fiche 50-261, 82/06/09, 8206150329

--8206180331 "Reactor Containment Bldg Integrated Leak Rate Test,"
BLESSING, J Carolina Power & Light Co 82/03/31 44pp 13506 043 24X Fiche 50-261, 82/06/09, 8206180329

DOCKETED ITEMS

0206280499 Formally submits addl info re Cycle 9 operation. Tech upr
Table 3 5 1 adequately describes setpoint for full load clad
swelling & rupture, rod injection analysis & updated steam
generator tube rupture analysis addressed
ZIMMERMAN, S R Carolina Power & Light Co 02/04/24 14pp 13426 001 24X
Operating Reactors Branch 1 16pp 13426 001 24X
Fiche 50-261, 82/06/24, 8206280499

Inspection reports, IE Bulletins & correspondence

0206070832 Forwards IE Insp Rept 50-261/82-12 on 820329 0430 No
noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/14
JONES, J A Carolina Power & Light Co 2pp 13389 117 24X
Fiche 50-261, 82/05/14, 8206070832

--8206070837 IE Insp Rept 50-261/82-12 on 820327-0430 No noncompliance
noted Major areas inspected inservice insp of reactor
vessel, hydrostatic testing of piping sys, inservice insp of
main coolant pump B & previous insp findings
BLAKE, J J, ECDONCHOS, N Division of Engineering & Technical
Programs 82/05/13 6pp 13387 119 24X Fiche 50-261, 82/05/14
8206070832

8206070726 Forwards IE Insp Rept 50-261/82-13 on 820419-23 No
noncompliance noted
DANCE, M C Division of Project & Resident Programs 82/05/17
JONES, J A Carolina Power & Light Co 2pp 13389 177 24X
Fiche 50-261, 82/05/17, 8206070726

--8206070730 IE Insp Rept 50-261/82-13 on 820419-23 No noncompliance
noted Major areas inspected training, respiratory protection
air sampling program, exposure controls, personnel
qualifications & licensee action on previous insp findings
FRANKLIN, L A, ALBRIGHT, R H, BARR, K Division of Engineering &
Technical Programs 82/05/12 6pp 13389 179 24X
Fiche 50-261, 82/05/17, 8206070730

8206070739 Forwards IE Insp Rept 50-261/82-15 on 820414 No
noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/17
JONES, J A Carolina Power & Light Co 2pp 13387 079 24X
Fiche 50-261, 82/05/17, 8206070739

--8206070749 IE Insp Rept 50-261/82-15 on 820414 No noncompliance noted
Major areas inspected emergency planning, specifically
interface between licensee organization & responding NRC
Region 2 organization at emergency response facilities
TAYLOR, P A, JENKINS, Q R Division of Emergency Preparedness &
Operational Support 82/05/06 4pp 13387 081 24X
Fiche 50-261, 82/05/17, 8206070739

8206080423 Requests addl info re commitment date to complete corrective
actions in response to IE Insp Rept 50-261/81-05
TAYLOR, J M Division of Reactor Programs 82/05/25 UTLEY, E C
Carolina Power & Light Co 1p 13442 192 24X
Fiche 50-261, 82/05/25, 8206080423

8206220482 Forwards IE Insp Rept 50-261/82-14 on 820411-0510 No
noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/26
JONES, J A Carolina Power & Light Co 2pp 13381 006 24X
Fiche 50-261, 82/05/26, 8206220482

--8206220489 IE Insp Rept 50-261/82-14 on 820411-0510 No noncompliance
noted Major areas inspected Tech Spec compliance, plant
tour, operations performance, RODs, housekeeping, site security,
IE notice followup, QA practices & maint activities
WEISE, S, BURGER, C Division of Project & Resident Programs
82/05/23 10pp 13381 008 24X Fiche 50-261, 82/05/26, 8206220489

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement. 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28
103pp, 13440-264 24X Fiche 50-000, 82/05/28, 8204210378

~S in

8206220525 Ark receipt of 820521 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-261/82-11
LONG, F J Division of Project & Resident Programs 82/06/03
JONES, J A Carolina Power & Light Co 1p 13580 220 24X
Fiche 50-261, 82/06/03, 8206220525

--8206220531 Responds to NR 820422 ltr re violations noted in IE Insp
Rept 50-261/82-11 corrective actions high radiation areas
on second level of containment around spent fuel pit heat
exchanger properly posted
STARKEY, R B Carolina Power & Light Co 82/05/21 0 REILLY, J P
Region 2, Office of Director 2pp 13580 221 24X
Fiche 50-261, 82/06/03, 8206220525

--8206220540 Forwards IE Insp Rept 50-261/82-11 on 820311-0410 & notice
of violation
LONG, F J Division of Project & Resident Programs 82/04/27
JONES, J A Carolina Power & Light Co 1p 13580 223 24X
Fiche 50-261, 82/06/03, 8206220525

--8206220545 Notice of violation from insp on 820311-0410
Division of Project & Resident Programs 82/04/22 1p
13580 225 24X Fiche 50-261, 82/06/03, 8206220525

--8206220551 IE Insp Rept 50-261/82-11 on 820311-0410 Noncompliance
noted on 820326 high radiation area on second level of
containment not posted for access from northwest personnel
stairway & area around spent fuel pit incorrectly posted
WEISE, S, BURGER, C Division of Project & Resident Programs
82/04/21 11pp 13580 226 24X Fiche 50-261, 82/06/03, 8206220551

8204210393 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/04/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210393

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mist by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 109 24X
Fiche 50-000, 82/06/11, 8204210384

8206160182 Forwards "Analysis of Ultrasonic Indication in Pressure
Vessel Plate," in response to NRC concerns voiced at 820430
meeting re reactor vessel indications discovered in recent
inservice insp Indications not safety concern
EURY, L W Carolina Power & Light Co 82/04/11 VARGA, S A
Operating Reactors Branch 1 2pp 13522 019 24X
Fiche 50-261, 82/06/11, 8206160182

--8206160184 "Analysis of Ultrasonic Indication in Pressure Vessel
Plate "
LAMBERT, T G Lambert, MacMillan & Thomas, Inc 82/04/04 6pp
13522 021 24X Fiche 50-261, 82/06/11, 8206160182

R Periodic operating reports & related correspondence

8206080284 Forwards monthly operating rept for May 1982
STARKEY, R B Carolina Power & Light Co 82/06/04 DEYOUNG, R C
Director's Office, Office of Inspection and Enforcement 1p
13419 305 24X Fiche 50-261, 82/06/04, 8206080284

--8206080287 Monthly operating rept for May 1982
NORRIS, H R Carolina Power & Light Co 82/06/01 3pp
13419 306 24X Fiche 50-261, 82/06/04, 8206080284

S Reportable occurrences, LERs & related correspondence

8206010630 Forwards LER 82-003/01T-0
STARKEY, R B Carolina Power & Light Co 82/05/07 O'REILLY, J P
Region 2, Office of Director 1p 13314 248 24X
Fiche 50-261, 82/05/07, 8206010630

--8206010637 LER 82-003/01T-0 on 820423, determined cause of failure of 4
of 16 B reactor coolant pump diffuser adapter to casing
adapter bolts was stress corrosion cracking Probably caused
by improper reinstallation in 1970
OILMAN, F M Carolina Power & Light Co 82/05/07, Region 2,
Office of Director 2pp 13314 249 24X Fiche 50-261, 82/05/07,
8206010630

8206010100 Forwards LER 82-004/01T-0
STARKEY, R B Carolina Power & Light Co 82/05/10, O'REILLY, J P
Region 2, Office of Director 1p 13307 184 24X
Fiche 50-261, 82/05/10, 8206010100

--B206010105 LER B2-004/017-0 on B20426, insp of steam generators B & C revealed 173 defective tubes. Total was more than 1% of total number of tubes, placing results in Category C-3. All defective tubes mechanically plugged.
CD: H T Carolina Power & Light Co 82/05/10 Region 2, Office of Director 2pp 13307 185 24X Fiche 50-263, 82/05/10, B206010105

B206240077 RD on B20428, PT-9 13 revealed failure in power supply to jumper relay panel B1 (train B) concurrent w/failed relay for zone 10 (south cable vault) on panel A1 (train A). Correction in progress & completion expected by 8/21/81.
STARKE, R B Carolina Power & Light Co 82/06/18 O'REILLY, J P Region 2, Office of Director 2pp 13577 252 24X Fiche 50-263, 82/06/18, B206240077

DOCKET 50-263 HONTINELLO NUCLEAR GENERATING PLANT
F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in glome pathway around nuclear reactor sites in US. Forwards documents listed in App A.
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, B206150016

--B206150023 Updates delivery schedule for siren shipments to facilities.
ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P Affiliation Unknown 5pp 13524 234 24X Fiche 50-000, 82/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees.
PAPERIELLO, C J Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys now complete.
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys.
SPENCER, G S Division of Technical Inspection 82/01/05 GRIMES, B K Division of Emergency Preparedness 8pp 13454 174 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by B20601.
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B K Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, B206090002

B206020166 Releases public version of revision to corporate emergency response plan.
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13340 134 24X Fiche 50-000, 82/05/25, B206020166

--B206020172 Forwards public version of Revision 4 to corporate emergency response plan, consisting of changes requested in NRC B11217 ltr re Prairie Island emergency preparedness appraisal.
MAYER, L O Northern States Power Co 82/05/11 Region 3, Office of Director 2pp 13340 135 24X Fiche 50-000, 82/05/25, B206020166

--B206020177 Public version of Revision 4 to corporate emergency response plan.
HURSDON, G WARD, E C NEILS, G H Northern States Power Co 82/05/03 13pp 13340 137 24X Fiche 50-000, 82/05/25, B206020166

B206080025 Releases public version of revised emergency plan implementing procedure.
FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p 13441 017 24X Fiche 50-263, 82/05/27, B206080025

--B206080030 Forwards public version of Revision 2 to Emergency Plan Implementing Procedure A 2-304, "Thyroid Prophylaxis (Potassium Iodide Use)".
MAYER, L O Northern States Power Co 82/05/17 Region 3, Office of Director 2pp 13441 018 24X Fiche 50-263, 82/05/27, B206080025

--B206080037 Public version of Revision 2 to Emergency Plan Implementing Procedure A 2-304, "Thyroid Prophylaxis (Potassium Iodide Use)". Revised list of current procedures encl.
* Northern States Power Co 82/05/12 8pp 13441 020 24X Fiche 50-263, 82/05/27, B206080025

B206080150 Requests remittance of fee previously requested by B10320 ltr for denied B10226 fire protection exemptions. Fees will not be requested for B10313 fire protection exemption requests.
MILLER, W O License Fee Management Branch 82/06/03 MUSOLF, D M Northern States Power Co 3pp 13442 005 24X Fiche 50-263, 82/06/03, B206080150

B206110190 Forwards response to NRC B20501 request for actions taken in response to items in App A of emergency preparedness appraisal.
GILBERTS, D E Northern States Power Co 82/06/03 KEPLER, J O Region 3, Office of Director 5pp 13466 325 24X Fiche 50-263, 82/06/03, B206110190

B206220319 Forwards fee for processing B10226 application for exemption from certain App R requirements, in response to NRC B20603 ltr Guidance provided in NRC 790712 ltr needs clarification w/o encl.
MUSOLF, D Northern States Power Co 82/06/10 MILLER, W O License Fee Management Branch 1p 13571 022 24X Fiche 50-263, 82/06/10, B206220319

B206220274 Approves B20603 response to App A, preparedness improvement items of B20504 emergency preparedness implementation appraisal rept.
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/16 GILBERTS, D E Northern States Power Co 1p 13571 127 24X Fiche 50-263, 82/06/16, B206220274

J Insurance & indemnity information

B206020494 Forwards Endorsement 45 to MACLY Policy MF-6B & Endorsement 52 to NELIA Policy NF-197.
JOHNSON, R G Northern States Power Co 82/05/26 DINITZ, I Antitrust & Economic Analysis Branch (Utility Finance) 3pp 13325 321 24X Fiche 50-000, 82/05/26, B206020494

P Operating license stage documents & correspondence

B206150303 Submits feedwater nozzle post-mod rept per B11103 ltr. As-built drawings of sparger/thermal sleeve units encl.
MAYER, L O Northern States Power Co 82/04/01 Office of Nuclear Reactor Regulation, Director 5pp 13505 214 24X Fiche 50-263, 82/04/01, B206150303

B206100437 Forwards Amend 10 to License DPR-22, safety evaluation & notice of issuance & availability. Amend expands Tech Specs on scram discharge vol to include surveillance requirements.
VASSALLO, D D Operating Reactors Branch 2 82/05/10 MAYER, L O Northern States Power Co 2pp 13458 270 24X Fiche 50-263, 82/05/10, B206100437

--B206100440 Amend 10 to License DPR-22 expanding Tech Specs on scram discharge vol to include surveillance requirements.
VASSALLO, D D Operating Reactors Branch 2 82/05/20 11pp 13458 272 24X Fiche 50-263, 82/05/10, B206100437

--B206100442 Safety evaluation supporting Amend 10 to License DPR-22.
* Office of Nuclear Reactor Regulation, Director 82/05/20 2pp 13458 283 24X Fiche 50-263, 82/05/10, B206100437

--B206100444 Notice of issuance & availability of Amend 10 to License DPR-22.
VASSALLO, D D Operating Reactors Branch 2 82/05/10 2pp 13458 285 24X Fiche 50-263, 82/05/10, B206100437

B206030074 Confirms accuracy of NRC B20514 record of telcon re mods implementing requirements of NUREG-0737, Items II F 1.4, II F 1.5 & II F 1.6.
MAYER, L O Northern States Power Co 82/05/24 Office of Nuclear Reactor Regulation, Director 1p 13336 332 24X Fiche 50-263, 82/05/24, B206030074

8204220006 Responds to util 810130, 0625 & 1102 ltrs re electrical distribution sys voltages in response to NRC 790808 generic ltr Review of plant design indicates info acceptable Draft safety evaluation encl
VASSALLO, D B Operating Reactors Branch 2 82/05/28 MAYER, L U
Northern States Power Co App 13583 352 24X
Fiche 50-263, 82/05/28, 8204220006

8206080223 Requests addl relief from required completion schedule for NUREG-0737, Item II F 1(f), "Containment Hydrogen Monitors" Confirms completion of Item II F 1(f) re noble gas monitoring
MUSOLF, D Northern States Power Co 82/06/01 Office of Nuclear Reactor Regulation, Director 1p 13421 349 24X
Fiche 50-263, 82/06/01, 8206080223

8206080397 Advises that review of 800605 & 1230 submittals re NUREG-0737, Item II F 1.3 re containment high range monitor determined monitors capable of performing under accident conditions
VASSALLO, D B Operating Reactors Branch 2 82/06/03 MUSOLF, D M
Northern States Power Co App 13442 177 24X
Fiche 50-263, 82/06/03, 8206080397

8206150319 Forwards info re status of NUREG-0737 requirements, per NRC 820505 request (Generic Ltr 82-10)
MUSOLF, D M Northern States Power Co 82/06/04 Office of Nuclear Reactor Regulation, Director 18pp 13505 226 24X
Fiche 50-263, 82/06/04, 8206150319

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York OPREA, G W Houston Lighting & Power Co UHRIG, R E Florida Power & Light Co 13pp 13957 347 24X
Fiche 50-000 82/06/09, 8206090153

8206220024 Forwards request for addl info to complete review of H1032, 820118 & 0512 requests for relief from ASME Code Section XI requirements re inservice testing program Meeting scheduled for 820613 to resolve issues
VASSALLO, D B Operating Reactors Branch 2 82/06/10 MUSOLF, D M
Northern States Power Co App 13584 318 24X
Fiche 50-263, 82/06/10, 8206220024

8206250235 Submits revised plans & schedule for completing NUREG 0717, Item II B 4, "Training to Mitigate Core Damage" Required training will be completed by 820801
MUSOLF, D Northern States Power Co 82/06/16 Office of Nuclear Reactor Regulation, Director 2pp 13613 091 24X
Fiche 50-263, 82/06/16, 8206250235

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X
Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 106pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206070733 Ack receipt of 820518 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-263/81-26
KEPPLER, J G Region 3, Office of Director 82/06/03 OILBERTS, D E
Northern States Power Co 1p 13387 075 24X
Fiche 50-263, 82/06/03, 8206070733

--8206070743 Responds to NRC 820420 ltr re violations noted in IF Insp Rept 50-263/81-26 Corrective actions personnel will receive training by 820801 to assure proper implementation of work request authorization sys
OILBERTS, D E Northern States Power Co 82/05/18 KEPPLER, J G
Region 3, Office of Director 2pp 13387 076 24X
Fiche 50-263, 82/06/03, 8206070733

8206110190 Forwards response to NRC 820504 request for actions taken in response to items in App A of emergency preparedness appraisal
OILBERTS, D E Northern States Power Co 82/06/03 KEPPLER, J G
Region 3, Office of Director 3pp 13466 325 24X
Fiche 50-263, 82/06/03, 8206110190

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 298 24X
Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Material by Workers" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

P Periodic operating reports & related correspondence

8206150275 Forwards monthly operating rept for May 1982
MUSOLF, D Northern States Power Co 82/06/10 Director's Office, Office of Inspection and Enforcement 1p 13495 338 24X
Fiche 50-263 82/06/10, 8206150275

--8206150278 Monthly operating rept for May 1982
MAYASO, A L Northern States Power Co 82/06/03 App 13475 437 24X
Fiche 50-263, 82/06/10, 8206150275

3 Reportable occurrences, LERs & related correspondence

8206020357 Forwards updated LER 82-004, 01T-1
MAYER, L D Northern States Power Co 82/05/20 Region 3, Office of Director 1p 13320 205 24X
Fiche 50-263, 82/05/20, 8206020357

--8206020364 Updated LER 82-004, 01T-1 on 820410, inboard & outboard 18-inch dywell vent valves failed to close upon hand switch activation Probably caused by solenoids being mounted horizontally & residual core magnetism Solenoids replaced
NOUCHOUSSKI, A V Northern States Power Co 82/05/20 Region 3, Office of Director 1p 13320 206 24X
Fiche 50-263, 82/05/20, 8206020357

8206100111 RO III on 810224, failure of discharge valve on instrument & svc air compressor resulted in loss of instrument air sys pressure causing plant scan Failed check valve replaced w/similar unit
MUSOLF, D Northern States Power Co 82/06/02 Region 3, Office of Director 8pp 13449 149 24X
Fiche 50-263, 82/06/02, 8206100111

8206150182 Forwards LER 82 006/03L-0
MUSOLF, D Northern States Power Co 82/06/03 Region 3, Office of Director 1p 13503 337 24X
Fiche 50-263, 82/06/03, 8206150182

--8206150187 LER 82-006/03L-0 on 820504, during normal operation, leak discovered in 11 RHR HX Caused by HX gasket leak Head cover flange seal welded to floating tube sheet HX control valves repaired Manufacturer proposed new cover design
CARPENTER, G L Northern States Power Co 82/06/03 Region 3, Office of Director 1p 13503 338 24X
Fiche 50-263, 82/06/03, 8206150182

DOCKET 50-264 DOW CHEMICAL CO

J Insurance & indemnity information

8206170069 Forwards Endorsement 46 to NELIA Policy NF-160
COALWELL, T M Dow Chemical Co 82/06/10 SALTZMAN, J D Antitrust Division 2pp 13529 296 24X
Fiche 50-264, 82/06/10, 8206170069

DOCKET 50-265 QUAD-CITIES STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150023 Updates delivery schedule for siren shipments to facilities
ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P
Affiliation Unknown 5pp 13524 234 24X
Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
Debevoise & Liberman 3pp 13454 003 24X
Fiche 50-000, 82/05/11, 8206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch
8/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, D K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by B20601
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, D Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, B206090002

B206020179 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13340 150 24X Fiche 50-254, 82/05/25, B206020179

--B206020188 Forwards public version of revised emergency plan implementing procedures, including Procedures GEP 180-0 re rad/chem director, GEP 440-0 re communication sys & GEP 440-1 re emergency communication facilities
KOVACK, T J, GERNER, L F Commonwealth Edison Co 82/04/27 DENTON, H R NRC - No Detailed Affiliation Given 3pp 13340 151 24X Fiche 50-254, 82/05/25, B206020179

--B206020193 Public version of revised emergency plan implementing procedures, including Procedure GEP 180-0 re rad/chem director, GEP 440-0 re communication sys & GEP 440-1 re emergency communication facilities
* Commonwealth Edison Co 82/04/27 11pp 13340 154 24X Fiche 50-254, 82/05/25, B206020179

B206080253 Advises that annex changes for all App C items should be submitted by B20731 Response to Generic Ltr B2-05 provided status of App D items Response to Generic Ltr B2-10 will discuss KUREG-0737 status re emergency response facilities
RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPLER, J O Region 3, Office of Director 4pp 13420 166 24X Fiche 50-000, 82/05/26, B206080253

B206070809 Informs that deficiencies identified during initial testing of prompt public notification sys for facilities documented in util B20216 ltr have been corrected prior to B20601
DELGORGEO, L Commonwealth Edison Co 82/05/28 KEPLER, J O Region 3, Office of Director 2pp 13389 115 24X Fiche 50-000, 82/05/28, B206070809

B206140321 Advises that Revision 10 to Quad Cities Station security plan & Revision 11 to Dresden Nuclear Power Station security plan transmitted by util B10610 & 1027 ltrs, respectively, consistent w/provisions of 10CFR50.54(p) & approved.
VASSALLO, D B Operating Reactors Branch 2 82/06/01 DELGORGEO, L Commonwealth Edison Co 3pp 13507 042 24X Fiche 50-000, 82/06/01, B206140321

B206150283 Ack receipt of util B20525 response to B20202 confirmation of action ltr re emergency preparedness appraisal Util actions, meet commitments for planned action
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/10 REED, C Commonwealth Edison Co 1p, 13506 192 24X Fiche 50-254, 82/06/10, B206150283

--B206150292 Responds to NRC B20202 confirmation of action ltr re IE Emergency Preparedness Appraisal Repts 50-254/B2-02 & 50-265/B2-02 Corrective actions first aid/decontamination facility renovated
RAUSCH, T J Commonwealth Edison Co 82/05/25 KEPLER, J O Region 3, Office of Director 2pp 13506 193 24X Fiche 50-254, 82/06/10, B206150283

B206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring programs
SCHROEDER, C W Commonwealth Edison Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X Fiche 50-000, 82/06/16, B206240332

B206230021 Releases public version of generating stations emergency plan telephone directory
FELTON, J M Division of Rules and Records, 82/06/17 Document Management Branch 1p 13594, 073 24X Fiche 50-000, 82/06/17, B206230021

--B206230032 Forwards public version of generating stations emergency plan telephone directory
MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC - No Detailed Affiliation Given 1p 13594 074 24X Fiche 50-000, 82/06/17, B206230021

--B206230037 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 40pp 13594 076 24X Fiche 50-000, 82/06/17, B206230021

B206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 & DPR-30 changing Tech Specs to clarify licensee responsibilities & actions necessary to protect public health & safety during emergency
RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13600 313 24X Fiche 50-000, 82/06/17, B206240425

B206240032 Releases public version of generating stations emergency plan telephone directory
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18, B206240032

--B206240049 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 41pp 13617 337 24X Fiche 50-000, 82/06/18, B206240032

B206240112 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13620 029 24X Fiche 50-254, 82/06/18, B206240112

--B206240121 Forwards public version of Revision 7 to Emergency Plan Implementing Procedure GEP 110-1, "Station Director Implementing Procedure" & Revision 4 to GEP 340-1, "Operation During Earthquake Conditions"
* Commonwealth Edison Co 82/05/18 DENTON, H R NRC - No Detailed Affiliation Given 1p 13620 032 24X Fiche 50-254, 82/06/18, B206240112

--B206240128 Public version of Revision 7 to Emergency Plan Implementing Procedure GEP 110-1, "Station Director Implementing Procedure" & Revision 4 to GEP 340-1, "Operation During Earthquake Conditions"
* Commonwealth Edison Co 82/05/18 10pp 13620 033 24X Fiche 50-254, 82/06/18, B206240112

B206300077 Releases public version of revisions to emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/22 Document Management Branch 1p 13684 074 24X Fiche 50-254, 82/06/22, B206300077

--B206300081 Forwards public version of Revision 8 to Emergency Plan Implementing Procedure GEP 440-0 re communications sys & Revision 8 to GEP 440-1 re emergency communication facilities Receipt form encl
* Commonwealth Edison Co 82/05/26 DENTON, H R NRC - No Detailed Affiliation Given 1p 13684 075 24X Fiche 50-254, 82/06/22, B206300077

--B206300083 Public version of Revision 8 to Emergency Plan Implementing Procedure GEP 440-0 re communications sys & Revision 8 to GEP 440-1 re emergency communication facilities
* Commonwealth Edison Co 82/05/26 7pp 13684 076 24X Fiche 50-254, 82/06/22, B206300077

B206300112 Releases public version of revised generating station emergency plan environ director emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/23 Document Management Branch 1p 13693 001 24X Fiche 50-000, 82/06/23, B206300112

--B206300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
CICHY, O Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement 2pp 13693 002 24X Fiche 50-000, 82/06/23, B206300112

--B206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
LITERSKI, L A Commonwealth Edison Co 82/06/02 11pp 13693 004 24X Fiche 50-000, 82/06/23, B206300112

DOCKETED ITEMS

Q Adjudicatory correspondence

8206010336 Notice of appearance in proceeding Notice of change of business address & Certificate of Sec encl
FITZGERALD, R Commonwealth Edison Co 82/05/24 3pp 13301 011
24X Fiche 50-000, 82/05/24, 8206010336

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
FELTON, J M Division of Rules and Records 02/05/12 MCHURRAY, C Kirkpatrick, Lockhart, Hall, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIROS, M S Reactor Systems Standards Branch 81/02/02 ARLOTT, G A Division of Engineering Standards 20pp 13618 102 24X Fiche 50-000, 82/05/12, 8206280071

8206040392 Forwards Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, safety evaluation & notice of issuance & availability Amends change App A Tech Specs re undervoltage protection
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 DELGOURG, I Commonwealth Edison Co App 13355 001 24X Fiche 50-000, 82/05/19, 8206040392

--8206040396 Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively, changing App A Tech Specs re undervoltage protection
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 41pp 13355 005 24X Fiche 50-000, 82/05/19, 8206040392

--8206040402 Safety evaluation supporting Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/19 4pp 13355 047 24X Fiche 50-000, 82/05/19, 8206040392

--8206040405 Notice of issuance & availability of Amends 72, 64, 77 & 71 to Licenses DPR-19, DPR-25, DPR-29 & DPR-30, respectively
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/19 2pp 13355 073 24X Fiche 50-000, 82/05/19, 8206040392

8206070151 Forwards revised Tech Spec pages transmitted in Amends 74 & 70 to Licenses DPR-29 & DPR-30, respectively Revised pages include all approved surveillance requirements for safety-related hydraulic & mechanical snubbers
VASSALLO, D B Operating Reactors Branch 2 82/05/19 DELGOURG, I Commonwealth Edison Co 2pp 13427 025 24X Fiche 50-254, 82/05/19, 8206070151

--8206070156 Revised Tech Specs 3/4 6 re surveillance requirements for safety-related hydraulic & mechanical snubbers
* NRC - No Detailed Affiliation Given 82/05/19 2pp 13427 027 24X Fiche 50-254, 82/05/19, 8206070151

8206020374 Forwards addl info in response to NUREG-0737, Item II K 3 1, re ECCS outage repts, per 820317 request
SWARTZ, E D Commonwealth Edison Co 82/05/20 EISENHUT, D Division of Licensing 38pp 13320 207 24X Fiche 50-000, 82/05/20, 8206020374

8206020394 Application to amend Licenses DPR-29 & DPR-30, allowing continued operation of both units using cross-tie line until 820701, while mod to Unit 1 loop A svc water line is being completed
RAUSCH, T J Commonwealth Edison Co 82/05/20 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13326 002 24X Fiche 50-254, 82/05/20, 8206020394

--8206020404 Proposed amend to Tech Specs for DPR-29 & DPR-30, allowing continued operation of units using cross-tie line until 820701, while mod to Unit 1 loop A svc water line is being completed
* Commonwealth Edison Co 82/05/20, 6pp 13326 004 24X Fiche 50-254, 82/05/20, 8206020394

8206070330 Submits correction factors modifying instrument readings to correspond w/actual radiation levels inside containment re TMI Action Item II F 1 3 Procedures will not be submitted at this time, but are available for onsite review
SWARTZ, E D Commonwealth Edison Co 82/06/01 EISENHUT, D Division of Licensing 3pp 13363 037 24X Fiche 50-000, 82/06/01, 8206070330

P206100214 Forwards requested info re implementation status of NUREG 0737 items per General Ltr 82-10
SWARTZ, E D Commonwealth Edison Co 82/06/04 EISENHUT, D C Division of Licensing 20pp 13193 214 24X Fiche 50-000, 82/06/04, 8206100214

8206100222 Forwards Revision 21 to 84 Program, Topical Rpt CE-1-A
SWARTZ, E D Commonwealth Edison Co 82/06/07 HAAUG, W P Division of Assurance Branch 1p 13522 02 24X Fiche 50-000, 82/06/07, 8206100222

8206160236 Revised pages to CE-1-A Revision 21, "GA Topical Rpt"
* Commonwealth Edison Co CE-1-A R21 ERR 82/06/06 20pp 13522 028 24X Fiche 50-000, 82/06/07, 8206160236

9206090157 Generic Ltr 82-11 to all IWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Pwr documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUJPUR, A Consolidated Edison Co of New York CROUSE, R Toledo Edison Co DAVIS, D R Cleveland Electric Illuminating Co 13pp 13147 147 24X Fiche 50-000, 82/06/09, 8206090157

8206170335 Responds to request for submittal of mod of proposed Tech Spec changes reflecting current organizational structure & titles at Facilities Revised submittal expected by Jul 1982
RAUSCH, T J Commonwealth Edison Co 82/06/09 VASSALLO, D B Operating Reactors Branch 2 1p 13531 015 24X Fiche 50-000, 82/06/09, 8206170335

8206210015 Forwards Amends 79 & 73 to Licenses DPR-29 & DPR-30 respectively, safety evaluation, EIA & notice of issuance & availability Amends allow increase in spent fuel storage capacity from 2,920 to 7,684 assemblies
BEVAN, R Operating Reactors Branch 2 82/06/09 DELGOURG, I Commonwealth Edison Co 2pp 13593 017 24X Fiche 50-254, 82/06/09, 8206210015

--8206210018 Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively, revising Tech Specs to allow for increase in spent fuel storage capacity from 2,920 to 7,684 assemblies
NOVAK, I M Assistant Director for Operating Reactors 82/06/09 8pp 13593 019 24X Fiche 50-254, 82/06/09, 8206210015

--8206210021 Safety evaluation supporting Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively
* Office of Nuclear Reactor Regulation, Director 82/06/09 18pp 13593 027 24X Fiche 50-254, 82/06/09, 8206210015

--8206210023 EIA supporting Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively
* Operating Reactors Branch 2 82/06/09 18pp 13593 043 24X Fiche 50-254, 82/06/09, 8206210015

--8206210025 Notice of issuance & availability of Amends 79 & 73 to Licenses DPR-29 & DPR-30, respectively
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp 13593 063 24X Fiche 50-254, 82/06/09, 8206210015

8206240356 Forwards safety evaluation approving B10701 & 1207 proposed method for implementing guidance of NUREG-0737, Item II K 3 15, "Isolation of HPCI & Reactor Core Isolation Cooling" Proposed method acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15 DELGOURG, I Commonwealth Edison Co App 13596 066 24X Fiche 50-000, 82/06/15, 8206240356

8206240425 Application for amend to Licenses DPR-19, DPR-25, DPR-29 & DPR-30 changing Tech Specs to clarify licensee responsibilities & actions necessary to protect public health & safety during emergency
RAUSCH, T J Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13600 313 24X Fiche 50-000, 82/06/17, 8206240425

Q Inspection reports, IE Bulletins & correspondence

8206020493 Forwards info re IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys" & IE Insp Repts 50-237/82-01, 50-249/82-01, 50-254/82-01 & 50-265/82-01, discussed during 820520 meeting
STIEDE, H L Commonwealth Edison Co 82/05/24 KEPLER, J G Region 3, Office of Director 14pp 13325 001 24X Fiche 50-000, 82/05/24, 8206020493

B206070487 Submits monthly status rept of evaluations performed in response to IE Bulletin 74-14, "Seismic Analysis for As-Built Safety-Related Piping Sys " No changes since last status rept
RAUSCH, T J Commonwealth Edison Co 02/05/26 KEPLER, J G Region 3, Office of Director 1p 13374 326 24X Fiche 50-000, 02/05/26, B206070487

B202040147 IE Info Notice 02-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 02/05/28 107pp 13426 095 24X
Fiche 50-000, 02/05/28, B202040147

B204210378 IE Info Notice 02-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 02/05/28 103pp 13440 264 24X Fiche 50-000, 02/05/28, B204210378

B204210380 IE Bulletin 02-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary or PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 02/06/02 108pp 13527 150 24X
Fiche 50-000, 02/06/02, B204210380

B206150283 Ack receipt of util B202025 response to B20202 confirmation of action ltr re emergency preparedness appraisal Util actions meet commitments for planned action
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 02/06/10 REED, C Commonwealth Edison Co 1p 13306 192 24X Fiche 50-254, 02/06/10, B206150283

--B206150292 Responds to NRC B20202 confirmation of action ltr re IE Emergency Preparedness Appraisal Repts 50-254/02-02 & 50-265/02-02 Corrective actions first aid/decontamination facility renovated
RAUSCH, T J Commonwealth Edison Co 02/06/25 KEPLER, J G Region 3, Office of Director 2pp 13506 193 24X
Fiche 50-254, 02/06/10, B206150283

B204210383 IE Info Notice 02-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 02/06/11 106pp 13675 259 24X Fiche 50-000, 02/06/11, B204210383

B204210384 IE Info Notice 02-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 02/06/11 120pp 13675 189 24X
Fiche 50-000, 02/06/11, B204210384

B206220136 Forwards addl info re inservice insp program, per NRC B20415 request Also forwards "Basis for Design of Drywell Containment Vessel Penetrations "
RAUSCH, T J Commonwealth Edison Co 02/06/15 VASSALLO, D D Operating Reactors Branch 2 9pp 13571 334 24X
Fiche 50-254, 02/06/15, B206220136

--B206220146 Design Spec, "Basis for Design of Drywell Containment Vessel Penetration "
KEEVER, R E, PASHOS, T J, NAYMARK, S General Electric Co 7/7/02/18 4pp 13571 343 24X Fiche 50-254, 02/06/15, B206220136

B206220377 Responds to IE Bulletin 81-01, Revision 1, "Surveillance of Mechanical Snubbers " Mechanical Snubber 23 in Dresden reactor cleanup sys found inoperable & replaced Quad Cities snubbers will be tested per new Tech Spec requirements
SMARTZ, E D Commonwealth Edison Co 02/06/15 KEPLER, J G Region 3, Office of Director 4pp 13581 316 24X Fiche 50-000, 02/06/15, B206220377

B206250195 Ack receipt of B20527 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-254/02-07 & 50-265/02-07 Violation withdrawn
LITTLE, W S Region 3, Office of Director 02/06/22 REED, C Commonwealth Edison Co 1p 13613 264 24X Fiche 50-254, 02/06/22, B206250195

--B206250198 Responds to NRC B20415 ltr re violations noted in IE Insp Repts 50-254/02-07 & 50-265/02-07 Disputes noncompliance ANSI N18 7-1972 implemented at time of insp
DELGEORE, L O Commonwealth Edison Co 02/05/27 KEPLER, J G Region 3, Office of Director 5pp 13613 265 24X
Fiche 50-254, 02/06/22, B206250195

R Periodic operating reports & related correspondence

B206170192 Forwards monthly operating repts for May 1982
KALIVIANAKIS, N Commonwealth Edison Co 02/06/01 Director's Office, Office of Inspection and Enforcement 1p 13534 276 24X
Fiche 50-254, 02/06/01, B206170192

--B206170195 Monthly operating repts for May 1982
WEINFURTER, E Commonwealth Edison Co 02/06/04 23pp
13534 277 24X Fiche 50-254, 02/06/01, B206170192

B206210534 Forwards list of changes, tests & experiments completed during May 1982 Supports designed & soft seated check valve installed in response to IE Bulletin 80-11
KALIVIANAKIS, N Commonwealth Edison Co 02/06/01 CASE, E O Office of Nuclear Reactor Regulation, Director 3pp 13567 007 24X Fiche 50-254, 02/06/01, B206210534

S Reportable occurrences, LERs & related correspondence

B206170165 Forwards LER 02-006/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 02/06/01 KEPLER, J G Region 3, Office of Director 1p 13534 226 24X
Fiche 50-265, 02/06/01, B206170165

--B206170174 LER 02-006/03L-0 on B20514, during monthly testing of suppression chamber to drywell vacuum breakers, valve AD-2-1601-32C opened but failed to close Caused by improperly positioned counterweight
KAEPPLER, F Commonwealth Edison Co 02/06/01 Region 3, Office of Director 3pp 13534 227 24X Fiche 50-265, 02/06/01, B206170165

B206170355 Forwards LER 02-007/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 02/06/03 KEPLER, J G Region 3, Office of Director 1p 13531 141 24X
Fiche 50-265, 02/06/03, B206170355

--B206170363 LER 02-007/03L-0 on B20515, during testing, electromatic relief valve 2-203-3C remote manual control switch failed to consistently open relief valve Caused by loose wire Control switch wires tightened
IBEN, C Commonwealth Edison Co 02/06/03 Region 3, Office of Director 3pp 13531 142 24X Fiche 50-265, 02/06/03, B206170355

B206210350 Forwards LER 02-008/03L-0
KALIVIANAKIS, N Commonwealth Edison Co 02/06/09 KEPLER, J G Region 3, Office of Director 1p 13558 100 24X
Fiche 50-265, 02/06/09, B206210350

--B206210357 LER 02-008/03L-0 on B20515, during maint outage, acoustic monitors for electromatic relief valves 2-203-3A, 3B & 3C failed to give open indication when valves were opened & thermocouple type position sensor 2-203-3B was out of svc
SODEN, R Commonwealth Edison Co 02/06/09 Region 3, Office of Director 3pp 13558 101 24X Fiche 50-265, 02/06/09, B206210350

DOCKET 50-266 POINT BEACH NUCLEAR PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 02/05/11 REYNOLDS, N G, Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 02/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch 01/12/01 RAMOS, B L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 02/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 02/01/03 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 02/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by B20401
HIND, J A Division of Emergency Preparedness & Operational Support 02/02/17 GRIMES, B Division of Emergency Preparedness 3pp 13454, 190 24X Fiche 50-000, 02/05/11, B206090002

B206020400 Confirms JA pagliaro & JE Knorr talcon fixing B20604 as due date for installation of upgraded meteorological monitoring sys Mfg & calibr problems w/telemetry equipment have caused delay
FAY, C W Wisconsin Electric Power Co 02/05/17 KEPLER, J G Region 3, Office of Director 1p 13326 245 24X
Fiche 50-266, 02/05/17, B206020400

8206020159 Releases public version of revised emergency plan

implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document
Management Branch 1p 13339 349 24X Fiche 50-266, 82/05/25,
8206020159

--8206020169 Forwards public version of revised Emergency Plan

implementing Procedures EPIP 1 1 re initial classification,
EPIP 1 3 re estimation of source term & EPIP 1 4 re
radiological dose evaluation
FAY, C W Wisconsin Electric Power Co 82/05/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13339 350 24X
Fiche 50-266, 82/05/25, 8206020159

--8206020174 Public version of revised emergency plan implementing

procedures, including Procedures EPIP 1 1 re initial
classification, EPIP 1 3 re estimation of source term &
EPIP 1 4 re radiological dose evaluation
* Wisconsin Electric Power Co 82/04/30 100pp 13339 350 24X
Fiche 50-266, 82/05/25, 8206020159

8206140283 Releases public version of revised emergency plan

implementing procedures
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13508 001 24X Fiche 50-266, 82/06/08,
8206140283

--8206140287 Forwards public version of revised emergency plan procedure

& forms, including Procedures EPIP 1 4 re radiological dose
evaluation & EPIP 1 B re emergency offsite dose estimation
Receipt form encl
FAY, A Wisconsin Electric Power Co 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13508 002 24X
Fiche 50-266, 82/06/08, 8206140283

--8206140291 Public version of revised emergency plan implementing

procedures, including Procedures EPIP-1 4, "Radiological
Dose Evaluation" Revision 5 & EPIP-1 B, "Emergency Offsite
Dose Estimations," Revision 1
* Wisconsin Electric Power Co 82/05/28 35pp 13508 004 24X
Fiche 50-266, 82/06/08, 8206140283

8206220440 Forwards IE Mgt Meeting Repts 50-266/82-11 & 50-301/82-11

on 820504 No noncompliance noted
KEPPLER, J G Region 3, Office of Director 82/06/08 BURSTEIN, S
Wisconsin Electric Power Co 2pp 13580 027. 24X
Fiche 50-266, 82/06/08, 8206220440

--8206220452 IE Mgt Meeting Repts 50-266/82-11 & 50-301/82-11 on 820504

No noncompliance noted Major areas discussed concerns re
shift staffing & augmentation findings resulting from
820104-15 & 20 emergency preparedness appraisal
PAGLIARO, J A, AXELSON, W L, PAPERIELLO, C J Division of Emergency
Preparedness & Operational Support 82/06/04 4pp 13580 027
24X Fiche 50-266, 82/06/08, 8206220440

Q Adjudicatory correspondence

8206070105 Memorandum & order denying WI Environ Decade 820503 motion

for reconsideration of portion of ASLB 820422 Memorandum &
Order LRP-82-33 Reasons stated in 820422 order remain valid
BLOCH, P B Atomic Safety and Licensing Board Panel 82/06/03
Wisconsin's Environmental Decade 1p 13370 321 24X
Fiche 50-266, 82/06/03, 8206070105

8206100314 Summarizes 820601 telcon re scheduling matters Ltr to servn

as minutes of telcon Schedule of proceeding adopted as Jist
CHURCHILL, B W Shaw, Pittman, Potts & Trowbridge CHURCHILL, B W
Wisconsin Electric Power Co 82/06/07 BLOCH, P B Atomic Safety
and Licensing Board Panel. 7pp 13444 168 24X
Fiche 50-266, 82/06/07, 8206100314

Westinghouse 820609 request for extension of
e appeal from ASLB 820527 memorandum
ime to appeal also extended
Safety and Licensing Board Panel 82/06/10
Corp 2pp 13484 319 24X

ltr re LER 82-007 Issues
mechanical
w issues

CHURCHILL B W
, KLINE, J R,
el 4pp

8206210272 Memorandum & order granting WI Environ Decade 820604 motion
request to obtain info about util 820416 LER 82-007 re leaks
in cold leg of two steam generator tubes Request reasonably
related to admitted contentions
BLOCH, P B Atomic Safety and Licensing Board Panel 82/06/10
Wisconsin's Environmental Decade 3pp 13538 216 24X
Fiche 50-266, 82/06/18, 8206210272

8206280153 Response objecting to WI Environ Decade second set of

interrogatories & request for production of documents re
full-scale sleeving program Affidavit & Certificate of Swr
encl
RIDGWAY, D A Wisconsin Electric Power Co RIDGWAY, D A Shaw,
Pittman, Potts & Trowbridge 82/06/21 Wisconsin's Environmental
Decade 16pp 13624 302 24X Fiche 50-266, 82/06/21, 8206280153

8206280055 Lists errors in transcription of QA Rept 770718 memo to

S Burstein & TR Wilson re meeting w/Westinghouse on steam
generator tube plugging Svc list encl
RIDGWAY, D A Shaw, Pittman, Potts & Trowbridge 82/06/22
ANDERSON, P Wisconsin's Environmental Decade 2pp 13624 236 24X
Fiche 50-266, 82/06/22, 8206280055

H General correspondence

8206280277 Objects to licensee intention to replace two steam

generators, per 820522 ltr w/o requesting license amend
ANDERSON, P Wisconsin's Environmental Decade 82/06/22
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13613 015 24X Fiche 50-266, 82/06/22, 8206280277

J Insurance & indemnity information

8206040152 Forwards Endorsement 68 to NELIA Policy NF-1/B & Endorsement

56 to MAELU Policy 'IF-53
DUNDAS, W J Wisconsin Electric Power Co 82/06/01 Antitrust &
Economic Analysis Branch (Utility Finance) 3pp 13356 360 24X
Fiche 50-266, 82/06/01, 8206040152

P Operating license stage documents & correspondence

8204300003 Responds to FOIA request for five categories of documents

re Sept 1979 rept, "Recommendations of TH1-2 IE
Investigation Team " Approx 170 pages of matl being placed
in PDR
FELTON, J M Division of Rules and Records 82/04/02 WEISS, I R
Union of Concerned Scientists 1p 12920 032 24X
Fiche 50-000, 82/04/02, 8204300003

801180368 Ack receipt of 800930 memo re problem created when re-setting

safety injection could negate automatic actuation of other
safety features NRC will require specific action steps to
ensure proper safety function actuation
HAAVER, B H Division of Human Factors Safety 80/11/05
SCHROEDER, F Assistant Director for Generic Projects 1p
13095 116 24X Fiche 50-000, 82/04/20, 8205130448

8206280071 Addl response to FOIA request for eight categories of

documents Forwards documents listed in App A Documents
listed in App B Available in PDR Confidential financial
info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling

rulemaking Steering group to issue justification for
rulemaking activity in advance of agreement on quantitative
safety goal Examples of valve misoperation provided
MEDEIROB, M S Reactor Systems Standards Branch 81/02/02
ARLOTTG, G A Division of Engineering Standards 20pp 13630 102
24X Fiche 50-000, 82/05/12, 8206280071

8206080026 Forwards Amends 59 & 64 to Licenses DPR-24 & DPR-27,

respectively, safety evaluation & notice of issuance &
availability Amends upgrade surveillance requirements for
hydraulic snubbers & incorporate administrative changes
COLBURN, T G Operating Reactors Branch 3 82/05/25 FAY, C W
Wisconsin Electric Power Co 3pp 13441 103 24X
Fiche 50-266, 82/05/25, 8206080026

--8206080029 Amends 59 & 64 to Licenses DPR-24 & DPR-27, respectively,

upgrading surveillance requirements for hydraulic snubbers
& making administrative changes
CLARK, R A Operating Reactors Branch 3 82/05/25 10pp
13441 108. 24X Fiche 50-266, 82/05/25, 8206080026

--8206080031 Safety evaluation supporting Amends 59 & 64 to License

DPR-24 & DPR-27, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/25 2pp
13441 118 24X Fiche 50-266, 82/05/25, 8206080026

--8206080035 Notice of issuance & availability of Amends 59 & 64 to Licenses DPR-24 & DPR-27, respectively
CLARK, R A Operating Reactors Branch 3 82/05/25 1p
13441 120 24X Fiche 50-266, 82/05/25, 8206080026

8206020461 Reconfirms & updates info previously provided 820426 re NUREG-0737 items per NRC 820317 & 0503 ltrs Status encl
FAY, C W Wisconsin Electric Power Co 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director EISENHUT, D O
Division of Licensing 5pp 13325 330 24X Fiche 50-266, 82/05/26, 8206020461

8206020417 Discusses plans to repair steam generator by replacing major components, including tube bundles If prior NRC approval is required, ltr should be considered as application for amend to License DPR-240
FAY, C W Wisconsin Electric Power Co 82/05/27 DENTON, H R
Office of Nuclear Reactor Regulation, Director 9pp 13325 309
24X Fiche 50-266, 82/05/27, 8206020417

8206110339 Forwards Amends 60 & 65 to Licenses DPR-24 & DPR-27, respectively & notice of issuance & availability Amend upgrades operability requirements for containment fan coolers
COLBURN, T O Operating Reactors Branch 3 82/05/28 FAY, C W
Wisconsin Electric Power Co 4pp 13490 201 24X
Fiche 50-266, 82/05/28, 8206110339

--8206110340 Amends 60 & 65 to Licenses DPR-24 & DPR-27, respectively, upgrading operability requirements for containment fan coolers
CLARK, R A Operating Reactors Branch 3 82/05/28 8pp
13490 205 24X Fiche 50-266, 82/05/28, 8206110339

--8206110341 Notice of issuance & availability of Amends 60 & 65 to Licenses DPR-24 & DPR-27, respectively
CORNER, E L Operating Reactors Branch 3 82/05/28 2pp
13490 213 24X Fiche 50-266, 82/05/28, 8206110339

8206070405 Forwards clarification & updated info re adequacy of station electrical distribution sys voltages referenced in NRC 810326 ltr Info combined w/810601 & 1230 ltrs completes response
FAY, C W Wisconsin Electric Power Co 82/06/01 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 4pp 13371 279 24X
Fiche 50-266, 82/06/01, 8206070405

8206080505 Forwards NRR input for systematic assessment of licensee performance rpt for WI Electric Power Co W/o encl
COLBURN, T O Operating Reactors Branch 3 82/06/01 EISENHUT, D O
Division of Licensing 1p 13440 116 24X Fiche 50-266, 82/06/01, 8206080505

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rpt documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206280677 Informs that util response to NRC 820519 request for addl info on NUREG-0737, Items II D 4 re training to mitigate core damage & I A 2 1 re upgrading reactor operator & senior reactor operator training qualifications acceptable
COLBURN, T O Operating Reactors Branch 3 82/06/11 FAY, C W
Wisconsin Electric Power Co 4pp 13630 356 24X
Fiche 50-266, 82/06/11, 8206280677

8206220307 Tech Spec Change Request 80 for amends to Licenses DPR-24 & DPR-27, permitting changes re monthly testing of turbine stop & governor valves near end-of-cycle core life.
FAY, C W Wisconsin Electric Power Co 82/06/14 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13571 008 24X
Fiche 50-266, 82/06/14, 8206220307

--8206220339 Proposed Tech Spec Table 15 4 1-2 re turbine stop & governor valve testing
* Wisconsin Electric Power Co 82/06/14 1p 13571 011 24X
Fiche 50-266, 82/06/14, 8206220307

8206230187 Forwards request for addl info re proposed reactor vessel water level indication sys Info should be submitted within 30 days of receipt of ltr
CLARK, R A Operating Reactors Branch 3 82/06/14 FAY, C W
Wisconsin Electric Power Co 5pp 13592 326 24X
Fiche 50-266, 82/06/14, 8206230187

8206220143 Forwards response to NRC question Attachment 1-5 re interfacing lift point evaluation Info provided as revised pages to 9-month response to NUREG-0612, "Control of Heavy Loads"
FAY, A Wisconsin Electric Power Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director CLARK, R A Operating Reactors Branch 3 6pp 13573 276 24X Fiche 50-266, 82/06/16, 8206220143

8206220213 Informs that util will be in technical violation of Section 15 & 12 of Tech Spec, requiring environ qualification of electrical equipment per NUREG-0588 by 820630 NRC should remove or modify Tech Spec
FAY, C W Wisconsin Electric Power Co 82/06/17 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 2pp 13572 322 24X
Fiche 50-266, 82/06/17, 8206220213

8206240214 Forwards addl info re NUREG-0737, Item II D 1, "RCS Gas Vent Sys," in response to NRC 820311 ltr Requests exemption to permit delayed installation by 840101 W/4000 oversize drawings Aperture cards are available in PDR
FAY, C W Wisconsin Electric Power Co 82/06/18 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 16pp 13599 132 24X
Fiche 50-266, 82/06/18, 8206240214

0 Inspection reports, IE Bulletins & correspondence

8206020379 Notification of 820623 enforcement meeting in Glen Ellyn, IL to discuss results of radiation protection insp on 820503 & 04, util proposed corrective actions & NRC enforcement options, per 820526 telcon
KEPPLER, J O Region 3, Office of Director 82/05/27 BURSTEIN, S.
Wisconsin Electric Power Co 1p 13326 264 24X
Fiche 50-266, 82/05/27, 8206020379

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 106pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220440 Forwards IE Mgt Meeting Repts 50-266/82-11 & 50-301/82-11 on 820506 No noncompliance noted
KEPPLER, J O Region 3, Office of Director 82/06/08 BURSTEIN, S
Wisconsin Electric Power Co 2pp 13580 027 24X
Fiche 50-266, 82/06/08, 8206220440

--8206220452 IE Mgt Meeting Repts 50-266/82-11 & 50-301/82-11 on 820506 No noncompliance noted Major areas discussed concerns re shift staffing & augmentation findings resulting from 820104-15 & 20 emergency preparedness appraisal
PAOLIARO, J A, AXELSON, W L, PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/04 4pp 13580 027, 24X Fiche 50-266, 82/06/08, 8206220440

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 288 24X Fiche 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206170114 Forwards addl info re safety evaluation concerning implementation of IE Bulletin 80-11, "Masonry Wall Design " Results of confirmatory plate analysis after mods on Walls 19, 111-1, 111-3N, 113 & 114 encl
BURSTEIN, S Wisconsin Electric Power Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13590 081 24X
Fiche 50-266, 82/06/11, 8206170114

DOCKETED ITEMS

R Periodic operating reports & related correspondence

8206160319 Forwards monthly operating reports for May 1982
BURSTEIN S Wisconsin Electric Power Co 82/06/10 NRC - Nu
Detailed Affiliation Given 1p 13518 24X
Fiche 50-266, 82/06/10, 8206160319

--8206160324 Monthly operating reports for May 1982
FAY, C W Wisconsin Electric Power Co 82/06/07 Bpp 13518 24X
24X Fiche 50-266, 82/06/10, 8206160319

DOCKET 50-267 FORT ST VRAIN NUCLEAR GENERATING STATION

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re given sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US Forwards
documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8203010299 Responds to 820111 memo All concerns resolved at 820174
meeting Headquarters will respond to until 820108 ltr to
B Grimes
DEYOUNG R C Director's Office, Office of Inspection and
Enforcement 82/01/29 COLLINS, J T Region 4, Dallas, Office of
the Director (81/03/01) 1p 63908 351 24X
Fiche 50-000, 82/04/21, 8206150016

--8203040508 Submits list of facilities that have filled exemption
requests from 820201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D O Division of Licensing 82/02/03 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13524 200
24X Fiche 50-000, 82/04/21, 8206150016

--8206150018 Forwards draft ltr to licensee in response to request for
exemption from 820201 deadline for implementing prompt
notification sys
SCHWARTZ, S A Emergency Preparedness Development Branch (Pre
820201) 82/01/28 CLARK, R A Operating Reactors Branch 3 App
13524 230 24X Fiche 50-000, 82/04/21, 8206150016

--8206150057 Requests meeting to resolve delayed installation of
prompt notification sys prior to initiating enforcement
action
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01)
82/01/11 DEYOUNG, R C Director's Office, Office of Inspection
and Enforcement Bpp 13524 071 24X Fiche 50-000, 82/04/21,
8206150016

--8206150072 Forwards Public Svc Co of CO 820108 ltr to B Grimes
requesting written denial of util request for relief from
early warning alert requirements Appropriate response
required
EISENHUT, D O Division of Licensing 82/01/22 NOVAK, T NRC -
No Detailed Affiliation Given 1p 13524 167 24X
Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N J
Debevoise & Liberman Bpp 13454 003 24X Fiche 50-000, 82/05/11,
8206090002

--8203110473 Submits update of current assessment of licensees ability
to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations
82/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/05/11, 8206090002

--8203110478 Submits update of status of implementation of prompt
notification sys Regional FEMA ofcs have indicated reviews/
tests of sys have not been conducted
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01)
82/01/04 DEYOUNG, R C Director's Office, Office of Inspection
and Enforcement 1p 13454 175 24X Fiche 50-000, 82/03/11,
8206090002

--8203110481 Submits monthly update of status of implementation of prompt
notification sys
SPENCER, Q S Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness Bpp 13454 176
24X Fiche 50-000, 82/05/11, 8206090002

--8206090174 Advises of licensee compliance w/820201 deadline for prompt
notification sys
COLLINS, J T Region 4, Office of Director 82/02/09 GRIMES, B K
Division of Emergency Preparedness 1p 13454 248 24X
Fiche 50-000, 82/05/11, 8206090002

8206080222 Forwards Revision 10 to facility security plan Revision
withheld (ref 10CFR2 790)
WARENBURG, D W Public Service Co of Colorado 82/06/02 CLARK, R
Operating Reactors Branch 3 1p 13416 196 24X
Fiche 50-267, 82/06/02, 8206080222

8206140397 Releases public version of emergency plan update
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13510 014 24X Fiche 50-267, 82/06/08,
8206140397

--8206140400 Forwards public version of update of emergency plan
procedures & related documents, including revised medical
emergency plan, emergency procedures & radiological emergency
response plan w/o encl
WARENBURG, D W Public Service Co of Colorado 82/05/26
ROHNER, D Director's Office, Office of Inspection and Enforcement
1p 13510 015 24X Fiche 50-267, 82/06/08, 8206140399

8206170208 Forwards revision to Chapter 7 of amended security plan
Revision withheld (ref 10CFR2 790 & 10CFR73 21)
MCBRIDE, L H Public Service Co of Colorado 82/06/11 CLARK, R
Operating Reactors Branch 3 1p 13534 315 24X
Fiche 50-267, 82/06/11, 8206170208

8206170326 Ack receipt of 820526 ltr & public version of updated
emergency plan & procedures
COLLINS, J T Region 4, Office of Director 82/06/14 LEE, D H
Public Service Co of Colorado 1p 13531 013 24X
Fiche 50-267, 82/06/14, 8206170326

--8206170333 Forwards under separate cover, public version of updated
emergency plan procedures & related documents, including
revised medical emergency plan, emergency procedures &
radiological emergency response plan
WARENBURG, D W Public Service Co of Colorado 82/05/26
COLLINS, J T Region 4, Office of Director 1p 13531 014 24X
Fiche 50-267, 82/06/14, 8206170326

8206230203 Ack receipt of util 820528 ltr & revised scenario/observer
package for 1982 emergency exercise Package received too
late for review & NRC comments prior to exercise
COLLINS, J T Region 4, Office of Director 82/06/18 LEE, D H
Public Service Co of Colorado 1p 13586 167 24X
Fiche 50-267, 82/06/18, 8206230203

--8206230206 Forwards revised scenario for 1982 emergency preparedness,
exercise & revised observer package Scenario & packages
have shown need for addl radiation monitoring parameters &
minor mods to certain detector readings
WARENBURG, D W Public Service Co of Colorado 82/05/28
COLLINS, J T Region 4, Office of Director Bpp 13586 170 24X
Fiche 50-267, 82/06/18, 8206230203

8206290440 Forwards 820609 ltr identifying various tone alert problems
in public notification sys per 820622 telcon Region 4
reviewing tone alert data previously submitted to util
HACKNEY, C A Division of Emergency Preparedness & Operational
Support 82/06/22 WARENBURG, D W Public Service Co of Colorado
1p 13634 170 24X Fiche 50-267, 82/06/22, 8206290440

--8206290452 Forwards ltr re test of prompt notification sys Addl data
available as result of overall evaluation of tone alert
sys Test results represent 280 door to door visits including
99 not at home & other w/o radios or w/reception problems
ALLEY, N P Federal Emergency Management Agency 82/06/09
COLLINS, J T Region 4, Office of Director Bpp 13634 171 24X
Fiche 50-267, 82/06/22, 8206290440

8206290368 Ack receipt of 820610 ltr w/state duty officer procedure for
early warning alert sys Requests final procedures &
confirmation of placement by 820630
COLLINS, J T Region 4, Office of Director 82/06/25 LEE, D H
Public Service Co of Colorado 1p 13633 351 24X
Fiche 50-267, 82/06/25, 8206290368

--8206290373 Notices of procedural changes re early warning sys,
effective 820630 State duty officer procedures for early
warning alert sys encl
WARENBURG, D W Public Service Co of Colorado 82/06/14
COLLINS, J T Region 4, Office of Director Bpp 13633 352 24X
Fiche 50-267, 82/06/25, 8206290368

--8206290376 State duty officer procedures for early warning alert sys
Colorado, State of 82/06/10 7pp 13633 354 24X
Fiche 50-267, 82/06/25, 8206290368

P Operating license stage documents & correspondence

8206230024 Forwards safety evaluation supporting work performed to cap leak in Sys 46 (liner cooling sys) & to ensure functional capability of reserve shutdown sys Reactor vessel repressurized
WAREMBOURG, D W Public Service Co of Colorado 82/05/07 KUZMYCZ, G
NRC - No Detailed Affiliation Given 21pp 13588 175 24X
Fiche 50-267, 82/05/07, 8206230024

8206230128 Submits comments in response to ORNL 820316 review of NUREG-0737
WAREMBOURG, D W Public Service Co of Colorado 82/05/14 KUZMYCZ, G
NRC - No Detailed Affiliation Given 5pp 13590 241 24X
Fiche 50-267, 82/05/14, 8206230128

820640262 Forwards updated responses to NRC 800825 ltr re electrical power sys
BREY, H L Public Service Co of Colorado 82/05/28 KUZMYCZ, G
Office of Nuclear Reactor Regulation, Director 169pp 13558 041 24X
Fiche 50-267, 82/05/28, 820640262

8206707276 Responds to Generic Ltr 82-10, "Post-TMI 2 Requirements" Many items are still under review & definitive implementation schedules cannot be provided
WAREMBOURG, D W Public Service Co of Colorado 82/06/01 EISENHUT, D O Division of Licensing 5pp 13368 310 24X
Fiche 50-267, 82/06/01, 8206707276

8206210355 Forwards update of NUREG-0737 items scheduled after 820301, in response to Generic Ltr 82-10
WAREMBOURG, D W Public Service Co of Colorado 82/06/01 EISENHUT, D O Division of Licensing 5pp 13559 112 24X
Fiche 50-267, 82/06/01, 8206210355

8206080345 Confirms 820504 telcon re util request for waiver of commitment to perform destructive post-irradiation exam Segment 2 surveillance element
BREY, H L Public Service Co of Colorado 82/06/02 CLARK, R Assistant Director for Operating Reactors 2pp 13418 359 24Y
Fiche 50-267, 82/06/02, 8206080345

8206110333 Forwards Attachment 4 & updated Page 6, Attachment 2, to util 820528 submittal re voltage studies
BREY, H L Public Service Co of Colorado 82/06/07 KUZMYCZ, G
Standardization & Special Projects Branch 6pp 13466 101 24X
Fiche 50-267, 82/06/07, 8206110333

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206210231 Forwards corrected response to Generic Ltr 82-10, "Post-TMI Requirements" Revisions involve errors in paragraph headings, content of original ltr not affected W/o encl
WAREMBOURG, D W Public Service Co of Colorado 82/06/10 EISENHUT, D O Division of Licensing 1p 13560 303 24X
Fiche 50-267, 82/06/10, 8206210231

8206290577 Notification of 820707 meeting w/util, DOE, OA Co, ORNL & PNL to discuss POX graphite specimen test results, use of ORNL test loop for large POX specimens & use of PNL probe to determine POX conditions at facility
KUZMYCZ, G Operating Reactors Branch 3 82/06/22 CLARK, R A Operating Reactors Branch 3 2pp 13659 084 24X
Fiche 50-267, 82/06/22, 8206290577

8206290375 Forwards info re proposed changes to undervoltage relaying as result of studies, replacing info in util 820528 ltr Preliminary info re future Tech Spec submittal, scheduled for Oct 1982, also submitted
BREY, H L Public Service Co of Colorado 82/06/23 KUZMYCZ, G Office of Nuclear Reactor Regulation, Director 9pp 13633 342 24X
Fiche 50-267, 82/06/23, 8206290375

Q Inspection reports, IE Bulletins & correspondence

8206010444 Forwards IE Insp Rept 50-267/82-08 on 820301-31 & notice of violation
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/05/06, LEE, D R Public Service Co of Colorado 2pp 13307 328 24X
Fiche 50-267, 82/05/06, 8206010444

---8206010444 Notice of violation from insp on 820301-31
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/05/06 3pp 13307 330 24X
Fiche 50-267, 82/05/06, 8206010444

---8206010452 IE Insp Rept 50-267/82-08 on 820301-31 Noncompliance noted failure to follow administrative procedures
DICKERSON, M W, PLUMLEE, G L, WESTERMAN, T F Division of Resident, Reactor Project & Engineering Programs 82/04/15 15pp 13307 323 24X
Fiche 50-267, 82/05/06, 8206010444

8206040297 Act receipt of ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-267/81-30 (initial action constructive Course of action to avoid further violations not acceptable Safeguards info withheld (ref 106FR73 21)
COLLINS, J T Region 4, Office of Director 82/05/07 LEE, D R Public Service Co of Colorado 3pp 17353 341 24X
Fiche 50-267, 82/05/07, 8206040297

8206020088 Informs that requirement to answer all notices of violation under oath or affirmation is rescinded NRC, may still exercise option to require oath in specific cases
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/05/26 LEE, D R Public Service Co of Colorado 1p 13322 241 24X
Fiche 50-267, 82/05/26, 8206020088

8207040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 075 24X
Fiche 50-000, 82/05/28, 8207040147

8204210378 IE Info Notice 82-16, "HPCI/RCIG High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/04/28 103pp 13440 264 24X
Fiche 50-000, 82/05/28, 8204210378

8206030065 Provides position re IE Bulletin 80-06, "ESF Reset Controls," per meeting w/NRC in Denver, CO NRC verbal requests for addl testing of protective sys unwarranted
BREY, H L Public Service Co of Colorado 82/05/28 KUZMYCZ, G Standardization & Special Projects Branch 2pp 13336 343 24X
Fiche 50-267, 82/05/28, 8206030065

8206080114 Forwards IE Insp Rept 50-267/82-09 on 820401-30 & notice of violation
MADSEN, G L Region 4, Office of Director 82/05/28 LEE, D R Public Service Co of Colorado 2pp 13423 045 24X
Fiche 50-267, 82/05/28, 8206080114

---8206080118 Notice of violation from insp on 820401-30
* Region 4, Office of Director 82/05/28 2pp 13423 047 24Y
Fiche 50-267, 82/05/28, 8206080114

---8206080122 IE Insp Rept 50-267/82-09 on 820401-30 Noncompliance noted V-6361, gas waste vacuum tank to liquid drain tank, not sealed & appeared closed Nu clearance tag numbers entered on auxiliary tags placed on valves V-11119 & V-11319
DICKERSON, M W, PLUMLEE, G L, WESTERMAN, T F Region 4, Office of Director 82/05/18 11pp 13423 069 24X
Fiche 50-267, 82/05/28, 8206080114

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Contant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X
Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24Y
Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206150339 Forwards monthly operating rept for May 1982
WAREMBOURG, D W Public Service Co of Colorado 82/06/07 Director's Office, Office of Inspection and Enforcement 13503 288 24X
Fiche 50-267, 82/06/07, 8206150339

---8206150343 Monthly operating rept for May 1982
MCBRIDE, L M Public Service Co of Colorado 82/06/07 13503 289 24X
Fiche 50-267, 82/06/07, 8206150339

8206170316 Forwards monthly operating rept for May 1982 W/o
WAREMBOURG, D W Public Service Co of Colorado 82/06/11 OAHMILL, W P Assistant Director for Operating Reactors 13531 297 24X
Fiche 50-267, 82/06/11, 8206170316

DOCKETED ITEMS

S Reportable occurrences, LCRs & related correspondence

9206230142 RD on 820426, crack found extending across min cross-section between coolant hole & one face of fuel element 1-2415 down full length of block to lower exit Caused by mishandling Damage does not extend to dowel pin
WAREMBOURG, D Public Service Co of Colorado 82/05/04 KU2NYCZ, G
NRC - No Detailed Affiliation Given 3pp 13590 303 24X
Fiche 50-267, 82/05/04, 8206230142

8206010559 Forwards LER 82-016/03L-0 Detailed event analysis encl
WAREMBOURG, D, TRAMP, P A, FULLER, C Public Service Co of Colorado
82/05/21 COLLINS, J T Region 4, Office of Director 3pp
13315 346 24X Fiche 50-267, 82/05/21, 8206010559

--8206010564 LER 82-016/03L-0 on 820427, during surveillance testing, Class I hydraulic check & sway suppressor snubber CRS-144 found inoperable Caused by seal & gasket leakage allowing loss of hydraulic oil Snubber rebuilt
FULLER, C Public Service Co of Colorado 82/05/21 Region 4, Office of Director 1p 13315 349 24X Fiche 50-267, 82/05/21, 8206010559

8206020477 PNO-IV-82-021 on 820526, four workers received minor contamination during operation at 70% power w/gas waste compressor A cleared out for maint Caused by gaseous radioactivity leakage from reactor bldg containment tank
WESTERMAN, T F, MADSEN, G L Region 4, Office of Director 82/05/27
1p 13325 258 24X Fiche 50-267, 82/05/27, 8206020477

8206110050 Forwards LER 82-017/03L-0 Detailed event analysis encl.
WAREMBOURG, D Public Service Co of Colorado 82/06/03
COLLINS, J T Region 4, Office of Director 6pp 13465 240 24X
Fiche 50-267, 82/06/03, 8206110050

--8206110057 LER 82-017/03L-0 on 820512, total primary coolant oxidant, exceeded Tech Spec Caused by prolonged maint outage allowing power operated relief valve depressurization Offgassing of core moisture/oxidants resulted when plant returned to svc
FULLER, C Public Service Co of Colorado 82/06/03 Region 4, Office of Director 1p 13465 246 24X Fiche 50-267, 82/06/03, 8206110050

8206100124 PNO-IV-82-024 on 820605, while at 15% reactor power, loss of three essential 480-volt buses occurred Both emergency diesel generators started & sequential loading occurred automatically Reactor scrammed manually
WESTERMAN, T F, MADSEN, G L Region 4, Office of Director. 82/06/07
1p 13449 118 24X Fiche 50-267, 82/06/07, 8206100124

8206180002 RD on 820605, one of two undervoltage relays which monitor reserve auxiliary transformer tripped, causing load shedding of essential buses 1 & 2 Caused by procedural inadequacy
WAREMBOURG, D Public Service Co of Colorado 82/06/09 KU2NYCZ, G
NRC - No Detailed Affiliation Given 3pp 13552 003 24X
Fiche 50-267, 82/06/09, 8206180002

8206220284 Forwards LER 82-021/03L-0 Detailed event analysis encl
WAREMBOURG, D Public Service Co of Colorado 82/06/13
COLLINS, J T Region 4, Office of Director 4pp 13573 252 24X
Fiche 50-267, 82/06/13, 8206220284

--8206220289 LER 82-021/03L-0 on 820517, plant protective sys circulator speed module found reading too low Caused by loose speed switch module pin connector, which made poor connection
Connector reseated & tightened in place
FULLER, C H Public Service Co. of Colorado 82/06/15 Region 4, Office of Director 1p 13573 256 24X Fiche 50-267, 82/06/15, 8206220289

8206220294 Forwards LER 82-020/03L-0 Detailed event analysis encl
WAREMBOURG, D Public Service Co of Colorado 82/06/13
COLLINS, J T Region 4, Office of Director 4pp 13573 265 24X
Fiche 50-267, 82/06/13, 8206220294

--8206230235 LER 82-019/03L-0 on 820518, during feedwater flow surveillance test, circulator 1A speed program switch & two feedwater flow switches were out of calibr Caused by instrument drift Switches recalibr
FULLER, C H Public Service Co of Colorado 82/06/16 Region 4, Office of Director 1p 13586 008 24X Fiche 50-267, 82/06/16, 8206230232

8206250275 Forwards LER 82-022/03L-0 Detailed event analysis encl
WAREMBOURG, D Public Service Co of Colorado 82/06/18
COLLINS, J T Region 4, Office of Director 6pp 13613 020 24X
Fiche 50-267, 82/06/18, 8206250275

--8206250277 LER 82-022/03L-0 on 820521, unplanned radiological release from reactor bldg exhaust stack occurred Caused by isolation valve closure due to personnel error & airborne activity entering containment tank through water traps
FULLER, C H Public Service Co of Colorado 82/06/18 Region 4, Office of Director 6pp 13613 026 24X Fiche 50-267, 82/06/18, 8206250275

DOCKET 50-269 OCONEE NUCLEAR STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206070623 Responds to NRC 811231 ltr re preparedness improvement items & emergency plan deficiencies noted in IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13
PARKER, W O Duke Power Co 82/01/25 O'REILLY, J P, Region 2, Atlanta, Office of the Director (81/03/01) 12pp 13390 018 24X
Fiche 50-269, 82/01/25, 8206070623

--8206070632 Forwards IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/12/31 PARKER, W O Duke Power Co 10pp 13390 030 24X Fiche 50-269, 82/01/25, 8206070623

--8206070645 IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 No noncompliance noted Significant appraisal deficiencies identified in post-accident sampling capability
KEVERN, T A, JENKINS, O R Division of Emergency Preparedness & Operational Support 81/12/24 44pp 13390 040 24X
Fiche 50-269, 82/01/25, 8206070623

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G Debevoise & Liberman 3pp 13434 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070466 Forwards Region 2 incident response plan dtd Mar 1982 Plann issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency w/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PARKER, W O Duke Power Co 1p 13374 214 24X
Fiche 50-000, 82/05/12, 8206070466

8206020034 Releases public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13338 061 24X Fiche 50-000, 82/05/25, 8206020034

DOCKETED ITEMS

87

--B206020041 Forwards public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
PARKER, W O Duke Power Co 82/05/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13338 062 24X
Fiche 50-000, 82/05/25, B206020034

- B206020047 Public version of Revision 4 to crisis mgt plan One oversize brochure encl Aperture cards available in PDR
* Duke Power Co 82/04/15 B0pp 13338 065 24X
Fiche 50-000, 82/05/25, B206020034

A206020058 Public version of revised crisis mgt plan implementing plans/procedures, including Procedures 5 3 1 re recovery manager & immediate staff group plan, 5 3 7 re technical support group & 5 3 16 re quarterly inventory
* Duke Power Co 82/04/30 150pp 13338 145 24X
Fiche 50-000, 82/05/25, B206020034

--B206020064 Public version of revised emergency plan implementing procedures, consisting of Station Directives 2 5 1 re emergency response training program & 3 8 2 re station emergency organization
* Duke Power Co 82/05/05 23pp 13338 342 24X
Fiche 50-000, 82/05/25, B206020034

B206020302 Forwards Revision 8 to security plan Revision withheld (ref 10CFR73 21 & 10CFR73 80)
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13320 284 24X
Fiche 50-269, 82/05/25, B206020302

B206070196 Releases public version of revision to emergency plan & emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p 13427 031 24X Fiche 50-269, 82/05/27, B206070196

--B206070204 Forwards public version of Revision 4 to emergency plan & revised emergency plan implementing procedures, including Procedures PT/O/B/2000/04 re establishment & insp of technical support ctr
PARKER, W O Duke Power Co 82/05/18 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13427 032 24X Fiche 50-269, 82/05/27, B206070196

--B206070208 Public version of Revision 4 to emergency plan
SMITH, J E Duke Power Co 82/04/30 22pp 13427 034 24X
Fiche 50-269, 82/05/27, B206070196

--B206070214 Public version of revised emergency plan implementing procedures, including Procedures PT/O/B/2000/04 re establishment of technical support ctr & IP/O/B/1601/3 re environ equipment check Revised table of contents encl
SMITH, J E Duke Power Co 82/05/07 100pp 13427 036 24X
Fiche 50-269 82/05/27, B206070196

B206300095 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/22 Document Management Branch 1p 13678 295 24X Fiche 50-269, 82/06/22, B206300095

--B206300098 Forwards public version of revised emergency plan implementing procedures, including Procedure HP/O/1009/10 re procedures for quantifying gaseous releases through steam relief valves under post-accident conditions
PARKER, W O Duke Power Co 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 1p 13678 296 24X Fiche 50-269, 82/06/22, B206300095

--B206300101 Public version of revised emergency plan implementing procedures, including Procedure HP/O/1009/10 re procedures for quantifying gaseous releases through steam relief valves under post-accident conditions
COV, S A, OWEN, T B Duke Power Co 82/05/06 8pp 13678 297 24X Fiche 50-269, 82/06/22, B206300095

P Operating license stage documents & correspondence

B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, B206230007

--B11170117 Summary of B11023 meeting to assess in-house availability & completeness of control sys info on operating plant for A-47 reviews Meeting scheduled for B1109 to discuss findings of nonsafety control info
SZUKIEWICZ, A J Generic Issues Branch 81/10/28 KNIEL, K Generic Issues Branch 3pp 13605 347 24X Fiche 50-000, 82/04/29, B206230007

--B11230007 Submits alternate recommendations for facilities to be reviewed re designs & identification of control sys whose failure would have significant safety implications
SZUKIEWICZ, A J Generic Issues Branch 81/10/07 BASDEKAS, D L Instrumentation & Control Branch 4p 69710 239 24X
Fiche 50-000, 82/04/29, B206230007

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B202170408 Forwards safety evaluation re NUREG-0737, Item II K 2 9, "Failure Mode Effects Analysis on Integrated Control Sys" Plant design meets all regulatory requirements
SPEIS, T P Assistant Director for Reactor Safety 82/01/28 NOVAK, T Assistant Director for Operating Reactors 7pp 13639 075 24X Fiche 50-000, 82/05/12, B206280071

B206030225 Forwards design proposal "Instrumentation to Detect Inadequate Core Cooling" Rept submitted in response to NUREG-0737, Item II F 2
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13337 147 24X Fiche 50-269, 82/05/25, B206030225

--B206030230 "Instrumentation to Detect Inadequate Core Cooling," design proposal
* Duke Power Co 82/05/24 17pp 13337 149 24X
Fiche 50-269, 82/05/25, B206030225

B206040349 Forwards addl info re upgraded senior reactor operator & reactor operator training & training for mitigating core damage, in response to B20406 request.
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 28pp 13354 076 24X Fiche 50-269, 82/05/25, B206040349.

B206240455 Forwards Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively & notice of issuance & availability Amends delete Sections 1 1 & 1 2 from App B to Tech Specs
WAGNER, P C Operating Reactors Branch 4 82/05/27 PARKER, W O Duke Power Co 4pp 13620 122 24X Fiche 50-269, 82/05/27, B206240455

--B206240458 Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively, deleting Sections 1 1, "Station Cooling Water Sys Thermal Limits" & 1 2, "Chemical Discharge Limits," from App B to Tech Specs
STOLZ, J F Operating Reactors Branch 4 82/05/27 9pp 13620 126 24X Fiche 50-269, 82/05/27, B206240455

--B206240459 Notice of issuance & availability of Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively
STOLZ, J F Operating Reactors Branch 4 82/05/27 2pp 13620 135 24X Fiche 50-269, 82/05/27, B206240455

B206080183 Forwards response to B20219 info request re environ qualification of TMI action items & response to IE Bulletin 79-01B, "Environ Qualification of Class IE Equipment"
PARKER, W O Duke Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 48pp 13420 262 24X
Fiche 50-269, 82/06/01, B206080183

B206110285 Responds to Generic Ltr B2-10 request for status of completion of certain NUREG-0737 items scheduled for implementation after B20301 Tabulation encl
PARKER, W O Duke Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 5pp 13467 074 24X Fiche 50-269, 82/06/04, B206110285.

B206170176 Forwards, "Audit of Ocone Procedures & Training for Pressurized Thermal Shock"
DEFFERDING, L J Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-2512 82/06/04 CLIFFORD, J NRC - No Detailed Affiliation Given 1p 13934 166 24X Fiche 50-269, 82/06/04, B206170176

--B206170178 "Audit of Oconee Procedures & Training For Pressurized Thermal Shock"
* Battelle Memorial Institute, Pacific Northwest Laboratory
B-2512 B2/06/04 NRC - No Detailed Affiliation Given 4pp
13534 167 24X Fiche 50-269, B2/05/04, B206170178

B206180011 Forwards request for addl info re adequacy of station electric distribution sys voltages Response requested within 60 days of ltr receipt
STOLZ, J F Operating Reactors Branch 4 B2/04/08 PARKER, W D
Duke Power Co 3pp 13576 084 24X Fiche 50-269, B2/05/08
B206180041

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing B2/06/07 HAUSFELD, A
Consolidated Edison Co of New York TAYLOR, M K Dallas Power & Light Co 13pp 13557 349 24X Fiche 50-000, B2/06/07, B206090153

B206250362 Forwards draft "Audit of Oconee Procedures & Training for Pressurized Thermal Shock Rept presents results of B20911-14 visit
WAGNER, P C Operating Reactors Branch 4 B2/06/09 PARKER, W D
Duke Power Co 2pp 13530 004 24X Fiche 50-269, B2/06/09, B206250362

--B206250365 "Audit of Oconee Procedures & Training for Pressurized Thermal Shock," draft
* Battelle Memorial Institute, Pacific Northwest Laboratory
B2/06/09 NRC - No Detailed Affiliation Given 4pp
13630 007 24X Fiche 50-269, B2/06/09, B206250362

B206180184 Notifies that response to B20311 questions re low temp overpressure protection will be delayed until B20702 Delay due to manpower limitations & other higher priority issues
PARKER, W D Duke Power Co B2/06/11 BENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13593 072 24X Fiche 50-269, B2/06/11, B206180184

B206250375 Notification of B20720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program
VIGGINS, D S Operating Reactors Branch 4 B2/06/17 STOLZ, J F
Operating Reactors Branch 4 2pp 13630 063 24X Fiche 50-000, B2/06/17, B206250375

9 Inspection reports, IE Bulletins & correspondence

B206070623 Responds to NRC 811231 ltr re preparedness improvement items & emergency plan deficiencies noted in IE Emergency Preparedness Appraisal Repts 50-269/B1-13, 50-270/B1-13 & 50-287/B1-13
PARKER, W D Duke Power Co B2/01/25 O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 12pp 13390 018 24X Fiche 50-269, B2/01/25, B206070623

--B206070632 Forwards IE Emergency Preparedness Appraisal Repts 50-269/B1-13, 50-270/B1-13 & 50-287/B1-13 on 810824-0903 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/12/31 PARKER, W D Duke Power Co 10pp 13390 030 24X Fiche 50-269, B2/01/25, B206070623

--B206070645 IE Emergency Preparedness Appraisal Repts 50-269/B1-13, 50-270/B1-13 & 50-287/B1-13 on 810824-0903 No noncompliance noted Significant appraisal deficiencies identified in post-accident sampling capability
KEVERN, T A, MARSTON, R R, MCFARLAND, C R Division of Emergency Preparedness & Operational Support 81/12/24 44pp 13390 040 24X Fiche 50-269, B2/01/25, B206070623

B206070125 Forwards evaluation supporting relief from ASME code requirements for core flood nozzle welds Decision is based on re evaluation of B20408 decision
LEWIS, R C Operating Reactors Branch 4 B2/05/17 PARKER, W D
Duke Power Co 4pp 13424 360 24X Fiche 50-269, B2/05/17, B206070125

B206070125 Safety evaluation supporting relief request for facility inspection program Request granted based on re consideration of original decision
* Operating Reactors Branch 4 B2/05/17 4pp 13424 360 24X Fiche 50-269, B2/05/17, B206070125

--B206070132 Notice granting relief from ASME code Section XI Insertion Insp of Nuclear Power Plant Components
STOLZ, J F Operating Reactors Branch 4 B2/05/17 2pp 13424 360 24X Fiche 50-269, B2/05/17, B206070125

B206070173 Ack receipt of B20528 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-269/B2-09 & 50-270/B2-09 & 50-287/B2-09
LEWIS, R C Division of Project & Resident Programs B2/05/21 PARKER, W D Duke Power Co 1p 13390 001 24X Fiche 50-269, B2/05/21, B206070173

--B206070721 Responds to NRC B20704 ltr re violations noted in IE Insp Repts 50-269/B2-09 50-270/B2-09 & 50-287/B2-09 Corrective actions computer alarms & stalwarts being modified to include Group B position limits
PARKER, W D Duke Power Co B2/04/28 O'REILLY, J P Region 2, Office of the Director 3pp 13390 002 24X Fiche 50-269, B2/05/21, B206070713

--B206070732 Forwards IE Insp Repts 50-269/B2-09, 50-270/B2-09 & 50-287/B2-09 on B20210-0310 & notice of violation
LEWIS, R C Division of Project & Resident Programs B2/04/04 PARKER, W D Duke Power Co 2pp 13390 003 24X Fiche 50-269, B2/05/25, B206070713

--B206070737 Notice of violation from insp on B20210-0310
* Division of Project & Resident Programs B2/04/02 1p 13390 007 24X Fiche 50-269, B2/05/25, B206070713

--B206070748 IE Insp Repts 50-269/B2-09, 50-270/B2-09 & 50-287/B2-09 on B20210-0310 Noncompliance noted Failure to follow procedure in calculating radioactive discharge & operating axial power shaping rods in violation of spec limits
ORDERS, W, BRYANT, J C Division of Project & Resident Programs B2/04/02 9pp 13390 008 24X Fiche 50-269, B2/05/25, B206070713

B206220222 Forwards IE Insp Repts 50-269/B2-07, 50-270/B2-07 & 50-287/B2-07 on B20510-14 No noncompliance noted
DANCE, H C Division of Project & Resident Programs B2/05/21 PARKER, W D Duke Power Co 2pp 13571 312 24X Fiche 50-269, B2/05/27, B206220222

--B206220222 IE Insp Repts 50-269/B2-07, 50-270/B2-07 & 50-287/B2-07 on B20510-14 No noncompliance noted Major areas inspected license action on previous enforcement matters, organization & administration training & procedures
SKINNER, P H, UPRIGHT, C M Division of Engineering & Technical Programs B2/05/27 5pp 13571 314 24X Fiche 50-269, B2/05/27, B206220222

B202040147 IE Info Notice B2-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/05/28 107pp 13426 095 24X Fiche 50-000, B2/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance B2/05/28 103pp 13440 264 24X Fiche 50-000, B2/05/28, B204210378

B206070366 Forwards IE Safeguards Insp Repts 50-269/B2-16, 50-270/B2-16 & 50-287/B2-16 on B20516-20 No noncompliance noted
DANCE, H C Division of Project & Resident Programs B2/06/01 PARKER, W D Duke Power Co 2pp 13363 001 24X Fiche 50-269, B2/06/01, B206070366

--B206070385 IE Safeguards Insp Repts 50-269/B2-16, 50-270/B2-16 & 50-287/B2-16 on B20516-20 No noncompliance noted Major areas inspected security plan, physical barriers, lighting & alarm stations Details withheld (ref 10CFR73, 21)
HALL, B L, MCQUIRE, D R Division of Engineering & Technical Programs B2/06/01 1p 13363 003 24X Fiche 50-269, B2/06/01, B206070366

8206070738 Expresses appreciation for cooperation during J Furet site visit
D'REILLY, J P Region 2, Office of Director 82/06/01 SMITH, J L
Duke Power Co 1p 13387 166 24X Fiche 50-269, 82/06/01, 8206070738

8206080183 Forwards response to 820219 info request re environ qualification of TMI action items & response to IE Bulletin 79-01B, "Environ Qualification of Class IE Equipment"
PARKER, W O Duke Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 48pp 13420 262 24X Fiche 50-269, 82/06/01, 8206080183

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206180081 Forwards response to NRC 820315 request for addl info re IE Bulletin 80-11, "Masonry Wall Design"
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 133pp 13552 016 24X Fiche 50-269, 82/06/15, 8206180081

8206250181 Clarifies util 810601 request for relief from volumetric exam of reactor vessel support skirt-to-vessel weld, in response to NRC 820408 ltr Surface exam of outside surface equivalent to inside surface exam
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13613 283 24X Fiche 50-269, 82/06/15, 8206250181

8206250366 Forwards notice granting exemption from 10CFR50 App H in-vessel matl surveillance program requirements for 5-yr term
EISENHUT, D O Division of Licensing 82/06/16 PARKER, W O Duke Power Co 4pp 13630 053 24X Fiche 50-269, 82/06/16, 8206250366

--8206250370 Exemption from in-vessel matl surveillance program requirements for 5-yr term
STOLZ, J F Operating Reactors Branch 4 82/06/16 Duke Power Co 2pp 13630 037 24X Fiche 50-269, 82/06/16, 8206250366

8206240310 EN-82-021 on 820625, notice of violation & notice of proposed imposition of civil penalties in amount of \$44,000 to be issued, based on failure to ensure procedures that effect safe operation of facility are followed
BARBER, G, LIEBERMAN, J Region 1, Office of Director 82/06/22 1p 13597 017 24X Fiche 50-269, 82/06/22, 8206240310

R Periodic operating reports & related correspondence

8206210072 Forwards monthly operating repts for May 1982
PARKER, W O Duke Power Co 82/06/15 Director's Office, Office of Inspection and Enforcement 1p 13560 009 24X Fiche 50-269, 82/06/15, 8206210072

--8206210077 Monthly operating repts for May 1982
REAVIS, J A Duke Power Co 82/06/15 17pp 13560 010 24X Fiche 50-269, 82/06/15, 8206210072

V Operator Examinations

8206010027 Informs that third operator feedback workshop is to be held on 820525-26 in Atlanta, GA to discuss NRC policy on overtime, operator licensing, exams & requirement for second senior reactor operator on shift as of 820701
STOLZ, J F Operating Reactors Branch 4 82/05/10 PARKER, W O Duke Power Co 3pp 13319 337 24X Fiche 50-269, 82/05/10, 8206010027

DOCKET 50-270 OCONEE NUCLEAR STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206070623 Responds to NRC 811201 ltr re preparedness improvement items & emergency plan deficiencies noted in IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13
PARKER, W O Duke Power Co 82/01/25 D'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 12pp 13390 018 24X Fiche 50-269, 82/01/25, 8206070623

--8206070632 Forwards IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
D'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/12/31 PARKER, W O Duke Power Co 10pp 13390 030 24X Fiche 50-269, 82/01/25, 8206070623

--8206070645 IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 No noncompliance noted Significant appraisal deficiencies identified in post-accident sampling capability
KEVERN, T A, JENKINS, O R Division of Emergency Preparedness & Operational Support 81/12/24 44pp 13370 040 24X Fiche 50-269, 82/01/25, 8206070623

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debovolise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
D'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, D K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070466 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/O encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PARKER, W O Duke Power Co 1p 13374 214 24X Fiche 50-000, 82/05/12, 8206070466

8206020034 Releases public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13338 061 24X Fiche 50-000, 82/05/25, 8206020034

--8206020041 Forwards public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
PARKER, W O Duke Power Co 82/05/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13338 062 24X Fiche 50-000, 82/05/25, 8206020034

--8206020047 Public version of Revision 4 to crisis mgt plan One oversize brochure encl Aperture cards available in PDR
* Duke Power Co 82/04/15 80pp 13338 065 24X Fiche 50-000, 82/05/25, 8206020034

--8206020058 Public version of revised crisis mgt plan implementing plans/procedures, including Procedures 5.3 1 re recovery manager & immediate staff group plan, 5.3 7 re technical support group & 5.3 16 re quarterly inventory
* Duke Power Co 82/04/30 150pp 13338 145 24X Fiche 50-000, 82/05/25, 8206020034

8206020302 Forwards Revision 8 to security plan Revision withheld (ref 10CFR73 21 & 10CFR73 80)
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13320 284 24X Fiche 50-269, 82/05/25, 8206020302

B206070196 Releases public version of revision to emergency plan & emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/27 Document
Management Branch 1p 13427 031 24X Fiche 50-269, 82/05/27,
B206070196

--B206070204 Forwards public version of Revision 4 to emergency plan & revised emergency plan implementing procedures, including Procedures PT/O/B/2000/04 re establishment & insp of technical support ctr
PARKER, W O Duke Power Co 82/05/18 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13427 032 24X Fiche 50-269, 82/05/18, B206070196

--B206070208 Public version of Revision 4 to emergency plan
SMITH, J E Duke Power Co 82/04/30 22pp 13427 024 24X Fiche 50-269, 82/05/27, B206070196

--B206070214 Public version of revised emergency plan implementing procedures, including Procedures PT/O/B/2000/04 re establishment of technical support ctr & IP/O/B/1601/3 re environ equipment check Revised table of contents encl
SMITH, J E Duke Power Co 82/05/07 100pp 13427 055 24X Fiche 50-269, 82/05/27, B206070196

B206300095 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/22 Document
Management Branch 1p 13678 295 24X Fiche 50-269, 82/06/22, B206300095

--B206300098 Forwards public version of revised emergency plan implementing procedures, including Procedure HP/O/1009/10 re procedures for quantifying gaseous releases through steam relief valves under post-accident conditions
PARKER, W O Duke Power Co 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 1p 13678 296 24X Fiche 50-269, 82/06/12, B206300095

--B206300101 Public version of revised emergency plan implementing procedures, including Procedure HP/O/1009/10 re procedures for quantifying gaseous releases through steam relief valves under post-accident conditions
COY, S A ; QWEN, T B Duke Power Co 82/05/06 8pp 13678 244 24X Fiche 50-269, 82/06/22, B206300095

P Operating license stage documents & correspondence

B204300003 Responds to FOIA request for five categories of documents re Sept 1977 rept, "Recommendations of TMI-2 IE Investigation Team " Approx 170 pages of matl being placed in PDR
FELTON, J M Division of Rules and Records 82/04/02 WEISS, E R Union of Concerned Scientists 1p 12920 032 24X Fiche 50-000, 82/04/02, B204300003

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp, 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates 801222 memo re decisions for degraded cooling rulemaking. Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIRO, G S Reactor Systems Standards Branch 81/02/02 ARLOTT, O A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, B206280071

--B202170408 Forwards safety evaluation re NUREG-0737, Item II K 2.9, "Failure Mode Effects Analysis on Integrated Control Sys " Plant design meets all regulatory requirements
SPEIS, T P Assistant Director for Reactor Safety 82/01/28 NOVAK, T Assistant Director for Operating Reactors 7pp 13637 075 24X Fiche 50-000, 82/05/12, B206280071

B206030225 Forwards design proposal "Instrumentation to Detect Inadequate Core Cooling." Rept submitted in response to NUREG-0737, Item II F 2
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13337, 147, 24X Fiche 50-269, 82/05/25, B206030225

--B206030230 "Instrumentation to Detect Inadequate Core Cooling." design proposal
PARKER, W O Duke Power Co 82/05/24 17pp, 13337-149 24X Fiche 50-269, 82/05/25, B206030225

B206040247 Forwards addl info re upgraded senior reactor operator & reactor operator training & training for mitigating core damage in response to B20406 request
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 28pp 13334 076 24X Fiche 50-269, 82/05/25, B206040247

B206240455 Forwards Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55 respectively & notice of issuance & availability
Amends delete Sections 1.1 & 1.2 from App B to Tech Specs & App E, P of Operating Reactors Branch 4 82/05/27 PARKER, W O Duke Power Co App 12, 20 122 24X Fiche 50-269, 82/05/27, B206240455

-- B206240456 Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55 respectively, deleting sections 1.1, "Station Cooling Water Sys Transm. Limits " & 1.2, "Chemical Discharge Limits " from App B to Tech Specs
STOLZ, J F Operating Reactors Branch 4 82/05/27 9pp 12420 126 24X Fiche 50-269, 82/05/27, B206240455

B206240459 Notice of issuance & availability of Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively
STOLZ, J F Operating Reactors Branch 4 82/05/27 2pp 13620 135 24X Fiche 50-269, 82/05/27, B206240455

B206060183 Forwards response to B20214 info request re environ qualification of TMI action items' response to IE Bulletin 79-31B, "Environ Qualification of Class IE Equipment "
PARKER, W O Duke Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 48pp 13420 262 24X Fiche 50-269, 82/06/01, B206060183

B206110285 Responds to Generic Ltr 82-10 request for status of completion of certain NUREG-0737 items scheduled for implementation after B20301 Tabulation encl
PARKER, W O Duke Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 5pp 13467 074 24X Fiche 50-269, 82/06/04, B206110285

B206180041 Forwards request for addl info re adequacy of station electric distribution sys voltages Response requested within 60 days of ltr receipt
STOLZ, J F Operating Reactors Branch 4 82/06/08 PARKER, W O Duke Power Co 3pp 13570 084 24X Fiche 50-269, 82/06/08, B206180041

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event H/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York TANNER, M H Dallas Power & Light Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206180184 Notifies that response to B20311 questions re low temp overpressure protection will be delayed until B20702 Delay due to manpower limitations & other higher priority issues
PARKER, W O Duke Power Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13593 072 24X Fiche 50-269, 82/06/11, B206180184

B206220308 Advises that due to extended forced power reduction, portion of power escalation testing conducted at 60% full power rather than 75% Power reduction due to inoperable HPI Test results to be provided within 70 days of 100% testing
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13571 043 24X Fiche 50-270, 82/06/15, B206220308

B206250375 Notification of B20720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program
VIBBS, G S Operating Reactors Branch 4 82/06/17 STOLZ, J F Operating Reactors Branch 4 2pp 13630 063 24X Fiche 50-000, 82/06/17, B206250375

Q Inspection reports, IE Bulletins & correspondence

B206070623 Responds to NRC 811231 ltr re preparedness improvement item & emergency plan deficiencies noted in IE Emergency Preparedness Appraisal Repts 50-269/B1-13, 50-270/B1-13 & 50-287/B1-13
PARKER, W O Duke Power Co 82/01/25 O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 12pp 13390 018 24X Fiche 50-269, 82/01/25, B206070623

- B206070622 Forwards IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director 81/03/01, 81/12/31 PARKER, W O Duke Power Co 10pp 13390 030 24X Fiche 50-269, 82/01/25, 8206070623
- B206070645 IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 No noncompliance noted Significant appraisal deficiencies identified in post-accident sampling capability
KEVERN, T A, MARSTON, R R, MCFARLAND, C R Division of Emergency Preparedness & Operational Support 81/12/24 44pp 13390 010 21X Fiche 50-269, 82/01/25, 8206070623
- B206070350 Forwards IE Insp Repts 50-269/82-13, 50-270/82-13 & 50-287/82-13 on 820429-30 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/13 PARKER, W O Duke Power Co 2pp 13363 113 24X Fiche 50-269, 82/05/13, 8206070350
- 8206070350 IE Insp Repts 50-269/82-13, 50-270/82-13 & 50-287/82-13 on 820429-30 No noncompliance noted Major areas inspected once through steam generator auxiliary feedwater ring heater distortion damage on Unit 3
ECONOMOS, N J, HERDT, A R Region 2, Office of Director 82/05/11 4pp 13363 115 24X Fiche 50-269, 82/05/13, 8206070350
- B206070125 Forwards evaluation supporting relief from ASME code requirements for core flood nozzle welds Decision is based on re-evaluation of 820408 denial
WAGNER, P C Operating Reactors Branch 4 82/05/17 PARKER, W O Duke Power Co App 13424 356 24X Fiche 50-269, 82/05/17, 8206070125
- B206070128 Safety evaluation supporting relief request for facility inservice testing program Request granted based on reconsideration of original decision
* Operating Reactors Branch 4 82/05/17 2pp 13424 360 24X Fiche 50-269, 82/05/17, 8206070125
- B206070138 Notice granting relief from ASME code, Section XI, "Rules for Inservice Insp of Nuclear Power Plant Components"
STOLZ, J F Operating Reactors Branch 4 82/05/17 2pp 13424 362 24X Fiche 50-269, 82/05/17, 8206070138
- B206070713 Ack receipt of 820428 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09
LEWIS, R C Division of Project & Resident Programs 82/05/25 PARKER, W O Duke Power Co 1p 13390 001 24X Fiche 50-269, 82/05/25, 8206070713
- B206070721 Responds to NRC 820304 ltr re violations noted in IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09 Corrective actions computer alarms & stalalarms being modified to include Group B position limits
PARKER, W O Duke Power Co 82/04/28 O'REILLY, J P Region 2, Office of Director 3pp 13390 002 24X Fiche 50-269, 82/05/25, 8206070713
- B206070732 Forwards IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09 on 820210-0310 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/02 PARKER, W O Duke Power Co 2pp 13390 009 24X Fiche 50-269, 82/05/25, 8206070713
- B206070737 Notice of violation from insp on 820210-0310
* Division of Project & Resident Programs 82/04/02 1p 13390 007 24X Fiche 50-269, 82/05/25, 8206070713
- B206070748 IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09 on 820210-0310 Noncompliance noted Failure to follow procedure in calculating radioactive discharge & operating axial power shaping rods in violation of spec limits
ORDERS, W J, BRYANT, J C Division of Project & Resident Programs 82/04/02 9pp 13390 008 24X Fiche 50-269, 82/05/25, 8206070713
- B206220222 Forwards IE Insp Repts 50-269/82-07, 50-270/82-07 & 50-287/82-07 on 820510-14 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/27 PARKER, W O Duke Power Co 2pp 13371 312 24X Fiche 50-269, 82/05/27, 8206220222
- B206220226 IE Insp Repts 50-269/82-07, 50-270/82-07 & 50-287/82-07 on 820510-14 No noncompliance noted Major areas inspected
licensee action on previous enforcement matters, organization & administration training & procedures
SKINNER, P H, UPRIGHT, C M Division of Engineering & Technical Programs 82/05/27 3pp 13371 314 24X Fiche 50-269, 82/05/27, 8206220222
- B202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147
- B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378
- B206070366 Forwards IE Safeguards Insp Repts 50-269/82-16, 50-270/82-16 & 50-287/82-16 on 820516-20 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/06/01 PARKER, W O Duke Power Co 2pp 13363 001 24X Fiche 50-269, 82/06/01, 8206070366
- B206070385 IE Safeguards Insp Repts 50-269/82-16, 50-270/82-16 & 50-287/82-16 on 820516-20 No noncompliance noted Major areas inspected security plan, physical barriers, lighting & alarm stations Details withheld (ref 10CFR73.21)
HALL, S L, MCQUIRE, D R Division of Engineering & Technical Programs 82/06/01 1p 13363 003 24X Fiche 50-269, 82/06/01, 8206070366
- B206070738 Expresses appreciation for cooperation during J Furet site visit
O'REILLY, J P Region 2, Office of Director 82/06/01 SMITH, J E Duke Power Co 1p 13389 166 24X Fiche 50-269, 82/06/01, 8206070738
- B206080183 Forwards response to 820219 info request re environ qualification of RMI action items & response to IE Bulletin 77-01B, "Environment Qualification of Class IE Equipment"
PARKER, W O Duke Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 48pp 13420 262 24X Fiche 50-269, 82/06/01, 8206080183
- B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13927 150 24X Fiche 50-000, 82/06/02, 8204210380
- B206140295 Forwards "Summary Rept of 10-yr Inservice Insp of Reactor Vessel Welds"
PARKER, W O Duke Power Co 82/06/02 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 1p 13490 066 24X Fiche 50-270, 82/06/02, 8206140295
- B206140302 "Summary Rept of 10-yr Inservice Insp of Reactor Vessel Welds"
PITZ, P L, HACKER, M O, ABELL, Q E Babcock & Wilcox Co 82/05/25 20pp 13490 067 24X Fiche 50-270, 82/06/02, 8206140295
- B204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383
- B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mail by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384
- B206180081 Forwards response to NRC 820315 request for addl info re IE Bulletin 80-11, "Masonry Wall Design"
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 133pp 13552 016 24X Fiche 50-269, 82/06/15, 8206180081
- B206230181 Clarifies util 810601 request for relief from volumetric exam of reactor vessel support skirt-to-vessel weld, in response to NRC 820408 ltr Surface exam of outside surface equivalent to inside surface exam
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13613 289 24X Fiche 50-269, 82/06/15, 8206230181
- B206250366 Forwards notice granting exemption from 10CFR50 App H in-vessel mail surveillance program requirements for 5-yr term
EISENHUT, D O Division of Licensing 82/06/16 PARKER, W O Duke Power Co 4pp 13630 053 24X Fiche 50-269, 82/06/16, 8206250366
- B206250370 Exemption from in-vessel mail surveillance program requirements for 5-yr term
STOLZ, J F Operating Reactors Branch 4 82/06/16 Duke Power Co 2pp 13630 057 24X Fiche 50-269, 82/06/16, 8206250366

DOCKETED ITEMS

R Periodic operating reports & related correspondence

8206210072 Forwards monthly operating repts for May 1982
PARKER, W D Duke Power Co 82/06/15 Director's Office, Office
of Inspection and Enforcement 1p 13560 009 24X
Fiche 50-271, 82/06/15, 8206210072

--8206210077 Monthly operating repts for May 1982
REAVIS, J A Duke Power Co 82/06/15 17pp 13560 010 24X
Fiche 50-269, 82/06/15, 8206210072

V Operator Examinations

8206010027 Informs that third operator feedback workshop is to be held
on 820525-26 in Atlanta, GA to discuss NRC policy on
overtime, operator licensing, exams & requirement for second
senior reactor operator on shift as of 820701
STOLZ, J F Operating Reactors Branch 4 82/05/10 PARKER, W D
Duke Power Co 3pp 13319 357 24X Fiche 50-269, 82/05/10,
8206010027

DOCKET 50-271 VERMONT YANKEE NUCLEAR POWER STATION

F Security, medical, emergency & fire protection plans

8206080192 Informs that NRC has granted util 60-day grace period after
receipt of encl exemption to complete submittal re fire
protection rule scheduler requirements
DENTON, H R Office of Nuclear Reactor Regulation, Director
82/05/10 SMITH, R L Vermont Yankee Nuclear Power Corp 3pp
13442 112 24X Fiche 50-271, 82/05/10, 8206080192

--8206080195 Exemption granting 60-day grace period for completion of
fire protection reassessment
DENTON, H R Office of Nuclear Reactor Regulation, Director
82/05/10 Vermont Yankee Nuclear Power Corp 37pp 13442 115
24X Fiche 50-271, 82/05/10, 8206080192

8206030199 Expresses profound appreciation for outstanding effort on
part of Region 1 in investigating & analyzing 820424
emergency exercise Cooperation by Region 1 personnel greatly
contributed to fulfilling duties to public
SAUDEK, R H Vermont, State of 82/05/19 HAYNES, R C Region 1,
Office of Director 2pp 13337 312 24X Fiche 50-271, 82/05/19,
8206030199

8206180027 Responds to 820421 ltr re Revision 5 to physical security
plan Revision consistent w/provisions of 10CFR50.54(p)
VASSALLO, D B Operating Reactors Branch 2 82/06/01 SINCLAIR, J B
Vermont Yankee Nuclear Power Corp 2pp 13570 079 24X
Fiche 50-271, 82/06/01, 8206180027

8206140024 Responds to 800922-1003 health physics appraisal Necessary
procedure revisions made to ensure whole body counter will
be calibr per ANSI N343 by 820901 Plant procedures revised
to include internal dosimetry program
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/06/08
HAYNES, R C Region 1, Office of Director 4pp 13484 343 24X
Fiche 50-271, 82/06/08, 8206140024

8206220511 Ack receipt of 820601 ltr informing NRC of corrective &
preventive actions re emergency public notification sys, in
response to NRC 820415 ltr
SMITH, Q H Division of Emergency Preparedness & Operational Support
82/06/11 SINCLAIR, J B Vermont Yankee Nuclear Power Corp 1p
13581 130 24X Fiche 50-271, 82/06/11, 8206220511

--8206220520 Submits status of augmentation of emergency public
notification sys within emergency planning zone, in response
to NRC 820415 ltr
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/01
SMITH, Q H Division of Emergency Preparedness & Operational
Support 3pp 13581 131 24X Fiche 50-271, 82/06/11, 8206220511

8206210283 Discusses notification drills conducted to evaluate
augmentation capabilities, per NUREG-0654, Table B-1
Sufficient staff augmentation achieved Drill results encl
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/06/15
SMITH, Q H Division of Emergency Preparedness & Operational Support,
2pp 13558 126 24X Fiche 50-271, 82/06/15, 8206210283

8206250183 Forwards addl info re NUREG-0737, Item III A 1 2, "Upgrade
Emergency Support Facilities," to complete review of util
emergency organization/program
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/06/22
VASSALLO, D B Operating Reactors Branch 2 3pp 13613 278 24X
Fiche 50-271, 82/06/22, 8206250183

8206300100 Releases public version of revised emergency plan
implementing procedures
FELTON, J M Division of Files and Records 82/06/23 Document
Management Branch 1p 13684 247 24X Fiche 50-271, 82/06/23,
8206300100

- 8206300103 Forwards public version of revised emergency plan
implementing procedures including Procedures O P 3501 re
alert-security shift supervisor & O P 3503 re general
emergency-security shift supervisor Receipt form encl
MARKT, D Vermont Yankee Nuclear Power Corp 82/06/14 Office
of Nuclear Reactor Regulation, Director 1p 13684 248 24X
Fiche 50-271, 82/06/23, 8206300100

--8206300108 Public version of revised emergency plan implementing
procedures, including Procedures O P 3501 re alert-
security shift supervisor & O P 3503 re general emergency-
security shift supervisor
* Vermont Yankee Nuclear Power Corp 82/06/10 10pp 13684 247
24X Fiche 50-271, 82/06/23, 8206300100

P Operating license stage documents & correspondence

8206010417 Clarifies State of VT concern that util receive most severe
sanctions warranted by 820424 event, particularly failure of
licensed operators to recognize activation of ECPS
SAUDEK, R H Vermont, State of 82/05/20 HAYNES, R C Region 1,
Office of Director 2pp 13313 249 24X Fiche 50-271, 82/05/10,
8206010417

8206020382 Requests NRC decision re util position that presently
installed feedwater spargers do not require replacement as
defined in NUREG-0619 Addl info/commitments re future util
plans in response to NRC request encl
SMITH, R L Vermont Yankee Nuclear Power Corp 82/05/27
EISENHUT, D O Division of Licensing 2pp 13326 333 24X
Fiche 50-271, 82/05/27, 8206020382

8206020405 Responds to Items 1 & 2 of NRC 811208 request for info re
purging & venting generic concerns increased seat leakage
test frequency not deemed most effective Debris screen
installation evaluated during next outage
EDWARDS, D W Vermont Yankee Nuclear Power Corp 82/05/27
VASSALLO, D B Operating Reactors Branch 2 2pp 13326 241 24X
Fiche 50-271, 82/05/27, 8206020405

8206020448 Forwards completion status of certain NUREG-0737 items, in
response to NRC 820317 ltr
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/05/27
VASSALLO, D B Operating Reactors Branch 2 5pp 13326 327 24X
Fiche 50-271, 82/05/27, 8206020448

8206080246 Informs that licensee 820301 commitments & exceptions made
to requirements of Reg Guide 1.58, Revision 1 & Reg Guide
1.146 in response to Generic Ltr 81-01 are acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/28 JOHNSON, W P
Yankee Atomic Electric Co 2pp 13420 164 24X
Fiche 50-000, 82/05/28, 8206080246

8206080353 Application to amend License DPR-28, providing limiting
condition for operation, surveillance requirements & bases
for deintering containment during reactor operation,
performing minor maint/insp & intering containment
HEIDER, L H Vermont Yankee Nuclear Power Corp 82/06/02 Office
of Nuclear Reactor Regulation, Director 2pp 13416 220 24X
Fiche 50-271, 82/06/02, 8206080353

--8206080355 Proposed Tech Spec changes re limiting condition for
operation, surveillance requirements & bases for deintering
containment during reactor operation, performing minor maint/
insp & intering containment
* Vermont Yankee Nuclear Power Corp 82/06/02 4pp 13416 222
24X Fiche 50-271, 82/06/02, 8206080355

8206100127 Forwards info re status of NUREG-0737, Items II K 3 2, 2 re
reactor core isolation cooling section transfer, II K 3 24 re
space cooling for HPCI/reactor core isolation cooling &
II K 3 27 re common ref level
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/06/04
VASSALLO, D B Operating Reactors Branch 2 3pp 13449 103 24X
Fiche 50-271, 82/06/04, 8206100127

8206150105 Forwards addl info re degraded grid undervoltage, per 820526
telcon
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/08
VASSALLO, D B Operating Reactors Branch 2 2pp 13503 075 24X
Fiche 50-271, 82/06/08, 8206150105

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURI, A
Consolidated Edison Co of New York COUNSILL, W G, SWITZER, D C
Connecticut Yankee Atomic Power Co 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206140094 Forwards info in response to Generic Ltr 82-10 re completion status of remaining NUREG-0737 items
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/06/09
VASSALLO, D B Operating Reactors Branch 2 6pp 13487 167 24X
Fiche 50-271, 82/06/09, 8206140094

8206210601 Forwards confirmation & addl clarification of responses to NUREG-0737, Items II F 1 4, "Containment Pressure Monitor," II F 1 5, "Containment Water Level Monitor" & II F 1 6, "Containment Hydrogen Monitor"
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/15
VASSALLO, D B Operating Reactors Branch 2 6pp 13561 348 24X
Fiche 50-271, 82/06/15, 8206210601

8206180073 Forwards addl info re proposed alternate shutdown sys design submitted 810731, in response to NRC 820510 request
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/16
VASSALLO, D B Operating Reactors Branch 2 13pp 13552 146 24X
Fiche 50-271, 82/06/16, 8206180073

8206240147 Approves util 810518 & 0727 requests to withhold repts YAE-1249P & YAE-1265P from public disclosure, per 10CFR2 790
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/17 KAY, J A
Yankee Atomic Electric Co 3pp 13600 011 24X
Fiche 50-000, 82/06/17, 8206240147

8206250087 Disagrees w/Ofc of Executive Legal Director re interpretation of 10CFR50 44 util future licensing actions will be predicated on review of DWR owners group hydrogen recombiner capability study results
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/17
VASSALLO, D B Operating Reactors Branch 2 1p 13619 057 24X
Fiche 50-271, 82/06/17, 8206250087

8206240323 Informs of corrected action made re operation of purge & vent valves under inerted conditions Valves reoriented to approved orientation Radiological analysis to be completed by 820801
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/22
VASSALLO, D B Operating Reactors Branch 2 1p 13596 186 24X
Fiche 50-271, 82/06/22, 8206240323

8206280204 Forwards computer listing for TCPYAO1 code & brief description of overall procedure utilized in calculating operating limits using code Listing withheld (raef 10CFR2 790) Affidavit of nondisclosure encl
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/06/24
VASSALLO, D B Operating Reactors Branch 2 4pp 13624 202 24X
Fiche 50-271, 82/06/24, 8206280204

8206300183 Forwards Revision 11 to YQCAP-I-A, operational QA program
JOHNSON, W P Yankee Atomic Electric Co 82/06/30 HAASS, W P
Quality Assurance Branch 1p 13654 074 24X Fiche 50-000, 82/06/30, 8206300183

G Inspection reports, IE Bulletins & correspondence

8206030199 Expresses profound appreciation for outstanding effort on part of Region 1 in investigating & analyzing 820424 emergency exercise Cooperation by Region 1 personnel greatly contributed to fulfilling duties to public
SAUDEK, R H Vermont, State of 82/05/19 HAYNES, R C Region 1, Office of Director 2pp 13337 312, 24X Fiche 50-271, 82/05/19, 8206030199

8202040147 IE Info Notice 82-15, "Notification of NRC," Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220422 Forwards IE Insp Rept 50-271/82-06 on 820401-0310 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/06/08
SMITH, R L Vermont Yankee Nuclear Power Corp 2pp 13577 176 24X
Fiche 50-271, 82/06/08, 8206220422

--8206220434 IE Insp Rept 50-271/82-06 on 820401-0310 No noncompliance noted Major areas inspected plant operations, records & operating activities, physical security, surveillance testing, maint activities & status of TMI action plan items
RAYMOND, W J, COLLINS, S J, OALLD, R M Division of Project & Resident Programs 82/06/08 20pp 13577 178 24X
Fiche 50-271, 82/06/08, 8206220422

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220316 Ack receipt of 820422 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-271/82-01 Item 3 will remain Severity Level IV violation
STAROSTECKI, R Division of Project & Resident Programs 82/06/16
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 1p 13571 029 24X Fiche 50-271, 82/06/16, 8206220316

--8206220317 Responds to NRC 820323 ltr re violations noted in IE Insp Rept 50-271/82-01 Corrective actions box posted & moved to controlled storage location Surveillance procedure will be revised to include cautions re blocking light beams
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/04/22
STAROSTECKI, R Division of Project & Resident Programs 4pp 13571 030 24X Fiche 50-271, 82/06/16, 8206220316

R Periodic operating reports & related correspondence

8206070247 Forwards "Annual Radiological Environ Surveillance Rept, 1981"
SINCLAIR, J B Vermont Yankee Nuclear Power Corp 82/05/27
HAYNES, R C Region 1, Office of Director 1p 13367 243, 24X
Fiche 50-271, 82/05/27, 8206070247

--8206070273 "Annual Radiological Environ Surveillance Rept, 1981"
* Vermont Yankee Nuclear Power Corp 82/05/27 78pp 13367, 244 24X Fiche 50-271, 82/05/27, 8206070267

8206150151 Forwards monthly operating rept for May 1982
JACKSON, E W Vermont Yankee Nuclear Power Corp 82/06/10 Office of Management and Program Analysis 1p 13503, 142 24X
Fiche 50-271, 82/06/10, 8206150151

--8206150152 Monthly operating rept for May 1982
BURGER, F J Vermont Yankee Nuclear Power Corp 82/06/10 7pp, 13505 143 24X Fiche 50-271, 82/06/10, 8206150151

S Reportable occurrences, LERs & related correspondence

811110606 Forwards LER 81-026/03L-0.
MURPHY, W P Vermont Yankee Nuclear Power Corp 81/11/03
HAYNES, R C Region 1, Philadelphia, Office of the Director (81/03/01) 1p 12818 072 24X Fiche 50-271, 81/11/03, 811110606

--8204230076 LER 81-026/03L-0 on 811005, during weekly review of surveillance test data, discovered that max monthly interval for functional test of ATWS/RPT sys exceeded by 4 days Caused by oversight in scheduling.
MURPHY, W P Vermont Yankee Nuclear Power Corp 81/11/03
Region 1, Philadelphia, Office of the Director (81/03/01) 1p 12818 073 24X Fiche 50-271, 81/11/03, 811110606

8206010089 Forwards LER 82-008/03L-0
MURPHY, W P Vermont Yankee Nuclear Power Corp 82/05/17
HAYNES, R C Region 1, Office of Director 1p 13307, 187 24X
Fiche 50-271, 82/05/17, 8206010089

--8206010096 LER 82-008/03L-0 on 820422, cooling fan for RP18 power supply in CRP 9-27 failed, causing loss of rod position indication Sequence occurred several times, fan replaced
MURPHY, W P Vermont Yankee Nuclear Power Corp 82/05/17, Region 1, Office of Director 2pp 13307 188 24X
Fiche 50-271, 82/05/17, 8206010089

DOCKETED ITEMS

8206220369 Forwards LER 82-009/03L-0

MURPHY, W P Vermont Yankee Nuclear Power Corp 82/06/11
HAYNES, R C Region 1, Office of Director 1p 13582 039 24X
Fiche 50-271, 82/06/11, 8206220368

--8206220373 LER 82-009/03L-0 on 820513, during normal operation, reactor pressure indicator PI 2-3-55D indicated lower than redundant indicators. Caused by degraded 24-volt dc power supply. Power supply replaced.

MURPHY, W P Vermont Yankee Nuclear Power Corp 82/06/11
Region 1, Office of Director 1p 13582 039 24X
Fiche 50-271, 82/06/11, 8206220368

8206220400 Forwards LER 82-010/03L-0

MURPHY, W P Vermont Yankee Nuclear Power Corp 82/06/11
HAYNES, R C Region 1, Office of Director 1p 13578 049 24X
Fiche 50-271, 82/06/11, 8206220400

--8206220408 LER 82-010/03L-0 on 820513 & 27, RHR svc water breaker tripped free when pump started. Caused by worn prop GE Model 416 250-RHD breaker prop replaced. Breaker tested satisfactorily & returned to svc.

MURPHY, W P Vermont Yankee Nuclear Power Corp 82/06/11
Region 1, Office of Director 2pp 13578 050 24X
Fiche 50-271, 82/06/11, 8206220400

DOCKET 50-272 SALEM NUCLEAR GENERATING STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206040345 Notifies of intention to conduct annual emergency plan exercise on 820519

ZUPKO, J M Public Service Electric & Gas Co of New Jersey
82/02/17 GRIMES, B K Division of Emergency Preparedness 1p
13354 323 24X Fiche 50-272, 82/02/17, 8206040345

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US. Forwards documents listed in App A.

FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13324 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150049 Provides update re status of installation & testing of prompt notification sys. Siren sys silent & groud tests

successfully completed in State of NJ. Related info encl.
ZUPKO, J M Public Service Electric & Gas Co of New Jersey
82/01/29 DENTON, H R Office of Nuclear Reactor Regulation,
Director VARGA, S A Operating Reactors Branch 1 4pp
13324 263 24X Fiche 50-000, 82/04/21, 8206150016

--8206150076 Provides status of installation & testing of prompt alerting & notification sys. Complete siren sys silent test completed in State of DE on 820129

ZUPKO, J M Public Service Electric & Gas Co of New Jersey
82/02/03 DENTON, H R Office of Nuclear Reactor Regulation,
Director VARGA, S A Operating Reactors Branch 1 4pp
13324 290 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.

FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Debevoise & Liberman 3pp 13434 003 24X Fiche 50-000, 82/05/11,
8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701

* NRC - No Detailed Affiliation Given 82/05/11 9pp
13434 006 24X Fiche 50-000, 82/05/11, 8206090002

8206020059 Releases public version of intended scenario for radiological emergency response plan exercise

FELTON, J M Division of Rules and Records 82/05/21 Document
Management Branch 1p 13332 125 24X Fiche 50-272, 82/05/21,
8206020059

--8206020064 Forwards public version of intended scenario for 17B2 FEMA/NRC witnessed exercise of NJ/DE/Facility radiological emergency response plans

* Public Service Electric & Gas Co of New Jersey 82/04/02
VARGA, S A Operating Reactors Branch 1 10pp 13332 126 24X
Fiche 50-272, 82/05/21, 8206020059

8206230140 Forwards fire protection program safe shutdown & interaction analyses in response to 820420 Ltr Rept. Supplement original 'Safe Shutdown & Analysis Rept,' submitted Sept 1981.

LIDEN, E A Public Service Electric & Gas Co of New Jersey
82/05/16 VARGA, S A Operating Reactors Branch 1 2pp 13571 016
24X Fiche 50-272, 82/06/15, 8206230140

--8206230141 Fire protection program safe shutdown & interaction analyses, supplemental info

* Public Service Electric & Gas Co of New Jersey 82/06, 10
18pp 13571 016 24X Fiche 50-272, 82/06/16, 8206230140

8206290333 Discusses 820618 telcon re request for discontinuation of post-strike security plan implementation. Concurs

w/discontinuation
HAYNES, R C Region 1, Office of Director 82/06/25 UDERITZ, R A
Public Service Electric & Gas Co of New Jersey 1p 13432 016
24X Fiche 50-272, 82/06/25, 8206290333

H General correspondence

8206300170 Advises that corporate contact for correspondence changed

From FW Schneider to RA Uderitz
UDERITZ, R A Public Service Electric & Gas Co of New Jersey
82/06/21 SCOTT, R S Document Management Branch 1p 13654 730
24X Fiche 50-272, 82/06/21, 8206300170

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted.

FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

8206110150 Forwards Amends 44 & B to Licenses DPR-70 & DPR-75,

respectively, safety evaluation & notice of issuance & availability. Amend revises Tech Specs re surveillance of automatic isolation & interlock action of RHR sys.
ROSS, W J Operating Reactors Branch 1 82/05/25 UDERITZ, R A
Public Service Electric & Gas Co of New Jersey 2pp 13490 324
24X Fiche 50-272, 82/05/25, 8206110150

--8206110154 Amends 44 & B to Licenses DPR-70 & DPR-75, respectively,

revising Tech Specs re surveillance of automatic isolation & interlock action of RHR sys.
VARGA, S A Operating Reactors Branch 1 82/05/25 11pp
13490 324 24X Fiche 50-272, 82/05/25, 8206110150

--8206110156 Safety evaluation supporting Amends 44 & B to Licenses

DPR-70 & DPR-75, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/23 2pp
13490 335 24X Fiche 50-272, 82/05/25, 8206110150

--8206110157 Notice of issuance & availability of Amends 44 & B to

Licenses DPR-70 & DPR-75, respectively
VARGA, S A Operating Reactors Branch 1 82/05/25 2pp
13490 337 24X Fiche 50-272, 82/05/25, 8206110150

8206160067 Notification of 820614 & 15 meetings w/util in Hancocke Bridge, NJ to review licensee proposed radiological effluent Tech Specs

ROSS, W J Operating Reactors Branch 1 82/06/08 VARGA, S A
Operating Reactors Branch 1 2pp 13538 031 24X
Fiche 50-272, 82/06/08, 8206160067

8206090183 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.

EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York SCHNEIDER, F W Public Service
Electric & Gas Co of New Jersey FICANDENTI, F J Atlantic City
Electric Co 13pp 13557 349 24X Fiche 50-000, 82/06/09,
8206090183

8206240143 Provides updated info re shift technical advisor phase out program scheduled for Sept 1982. Senior shift supervisor will take charge of affected unit & shift supervisor engineer will assume shift technical duties.

LIDEN, E A Public Service Electric & Gas Co of New Jersey
82/06/16 VARGA, S A Operating Reactors Branch 1 2pp 13579 016
24X Fiche 50-272, 82/06/16, 8206240143

8206250403 Forwards request for addl info re implementation of TMI

action items, per 820505 Generic Ltr 82-10
ROSS, W J Licensing Branch 1 82/06/16 UDERITZ, R A Public
Service Electric & Gas Co of New Jersey 2pp 13630 107 24X
Fiche 50-272, 82/06/16, 8206250403

D Inspection reports, IE Bulletins & correspondence

8206040188 Forwards IE Safeguards Insp Repts 50-272/82-03 & 50-311/82-03 on 820111-15 & notice of violation Encls Withheld (ref 10CFR73 21)
 MARTIN, T T Division of Engineering & Technical Programs 82/05/17
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 7pp
 13360 114 24X Fiche 50-272, 82/05/19, 8206040188

8206040356 Forwards IE Insp Repts 50-272/82-10 & 50-311/82-09 on 820404-0511 & notice of violation
 STAROSTECKI, R Division of Project & Resident Programs 82/05/19
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp
 13352 264 24X Fiche 50-272, 82/05/19, 8206040356

--8204040360 Notice of violation from insp on 820404-0511
 STAROSTECKI, R Division of Project & Resident Programs 82/05/19
 2pp 13352 266 24X Fiche 50-272, 82/05/19, 8206040356

--8206040371 IE Insp Repts 50-272/82-10 & 50-311/82-09 on 820404-0511
 Noncompliance noted failure to make 10CFR50 72 rept & failure to adequately monitor liquid release
 NORRHOLOM, L J, SUMMERS, R, LAZARUS, W J Region 1, Office of Director 82/05/18 20pp 13352 268 24X Fiche 50-272, 82/05/19, 8206040356

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206150219 Forwards IE Insp Repts 50-272/82-08 & 50-311/82-07 on 820122 & notice of violation
 MARTIN, T T Division of Engineering & Technical Programs 82/05/20
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp
 13503 298 24X Fiche 50-272, 82/05/28, 8206150219

--8206150222 Notice of violation from insp on 820122
 MARTIN, T T Division of Engineering & Technical Programs 82/05/28 1p 13503 300 24X Fiche 50-272, 82/05/28, 8206150219

--8206150226 IE Insp Repts 50-272/82-08 & 50-311/82-07 on 820122
 Noncompliance noted delivery of shipment of licensed matl to carrier for transport w/two containers not strong, tight packages
 CLEMENS, P, GREENMAN, E O Division of Engineering & Technical Programs 82/05/27 4pp 13503 301 24X Fiche 50-272, 82/05/28, 8206150219

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

8206290402 Forwards IE Insp Repts 50-272/82-12 & 50-311/82-13 on 820512-0408 & notice of violation
 STAROSTECKI, R Division of Project & Resident Programs 82/06/14
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp
 13634 266 24X Fiche 50-272, 82/06/14, 8206290402

--8206290406 Notice of violation from insp on 820512-0408
 STAROSTECKI, R Division of Project & Resident Programs 82/06/14, 2pp 13634 268 24X Fiche 50-272, 82/06/14, 8206290402

--8206290411 IE Insp Repts 50-272/82-12 & 50-311/82-13 on 820512-0408
 Noncompliance noted failure to review & approve procedures & failure to perform surveillance tests re containment penetration isolation points
 NORRHOLOM, L J, SUMMERS, R, LAZARUS, W J Division of Project & Resident Programs 82/06/14 21pp 13634, 270, 24X
 Fiche 50-272, 82/06/14, 8206290402

R Periodic operating reports & related correspondence

8206150131 Forwards monthly operating rept for May 1982
 MIDURA, H J Public Service Electric & Gas Co of New Jersey 82/06/10
 Director's Office, Office of Inspection and Enforcement 1p 13505 104 24X Fiche 50-272, 82/06/10, 8206150134

--8206150138 Monthly operating rept for May 1982
 MILLER, L K Public Service Electric & Gas Co of New Jersey 82/06/10 19pp 13505 105 24X Fiche 50-272, 82/06/10, 8206150134

S Reportable occurrences, LERs & related correspondence

811110776 Forwards LER 81-092/01T-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey 81/11/02 HAYNES, R C Region 1, Philadelphia, Office of the Director (81/03/01) 2pp 12818 068 24X Fiche 50-272, 81/11/02, 811110776

--8204230078 LER 81-092/01T-0 on 811020, during routine containment insp, operator discovered svc water leaking from third from top secondary coil on containment fan coil unit 15 Caused by secondary coil failure Leaking coil blank flanged off
 DICKEY, F Public Service Electric & Gas Co of New Jersey 81/11/02 Region 1, Philadelphia, Office of the Director (81/03/01) 1p 12818 071 24X Fiche 50-272, 81/11/02, 811110776

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted

FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8007150020 RD 79-58/01P on 790906, review of NSSB equipment environ qualifications identified that conditions associated w/high energy line breaks impacting on nonsafety control sys could constitute unresolved safety question
 MIDURA, H J Public Service Electric & Gas Co of New Jersey 79/09/10 1p 13639 180 24X Fiche 50-000, 82/03/12, 8206280071

8206030228 Forwards LER 82-029/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey 82/05/19 HAYNES, R C Region 1, Office of Director 3pp 13337 143 24X Fiche 50-272, 82/05/19, 8206030228

--8206030231 LER 82-029/03L-0 on 820501, svc water flow to containment fan coil unit 12 found less than 2,500 gpm Caused by flow control valve 12SW223 stuck in closed position Valve 12SW223 exercised
 FRAHM, R Public Service Electric & Gas Co of New Jersey 82/03/19 Region 1, Office of Director 1p 13337 146 24X
 Fiche 50-272, 82/05/19, 8206030228

8206030245 Forwards LER 82-030/03L-0 Detailed event analysis encl
 MIDURA, H J, FRAHM, R Public Service Electric & Gas Co of New Jersey 82/05/19 HAYNES, R C Region 1, Office of Director 3pp 13337 261 24X Fiche 50-272, 82/05/19, 8206030245

--8206030247 LER 82-030/03L-0 on 820419, discovered that valve 1WRB1 leakage rate greater than max range of volumetric test equipment Unable to verify that leakage exceeded Tech Spec limit New test equipment w/proper range will be purchased
 FRAHM, R Public Service Electric & Gas Co of New Jersey 82/05/19 Region 1, Office of Director 1p 13337 264 24X
 Fiche 50-272, 82/05/19, 8206030245

8206100271 Forwards LER 82-033/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey 82/05/19 HAYNES, R C Region 1, Office of Director 3pp 13458 197 24X Fiche 50-272, 82/05/19, 8206100271

--8206100272 LER 82-033/03L-0 on 820502, travelling screen high differential pressure trip alarm received concomitant w/decreasing condenser vacuum Caused by grass & debris accumulation in screen Screen cleaned
 FRAHM, R Public Service Electric & Gas Co of New Jersey 82/05/19 Region 1, Office of Director 1p 13458, 199 24X
 Fiche 50-272, 82/05/19, 8206100271

8206070803 Forwards LER 82-028/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey 82/05/21 HAYNES, R C Region 1, Office of Director 3pp 13389 195 24X Fiche 50-272, 82/05/21, 8206070803

DOCKETED ITEMS

--B206070813 LER 82-028/03L-0 on B20425, during routine operation, refueling water storage tank contained less than min vol required by Tech Specs Caused by refilling of spent fuel pool Makeup to storage tank initiated
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/21 Region 1, Office of Director 1p 13389 198 24X
 Fiche 50-272, 82/05/21, B206070803

B206070973 Forwards LER 82-025/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/05/26 HAYNES, R C Region 1, Office of Director 3pp
 13374 024 24X Fiche 50-272, 82/05/26, B206070973

--B206070577 LER 82-025/03L-0 on B20501, steam generator wide range level indication 13 failed low Caused by piece of solid wire shorting instrument signal lead to conductor shield wire removed & channel satisfactorily tested
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/26 Region 1, Office of Director 1p 13374 027 24X
 Fiche 50-272, 82/05/26, B206070573

B206100233 Forwards LER 82-031/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/05/26 HAYNES, R C Region 1, Office of Director 3pp
 13493 338 24X Fiche 50-272, 82/05/26, B206100233

--B206100244 LER 82-03L/031-0 on B20502, while testing valve 115W12P, safeguards equipment control cabinet actuation occurred Caused by locked out supply breaker to safety injection pump 11, due to spurious nature of actuation
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/26 Region 1, Office of Director 1p 13453 341 24X
 Fiche 50-272, 82/05/26, B206100233

B206110043 Forwards corrected LER 82-028/03L-0
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/06/01 HAYNES, R C Region 1, Office of Director 1p
 13465 257 24X Fiche 50-272, 82/06/01, B206110043

--B206110047 Corrected LER 82-028/03L-0 on B20425, both channels of refueling water storage tank (RWST) level indication showed less than min vol Caused by refilling spent fuel pool Makeup to RWST initiated
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/21 Region 1, Office of Director 1p 13465 258 24X
 Fiche 50-272, 82/06/01, B206110043

B206210403 Forwards LER 80-004/03X-1 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/06/07 HAYNES, R C Region 1, Office of Director 3pp
 13568 325 24X Fiche 50-272, 82/06/07, B206210403

--B206210411 LER 80-004/03X-1 on B00114, recirculation flow for boron injection tank indicated low & alarm annunciated Caused by clogging of sys w/boric acid crystals & two missing retaining rings Crystals flushed & rings replaced
 DICKEY, F Public Service Electric & Gas Co of New Jersey
 82/06/07 Region 1, Office of Director 1p 13568 320 24X
 Fiche 50-272, 82/06/07, B206210403

B206210444 Forwards LER 82-034/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/06/07 HAYNES, R C Region 1, Office of Director 3pp
 13568 321 24X Fiche 50-272, 82/06/07, B206210444

--B206210460 LER 82-034/03L-0 on B20510, steam generator 14 wide range level indication failed low Caused by loose fuse in power supply Fuse properly tightened & tested
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/06/07 Region 1, Office of Director 1p 13568 324 24X
 Fiche 50-272, 82/06/07, B206210444

--B206220395 LER 82-037/03L-0 on B20526, svc water flow to containment fan coil unit 12 found below Tech Spec requirements Caused by flow control valve 125W223 stuck in closed position Valve repaired
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/06/09 Region 1, Office of Director 1p 13582 070 24X
 Fiche 50-272, 82/06/09, B206220387

B206220449 Forwards LER 82-035/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/06/09 HAYNES, R C Region 1, Office of Director 3pp
 13578 169 24X Fiche 50-272, 82/06/09, B206220449

--B206220459 LER 82-036/03L-0 on B20526, control room emergency air conditioner 12 failed to operate Caused by tripped load ctr supply breaker 1C16Y de-energizing fan power supply No cause determined Breaker closed & fan returned to svc
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/06/09 Region 1, Office of Director 1p 13578 172 24X
 Fiche 50-272, 82/06/09, B206220449

B206220534 Forwards LER 82-037/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/06/09 HAYNES, R C Region 1, Office of Director 3pp
 13580 237 24X Fiche 50-272, 82/06/09, B206220534

--B206220552 LER 82-032/03L-0 on B20515, boric acid flow in transfer pump 11 & 12 decreased below Tech Spec limit rendering pumps inoperable Caused by increase in impeller to valve clearance due to normal wear Clearance adjusted
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/06/09 Region 1, Office of Director 1p 13580 240 21X
 Fiche 50-272, 82/06/09, B206220534

V Operator Examinations

B2062290147 Submits new requalification training schedule for approval
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey
 82/06/24 VARGAS, A Operating Reactors Branch 1 1p 13639, 3011
 24X Fiche 50-272, 82/06/24, B2062290147

DOCKET 50-274 U S GEOLOGICAL SURVEY RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

B206080067 Informs that B20302 revisions have been incorporated as part of physical security plan for TRIGA reactor
 BERNARD, H Standardization & Special Projects Branch 82/06/01
 MILLIARD, H T Interior, Dept of Geological Survey 1p 13441 114
 24X Fiche 50-274, 82/06/03, B206080067

DOCKET 50-275 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensee to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N J
 Debovoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
 SPENCER, G S Division of Technical Inspection 82/01/05
 CRIMES, B K Division of Emergency Preparedness 8pp 13454 176
 24X Fiche 50-000, 82/05/11, B206090002

B206020490 Forwards Revision 11 to security plan Revision withheld (ref 10CFR2 790)
 CRANE, P A Pacific Gas & Electric Co 82/05/27 DENTON, H (Officer of Nuclear Reactor Regulation, Director 2pp 13325 324 24X
 Fiche 50-275, 82/05/27, B206020490

B206080059 Responds to B20311 ltr re changes to physical security plan Changes are consistent w/provisions of 10CFR50 34(p)
 MIRAGLIA, F J Licensing Branch 3 82/05/28 CRANE, P A Pacific Gas & Electric Co 1p 13441 153 24X Fiche 50-275, 82/05/28, B206080059

B206170281 Forwards IE Safeguards Insp Rept 50-275/82-15 on B20324-12B No noncompliance noted
 NORDERHAUS, L R Division of Radiological Safety & Safeguards Program 82/06/11 CRANE, P A Pacific Gas & Electric Co 2pp 13529 135 24X Fiche 50-275, 82/06/11, B206170281

- 5206170287 IE Safeguards Insp Rept 50-275/82-15 on 820524-28 No non-compliance noted Major areas inspected security plan & implementing procedures, security organization mgt & security program audit Details withheld (ref 10CFR73.21)
SCHAEFER, D W, MCQUEEN, A D, SCHUSTER, M D Division of Radiological Safety & Safeguards Program 82/06/11 2pp 13529 137 24X Fiche 50-275, 82/06/11, 8206170281
- 8206250313 Forwards changes to security plan effective 820705 Changes withheld (ref 10CFR73.21)
CRANE, P A Pacific Gas & Electric Co 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13617 234 24X Fiche 50-275, 82/06/21, 8206250313
- Adjudicatory correspondence
- 8206300113 Recommends that proposed Board Notification BN-82-19 re transcript of 820217 meeting w/Governor of CA & joint intervenors be transmitted to Commission
TEDESCO, R L Assistant Director for Licensing 82/03/02 EISENHUT, D Division of Licensing 1p 13695 015 24X Fiche 50-275, 82/03/02, 8206300113
- 8206300118 Board Notification BN-82-19 re transcript of 820217 meeting w/representatives of Governor of CA & joint intervenors concerning safety issues on seismic design adequacy currently before Commission
EISENHUT, D Division of Licensing 82/03/03 PALLADINO, N, GILINSEY, V, BRADFORD, P Commissioners 3pp 13693 016 24X Fiche 50-275, 82/03/02, 8206300113
- 8205040348 Expresses concern re Bechtel activities w/o complete QA program development & approval & util deficiencies after 1978, discussed at NRC 820430 meeting w/util
BROWN, H H Kirkpatrick, Lockhart, Hill, Christopher & Phillips BROWN, H H California, State of 82/04/30 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13583 001 24X Fiche 50-275, 82/04/30, 8205040348
- 8206010314 Reply to Governor Brown motion re board notification transmitting PNO-V-82-07 / IE Info Notice 82-11 When util investigation into errors identified in PNO complete, rept will be included in bimonthly rept w/Certificate of Svc
CRANE, P A Pacific Gas & Electric Co 82/05/25 4pp 13300 066 24X Fiche 50-275, 82/05/25, 8206010314
- 8206040053 Response in support of Governor Brown 820513 motion for order directing util to provide full info to all parties re status of util investigation of PNO-V-82-009 & re IE Info Notice 82-11 Certificate of Svc encl
REYNOLDS, J R Joint Intervenors-Diablo Canyon REYNOLDS, J R Center for Law in the Public Interest 82/05/25 Atomic Safety and Licensing Board Panel 4pp 13347 298 24X Fiche 50-275, 82/05/25, 8206040053
- 8206030186 Opposes early audit conclusion Timely access to documents issued by Teledyne requested Maint of adequate record of all future meetings reiterated
REYNOLDS, J R, FLEISCHAKER, D Center for Law in the Public Interest REYNOLDS, J R Joint Intervenors-Diablo Canyon 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13337 358 24X Fiche 50-275, 82/05/28, 8206030186
- 8206040109 Response opposing Governor Brown 820513 motion for ASLB order directing util to provide info on implication of errors identified in PNO-V-82-07 & IE Info Notice 82-11 No further ASLB action needed w/Certificate of Svc
JONES, B W Hearing Branch 1 82/06/02 Atomic Safety and Licensing Board Panel 6pp 13344 355 24X Fiche 50-275, 82/06/02, 8206040109
- 8206090127 Board Notification 82-53 forwards 820518 summary of 820430 meeting discussing role of Bechtel Power Corp in completion of project info relevant to safety issue on design adequacy
EISENHUT, D G Division of Licensing 82/06/02 PALLADINO, N J, GILINSEY, V, AHEARNE, J Commissioners 3pp 13438 357 24X Fiche 50-275, 82/06/02, 8206090127
- 8206140054 Motion to reopen record to receive significant new evidence on recently established breakdowns in plant QA/QC control. Order should be issued vacating ASLB 810717 findings approving QA program & revoking CL w/Certificate of Svc
REYNOLDS, J R, FLEISCHAKER, D Joint Intervenors-Diablo Canyon REYNOLDS, J R Center for Law in the Public Interest 82/06/07 Atomic Safety and Licensing Board Panel 19pp 13488 001 24X Fiche 50-275, 82/06/07, 8206140054
- 8206140059 Affidavit of RB Hubbard re breakdowns in QA program Significant new info recently available clearly demonstrates util & major subcontractors failed to develop & implement QA/QC program complying w/NRC regulations
HUBBARD, R B Joint Intervenors-Diablo Canyon HUBBARD, R B, MHB Technical Associates 82/05/24 230pp 13488 020 24X Fiche 50-275, 82/06/07, 8206140059
- 8206170079 Memorandum & order denying Governor Brown 820513 motion for order directing util to provide info re implications of errors in PNO-V-82-009 & IE Info Notice 82-11 Util investigation re PNO continuing Info notice inapplicable
WOLF, J F, BROUGHT, O O, KLINE, J R Atomic Safety and Licensing Board Panel 82/06/14 California, State of 2pp 13529 290 24X Fiche 50-275, 82/06/14, 8206170079
- 8206170412 Ack receipt of 820512 petition, supplemented by 820525 ltr requesting issuance of order to util to show cause why util should not be required to submit amend to DL applications reflecting recent changes in organization & mgt
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/16 REYNOLDS, J R Center for Law in the Public Interest 4pp 13555 325 24X Fiche 50-275, 82/06/16, 8206170412
- 8206170417 Notifies of receipt of 820512 & 15 petitions requesting issuance of order to util to show cause why util should not be required to submit amend to DL applications reflecting recent changes in organization & mgt
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/16 4pp 13555 330 24X Fiche 50-275, 82/06/16, 8206170417
- 8206170418 Forwards announcement ltr & organization chart of facility organization which integrates util & Bechtel resources
CRANE, P A Pacific Gas & Electric Co 82/04/22 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13555 342 24X Fiche 50-275, 82/06/16, 8206170418
- 8206170421 Forwards 820512 petition filed on behalf of Joint Intervenors requesting issuance of order to util to show cause why util should not be required to file amend to DL applications to reflect organization restructuring
MURRAY, J P Deputy Executive Legal Director 82/06/02 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13555 346 24X Fiche 50-275, 82/06/16, 8206170421
- 8206240393 Motion for extension of time until 820628 to file answer to Joint Intervenors motion to reopen record Addl time needed due to vol of matl to be analyzed & absence of necessary personnel w/Certificate of Svc Granted by ASLB on 820622
CRANE, P A Pacific Gas & Electric Co 82/06/18 Atomic Safety and Licensing Appeal Panel 8pp 13603 119 24X Fiche 50-275, 82/06/18, 8206240393
- 8206280428 Forwards portions of QA program, KV Bayfit & WP Haass B1061P & B01016 ltrs & B0-TDP-1, Revision 3A
CRANE, P A Pacific Gas & Electric Co 82/06/18 MIRAGLIA, F J Licensing Branch 3 18pp 13621 230 24X Fiche 50-275, 82/06/18, 8206280428
- 8206250049 Advises that NRC does not object to util 820618 motion for extension of time to respond to intervenor 820511 motion, as long as NRC response will be due 3 days after applicant response.
JONES, B W Hearing Branch 1 82/06/23 MOORE, T S, DUCK, J H, JOHNSON, W R Atomic Safety and Licensing Appeal Panel 1p 13616 265 24X Fiche 50-275, 82/06/23, 8206250049
- Advisory Committee on Reactor Safeguards reports & correspondence
- 8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071
- 8206280556 Notification of B01008 meeting of ACRS Safety Philosophy, Technology & Criteria Subcommittee Proposed agenda encl, SAVID, R ACRS - Advisory Committee on Reactor Safeguards 80/07/25 OKRENT, D, EBERGOL, J, KERR, W ACRS - Advisory Committee on Reactor Safeguards 3pp 13643 071 24X Fiche 50-000, 82/05/12, 8206280071
- 8206280560 Notification of B01011 ACRS Safety Philosophy, Technology & Criteria Subcommittee meeting re Diablo Canyon seismic interaction study & North Anna LPI & RHR sys
SAVID, R ACRS - Advisory Committee on Reactor Safeguards 80/10/01 ACRS - Advisory Committee on Reactor Safeguards 1p 13643 074 24X Fiche 50-000, 82/05/12, 8206280071
- 8206280572 Provides status of review of sys interaction study discussed during B01008 meeting of ACRS Safety Philosophy, Technology & Criteria Subcommittee
SAVID, R ACRS - Advisory Committee on Reactor Safeguards 80/10/30 ACRS - Advisory Committee on Reactor Safeguards App. 13643 075 24X Fiche 50-000, 82/05/12, 8206280071

DOCKETED ITEMS

P Operating license stage documents / correspondence

8206070811 Forwards Project Engineering Procedure EP-1-007, Revision 0 for design re-verification program for component (uncontrolled copy) W/o encl
COOPER, W E Teledyne Engineering Services 82/02/05 DENTON, H R
Office of Nuclear Reactor Regulation, Director MANEATIS, G A
Pacific Gas & Electric Co SCHIERLING, H F Licensing Branch 3
3pp 13387 347 24X Fiche 50-275, 82/02/05, 8206070811

8206030004 Informs that HJ Holley designated as civil structural consultant for DCHPP independent design verification program Statement of experience & prof qualifications encl
COOPER, W E Teledyne Engineering Services 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director MANEATIS, G A
Pacific Gas & Electric Co 10pp 13336 353 24X
Fiche 50-275, 82/05/28, 8206030004

8206040222 Discusses problems encountered w/Teledyne independent review of facility design & const
REYNOLDS, J R Center for Law in the Public Interest REYNOLDS, J R
FLEISCHAKER, D Joint Intervenor-Diablo Canyon 82/05/28
DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp
13359 289 24X Fiche 50-275, 82/05/28, 8206040222

8206070269 Discusses requirement of License Condition 2 C (B) n.
"Sequential Auxiliary Feedwater Flow Analysis " Util
believes that condition met prior to issuance of OL for
Unit 1
CRANE, P A Pacific Gas & Electric Co 82/06/01 MIRAOLIA, F J
Licensing Branch 3 1p 13368 323 24X Fiche 50-275, 82/06/01,
8206070269

8206090075 Submits requested info re NUREG-0737 items per Generic Ltr
82-10 on post-TMI requirements Schedules for Items I C 1 &
III A 1 2 not submitted since Commission to reconsider
revised implementation schedule
SCHUYLER, J O Pacific Gas & Electric Co 82/06/04 EISENHUT, D G
Division of Licensing 5pp 13438 280 24X Fiche 50-275, 82/06/04,
8206090075

8206090139 Forwards status of NUREG-0737 items per Generic Ltr 82-10
Items completed include I A 1 3 I A 1 3 2, II D 1 2,
III A 1 2 & III D 3 4 Items not completed include I C 1,
II D 1 3, II K 3 30, II K 3 31, III A 1 2 & III A 2 2
SCHUYLER, J O Pacific Gas & Electric Co 82/06/04 EISENHUT, D G
Division of Licensing 5pp 13439 318 24X Fiche 50-275, 82/06/04,
8206090139

8206140129 Notification of 820610 meeting w/Util & Teledyne in
Haltham, MA to discuss status of design verification program
efforts including schedules & GA program
SCHIERLING, H Licensing Branch 3 82/06/04 MIRAOLIA, F J
Licensing Branch 3 1p 13507 349 24X Fiche 50-275, 82/06/04,
8206140129

--8206140133 Notification of change in location of 820610 meeting w/Util
& Teledyne from Needham, MA to discuss status of design
verification program efforts, including schedules & GA
program
SCHIERLING, H Licensing Branch 3 82/06/03, MIRAOLIA, F J
Licensing Branch 3 6pp 13507 350 24X Fiche 50-275, 82/06/04,
8206140129

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Ginna Rept documents findings re cause of
event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206170299 Forwards "Addl Verification & Addl Sampling," interim
technical rept effective 820527
DENISON, E Robert L Cloud Associates, Inc 82/06/09 DENTON, H R
Office of Nuclear Reactor Regulation, Director MANEATIS, G A
Pacific Gas & Electric Co ENGELKEN, R H Region 5, Office of
Director 1p 13531 178 24X Fiche 50-275, 82/06/09, 8206170299

--8206170303 "Addl Verification & Addl Sampling," Revision 0, interim
technical rept, effective 820527
DENISON, E Robert L Cloud Associates, Inc 82/06/10 50pp
13531 178 24X Fiche 50-275, 82/06/10, 8206170299

8206160177 Opines that Joint Intervenor 820512 request for action
under 10CFR2 206 should be dismissed GA program being
prepared to cover remaining const will be based on "BQ
Topical Rept-1," Revision 3 & does not apply to operation
CRANE, P A Pacific Gas & Electric Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13522 004 24X
Fiche 50-275, 82/06/11, 8206160177

8206230329 Responds to 820504 ltr expressing concern that 820430
meeting between NRC, Util & Bechtel Power Corp not
transcribed Meeting not part of seismic design verification
program W/o encl meeting summary
DENTON, H R Office of Nuclear Reactor Regulation, Director
82/06/11 FLEISCHAKER, D Fleischaker, D S 5pp 13594 341 24X
Fiche 50-275, 82/06/11, 8206230329

8206230197 Advises that project work to obtain commercial operation of
facilities will be performed per encl BQ-TOP-1, Revision 3A.
"Bechtel GA Program for Nuclear Power Plants " Discussion
of mods to BQ-TOP-1 included
CRANE, P A Pacific Gas & Electric Co 82/06/18 MIRAOLIA, F J
Licensing Branch 3 2pp 13586 017 24X Fiche 50-275, 82/06/18,
8206230197

--8206230199 "GA Program, Bechtel Power Corp, Diablo Canyon Project "
* Bechtel Corp 82/06/18 16pp 13586 019 24X
Fiche 50-275, 82/06/18, 8206230197

--8206230200 Notifies that GA program described in BQ-TOP-1, Revision 3A
implemented satisfactorily & full compliance demonstrated
SEYFRIE, K V Region 4, Dallas, Office of the Director (81/03/01)
81/06/12 STATTON, C D Bechtel Corp 2pp 13586 035 24X
Fiche 50-275, 82/06/18, 8206230197

8206280428 Forwards portions of GA program, KV Seyfried & WP Haess 810619
& 801016 ltrs & BQ-TOP-1, Revision 3A
CRANE, P A Pacific Gas & Electric Co 82/06/18 MIRAOLIA, F J
Licensing Branch 3 18pp 13621 230 24X Fiche 50-275, 82/06/18,
8206280428

8206280385 Forwards application for amend to License DPR-76 Class II
fee encl
CRANE, P A Pacific Gas & Electric Co 82/06/23 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13621 355 24X
Fiche 50-275, 82/06/23, 8206280385

--8206280395 Application for amend to License DPR-76, amending completion
dates for relief & safety valve test requirements & environ
qualification
CRANE, P A Pacific Gas & Electric Co 82/06/23 6pp 13621 356
24X Fiche 50-275, 82/06/23, 8206280385

8206290122 Corrects 820604 response to Generic Ltr 82-10, "Post-TMI
Requirements " Schedule for completion of TMI Action
Item I A 1 3 2 re min shift crew changed from 820602 to
820922
SCHUYLER, J O Pacific Gas & Electric Co 82/06/24 EISENHUT, D G
Division of Licensing 2pp 13635 321 24X Fiche 50-275, 82/06/24,
8206290122

Q Inspection reports, IE Bulletins & correspondence

8206020305 Forwards IE Insp Rept 50-275/82-14 on 820404-0501 No
noncompliance noted
STERNBERG, D M Division of Resident, Reactor Project & Engineering
Programs 82/05/12 CRANE, P A Pacific Gas & Electric Co 2pp
13320 336 24X Fiche 50-275, 82/05/12, 8206020305

--8206020307 IE Insp Rept 50-275/82-14 on 820404-0501 No noncompliance
noted Major areas inspected plant operations, surveillance
testing, physical security, maint & GA program
CARLSON, J D, MENDONCA, M M, YOUNG, T Division of Resident,
Reactor Project & Engineering Programs 82/05/12 3pp
13320 338 24X Fiche 50-275, 82/05/12, 8206020305

8206080328 Forwards IE Insp Repts 50-275/82-13 & 50-323/82-08 on
820419-23 & notice of violation
BISHOP, T W Region 5, Office of Director, 82/05/24 CRANE, P A
Pacific Gas & Electric Co 2pp 13420 082 24X
Fiche 50-275, 82/05/24, 8206080328

--8206080329 Notice of violation from insp on 820419-23
ECKHARDT, J H Region 5, Office of Director 82/05/24 1p
13420 084 24X Fiche 50-275, 82/05/24, 8206080328

--8206080331 IE Insp Repts 50-275/82-13 & 50-323/82-08 on 820419-23
Noncompliance noted failure to take adequate corrective
action on identified audit findings re prehydrostatic test
walkdowns to prevent recurrence of conditions
BURDOCK, J F, ECKHARDT, J H Region 5, Office of Director
82/05/24 8pp 13420 085 24X Fiche 50-275, 82/05/24, 8206080328

8206040138 Forwards IE Hgt Meeting Rept 50-275/82-17 on 820515 No noncompliance noted
BISHOP, I Division of Resident, Reactor Project & Engineering
Programs 82/05/27 CRANE, P A Pacific Gas & Electric Co 1p
13344 281 24X Fiche 50-275, 82/05/27, 8206040138

--8206040145 IE Hgt Meeting Rept 50-275/82-17 on 820515 No noncompliance
notes Major area discussed schedule for completion of
verification program to be included in Teledyne Engineering
Svc interim technical rept
HARRIS, L J, BISHOP, T H Division of Resident, Reactor Project &
Engineering Programs 82/05/27 5pp 13344 282 24X
Fiche 50-275, 82/05/27, 8206040138

8206040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
REYBOUT, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8206040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13140 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IF Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
REYBOUT, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers " Svc list encl
REYBOUT, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206170281 Forwards IE Safeguards Insp Rept 50-275/82-15 on 820524-28
No noncompliance noted
NORDBAUG, L R Division of Radiological Safety & Safeguards
Program 82/06/11 CRANE, P A Pacific Gas & Electric Co 2pp
13529 135 24X Fiche 50-275, 82/06/11, 8206170281

--8206170287 IE Safeguards Insp Rept 50-275/82-15 on 820524-28 No
noncompliance noted Major areas inspected security plan &
implementing procedures, security organization mgt & security
program audit Details withheld (ref 106FR73 21)
SCHAEFER, D W, MCGUEEN, A D, SCHUSTER, M D Division of
Radiological Safety & Safeguards Program 82/06/11 2pp
13529 137 24X Fiche 50-275, 82/06/11, 8206170281

8206180224 Forwards requested info re IE Bulletin 79-02 open issues
Encl info constitutes final rept for Unit 1 Unit 2 final
rept will be provided by 820215
CRANE, P A Pacific Gas & Electric Co 82/06/11, ENGELKEN, R H
Region 5, Office of Director 1pp 13554 241 24X
Fiche 50-275, 82/06/11, 8206180224

8206280187 Forwards response to IE Insp Rept 50-275/82-13 & notice
of violation Pullman Power Products confirmed corrective
actions w/GA & QC inspectors re prehydrostatic test
walkdowns Indications found by NRC will be removed
CRANE, P A Pacific Gas & Electric Co 82/06/23 ENGELKEN, R H
Region 5, Office of Director 4pp 13624 207 24X
Fiche 50-275, 82/06/23, 8206280187

R Periodic operating reports & related correspondence

8206010646 Forwards monthly operating rept for Apr 1982
THORNBERRY, R C Pacific Gas & Electric Co 82/05/04 Office of
Management and Program Analysis 1p 13314 140 24X
Fiche 50-275, 82/05/04, 8206010646

--8206010656 Monthly operating rept for Apr 1982
SCHAEFER, W B Pacific Gas & Electric Co 82/05/04 4pp
13314 141 24X Fiche 50-275, 82/05/04, 8206010646

8206080282 Board Notification 82-31 forwards Teledyne Engineering
Svc thirteenth semimonthly status rept, RL Cloud Associates
thirteenth progress rept on independent design verification
program & RF Reedy Progress Rept 13 on QA audit & review
EISENHUT, D G Division of Licensing 82/05/24 FALLADINO, N J,
OILINSKY, V, AHEARNE, J Commissioners 2pp 13442 155 24X
Fiche 50-275, 82/05/24, 8206080282

--8206080286 Recommends Board Notification 82-31 be transmitted to
Commission, consisting of semimonthly Repts 13 from
Teledyne, Cloud Associates & RF Reedy Inc on status of
activities in independent design verification program
TESSECO, R L Assistant Director for Licensing 82/05/19
EISENHUT, D G Division of Licensing 1p 13442 157 24X
Fiche 50-275, 82/05/24, 8206080282

8206030182 Forwards Progress Rept 14, "Independent Design Verification
Program," for period 820515-26
DENISON, E Robert L. Cloud Associates, Inc 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director ENGELKEN, R H
Region 5, Office of Director 1p 13337 293 24X
Fiche 50-275, 82/05/26, 8206030182

--8206030212 Progress Rept 14, "Independent Design Verification Program,"
for period 820515-26
* Robert L. Cloud Associates, Inc 82/05/26 17pp 13337 294
24X Fiche 50-275, 82/05/26, 8206030182

8206030094 Forwards fourteenth semimonthly status rept for plant
independent design verification program
COOPER, W E Teledyne Engineering Services 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director MANEATIS, G A
Pacific Gas & Electric Co ENGELKEN, R H Region 5, Office of
Director 3pp 13336 269 24X Fiche 50-275, 82/05/28, 8206030094

--8206030098 "Diablo Canyon Nuclear Power Plant Independent Design
Verification Program," fourteenth semimonthly status rept
for 820513-26
COOPER, W E Teledyne Engineering Services 82/05/28 57pp
13336 272 24X Fiche 50-275, 82/05/28, 8206030094

8206030104 Forwards "Progress Rept of Seismic Safety-Related Contracts
Prior to June 1978, Diablo Canyon Nuclear Power Plant,"
Progress Rept 14 for 820512 to 820528
REEDY, R F R F Reedy, Inc 82/05/28 DENTON, H R Office of
Nuclear Reactor Regulation, Director MANEATIS, G A Baltimore Gas &
Electric Co ENGELKEN, R H Region 5, Office of Director 1p.
13337 103 24X Fiche 50-275, 82/05/28, 8206030104

--8206030108 "Progress Rept of Seismic Safety-Related Contracts Prior to
June 1978, Diablo Canyon Nuclear Power Plant," Progress Rept
14 from 820512-28
* R F Reedy, Inc 82/05/28 2pp 13337 104 24X
Fiche 50-275, 82/05/28, 8206030104

8206040363 Forwards fourteenth semimonthly Status Rept 14 re design
verification program
CRANE, P A, HOCH, J D Pacific Gas & Electric Co 82/05/28
DENTON, H R Office of Nuclear Reactor Regulation, Director
ENGELKEN, R H Region 5, Office of Director 2pp 13352 288 24X
Fiche 50-275, 82/05/28, 8206040363

--8206040377 "Diablo Canyon Verification Program," Semimonthly Rept 14
* Pacific Gas & Electric Co 82/05/28 36pp 13352 290 24X
Fiche 50-275, 82/05/28, 8206040363

8206160137 Forwards fifteenth progress rept on independent design
verification program
DENISON, E Robert L. Cloud Associates, Inc 82/06/09 DENTON, H R
Office of Nuclear Reactor Regulation, Director MANEATIS, G A
Pacific Gas & Electric Co ENGELKEN, R H Region 5, Office of
Director 1p 13519 011 24X Fiche 50-275, 82/06/09, 8206160137

--8206160144 "Progress Rept of Independent Design Verification Program,
Diablo Canyon Nuclear Power Plant, Phase I," Progress Rept 15
for 820527-0607
DENISON, E Robert L. Cloud Associates, Inc 82/06/09 13pp
13519 012 24X Fiche 50-275, 82/06/09, 8206160137

8206160190 Forwards "Diablo Canyon, Unit 1 Design Verification Program,"
fifteenth semimonthly status rept, summarizing technical
work progress from 820525-0607
CRANE, P A Pacific Gas & Electric Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director ENGELKEN, R H
Region 5, Office of Director 2pp 13521 080 24X
Fiche 50-275, 82/06/11, 8206160190

--8206160193 "Diablo Canyon, Unit 1 Design Verification Program,"
fifteenth semimonthly rept
* Pacific Gas & Electric Co 82/06/11 40pp 13521 082 24X
Fiche 50-275, 82/06/11, 8206160190

8206180128 Forwards "Independent Design Verification Program,"
fifteenth semimonthly status rept for 820527-0609 Priority
given to review of 147 open item files established by
R Cloud Associates prior to 820525
COOPER, W E Teledyne Engineering Services 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director ENGELMAN, R H
Region 5, Office of Director MANEATIS, G A Pacific Gas & Electric
Co 3pp 13552 346 24X Fiche 50-275, 82/06/11, 8206180128

DOCKETED ITEMS

--B206180158 "Independent Design Verification Program," fifteenth semi-monthly status rept for B20527-0409
 * Teledyne Engineering Services IDVP-IES-SM-15 B2/06/11
 22pp 13552 349 24X Fiche 50-275, B2/06/11, B206180128

B206180192 Forwards "Progress Rept 15 of Seismic Safety-Related Contracts Prior to 1978," work period of B20528-0411
 REEDY, R F F. Reedy, Inc B2/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director ENGELKEN, H R Region 5, Office of Director MANEATIS, O A Pacific Gas & Electric Co 1p 13553 073 24X Fiche 50-275, B2/06/11, B206180192

--B206180194 "Progress Rept 15 of Seismic Safety-Related Contracts Prior to 1978," work period of B20528-0411
 * R F Reedy, Inc B2/06/11 3pp 13553 074 24X
 Fiche 50-275, B2/06/11, B206180192

S Reportable occurrences, LERs & related correspondence

B206010500 Forwards LER B2-006/03L-0
 SHIFFER, J D Pacific Gas & Electric Co B2/05/21 ENGELKEN, H R Region 5, Office of Director 1p 13307 320 24X
 Fiche 50-275, B2/05/21, B206010500

--B206010513 LER B2-006/03L-0 on B20423, steam generator blowdown tank vent sys gross activity monitor would not respond to calibr check sources within specified range caused by photomultiplier tube end-of-life & electronic interference
 SCOTT, W B Pacific Gas & Electric Co B2/05/21 Region 5, Office of Director 2pp 13307 321 24X Fiche 50-275, B2/05/21, B206010500

B206210154 Forwards LER B2-005/03X-1
 SHIFFER, J D Pacific Gas & Electric Co B2/06/07 ENGELKEN, H R Region 5, Office of Director 1p 13560 085 24X
 Fiche 50-275, B2/06/07, B206210154

--B206210160 LER B2-005/03X-1 on B20330, steam generator blowdown tank liquid radiation monitor RM-23 failed quarterly functional test caused by failure of photomultiplier tube due to end of lifetime
 SCOTT, W B Pacific Gas & Electric Co B2/06/07 Region 5, Office of Director 1p 13560 086 24X Fiche 50-275, B2/06/07, B206210154

T Hearing transcripts on non-antitrust matters

B206300385 Transcript of B20217 meeting in San Francisco, CA re verification study Pp 1-90 Viewgraphs & supporting documentation encl
 * Office of Nuclear Reactor Regulation, Director B2/02/17 111pp 13675 390 24X Fiche 50-275, B2/02/17, B206300385

B206300113 Recommends that proposed Board Notification BN-B2-19 re transcript of B20217 meeting w/Governor of CA & joint intervenors be transmitted to Commission
 TEDESCO, R L Assistant Director for Licensing B2/03/02 EISENHUT, D Division of Licensing 1p 13695 013 24X
 Fiche 50-275, B2/03/02, B206300113

--B206300118 Board Notification BN-B2-19 re transcript of B20217 meeting w/representatives of Governor of CA & joint intervenors concerning safety issues on seismic design adequacy currently before Commission
 EISENHUT, D O Division of Licensing B2/03/03 PALLADINO, N GILINSKY, V, BRADFORD, P Commissioners 3pp 13695 016 24X
 Fiche 50-275, B2/03/02, B206300113

termination releasing portions of transcript meeting in Washington, DC Pp 1-47
 he Secretary of the Commission B2/06/21
 50-275, B2/06/21, B206290564.

ion plans

in dtd Mar 1982, Plann
 or NRC

ional Support
 y 1p.

DOCKET 50-277 PEACH BOTTOM ATOMIC POWER STATION, UNIT 2

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J M Division of Rules and Records B2/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, B2/04/21, B206150016

--B202250415 Forwards for transmittal to licensees, responses denying requests for exemption from B20201 deadline for implementation of prompt notification sys
 RAMAS, S L Division of Emergency Preparedness B2/01/21 STOLZ, J Operating Reactors Branch 4 12pp 13524 179 24X
 Fiche 50-000, B2/01/21, B206150016

--B203040508 Submits list of facilities that have filled exemption requests from B20201 prompt notification deadline
 Exemption requests will be denied
 EISENHUT, D G Division of Licensing B2/02/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13524 260 24X
 Fiche 50-000, B2/04/21, B206150016

--B206150023 Updates delivery schedule for siren shipments to facilities
 ANDERSON, M E Federal Signal Corp B2/01/28 CANNON, P Affiliation Unknown 3pp 13524 234 24X Fiche 50-000, B2/04/21, B206150016

--B206150070 Provides status rept re implementation of prompt notification sys Siren tests scheduled for B20120-0228
 BOYER, V S Philadelphia Electric Co B2/01/22 Region 1, Philadelphia, Office of the Director (B1/03/01) 3pp 13524 165 24X
 Fiche 50-000, B2/04/21, B206150016

--B206150079 Status of prompt notification sys
 * NRC - No Detailed Affiliation Given B2/03/09 1p 13525 154 24X
 Fiche 50-000, B2/04/21, B206150016

B206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR
 FELTON, J M Division of Rules and Records B2/04/26 BHOLLY, B C Union of Concerned Scientists 2pp 13342 255 24X
 Fiche 50-000, B2/04/26, B206020014

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records B2/05/11 REYNOLDS, N G Bebevoise & Liberman 3pp 13454 003 24X
 Fiche 50-000, B2/05/11, B206090002

--B203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by B20201 deadline
 Thirteen licensees may not meet deadline
 DIRCKS, W J Office of the Executive Director for Operations B2/01/26 Commissioners 2pp 13454 164 24X
 Fiche 50-000, B2/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
 SPENCER, O S Division of Technical Inspection B2/01/05 GRIMES, B K Division of Emergency Preparedness 8pp 13454 176 24X
 Fiche 50-000, B2/05/11, B206090002

--B206090088 Provides implementation status of prompt notification sys for facilities. Eight licensees failed to meet B20201 deadline
 DIRCKS, W J Office of the Executive Director for Operations B2/03/04 PALLADINO, N Commissioners 1p 13454 196 24X
 Fiche 50-000, B2/05/11, B206090002

--B205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
 DIRCKS, W J Office of the Executive Director for Operations B2/03/30 PALLADINO, N J, GILINSKY, V, AHEARNE, J Commissioners 2pp 13454 252 24X
 Fiche 50-000, B2/05/11, B206090002

B206220279 Forwards exercise objectives requested in NRC 811026 ltr re full-scale emergency exercise County & state agencies agreed to B20616 exercise date Exercise will demonstrate field monitoring capabilities & personnel effectiveness
 OALLACHER, J W Philadelphia Electric Co B2/05/11 HAYNES, R C Region 1, Office of Director 9pp 13571 194 24X
 Fiche 50-277, B2/05/11, B206220279

B206220272 Forwards detailed scenario for B20616 full scale-emergency exercise Requests list of NRC observers arriving B20619 for briefing FEMA/NRC post-exercise public critique scheduled for B20618
DALTROFF, S L Philadelphia Electric Co 82/05/20 HAYNES, R C
Region 1, Office of Director 17pp 13571 133 24X
Fiche 50-277, 82/05/20, B206220272

B206140382 Releases public version of revision to emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13509 302 24X Fiche 50-277, 82/06/08, B206140382

--B206140386 Forwards public version of Revision 4 to Emergency Plan Implementing Procedure EP-209, including revisions to App A re immediate notification call list & D-2 re radiation survey team Affidavit encl
DALTROFF, S L Philadelphia Electric Co 82/05/25 DENTON, H R
Office of Nuclear Reactor Regulation, Director App 13509 303
24X Fiche 50-277, 82/06/08, B206140382

--B206140388 Public version of Revision 4 to Emergency Plan Implementing Procedure EP-209, including revisions to App A re immediate notification call list & D-2 re radiation survey team Revised index encl
* Philadelphia Electric Co 82/05/04 42pp 13509 307 24X
Fiche 50-277, 82/06/08, B206140382

B206150442 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/11 Document
Management Branch 1p 13522 259 24X Fiche 50-277, 82/06/11, B206150442

--B206150443 Forwards public version of revised emergency plan implementing procedures, including Procedures EP-101 re classification of emergencies, EP-103 re alert response & EP-104 re site emergency response
DALTROFF, S L Philadelphia Electric Co 82/06/07 DENTON, H R
Office of Nuclear Reactor Regulation, Director 8pp 13522 260
24X Fiche 50-277, 82/06/11, B206150442

--B206160042 Public version of revised emergency plan implementing procedures, including Procedures EP-101 re classification of emergencies, EP-103 re alert response & EP-104 re site emergency response Revised index encl
* Philadelphia Electric Co 82/05/25 140pp 13522 268 24X
Fiche 50-277, 82/06/11, B206150442

B206210280 Informs that five blackout procedures re restoration of emergency onsite ac power were issued on B20610, in response to NRC ltr re station blackout events
DALTROFF, S L Philadelphia Electric Co 82/06/13 EISENHUT, D Q
Division of Licensing 1p 13559 170 24X Fiche 50-277, 82/06/13, B206210280

B206220162 Forwards Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively & notice of issuance & availability Amends revise Tech Specs re fire protection program Request for extension in testing interval denied.
STOLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E Q
Philadelphia Electric Co 3pp 13591 348 24X
Fiche 50-277, 82/06/16, B206220162

--B206220173 Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively, revising Tech Specs re fire protection program Request for extension in testing interval of early warning detection devices to 1 yr denied
* Operating Reactors Branch 4 82/06/16 38pp 13591 351 24X
Fiche 50-277, 82/06/16, B206220162

B206230014 Releases public version of revisions to emergency plan implementing procedures
FELTON, J M Division of Rules and Records, 82/06/17 Document
Management Branch 1p 13594 119 24X Fiche 50-277, 82/06/17, B206230014

--B206230018 Forwards public version of addl revisions to emergency plan implementing procedures, including Procedures EP-101, "Classification of Emergencies" & EP-102, "Unusual Event Response"
DALTROFF, S L Philadelphia Electric Co 82/06/07 DENTON, H R Office
of Nuclear Reactor Regulation, Director App 13594 120 24X
Fiche 50-277, 82/06/17, B206230014

B206240075 Releases public version of revised emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/18 Document
Management Branch 1p 13612 264 24X Fiche 50-277, 82/06/18, B206240075

--B206240081 Forwards public version of Revision 5 to Emergency Plan Implementing Procedure EP-206 & Revision 3 to EP-206A both concerning fire & damage team & Revision 0 to EP-325 re use of containment source radiation monitor
DALTROFF, S L Philadelphia Electric Co 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13612 265
24X Fiche 50-277, 82/06/18, B206240075

--B206240086 Public version of Revision 5 to Emergency Plan Implementing Procedure EP-206 & Revision 3 to EP-206A both concerning fire & damage team & Revision 0 to EP-325 re use of containment source radiation monitor Revised index encl
* Philadelphia Electric Co 82/06/07 41pp 13612 266 24X
Fiche 50-277, 82/06/18, B206240075

P Operating license stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp, 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDETTOS, M S Reactor Systems Standards Branch 81/02/02
ARLITTO, G A Division of Engineering Standards 20pp 13638 102
24X Fiche 50-000, 82/05/12, B206280071

B206020513 Forwards application for amend to Licenses DPR-44 & DPR-56, changing Tech Specs to clarify requirements re rod block sys Amend fee encl
BRADLEY, E J Philadelphia Electric Co 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13324 268 24X
Fiche 50-277, 82/05/26, B206020513

--B206020517 Application for amend to Licenses DPR-44 & DPR-56, changing App A Tech Spec Table 3 2 C to clarify requirements re control rod blocks
DALTROFF, S L Philadelphia Electric Co 82/05/20 7pp
13324 269 24X Fiche 50-277, 82/05/26, B206020513

--B206020522 Proposed Tech Spec Table 3 2 C re instrumentation that initiates control rod blocks
* Philadelphia Electric Co 82/05/20 3pp 13324 274 24X
Fiche 50-277, 82/05/26, B206020513

B206070336 Forwards addl info re application for amend to License DPR-44 on Reload 5 application info submitted as result of error discovered in ODYN transient computer code for performing Reload 5 pressurization transient analyses.
DALTROFF, S L Philadelphia Electric Co 82/06/03 STOLZ, J F
Operating Reactors Branch 4 12pp 13363 246 24X
Fiche 50-277, 82/06/03, B206070336

B206090043 Forwards response to B20505 Generic Ltr B2-10 re status of NUREG-0737, Items 1 A 1 3 1, 1 A 1 3 2, 1 C 1, 1 I 1, 1 K, 3 18, 1 I K 3 30, 1 I K 3 31, 1 I A 1 2, 1 I A 2 2 & 1 I D 3 4
DALTROFF, S L Philadelphia Electric Co 82/06/03 EISENHUT, D Q
Division of Licensing 8pp 13436 293 24X Fiche 50-277, 82/06/03, B206090043

B206100173 Forwards NEDO-22139, "Core Spray Sparger Crack Analysis at Peach Bottom Atomic Power Station, Unit 2" Rept provides completed technical analysis supporting continued safe operation of unit
DALTROFF, S L Philadelphia Electric Co 82/06/04 STOLZ, J F
Operating Reactors Branch 4 1p 13450 307 24X
Fiche 50-277, 82/06/04, B206100173

--B206100183 "Core Spray Sparger Crack Analysis at Peach Bottom Atomic Power Station, Unit 2"
BRANDON, R J, KISS, E, GRINDLEY, R L General Electric Co.
NEDO-22139, 82/05/31, 100pp 13450 308 24X
Fiche 50-277, 82/06/04, B206100173

B206140253 Forwards Franklin Research Ctr requests for addl info re equipment environ qualification program Response requested within 30 days.
STOLZ, J F Operating Reactors Branch 4 82/06/07, BAUER, E Q
Philadelphia Electric Co 20pp 13506 196 24X
Fiche 50-277, 82/06/07, B206140253

DOCKETED ITEMS

8206230085 Informs that evaluation of 810402 response to TMI Action Plan Item III D 4 "Control Room Evaluation" indicates criteria has been met & response acceptable. Safety evaluation encl.
STDLZ, J F Operating Reactors Branch 4 82/06/07 BAUER, E &
Philadelphia Electric Co 5pp 13593 333 24X
Fiche 50-277, 82/06/07, 8206230085

8206140275 Submits info in response to questions re util senior reactor operator & reactor operator training program. One oversize chart encl. Aperture card is available in PDR.
DALTROFF, S L Philadelphia Electric Co 82/06/09 STDLZ, J F
Operating Reactors Branch 4 5pp 13489 311 24X
Fiche 50-277, 82/06/08, 8206140275

8206150420 Forwards Refs 1, 5, 16, 20 & 49 from plant-unique analysis rept. as requested w/o encl.
SIEGEL, B Operating Reactors Branch 2 82/06/09 SEAGRAVES, W
Franklin Institute/Franklin Research Center 1p 13525 237 24X
Fiche 50-000, 82/06/09, 8206150420

8206220009 Concurs w/conclusions of GE rept. NEDO-22139, "Core Spray Sparger Crack Analysis at Peach Bottom Atomic Power Station Unit 2." Operation w/cracked, but clamped D core spray sparger will not result in unsafe operating condition.
STDLZ, J F Operating Reactors Branch 4 82/06/10 BAUER, E &
Philadelphia Electric Co 2pp 13593 356 24X
Fiche 50-277, 82/06/10, 8206220009

8206180043 Lists refs requested by BNL & Franklin Research Ctr for Mark I plant-unique analysis review info needed by 820915.
STDLZ, J F Operating Reactors Branch 4 82/06/15 BAUER, E &
Philadelphia Electric Co 2pp 13570 324 24X
Fiche 50-277, 82/06/15, 8206180043

8206220162 Forwards Amends B5 & B4 to Licenses DPR-44 & DPR-56, respectively & notice of issuance & availability. Amends revise Tech Specs re fire protection program Request for extension in testing interval denied.
STDLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E &
Philadelphia Electric Co 3pp 13591 348 24X
Fiche 50-277, 82/06/16, 8206220162

--8206220173 Amends B5 & B4 to Licenses DPR-44 & DPR-56, respectively, revising Tech Specs re fire protection program Request for extension in testing interval of early warning detection devices to 1 yr denied.
* Operating Reactors Branch 4 82/06/16 38pp 13591 351 24X
Fiche 50-277, 82/06/16, 8206220162

--8206220179 Notice of issuance & availability of Amends B5 & B4 to Licenses DPR-44 & DPR-56, respectively.
STDLZ, J F Operating Reactors Branch 4 82/06/16 2pp
13592 027 24X Fiche 50-277, 82/06/16, 8206220162

8206250378 Forwards safety evaluation concurring w/licensee 810108 response to NUREG-0737, Item II K 3 21 re restant of LPCS & LPCI sys based on BHR owners group position. Logic mods not warranted.
STDLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E &
Philadelphia Electric Co 5pp 13630 066 24X
Fiche 50-277, 82/06/16, 8206250378

8206300309 Forwards request for addl info within 30 days re 820512 ltr submitting proposed Tech Specs on degraded grid voltage protection.
STDLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E &
Philadelphia Electric Co 2pp 13678 275 24X
Fiche 50-277, 82/06/16, 8206300309

8206280002 Forwards Amend B6 to License DPR-44, safety evaluation & notice of issuance & availability. Amend revises Tech Specs permitting reactor operation w/reload Core 5 for Cycle 6.
FAIRFIE, M B Operating Reactors Branch 4 82/06/17 BAUER, E &
Philadelphia Electric Co 3pp 13630 276 24X
Fiche 50-277, 82/06/17, 8206280002

--8206280004 Amend B6 to License DPR-44, revising Tech Specs to permit reactor operation w/reload Core 5 for Cycle 6.
STDLZ, J F Operating Reactors Branch 4 82/06/17 30pp
13630-277 24X Fiche 50-277, 82/06/17, 8206280002

--8206280007 Safety evaluation supporting Amend B6 to License DPR-44 * Office of Nuclear Reactor Regulation, Director 82/06/17
12pp 13630-309 24X Fiche 50-277, 82/06/17, 8206280002

--8206280008 Notice of issuance & availability of Amend B6 to License DPR-44
STDLZ, J F Operating Reactors Branch 4 82/06/17 2pp
13630-321 24X Fiche 50-277, 82/06/17, 8206280002

8206280507 Forwards "Supplemental Reload Licensing Submittal for Peach Bottom Atomic Power Station, Unit 2, Reload 5," Revision 1.
DALTROFF, S L Philadelphia Electric Co 82/06/22 STDLZ, J F
Operating Reactors Branch 4 1p 13624 213 24X
Fiche 50-277, 82/06/22, 8206280507

--8206280513 "Supplemental Reload Licensing Submittal for Peach Bottom Atomic Power Station, Unit 2, Reload 5," Revision 1.
ELLIOTT, P E, LEASER, J D, HILF, C General Electric Co
41003J01A34 R01 82/05/31 37pp 13626 214 24X
Fiche 50-277, 82/06/22, 8206280507

8206290413 Forwards update to 820415 response re status of NUREG-0737, TMI action plan requirements identified in Generic Ltr
B2-05 Mode associated w/Items I F 1(3), (4) & (5), II K 3 22
% II B 3 completed
DALTROFF, S L Philadelphia Electric Co 82/06/23 EISENHUT, D C
Division of Licensing 2pp 13632 356 24X Fiche 50-277, 82/06/23, 8206290413

Q Inspection reports, IE Bulletins & correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US. Forwards documents listed in App A.
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150094 Ack receipt of 820305 ltr informing NRC of full compliance w/requirements of 10CFR50 54(s)(2) & Section IV D 3 of App F to 10CFR50. No further action will be taken re 820212 notice of violation.
LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/03/24 BOYER, V S Philadelphia Electric Co 1p
13525 201 24X Fiche 50-000, 82/04/21, 8206150016

8206010561 Provides supplemental info to 810318 ltr re IE Bulletin 80-25, overpressurization of safety/relief valve pneumatic supply sys. Mod to provide backup pneumatic supply utilizing compressed gas cylinders undertaken.
DALTROFF, S L Philadelphia Electric Co 82/05/19 HAYNES, R C
Region 1, Office of Director 1p 13315 350 24X
Fiche 50-277, 82/05/19, 8206010561

8206100158 Forwards IE Insp Repts 50-277/82-09 & 50-278/82-09 on 820421-0519 & notice of violation.
STAROSTECKI, R Division of Project & Resident Programs 82/03/24
DALTROFF, S L Philadelphia Electric Co 2pp 13445 248 24X
Fiche 50-277, 82/05/24, 8206100158

--8206100161 Notice of violation from insp on 820421-0519.
STAROSTECKI, R Division of Project & Resident Programs 82/05/24
1p 13445 250 24X Fiche 50-277, 82/05/24, 8206100158

--8206100166 IE Insp Repts 50-277/82-09 & 50-278/82-09 on 820421-0519. Noncompliance noted failure to have instructions for seismically qualified air supplies to containment ventilation valves & to supervise control rod handling.
BLOUGH, A R, COWILL, C J, MCCABE, E C Division of Project & Resident Programs 82/05/19 15pp 13445 252 24X
Fiche 50-277, 82/05/24, 8206100158

8206030258 Ack receipt of 820506 ltr informing NRC of steps taken to correct violations noted in IE insp repts.
SMITH, Q S Division of Emergency Preparedness & Operational Support 82/05/25 DALTROFF, S L Philadelphia Electric Co 1p 13337 211
24X Fiche 50-277, 82/05/25, 8206030258

--8206030262 Responds to NRC 811224 ltr re violations noted in IE insp repts. Corrective actions analysis performed of stack sampling sys, heat trace sample lines, piping modified & initial training of other personnel completed.
BOYER, V S Philadelphia Electric Co 82/05/06 HAYNES, R C
Region 1, Office of Director 2pp 13337 218 24X
Fiche 50-277, 82/05/25, 8206030258

8206020415 Forwards response to IE Bulletin 80-11, "Masonry Wall Design."
GALLAGHER, J W Philadelphia Electric Co 82/05/26 STDLZ, J F
Operating Reactors Branch 4 49pp 13326 023 24X
Fiche 50-277, 82/05/26, 8206020415

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance B2/05/28
107pp 13440 264 24X Fiche 50-000, B2/05/28, B204210378

B204150261 Forwards IE Insp Repts 50-277/B2-05 & 50-278/B2-05 on B20218 & notice of violation
MARTIN, T T Division of Engineering & Technical Programs B2/05/20
DALTROFF, S L Philadelphia Electric Co 2pp 13495 310 24X
Fiche 50-277, B2/05/28, B204150261

B204150263 Notice of violation from insp on B20218
MARTIN, T T Region 1, Office of Director B2/05/28 1p
13495 321 24X Fiche 50-277, B2/05/28, B204150261

B204150267 IE Insp Repts 50-277/B2-05 & 50-278/B2-05 on B20218
Noncompliance noted dose rate in rear of sleep of
vehicle exceeded 3 m/h
CLEMONS, P J KNAPP, P J Region 1, Office of Director B2/03/30
4pp 13495 322 24X Fiche 50-277, B2/05/28, B204150261

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Bvc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement B2/05/02 108pp 13527 150 24X
Fiche 50-000 B2/06/03, B204210380

B204220372 Forwards IE Insp Repts 50-277/B2-07 & 50-278/B2-07 on B20420-21 & 26-30 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs B2/04/03
DALTROFF, S L Philadelphia Electric Co 2pp 13581 320 24X
Fiche 50-277, B2/06/03, B204220372

B204220404 IE Insp Repts 50-277/B2-07 & 50-278/B2-07 on B20420-21 & 26-30 No noncompliance noted Major areas inspected QA/QC organization & administrations & design change mods
NAPUDA, O J, EAPEN, P K, SHAUB, E T Division of Engineering & Technical Programs B2/05/26 16pp 13581 322 24X
Fiche 50-277, B2/06/03, B204220372

B204100227 Ack receipt of B20209 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-277/B1-25 & 50-278/B1-27
MARTIN, T T Division of Engineering & Technical Programs B2/04/04
DALTROFF, S L Philadelphia Electric Co 2pp 13453 344 24X
Fiche 50-277, B2/06/04, B204100227

B204100230 Responds to NRC B20111 ltr re violations noted in IL Insp Repts 50-277/B1-25 & 50-278/B1-27 Corrective actions recordkeeping sys for receipt, inventory, disposal, acquisition, transfer of fission detectors established
DALTROFF, S L Philadelphia Electric Co B2/02/09 KEIMIG, R R Region 1, Office of Director 4pp 13453 346 24X
Fiche 50-277, B2/06/04, B204100227

B204150232 Ack receipt of B20519 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-277/B2-06 & 50-278/B2-06
STAROSTECKI, R Division of Project & Resident Programs B2/06/10
DALTROFF, S L Philadelphia Electric Co 2pp 13496 326 24X
Fiche 50-277, B2/06/10, B204150232

B204150233 Responds to NRC B20422 ltr re violations noted in IL Insp Repts 50-277/B2-06 & 50-278/B2-06 Corrective actions improved peak holding velocity indicator for snubber test machine installed & calibr on B20312
DALTROFF, S L Philadelphia Electric Co B2/05/19 STAROSTECKI, R Division of Project & Resident Programs 8pp 13496 328 24X
Fiche 50-277, B2/06/10, B204150232

B204210383 IE Info Notice B2-17, "Overpressurization of RCB " Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance B2/06/11, 106pp 13675 258 24X Fiche 50-000, B2/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Bvc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/11 120pp 13675 189 24X
Fiche 50-000, B2/06/11, B204210384

B204150141 Submits addl info re inservice insp program in response to B20305 request Revised pages will be submitted to 781122 revisions identification of Class I exempt components encl
DALTROFF, S L Philadelphia Electric Co B2/06/11 STOLZ, J F Operating Reactors Branch 4 12pp 13504 344 24X
Fiche 50-277, B2/06/11, B204150141

R Periodic operating reports & related correspondence

B204110219 Submits second annual rept on safety-relief valve challenges per TIT Action Item II K 3 3 No challenges to primary coolant sys safety & relief valves occurred during 1981
DALTROFF, S L Philadelphia Electric Co B2/06/08 EISENHUT Division of Licensing 1p 13467 007 24X Fiche 50-277, B2/06/08, B204110219

B204180078 Forwards monthly operating repts for May 1982
CORNEY, M J Philadelphia Electric Co B2/06/09 Director's Office, Office of Inspection and Enforcement 1p 13553 062 24X Fiche 50-277, B2/06/09, B204180078

B204180080 Monthly operating repts for May 1982
ALDEN, W H Philadelphia Electric Co B2/06/09 9pp 13553 063 24X Fiche 50-277, B2/06/09, B204180078

S Reportable occurrences, LERs & related correspondence

B204030183 LER B2-11/01P on B20513, during refueling maint outage, clothes worn by individuals handling eddy current probe contaminated, resulting in skin contamination Caused by high levels of smearable contamination in heat exchanger tubes
DALTRICH, W T Philadelphia Electric Co B2/05/14 HAYNES, R C Region 1, Office of Director 2pp 13337 289 24X
Fiche 50-277, B2/05/14, B204030183

B204110017 Releases sanitized version of overexposure rept per 10CFR20 405
+ Administration Branch B2/06/01 Document Management Branch 1p 13493 112 24X Fiche 50-277, B2/06/01, B204110017

B204110019 Forwards sanitized version of overexposure rept per 10CFR20 405 submitted as LER B2-010/01X-0
CORNEY, M J Philadelphia Electric Co B2/05/13 HAYNES, R C Region 1, Office of Director 7pp 13493 113 24X
Fiche 50-277, B2/06/01, B204110017

B204110021 Sanitized version of LER B2-010/01X-0 on B20413, Eberline Instrument Corp reported 9 175 rem exposure to TLD badge Caused by deliberate tampering w/badge found near radiation source Individual denied access to site
CORNEY, M J Philadelphia Electric Co B2/05/13 Region 1, Office of Director 1p 13493 120 24X Fiche 50-277, B2/06/01, B204110017

B204280450 LER B2-012/03L-0 on B20517, pressure drop across combined HEPA filters & charcoal absorber banks in control room emergency ventilation sys exceeded Tech Spec limits Caused by pin on connecting linkage of damper DMV-30 falling out
CORNEY, M J Philadelphia Electric Co B2/06/11 HAYNES, R C Region 1, Office of Director 1p 13621 099 24X
Fiche 50-277, B2/06/11, B204280450

B204290149 Forwards LER B2-011/01T-0 Detailed event analysis submitted
CORNEY, M J Philadelphia Electric Co B2/06/11 HAYNES, R C Region 1, Office of Director 4pp 13635 001 24X
Fiche 50-277, B2/06/11, B204290149

B204290156 LER B2-011/01T-0 on B20513, anticontamination clothing of workers contaminated during eddy current testing Caused by reactor water cleanup heat exchanger probe transporting contamination from tubes to room Procedures reviewed
CORNEY, M J Philadelphia Electric Co B2/06/11 Region 1, Office of Director 6pp 13635 005 24X Fiche 50-277, B2/06/11, B204290149

B204240293 PNO-I-B2-044 on B20419, w/Unit 3 at full power, HPCI & reactor core isolation cooling sys injected water to core for 30-s before safety injection verified unnecessary Caused by degradation of power supply unit
MCCABE, E Region 1, Office of Director B2/06/21 2pp 13597 035 24X Fiche 50-277, B2/06/21, B204240293

DOCKET 50-278 PEACH BOTTOM ATOMIC POWER STATION, UNIT 3

F Security, medical, emergency & fire protection plans

B204150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records B2/04/21 WADE, J. Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, B2/04/21, B204150016

DOCKETED ITEMS

- 8202250415 Forwards for transmittal to licensees, responses denying requests for exemption from 820201 deadline for implementation of prompt notification sys
RAMAS, S L Division of Emergency Preparedness 82/01/21
STOLZ, J Operating Reactors Branch 4 12pp 13524 179 14X
Fiche 50-000, 82/04/21, 8206150016
- 8203040508 Submits list of facilities that have filled exemption requests from 820201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D G Division of Licensing 82/02/03 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13524 288
24X Fiche 50-000, 82/04/21, 8206150016
- 8206150023 Updates delivery schedule for siren shipments to facilities
ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P
Affiliation Unknown 5pp 13524 234 24X Fiche 50-000, 82/01/21, 8206150016
- 8206150070 Provides status rept re implementation of prompt notification sys Siren tests scheduled for 820120-0228
BOYER, V S Philadelphia Electric Co 82/01/22 Region 1,
Philadelphia, Office of the Director (81/03/01) 3pp 13524 165
24X Fiche 50-000 82/04/21, 8206150016
- 8206150079 Status of prompt notification sys
* NRC - No Detailed Affiliation Given 82/03/09 1p 13525 154
24X Fiche 50-000, 82/04/21, 8206150016
- 8206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR
FELTON, J M Division of Rules and Records 82/04/26 SHOLLY, S C
Union of Concerned Scientists 2pp 13342 255 24X
Fiche 50-000, 82/04/26, 8206020014
- 8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002
- 8203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13434 164 24X
Fiche 50-000, 82/05/11, 8206090002
- 8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O B Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 174
24X Fiche 50-000, 82/05/11, 8206090002
- 8206090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet 820201 deadline
DIRCKS, W J Office of the Executive Director for Operations 82/03/04 PALLADINO, N J Commissioners 1p 13454 195 24X
Fiche 50-000, 82/05/11, 8206090002
- 8205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations 82/03/30 PALLADINO, N J Commissioners 2pp 13434 252 24X
Fiche 50-000, 82/05/11, 8206090002
- 8206220279 Forwards exercise objectives requested in NRC 811026 ltr re full-scale emergency exercise County & state agencies agreed to 820616 exercise date Exercise will demonstrate field monitoring capabilities & personnel effectiveness
GALLAGHER, J W Philadelphia Electric Co 82/05/11 HAYNES, H C
Region 5, Office of Director 8pp 13524 234 24X
- 8206140386 Forwards public version of Revision 4 to Emergency Plan Implementing Procedure EP-209, including revisions to App A re immediate notification call list & D-2 re radiation survey team Affidavit encl
DALTROFF, S L Philadelphia Electric Co 82/05/25 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13507 300
24X Fiche 50-277, 82/06/08, 8206140382
- 8206140388 Public version of Revision 4 to Emergency Plan Implementing Procedure EP-209, including revisions to App A re immediate notification call list & D-2 re radiation survey team Revised index encl
* Philadelphia Electric Co 82/05/04 42pp 13509 307 14X
Fiche 50-277 82/06/08, 8206140382
- 8206150442 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/11 Document Management Branch 1p 13522 259 24X Fiche 50-277, 82/06/11, 8206150442
- 8206150443 Forwards public version of revised emergency plan implementing procedures, including Procedures EP-101 re classification of emergencies, EP-103 re alert response & EP-104 re site emergency response
DALTROFF, S L Philadelphia Electric Co 82/06/07 DENTON, H R
Office of Nuclear Reactor Regulation, Director 8pp 13522 260
24X Fiche 50-277, 82/06/11, 8206150442
- 8206160042 Public version of revised emergency plan implementing procedures, including Procedures EP-101 re classification of emergencies, EP-103 re alert response & EP-104 re site emergency response Revised index encl
* Philadelphia Electric Co 82/05/25 140pp 13522 268 14X
Fiche 50-277 82/06/11, 8206160042
- 8206210280 Informs that five blackout procedures re restoration of emergency onsite ac power were issued on 820610, in response to NRC ltr re station blackout events
DALTROFF, S L Philadelphia Electric Co 82/06/15 EISENHUT, D G
Division of Licensing 1p 13559 170 24X Fiche 50-277, 82/06/15, 8206210280
- 8206220162 Forwards Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively & notice of issuance & availability Amends revise Tech Specs re fire protection program Request for extension in testing interval denied
STOLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E O
Philadelphia Electric Co 3pp 13591 348 24X
Fiche 50-277, 82/06/16, 8206220162
- 8206220173 Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively, revising Tech Specs re fire protection program Request for extension in testing interval of early warning detection devices to 1 yr denied
* Operating Reactors Branch 4 82/06/16 38pp 13591 351 14X
Fiche 50-277, 82/06/16, 8206220162
- 8206230014 Releases public version of revisions to emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/17 Document Management Branch 1p 13594 119 24X Fiche 50-277, 82/06/17, 8206230014
- 8206230018 Forwards public version of addl revisions to emergency plan implementing procedures, including Procedures EP-101, "Classification of Emergencies" & EP-102, "Unusual Event Response"
DALTROFF, S L Philadelphia Electric Co 82/06/07 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13594 120 14X
Fiche 50-277, 82/06/17, 8206230014
- 8206240075 Releases public version of revised emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13612 264 24X Fiche 50-277, 82/06/18, 8206240075
- 8206240081 Forwards public version of Revision 5 to Emergency Plan Implementing Procedure EP-206 & Revision 3 to EP-206A both concerning fire & damage team & Revision 0 to EP-325 re use of containment source radiation monitor
DALTROFF, S L Philadelphia Electric Co 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13612 265
24X Fiche 50-277, 82/06/18, 8206240075
- 8206240086 Public version of Revision 5 to Emergency Plan Implementing Procedure EP-206 & Revision 3 to EP-206A both concerning fire & damage team & Revision 0 to EP-325 re use of containment source radiation monitor Revised index encl
* Philadelphia Electric Co 82/06/07 41pp 13612 266 14X
Fiche 50-277, 82/06/18, 8206240075

F Operating license stage documents & correspondence

8206020513 Forwards application for amend to Licenses DPR-44 & DPR-56, changing Tech Specs to clarify requirements re rod block sys Amend fee encl
 STOLZ, J F Philadelphia Electric Co 82/05/26 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 1p 13324 24X
 Fiche 50-277, 82/05/26, 8206020513

8206020517 Application for amend to Licenses DPR-44 & DPR-56, changing App A Tech Spec Table 3 2 C to clarify requirements re control rod blocks
 DALTROFF, S L Philadelphia Electric Co 82/05/20 7pp
 13324 24X Fiche 50-277, 82/05/26, 8206020513

8206020522 Proposed Tech Spec Table 3 2 C re instrumentation that initiates control rod blocks
 Philadelphia Electric Co 82/05/20 3pp 13324 276 24X
 Fiche 50-277, 82/05/26, 8206020513

8206090043 Forwards response to 820505 Generic Ltr 82-10 re status of NUREG-0737, Items I A 1 3 1 I A 1 3 2, I C 1, II B 1, II K 3 10, II M 3 20, II V 3 31, III A 1 2, III A 2 3 & III D 3 4
 DALTROFF, S L Philadelphia Electric Co 82/06/03 EISENHUT, D G
 Division of Licensing 8pp 13436 293 24X Fiche 50-277, 82/06/03, 8206090043

8206140253 Forwards Franklin Research Ctr requests for addl info re equipment environ qualification program Response requested within 30 days
 STOLZ, J F Operating Reactors Branch 4 82/06/07 BAUER, E G
 Philadelphia Electric Co 2pp 13506 196 24X
 Fiche 50-277, 82/06/07, 8206140253

8206230085 Informs that evaluation of 810102 response to TMI Action Plan Item III D 4 "Control Room Evaluation" indicates criteria has been met & response acceptable Safety evaluation encl
 STOLZ, J F Operating Reactors Branch 4 82/06/07 BAUER, E G
 Philadelphia Electric Co 5pp 13573 333 24X
 Fiche 50-277, 82/06/07, 8206230085

8206140276 Submits info in response to questions re util senior reactor operator & reactor operator training program One oversize chart encl Aperture card is available in FOR
 DALTROFF, S L Philadelphia Electric Co 82/06/08 STOLZ, J F
 Operating Reactors Branch 4 3pp 13489 311 24X
 Fiche 50-277, 82/06/08, 8206140276

8206130420 Forwards Refs 1, 5, 16, 20 & 49 from plant-unique analysis repts, as requested W/o encl
 SIEGEL, D Operating Reactors Branch 2 82/06/09 SEAGRAVES, W
 Franklin Institute/Franklin Research Center 1p 13525 237 24X
 Fiche 50-000, 82/06/09, 8206130420

8206180043 Lists refs requested by BNL & Franklin Research Ctr for Mark I plant-unique analysis review info needed by 820915
 STOLZ, J F Operating Reactors Branch 4 82/06/15 BAUER, E G
 Philadelphia Electric Co 2pp 13570 324 24X
 Fiche 50-277, 82/06/15, 8206180043

8206220162 Forwards Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively & notice of issuance & availability Amends revise Tech Specs re fire protection program Request for extension in testing interval denied
 STOLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E G
 Philadelphia Electric Co 3pp 13591 348 24X
 Fiche 50-277, 82/06/16, 8206220162

8206220173 Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively, revising Tech Specs re fire protection program Request for extension in testing interval of early warning detection devices to 1 yr denied
 Operating Reactors Branch 4 82/06/16 38pp 13591 351 24X
 Fiche 50-277, 82/06/16, 8206220162

8206220179 Notice of issuance & availability of Amends 85 & 84 to Licenses DPR-44 & DPR-56, respectively
 STOLZ, J F Operating Reactors Branch 4 82/06/16 2pp 13592 027 24X Fiche 50-277, 82/06/16, 8206220162

8206250378 Forwards safety evaluation concurring w/licenses 810100 response to NUREG-0737, Item II K 3 21 re restart of LPCS & LPC1 sys based on BWR owners group position Logic mods not warranted
 STOLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E G
 Philadelphia Electric Co 5pp 13630 066 24X
 Fiche 50-277, 82/06/16, 8206250378

8206300309 Forwards request for addl info within 30 days re 820512 ltr submitting proposed Tech Specs on degraded grid voltage protection
 STOLZ, J F Operating Reactors Branch 4 82/06/16 BAUER, E G
 Philadelphia Electric Co 2pp 13678 275 24X
 Fiche 50-277, 82/06/16, 8206300309

8206290413 Forwards update to 820415 response re status of NUREG-0737, TMI action plan requirements identified in Generic Ltr 82-05 Mods associated w/Items II F 1(3), (4) & (5), II K 3 22 & II B 3 completed
 DALTROFF, S L Philadelphia Electric Co 82/06/23 EISENHUT, D G
 Division of Licensing 2pp 13632 356 24X Fiche 50-277, 82/06/23, 8206290413

G Inspection reports, IE Bulletins & correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J M Division of Rules and Records 82/04/21 WADE, J
 Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, 82/04/21, 8206150016

8206150094 Ack receipt of 820305 ltr informing NRC of full compliance w/requirements of 10CFR50 54(s)(2) & Section IV D 3 of App E to 10CFR50 No further action will be taken re 820212 notice of violation
 LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/03/24 BOYER, V S Philadelphia Electric Co 1p 13525 201 24X Fiche 50-000, 82/04/21, 8206150016

8206010561 Provides supplemental info to 810318 ltr re IE Bulletin 80-25, overpressurization of safety/relief valve pneumatic supply sys Mod to provide backup pneumatic supply utilizing compressed gas cylinders undertaken
 DALTROFF, S L Philadelphia Electric Co 82/03/19 HAYNES, R C
 Region I, Office of Director 1p 13315 330 24X
 Fiche 50-277, 82/03/19, 8206010561

8206100158 Forwards IE Insp Repts 50-277/82-09 & 50-278/82-09 on 820421-0519 & notice of violation
 STAROSTECKI, R Division of Project & Resident Programs, 82/05/24
 DALTROFF, S L Philadelphia Electric Co 2pp 13445 248 24X
 Fiche 50-277, 82/05/24, 8206100158

8206100161 Notice of violation from Insp on 820421-0519
 STAROSTECKI, R Division of Project & Resident Programs 82/05/24
 1p 13445 250 24X Fiche 50-277, 82/05/24, 8206100158

8206100166 IE Insp Repts 50-277/82-09 & 50-278/82-09 on 820421-0519 Noncompliance noted failure to have instructions for semically qualified air supplies to containment ventilation valves & to supervise control rod handling
 BLOUGH, A R, CONGILL, C J, MCADAM, E C Division of Project & Resident Programs 82/03/19 15pp 13445 252 24X
 Fiche 50-277, 82/05/24, 8206100158

8206030258 Ack receipt of 820506 ltr informing NRC of steps taken to correct violations noted in IE Insp repts
 SMITH, G S Division of Emergency Preparedness & Operational Support 82/05/25 DALTROFF, S L Philadelphia Electric Co 1p 13337 217, 24X Fiche 50-277, 82/05/25, 8206030258

8206030262 Responds to NRC 811224 ltr re violations noted in IE Insp repts Corrective actions analysis performed of stack sampling sys, heat trace sample lines, piping modified & initial training of other personnel completed
 BOYER, V S Philadelphia Electric Co 82/05/06 HAYNES, R C
 Region I, Office of Director 2pp 13337 218 24X
 Fiche 50-277, 82/05/25, 8206030258

8206020413 Forwards response to IE Bulletin 80-11, "Masonry Wall Design"
 GALLAGHER, J M Philadelphia Electric Co 82/05/26 STOLZ, J F
 Operating Reactors Branch 4 4pp 13326 023 24X
 Fiche 50-277, 82/05/26, 8206020413

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28, 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

DOCKETED ITEMS

8206150261 Forwards IE Insp Repts 50-277/82-05 & 50-278/82-03 on 820218 & notice of violation
MARTIN, T T Division of Engineering & Technical Programs 82/05/25
DALTROFF, S L Philadelphia Electric Co 2pp 13495 318 24X
Fiche 50-277, 82/05/28, 8206150261

--8206150263 Notice of violation from insp on 820218
MARTIN, T T Region 1, Office of Director 82/05/28 1p
13495 321 24X Fiche 50-277, 82/05/28, 8206150261

--8206150267 IE Insp Repts 50-277/82-05 & 50-278/82-05 on 820218
Noncompliance noted dose rate in rear of sleeper of vehicle exceeded 2 m/h
CLEMONS, P J KNAPP, P J Region 1, Office of Director 82/03/30
4pp 13495 322 24X Fiche 50-277, 82/05/28, 8206150261

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants"
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220392 Forwards IE Insp Repts 50-277/82-07 & 50-278/82-07 on 820420-21 & 26-30 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/06/03
DALTROFF, S L Philadelphia Electric Co 2pp 13581 320 24X
Fiche 50-277, 82/06/03, 8206220392

--8206220404 IE Insp Repts 50-277/82-07 & 50-278/82-07 on 820420-21 & 26-30 No noncompliance noted Major areas inspected QA/QC organization & administration & design change mods
NAPUDA, O EAFEN, P K SHAUS, E T Division of Engineering & Technical Programs 82/05/26 16pp 13581 322 24X
Fiche 50-277, 82/06/03, 8206220392

8206100227 Ack receipt of 820209 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-277/81-25 & 50-278/81-27
MARTIN, T T Division of Engineering & Technical Programs 82/06/04
DALTROFF, S L Philadelphia Electric Co 2pp 13453 344 24X
Fiche 50-277, 82/06/04, 8206100227

--8206100230 Responds to NRC 820111 ltr re violations noted in IE Insp Repts 50-277/81-25 & 50-278/81-27 Corrective actions recordkeeping sys for receipt, inventory, disposal, acquisition, transfer of fission detectors established
DALTROFF, S L Philadelphia Electric Co 82/02/09 KEINIO, R R Region 1, Office of Director 4pp 13453 346 24X
Fiche 50-277, 82/04/04, 8206100227

8206150232 Ack receipt of 820519 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-277/82-06 & 50-278/82-06
STAROSTECKI, R Division of Project & Resident Programs 82/06/10
DALTROFF, S L Philadelphia Electric Co 2pp 13496 326 24X
Fiche 50-277, 82/06/10, 8206150232

--8206150233 Responds to NRC 820422 ltr re violations noted in IE Insp Repts 50-277/82-06 & 50-278/82-06 Corrective actions improved peak holding velocity indicator for snubber test machine installed & calibr on 820312
DALTROFF, S L Philadelphia Electric Co 82/05/19 STAROSTECKI, R Division of Project & Resident Programs 8pp 13496 328 24X
Fiche 50-277, 82/06/10, 8206150232

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675:189 24X
Fiche 50-000, 82/06/11, 8204210384

8206180078 Forwards monthly operating repts for May 1982
COONEY, M J Philadelphia Electric Co 82/06/09 Director's Office, Office of Inspection and Enforcement 1p 13593 062 24X
Fiche 50-277, 82/06/09, 8206180078

--8206180080 Monthly operating repts for May 1982
ALDEN, W M Philadelphia Electric Co 82/06/09 9pp 13593 063 24X Fiche 50-277, 82/06/09, 8206180078

S Reportable occurrences, LERs & related correspondence

8206080376 LER 82-008/01P-0 on 820527, increase in nitrogen makeup revealed containment leakage in excess of Tech Spec limit Cause under investigation Unit will be placed in cold shutdown until source of leakage identified
ULLRICH, W T Philadelphia Electric Co 82/05/28 HAYNES, R C Region 1, Office of Director 2pp 13416 015 24X
Fiche 50-278, 82/05/28, 8206080376

8206280551 LER 82-005/03L-0 on 820514, during normal operation, reactor operator heard relay in primary containment isolation sys energize Caused by defective component in Rosemount Model 5100U slave trip unit instrument replaced
COONEY, M J Philadelphia Electric Co 82/06/14 HAYNES, R C Region 1, Office of Director 1p 13625 326 24X
Fiche 50-278, 82/06/14, 8206280551

8206280557 Forwards LER 82-008/01T-0 Detailed event analysis submitted
COONEY, M J Philadelphia Electric Co 82/06/18 HAYNES, R C Region 1, Office of Director 3pp 13625 272 24X
Fiche 50-278, 82/06/18, 8206280557

--8206280566 LER 82-008/01T-0 on 820527, nitrogen makeup to containment found higher than normal Caused by nonisolable empty manometer valved in svc to suppression pool air space Manometer valved out of svc, restoring containment integrity
COONEY, M J Philadelphia Electric Co 82/06/18 Region 1, Office of Director 1p 13625 275 24X Fiche 50-278, 82/06/18, 8206280557

8206240293 PNO-I-82-044 on 820619, w/Unit 3 at full power, HPCI & reactor core isolation cooling sys injected water to core for 30-s before safety injection Verified unnecessary Caused by degradation of power supply unit
McCABE, E Region 1, Office of Director 82/06/21 2pp 13597 039 24X Fiche 50-277, 82/06/21, 8206240293

DOCKET 50-280 SURRY POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

8206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR
FELTON, J M Division of Rules and Records 82/04/26. SHOLLY, B C Union of Concerned Scientists 2pp 13342 255 24X
Fiche 50-000, 82/04/26, 8206020014

--8206020057 Confirms telcon re malfunctions in early warning sys Existing equipment will be upgraded to provide improved reliability or replaced w/more secure devices
LEASBURG, R H Virginia Electric & Power Co 82/02/24 O'REILLY, J P Region 2, Office of Director 1p 13342 272 24X
Fiche 50-000, 82/04/26, 8206020014

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11. REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities. Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support. 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070485 Forwards Region 2 Incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl
STCHER, J P Division of Emergency Preparedness & Operational Support
82/05/12 LEASBURG, R H Virginia Electric & Power Co 1p
13375 014 24X Fiche 50-000, 82/05/12, 8206070485

8206220312 Forwards IE Safeguards Insp Repts 50-280/82-15 & 50-281/82-15 on 820401-04 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/06/16
LEASBURG, R H Virginia Electric & Power Co 2pp 13371 037 24X
Fiche 50-280, 82/06/16, 8206220312

--8206220313 IE Safeguards Insp Repts 50-280/82-15 & 50-281/82-15 on 820401-04 No noncompliance noted Major areas inspected site orientation, security plan & implementing procedures & organization mgt Details withheld (ref 10CFR73.21)
HALL, B L, MCCUIRE, D R Division of Engineering & Technical Programs 82/06/14 1p 13371 039 24X Fiche 50-280, 82/06/16, 8206220312

P Operating license stage documents & correspondence

8206070762 Ack visit to util ofcs on 820423 for discussions on selected topics of mutual interest w/ various members of util corporate mgt staff Meetings beneficial
MARTIN, R D Region 2, Office of Director 82/05/17 LEASBURG, R H Virginia Electric & Power Co 1p 13389 322 24X
Fiche 50-000, 82/05/17, 8206070762

8206020036 Requests justification, within 2 wks, of departure from NRC position on acceptance criteria for lab testing of used charcoal & flow rates of control room air filtration sys
Issues are more than 5 yrs old
VARQA, S A Operating Reactors Branch 1 82/05/24 LEASBURG, R H Virginia Electric & Power Co 2pp 13333 060 24X
Fiche 50-280, 82/05/24, 8206020036

8206020323 Informs that commitment schedule for implementation of NUREG-0737 items identified in Generic Ltr 82-10 will be provided by 820630, Revision 3 to response to NUREG-0737 post-TMI requirements to be provided in mid-June 1982
LEASBURG, R H Virginia Electric & Power Co 82/05/24 DENTON, H R Office of Nuclear Reactor Regulation, Director, EISENHUT, D O Division of Licensing 2pp 13321 276 24X Fiche 50-000, 82/05/24, 8206020323

8206170351 Application for amend to Licenses DPR-32 & DPR-37, supplementing 780920 & 810428 amend applications to include revised listing of all safety-related hydraulic & mechanical snubbers in Tech Spec Tables 4 17-1 & 4 17-2
LEASBURG, R H Virginia Electric & Power Co 82/05/24 DENTON, H R Office of Nuclear Reactor Regulation, Director VARQA, S A Operating Reactors Branch 1 2pp 13332 228 24X
Fiche 50-280, 82/05/24, 8206170351

--8206170353 Tech Spec Tables 4 17-1 & 4 17-2 listing hydraulic & mechanical suppressor data
* Virginia Electric & Power Co 82/05/24 42pp, 13332 230 24X
Fiche 50-280, 82/05/24, 8206170351

8206020399 Responds to 820421 request for addl info re clarification of 820325 response re regenerative heat exchangers & welds on RHR sys
LEASBURG, R H Virginia Electric & Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director VARQA, S A Operating Reactors Branch 1 4pp 13326 285 24X
Fiche 50-280, 82/05/25, 8206020399

8206040330 Submits response to NRC questions re VEP-FRD-33, "VEPCO Reactor Core Thermal-Hydraulic Analysis Using COBRA-IIIC/MIT Computer Code." Requests NRC comments by 820625
LEASBURG, R H Virginia Electric & Power Co 82/05/27 DENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D O Division of Licensing 9pp 13354 043 24X Fiche 50-000, 82/05/27, 8206040330

8206110140 Provides info resolving remaining outstanding issues in proposed Tech Specs for auxiliary bldg & control room ventilation sys, per NRC 820524 ltr & 820604 meeting Control room dose calculations encl
LEASBURG, R H Virginia Electric & Power Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director VARQA, S A Operating Reactors Branch 1 47pp 13463 167 24X
Fiche 50-280, 82/06/07, 8206110140

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York LEASBURG, R H Virginia Electric & Power Co COMBS, F Z Appalachian Power Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206210106 Forwards responses to NRC questions re 820331 General Design Criteria 17 submittal Outstanding items will be responded to by 820630 One oversize drawing encl Aperture card is available in PDR
LEASBURG, R H Virginia Electric & Power Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director VARQA, S A Operating Reactors Branch 1 19pp 13560 310 24X
Fiche 50-280, 82/06/11, 8206210106

8206240344 Application for amend to Licenses DPR-32 & DPR-37, proposing change to Tech Spec 6 7(A) extending deadline for environ qualification of all safety-related electrical equipment to end of second refueling outage after 820331
LEASBURG, R H Virginia Electric & Power Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director VARQA, S A Operating Reactors Branch 1 3pp 13603 150 24X
Fiche 50-280, 82/06/16, 8206240344

--8206240353 Proposed Tech Spec 6 7-1, extending deadline for environ qualification of all safety-related electrical equipment to end of second refueling outage after 820331
* Virginia Electric & Power Co 82/06/16 1p 13603 153 24X
Fiche 50-280, 82/06/16, 8206240344

8206250389 Summary of 820604 meeting w/ util & B&W re proposed Tech Specs on auxiliary bldg & control room filter sys
NEIGHBORS, J D Operating Reactors Branch 1 82/06/17 Operating Reactors Branch 1 5pp 13630 085 24X Fiche 50-280, 82/06/17, 8206250389

8206280590 Forwards Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively, safety evaluation & notice of issuance & availability Amends 11mit control rod misalignment
NEIGHBORS, J D Operating Reactors Branch 1 82/06/17 LEASBURG, R H Virginia Electric & Power Co 2pp 13630 134 24X
Fiche 50-280, 82/06/17, 8206280590

--8206280610 Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively, changing Tech Specs to limit control rod misalignment to no more than plus or minus 12 steps indicated positions
VARQA, S A Operating Reactors Branch 1 82/06/17 10pp 13630 136 24X Fiche 50-280, 82/06/17, 8206280590

--8206280614 Safety evaluation supporting Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively
* Office of Nuclear Reactor Regulation, Director 82/06/17 2pp, 13630 146 24X Fiche 50-280, 82/06/17, 8206280590

--8206280626 Notice of issuance & availability of Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively
VARQA, S A Operating Reactors Branch 1 82/06/17 2pp 13630 148 24X Fiche 50-280, 82/06/17, 8206280590

8206240251 Advises that completion of reactor cooling sampling sys in response to Generic Ltr 82-05, delayed due to failure of vent tank compressor & several internal wiring problems New commitment date set for 820901 Approval requested
LEASBURG, R H Virginia Electric & Power Co 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D O Division of Licensing 2pp 13598 344 24X Fiche 50-280, 82/06/18, 8206240251

8206290079 Requests extension of completion date until 820301 for installation of hydrogen monitor sys per NUREG-0737, Item II F 1 6 Request made in anticipation of const difficulties during installation
LEASBURG, R H Virginia Electric & Power Co 82/06/23 DENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D O Division of Licensing 2pp 13634 335 24X Fiche 50-280, 82/06/23, 8206290079

Q Inspection reports, IE Bulletins & correspondence

8206070618 Confirms 820507 arrangements for 820518-20 insp of RETRAN computer code activities re QA program implementation
DANCE, H C Division of Resident, Reactor Project & Engineering Programs 82/04/10, LEASBURG, R H Virginia Electric & Power Co 1p 13390 273 24X Fiche 50-000, 82/04/10, 8206070618

8206300186 Discusses IE insp on 820223-24 & forwards notice of violation & notice of proposed imposition of civil penalty.
DEVQUIN, R C Director's Office, Office of Inspection and Enforcement 82/05/10 LEASBURG, R H Virginia Electric & Power Co 2pp 13653 005 24X Fiche 50-280, 82/05/10, 8206300186

DOCKETED ITEMS

--8206300187 Notice of violation & notice of proposed imposition of civil penalty in amount of \$40,000 Noncompliance noted operation w/three of six high steam flow measurement instruments inoperable
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/10 3pp 13653 007 24X
Fiche 50-280, 82/05/10, 8206300185

82042040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 82042040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206180023 Forwards notice granting relief from ASME Code Section XI, inservice insp requirements & evaluation of relief request
VARGAS, S Operating Reactors Branch 1 82/06/07 LEASBURG, R H Virginia Electric & Power Co App 13570 013 24X
Fiche 50-000, 82/06/07, 8206180023

--8206180028 Safety evaluation supporting relief request for inservice insp hydrostatic test requirements
VARGAS, S Operating Reactors Branch 1 82/06/07 2pp 13570 017 24X
Fiche 50-000, 82/06/07, 8206180028

--8206180035 Notice granting relief from ASME Code Section XI, inservice insp requirements
VARGAS, S Operating Reactors Branch 1 82/06/07 2pp 13570 019 24X Fiche 50-000, 82/06/07, 8206180035

8206160306 Responds to NRC 820510 ltr re violations noted in IE Insp Rept 50-280/82-58 Corrective action is prestart-up checklist will be performed by instrument supervisor & all employees counseled re procedural compliance
LEASBURG, R H Virginia Electric & Power Co 82/06/09 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 3pp 13521 294 24X Fiche 50-280, 82/06/09, 8206160306

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 238 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220312 Forwards IE Safeguards Insp Repts 50-280/82-15 & 50-281/82-15 on 820601-04 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/06/16 LEASBURG, R H Virginia Electric & Power Co 2pp 13571 037 24X
Fiche 50-280, 82/06/16, 8206220312

--8206220313 IE Safeguards Insp Repts 50-280/82-15 & 50-281/82-15 on 820601-04 No noncompliance noted Major areas inspected site orientation, security plan & implementing procedures & organization mgt. Details withheld (ref 10CFR73 21)
HALL, B L, MCQUIRE, D R Division of Engineering & Technical Programs 82/06/14 1p 13571 039 24X Fiche 50-280, 82/06/16, 8206220312

8206220412 Forwards check for insp fees for Mar 1981 to Mar 1982
LEASBURG, R H Virginia Electric & Power Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13577 167 24X
Fiche 50-280, 82/06/17, 8206220412

--8206010403 Corrected monthly operating rept for Jan 1982
JONES, V H Virginia Electric & Power Co 82/02/05 1p 13311 317 24X Fiche 50-280, 82/05/17, 8206010403

--8206010406 Corrected monthly operating rept for Feb 1982
JONES, V H Virginia Electric & Power Co 82/03/08 1p 13311 318 24X Fiche 50-280, 82/05/17, 8206010406

--8206010409 Corrected monthly operating repts for Mar 1982
JONES, V H Virginia Electric & Power Co 82/01/07 2pp 13311 319 24X Fiche 50-280, 82/05/17, 8206010409

S Reportable occurrences, LERs & related correspondence

8206010574 Forwards LERs 82-016/03L-0, 82-032/03L-0, 82-035/03L-0 & 82-038/03L-0
WILSON, J L Virginia Electric & Power Co 82/04/02 O'REILLY, J P Region 2, Office of Director 1p 13314 117 24X
Fiche 50-280, 82/04/02, 8206010574

--8206010585 LER 82-016/03L-0 on 820303, snubber 2-S1-H55-20 found inoperable due to low oil reservoir level Caused by seal leakage Snubber repaired, tested & reinstalled
WILSON, J L Virginia Electric & Power Co 82/04/02 Region 2, Office of Director 2pp 13314 118 24X Fiche 50-280, 82/04/02, 8206010585

--8206010594 LER 82-033/03L-0 on 820314, accumulator levels increased to maintain Tech Spec level limits Caused by operator failure to close containment isolation valve 1-B1-32 per OP-7
WILSON, J L Virginia Electric & Power Co 82/04/02 Region 2, Office of Director 2pp 13314 120 24X Fiche 50-280, 82/04/02, 8206010594

--8206010604 LER 82-035/03L-0 on 820307, procedure PT-1B 7 revealed high vibration from charging pump 1-CH-P-1B which was declared inoperable Pump 1-CH-P-1B inoperability caused by worn outboard bearing on pump shaft
WILSON, J L Virginia Electric & Power Co 82/04/02 Region 2, Office of Director 2pp 13314 122 24X Fiche 50-280, 82/04/02, 8206010604

--8206010613 LER 82-038/03L-0 on 820307, nuclear power range instrument N-41 & associated delta flux indicator operated erratically Channel placed in trip mode Caused by possible detector malfunction or malfunction of detector cable in containment
WILSON, J L Virginia Electric & Power Co 82/04/02 Region 2, Office of Director 2pp 13314 124 24X Fiche 50-280, 82/04/02, 8206010613

8206010615 Forwards LERs 82-041/03L-0, 82-040/03L-0 & 82-036/03L-0
WILSON, J L Virginia Electric & Power Co 82/04/23 O'REILLY, J P Region 2, Office of Director 1p 13314 110 24X
Fiche 50-280, 82/04/23, 8206010615

--8206010621 LER 82-041/03L-0 on 820331, during liquid waste release, radiation monitor recorder RR-100 failed low Caused by dirt buildup in drive motor stator Drive motor cleaned & returned to svc
WILSON, J L Virginia Electric & Power Co 82/04/23 Region 2, Office of Director 2pp 13314 111 24X Fiche 50-280, 82/04/23, 8206010615

--8206010626 LER 82-036/03L-0 on 820402, w/unit at 100% power, pressure indicator FI-146B drifted low Cause unknown Indicator returned to normal svc after bistables tripped
WILSON, J L Virginia Electric & Power Co 82/04/23 Region 2, Office of Director 2pp 13314 113 24X Fiche 50-280, 82/04/23, 8206010615

--8206010634 LER 82-040/03L-0 on 820325, during normal startup, automatic start of 1-FW-P-3A pump failed to respond to safety injection Cause undetermined Pump manually started from control room
WILSON, J L Virginia Electric & Power Co 82/04/23 Region 2, Office of Director 2pp 13314 115 24X Fiche 50-280, 82/04/23, 8206010615

8206010244 Forwards updated LER 82-022/03X-1 & LER 82-047/01T-0
WILSON, J L Virginia Electric & Power Co 82/04/30 O'REILLY, J P Region 2, Office of Director 1p 13307 080 24X
Fiche 50-280, 82/04/30, 8206010244

--8206010251 Updated LER 82-022/03X-1 on 820209, relief valve, RV-6W-10,, opened causing pressure transient in process vent sys & damaging process vent flow transmitter Caused by pressure spike overranging flow transmitter
WILSON, J L Virginia Electric & Power Co 82/04/30 Region 2, Office of Director 2pp 13307 081 24X Fiche 50-280, 82/04/30, 8206010244

- S206010261 LER 82-047/01T-O on 820418, transfer of gaseous waste between gas stripper surge tank & waste gas surge tank resulted in lifting of RV-GW-107 & unplanned release. Caused by premature lifting of RV-GW-107 Relief valve cleaned & reset
WILSON, J L Virginia Electric & Power Co 82/04/30 Region 2,
Office of Director 3pp 13307 083 24X Fiche 50-280, 82/04/30,
8206010244
- B235010391 Forwards LERs 82-053/03L-O & 82-019/03L-O
WILSON, J L Virginia Electric & Power Co 82/05/07 O'REILLY, J P
Region 2, Office of Director 1p 13314 004 24X
Fiche 50-280, 82/05/07, 8206010591
- 8206010599 LER 82-053/03L-O on 820408, recirculation spray heat exchanger svc water radiation monitor pumps 1-SW-P-5A & 5D discovered inoperable. Caused by accumulation of sediment in suction lines. Suction lines cleaned
WILSON, J L Virginia Electric & Power Co 82/05/07 Region 2,
Office of Director 2pp 13314 005 24X Fiche 50-280, 82/05/07,
8206010591
- 8206010608 LER 82-019/03L-O on 820412, recirculation spray heat exchanger svc water radiation monitor pump 2-SW-P-5C discovered inoperable. Caused by accumulation of sediment in suction line. Suction line cleaned
WILSON, J L Virginia Electric & Power Co 82/05/07 Region 2,
Office of Director 2pp 13314 007 24X Fiche 50-280, 82/05/07,
8206010591
- B206010212 Forwards LERs 82-022/03L-O, 82-045/03L-O & 82-050/03L-O
WILSON, J L Virginia Electric & Power Co 82/05/11 O'REILLY, J P
Region 2, Office of Director 1p 13300 098 24X
Fiche 50-280, 82/05/11, 8206010212
- 8206010218 LER 82-022/03L-O on 820413, nuclear power range instrument 4A panel automatically de-energized by protection circuit. Caused by voltage surge on vital bus 4, due to lighting arrester failure & differential lockout of transformer 2
WILSON, J L Virginia Electric & Power Co 82/05/11 Region 2,
Office of Director 2pp 13300 099 24X Fiche 50-280, 82/05/11,
8206010212
- 8206010225 LER 82-045/03L-O on 820413, trip valve TV-CC-109B failed to close on safety injection signal initiated by high steamflow. Low reactor coolant average temp coincidence. Caused by faulty pilot valve. Valve replaced
WILSON, J L Virginia Electric & Power Co 82/05/11 Region 2,
Office of Director 3pp 13300 101 24X Fiche 50-280, 82/05/11,
8206010212
- 8206010232 LER 82-050/03L-O on 820413, post-reactor trip specific activity samples of RCS indicated dose equivalent I-131 level greater than Tech Spec limit. Caused by fuel element defect in reactor core
WILSON, J L Virginia Electric & Power Co 82/05/11 Region 2,
Office of Director 4pp 13300 104 24X Fiche 50-280, 82/05/11,
8206010212
- 8206010134 Forwards LERs 82-046/03L-O, 82-052/03L-O & 82-011/03L-O
WILSON, J L Virginia Electric & Power Co 82/05/17 O'REILLY, J P
Region 2, Office of Director 1p 13300 008 24X
Fiche 50-280, 82/05/17, 8206010134
- 8206010140 LER 82-046/03L-O on 820419, process vent particulate radiation monitor filter fault alarm observed. Filter paper unable to advance due to swelling caused by water absorption. Caused by lifting of relief valve RV-GW-107
WILSON, J L Virginia Electric & Power Co 82/05/17 Region 2,
Office of Director 3pp 13300 009 24X Fiche 50-280, 82/05/17,
8206010134
- 8206010145 LER 82-052/03L-O on 820428, amplifier for heat tracing panel B, circuit 2B, read below acceptance criteria. Caused by excessive heat. Defective heat tracing replaced & tested. Design change initiated
WILSON, J L Virginia Electric & Power Co 82/05/17 Region 2,
Office of Director 2pp 13300 012 24X Fiche 50-280, 82/05/17,
8206010134
- 8206010151 LER 82-011/03L-O on 820430, amplifier heat tracing panel 11, circuit 6A, read below acceptance criteria. Caused by excessive heat. Defective heat tracing replaced & tested. Design change initiated
WILSON, J L Virginia Electric & Power Co 82/05/17 Region 2,
Office of Director 2pp 13300 014 24X Fiche 50-280, 82/05/17,
8206010134
- 8206010263 Forwards LERs 82-055/03L-O, 82-063/03L-O & 82-025/03L-O
WILSON, J L Virginia Electric & Power Co 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13466 148 24X
Fiche 50-280, 82/05/28, 8206010263
- 8206110271 LER 82-055/03L-O on 820429, NDP 21.3 revealed that control room envelope might not meet Tech Spec requirements. Caused by leak in door seals & improper exterior ventilation. Linenup seals replaced & linenup corrected
WILSON, J L Virginia Electric & Power Co 82/05/28 Region 2,
Office of Director 3pp 13466 149 24X Fiche 50-280, 82/05/28,
8206110263
- 8206110278 LER 82-063/03L on 820330, circuit breakers for heat tracing panels B & 9, circuits 7, found inoperable. Caused by mechanical failure in one breaker. Defective breaker replaced & other circuit breaker reset
WILSON, J L Virginia Electric & Power Co 82/05/28 Region 2,
Office of Director 2pp 13466 152 24X Fiche 50-280, 82/05/28,
8206110263
- 8206110283 LER 82-025/03L on 820509, control room operator overfilled B accumulator beyond upper Tech Spec limit. Caused by operator error. HCV-2852B opened to drain accumulator tank to Tech Spec limits
WILSON, J L Virginia Electric & Power Co 82/05/28 Region 2,
Office of Director 2pp 13466 154 24X Fiche 50-280, 82/05/28,
8206110263
- 8206210196 Forwards LERs 82-027/03L-O, 82-057/03L-O, 82-058/03L-O & 82-024/01T-O
WILSON, J L Virginia Electric & Power Co 82/06/08 O'REILLY, J P
Region 2, Office of Director 1p 13560 114 24X
Fiche 50-280, 82/06/08, 8206210196
- 8206210202 LER 82-027/03L-O on 820513, performance of PT 27D revealed amp readings for heat tracing panels B & 9, circuit 21A, below acceptance criteria. Caused by excessive heat. Defective heat tracing replaced
WILSON, J L Virginia Electric & Power Co 82/06/08 Region 2,
Office of Director 2pp 13560 115 24X Fiche 50-280, 82/06/08,
8206210196
- 8206210208 LER 82-057/03L-O on 820515, review of I-131 spike history revealed that deviation repts not submitted for 820106 & 0325 post-reactor trip specific activity samples of RCS w/dose equivalent I-131 higher than Tech Specs
WILSON, J L Virginia Electric & Power Co 82/06/08 Region 2,
Office of Director 4pp 13560 117 24X Fiche 50-280, 82/06/08,
8206210196
- 8206210214 LER 82-058/03L-O on 820516, T-26 i revealed component cooling sys radiation monitor RM-CC-105 reading above alarm setpoint but not alarming. Caused by out of calibr alarm & oscillator cards. Cards calibr
WILSON, J L Virginia Electric & Power Co 82/06/08 Region 2,
Office of Director 2pp 13560 121 24X Fiche 50-280, 82/06/08,
8206210196
- 8206210220 LER 82-024/01T-O on 820524, weld leak on A steam generator channel head drain piping at 2-RC-159 identified during RCS integrity test PT-11. Caused by random defect in root weld, possibly due to split pass
WILSON, J L Virginia Electric & Power Co 82/06/08 Region 2,
Office of Director 2pp 13560 123 24X Fiche 50-280, 82/06/08,
8206210196
- 8206210032 Forwards LERs 82-060/03L-O & 82-028/03L-O
WILSON, J L Virginia Electric & Power Co 82/06/11 O'REILLY, J P
Region 2, Office of Director 1p 13560 038 24X
Fiche 50-280, 82/06/11, 8206210032
- 8206210036 LER 82-060/03L-O on 820514, charging pump svc water pump 1-SW-P-10A found to have O discharge pressure due to loss of suction. Caused by increased use of svc water by chillers. One control room chiller secured
WILSON, J L Virginia Electric & Power Co 82/06/11 Region 2,
Office of Director 2pp 13560 039 24X Fiche 50-280, 82/06/11,
8206210032
- 8206210043 LER 82-028/03L-O on 820513, both charging pump svc water pumps, 2-SW-10A & 10B, lost suction. Caused by clogged suction line strainer due to marine growth & increased use of svc water by chillers
WILSON, J L Virginia Electric & Power Co 82/06/11 Region 2,
Office of Director 3pp 13560 041 24X Fiche 50-280, 82/06/11,
8206210032
- 8206220410 Forwards LERs 82-059/03L-O, 82-062/03L-O & 82-029/03L-O
WILSON, J L Virginia Electric & Power Co 82/06/14 O'REILLY, J P
Region 2, Office of Director 1p 13577 169 24X
Fiche 50-280, 82/06/14, 8206220410

DOCKETED ITEMS

--8206220418 LER 82-059/03L-O on 820517, during recorder pen check, pin on FR-9W-100 (process vent) did not correspond to actual process vent flow per Tech Spec Caused by seized recorder motor bearing due to lack of lubrication Bearing replaced WILSON, J L Virginia Electric & Power Co 82/06/14 Region 2, Office of Director 2pp 13577 170 24X Fiche 50-280, 82/06/14, 8206220410

--8206220423 LER 82-062/03L-O on 820520, PT-27 revealed low ampere readings for circuit 7A in panels 8 & 9, contrary to Tech Spec Caused by damaged tapes Tapes replaced WILSON, J L Virginia Electric & Power Co 82/06/14 Region 2, Office of Director 2pp 13577 172 24X Fiche 50-280, 82/06/14, 8206220410

--8206220431 LER 82-029/03L-O on 820518, during periodic test 2-HT, 2B, snubbers 2-RC-HSS-162 & 163 found to have empty remote reservoir Caused by damaged O ring on common valve block O ring replaced WILSON, J L Virginia Electric & Power Co 82/06/14 Region 2, Office of Director 2pp 13577 174 24X Fiche 50-280, 82/06/14, 8206220410

DOCKET 50-281 SURRY POWER STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR FELTON, J M Division of Rules and Records 82/04/26 SHOLLY, L Union of Concerned Scientists 2pp 13342 255 24X Fiche 50-000, 82/04/26, 8206020014

--8206020057 Confirms telcon re malfunctions in early warning sys Existing equipment will be upgraded to provide improved reliability or replaced w/more secure devices LEASBURG, R H Virginia Electric & Power Co 82/02/24 DENTON, H H Office of Director 1p 13342 272 24X Fiche 50-000, 82/04/26, 8206020014

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G DeBevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement App 13454 167 24X Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl STOHM, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070485 Forwards Region 2 incident response plan dtd Mar 1984 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency w/o encl STOHM, J P Division of Emergency Preparedness & Operational Support 82/05/12 LEASBURG, R H Virginia Electric & Power Co 1p 13375 014 24X Fiche 50-000, 82/05/12, 8206070485

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted FELTON, J M Division of Rules and Records 82/05/12 MURPHY, C Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13639 555 24X Fiche 50-000, 82/05/12, 8206280071

--9103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided WEDEIR05, M S Reactor Systems Standards Branch 81/02/02 ARLOTT0, G M Division of Engineering Standards 20pp 13648 102 24X Fiche 50-000, 82/05/12, 8206280071

8206070762 Ack visit to util ofcs on 820423 for discussions on selected topics of mutual interest w/various members of util corporate mgt staff Meetings beneficial MARTIN, R D Region 2, Office of Director 82/05/17 LEASBURG, R H Virginia Electric & Power Co 1p 13387 322 24X Fiche 50-000, 82/05/17, 8206070762

8206020036 Requests justification, within 2 wks, of departure from NRC position on acceptance criteria for lab testing of used charcoal & flow rates of control room air filtration sys Issues are more than 5 yrs old VARGA, S A Operating Reactors Branch 1 82/05/24 LEASBURG, R H Virginia Electric & Power Co 2pp 13333 060 24X Fiche 50-280, 82/05/24, 8206020036

8206020323 Informs that commitment schedule for implementation of NUREG-0737 items identified in Generic Ltr 82-10 will be provided by 820630 Revision 3 to response to NUREG-0737 post-TMI requirements to be provided in mid-June 1982 LEASBURG, R H Virginia Electric & Power Co 82/05/24 DENTON, H H Office of Nuclear Reactor Regulation, Director EISENHUT, D G Division of Licensing 2pp 13321 276 24X Fiche 50-000, 82/04/14, 8206020323

8206170351 Application for amend to Licenses DPR-32 & DPR-37, supplementing 780920 & 810428 amend applications to include revised listing of all safety-related hydraulic & mechanical snubbers in Tech Spec Tables 4 17-1 & 4 17-2 LEASBURG, R H Virginia Electric & Power Co 82/05/24 DENTON, H H Office of Nuclear Reactor Regulation, Director VARGA, S A Operating Reactors Branch 1 2pp 13332 228 24X Fiche 50-280, 82/05/24, 8206170351

--8206170353 Tech Spec Tables 4 17-1 & 4 17-2 listing hydraulic & mechanical suppressor data * Virginia Electric & Power Co 82/05/24 42pp 13532 230 24X Fiche 50-280, 82/05/24, 8206170351

8206020335 Advises of status of instrumentation for detection of inadequate core cooling per NUREG-0737, Item II F 2 Reactor vessel level indication sys will be completed during next refueling outage scheduled for 830603 LEASBURG, R H Virginia Electric & Power Co 82/05/25 DENTON, H H Office of Nuclear Reactor Regulation, Director VARGA, S A Operating Reactors Branch 1 2pp 13321 274 24X Fiche 50-281, 82/05/25, 8206020335

8206020399 Responds to 820421 request for addl info re clarification of 820325 response re regenerative heat exchangers & welds on RHR sys LEASBURG, R H Virginia Electric & Power Co 82/05/25 DENTON, H H Office of Nuclear Reactor Regulation, Director VARGA, S A Operating Reactors Branch 1 4pp 13326 285 24X Fiche 50-280, 82/05/25, 8206020399

8206040330 Submits response to NRC questions re VEP-FRD-33, "VEP-CLO Reactor Core Thermal-Hydraulic Analysis Using COBRA-IIIC/MIT Computer Code" Requests NRC comments by 820625 LEASBURG, R H Virginia Electric & Power Co 82/05/27 DENTON, H H Office of Nuclear Reactor Regulation, Director EISENHUT, D G Division of Licensing 9pp 13354 043 24X Fiche 50-000, 82/05/27, 8206040330

8206110140 Provides info resolving remaining outstanding issues in proposed Tech Specs for auxiliary bldg & control room ventilation sys, per NRC 820524 ltr & 820604 meeting Control room dose calculations encl LEASBURG, R H Virginia Electric & Power Co 82/06/07 DENTON, H H Office of Nuclear Reactor Regulation, Director VARGA, S A Operating Reactors Branch 1 47pp 13463 167 24X Fiche 50-280, 82/06/07, 8206110140

B206090193 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to resart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSBURG, A Consolidated Edison Co. of New York LEASBURG, R H Virginia Electric & Power Co CUMBS, F Z Appalachian Power Co 13pp 13557 347 24X Fiche 50-000, 82/06/09, B206090193

B206210106 Forwards responses to NRC questions re B20331 General Design Criteria 17 submittal Outstanding items will be responded to by B20630 One oversize drawing encl Aperture card is available in PDR
LEASBURG, R H Virginia Electric & Power Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director VARGA, S A Operating Reactors Branch 1 17pp 13560 310 24X Fiche 50-280, 82/06/11, B206210106

B206240344 Application for amend to Licenses DPR-32 & DPR-37, proposing change to Tech Spec & 7(A) extending deadline for environ qualification of all safety-related electrical equipment to end of second refueling outage after B20331
LEASBURG, R H Virginia Electric & Power Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director VARGA, S A Operating Reactors Branch 1 3pp 13603 150 24X Fiche 50-280, 82/06/16, B206240344

--B206240353 Proposed Tech Spec & 7-1, extending deadline for environ qualification of all safety-related electrical equipment to end of second refueling outage after B20331
* Virginia Electric & Power Co 82/06/16 1p 13603 193 24X Fiche 50-280, 82/06/16, B206240344

B206250387 Summary of B20604 meeting w/util & B&W re proposed Tech Specs on auxiliary bldg & control room filter sys
HEIGHBORNS, J D Operating Reactors Branch 1 82/06/17 Operating Reactors Branch 1 5pp 13630 085 24X Fiche 50-280, 82/06/17, B206250387

B206280590 Forwards Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively, safety evaluation & notice of issuance & availability Amends limit control rod misalignment
HEIGHBORNS, J D Operating Reactors Branch 1 82/06/17 LEASBURG, R H Virginia Electric & Power Co 2pp 13630 134 24X Fiche 50-280, 82/06/17, B206280590

--B206280610 Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively, changing Tech Specs to limit control rod misalignment to no more than plus or minus 12 steps indicated positions
VARGA, S A Operating Reactors Branch 1 82/06/17 10pp 13630 136 24X Fiche 50-280, 82/06/17, B206280590

--B206280614 Safety evaluation supporting Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively
* Office of Nuclear Reactor Regulation, Director 82/06/17 2pp 13630 146 24X Fiche 50-280, 82/06/17, B206280590

--B206280626 Notice of issuance & availability of Amends 78 & 79 to Licenses DPR-32 & DPR-37, respectively
VARGA, S A Operating Reactors Branch 1 82/06/17 2pp 13630 148 24X Fiche 50-280, 82/06/17, B206280590

B206240251 Advises that completion of reactor cooling sampling sys. in response to Generic Ltr B2-05, delayed due to failure of vent tank compressor & several internal wiring problems New commitment date set for B20901 Approval requested
LEASBURG, R H Virginia Electric & Power Co 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D O Division of Licensing 2pp 13598 344 24X Fiche 50-280, 82/06/18, B206240251

B206290079 Requests extension of completion date until B30301 for installation of hydrogen monitor sys per NUREG-0737, Item II F 1 & Request made in anticipation of const difficulties during installation
LEASBURG, R H Virginia Electric & Power Co 82/06/23 DENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D O Division of Licensing 2pp 13634 335 24X Fiche 50-280, 82/06/23, B206290079

0 Inspection reports, IE Bulletins & correspondence

B206070618 Confirms B20507 arrangements for B20518-20 insp of REIRAN computer code activities re QA program implementation
DANCE, H C Division of Resident, Reactor Project & Engineering Programs 82/04/10 LEASBURG, R H Virginia Electric & Power Co 1p 13390 273 24X Fiche 50-000, 82/04/10, B206070618

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/09/28 107pp 13426 095 24X Fiche 50-000, 82/09/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 130 24X Fiche 50-000, 82/06/02, B204210380

B206180023 Forwards notice granting relief from ASME Code Section XI, inservice insp requirements & evaluation of relief request
VARGA, S A Operating Reactors Branch 1 82/06/07 LEASBURG, R H Virginia Electric & Power Co 4pp 13570 013 24X Fiche 50-000, 82/06/07, B206180023

--B206180028 Safety evaluation supporting relief request for inservice insp hydrostatic test requirements
* Operating Reactors Branch 1 82/06/07 2pp 13570 017 24X Fiche 50-000, 82/06/07, B206180023

--B206180035 Notice granting relief from ASME Code Section XI, inservice insp requirements
VARGA, S A Operating Reactors Branch 1 82/06/07 2pp 13570 019 24X Fiche 50-000, 82/06/07, B206180023

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13679 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, B204210384

B206220312 Forwards IE Safeguards Insp Rpts 50-280/B2-15 & 50-281/B2-15 on B20601-04 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/06/14 LEASBURG, R H Virginia Electric & Power Co 2pp 13571 037 24X Fiche 50-280, 82/06/14, B206220312

--B206220313 IE Safeguards Insp Rpts 50-280/B2-15 & 50-281/B2-15 on B20601-04 No noncompliance noted Major areas inspected site orientation, security plan & implementing procedures & organization mgt Details withheld (ref 10CFR73 21)
HALL, B L, MCQUIRE, D R Division of Engineering & Technical Programs 82/06/14 1p 13571 039 24X Fiche 50-280, 82/06/14, B206220312

B206220412 Forwards check for insp fees for Mar 1981 to Mar 1982
LEASBURG, R H Virginia Electric & Power Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13577 167 24X Fiche 50-280, 82/06/17, B206220412

R Periodic operating reports & related correspondence

B206010396 Forwards monthly operating repts for Apr 1982, corrected repts for Unit 1 for Jan & Mar 1982 & repts for Feb & Mar 1982 for Unit 2
LEASBURG, R H Virginia Electric & Power Co 82/05/17 HALLER, N M Office of Management and Program Analysis 1p 13311 273 24X Fiche 50-280, 82/05/17, B206010396

--B206010399 Monthly operating repts for Apr 1982
* Virginia Electric & Power Co 82/05/06 43pp 13311 274 24X Fiche 50-280, 82/05/17, B206010396

--B206010406 Corrected monthly operating rept for Feb 1982
JONES, V H Virginia Electric & Power Co 82/03/08 1p 13311 318 24X Fiche 50-280, 82/05/17, B206010396

--B206010409 Corrected monthly operating repts for Mar 1982
JONES, V H Virginia Electric & Power Co 82/04/07 2pp 13311 319 24X Fiche 50-280, 82/05/17, B206010396

S Reportable occurrences, LERs & related correspondence

B206010574 Forwards LERs B2-016/03L-0, B2-032/03L-0, B2-035/03L-0 & B2-038/03L-0
WILSON, J L Virginia Electric & Power Co 82/04/02 O'REILLY, J P Region 2, Office of Director 1p 13314 117 24X Fiche 50-280, 82/04/02, B206010574

DOCKETED ITEMS

--8206010585 LER 82-016/03L-0 on 820303, snubber 2-S1-H59-20 found inoperable due to low oil reservoir level. Caused by seal leakage. Snubber repaired, tested & reinstalled.
 WILSON, J L Virginia Electric & Power Co 82/04/02 Region 2, Office of Director 2pp 13314 118 24X Fiche 50-280, 82/04/02, 8206010585

8206010591 Forwards LERs 82-053/03L-0 & 82-019/03L-0
 WILSON, J L Virginia Electric & Power Co 82/05/07 O'REILLY, J P
 Region 2, Office of Director 1p 13314 004 24X
 Fiche 50-280, 82/05/07, 8206010591

--8206010608 LER 82-019/03L-0 on 820412, recirculation spray heat exchanger svc water radiation monitor pump 2-SW-P-9C discovered inoperable. Caused by accumulation of sediment in suction line. Suction line cleaned.
 WILSON, J L Virginia Electric & Power Co 82/05/07 Region 2, Office of Director 2pp 13314 007 24X Fiche 50-280, 82/05/07, 8206010591

8206010212 Forwards LERs 82-022/03L-0, 82-045/03L-0 & 82-050/03L-0
 WILSON, J L Virginia Electric & Power Co 82/05/11 O'REILLY, J P
 Region 2, Office of Director 1p 13300 098 24X
 Fiche 50-280, 82/05/11, 8206010212

--8206010218 LER 82-022/03L-0 on 820413, nuclear power range instrument 41 panel automatically de-energized by protection circuit. Caused by voltage surge on vital bus 4, due to lighting arrester failure & differential lockout of transformer 2.
 WILSON, J L Virginia Electric & Power Co 82/05/11 Region 2, Office of Director 2pp 13300 099 24X Fiche 50-280, 82/05/11, 8206010212

8206010134 Forwards LERs 82-046/03L-0, 82-052/03L-0 & 82-011/03L-0
 WILSON, J L Virginia Electric & Power Co 82/05/17 O'REILLY, J P
 Region 2, Office of Director 1p 13300 008 24X
 Fiche 50-280, 82/05/17, 8206010134

--8206010151 LER 82-011/03L-0 on 820430, amplifier heat tracing panel 11, circuit 6A, read below acceptance criteria. Caused by excessive heat. Defective heat tracing replaced & tested. Design change initiated.
 WILSON, J L Virginia Electric & Power Co 82/05/17 Region 2, Office of Director 2pp 13300 014 24X Fiche 50-280, 82/05/17, 8206010134

8206010358 Forwards LER 82-023/03L-0
 WILSON, J L Virginia Electric & Power Co 82/05/20 O'REILLY, J P
 Region 2, Office of Director 1p 13315 354 24X
 Fiche 50-281, 82/05/20, 8206010358

--8206010568 LER 82-023/03L-0 on 820420 w/boric acid transfer pump 1-CH-P-2D tagged for maint. boron injection tank recirculation lost due to failure of 1-CH-P-2C. Caused by reversal of slow speed motor leads. Pump repaired.
 WILSON, J L Virginia Electric & Power Co 82/05/20 Region 2, Office of Director 2pp 13315 355 24X Fiche 50-281, 82/05/20, 8206010558

8206110263 Forwards LERs 82-055/03L-0, 82-063/03L-0 & 82-025/03L-0
 WILSON, J L Virginia Electric & Power Co 82/05/28 O'REILLY, J P
 Region 2, Office of Director 1p 13466 148 24X
 Fiche 50-280, 82/05/28, 8206110263

--8206110283 LER 82-025/03L on 820509, control room operator overfilled B accumulator beyond upper Tech Spec limit. Caused by operator error. HCV-2852B opened to drain accumulator tank to Tech Spec limits.
 WILSON, J L Virginia Electric & Power Co 82/05/28 Region 2, Office of Director 2pp 13466 154 24X Fiche 50-280, 82/05/28, 8206110283

8206210032 Forwards LERs 82-060/03L-0 & 82-028/03L-0
 WILSON, J L Virginia Electric & Power Co 82/06/11 O'REILLY, J P
 Region 2, Office of Director 1p 13560 038 24X
 Fiche 50-280, 82/06/11, 8206210032

--8206210043 LER 82-028/03L-0 on 820513, both charging pump svc units pumps, 2-SW-10A & 10B, lost suction. Caused by clogged suction line strainer due to marine growth & increased use of svc water by chillers.
 WILSON, J L Virginia Electric & Power Co 82/06/11 Region 2, Office of Director 2pp 13560 011 24X Fiche 50-280, 82/06/11, 8206210032

8206220410 Forwards LERs 82-C59/03L-0, 82-062/03L-0 & 82-029/03L-0
 WILSON, J L Virginia Electric & Power Co 82/06/14 O'REILLY, J P
 Region 2, Office of Director 1p 13577 169 24X
 Fiche 50-280, 82/06/14, 8206220410

--8206220431 LER 82-029/03L-0 on 820518, during periodic test 2-PT J9B 2 snubbers 2-RC-H55-162 & 163 found to have empty remote reservoir. Caused by damaged O ring on common valve block O ring replaced.
 WILSON, J L Virginia Electric & Power Co 82/06/14 Region 2, Office of Director 2pp 13577 174 24X Fiche 50-280, 82/06/14, 8206220410

DOCKET 50-282 PRAIRIE ISLAND NUCLEAR STATION, UNIT 1

C Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US. Forwards documents listed in App A.
 FELTON, J M Division of Rules and Records 82/04/21 WADE, J
 Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, 82/04/21, 8206150016

--8206150023 Updates delivery schedule for siren shipments to facilities.
 ANDERSON, M E Federal Signal Corp 82/01/28 CANNON, P
 Affiliation Unknown 5pp 13524 234 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N J
 Debevoise & Liberman 3pp 13454 063 24X Fiche 50-000, 82/05/11, 8206090002

--8206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees.
 PAPERIELLO, C J Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

--8206110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys now complete.
 HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, 8206090002

--8206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601.
 HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B K Division of Emergency Preparedness 3pp 13454 170 24X Fiche 50-000, 82/05/11, 8206090002

8206010515 Requests mod of exemption from App R Section III-J re emergency lighting mods granted in 820504 ltr, extending implementation date to 9 months after 820401. Delay caused by need to modify units to accept substitute battery.
 MAYER, L D Northern States Power Co 82/05/20 Docketing & Services Branch 3pp 13314 081 24X Fiche 50-282, 82/05/20, 8206010515

8206020166 Releases public version of revision to corporate emergency response plan.
 FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13340 134 24X Fiche 50-000, 82/05/25, 8206020166

-B206020172 Forwards public version of Revision 4 to corporate emergency response plan, consisting of changes requested in LTR B11217 ltr re Prairie Island emergency preparedness appraisal
 * Northern States Power Co 82/05/11 Region 3,
 Office of Director 2pp 13340 135 24X Fiche 50-000,82/05/21,
 B206020166

- B206020177 Public version of Revision 4 to corporate emergency response plan
 HUDSON, G. WARD, E. C. NEILS, G. H. Northern States Power Co
 82/05/03 13pp 13340 137 24X Fiche 50-000,82/05/25,B206020166

B206180287 Forwards post-exercise evaluation of "Joint Emergency Exercise on B11205." final rept Govts in vicinity have adequate offsite capability to protect public in event of radiological event
 * RIMM, R. W. Federal Emergency Management Agency 82/05/26
 GRIMES, B. Division of Emergency Preparedness 3pp 13547 185 24X
 Fiche 50-282, 82/05/26, B206180287

- B206180288 Post-exercise evaluation of "Joint Emergency Exercise on B11205." final rept
 * Federal Emergency Management Agency 82/04/30 74pp
 13547 185 24X Fiche 50-282, 82/05/26, B206180287

B206080303 Ack receipt of B20115 ltr informing NRC of steps taken to address items in Apps A & B of IE emergency preparedness implementation appraisal rept dtd B11217 Response acceptable
 PAPERIELLO, C. J. Division of Emergency Preparedness & Operational Support 82/06/03 GILBERTS, D. E. Northern States Power Co 1p
 13420 152 24X Fiche 50-282, 82/06/03, B206080303

B206070114 Submits addl fee for processing request for extension of fire protection mod completion date Addl fee in response to NRC B20520 request
 MUSOLF, D. Northern States Power Co 82/06/08 MILLER, W. D. Licensee Fee Management Branch 2pp 13591 055 24X Fiche 50-282, 82/06/08, B206070114

J Insurance & indemnity information

B206020494 Forwards Endorsement 45 to HAEU Policy HF-6B & Endorsement 52 to NELIA Policy NF-197
 JOHNSON, R. G. Northern States Power Co 82/05/26 DINITZ, I. Antitrust & Economic Analysis Branch (Utility Finance) 3pp
 13325 321 24X Fiche 50-000, 82/05/26, B206020494

K Utility Final Safety Analysis Report (FSAR) & amends

B206300216 Chapter 1 to Prairie Island updated FSAR, "Introduction & Summary Description"
 * Northern States Power Co 81/12/31 100pp 13647 095 24X
 Fiche 50-282, 81/12/31, B206300216

B206300218 Chapter 2 to Prairie Island updated FSAR, "Plant Site & Environs"
 * Northern States Power Co 81/12/31 200pp 13647 154 24X
 Fiche 50-282, 81/12/31, B206300218

B206300220 Chapter 3 to Prairie Island updated FSAR, "Reactor Core"
 One oversize drawing encl Aperture card available in PDR
 * Northern States Power Co 81/12/31 200pp 13647 250 24X
 Fiche 50-282, 81/12/31, B206300220

B206300223 Chapter 4 to Prairie Island updated FSAR, "RCS"
 * Northern States Power Co 81/12/31 400pp 13648 001 24X
 Fiche 50-282, 81/12/31, B206300223

B206300225 Chapter 5 to Prairie Island updated FSAR, "Plant Containment Sys"
 * Northern States Power Co 81/12/31 400pp 13648 158 24X
 Fiche 50-282, 81/12/31, B206300225

B206300228 Chapter 6 to Prairie Island updated FSAR, "EBFs"
 * Northern States Power Co 81/12/31 375pp 13648 330 24X
 Fiche 50-282, 81/12/31, B206300228

B206300230 Chapter 7 to Prairie Island updated FSAR, "Plant Instrumentation & Control Sys"
 * Northern States Power Co 81/12/31 375pp 13649 119 24X
 Fiche 50-282, 81/12/31, B206300230

B206300233 Chapter 8 to Prairie Island updated FSAR, "Plant Electrical Sys"
 * Northern States Power Co 81/12/31 175pp 13649 296 24X
 Fiche 50-282, 81/12/31, B206300233

B206300236 Chapter 9 to Prairie Island updated FSAR, "Plant Radwaste Control Sys"
 * Northern States Power Co 81/12/31 175pp 13650 006 24X
 Fiche 50-282, 81/12/31, B206300236

B206300238 Chapter 10 to Prairie Island updated FSAR, "Plant Auxiliary Sys"
 * Northern States Power Co 81/12/31 425pp 13650 074 24X
 Fiche 50-282, 81/12/31, B206300238

B206300241 Chapter 11 to Prairie Island updated FSAR, "Plant Power Conversion Sys"
 * Northern States Power Co 81/12/31 200pp 13650 278 24X
 Fiche 50-282, 81/12/31, B206300241

B206300243 Chapter 12 to Prairie Island updated FSAR, "Plant Structures & Shielding"
 * Northern States Power Co 81/12/31 500pp 13651 012 24X
 Fiche 50-282, 81/12/31, B206300243

B206300249 Chapter 13 to Prairie Island updated FSAR, "Plant Operations"
 * Northern States Power Co 81/12/31 16pp 13651 307 24X
 Fiche 50-282, 81/12/31, B206300249

B206300271 Chapter 14 to Prairie Island updated FSAR, "Safety & Accident Analysis"
 * Northern States Power Co 81/12/31 425pp 13651 324 24X
 Fiche 50-282, 81/12/31, B206300271

B206300204 Forwards updated SAR for facility
 MUSOLF, D. M. Northern States Power Co 82/06/18 Office of Nuclear Reactor Regulation, Director 3pp 13647 061 24X
 Fiche 50-282, 82/06/18, B206300204

--B206300206 Updated FSAR for Prairie Island Units 1 & 2
 * Northern States Power Co 81/12/31 3,966pp 13647 064 24X
 Fiche 50-282, 82/06/18, B206300206

P Operating license stage documents & correspondence

B206070660 Requests addl extensions re implementation of NUREG-0/37, Item II F 1 i re steam relief monitors & Item II F 2 re qualified core exit thermocouples
 * Northern States Power Co 82/03/01 Office of Nuclear Reactor Regulation, Director 1p 13390 212 24X
 Fiche 50-282, 82/03/01, B206070660

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App D available in PDR Confidential financial info deleted
 FELTON, J. M. Division of Rules and Records 82/05/12 MCMURRAY, C. M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
 13638 059 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
 MEDCIROS, M. S. Reactor Systems Standards Branch 81/02/02, ARLOTTO, O. A. Division of Engineering Standards 20pp, 13638 102 24X Fiche 50-000, 82/05/12, B206280071

B206110324 Advises that acceptance of response to Item 2 i 5a in NUREG-0578 also satisfies requirements of TMI Item II E 4 i, "Dedicated Hydrogen Penetrations" Item considered resolved.
 CLARK, R. A. Operating Reactors Branch 3 82/06/01 MUSOLF, D. M. Northern States Power Co 2pp 13490 315 24X
 Fiche 50-282, 82/06/01, B206110324

B206150288 Forwards info re status of NUREG-0737 items w/implementation dates after B20301 in response to Generic Ltr B2-10
 MUSOLF, D. M. Northern States Power Co 82/06/04 Office of Nuclear Reactor Regulation, Director 20pp 13503 226 24X
 Fiche 50-282, 82/06/04, B206150288

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
 EISENHUT, D. O. Division of Licensing 82/06/09, HAUSPURG, A. Consolidated Edison Co. of New York THOMAS, R. A. Southern Co. Services, Inc. CLAYTON, F. L. Alabama Power Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206220120 Application for amend to Licenses DPR-42 & DPR-60 changing App A Tech Spec Figure TS 3 10-7 re normalized exposure dependent function for Exxon Nuclear Co fuel
MUSOLF, D Northern States Power Co 82/06/14 Office of Nuclear Reactor Regulation, Director 3pp 13573 234 24X
Fiche 50-282, 82/06/14, B206220120

--B206220121 Proposed Tech Spec Figure TS 3 10-7 re normalized exposure dependent function for Exxon Nuclear Co fuel
Northern States Power Co 82/06/14 2pp 13573 237 24X
Fiche 50-282, 82/06/14, B206220120

B206210170 Suppls license amend request re normalized exposure dependent function figure by transmitting XN-NF-81-06(P), 'LOCA ECCS Limiting Break ' Exposure Sensitivity Analysis ' Rept withheld (ref 10CFR2 770)
MUSOLF, D Northern States Power Co 82/06/15 Office of Nuclear Reactor Regulation, Director 6pp 13560 330 24X
Fiche 50-282, 82/06/15, B206210170

B206230433 Advises that until 811229 response to NUREG-0737, IMI Action Plan Item II K 3 25 requiring licensees to demonstrate integrity of reactor coolant pump seals during potential loss of offsite power event adequate item resolved
CLARK, R A Operating Reactors Branch 3 82/06/17 MUSOLF, D M Northern States Power Co 2pp 13594 339 24X
Fiche 50-282, 82/06/17, B206230433

G Inspection Reports, IE Bulletins & correspondence

B204010147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/23 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B204010147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206100203 Forwards IE Insp Repts 50-282/82-06 & 50-306/82-06 on B20401-30 No noncompliance noted
STREETER, J F Division of Project & Resident Programs 82/05/23 GILBERTS, D E Northern States Power Co 2pp 13453 308 24X
Fiche 50-282, 82/05/28, B206100203

--B206100208 IE Insp Repts 50-282/82-06 & 50-306/82-06 on B20401-30 No noncompliance noted Major areas inspected plant operation, maint, surveillance, security, radiation protection, procedures, design changes & event repts
FEIERABEND, C D , BURGESS, B I , REYES, L A Division of Project & Resident Programs 82/05/28 7pp 13453 310 24X
Fiche 50-282, 82/05/28, B206100203

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206080303 Ack receipt of B20115 ltr informing NRC of steps taken to address items in Apps A & B of IE emergency preparedness implementation appraisal rept dtd 811217 Response acceptable.
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/03 GILBERTS, D E Northern States Power Co 1p 13420 152 24X Fiche 50-282, 82/06/03, B206080303

B206210513 Forwards IE Insp Repts 50-282/82-07 & 50-306/82-07 on B20505-07 No noncompliance noted
MILLER, J R Division of Engineering & Technical Programs 82/06/04 GILBERTS, D E Northern States Power Co 2pp 13568 093 24X
Fiche 50-000, 82/06/04, B206210513

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

B Periodic operating reports & related correspondence

B206150190 Forwards monthly operating repts for May 1982
MUSOLF, D Northern States Power Co 82/06/10 Director's Office, Office of Inspection and Enforcement 1p 13498 350 24X
Fiche 50-282, 82/06/10, B206150190

--B206150195 Monthly operating repts for May 1982
DUGSTAD, D Northern States Power Co 82/06/03 8pp 13498 351 24X Fiche 50-282, 82/06/10, B206150190

DOCKET 50-254 IOWA STATE UNIV RESEARCH REACTOR

R Periodic operating reports & related correspondence

B206150264 Forwards annual operating rept for License R-110 for (YU) SMITH, T W Iowa State Univ 82/05/24 REID, R W Operating Reactors Branch 4 1p 13495 326 24X Fiche 50-284, 82/05/24, B206150264

- B206150265 Annual Operating Rept for CYBI
Iowa State Univ 82/05/24 1pp 13495 327 24X
Fiche 50-284, 82/05/24, B206150264

DOCKET 50-285 FORT CALHOUN STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206040302 Requests addl info re proposed actions in util B20724 ltr addressing NRC concerns for lack of QA program to periodically audit non-util personnel records Safeguards info withheld (ref 10CFR73 P1)
SEIDLER, W C Division of Resident, Reactor Project & Engineering Programs 82/03/10 JONES, W C Omaha Public Power District 1p 13355 331 24X Fiche 50-285, 82/03/10, B206040302

B206100175 Forwards IE Emergency Preparedness Appraisal Rept 50-285/81-35 on 811207-16 No noncompliance noted
COLLINS, J T Region 4, Office of Director 82/05/04 JONES, W C Omaha Public Power District 35pp 13451 051 24X
Fiche 50-285, 82/05/04, B206100175

--B201130379 Confirms agreements reached during 811216 mgt exit interview following NRC emergency preparedness appraisal of facility
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01) 81/12/24 JONES, D C Omaha Public Power District 3pp 13451 086 24X Fiche 50-285, 82/05/04, B206100175

--B206100189 IE Emergency Preparedness Appraisal Rept 50-285/81-35 on 811207-16 No noncompliance noted Major areas inspected state of emergency preparedness program, including administration of program development, emergency organization & training
ROHRER, D Division of Emergency Preparedness HACKNEY, C Region 4, Office of Director WOOKER, C Battelle Memorial Institute, Pacific Northwest Laboratory 82/05/03 69pp 13451 089 24X
Fiche 50-285, 82/05/04, B206100175

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N J Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B203110478 Submits update of status of implementation of prompt notification sys Regional FEMA ofcs have indicated reviews/ tests of sys have not been conducted
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01) 82/01/04 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 1p 13454 175 24X Fiche 50-000, 82/05/11, B206090002

--B206090174 Advises of licensee compliance w/B20201 deadline for prompt notification sys
COLLINS, J T Region 4, Office of Director 82/02/09 GRIMES, H K Division of Emergency Preparedness 1p 13454 248 24X
Fiche 50-000, 82/03/11, B206090002

8204020349 Addresses NRC concerns re Open Item 3 in safety evaluation on control room circuits on alternate shutdown capability Revised util response to original 810327 response to 10CFR50 App R requirements encl
JONES, W C Omaha Public Power District 82/05/25 CLARK, R A
Operating Reactors Branch 3 4pp 13321 300 24X
Fiche 50-285, 82/05/25, 8204020349

8205300130 Releases public version of revision to radiological emergency response plan
FELTON, J H Division of Pules and Records 82/06/24 Document
Management Branch 1p 13684 143 24X Fiche 50-285, 82/06/24, 8205300130

- 8205300131 Forwards public version of Revision 1 to radiological emergency response plan
MORRIS, W J Omaha Public Power District 82/06/03 DENTON, H R
IRC - No Detailed Affiliation Given 1p 13684 144 24X
Fiche 50-285, 82/06/04, 8205300130

- 8205300133 Public version of Revision 1 to radiological emergency response plan
* Omaha Public Power District 82/05/18 100pp 13684 146 24X
Fiche 50-285, 82/06/24, 8205300130

H General correspondence

8204010665 Advises that WG Gates will be plant manager effective 820316
JONES, W C Omaha Public Power District 82/05/07 COLLINS, J I
Region 4, Office of Director 1p 13314 139 24X
Fiche 50-285, 82/05/07, 8204010665

P Operating license stage documents & correspondence

8206010538 Advises of necessity to increase allowable one pin peaks for Cycle B To accommodate increased one pin peaks, util will perform analyses utilizing C-E setpoint & safety analysis
JONES, W C Omaha Public Power District 82/05/20 CLARK, R A
Operating Reactors Branch 3 3pp 13307 340 24X
Fiche 50-285, 82/05/20, 8206010538

8206020594 Forwards request for addl info re spent fuel storage mod for increased storage capacity. In response to licensee 820312 request Response requested within 30 days
CLARK, R A Operating Reactors Branch 3 82/05/20 JONES, W C
Omaha Public Power District 7pp 13339 070 24X
Fiche 50-285, 82/05/20, 8206020594

8206020349 Addresses NRC concerns re Open Item 3 in safety evaluation on control room circuits on alternate shutdown capability Revised util response to original 810327 response to 10CFR50 App R requirements encl
JONES, W C Omaha Public Power District 82/05/25 CLARK, R A
Operating Reactors Branch 3 4pp 13321 300 24X
Fiche 50-285, 82/05/25, 8206020349

8206020523 Requests necessary corrective actions to ensure that facility receives future generic ltrs in timely manner Commission-issued generic ltrs applicable to plant have not been received through normal NRC distribution channels
JONES, W C Omaha Public Power District 82/05/27 EISENHUT, D O
Division of Licensing 1p 13324 333 24X Fiche 50-285, 82/05/27, 8206020523

8206070080 Provides status of implementation of NUREG-0737, Item II F 1 & re containment hydrogen monitor Monitor returned to vendor for repair Util expects receipt in 2 wks Ten days required to reinstall & calibr monitor Next rept due 820701
JONES, W C Omaha Public Power District 82/06/01 CLARK, R A
Operating Reactors Branch 3 1p 13370 341 24X
Fiche 50-285, 82/06/01, 8206070080

8206070317 Submits addl info re NUREG-0737, Item II D 1, "RCB Vents." Util has completed & included instructions for operation of RCB gas vents during normal & refueling outage operations in operating instructions
JONES, W C Omaha Public Power District 82/06/01 CLARK, R A
Operating Reactors Branch 3 7pp 13363 280 24X
Fiche 50-285, 82/06/01, 8206070317

8206070616 Forwards comments on Franklin Research Ctr technical evaluation rept re Unresolved Safety Issue A-36, "Control of Heavy Loads." Unavailability of certain requested info does not pose significant concern
JONES, W C Omaha Public Power District 82/06/02 CLARK, R A
Operating Reactors Branch 3 33pp 13371 317 24X
Fiche 50-285, 82/06/02, 8206070616

8206080237 Forwards schedule or confirmation of completion for remaining TMI action items to be implemented after 820301
JONES, W C Omaha Public Power District 82/06/04 CLARK, R A
Operating Reactors Branch 3 6pp 13422 019 24X
Fiche 50-285, 82/06/04, 8206080237

8206160198 Informs of delay in completing shielding mod per NUREG-0737, Item II D 2 & proposed completion schedule Dust control requirements, periodic vacuuming & cleanup activities slowed const process Mod to be complete by 820628
JONES, W C Omaha Public Power District 82/06/08 CLARK, R A
Operating Reactors Branch 3 2pp 13521 122 24X
Fiche 50-285, 82/06/08, 8206160198

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York CHITKARA, K K Cincinnati Gas & Electric Co LYLE, H P Northern Indiana Public Service Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206160288 Discusses 820518 ltr confirming 820324 telcon re instrument errors for equipment installed in response to NUREG-0737, Items II F 1 4, II F 1 5 & II F 1 6
JONES, W C Omaha Public Power District 82/06/11 CLARK, R A
Operating Reactors Branch 3 1p 13521 322 24X
Fiche 50-285, 82/06/11, 8206160288

8206250336 Forwards Page 4 to Encl 2 inadvertently omitted from NRC 820331 ltr re independence of reactor protection sys
TOURIGNY, E O Operating Reactors Branch 3 82/06/14 JONES, W C
Omaha Public Power District 3pp 13629 080 24X
Fiche 50-285, 82/06/14, 8206250336

8206240289 Revises 810722 application to amend OL resolving reactor protection sys/ESF actuation sys channel independence issue, detailed in NRC 810416 ltr Revision reflects NRC concerns raised in 820219 telcon
JONES, W C Omaha Public Power District 82/06/15 CLARK, R A
Operating Reactors Branch 3 2pp 13597 039 24X
Fiche 50-285, 82/06/15, 8206240289

--8206240297 Revised Tech Spec changes resolving reactor protection sys/ESF actuation sys channel independence issue & permitting greater operational flexibility
* Omaha Public Power District 82/06/15 7pp 13597 041, 24X
Fiche 50-285, 82/06/15, 8206240297

8206250105 Summary of 820608-10 meetings w/util in Washington County, NE re procedures & operator training dealing w/pressurized thermal shock Viewgraphs encl
TOURIGNY, E O Operating Reactors Branch 3 82/06/16 Operating
Reactors Branch 3 21pp 13626 319 24X Fiche 50-285, 82/06/16, 8206250105

8206300361 Forwards Amend 65 to License DPR-40, safety evaluation & notice of issuance & availability Amend changes Tech Specs, adding setpoint, operability & surveillance requirements for safety-grade auxiliary feedwater automatic actuation sys
CLARK, R A Operating Reactors Branch 3 82/06/18 JONES, W C
Omaha Public Power District 2pp 13661 322 24X
Fiche 50-285, 82/06/18, 8206300361

--8206300365 Amend 65 to License DPR-40, adding to Tech Specs setpoint, operability & surveillance requirements for safety-grade auxiliary feedwater automatic actuation sys
CLARK, R A Operating Reactors Branch 3 82/06/18 14pp 13661 324 24X Fiche 50-285, 82/06/18, 8206300361

--8206300368 Safety evaluation supporting Amend 65 to License DPR-40
* Office of Nuclear Reactor Regulation, Director 82/06/18 8pp 13661 338 24X Fiche 50-285, 82/06/18, 8206300361

--8206300374 Notice of issuance & availability of Amend 65 to License DPR-40
TRAMMELL, C M Operating Reactors Branch 3 82/06/18 3pp 13661 344 24X Fiche 50-285, 82/06/18, 8206300361

8206290456 Forwards addl info requested in NRC 820320 ltr re proposed high density spent fuel pool storage rack mod
JONES, W C Omaha Public Power District 82/06/23 CLARK, R A
Operating Reactors Branch 3 21pp 13634 180 24X
Fiche 50-285, 82/06/23, 8206290456

O Inspection reports, IE Bulletins & correspondence

8206100175 Forwards IE Emergency Preparedness Appraisal Rept
50-285/01-35 on 811207-16 No noncompliance noted
COLLINS, J T Region 4, Office of Director 82/05/04 JONES, W C
Omaha Public Power District 35pp 13451 051 24X
Fiche 50-285, 82/05/04, 8206100175

--8201130779 Confirms agreements reached during 811216 mgt exit interview
Following NRC emergency preparedness appraisal of facility
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01)
81/12/24 JONES, D C Omaha Public Power District 3pp
13451 086 24X Fiche 50-285, 82/05/04, 8206100175

--8206100189 IE Emergency Preparedness Appraisal Rept 50-285/01 J' on
811207-16 No noncompliance noted Major areas inspected state
of emergency preparedness program, including administration
of program development, emergency organization & training
ROHRER, D Division of Emergency Preparedness HACKNEY, C Region 4,
Office of Director HACKER, C Battelle Memorial Institute,
Pacific Northwest Laboratory 82/05/03 69pp 13451 089 24X
Fiche 50-285, 82/05/04, 8206100175

8206040270 Forwards IE Insp Rept 50-285/82-08 on 820405-09 No
noncompliance noted Major areas inspected program for
protection against industrial sabotage Rept withheld
(ref 10CFR2790 & 10CFR2731)
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/25 JONES, W C Omaha Public Power District 2pp
13355 339 24X Fiche 50-285, 82/05/25, 8206040270

8206010533 Advises of revised enforcement policy described in 820307 IN
notice (47FR9987), rescinding requirements that responses to
all notices of violation be submitted under oath or
affirmation
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/26 JONES, W C Omaha Public Power District 1pp
13307 358 24X Fiche 50-285, 82/05/26, 8206010533

8206210287 Forwards IE Insp Rept 50-285/82-07 on 820405-09 No
noncompliance noted
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/26 JONES, W C Omaha Public Power District 2pp
13558 107 24X Fiche 50-285, 82/05/26, 8206210287

--8206210292 IE Insp Rept 50-285/82-07 on 820405-09 No noncompliance
noted Major areas inspected license action on previously
identified items, nonlicensed training & design change
program
JAUDON, J P, HALL, R E Division of Resident, Reactor Project &
Engineering Programs 82/05/21 6pp 13558 109 24X
Fiche 50-285, 82/05/26, 8206210287

8206210180 Forwards IE Insp Rept 50-285/82-06 on 820401-30 & notice of
violation
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/27 JONES, W C Omaha Public Power District 2pp
13560 130 24X Fiche 50-285, 82/05/27, 8206210180

--8206210184 Notice of violation from Insp on 820401-30
* Division of Resident, Reactor Project & Engineering Programs
82/05/27 1p 13560 132 24X Fiche 50-285, 82/05/27, 8206210180

--8206210187 IE Insp Rept 50-285/82-06 on 820401-30 Noncompliance
noted failure to follow procedures re insertion of fuel rod
into fuel bundle
VANDELL, L A, HALL, R E Division of Resident, Reactor Project &
Engineering Programs 82/05/24 6pp, 13560 133 24X
Fiche 50-285, 82/05/27, 8206210180

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
BEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 244, 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
BEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150, 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp, 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210381 IE Info Notice 82-18 "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
BEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 12pp 13575 189 24X
Fiche 50-000, 82/06/11, 8204210381

R Periodic operating reports & related correspondence

8206220283 Forwards monthly operating rept for May 1982
JONES, W C Omaha Public Power District 82/06/10 BEYOUNG, R C
Director's Office, Office of Inspection and Enforcement 1p
13573 243 24X Fiche 50-285, 82/06/10, 8206220283

--8206220287 Monthly operating rept for May 1982
SHORT, R W Omaha Public Power District 82/06/08 8pp
13773 244 24X Fiche 50-285, 82/06/10, 8206220283

S Reportable occurrences, LERs & related correspondence

8206020369 Forwards LER 82-002/03L-1
JONES, W C Omaha Public Power District 82/05/20 SEIDLE, W C
Region 4, Office of Director 1p 13320 271 24X
Fiche 50-285, 82/05/20, 8206020369

--8206020375 LER 82-002/03L-1 on 820114, stack particulate process
radiation monitor RM-061 tripped causing containment
radiation high signal activation due to failure of lockout
relay 8601 to trip Caused by burnt coil (oil replaced)
MUELLER, R Omaha Public Power District 82/01/28 Region 4,
Office of Director 4pp 13320 272 24X Fiche 50-285, 82/06/20,
8206020369

8206070431 Forwards LER 82-010/03L-0
JONES, W C Omaha Public Power District 82/05/28 SEIDLE, W C
Region 4, Office of Director 1p 13372 013 24X
Fiche 50-285, 82/05/28, 8206070431

--8206070435 LER 82-010/03L-0 on 820430, during routine operation, reactor
protection sys A channel trip Unit 3 (reactor coolant flow)
setpoints drifted out of spec in nonconservative direction
Caused by faulty negative 15-volt power supply
MUELLER, R Omaha Public Power District 82/05/03 Region 4,
Office of Director 4pp 13372 014 24X Fiche 50-285, 82/05/28,
8206070431

8206100105 Forwards LER 82-012/01T-0
JONES, W C Omaha Public Power District 82/06/02 SEIDLE, W C
Division of Resident, Reactor Project & Engineering Programs 1p
13449 197 24X Fiche 50-285, 82/06/02, 8206100105

--8206100109 LER 82-012/01T-0 on 820519, auxiliary feedwater sys design &
configuration found inadequate to withstand loss of onsite
power w/subsequent steam supply line to feedwater pump FW-10
failure pump FW-6 not designed for harsh environ
SHANEYFELT, R C Omaha Public Power District 82/05/26 Region
4, Office of Director 4pp 13449 198 24X Fiche 50-285,
82/06/02, 8206100105

8206100276 Ack receipt of 820520 ltr entitled, "Potential Failure of
Turbine Driven Auxiliary Feedwater Pump Steam Supply Line "
Corrective actions to be taken in interim until design
evaluation can be completed acceptable RO encl
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/06/03 JONES, W C Omaha Public Power District 1p
13458 186 24X Fiche 50-285, 82/06/03, 8206100276

--8206100278 RO on 820519, potential failure of turbine driven auxiliary
feedwater pump steam supply line identified Condition not
considered in SAR Design mod being evaluated
JONES, W C Omaha Public Power District 82/05/20 SEIDLE, W C
Division of Resident, Reactor Project & Engineering Programs 1pp
13458 187 24X Fiche 50-285, 82/06/03, 8206100276

8206100120 Forwards LER 82-011/01T-0
JONES, W C Omaha Public Power District 82/06/04 SEIDLE, W C
Region 4, Office of Director 1p 13449 108 24X
Fiche 50-285, 82/06/04, 8206100120

--8206100131 LER 82-011/01T-0 on 820521, blowdown sampling line for steam
generator B inboard containment isolation valve HCV-2507A
found closed resulting in failure to monitor for
radioactivity Caused by inadvertent closing of valve
KUSEK, L Omaha Public Power District 82/05/25 Region 4,
Office of Director 5pp 13449 109 24X Fiche 50-285, 82/06/04,
8206100120

8206220189 PHS-IV-82-001 on 820604, part-time employee detected w/loaded
 7" fear in purse Employee detained & security access badge
 114-1 Local law enforcement agencies will be notified upon
 completion of preliminary investigation
 WOODL, L A , HALL, R F , SEIDLE, W C Region 4, Office of Director
 2p 13453 398 24X Fiche 50-285, 82/06/04, 8206100208

8206100257 PHS IV-82-001A on 820604, part-time summer employee reported
 to work w/inadequate firearm in purse Security badge pulled &
 state access terminated Sheriff substantiated employee
 self-protection claim No arrest indicated
 WOODL, L A , JAMBUN, J P , SEIDLE, W C Region 4, Office of Director
 2p 13465 285 24X Fiche 50-285, 82/06/07, 8206110292

8206290172 Forwards LER 82-003/03L-1
 SEIDLE, W C Omaha Public Power District 82/06/17 SEIDLE, W C
 Division of Resident, Reactor Project & Engineering Programs 1p
 13454 329 24X Fiche 50-285, 82/06/17, 8206290172

8206290176 LER 82-003/03L-1 on 820201, containment isolation valve
 PCV-507A failed to close upon demand Caused by solenoid
 valve plunger stuck in energized position Plunger freed &
 valve cycled Emergency procedure & maint order issued
 MUELLER, R Omaha Public Power District 82/02/17 Region 4,
 Office of Director 1pp 13634 310 24X Fiche 50-285, 82/06/17,
 8206290172

DOCKET 50 .06 INDIAN POINT STATION, UNIT 3

- Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys
 installed to provide early notification to populace in
 plume pathway around nuclear reactor sites in US Forwards
 documents listed in App A
 FELTON, J M Division of Rules and Records 82/04/21 WADE, J
 Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, 82/04/21, 8206150016

8206040508 Submits list of facilities that have filled exemption
 requests from 820201 prompt notification deadline
 Exemption requests will be denied
 EISENHUT, D G Division of Licensing 82/02/03 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 2pp 13524 288
 24X Fiche 50-000, 82/04/21, 8206150016

8206130079 Status of prompt notification sys
 * NRC - No Detailed Affiliation Given 82/03/09 1p 13525 154
 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission
 decision to extend deadline for licensees to implement
 prompt notification sys Forwards documents listed in App A
 Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
 DeRose & Liberman 3pp 13494 003 24X Fiche 50-000, 82/05/11,
 8206090002

8206090000 Provides implementation status of prompt notification sys
 for facilities Eight licensees failed to meet 820201
 deadline
 DIRCKS, W J Office of the Executive Director for Operations
 82/03/04 PALLADINO, N , GLINSKY, V , BRADFORD, P Commissioners
 1p 13454 196 24X Fiche 50-000, 82/05/11, 8206090002

8206060494 Forwards monthly status rept of licensee implementation of
 prompt notification sys
 DIRCKS, W J Office of the Executive Director for Operations
 82/03/30 PALLADINO, N J Commissioners 2pp 13454 252 24X
 Fiche 50-000, 82/05/11, 8206090002

8206020465 Advises that util Cannot commit to augment on-shift staff
 within 30 minutes per requirements of Table III A 1 2-1 of
 NUREG-0737 (Table B-1 of NUREG-0654, Revision 1)
 BAYNE, J P Power Authority of the State of New York 82/05/20
 EISENHUT, D G Division of Licensing 2pp 13326 145 24X
 Fiche 50-286, 82/05/28, 8206020465

8206250240 Forwards IE Safeguards Insp Rept 50-286/82-07 on 820416-
 0515 No noncompliance noted
 STAROSTECKI, R Division of Project & Resident Programs 82/06/08
 BRONIS, J C Power Authority of the State of New York 2pp
 13613 059 24X Fiche 50-286, 82/06/08, 8206250240

8206250244 IE Safeguards Insp Rept 50-286/82-07 on 820416-0515 No
 noncompliance noted Major areas inspected plant operations
 including shift logs & records & licensee action on previous
 insp findings Details withheld (ref IOCFR73 21)
 FOLEY, T., KENNY, T J., BAUMACK, W Division of Project & Resident
 Programs 82/06/01 1p, 13613 061 24X Fiche 50-286, 82/06/08,
 8206250240

8206220157 Confirmatory Action Ltr 82-14 ack util 820609 ltr re alert
 & notification sys Corrective & preventive actions to be
 examined in future Insp
 SMITH, G H Division of Emergency Preparedness & Operational Support
 82/06/16 O'TOOLE, J D Consolidated Edison Co of New York 1p
 13571 750 24X Fiche 50-247, 82/06/16, 8206220157

8206220161 Verifies that planned actions discussed w/NRC on 820427
 remain unchanged re alert & notification sys deficiencies
 BAYNE, J P Power Authority of the State of New York O'TOOLE, J D
 Consolidated Edison Co of New York 82/06/09 SMITH, G H
 Division of Emergency Preparedness & Operational Support 2pp
 13571 391 24X Fiche 50-247, 82/06/16, 8206220157

8206220448 Ack receipt of 820609 ltr informing NRC of steps taken to
 correct deficiencies noted in NRC 820426 confirmation of
 action ltr re alert & notification sys
 SMITH, G H Division of Emergency Preparedness & Operational Support
 82/06/16 BRONIS, J C Power Authority of the State of New York
 1p 13578 179 24X Fiche 50-286, 82/06/16, 8206220448

8206220457 Responds to NRC 820426 confirmation of action ltr re
 deficiencies in alert & notification sys Planned actions
 discussed w/NRC on 820427 remain unchanged All deficiencies
 corrected prior to 820601
 O'TOOLE, J D Consolidated Edison Co of New York 82/06/09
 SMITH, G H Division of Emergency Preparedness & Operational
 Support 2pp 13578 180 24X Fiche 50-286, 82/06/16, 8206220448

8206240347 Forwards RS Jurkowski, AB DeBello, FC Bohlander, AS Curran,
 WG Borghard, M Kaminski & AR Marasco testimony re emergency
 evacuation plan F Bohlander & AB DeBello should be added to
 witness list Certificate of Svc encl Related correspondence
 VETERC, L A Westchester County, NY 82/06/16 CARTER, L J Atomic
 Safety and Licensing Board Panel App 13603 019 24X
 Fiche 50-247, 82/06/16, 8206240347

8206240350 Testimony of RS Jurkowski re emergency evacuation plan
 JURKOWSKI, R S Westchester County, NY 82/06/16 14pp
 13603 023 24X Fiche 50-247, 82/06/16, 8206240347

8206240351 Testimony of AB DeBello re emergency evacuation plan
 DELBELLO, A D Westchester County, NY 82/06/16 App 13603 037
 24X Fiche 50-247, 82/06/16, 8206240347

8206240354 Testimony of FC Bohlander re emergency evacuation plan
 BOHLANDER, F C Westchester County, NY 82/06/16 2pp 13603 043
 24X Fiche 50-247, 82/06/16, 8206240347

8206240358 Testimony of AS Curran re emergency evacuation plan
 CURRAN, A S Westchester County, NY 82/06/16 5pp 13603 049
 24X Fiche 50-247, 82/06/16, 8206240347

8206240359 Testimony of WG Borghard re emergency evacuation plan
 BORGHARD, W G Westchester County, NY 82/06/16 2pp 13603 048
 24X Fiche 50-247, 82/06/16, 8206240347

8206240362 Testimony of M Kaminski re emergency evacuation plan
 KAMINSKI, M Westchester County, NY 82/06/16 5pp 13603 050
 24X Fiche 50-247, 82/06/16, 8206240347

8206240367 Testimony of AR Marasco re emergency evacuation plan
 NY State critique of 820303 simulated evacuation of
 surrounding 10-mile area encl
 MARASCO, A R Westchester County, NY 82/06/16 16pp 13603 055
 24X Fiche 50-247, 82/06/16, 8206240347

Q Adjudicatory correspondence

8206010272 Answers to NRC Interrogatories Certificate of Svc encl
 Related correspondence
 POTTERFIELD, A , HOLT, J Public Interest Research Group, New York,
 BLUM, J M Union of Concerned Scientists 82/05/21 Office of the
 Executive Legal Director 9pp 13307 123 24X
 Fiche 50-247, 82/05/21, 8206010272

8206010307 Responses to interrogatories Certificate of Svc encl. Related
 correspondence.
 REMSHAW, R P , BRANDENBURG, B. Consolidated Edison Co. of New York.
 SPECTER, H Power Authority of the State of New York, 82/05/24
 Friends of the Earth 31pp 13300 183 24X Fiche 50-247, 82/05/24,
 8206010307

8206010338 Responses to first set of requests for production of
 documents & interrogatories Certificate of Svc encl Related
 correspondence
 BRANDENBURG, B Consolidated Edison Co of New York, MORGAN, C.
 Power Authority of the State of New York, MORGAN, C Morgan
 Associates 82/05/24 Parents Concerned About Indian Point,
 34pp, 13300 214, 24X Fiche 50-247, 82/05/24, 8206010338

DOCKETED ITEMS

- B206010344 Responds to interrogatories Certificate of Svc encl Related correspondence
BRANDENBURG,B Consolidated Edison Co of New York MORGAN,C
Power Authority of the State of New York MORGAN,C Morgan
Associates 82/05/24 Rockland Citizens for Safe Energy 41pp
13300 248 24X Fiche 50-247,82/05/24,B206010338
- B206010347 Responds to interrogatories Certificate of Svc encl Related correspondence
BRANDENBURG,B Consolidated Edison Co of New York MORGAN,C
Power Authority of the State of New York MORGAN,C Morgan
Associates 82/05/24 Westchester Peoples Action Coalition, Inc
58pp 13300 288 24X Fiche 50-247,82/05/24,B206010338
- B206010398 Notice of change of address
POTTERFIELD,A Public Interest Research Group, New York 82/05/25
1p 13311 156 24X Fiche 50-247,82/05/25,B206010398
- B206010405 Answer opposing licensee petition for directed certification of issues arising from ASLB B20423 order NRC does not review interlocutory orders of ASLB Directed certification of issues arising from ASLB orders impermissible
BLUM,J M Union of Concerned Scientists POTTERFIELD,A Public Interest Research Group, New York BLUM,J M New York Univ
82/05/25 Commissioners 12pp 13311 157 24X
Fiche 50-247,82/05/25,B206010398
- B206010410 Response opposing PSENY appeal of ASLB B20423 order granting Greater NY Council on Energy intervenor status Group cannot be denied intervenor status because of previously made statements Certificate of Svc encl
CORRENN,D Greater New York Council on Energy 82/05/24
Commissioners 7pp 13311 263 24X Fiche 50-247,82/05/25,B206010398
- B206040095 Objects to West Branch Conservation Assoc B20515 interrogatories as untimely Interrogatories failed to meet ASLB B20423 order deadline by nearly 2 wks Response to late interrogatories declined
CZAJA,R F Shea & Gould CZAJA,R F Power Authority of the State of New York 82/05/25 FLEISHER,2 S West Branch Conservation Association 2pp 13350 040 24X Fiche 50-247,82/05/25,B206040095
- B206040126 Forwards outstanding answers & objections to B20503 interrogatories & document requests w/o corrected Question B3 & corrected State of NY answers & objections Related correspondence
FEINBERG,J D New York, State of 82/05/25 HOLT,J , POTTERFIELD,A Public Interest Research Group, New York BLUM,J M Union of Concerned Scientists 1p 13347 087 24X
Fiche 50-247,82/05/25,B206040126
- B206040134 Answers & objections to B20503 interrogatories & document requests Affidavits & Certificate of Svc encl Related correspondence
FEINBERG,J D New York, State of 82/05/27 Union of Concerned Scientists 90pp 13347 087 24X Fiche 50-247,82/05/25,B206040126
- B206040123 Supplemental interrogatories & requests for production of documents Certificate of Svc encl
BLUM,J M Union of Concerned Scientists POTTERFIELD,A Public Interest Research Group, New York BLUM,J M New York Univ
82/05/26, Consolidated Edison Co of New York 7pp 13347 270
24X Fiche 50-247,82/05/26,B206040123
- B206040142 Notifies that all requested documents not objected to will be produced for insp & copying by all parties on B20601 at ofcs of Shea & Gould in New York,NY.Formal response forthcoming.
SCHINKI,B Power Authority of the State of New York, PIKUS,D H Consolidated Edison Co of New York, 82/05/26 Office of the Executive Legal Director 1p 13347 277, 24X Fiche 50-247,
- B206100103 Interrogatories to & request for production of documents
MCGURRAN,H J Hearing Branch 1 82/05/26 Power Authority of the State of New York 8pp 13448 286 24X Fiche 50-247,82/05/26,B206100093
- B206100107 Interrogatories & request for documents Certificate of Svc encl
MCGURRAN,H J Hearing Branch 1 82/05/26 Consolidated Edison Co of New York 11pp 13448 294 24X Fiche 50-247,82/05/26,B206100093
- B206100318 Forwards US Court of Appeals,DC Circuit,B20514 opinion in People Against Nuclear Energy vs NRC Parties also being served
MOORE,J E Hearing Branch 1 82/05/26 CARTER,L J , PARIS,D H , SHON,F J Atomic Safety and Licensing Board Panel 72pp
13444 085 24X Fiche 50-247,82/05/26,B206100318
- B206040070 Motion to compel discovery per 10CFR2 /40(f) Util should provide RR Dynes,S Lecker,PL Rosenblatt,MD Rocca & B Podwal for depositions
BLUM,J M Union of Concerned Scientists 82/05/27 Atomic Safety and Licensing Board Panel 1p 13344 342 24X
Fiche 50-247,82/05/27,B206040070
- B206040071 Affidavit of JM Blum supporting UCS B20527 motion for order compelling util to produce RR Dynes,S Lecker,PL Rosenblatt, MD Rocca & B Podwal for depositions Certificate of Svc encl
BLUM,J M Union of Concerned Scientists 82/05/27 4pp
13344 343 24X Fiche 50-247,82/05/27,B206040070
- B206040073 Memorandum supporting B20527 motion to compel util to produce RR Dynes,S Lecker,PL Rosenblatt,MD Rocca & B Podwal for depositions Util presented no reasons for ignoring 10CFR2 requirements Certificate of Svc encl
BLUM,J M Union of Concerned Scientists POTTERFIELD,A Public Interest Research Group, New York 82/05/27 Atomic Safety and Licensing Board Panel 8pp 13344 334 24X Fiche 50-247,82/05/27,B206040073
- B206040180 Maintains that US Court of Appeals for DC Circuit B20514 opinion under NCPA applies only to TH1 site Licensee B11201 motion to exclude fear as issue in proceeding unaffected
MORGAN,C Morgan Associates 82/05/27 CARTER,L , SHON,F J , PARIS,D H Atomic Safety and Licensing Board Panel 2pp
13360 056 24X Fiche 50-247,82/05/27,B206040180
- B206040184 Discusses status of matters raised in B20510 & 12 ltrs to Rockland Citizens for Safe Energy & Parents Concerned About Indian Point.In response to B20525 request
CZAJA,R F Shea & Gould 82/05/27 CARTER,L J Atomic Safety and Licensing Board Panel 4pp 13360 104 24X Fiche 50-247,82/05/27,B206040184
- B206040208 Motion for leave to file reply & reply to UCS/NY PIRG response to licensee motion for directed certification of motion for stay of Commission B10108 & 0918 orders Certificate of Svc encl
MORGAN,C Power Authority of the State of New York MORGAN,C Morgan Associates 82/05/27 Commissioners 6pp 13344 348
24X Fiche 50-247,82/05/27,B206040208
- B206040080 Followon response to interrogatories listing addl witnesses Certificate of Svc encl Related correspondence
KESSLER,J Rockland Citizens for Safe Energy 82/05/28 Office of the Executive Legal Director 3pp 13350 027 24X
Fiche 50-247,82/05/28,B206040080
- B206040082 Supplemental response to request for production of documents Certificate of Svc encl
HARTZMAN,R M Friends of the Earth HARTZMAN,R M Audubon Society 82/05/28 Consolidated Edison Co of New York 7pp 13350 020
24X Fiche 50-247,82/05/28,B206040082
- B206040137 Requests for admissions Matrix for responses & Certificate of Svc encl
JORDAN,W B Union of Concerned Scientists JORDAN,W B Harmon & Weiss 82/05/28 Consolidated Edison Co of New York 11pp
13347 259 24X Fiche 50-247,82/05/28,B206040137
- B206040228 Motion to impose sanctions for default & to strike contentions Westchester Peoples Action Coalition,Rockland Citizens for Safe Energy & West Branch Conservation Assoc failure to respond warrants dismissal w/Certificate of Svc
BRANDENBURG,B Consolidated Edison Co of New York LEVIN,J J Power Authority of the State of New York LEVIN,J J Morgan Associates 82/05/28 Atomic Safety and Licensing Board Panel 13pp 13355 274 24X Fiche 50-247,82/05/28,B206040228

DOCKETED ITEMS

119

8206040238 Response to request for production of documents by all parties Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/05/28 Affiliation Unknown 10pp 13357 281
24X Fiche 50-247, 82/05/28, 8206040238

8206070122 Response to first set of interrogatories Certificate of Svc
encl Related correspondence
SCHWARTZ, R Metropolitan Transportation Authority New York, NY
SCHWARTZ, R Botein, Hays, Sklar & Herzberg 82/05/28
Westchester Peoples Action Coalition, Inc 18pp 13369 329 24X
Fiche 50-247, 82/05/28, 8206070122

8206040010 Second interrogatory for onsite insp Certificate of Svc
encl Related correspondence
FLEISHER, Z S West Branch Conservation Association 82/05/29
Consolidated Edison Co of New York 2pp 13350 018 24X
Fiche 50-247, 82/05/29, 8206040010

8206040084 Interrogatory re probability of meltdown accident
proposed pursuant to ASLB 820423 order Certificate of Svc
encl Related correspondence
FLEISHER, Z S West Branch Conservation Association 82/05/29
Consolidated Edison Co of New York 2pp 13347 257 24X
Fiche 50-247, 82/05/29, 8206040084

8206040267 Request that M Holland be scheduled to appear during wk of
820622 Scheduled date conflicts w/witness vacation & prof
conferences Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/05/29
Atomic Safety and Licensing Board Panel 2pp 13354 346 24X
Fiche 50-247, 82/05/29, 8206040267

8206040290 List of addl witnesses Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/05/29 3pp
13354 332 24X Fiche 50-247, 82/05/29, 8206040290

8206070532 Answer opposing UCS/NY PIRG 820528 motion to compel
RR Dynes, S Lecker & three employees of Parsons, Drinkeroff,
Quad & Douglas, Inc depositions Request fails to comply
w/Commission rules & ASLB order Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/05/31 Atomic Safety and Licensing Board Panel
13pp 13374 071 24X Fiche 50-247, 82/05/31, 8206070532

8206040076 Response supporting util 820510 request for certification &
for waiver of 10CFR 103 Questions re formulation &
admission of contentions by ASLB need to be decided by
Commission Certificate of Svc encl
MOORE, J E Hearing Branch 1 82/06/01 Commissioners 32pp
13345 292 24X Fiche 50-247, 82/06/01, 8206040076

8206040143 Response to 820503 requests for documents re Interrogatories
2-5
HASSELL, D F Hearing Branch 1 82/06/01 Westchester Peoples
Action Coalition, Inc 3pp 13344 287 24X Fiche 50-247, 82/06/01,
8206040143

--8206040148 Response to 820503 requests for documents re Interrogatories
10 & 11
HASSELL, D F Hearing Branch 1 82/06/01 Rockland Citizens for
Safe Energy 2pp 13344 290 24X Fiche 50-247, 82/06/01,
8206040143

--8206040151 Response to 820503 first set of document requests, pursuant
to ASLB 820423 order
HASSELL, D F Hearing Branch 1 82/06/01 Friends of the Earth
2pp 13344 292 24X Fiche 50-247, 82/06/01, 8206040143

--8206040154 Response to 820515 second set of interrogatories pursuant to
ASLB 820423 order Affidavit encl
HASSELL, D F Hearing Branch 1 82/06/01 West Branch
Conservation Association 5pp 13344, 294 24X
Fiche 50-247, 82/06/01, 8206040143

--8206040157 Response to Interrogatory 1 listing individuals to be
presented as witnesses in proceeding re Commission Questions
1, 2, 5 & 6
MOORE, J E Hearing Branch 1 82/06/01 Union of Concerned
Scientists 13pp 13344, 299 24X Fiche 50-247, 82/06/01,
8206040143

--8206040160 Response to 820503 first request for documents, Certificate
of Svc encl
HASSELL, D F Hearing Branch 1 82/06/01 Union of Concerned
Scientists 5pp 13344, 312 24X Fiche 50-247, 82/06/01,
8206040143

8206090017 Requests extension of time to file formal testimony Council
unable to find pro bono hearing counsel Certificate of Svc
encl
MESSINGER, R W New York, NY 82/06/02 CARTER, L J Atomic Safety
and Licensing Board Panel 6pp 13435 299 24X
Fiche 50-247, 82/06/02, 8206090017

8206090028 Answers & objections to 820501 interrogatories Related
correspondence
FEINBERG, J D New York, State of, Energy Office 82/06/02
Friends of the Earth 12pp 13440 001 24X Fiche 50-247, 82/06/02,
8206090028

--8206090031 Answers & objections to interrogatories & document requests,
Certificate of Svc encl
FEINBERG, J D New York, State of, Energy Office 82/06/02
Rockland Citizens for Safe Energy 19pp 13440 013 24X
Fiche 50-247, 82/06/02, 8206090028

8206080092 Memorandum & order granting discovery by deposition by
UCS/NY PIRG & licensees All parties entitled to right of
discovery by deposition
CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board
Panel 82/06/03 Union of Concerned Scientists 4pp 13423 272
24X Fiche 50-247, 82/06/03, 8206080092

8206100106 Motion for order compelling responses to interrogatories
from UCS/NY PIRG, Parents Concerned About Indian Point &
Friends of the Earth/NY City Audubon Soc or alternatively,
to impose sanctions Certificate of Svc encl
BRANDENBURG, B Commonwealth Edison Co MORGAN, C Power Authority
of the State of New York MORGAN, C Morgan Associates 82/06/03
Atomic Safety and Licensing Board Panel 31pp 13449 166 24X
Fiche 50-247, 82/06/03, 8206100106

8206080110 Response to licensee 820528 motion for sanction & to compel
answers to interrogatories Opposes request for sanctions but
supports request for order compelling answers Sanction of
striking contentions too severe Certificate of Svc encl
MOORE, J E Hearing Branch 1 82/06/04 Atomic Safety and
Licensing Board Panel 8pp 13423 081 24X Fiche 50-247, 82/06/04,
8206080110

8206090034 Changes to witness list Related correspondence
FLEISHER, Z S West Branch Conservation Association 82/06/04 1p
13435 274 24X Fiche 50-247, 82/06/04, 8206090034

--8206090037 Reply opposing licensee 820528 motion to impose sanctions &
strike contentions Answers to interrogatories depend on info
which only licensees can supply
FLEISHER, Z S West Branch Conservation Association 82/06/04
Atomic Safety and Licensing Board Panel 2pp 13435 275 24X
Fiche 50-247, 82/06/04, 8206090034

--8206090041 Request for loan of Vol 1 of Indian Point probabilistic
safety study Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/06/04
Consolidated Edison Co of New York 3pp 13435 277 24X
Fiche 50-247, 82/06/04, 8206090034

8206090068 Motion to dismiss licensee motion to impose sanctions for
default & to strike contentions Intervenor has acted in
good faith & should not be subj to sanctions Certificate of
Svc encl
SCHEINER, C A Westchester Peoples Action Coalition, Inc 82/06/04
Atomic Safety and Licensing Board Panel 6pp 13435 290 24X
Fiche 50-247, 82/06/04, 8206090068

8206090143 Motion for order to amend svc list to add D Davidoff,
director of radiological emergency preparedness group
Time to reproduce documents reduces time to review & respond
to papers
FROMER, H A New York, State of, Energy Office 82/06/04 Atomic
Safety and Licensing Board Panel 3pp 13439 266 24X
Fiche 50-247, 82/06/04, 8206090143

8206090152 Motion for reconsideration of Commission ruling allowing
interim operation & for issuance of show cause order
New info presented Certificate of Svc encl.
HOLT, J, POTTERFIELD, A Public Interest Research Group, New York.
WEISS, E R Union of Concerned Scientists 82/06/04 Atomic
Safety and Licensing Board Panel 40pp 13439 014 24X
Fiche 50-247, 82/06/04, 8206090152

8206170162 Lists events associated w/aborted highway projects involving
county, Related correspondence.
CHASE, W M Rockland County, NY 82/06/04 GRANIRER, M Affiliation
Unknown 1p 13531 329 24X Fiche 50-247, 82/06/04, 8206170162

DOCKETED ITEMS

8206100110 Response opposing request to inspect plant West Branch Conservation Assoc fails to specify items to be inspected, to justify necessity, to show other discovery methods insufficient & to show relevance w/ Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/07 West Branch Conservation Association Upp
13449 157 24X Fiche 50-247, 82/06/07, 8206100110

8206110054 Supplemental answer to interrogatories Certificate of Svc encl
POTTERFIELD, A Union of Concerned Scientists POTTERFIELD, A
Public Interest Research Group, New York POTTERFIELD, A Rockland
Citizens for Safe Energy 82/06/07 Office of the Executive Leg.,
Director 350pp 13461 101 24X Fiche 50-247, 82/06/07, 8206110054

--8206110064 Request for extension of time until 820621 to file testimony & for ASLB to set date by which UCS/NY PIRG requests for admissions must be answered Good cause exists due to unusually rapid hearing schedule
BLUM, J M Union of Concerned Scientists POTTERFIELD, A HOLI, J
Public Interest Research Group, New York 82/06/07 Atomic
Safety and Licensing Board Panel 50pp 13463 065 21X
Fiche 50-247, 82/06/07, 8206110064

8206140031 Objects to interrogatories dtd 820426 & 0526 but received on 820528 Deposition of Parsons, Brinckerhoff, Guade & Douglas, Inc adequate Remaining interrogatories not proper Related correspondence
BRANDENBURG, B Power Authority of the State of New York CIA, A, R f
Consolidated Edison Co of New York 82/06/07 BLUM, J M Union of
Concerned Scientists BLUM, J M Public Interest Research Group, New
York 2pp 13484 325 24X Fiche 50-247, 82/06/07, 8206140031

8206170085 Notice of appearance in proceeding Certificate of Svc encl
VETTER, L A Westchester County, NY 82/06/07 App 13529 284 24X
Fiche 50-247, 82/06/07, 8206170085

8206170167 Third response to interrogatories supplementing 820531 response, per ASLB 820604 order Certificate of Svc encl
Related correspondence
KESSLER, J Rockland Citizens for Safe Energy 82/06/07
Consolidated Edison Co of New York 6pp 13534 033 24X
Fiche 50-247, 82/06/07, 8206170167

8206170341 List of witnesses on Contentions 3 & 4
VETTER, L A Westchester County, NY 82/06/07 2pp 13531 027 24X
Fiche 50-247, 82/06/07, 8206170341

8206280203 Requests to make limited appearance statement at public hearing
BRENNAN, M Affiliation Unknown 82/06/07 CARTER, L Atomic Safety
and Licensing Board Panel 2pp 13624 223 24X
Fiche 50-247, 82/06/07, 8206280203

8206140103 Response supporting UCS/NY PIRG 820604 motion for reconsideration of Commission ruling permitting interim operation of plants pending investigation & for show cause order Certificate of Svc encl
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City
Audubon Society SCHEINER, C A Westchester Peoples Action
Coalition, Inc 82/06/08 Commissioners 20pp 13487 192 24X
Fiche 50-247, 82/06/08, 8206140103

8206170236 Forwards D Davidoff & L Czech testimony & exhibit State radiological emergency plan will be mailed separately
FEINBERG, J D New York, State of, 82/06/08 CARTER, L J,
PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 1p
13531 048 24X Fiche 50-247, 82/06/08, 8206170236

--8206170240 Motion for waiver of filing rules for exhibits re NY state radiological emergency preparedness plan for plants Document voluminous, expensive & limited number of copies available
Proposed order encl
FEINBERG, J D New York, State of 82/06/08 Atomic Safety and
Licensing Board Panel 4pp 13531 049 24X Fiche 50-247,
82/06/08, 8206170236

8206170267 Response supporting UCS/NY PIRG 820604 motion for reconsideration of Commission ruling allowing interim operation Show cause order should be issued, Certificate of Svc encl
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City
Audubon Society SCHEINER, C A Westchester Peoples Action
Coalition, Inc 82/06/08 Atomic Safety and Licensing Board Panel
23pp 13533 143 24X Fiche 50-247, 82/06/08, 8206170267

8206170160 First set of interrogatories & document request re Commission Question & Certificate of Svc encl Related correspondence
LEVIN, J J Power Authority of the State of New York BRANDENBURG, B
Consolidated Edison Co of New York LEVIN, J J Morgan Associates
82/06/09 Greater New York Council on Energy 39pp 13524 230
24X Fiche 50-247, 82/06/09, 8206170160

8206160095 Cross-examination plans re Contentions 3 & 4 on licensee 820607 testimony concerning road conditions, capacity, flow rates, population & equipment estimates Certificate of Svc encl
FLEISHER, I S West Branch Conservation Association 82/06/11 Upp
13517 310 24X Fiche 50-247, 82/06/11, 8206160095

8206160121 Response opposing licensee motion for order compelling responses to interrogatories or alternatively, for imposing sanctions for failure to respond Responses adequate Certificate of Svc encl Related correspondence
WEISS, E P Union of Concerned Scientists WEISS, E P Harmon & Weiss 82/06/11 Atomic Safety and Licensing Board Panel Upp
13514 354 24X Fiche 50-247, 82/06/11, 8206160121

8206170381 Order directing responses to licensee 820603 motion for order compelling responses or, alternatively, for imposition of sanctions, be delivered to licensees by 820615 Copies to Washington parties & ASLB to be mailed by 820614
CARTER, L J Atomic Safety and Licensing Board Panel 82/06/11
App 13531 147 24X Fiche 50-247, 82/06/11, 8206170381

8206180214 List of documents licensees have no objection to producing Documents absent at 820526 document production requested Various documents have been copied & await receipt
PIVUS, D H Power Authority of the State of New York BRANDENBURG, B
Consolidated Edison Co of New York 82/06/11 POTTERFIELD, A
Public Interest Research Group, New York 3pp 13554 259 24X
Fiche 50-247, 82/06/11, 8206180214

8206180328 Amend to request for extension of time to file testimony & for ASLB to set date by which UCS/NY PIRG admission requests must be answered Ref to R Albert should be deleted Certificate of Svc encl
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public
Interest Research Group, New York BLUM, J M New York Univ
82/06/11 Atomic Safety and Licensing Board Panel 8pp
13945 159 24X Fiche 50-247, 82/06/11, 8206180328

8206160110 Response to licensee motion to compel interrogatory responses or, alternatively, for imposition of sanctions NRC will take no position on motion to compel If discovery order not obeyed, ASLB should consider imposing sanctions
MOORE, J E Hearing Branch 1 82/06/14 Atomic Safety and
Licensing Board Panel 3pp 13517 345 24X Fiche 50-247, 82/06/14,
8206160110

--8206160115 Cross-examination plan for emergency planning Certificate of Svc encl
MOORE, J E, HASSELL, D F Hearing Branch 1 82/06/14 5pp
13517 348 24X Fiche 50-247, 82/06/14, 8206160110

8206170157 Motion for order striking UCS/NY PIRG direct testimony & for denial of UCS/NY PIRG request for extension of time to file testimony Filing entirely inconsistent w/direction & schedule of proceeding Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/14 Atomic Safety and Licensing Board Panel
16pp 13534 042 24X Fiche 50-247, 82/06/14, 8206170157

8206170166 Answers & objections to interrogatories & document requests Certificate of Svc encl
FEINBERG, J D New York, State of 82/06/14 West Branch
Conservation Association 13pp 13534 130 24X
Fiche 50-247, 82/06/14, 8206170166

8206170265 Cross-examination plan for intervenor, NRC, FEMA, licensee, NY State & County witnesses Certificate of Svc encl
DUBOFF, D Westchester Peoples Action Coalition, Inc 82/06/14 1pp
13531 340 24X Fiche 50-247, 82/06/14, 8206170265

8206170268 Cross-examination plans for State of NY, Rockland County, FEMA & NRC under Commission Questions 3 & 4 Certificate of Svc encl
MORGAN, C Power Authority of the State of New York MORGAN, C
Morgan Associates 82/06/14 12pp 13531 352 24X
Fiche 50-247, 82/06/14, 8206170268

8206180134 Motion for order striking intervenor witnesses B Palenik & J Reyes testimony Util has not been served w/testimony despite ASLB 820423 order to do so Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York 82/06/14
Atomic Safety and Licensing Board Panel 7pp 13552 220 24X
Fiche 50-247, 82/06/14, 8206180134

8206180211 Forwards DP Guido & CW Bates testimony & amended list of witnesses Related correspondence
VETTER, L A Westchester County, NY 82/06/14, CARTER, L J,
PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 1p
13554 262 24X Fiche 50-247, 82/06/14, 8206180211

- B206180221 Amended list of witnesses Certificate of Svc encl Related correspondence
VETERE, L A Westchester County, NY 82/06/14 5pp 13554 243
24X Fiche 50-247, 82/06/14, B206180211
- B206180257 Cross-examination plans for proposed Rockland County, NRC,
FEHA & State of NY witnesses on issues re Commission
Questions 3 & 4 Certificate of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York 82/06/14 8pp
13551 277 24X Fiche 50-247, 82/06/14, B206180257
- B206180316 Motion for order compelling USC/NY PIRG to produce witnesses
J Beyea, B Palenik & K Erickson for deposition, pursuant to
ASLB B20603 memorandum & order Certificate of Svc encl
Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/06/14 Atomic Safety and Licensing Board Panel
16pp 13549 008 24X Fiche 50-247, 82/06/14, B206180316
- B206210588 Forwards emergency petition for directed certification of
Village of Buchanan request for order directing ASLB to
schedule upcoming safety hearings at location within 10-mile
emergency planning zone
PIERCE, F W Buchanan, NY 82/06/14 PALLADINO, N J Commissioners
1p 13564 077 24X Fiche 50-247, 82/06/14, B206210588
- B206210594 Emergency petition for directed certification of Village of
Buchanan request for order directing ASLB to schedule
upcoming safety hearings at location within 10-mile
emergency planning zone Certificate of Svc encl
BLAIL, W H Buchanan, NY 82/06/15 Commissioners 6pp
13564 078 24X Fiche 50-247, 82/06/14, B206210588
- B206170130 Urges granting of licensee B20510 petition for directed
certification immediately to prevent inquiry from
exceeding intended scope Commission never intended some
admitted contentions to be heard by ASLB
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York 82/06/15 PALLADINO, W J,
AHEARNE, J F, GILINSKY, V Commissioners 3pp 13530 230 24X
Fiche 50-247, 82/06/15, B206170130
- B206180163 Forwards corrected B220614 motion for order striking
Intervenor witnesses B Palenik & J Beyea testimony Notice
of Appearance encl
JOHNSON, P W Consolidated Edison Co of New York 82/06/15
CARTER, L J, SHON, F J, PARIS, O H Atomic Safety and Licensing Board
Panel 2pp 13552 200 24X Fiche 50-247, 82/06/15, B206180163
- B206180171 Corrected motion for order striking intervenor witnesses
B Palenik & J Beyea testimony Util has not been served
w/ testimony despite ASLB B20423 order to do so Certificate
of Svc encl
BRANDENBURG, B Consolidated Edison Co of New York 82/06/14
Atomic Safety and Licensing Board Panel 7pp 13552.202 24X
Fiche 50-247, 82/06/15, B206180163
- B206180262 Response supporting UCS/NY PIRG & Friends of the Earth/
Audubon Soc B20604 & 08 motions for reconsideration of
Commission ruling allowing interim operation & for issuance
of show cause order against licensees
FLEISHER, Z S West Branch Conservation Association 82/06/15
Atomic Safety and Licensing Board Panel 3pp 13551 101 24X
Fiche 50-247, 82/06/15, B206180262
- B206180269 Added list of witnesses for cross-examination on Contentions
3 & 4 & on status of evacuation plans Certificate of Svc
encl
FLEISHER, Z S West Branch Conservation Association 82/06/15
3pp 13551 103 24X Fiche 50-247, 82/06/15, B206180262
- B206240405 Confirms that Friends of the Earth, NY City Audubon Soc &
Parents Concerned About Indian Point subscribe to UCS/NY
PIRG B20611 response to licensee motion for order compelling
responses to interrogatories
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City
Audubon Society 82/06/15 CARTER, L J, SHON, F J, PARIS, O H
Atomic Safety and Licensing Board Panel 1p 13603 080 24X
Fiche 50-247, 82/06/15, B206240405
- B206170169 Memorandum & order amending svc list by adding Director,
Radiological Emergency Planning Group of State of NY
CARTER, L J Atomic Safety and Licensing Board Panel, 82/06/16,
2pp 13554 143 24X Fiche 50-247, 82/06/16, B206170169
- B206180296 First set of interrogatories & document requests re ASLB
Contention 1 Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/06/16 Union of Concerned Scientists 33pp
13547 037 24X Fiche 50-247, 82/06/16, B206180296
- B206240221 Response to West Branch Conservation Assoc supplementary
interrogatories Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/06/16 West Branch Conservation Association
10pp 13597 343 24X Fiche 50-247, 82/06/16, B206240221
- B206240235 Response to UCS/NY PIRG supplementary interrogatories
Certificate of Svc encl Related correspondence
BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C
Power Authority of the State of New York MORGAN, C Morgan
Associates 82/06/16 Union of Concerned Scientists 18pp
13597 353 24X Fiche 50-247, 82/06/16, B206240235
- B206240239 Prehearing motion on procedural matters Free daily
transcript should be provided to intervenors Opening
statement should be allowed Intervenor direct case on
emergency planning should be after NRC case
POTTERFIELD, A Public Interest Research Group, New York BLUM, J M
Union of Concerned Scientists POTTERFIELD, A Potterfield, A
82/06/16 Atomic Safety and Licensing Board Panel 6pp
13597 300 24X Fiche 50-247, 82/06/16, B206240239
- B206240257 First set of interrogatories re Commission Question 6
CORREN, D R Greater New York Council on Energy 82/06/16
Consolidated Edison Co of New York 8pp 13599 067 24X
Fiche 50-247, 82/06/16, B206240257
- B206280066 Submittal per ASLB B20616 oral order re intervenor witnesses
on emergency planning issues.
POTTERFIELD, A Union of Concerned Scientists POTTERFIELD, A
Public Interest Research Group, New York POTTERFIELD, A Rockland
Citizens for Safe Energy 82/06/16 23pp 13625 073 24X
Fiche 50-247, 82/06/16, B206280066
- B206280135 Motion for order compelling licensees to produce certain
documents requested in formal & informal discovery & to
respond to UCS/NY PIRG Interrogatory 67 No agreement could
be reached List of witnesses encl
BLUM, J M Union of Concerned Scientists POTTERFIELD, A Public
Interest Research Group, New York BLUM, J M New York Univ.
82/06/21 Atomic Safety and Licensing Board Panel 17pp.
13625 167 24X Fiche 50-247, 82/06/16, B206280066
- B206280137 List of witnesses on ASLB Contention 4 3
HARTZMAN, R M Friends of the Earth HARTZMAN, R M New York City
Audubon Society 82/06/22 2pp 13625 184 24X
Fiche 50-247, 82/06/16, B206280066
- B206230166 Reply to NRC B20526 interrogatories
FLEISHER, Z S West Branch Conservation Association 82/06/17
Office of the Executive Legal Director 3pp 13586 347 24X
Fiche 50-247, 82/06/17, B206230166
- B206230169 Reply to licensee first set of interrogatories, Question 6
Certificate of Svc encl
FLEISHER, Z S West Branch Conservation Association 82/06/16
Consolidated Edison Co of New York 4pp 13586 350 24X
Fiche 50-247, 82/06/17, B206230166
- B206240169 Responses to NRC interrogatories & requests for documents
Certificate of Svc encl Related correspondence
REMSHAW, R P Consolidated Edison Co of New York 82/06/17
Office of the Executive Legal Director 66pp 13601 082 24X
Fiche 50-247, 82/06/17, B206240169
- B206240185 Responses to NRC interrogatories & document requests
Certificate of Svc encl Related correspondence
PRATT, C M Power Authority of the State of New York 82/06/17,
Office of the Executive Legal Director 45pp 13600 014 24X
Fiche 50-247, 82/06/17, B206240185
- B206240208 Responses to NRC interrogatories & document requests
Certificate of Svc encl
MORGAN, C Consolidated Edison Co of New York MORGAN, C Power
Authority of the State of New York MORGAN, C Morgan Associates.
82/06/17 Office of the Executive Legal Director 37pp
13598 081 24X Fiche 50-247, 82/06/17, B206240208
- B206240260 Notice of appearance in proceeding Certificate of Svc encl
DUBOFF, D B Westchester Peoples Action Coalition, Inc 82/06/17
3pp 13597 183 24X Fiche 50-247, 82/06/17, B206240260
- B206240263 Certifies svc on B20617 of Greater NY Council on Energy
first set of interrogatories to licensees on Commission
Question 6 & UCS/NY PIRG prehearing motion on procedural
matters
HOLT, J Public Interest Research Group, New York 82/06/17 1p
13597 159 24X Fiche 50-247, 82/06/17, B206240263

DOCKETED ITEMS

B206230174 Joins util protest of ASLR expansion of scope + inquiry + inclusion of addl witnesses beyond Commission order
 TODOROVICH, M Scientists & Engineers for Secure Energy 9/06/18
 PALLADINO, N J Commissioners 1p 13996 309 24X
 Fiche 50-247, 82/06/18, B206230174

B206240379 Response opposing UCS/NY PIRG motion for reconsideration of Commission ruling allowing interim operation + for issuance of show cause order re plant safety Alleged new evidence over 6 months old Certificate of Svc encl
 MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/21 Atomic Safety and Licensing Board Panel 75pp 13502 16/ 24X Fiche 50-247, 82/06/21, B206240379

B206280200 Interrogatories on Contentions & 2 Related correspondence + Parents Concerned About Indian Point 8/06/21 Consolidated Edison Co of New York 2pp 13634 225 21X Fiche 50-247, 82/06/21, B206280200

B206280473 Reorganization of witnesses necessary to prove Contentions 3 7 & 4 7 on emergency evacuation & notification Svc list encl
 + Parents Concerned About Indian Point 82/06/21 9pp 13635 05/ 24X Fiche 50-247, 82/06/21, B206280473

B206280532 Response opposing UCS/NY PIRG B20604 motion for reconsideration of Commission ruling allowing interim operation & for issuance of show cause order New evidence more than 6 months old Exhibits & Certificate of Svc encl
 BRANDENBURG, B Consolidated Edison Co of New York 82/06/21 Commissioners 23pp 13625 304 24X Fiche 50-247, 82/06/21, B206280532

B206230190 Response opposing NY City Council B20602 request for extension of time to file testimony No good cause shown Sufficient time given to obtain counsel Testimony can be filed w/o counsel Certificate of Svc encl
 MCGURREN, H J Hearing Branch 1 82/06/22 Atomic Safety and Licensing Board Panel, 6pp 13586 154 24X Fiche 50-247, 82/06/22, B206230190

B206280149 Response to UCS/NY PIRG requests for admissions Details surrounding TMI-2 accident would require burdensome & oppressive research Affidavits & Certificate of Svc encl
 BRANDENBURG, B Consolidated Edison Co of New York MORGAN, C Power Authority of the State of New York MORGAN, C Morgan Associates 82/06/22 Union of Concerned Scientists 22pp 13624 326 24X Fiche 50-247, 82/06/22, B206280149

B206250144 Second set of interrogatories re Commission Questions 1, 2 & 5
 MCGURREN, H J Hearing Branch 1 82/06/24 Consolidated Edison Co of New York 5pp 13616 285 24X Fiche 50-247, 82/06/24, B206250144

--B206250147 Second set of interrogatories re Commission Questions 1, 2 & 5 Certificate of Svc encl
 MCGURREN, H J Hearing Branch 1 82/06/24 Power Authority of the State of New York 8pp 13616 290 24X Fiche 50-247, 82/06/24, B206250144

B206250153 Response opposing UCS/NY PIRG motion for reconsideration of Commission ruling allowing interim operation & for show cause order No new evidence presented Request for order to change proceeding inappropriate W/Certificate of Svc
 MCGURREN, H J Hearing Branch 1 82/06/24 Commissioners 19pp 13613 307 24X Fiche 50-247, 82/06/24, B206250153

--B206010050 Forwards correspondence directed at DOE re facility safety Requests reply
 ROHN, H H Energy, Dept of 82/04/27 DIRCKS, W Office of the Executive Director for Operations 8pp 13332 005 24X
 Fiche 50-247 82/05/12, B206010048

B206060175 Responds to R Johnson B20317 ltr to B Bradley opposing continued operation of facilities Forwards Director's Decision emphasizing series of measures imposed on operation of plants to assure public safety
 DIRCKS, W J Office of the Executive Director for Operations 82/05/20 BRADLEY, B Senate 4pp 13142 054 21X
 Fiche 50-003, 82/05/20, B206060175

--B206080177 Requests response to encl ltr from constituent R Johnson opposing operation of facilities
 BRADLEY, B Senate 82/05/04 Office of Congressional Affairs 2pp 13442 058 24X Fiche 50-003, 82/05/20, B206080175

D Advisory Committee on Reactor Safeguards reports + correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B206280560 Notification of 501011 ACRS Safety Philosophy, Technology & Criteria Subcommittee meeting re Diablo Canyon seismic interaction study + North Anna LPI + RHR sys
 SAVIG, R ACRS - Advisory Committee on Reactor Safeguards 80/10/01 ACRS - Advisory Committee on Reactor Safeguards 1p 13643 074 24X Fiche 50-000, 82/03/12, B206280071

P Operating license stage documents & correspondence

B206020062 Addl response to FOIA request for all documents re probabilistic risk assessment for Facilities Forwards
 CS Woodhead B00530 memo to ES Christenbury
 FELTON, J M Division of Rules and Records 81/11/06 DUBBY, J A Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06, B206020062

--B206020075 Discusses B00527 meeting re possible legal &/or public perception consequences to NRC plan for risk assessment of sites near high population areas Interim revision of 10CFR100 should be issued pending proposed rule
 WOODHEAD, C P Office of the Executive Legal Director 80/05/10 CHRISTENBURY, E Office of the Executive Legal Director 2pp 13339 213 24X Fiche 50-000, 81/11/06, B206020062

B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
 FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, B206230007

--B206230271 Provides status & schedule for sys interaction program for facility Related info encl
 CONRAN, J H Radiological Assessment Branch 82/02/09, THADANI, A Reliability & Risk Assessment Branch 25pp 13607 145 24X
 Fiche 50-000, 82/04/29, B206230007

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13639 055 24X Fiche 50-000, 82/05/12, B206280071

B206080444 Forwards request for addl info re NUREG-0737, Item I A 2 I 1, 11 B 4 re upgraded senior reactor operator & reactor operator training & training for mitigating core damage, respectively
 VARQA, S A Operating Reactors Branch 1 82/05/25 SINCLAIR, L H Power Authority of the State of New York 5pp 13440 124 24X
 Fiche 50-286, 82/05/25, B206080444

B206080091 Requests confirmation of B20520 agreement to allow monitoring of testing of samples taken from shell weld problems in steam generators within 30 days of ltr receipt
 VARQA, S A Operating Reactors Branch 1 82/05/27, SINCLAIR, L H Power Authority of the State of New York, 2pp 13441 176 24X
 Fiche 50-286, 82/05/27, B206080091

B206110037 Summary of B20520 meeting w/uttl, Westinghouse, BNl, & representative of Japanese govt in Bethesda, MD re shell weld problems in facility steam generators
ALEHAN, L Operating Reactors Branch 1 82/05/27 Operating
Reactors Branch 1 32pp 13493 140 24X Fiche 50-286, 82/05/27, B206110037

B206170051 RESPONSE OF THE ZION & INDIAN POINT CONTAINMENT BUILDINGS TO SEVERE ACCIDENT PRESSURES
BUTLER, T A, FUGELSO, L E Los Alamos Scientific Laboratory FIN
A-7270 NUREG/CR-2567 82/05/31 Division of Engineering 4pp
Available at NTIS \$3 00 13555 240 24X Fiche 50-000, 82/05/31, B206170051

B206100296 Forwards applications for amend to Licenses DPR-59 & DPR-64 Change incorporates addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6 1-1
BAYNE, J P Power Authority of the State of New York 82/06/04
VARQA, S A Operating Reactors Branch 1 VASSALLO, D B Operating Reactors Branch 2 3pp 13451 328 24X Fiche 50-000, 82/06/04, B206100296

--B206100297 Application for amend to License DPR-59 Change incorporates addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6 1-1
BAYNE, J P Power Authority of the State of New York 82/06/04
1p 13451 331 24X Fiche 50-000, 82/06/04, B206100296

--B206100304 Application for amend to License DPR-64 Change incorporates addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6 1-1
BAYNE, J P Power Authority of the State of New York 82/06/04
1p 13451 332 24X Fiche 50-000, 82/06/04, B206100296

--B206100305 Proposed Tech Spec pages, incorporating addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6 1-1 Safety evaluation encl
a Power Authority of the State of New York 82/06/04 7pp
13451 333 24X Fiche 50-000, 82/06/04, B206100296

B206110200 Responds to NRC B20505 request for commitments to implement certain NUREG-0737 items Attachment I provides responses to each applicable item listed
BAYNE, J P Power Authority of the State of New York 82/06/04
EISENHUT, D G Division of Licensing 6pp 13466 335 24X
Fiche 50-286, 82/06/04, B206110200

B206140073 Submits addl info for inclusion in analysis of fishery resources & existing radioactive containment levels in fish near facility
RADLE, E New York, State of 82/06/08 CODELL, R NRC - No
Detailed Affiliation Given 2pp 13487 165 24X
Fiche 50-247, 82/06/08, B206140073

B206170356 Informs that util will provide response to NRC B20428 request for addl info re masonry wall design by B20805
BAYNE, J P Power Authority of the State of New York 82/06/08
VARQA, S A Operating Reactors Branch 1 2pp 13531 310 24X
Fiche 50-286, 82/06/08, B206170356

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A.
Consolidated Edison Co of New York DOLAN, J American Electric Power Service Corp DOLAN, J Indiana & Michigan Electric Co 13pp
13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206210427 Forwards approved state pollutant discharge elimination discharge sys permit renewal w/conditions, effective 810314.
O'TOOLE, J D Consolidated Edison Co of New York 82/06/10
DENTON, H R Office of Nuclear Reactor Regulation, Director 19pp
13568 263 24X Fiche 50-003, 82/06/10, B206210427

B206290399 Forwards comments w/corrections & changes on encl telcon record re NUREG-0737, Items II F 1 4, II F 1 5 & II F 1 6, per NRC B20519 request
BAYNE, J P Power Authority of the State of New York 82/06/22
VARQA, S A Operating Reactors Branch 1 4pp 13634 245 24X
Fiche 50-286, 82/06/22, B206290399

B206290381 Ack receipt of B20204 final rept re leaking detectors containing Ni-63 per 10CFR31 5(c)(3) Resolution being pursued w/device manufacturer
MARTIN, I T Division of Engineering & Technical Programs 82/06/24
BRONS, J C Power Authority of the State of New York 2pp
13634 148 24X Fiche 50-286, 82/06/24, B206290381

G Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 075 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RLIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206250240 Forwards IE Safeguards Insp Rept 50-286/B2-07 on B20416-0515 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/06/08
BRONS, J C Power Authority of the State of New York 2pp
13613 059 24X Fiche 50-286, 82/06/08, B206250240

--B206250244 IE Safeguards Insp Rept 50-286/B2-07 on B20416-0515, No noncompliance noted Major areas inspected plant operations including shift logs & records & licensee action on previous insp findings Details withheld (ref 10CFR73 21)
RULEY, T, KENNY, T J, DAUMACK, W Division of Project & Resident Programs 82/06/01 1p 13613 061 24X Fiche 50-286, 82/06/08, B206250240

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mist by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13679 189 24X
Fiche 50-000, 82/06/11, B204210384

B206220440 Ack receipt of B20609 ltr informing NRC of steps taken to correct deficiencies noted in NRC B20426 confirmation of action ltr re alert & notification sys
SMITH, O H Division of Emergency Preparedness & Operational Support 82/06/16 BRONS, J C Power Authority of the State of New York
1p 13578 179 24X Fiche 50-286, 82/06/16, B206220440

--B206220457 Responds to NRC B20426 confirmation of action ltr re deficiencies in alert & notification sys Planned actions discussed w/NRC on B20427 remain unchanged All deficiencies corrected prior to B20601.
O'TOOLE, J D Consolidated Edison Co of New York 82/06/09
SMITH, O H Division of Emergency Preparedness & Operational Support 2pp 13578 180 24X Fiche 50-286, 82/06/16, B206220440

R Periodic operating reports & related correspondence

B206010245 Forwards monthly operating rept for Apr 1982
BRONS, J C Power Authority of the State of New York 82/05/12
Office of Management and Program Analysis 1p 13307 073 24X
Fiche 50-286, 82/05/12, B206010245

--B206010246 Monthly operating rept for Apr 1982
AUTERIND, L Power Authority of the State of New York 82/05/01.
6pp 13307 074 24X Fiche 50-286, 82/05/12, B206010245

S Reportable occurrences, LERs & related correspondence

B206070707 Forwards LER 82-003/01T-0
BRONS, J C Power Authority of the State of New York 82/05/26
HAYNES, R C Region I, Office of Director 1p 13390 205 24X
Fiche 50-286, 82/05/26, B206070707

--B206070724 LER 82-003/01T-0 on B20415, during cold shutdown for refueling outage, surveillance test 3PC-R4 indicated that pressure transmitters PT-456, PT-457 & PT-474 were out of spec Transmitters calibr
GUMBLE, F W Power Authority of the State of New York 82/05/26
Region I, Office of Director 2pp 13390 206 24X
Fiche 50-286, 82/05/26, B206070707

DOCKETED ITEMS

8206100231 PND-1-82-041 on 820604, FEMA announced issuance of post-exercise assessment of 820303 exercise Major areas of concern inaudible sirens Effectiveness of existing radiological public program should be strengthened
CROCKER, SMITH, G Region 1, Office of Director 82/06/04 1p
13453 342 24X Fiche 50-247, 82/06/04, 8206100231

8206280329 RO during scheduled sample collection for May 1982, Windsor Farms Environ Sampling Station 51 ceased commercial milk production Potential replacement locations are being investigated
O'TOOLE, J D Consolidated Edison Co of New York 82/06/10
HAYNES, R C Region 1, Office of Director 2pp 13624 084 24X
Fiche 50-003, 82/06/10, 8206280329

T Hearing transcripts on non-antitrust matters

8206040291 Transcript of 820601 telephone conference in Washington, DC Pp 935-969
* Atomic Safety and Licensing Board Panel 82/06/01 36pp
13355 290 24X Fiche 50-247, 82/06/01, 8206040291

8206170162 Lists events associated w/aborted highway projects involving County Related correspondence
CHASE, W M Rockland County, NY 82/06/04 GRANIRER, M Affiliation Unknown 1p 13531 329 24X Fiche 50-247, 82/06/04, 8206170162

--8206170272 Testimony of O O'Leary, providing demographic data
O'LEARY, G Rockland County, NY 82/05/15 5pp 13531 330 24X
Fiche 50-247, 82/06/04, 8206170162

8206090175 Forwards testimonies of BK Grimes, JR Sears, T Urbanik, P McIntire, JH Keller & I Husar re Commission Questions 3 & 4 & emergency planning contentions, pursuant to ASLB 820423 order Certificate of Svc encl
HASEBELL, D F Hearing Branch 1 82/06/07 Atomic Safety and Licensing Board Panel 4pp 13434 097 24X Fiche 50-247, 82/06/07, 8206090175

--8206090179 Testimony of BK Grimes re emergency planning contentions admitted by ASLB 820423 order Prof qualifications encl
GRIMES, B K Division of Emergency Preparedness 82/06/07 17pp
13434 101 24X Fiche 50-247, 82/06/07, 8206090175

--8206090185 Testimony of JR Sears on Commission Questions 3 & 4 & emergency planning contentions admitted by ASLB 820423 order Prof qualifications encl
SEARS, J R EP Licensing Branch. 82/06/07. 6pp 13434 118 24X
Fiche 50-247, 82/06/07, 8206090175

--8206090188 Testimony of T Urbanik re evacuation time estimate studies
URBANIK, T Texas A & M Univ 82/06/04 14pp 13434 181 24X
Fiche 50-247, 82/06/07, 8206090175

--8206090192 Testimonies of P McIntire, I Husar & JH Keller re Commission Questions 3 & 4 Prof qualifications encl
MCINTIRE, P, HUSAR, I, KELLER, J H. Federal Emergency Management Agency 82/06/07 179pp 13434 195 24X Fiche 50-247, 82/06/07, 8206090175

8206140093 Testimony re Commission Questions 3 & 4, addressing onsite emergency plan, relationship of plan to other emergency measures, util personnel training, emergency facilities & equipment & communication sys Certificate of Svc encl.
* Consolidated Edison Co of New York 82/06/07 30pp 13489:317
24X Fiche 50-247, 82/06/07, 8206140093

8206140112 Testimony of R Dynes re Commission Questions 3 & 4 Human responses to various emergencies show consistency across different types of disaster agents, including radiological agents Related correspondence.
DYNES, R R Consolidated Edison Co. of New York DYNES, R R Power Authority of the State of New York 82/06/07 26pp 13483 154
24X Fiche 50-247, 82/06/07, 8206140112

--8206140115 Testimony of S Lecker re Commission Questions 3 & 4. Human responses to radiological emergencies do not differ materially than response to other emergencies Psychological & behavioral assumptions valid Related correspondence
LECKER, S Consolidated Edison Co of New York LECKER, S Power Authority of the State of New York 82/06/07. 18pp 13483 182
24X Fiche 50-247, 82/06/07, 8206140112

--8206140120 Testimony of MS Della Rocca, BE Podwal & RL Rosenblatt re Commission Questions 3 & 4 Demonstrates adequacy of evacuation components of radiological emergency response plans Related correspondence
DELLA ROCCA, M, PODWAL, B E, ROSENBLAT, R L Consolidated Edison Co. of New York. 82/06/07 57pp. 13483 200. 24X
Fiche 50-247, 82/06/07, 8206140112

--8206140134 Testimony of JC Brons, L Lomonaco & D Quinn Plant site plan procedures more than adequate to protect integrity & health & safety Util committed to making reasonable changes
(U) Certificate of Svc Related correspondence
BRONS, J C, LOMONACO, L, GUINN, D Power Authority of the State of New York 82/06/07 41pp 13483 257 24X Fiche 50-247, 82/06/07, 8206140112

8206170236 Forwards D Davidoff & L Czech testimony & exhibit State radiological emergency plan will be mailed separately
DAVIDOFF, D B, CZECH, L B New York, State of 82/06/08 CARTER, L J Atomic Safety and Licensing Board Panel 1p 13531 048 24X
Fiche 50-247, 82/06/08, 8206170236

--8206170243 Testimony of DB Davidoff & LB Czech on Commission Questions 3 & 4 NY State radiological emergency preparedness plan discussed Certificate of Svc encl
DAVIDOFF, D B, CZECH, L B New York, State of 82/06/07 34pp
13531 053 24X Fiche 50-247, 82/06/08, 8206170236

8206170254 Forwards O O'Leary testimony R Northrup & E Bull testimony submitted on 820607 W/o testimony Unexecuted affidavit of svc encl Related correspondence
THORSEN, C O Rockland County, NY 82/06/10 CARTER, L J, PARIS, O H Atomic Safety and Licensing Board Panel 4pp
13533 003 24X Fiche 50-247, 82/06/10, 8206170254

8206180211 Forwards DP Guido & CW Bates testimony & amended list of witnesses Related correspondence
VETERE, L A Westchester County, NY 82/06/14 CARTER, L J Atomic Safety and Licensing Board Panel 1p 13534 262 24X
Fiche 50-247, 82/06/14, 8206180211

--8206180230 Testimony of DP Guido Emergency planning drill demonstrated that directions issued from emergency operating ctr could not be implemented in field due to variety of deficiencies
GUIDO, D P Westchester County, NY 82/06/14 4pp 13534 268
24X Fiche 50-247, 82/06/14, 8206180211

--8206180243 Testimony of CW Bates that Westchester County Dept of Social Svcs is not prepared to implement total responsibility in real crisis due to significant problems in staffing, communication, equipment & training
BATES, C W Westchester County, NY 82/06/14 4pp 13534 272
24X Fiche 50-247, 82/06/14, 8206180211.

8206240347 Forwards RB Jurkowski, AB DelBello, FC Bohlander, AS Curran, WQ Borghard, M Kaminski & AR Marasco testimony re emergency evacuation plan F Bohlander & AB DelBello should be added to witness list Certificate of Svc encl Related correspondence
VETERE, L A Westchester County, NY 82/06/16 CARTER, L J, PARIS, O H, SHON, F J Atomic Safety and Licensing Board Panel 4pp
13603 019 24X Fiche 50-247, 82/06/16, 8206240347

--8206240350 Testimony of RS Jurkowski re emergency evacuation plan
JURKOWSKI, R B Westchester County, NY 82/06/16 14pp
13603 023 24X Fiche 50-247, 82/06/16, 8206240347

--8206240351 Testimony of AB DelBello re emergency evacuation plan.
DELBELLO, A B Westchester County, NY 82/06/16 4pp 13603 037
24X Fiche 50-247, 82/06/16, 8206240347

--8206240354 Testimony of FC Bohlander re emergency evacuation plan
BOHLANDER, F C Westchester County, NY 82/06/16 2pp 13603 041
24X Fiche 50-247, 82/06/16, 8206240347

--8206240358 Testimony of AS Curran re emergency evacuation plan
CURRAN, A B Westchester County, NY 82/06/16 5pp. 13603 043
24X Fiche 50-247, 82/06/16, 8206240347

--8206240359 Testimony of WQ Borghard re emergency evacuation plan
BORGHARD, W Q Westchester County, NY 82/06/16 2pp 13603 048
24X Fiche 50-247, 82/06/16, 8206240347

--8206240362 Testimony of M Kaminski re emergency evacuation plan
KAMINSKI, M Westchester County, NY 82/06/16 5pp 13603 050
24X Fiche 50-247, 82/06/16, 8206240347

--8206240367 Testimony of AR Marasco re emergency evacuation plan
NY State critique of 820303 simulated evacuation of surrounding 10-mile area encl
MARASCO, A R Westchester County, NY 82/06/16 16pp 13603 055
24X Fiche 50-247, 82/06/16, 8206240347

8206280066 Submittal per ASLB 820616 oral order re intervenor witnesses on emergency planning issues.
POTTERFIELD, A Union of Concerned Scientists, POTTERFIELD, A West Branch Conservation Association POTTERFIELD, A Parents Concerned About Indian Point. 82/06/16 23pp 13625 073 24X
Fiche 50-247, 82/06/16, 8206280066.

--B206280094 Testimony of L Kaagan re public opinion climate in which nuclear facilities built Public responses to plans & procedures for evacuation during serious accident will be highly volatile, unpredictable & possibly unmanageable
KAAGAN, L Union of Concerned Scientists KAAGAN, L Public Interest Research Group, New York KAAGAN, L Rockland Citizens for Safe Energy 82/06/16 16pp 13625 103 24X
Fiche 50-247, 82/06/16, B206280066

--B206280104 Testimony of M Melbin re emergency plans Any set of plans will be carried out less effectively at night Addl precautions must be taken to compensate for risks of errors in judgment & behavior
MELBIN, M Union of Concerned Scientists MELBIN, M Public Interest Research Group, New York MELBIN, M Rockland Citizens for Safe Energy 82/06/16 5pp 13625 119 24X
Fiche 50-247, 82/06/16, B206280066

--B206280115 Testimony of J Kagan re emergency evacuation of children in 10-mile emergency planning zone Evacuating children separately from parents places children at serious levels of psychological risk
KAGAN, J Union of Concerned Scientists KAGAN, J Public Interest Research Group, New York KAGAN, J Rockland Citizens for Safe Energy 82/06/15 2pp 13625 124 24X Fiche 50-247, 82/06/16, B206280066

--B206280123 Testimony of TB Brazelton that emergency plans should take account that parents would not be evacuated separately from children Proposed stipulation of facts encl
BRAZELTON, T B Union of Concerned Scientists BRAZELTON, T B Public Interest Research Group, New York BRAZELTON, T B Parents Concerned About Indian Point 82/06/15 22pp 13625 125 24X
Fiche 50-247, 82/06/16, B206280066

--B206280128 Testimony of C Maxwell re organizational response of four hosps closest to plant Recommends future planning efforts
MAXWELL, C Union of Concerned Scientists MAXWELL, C Public Interest Research Group, New York MAXWELL, C Rockland Citizens for Safe Energy 82/06/15 8pp 13625 147 24X
Fiche 50-247, 82/06/16, B206280066

--B206280133 Testimony of RL Morris re emergency evacuation planning - ASLB Questions 3 i, 3 & 3 & Util consultant evacuation repts not based on worst case condition & thus are invalid
MORRIS, R L Union of Concerned Scientists MORRIS, R L Public Interest Research Group, New York 82/06/21 12pp 13625 155 24X Fiche 50-247, 82/06/16, B206280066

--B206280142 Testimony of RJ Lifton Disasters involving ionizing radiation strongly & decisively different from natural catastrophes used in most disaster research Certificate of Svc encl
LIFTON, R J Union of Concerned Scientists LIFTON, R J Public Interest Research Group, New York LIFTON, R J Rockland Citizens for Safe Energy 82/06/22 19pp 13625 184 24X
Fiche 50-247, 82/06/16, B206280066

B206210531 Transcript of B20617 prehearing conference in White Plains, NY Pp 935-1, 125
* Atomic Safety and Licensing Board Panel 82/06/17 192pp 13565 310 24X Fiche 50-247, 82/06/17, B206210531

B206220160 Transcript of B20618 special investigative proceeding in White Plains, NY Pp 1, 126-1, 233
* Atomic Safety and Licensing Board Panel 82/06/18 129pp 13573 282 24X Fiche 50-244, 82/06/18, B206220160

B206230129 Transcript of B20622 hearing in White Plains, NY, Pp 1, 254-1, 504 Supporting documentation encl
* Atomic Safety and Licensing Board Panel, 82/06/22 385pp 13613 331 24X Fiche 50-247, 82/06/22, B206230129

B206230410 Transcript of B20625 hearing in White Plains, NY Pp 2, 058-2, 260
* Atomic Safety and Licensing Board Panel 82/06/25 205pp 13632 112 24X Fiche 50-247, 82/06/25, B206230410

DOCKET 50-287 OGDNEE NUCLEAR STATION, UNIT 3

F Security, medical, emergency & fire protection plans

B206070623 Responds to NRC 811231 ltr re preparedness improvement items & emergency plan deficiencies noted in IC Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13.
PARKER, W D Duke Power Co 82/01/25 O'REILLY, J.P. Region 2, Atlanta, Office of the Director (81/03/01) 12pp 13390 018 24X
Fiche 50-269, 82/01/25, B206070623

--B206070632 Forwards IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/12/31 PARKER, W D Duke Power Co 10pp 13390 030 24X Fiche 50-269, 82/01/25, B206070623

--B206070645 IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 No noncompliance noted Significant appraisal deficiencies identified in post-accident sampling capability
KEVERN, T A Division of Emergency Preparedness & Operational Support 81/12/24 44pp 13390 040 24X Fiche 50-269, 82/01/25, B206070623

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, B206090002

B206070466 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/O encl
STOHR, J.P. Division of Emergency Preparedness & Operational Support 82/05/12 PARKER, W D Duke Power Co 1p 13374:214 24X
Fiche: 50-000, 82/05/12, B206070466

B206020034 Releases public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13338 061. 24X Fiche 50-000, 82/05/25, B206020034

--B206020041 Forwards public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
PARKER, W D Duke Power Co 82/05/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp, 13338 062 24X
Fiche 50-000, 82/05/25, B206020034

--B206020047 Public version of Revision 4 to crisis mgt plan One oversize brochure encl Aperture cards available in PDR
* Duke Power Co 82/04/15 80pp 13338 065 24X
Fiche 50-000, 82/05/25, B206020034

--B206020058 Public version of revised crisis mgt plan implementing plans/procedures, including Procedures 5.3.1 re recovery manager & immediate staff group plan, 5.3.7 re technical support group & 5.3.16 re quarterly inventory
* Duke Power Co 82/04/30, 150pp 13338 145 24X
Fiche 50-000, 82/05/25, B206020034

B206020302 Forwards Revision B to security plan Revision withheld (ref 10CFR73.21 & 10CFR73.80)
PARKER, W D Duke Power Co 82/05/25 DENTON, H.R. Office of Nuclear Reactor Regulation, Director, 1p 13320 284. 24X
Fiche 50-269, 82/05/25, B206020302

B206070196 Releases public version of revision to emergency plan & emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p. 13427. 031 24X Fiche 50-269, 82/05/27, B206070196

DOCKETED ITEMS

--8206070204 Forwards public version of Revision 4 to emergency plan & revised emergency plan implementing procedures, including Procedures PT/O/B/2000/04 re establishment & insp of technical support ctr
PARKER, W O Duke Power Co 82/05/10 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13427 032 24X Fiche 50-269, 82/05/27, 8206070194

--8206070208 Public version of Revision 4 to emergency plan
SMITH, J E Duke Power Co 82/04/30 22pp 13427 034 24X Fiche 50-269, 82/05/27, 8206070194

--8206070214 Public version of revised emergency plan implementing procedures, including Procedures PT/O/B/2000/04 re establishment of technical support ctr & IP/O/B/1601/3 re environ equipment check Revised table of contents encl
SMITH, J E Duke Power Co 82/05/07 100pp 13427 036 24X Fiche 50-269, 82/05/27, 8206070194

8206300095 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/22 Document Management Branch 1p 13678 295 24X Fiche 50-269, 82/06/22, 8206300095

--8206300098 Forwards public version of revised emergency plan implementing procedures, including Procedure HP/O/1009/10 re procedures for quantifying gaseous releases through steam relief valves under post-accident conditions
PARKER, W O Duke Power Co 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 1p 13678 296 24X Fiche 50-269, 82/06/22, 8206300095

--8206300101 Public version of revised emergency plan implementing procedures, including Procedure HP/O/1009/10 re procedures for quantifying gaseous releases through steam relief valves under post-accident conditions
COV, B A, OMEN, T B Duke Power Co 82/05/06 6pp 13678 297 24X Fiche 50-269, 82/06/22, 8206300095

P Operating license stage documents & correspondence

8206110236 Forwards "Abnormal Transient Operating Guidelines (ATOG), Part II, Vol 2 Discussion of Selected Transients," "ATOG, Part I Procedural Guidelines" & "ATOG, Part II, Vol 1 Fundamentals of Reactor Control for Abnormal Transients"
HALL, W J Babcock & Wilcox Operating Plants Owners Group HALL, W J Consumers Power Co 82/03/31 EISENHUT, D O Division of Licensing 33pp 13463 134 24X Fiche 50-287, 82/03/31, 8206110236

--8206110240 "Abnormal Transient Operating Guidelines (ATOG), Part I, Procedural Guidelines"
KELLY, J J Babcock & Wilcox Co 82/03/23 91pp 13463 167 24X Fiche 50-287, 82/03/31, 8206110236

--8206110247 "Abnormal Transient Operating Guidelines (ATOG), Part II-Vol 1 Fundamentals of Reactor Control for Abnormal Transients" Three oversize figures encl Aperture cards are available in PDR
KELLY, J J Babcock & Wilcox Co 82/03/23 343pp 13463 250 24X Fiche 50-287, 82/03/31, 8206110236

--8206110255 "Abnormal Transient Operating Guidelines (ATOG), Part II-Vol 2 Discussion of Selected Transients" Seven oversize figures encl Aperture cards are available in PDR
* Babcock & Wilcox Co 82/03/23 240pp 13464 228 24X Fiche 50-287, 82/03/31, 8206110236

8206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A Documents listed in App B available in PDR. Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 035 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking. Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIRDS, M S Reactor Systems Standards Branch 81/02/02, ARLOFF, O A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

--8202170408 Forwards safety evaluation re NUREG-0737, Item II K 2 9, "Failure Mode Effects Analysis on Integrated Control Sys"
Plant design meets all regulatory requirements
SPEIB, T P Assistant Director for Reactor Safety, 82/01/28, NOVAK, T Assistant Director for Operating Reactors 7pp 13639 075 24X Fiche 50-000, 82/05/12, 8206280071

8206030225 Forwards design proposal "Instrumentation to Detect Inadequate Core Cooling" Rept submitted in response to NUREG-0737 Item II F 2
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13337 147 24X Fiche 50-269, 82/05/25, 8206030225

--8206030230 "Instrumentation to Detect Inadequate Core Cooling," design proposal
* Duke Power Co 82/05/24 17pp 13337 149 24X Fiche 50-269, 82/05/25, 8206030225

8206040349 Forwards addl info re upgraded senior reactor operator & reactor operator training & training for mitigating core damage in response to 820406 request
PARKER, W O Duke Power Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 20pp 13334 076 24X Fiche 50-269, 82/05/25, 8206040349

8206240455 Forwards Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively & notice of issuance & availability
Amends delete Sections 1.1 & 1.2 from App B to Tech Specs
WAGNER, P C Operating Reactors Branch 4 82/05/27 PARKER, W O Duke Power Co 4pp 13620 122 24X Fiche 50-269, 82/05/27, 8206240455

--8206240458 Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively, deleting Sections 1.1, "Station Cooling Water Sys Thermal Limits" & 1.2, "Chemical Discharge Limits," from App B to Tech Specs
STOLZ, J F Operating Reactors Branch 4 82/05/27 7pp 13520 126 24X Fiche 50-269, 82/05/27, 8206240455

--8206240459 Notice of issuance & availability of Amends 112, 112 & 109 to Licenses DPR-38, DPR-47 & DPR-55, respectively
STOLZ, J F Operating Reactors Branch 4 82/05/27 2pp 13620 135 24X Fiche 50-269, 82/05/27, 8206240455

8206080183 Forwards response to 820219 info request re environ qualification of TMI action items & response to IE Bulletin 79-01B, "Environ Qualification of Class 1E Equipment"
PARKER, W O Duke Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 6pp 13420 262 24X Fiche 50-269, 82/06/01, 8206080183

8206110285 Responds to Generic Ltr 82-10 request for status of completion of certain NUREG-0737 items scheduled for implementation after 820301 Tabulation encl
PARKER, W O Duke Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 3pp 13467 074 24X Fiche 50-269, 82/06/04, 8206110285

8206180041 Forwards request for addl info re adequacy of station electric distribution sys voltages Response requested within 60 days of ltr receipt
STOLZ, J F Operating Reactors Branch 4 82/06/08 PARKER, W O Duke Power Co 3pp 13570 084 24X Fiche 50-269, 82/06/08, 8206180041

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl.
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURO, A Consolidated Edison Co of New York KOSTER, O L Kansas Gas & Electric Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206180184 Notifies that response to 820311 questions re low temp overpressure protection will be delayed until 820702 Delay due to manpower limitations & other higher priority issues
PARKER, W O Duke Power Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13553 072 24X Fiche 50-269, 82/06/11, 8206180184

8206250375 Notification of 820720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program
VISSINO, O S Operating Reactors Branch 4 82/06/17 STOLZ, J F Operating Reactors Branch 4 2pp 13630 063 24X Fiche 50-000, 82/06/17, 8206250375

8206290090 Requests addl info re auxiliary feedwater header repair reported in RC 287/82-06 on 820514
NOVAK, T M Assistant Director for Operating Reactors 82/06/23 PARKER, W O Duke Power Co 4pp 13661 295 24X Fiche 50-287, 82/06/23, 8206290090

9 Inspection reports, IE Bulletins & correspondence

8206070623 Responds to NRC 811231 ltr re preparedness improvement items & emergency plan deficiencies noted in IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-207/81-13
PARKER, W O Duke Power Co 82/01/25 O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 12pp 13390 018 24X
Fiche 50-269 82/01/25, 8206070623

--8206070632 Forwards IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/12/31 PARKER, W O Duke Power Co 10pp 13390 030 24X Fiche 50-269, 82/01/25, 8206070623

--8206070645 IE Emergency Preparedness Appraisal Repts 50-269/81-13, 50-270/81-13 & 50-287/81-13 on 810824-0903 No noncompliance noted Significant appraisal deficiencies identified in post-accident sampling capability
KEVERN, T A, MARSTON, R R, MCFARLAND, C R Division of Emergency Preparedness & Operational Support 81/12/24 44pp 13390 040 24X Fiche 50-269, 82/01/25, 8206070623

8206070350 Forwards IE Insp Repts 50-269/82-13, 50-270/82-13 & 50-287/82-13 on 820429-30 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/13
PARKER, W O Duke Power Co 2pp 13363 113 24X
Fiche 50-269, 82/05/13, 8206070350

--8206070360 IE Insp Repts 50-269/82-13, 50-270/82-13 & 50-287/82-13 on 820429-30 No noncompliance noted Major areas inspected once-through steam generator auxiliary feedwater ring heater distortion damage on Unit 3
ECONOMOS, N, HERDT, A R Region 2, Office of Director 82/08/12 4pp 13363 115 24X Fiche 50-269, 82/05/13, 8206070350

8206070125 Forwards evaluation supporting relief from ASME code requirements for core flood nozzle welds Decision is based on re-evaluation of 820408 denial
WAGNER, P C Operating Reactors Branch 4 82/05/17 PARKER, W O Duke Power Co 4pp 13424 356 24X Fiche 50-269, 82/05/17, 8206070125

--8206070128 Safety evaluation supporting relief request for facility inservice testing program Request granted based on reconsideration of original decision
* Operating Reactors Branch 4 82/05/17 2pp 13424 360 24X
Fiche 50-269, 82/05/17, 8206070125

--8206070138 Notice granting relief from ASME code, Section XI, "Rules for Inservice Insp of Nuclear Power Plant Components"
STOLZ, J F Operating Reactors Branch 4 82/05/17 2pp 13424 362 24X Fiche 50-269, 82/05/17, 8206070125

8206070713 Ack receipt of 820428 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09
LEWIS, R C Division of Project & Resident Programs 82/05/25
PARKER, W O Duke Power Co 1p 13390 001 24X
Fiche 50-269, 82/05/25, 8206070713

--8206070721 Responds to NRC 820304 ltr re violations noted in IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09 Corrective actions computer alarms & stalwarts being modified to include Group B position limits
PARKER, W O Duke Power Co 82/04/28 O'REILLY, J P Region 2, Office of Director 3pp 13390 002 24X Fiche 50-269, 82/05/25, 8206070713

--8206070732 Forwards IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09 on 820210-0310 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/02
PARKER, W O Duke Power Co 2pp 13390 005 24X
Fiche 50-269, 82/05/25, 8206070713

--8206070737 Notice of violation from insp on 820210-0310
* Division of Project & Resident Programs 82/04/02 1p 13390 007 24X Fiche 50-269, 82/05/25, 8206070713

--8206070748 IE Insp Repts 50-269/82-09, 50-270/82-09 & 50-287/82-09 on 820210-0310 Noncompliance noted failure to follow procedure in calculating radioactive discharge & operating axial power shaping rods in violation of spec limits
ORDERS, W, BRYANT, J C Division of Project & Resident Programs 82/04/02 9pp 13390 008 24X Fiche 50-269, 82/05/25, 8206070713

8206220222 Forwards IE Insp Repts 50-269/82-07, 50-270/82-07 & 50-287/82-07 on 820310-14 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/27
PARKER, W O Duke Power Co 2pp 13571 312 24X
Fiche 50-269, 82/05/27, 8206220222

--8206220226 IE Insp Repts 50-269/82-07, 50-270/82-07 & 50-287/82-07 on 820310-14 No noncompliance noted Major areas inspected
licensee action on previous enforcement matters, organization & administration training & procedures
SKINNER, P H, UPRIGHT, C M Division of Engineering & Technical Programs 82/05/27 3pp 13571 314 24X Fiche 50-269, 82/05/27, 8206220222

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPC1/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, C L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206070366 Forwards IE Safeguards Insp Repts 50-269/82-16, 50-270/82-16 & 50-287/82-16 on 820516-20 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/06/01
PARKER, W O Duke Power Co 2pp 13363 001 24X
Fiche 50-269, 82/06/01, 8206070366

--8206070385 IE Safeguards Insp Repts 50-269/82-16, 50-270/82-16 & 50-287/82-16 on 820516-20 No noncompliance noted Major areas inspected security plan, physical barriers, lighting & alarm stations Details withheld (ref 10CFR73.21)
HALL, B L, MCGUIRE, D R Division of Engineering & Technical Programs 82/06/01 1p 13363 003 24X Fiche 50-269, 82/06/01, 8206070366

8206070738 Expresses appreciation for cooperation during J Furet site visit
O'REILLY, J P Region 2, Office of Director 82/06/01 SMITH, J E Duke Power Co 1p 13389 166 24X Fiche 50-269, 82/06/01, 8206070738

8206080183 Forwards response to 820219 info request re environ qualification of TMI action items & response to IE Bulletin 79-01B, "Environ Qualification of Class IE Equipment"
PARKER, W O Duke Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4, 48pp 13420 262 24X Fiche 50-269, 82/06/01, 8206080183

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206180081 Forwards response to NRC 820315 request for addl info re IE Bulletin 80-11, "Masonry Wall Design"
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 133pp 13592 016 24X Fiche 50-269, 82/06/15, 8206180081

8206250181 Clarifies util 810601 request for relief from volumetric exam of reactor vessel support skirt-to-vessel weld, in response to NRC 820408 ltr Surface exam of outside surface equivalent to inside surface exam
PARKER, W O Duke Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director STOLZ, J F Operating Reactors Branch 4 2pp 13613 285 24X Fiche 50-269, 82/06/15, 8206250181

8206250366 Forwards notice granting exemption from 10CFR50 App H in-vessel matl surveillance program requirements for 5-yr term
EISENHUT, D O Division of Licensing 82/06/16 PARKER, W O Duke Power Co 4pp 13630 093 24X Fiche 50-269, 82/06/16, 8206250366

--B206230370 Exemption from in-vessel matl surveillance program requirements for 5-yr term
STOLZ, J F Operating Reactors Branch 4 82/06/16 Duke Power Co 2pp 13630 037 24X Fiche 50-269, 82/06/16, 8206250366

R Periodic operating reports & related correspondence

B206210072 Forwards monthly operating repts for May 1982
PARKER, W D Duke Power Co 82/06/15 Director's Office, Office of Inspection and Enforcement 1p 13560 009 24X Fiche 50-269, 82/06/15, 8206210072

--B206210077 Monthly operating repts for May 1982
REAVIS, J A Duke Power Co 82/06/15 17pp 13560 010 24X Fiche 50-269, 82/06/15, 8206210072

S Reportable occurrences, LERs & related correspondence

B206010128 Forwards LER 82-006/01T-0 Detailed event analysis encl
PARKER, W D Duke Power Co 82/05/14 O'REILLY, J P Region 2, Office of Director 4pp 13300 019 24X Fiche 50-287, 82/05/14, 8206010128

--B206010135 LER 82-006/01T-0 on 820430, visual insp of internal auxiliary feedwater header in both steam generators revealed header deformation Caused by inadequate design to withstand thermal & pressure forces External header to be installed
NORRIS, J F Duke Power Co 82/05/14 Region 2, Office of Director 7pp 13300 023 24X Fiche 50-287, 82/05/14, 8206010128

B206210029 PNO-11-82-065 visual & ultrasonic exams revealed cracks in 51 of 96 thermal shield bolts Removal of bolts & associated locking clips revealed 19 of 27 bolt heads broken Bolts will be replaced w/stud & nut assemblies
IGNATONIS, A J, HERDT, A R Region 2, Office of Director 82/06/11 1p 13560 082 24X Fiche 50-287, 82/06/11, 8206210029

B206300111 Forwards updated LER 82-006/01X-1 Detailed event analysis encl
PARKER, W D Duke Power Co 82/06/14 O'REILLY, J P Region 2, Office of Director 13pp 13636 054 24X Fiche 50-287, 82/06/14, 8206300111

--B206300115 Updated LER 82-006/01X-1 on 820430, visual insp of internal auxiliary feedwater header in both steam generators revealed deformation of header Caused by inadequate design to withstand thermal & pressure forces of cold feedwater
NORRIS, J F, Duke Power Co 82/06/14 Region 2, Office of Director 1p 13636 067 24X Fiche 50-287, 82/06/14, 8206300111

V Operator Examinations

B206010027 Informs that third operator feedback workshop is to be held on 820525-26 in Atlanta, GA to discuss NRC policy on overtime, operator licensing, exams & requirement for second senior reactor operator on shift as of 820701
STOLZ, J F, Operating Reactors Branch 4 82/05/10 PARKER, W D Duke Power Co 3pp 13319 337 24X Fiche 50-269, 82/05/10, 8206010027

DOCKET 50-289 THREE MILE ISLAND NUCLEAR STATION, UNIT 1

F. Security, medical, emergency & fire protection plans

B206010391 Confirms status of ASLB restart Items 2010 a-2010 b, discussed during 820506 emergency preparedness meeting State pamphlet & risk county brochures distributed by 820901 Emergency info distribution plan encl
HUKILL, H D General Public Utilities - GPU Service Corp 82/05/25 GRINER, B K Division of Emergency Preparedness 4pp 13311 322 24X Fiche 50-289, 82/05/25, 8206010391

B206080039 Releases public version of revised emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p 13441 128 24X Fiche 50-289, 82/05/27, 8206080039

--B206080045 Forwards public version of Revision 3 to Emergency Plan Implementing Procedure 1004 7, "Offsite/Onsite Dose Projections," Receipt form encl.
NASH, B, General Public Utilities - GPU Service Corp 82/05/18 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13441 129 24X Fiche 50-289, 82/05/27, 8206080039.

--B206080050 Public version of Revision 3 to Emergency Plan Implementing Procedure 1004 7, "Offsite/Onsite Dose Projections,"
HELSON, M A, TODLE, R J General Public Utilities - GPU Service Corp 82/05/07 20pp 13441 130 24X Fiche 50-289, 82/05/27, 8206080039

B206160228 Releases public version of revised emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/14 Document Management Branch 1p 13540 085 24X Fiche 50-289, 82/06/14, 8206160228

--B206160234 Forwards public version of Revision 1 to Emergency Plan Implementing Procedure 1004 14 "Monitoring/Controlling Liquid Discharges for Normally Uncontaminated Sys"
* General Public Utilities - GPU Service Corp 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13540 086 24X Fiche 50-289, 82/06/14, 8206160228

--B206160241 Public version of Revision 1 to Emergency Plan Implementing Procedure 1004 14, "Monitoring/Controlling Liquid Discharge for Normally Uncontaminated Sys"
* General Public Utilities - GPU Service Corp 82/05/28 6pp 13540 087 24X Fiche 50-289, 82/06/14, 8206160228

B206280655 Releases public version of revision to emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/22 Document Management Branch 1p 13630 150 24X Fiche 50-289, 82/06/22, 8206280655

--B206280662 Forwards public version of Revision 3 to Emergency Plan Implementing Procedure 1053, "Emergency Equipment Readiness" Receipt form encl
* General Public Utilities - GPU Service Corp 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13630 151 24X Fiche 50-289, 82/06/22, 8206280655

--B206280669 Public version of Revision 3 to Emergency Plan Implementing Procedure 1053, "Emergency Equipment Readiness"
* General Public Utilities - GPU Service Corp 82/06/03 37pp 13630 152 24X Fiche 50-289, 82/06/22, 8206280655

O Adjudicatory correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

B206040274 Reply to parties' comments on Special Master B20428 rept ASLB should reject Special Master findings, conclusions & recommendations per NRC earlier comments Certificate of Svc encl
GOLDBERG, J R Hearing Branch 2 WAGNER, H E Hearing Branch 4 82/05/28 6pp 13359 101 24X Fiche 50-289, 82/05/28, 8206040274

B206040292 Reply to TMI Alert comments on Special Master B20428 rept ASLB acted properly in inviting Miller comments Certificate of Svc encl
MILLER, O P Metropolitan Edison Co 82/05/28 5pp 13354 181 24X Fiche 50-289, 82/05/28, 8206040292

B206040025 Order requesting NRC to submit update of emergency response plan & implementation of plan & status of coordination of plan & implementation w/licenses, federal, state & local agencies
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/01, Office of the Executive Legal Director 5pp 13348 356 24X Fiche 50-289, 82/06/01, 8206040025

B206040198 Reply comments on licensee, NRC, itr-designated individuals MW, O & W & O Miller comments on Special Master B20428 rept on cheating Certificate of Svc encl
AAMODT, M M Aamodts, The 82/06/01 34pp 13359, 340, 24X Fiche 50-289, 82/06/01, 8206040198

B206040226 Advises that UCS will file no reply to comments on Special Master decision If other parties use filings to reply to UCS questions, UCS should get 1-wk extension to reply
WEISS, E R Harmon & Weiss WEISS, E R Union of Concerned Scientists 82/06/01 SMITH, I W, JORDAN, W H, LITTLE, L W Atomic Safety and Licensing Board Panel 1p 13355, 288 24X Fiche 50-289, 82/06/01, 8206040226.

B206070556 Reply to other parties' comments on Special Master B20428 rept & ASLB tentative final draft Certificate of Svc encl
BLAKE, E L Metropolitan Edison Co BLAKE, E L Shaw, Pittman, Potts & Troubridge 82/06/01 37pp 13373 008 24X
Fiche 50-289, 82/06/01, B206070556

B206070563 Reply comments to licensee, NRC, O Miller & ltr-designated individuals O.W. & MM comments Special Master B20428 rept Certificate of Svc encl
BRADFORD, L Three Mile Island Alert 82/06/01 7pp 13372 323 24X Fiche 50-289, 82/06/01, B206070563

B206070086 Request for hearing on license amends & conditions required prior to restart Certificate of Svc encl
JORDAN, W S People Against Nuclear Energy JORDAN, W S Harmon & Weiss 82/06/03 Commissioners 10pp 13368 224 24X
Fiche 50-289, 82/06/03, B206070086

B206070519 Response opposing licensee B20524 motion re psychological health issue Deadlines should be established, if at all, only after careful consideration All who raised health issue have right to adjudicatory hearing W/Certificate of Svc encl
JORDAN, W S People Against Nuclear Energy JORDAN, W S Harmon & Weiss 82/06/03 Commissioners 22pp 13374 331 24X
Fiche 50-289, 82/06/03, B206070519

B206090087 Response opposing licensee B20524 motion re psychological health issue If Commission adopts licensee suggestions, NRC will be blatantly violating NEPA requirement to act in good faith Certificate of Svc encl
BRADFORD, L Three Mile Island Alert 82/06/03 Commissioners 6pp 13438 332 24X Fiche 50-289, 82/06/03, B206090087

B206100099 Motion for extension of time to answer licensee B20524 motion re psychological health issues People Against Nuclear Energy B20603 answer not received until B20607 Certificate of Svc encl
GOLDBERG, J R Hearing Branch 2 82/06/08 Commissioners 5pp 13449 215 24X Fiche 50-289, 82/06/08, B206100099

B206100317 Advises of ASLB member RL Gutchy refusal from any participation in judging Aamods appeal Gutchy involved in issue of increases in cases of neonatal hypothyroidism while member of NRC staff Appearance of impropriety to be avoided GUTCHY, R L Atomic Safety and Licensing Appeal Panel 82/06/08, Metropolitan Edison Co 6pp 13444 162 24X Fiche 50-289, 82/06/08, B206100317

B206100331 Order advising that oral argument divided into two phases: one on Aamods appeal & one on all other issues Both phases to be heard on B20624
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/08, 2pp 13444 183 24X Fiche 50-289, 82/06/08, B206100331

B206140034 Answer to licensee B20524 motion re psychological health issue Question of whether NEPA requires hearing on psychological stress should not be decided before need for suppl to EIS determined Certificate of Svc encl
GOLDBERG, J R Hearing Branch 2 WAGNER, M E Hearing Branch 4, 82/06/10 Commissioners 23pp 13486, 078 24X
Fiche 50-289, 82/06/10, B206140034

B206160094 Advises that UCS has no need to respond since neither NRC or licensee made any substantive comment on relationship between Special Master decision & partial initial decision on plant design & procedures
WEISS, E R Harmon & Weiss WEISS, E R Union of Concerned Scientists 82/06/11 SMITH, I W, JORDAN, W H, LITTLE, L W Atomic Safety and Licensing Board Panel 1p 13517, 300 24X
Fiche 50-289, 82/06/11, B206160094

B206170134 Advises that JR Gray will present argument for NRC at oral argument on emergency planning Twenty minutes each will be allotted for Aamods, licensee & Commonwealth appeals
GRAY, J R Hearing Branch 4 82/06/11 SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 1p, 13530 229, 24X
Fiche 50-289, 82/06/11, B206170134

B206180342 Response to ASLB B20601 order & motion for leave to file affidavit. RE Rogan describes coordination of activities of personnel at emergency operations facility before arrival of emergency support director Certificate of Svc encl
ZAHLER, R E Metropolitan Edison Co ZAHLER, R E Shaw, Pittman, Potts & Troubridge 82/06/16 Atomic Safety and Licensing Appeal Panel 5pp 13543 304, 24X Fiche 50-289, 82/06/16, B206180342

--B206180344 Affidavit of RE Rogan in response to ASLB B20601 order. Licensee expects senior company mgr. environ assessment company staff & senior NRC & Bureau of Radiation Protection representatives to make decisions before director arrives
ROGAN, R E General Public Utilities - QPU Service Corp 82/06/15 80pp 13545 209, 24X Fiche 50-289, 82/06/16, B206180344

B206210047 Response to ASLB B20601 order requesting elaboration on certain emergency planning issues Provides info on status of coordination & implementation of NRC incident response plan & reasons for staffing emergency operations facility
GRAY, J R Hearing Branch 4 82/06/17 16pp 13560 044 24X
Fiche 50-289, 82/06/17, B206210047

--B206210048 Affidavit of JE Himes responding to ASLB B20601 order. Question 1 re update of NRC incident response plan Discusses NRC plans & procedures & coordination w/other federal agencies Prof qualifications encl
HIMES, J E Director's Office, Office of Inspection and Enforcement 82/06/17, 7pp, 13560 060, 24X
Fiche 50-289, 82/06/17, B206210047

--B206210051 Affidavit of CO Gallina responding to ASLB B20601 order Question 1 re update of NRC incident response plan Current regional suppl to NRC plan coordinated w/licenses Prof qualifications & Certificate of Svc encl
GALLINA, C O Region 1, Office of Director 82/06/17 11pp 13560 067 24X Fiche 50-289, 82/06/17, B206210047

B206240236 Responses opposing People Against Nuclear Energy B20603 request for hearing on license amends & conditions required prior to restart Discretionary hearing cannot be made mandatory solely by requesting hearing W/Certificate of Svc.
TROWBRIDGE, G F Metropolitan Edison Co 82/06/18 Commissioners 7pp 13597-308 24X Fiche 50-289, 82/06/18, B206240236

B206240247 Memorandum & order relieving parties of serving W/ Cohen, MI Lewis, TJ Germino, JE Minnich & RG Pollard
SMITH, I W Atomic Safety and Licensing Board Panel 82/06/18, 2pp, 13599:040 24X Fiche 50-289, 82/06/18, B206240247

B206230053 Answer opposing People Against Nuclear Energy B20603 request for hearing on license amends & conditions required prior to restart Unnecessary to decide whether hearing required since hearing already held Certificate of Svc encl
GOLDBERG, J R Hearing Branch 2 82/06/23 Commissioners 10pp 13616 269 24X Fiche 50-289, 82/06/23, B206230053

H General correspondence

B206070118 Responds to ltr inquiring about restart of Facility. Restart will be delayed until at least Oct 1982 due to steam generator problem
BERKOW, H N Planning & Program Analysis Staff 82/05/25, NASH, J Affiliation Unknown 3pp 13424 351 24X Fiche 50-289, 82/05/25, B206070118

B206070121 Responds to ltr inquiring about restart of Facility Restart will be delayed until at least Oct 1982 due to steam generator problem.
BERKOW, H N Planning & Program Analysis Staff 82/05/25, MECKLING, M Affiliation Unknown 2pp 13424 354 24X
Fiche 50-289, 82/05/25, B206070121

B206080191 Responds to undated inquiry re restart of THI-1 Determination will be made in near future as to whether Unit 1 should be allowed to operate Restart will be delayed until at least Oct 1982 due to steam generator problem
BERKOW, H N Management Analysis Branch 82/05/25, NASH, J Affiliation Unknown 5pp 13442 008 24X Fiche 50-289, 82/05/25, B206080191

P. Operating license stage documents & correspondence

B206240449 Notification of contract execution. "Reanalysis of Existing Data From Telephone Surveys Concerning THI," awarded to Uniformed Svcs Univ of Health Sciences.
MILES, E B Technical Assistance Contracts Branch FIN B-8614, 82/04/22 VOLLMER, R H, RATHBUN, P Division of Engineering 1p 13620:096 24X Fiche 50-289, 82/04/22, B206240449

--B206240453 Ltr Contract NRC-03-82-123 "Reanalysis of Existing Data From Telephone Surveys Concerning THI," awarded to Uniformed Svcs Univ of Health Sciences.
MATTIA, M J Technical Assistance Contracts Branch FIN B-8614, 82/04/22, CRANFORD, H B Uniformed Services Univ. of the Health Sciences 5pp 13620 097, 24X Fiche 50-289, 82/04/22, B206240449

B206010031 Forwards Amend 77 to License DPR-80, safety evaluation & notice of issuance & availability Amend revises administrative controls section of Tech Specs to reflect major changes in organization & safety review process
STOLZ, J F Operating Reactors Branch 4 82/04/28 HUKILL, H D General Public Utilities - QPU Service Corp. 1p, 13319 220 24X
Fiche 50-289, 82/04/28, B206010031

- B206010034 Advises of issuance of Amend 77 to License DPR-50, revising administrative controls section of Tech Specs to reflect major changes in organization & internal safety review process
GOLDBERG, J R Office of the Executive Legal Director 82/04/28
EDLES, O J, BUCK, J H, KOHL, C N Atomic Safety and Licensing
Appeal Panel 5pp 13319 221 24X Fiche 50-289, 82/04/28, 82/04/28,
8206010031
- B206010038 Amend 77 to License DPR-50, revising administrative controls section of Tech Specs to reflect major changes in organization & internal safety review process
STOLZ, J F Operating Reactors Branch 4 82/04/28 31p
13319 226 24X Fiche 50-289, 82/04/28, 8206010031
- B206010043 Safety evaluation supporting Amend 77 to License DPR-50
* Office of Nuclear Reactor Regulation, Director 82/04/28 5pp
13319 257 24X Fiche 50-289, 82/04/28, 8206010031
- B206010045 Notice of issuance & availability of Amend 77 to License DPR-50
STOLZ, J F Operating Reactors Branch 4 82/04/28 2p
13319 262 24X Fiche 50-289, 82/04/28, 8206010031
- B206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J H Division of Rules and Records 82/04/29 MCMURRAY, C H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007
- B103270322 Forwards Revision 1 to "Methodology & Content of TMI-1 Quality Classification List " Requests review to determine completeness of structures, sys & components
HAASS, W P Quality Assurance Branch 81/03/18 Quality
Assurance Branch 3pp 13605 211 24X Fiche 50-000, 82/04/29,
8206230007
- B103270333 Revision 1 to "Methodology & Content of TMI-1 Quality Classification List "
GOLIAN, T General Public Utilities - GPU Service Corp ES-011 R1
81/02/13 40pp 13605 213 24X Fiche 50-289, 82/04/29,
8206230007
- B206230044 Forwards excerpt from testimony developed by Div of Sys Integration re litigation of UCS Contention 14 in TMI restart hearing. Definitions of "important to safety" & "safety-grade" provided
CASE, E Q Division of Safety Technology 82/04/29 DENTON, H R
Office of Nuclear Reactor Regulation, Director 9pp 13604 205
24X Fiche 50-000, 82/04/29, 8206230007
- B206080442 Notification of contract execution, Mod 2 to "Psychological Stress Generally & Psychological Stress in Vicinity of TMI "
Contractor Mitre Corp.
FIELD, J A Technical Assistance Contracts Branch NRC-03-82-113
82/05/06 VOLLMER, R H Division of Engineering, SINISGALLI, A NRC
- No Detailed Affiliation Given 1p 13440 119 24X
Fiche 50-289, 82/05/06, 8206080442,
- B206080445 Mod 2, incorporating RW Perry as participant in B20204-05 workshop, to "Psychological Stress Generally & Psychological Stress in Vicinity of TMI "
MULLEN, G W Mitre Corp HAGAN, T F NRC - No Detailed Affiliation
Given NRC-03-82-113 82/05/06 1p 13440 120, 24X
Fiche 50-289, 82/05/06, 8206080442,
- B206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J H Division of Rules and Records 82/05/12 MCMURRAY, C H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13608, 055, 24X Fiche 50-000, 82/05/12, 8206280071
- B104030659 Responds to B10318 request for quality classification list review. Unequivocal info should be provided in list to indicate portions of each sys in Class I, Class IN or Class 2
ROSA, F Instrumentation & Control Systems Branch, 81/03/30
HAASS, W P Quality Assurance Branch 2pp 13639 145 24X
Fiche 50-000, 82/05/12, 8206280071
- B206280147 Forwards work items implied by TMI-1 hearing board partial decision re Item II H, "Integrated Control Sys "
ROSB, C E Instrumentation & Control Systems Branch 82/01/08
MATTSON, R Division of Systems Integration (post B1005) 8pp,
13639, 120 24X Fiche 50-000, 82/05/12, 8206280071
- B206010463 Forwards Tech Spec Change Request 103, Revision 2 re proposed changes to Tech Specs for min conditions for criticality, instrument operating conditions & accident monitoring instrumentation
HUKILL, H D General Public Utilities - GPU Service Corp 82/05/20
STOLZ, J F Operating Reactors Branch 4 1p 13315 303 24X
Fiche 50-289, 82/05/20, 8206010463
- B206010469 Tech Spec Change Request 103, Revision 2 changing Tech Specs re min conditions for criticality, instrument operating conditions & accident monitoring instrumentation
TODLE, R General Public Utilities - GPU Service Corp 82/05/20
4pp 13315 304 24X Fiche 50-289, 82/05/20, 8206010463
- B206010474 Proposed Tech Spec changes re min conditions for criticality, instrument operating conditions & accident monitoring instrumentation
* General Public Utilities - GPU Service Corp 82/05/20 15pp
13315 309 24X Fiche 50-289, 82/05/20, 8206010463
- B206280138 Notification of contract execution, Mod 3 to "Psychological Stress Generally & Psychological Stress in Vicinity of TMI "
Contractor Mitre Corp
FIELD, J A Technical Assistance Contracts Branch NRC-03-82-113
82/05/21 VOLLMER, R H, SINISGALLI, A Division of Engineering 1p
13630 266 24X Fiche 50-289, 82/05/21, 8206280138
- B206280144 Mod 3, incorporating RW Perry as participant in B20204-05 workshop, to "Psychological Stress Generally & Psychological Stress in Vicinity of TMI "
MULLEN, G W Mitre Corp HAGAN, T F Technical Assistance
Contracts Branch NRC-03-82-113 82/05/21 1p 13630 267 24X
Fiche 50-289, 82/05/21, 8206280138
- B206080130 Responds to NRC B20517 ltr re arrangement of meeting w/ contractors who are studying socioeconomic impacts to Chesapeake Bay resulting from discharge of TMI processed water to Susquehanna River
WATKINS, S B Maryland, State of 82/05/26 LYNCH, D D TMI Program
Office 2pp 13423 024 24X Fiche 50-289, 82/05/26, 8206080130
- B206040172 Forwards responses to NRC B10821 & 1218 requests for addl info re pressurized thermal shock to reactor pressure vessel. Final rept will be issued at end of June 1982
HUKILL, H D General Public Utilities - GPU Service Corp 82/06/01
EISENHUT, D O Division of Licensing 19pp 13360 027 24X
Fiche 50-289, 82/06/01, 8206040172
- B206160201 Forwards response to Generic Ltr 82-10, "Post-TMI Requirements "
HUKILL, H D General Public Utilities - GPU Service Corp 82/06/09
EISENHUT, D O Division of Licensing 5pp 13321, 124 24X
Fiche 50-289, 82/06/09, 8206160201
- B206210069 Suppl B20521 response to Generic Ltr 82-05 W/exception of TMI Items II B 2 "Remote Valve Operators," & II F 1.6 "Containment Hydrogen Monitoring," listed items will be completed by Oct 1982
HUKILL, H D General Public Utilities - GPU Service Corp 82/06/15
EISENHUT, D O Division of Licensing 3pp 13560 026 24X
Fiche 50-289, 82/06/15, 8206210069
- B206250375 Notification of B20720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program
VISSINO, O B Operating Reactors Branch 4 82/06/17, STOLZ, J F
Operating Reactors Branch 4 2pp 13630 063 24X
Fiche 50-000, 82/06/17, 8206250375
- B206250231 Comments on proposed NRC regulatory position re pressurized thermal shock, requested at B20609 meeting w/NRC Input from various licensees w/B&W-designed reactors included
ROCHING, A P Babcock & Wilcox Operating Plants Owners Group
ROCHING, A P General Public Utilities - GPU Service Corp 82/06/22
DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp
13613 228 24X Fiche 50-289, 82/06/22, 8206250231
- Q Inspection reports, IE Bulletins & correspondence
- B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/03/28 107pp 13426, 095 24X
Fiche 50-000, 82/05/28, 8202040147
- B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28
103pp, 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378

E104210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEVOUNZ, R C Director's Office, Office of Inspection and Enforcement 82/06/02 10pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

B206220524 Forwards IC Insp Rept 50-289/82-06 on 820413-0511 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/06/07
HUKILL, H D General Public Utilities - GPU Service Corp 2pp
13579 026 24X Fiche 50-289, 82/06/07, 8206220524

--8206220538 IE Insp Rept 50-289/82-06 on 820413-0511 No noncompliance noted Major areas inspected previous insp findings, plant operations during long-term shutdown including facility log & tours & RCS insp & requalification
GRAY, E, HAVERKAMP, D, NICHOLAS, H Division of Project & Resident Programs 82/06/04 32pp 13579 026 24X Fiche 50-289, 82/06/07, 8206220538

B206150194 Ack receipt of 820506 ltr informing NRC of steps taken to correct violations noted in IE Health Physics Appraisal Rept 50-289/80-22 Review of actions documented in IE Insp Rept 50-289/82-05 No reply required
MARTIN, T Y Division of Engineering & Technical Programs 82/06/08
HUKILL, H D General Public Utilities - GPU Service Corp 2pp
13501 335 24X Fiche 50-289, 82/06/08, 8206150194

--8206150202 Responds to NRC 801126 ltr re violations noted in IE Health Physics Appraisal Rept 50-289/80-22 Corrective actions determined that absolute efficiency of 15% should be established for Ludlum 20001 HP-210 counting equipment
HUKILL, H D General Public Utilities - GPU Service Corp 82/05/06
HAYNES, R C Region I, Office of Director 1p
13501 356 24X Fiche 50-289, 82/06/08, 8206150194

B204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl
DEVOUNZ, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

B206150170 Forwards analysis of containment flood level in response to NRC 811214 partial initial decision & in support of responses to IE Bulletin 79-018, "Environ Qualification of Class IE Equipment"
HUKILL, H D General Public Utilities - GPU Service Corp 82/06/11
STDLZ, J F Operating Reactors Branch 4 13pp 13490 330. 24X
Fiche 50-289, 82/06/11, 8206150170

R Periodic operating reports & related correspondence

B206070251 Forwards monthly progress rept for Mar 1982 & Ichthyological Associates, Inc annual rept W/o annual rept
TEITZ, T R General Public Utilities - GPU Service Corp 82/04/30
HICKEY, C NRC - No Detailed Affiliation Given 1p 13368 278 24X
Fiche 50-289, 82/04/30, 8206070251

--8206070260 "TMI Aquatic Study," monthly progress rept for Mar 1982
NARDACCI, G A Ichthyological Associates, Inc 82/04/30 21pp
13368 279 24X Fiche 50-289, 82/04/30, 8206070251

B206070465 Forwards errata sheet to 1981 annual environ & operating repts submitted 820503
HUKILL, H D General Public Utilities - GPU Service Corp 82/05/28
HAYNES, R C Region I, Office of Director 1p 13374 215 24X
Fiche 50-289, 82/05/28, 8206070465

--8206070471 Errata to 1981 annual environ & operating repts submitted 820505.
* General Public Utilities - GPU Service Corp. 82/05/28 1p
13374 216 24X Fiche 50-289, 82/05/28, 8206070465

B206180006 Forwards monthly operating rept for May 1982
HUKILL, H D General Public Utilities - GPU Service Corp 82/06/14
MCDONALD, W C Office of Management and Program Analysis 1p
13551 349 24X Fiche 50-289, 82/06/14, 8206180006

--8206180007 Monthly operating rept for May 1982
SMYTH, C W General Public Utilities - GPU Service Corp 82/06/14
10pp 13551 350 24X Fiche 50-289, 82/06/14, 8206180006

B206290622 Forwards weekly status rept for wk of 820613-19
BARRETT, L H TMI Program Office 82/06/21 BENTON, H R Office of Nuclear Reactor Regulation, Director SHYDER, D J TMI Program Office 10pp 13658 131 24X Fiche 50-289, 82/06/21, 8206290622

B206290322 Forwards "TMI Aquatic Study Monthly Rept for May 1982"
TEITZ, T R General Public Utilities - GPU Service Corp 82/06/25
HICKEY, C NRC - No Detailed Affiliation Given 1p 13634 001 24X
Fiche 50-289, 82/06/25, 8206290322

--8206290324 "TMI Aquatic Study Monthly Rept for May 1982"
NARDACCI, G A Ichthyological Associates, Inc 82/06/25 24pp
13634 002 24X Fiche 50-289, 82/06/25, 8206290322

S Reportable occurrences, LERs & related correspondence

B206030233 RO 82-007 on 820509, oxygen concentration exceeded Tech Specs limit of 2% after reactor coolant bleed tank was returned to svc after maint Nitrogen purge initiated on tank to reduce oxygen. Erroneously numbered.
TOOLE, R J General Public Utilities - GPU Service Corp 82/05/11
HAYNES, R C Region I, Office of Director 1p 13337 142 24X
Fiche 50-289, 82/05/11, 8206030233

B206080235 RO 82-008 on 820408 & 0507, oxygen concentration exceeded Tech Spec limit after C reactor coolant bleed tank returned to svc following maint Tech Spec will be revised to take maint effects into account
TOOLE, R J General Public Utilities - GPU Service Corp 82/05/11.
HAYNES, R E Region I, Office of Director 1p 13422 004 24X
Fiche 50-289, 82/05/11, 8206080235

B206080144 Forwards LER 82-008/01T-0
HUKILL, H D General Public Utilities - GPU Service Corp 82/05/26
HAYNES, R C Region I, Office of Director 1p 13423 317 24X
Fiche 50-289, 82/05/26, 8206080144

--8206080148 LER 82-008/01T-0 on 820511, oxygen concentration exceeded Tech Spec limit in C reactor coolant bleed tank after maint. Caused by failure to provide for maint activities in Tech Spec Tech Spec change will clarify App I
STEPHENSON, C J General Public Utilities - GPU Service Corp 82/05/26
Region I, Office of Director 3pp 13423 318 24X
Fiche 50-289, 82/05/26, 8206080144

B206080390 Forwards LER 82-006/03L-0
HUKILL, H D General Public Utilities - GPU Service Corp. 82/05/27
HAYNES, R C Region I, Office of Director 1p 13417 114 24X
Fiche 50-289, 82/05/27, 8206080390

--8206080395 LER 82-006/03L-0 on 820427, monitor RM-A9, which monitors reactor bldg purge particulate, iodine & gaseous effluents, valved out of svc due to improper valve line up. Valve misalignment caused by illegible valve position markings
STEPHENSON, C J General Public Utilities - GPU Service Corp 82/05/27
Region I, Office of Director 2pp 13417 115 24X
Fiche 50-289, 82/05/27, 8206080390

B206210134 Forwards LER 82-007/03L-0.
HUKILL, H. D. General Public Utilities - GPU Service Corp. 82/06/03
HAYNES, R C Region I, Office of Director. 1p 13559 249 24X
Fiche 50-289, 82/06/03, 8206210134

--8206210141 LER 82-007/03L-0 on 820505, during long-term shutdown & reactor bldg purge, iodine channel of radiation monitor RM-A9 failed intermittently. No cause discernible. Quarterly calibr performed & recorder charts will be monitored each shift
STEPHENSON, C J General Public Utilities - GPU Service Corp 82/06/03
Region I, Office of Director 3pp 13559 250 24X
Fiche 50-289, 82/06/03, 8206210134

T Hearing transcripts on non-antitrust matters

B201200511 Forwards various documents provided at Commission 820108 briefing by NRC, ACRS & vendors re status of programs on water level indicators. Comments on documents must be submitted by 820201
CHILKIS, J Office of the Secretary of the Commission. 82/01/15.
Metropolitan Edison Co 1p 11622 251 24X Fiche 50-289, 82/01/15, 8201200511

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M. Division of Rules and Records 82/05/12 MCMURRAY, C. M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 28pp.
13638 055. 24X Fiche 50-000, 82/05/12, 8206280071

DOCKETED ITEMS

--B206280127 Forwards testimony of JH Conran re classification of sys & components important to safety for TH-1 restart hearing
 ROD NRC - No Detailed Affiliation Given B2/10/17 NRC - Na
 Detailed Affiliation Given 1p 13638 036 24X
 Fiche 50-000, B2/05/12, B206280071

--B206280266 Testimony of NRC staff in response to Chairman Ahearne & Commissioner Hendrie B10128 request for date of compliance w/ items contained in NUREG-0694 & NUREG 0737 Certificate of Svc encl.
 CUTCHIN, J. M. Office of the Executive Legal Director B1/02/12
 Bpp 13643 330 24X Fiche 50-000, B2/05/12, B206280071

B206040078 Proposed transcript corrections
 AANODT, M. Asmotts, The B2/06/02 1p 13350 033 24X
 Fiche 50-289, B2/06/02, B206040078

B206290166 Transcript of B20624 oral argument in Bethesda, MD Pp 1-114
 * Atomic Safety and Licensing Appeal Panel B2/06/24 116pp
 13635 117 24X Fiche 50-289, B2/06/24, B206290166

B206290173 Transcript of B20624 meeting in Bethesda, MD Pp 1-103
 * Atomic Safety and Licensing Appeal Panel B2/06/24 103pp
 13635 011 24X Fiche 50-289, B2/06/24, B206290173

DOCKET 50-293 PILORIM NUCLEAR POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J. M. Division of Rules and Records B2/04/21 MADE, J.
 Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, B2/04/21, B206150016

--B203040291 Proposes that licensee request for exemption from prompt notification sys deadline be denied Proposed ltr to licensee encl.
 PERKINS, K. E. Incident Response & Development Branch B2/02/12
 VASSALLO, D. B. Operating Reactors Branch 2 9pp 13525 045 24X
 Fiche 50-000, B2/04/21, B206150016

--B203040508 Submits list of facilities that have filled exemption requests from B20201 prompt notification deadline
 Exemption requests will be denied
 EISENHUT, D. G. Division of Licensing B2/02/03 DENTON, H. R.
 Office of Nuclear Reactor Regulation, Director 2pp 13524 288
 24X Fiche 50-000, B2/04/21, B206150016

--B206150023 Updates delivery schedule for siren shipments to facilities
 ANDERSON, M. E. Federal Signal Corp. B2/01/28 CANNON, P.
 Affiliation Unknown 5pp 13524 234 24X Fiche 50-000, B2/04/21, B206150016

--B206150066 Provides summary of problems & progress re implementation of prompt public notification sys. Request for extension until B20415 reiterated
 HOWARD, J. E. Boston Edison Co B2/01/29 HAYNES, R. C. Region 1,
 Philadelphia, Office of the Director (B1/03/01) 4pp 13524 157
 24X Fiche 50-000, B2/04/21, B206150016

--B206150079 Status of prompt notification sys
 * NRC - No Detailed Affiliation Given. B2/03/09 1p 13525 154
 24X Fiche 50-000, B2/04/21, B206150016

B206040269 Forwards appeal to NRC decision re securing steel filing & map cabinets w/locking bars & locating in protected & controlled areas Justification withheld (ref 10CFR2.790)
 MORISI, A. V. Boston Edison Co B2/05/05 BRADY, R. J. Office of Administration, 1p. 13355 328 24X Fiche 50-293, B2/05/05, B206040269.

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J. M. Division of Rules and Records B2/05/11 REYNOLDS, N. S.
 Debevoise & Liberman 3pp 13454:003 24X Fiche 50-000, B2/05/11, B206090002.

--B203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by B20201 deadline
 Thirteen licensees may not meet deadline
 DIRCKS, W. J. Office of the Executive Director for Operations B2/01/26
 Commissioners 2pp. 13454 164 24X
 Fiche 50-000, B2/05/11, B206090002.

--B203110481 Submits monthly update of status of implementation of prompt notification sys
 SPENCER, G. S. Division of Technical Inspection B2/01/05
 GRIMES, B. K. Division of Emergency Preparedness Bpp 13454 176
 24X Fiche 50-000, B2/05/11, B206090002

--B206090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet B20201 deadline
 DIRCKS, W. J. Office of the Executive Director for Operations B2/03/04
 PALLADINO, N. Commissioners 1p 13454 196 24X
 Fiche 50-000, B2/05/11, B206090002

--B205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
 DIRCKS, W. J. Office of the Executive Director for Operations B2/03/30
 PALLADINO, N. J. Commissioners 2pp 13454 232 24X
 Fiche 50-000, B2/05/11, B206090002

B206220306 Forwards IE Safeguards Insp Rept 50-293/B2-15 on B20511-12
 No noncompliance noted
 MARTIN, T. T. Division of Engineering & Technical Programs B2/06/04
 HARRINGTON, W. D. Boston Edison Co 3pp 13571 045 24X
 Fiche 50-293, B2/06/04, B206220306

--B206220309 IE Safeguards Insp Rept 50-293/B2-15 on B20511-12 No noncompliance noted Major areas inspected organization, operations, storage & internal controls, records & repts Details withheld (ref 10CFR2.790)
 COHEN, I. , GODY, A. T. Division of Engineering & Technical Programs B2/06/03 2pp 13571 047 24X Fiche 50-293, B2/06/04, B206220306

G Adjudicatory correspondence

B206100274 Ack receipt of statement supporting Atty General request for hearing on order modifying license Hearing on order unnecessary since all agree until should comply w/order
 BURNS, B. G. Rulemaking & Enforcement Division B2/04/27
 Duxberry, MA 1p 13444 180 24X Fiche 50-293, B2/04/27, B206100274

B206100313 Ack receipt of statement supporting Atty General request for hearing on order modifying license Hearing on order unnecessary since all agree until should comply w/order
 BURNS, B. G. Rulemaking & Enforcement Division B2/04/27
 OADNON, S. L. Marshfield, MA 1p 13451 170 24X
 Fiche 50-293, B2/04/27, B206100313

B206210271 Order extending time until B20708 for Commission to decide whether to review IE Director denial of MA Executive Ofc of Energy Resources B20318 10CFR2 206 request
 CHILK, S. J. Office of the Secretary of the Commission B2/06/18
 Commissioners 1p 13559 072 24X Fiche 50-293, B2/06/18, B206210271

H. General correspondence

B206140340 Responds to B20503 request for addl info re safety concerns expressed by local residents concerning facility
 DIRCKS, W. J. Office of the Executive Director for Operations B2/05/25
 TSOGNAB, P. E. Senate 7pp 13510 163 24X
 Fiche 50-293, B2/05/25, B206140340

--B206140343 Requests info re facility safety concerns expressed by local residents inadequately discussed at B20322 public meeting
 TSOGNAB, P. E. Senate, Small Business B2/05/03 KAMMERER, C.
 Office of Congressional Affairs, 5pp 13510 170 24X
 Fiche 50-293, B2/05/25, B206140340

P Operating license stage documents & correspondence

B206040293 Responds to B20119 order of mod. Submits info re torus saddle installation & temp monitoring per NUREG-0661, App A
 MORISI, A. V. , BALFOUR, H. R. Boston Edison Co B2/03/10
 VASSALLO, D. B. Operating Reactors Branch 2 1p 13354:180 24X
 Fiche 50-293, B2/05/10, B206040293

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted.
 FELTON, J. M. Division of Rules and Records, B2/05/12 MCMURRAY, C. H.
 Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 28pp.
 13638 055 24X Fiche 50-000, B2/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
 HEDEIROB, H. B. Reactor Systems Standards Branch B1/02/02
 ARLOTTO, G. A. Division of Engineering Standards 20pp 13638 102
 24X Fiche 50-000, B2/05/12, B206280071

- 820602037B Forwards design descriptions for NUREQ-0737, Items II F 1 4 re containment pressure monitor, II K 3 15 re mod of break detection logic & II K 3 16 re feasibility study & sys mod concerning reduction challenges. Concurrence requested. MORISI, A V Boston Edison Co 82/05/25 VASSALLO, D B Operating Reactors Branch 2 6pp 13322 310 24X Fiche 50-293, 82/05/25, 820602037B
- 8206030003 Informs that results of 820428 offsite survey indicate no hazardous matls stored, manufactured or transported within five mile radius of site, per NUREQ-0737, Item III D 3 4. MORISI, A V, BALFOUR, H Boston Edison Co 82/05/25 VASSALLO, D B Operating Reactors Branch 2 1p 13337 001 24X Fiche 50-293, 82/05/25, 8206030003
- 8206010306 Forwards "Reactor Containment Bldg Integrated Leak Rate Test Types A, B & C, Surveillance Test" MACHON, R D Boston Edison Co 82/05/26 EISENHUT, D O Office of Nuclear Reactor Regulation, Director 1p 13301 010 24X Fiche 50-293, 82/05/26, 8206010306
- 8206010309 "Reactor Containment Bldg Integrated Leak Rate Test Types A, B & C, Surveillance Test" CAPARELLA, P T, SEERY, J A, MACHON, R D Boston Edison Co 82/02/28 40pp 13301 011 24X Fiche 50-293, 82/05/26, 8206010306
- 8206080350 Advises that 821231 completion date for long-term mods to steam discharge vol sys has been rescheduled for completion in 1983. MORISI, A V Boston Edison Co 82/05/26 VASSALLO, D B Operating Reactors Branch 2 2pp 13418 361 24X Fiche 50-293, 82/05/26, 8206080350
- 8206080339 Advises that Secondary Containment Leak Rate Test B 7 3 satisfactorily performed on 820317 to verify secondary containment integrity after inner reactor bldg truckload door failed to pass leak rate test. Test data encl. MACHON, R D Boston Edison Co 82/05/27 Office of Nuclear Reactor Regulation, Director 4pp 13416 228 24X Fiche 50-293, 82/05/27, 8206080339
- 8206230280 Informs that acceptance of containment atmospheric dilution sys in Amend 55 to License DPR-35 also satisfies requirements of NUREQ-0737, Item II E 4 1 2, "Dedicated Hydrogen Penetrations". VASSALLO, D B Operating Reactors Branch 2 82/05/27 MORISI, A V Boston Edison Co 2pp 13592, 206 24X Fiche 50-293, 82/05/27, 8206230280
- 8206290023 Forwards Amend 61 to License DPR-35, safety evaluation & notice of issuance & availability. Amend clarifies degraded grid voltage protection requirements. ECCLESTON, K T Operating Reactors Branch 2 82/05/28 MORISI, A V Boston Edison Co 2pp 13661 138 24X Fiche 50-293, 82/05/28, 8206290023
- 8206290026 Amend 61 to License DPR-35, changing Tech Spec to clarify & modify surveillance requirements & limiting conditions for operation for degraded grid voltage protection equipment. VASSALLO, D B Operating Reactors Branch 2 82/05/28 10pp 13661 140 24X Fiche 50-293, 82/05/28, 8206290023
- 8206290032 Safety evaluation supporting Amend 61 to License DPR-35, Office of Nuclear Reactor Regulation, Director 82/05/28 3pp 13461, 150 24X Fiche 50-293, 82/05/28, 8206290023
- 8206290036 Notice of issuance & availability of Amend 61 to License DPR-35. VASSALLO, D B Operating Reactors Branch 2 82/05/28 2pp 13661 193 24X Fiche 50-293, 82/05/28, 8206290023
- 8206080453 Informs that requirements of NUREQ-0737, Item II K 3 24, "Adequacy of Space Cooling for HPCI & Reactor Core Isolation Cooling Sys," satisfied for facility. VASSALLO, D B Operating Reactors Branch 2 82/06/01 MORISI, A V Boston Edison Co 2pp 13439, 357, 24X Fiche 50-293, 82/06/01, 8206080453.
- 8206100360 Advises that review of 820517 submittal responding to NRC 820331 request for info on NUREQ-0737, Item II K 3 3, "Reporting Relief Valve & Safety Valve Failures & Challenges," completed. Item resolved. VASSALLO, D B Operating Reactors Branch 2 82/06/01 MORISI, A V Boston Edison Co 2pp 13470 090 24X Fiche 50-293, 82/06/01, 8206100360
- 8206080335 Provides addl info re NUREQ-0737, Item II B 1 re RCS high point vents, in response to NRC 820304 request BWR owners group position endorsed for Item II K 3 30. MORISI, A V Boston Edison Co 82/06/03 VASSALLO, D B Operating Reactors Branch 2 2pp 13416, 244 24X Fiche 50-293, 82/06/03, 8206080335.
- 8206100188 Forwards response to NUREQ-0803, generic SER re integrity of BWR steam sys piping. MORISI, A V Boston Edison Co 82/06/04 VASSALLO, D B Operating Reactors Branch 2 30pp 13450 270 24X Fiche 50-293, 82/06/04, 8206100188
- 8206110275 Forwards design descriptions for NUREQ-0737, Items II F 1 1 re noble gas effluent monitors & II E 4 1 re dedicated hydrogen penetrations for external recombiners or post-accident purge sys. MORISI, A V Boston Edison Co 82/06/04 VASSALLO, D B Operating Reactors Branch 2 9pp 13466 291 24X Fiche 50-293, 82/06/04, 8206110275
- 8206170309 Responds to Generic Ltr 82-10 requesting schedules re implementation of NUREQ-0737 items. Status of items encl. MORISI, A V Boston Edison Co 82/06/08 EISENHUT, D O Division of Licensing 5pp 13531 262, 24X Fiche 50-293, 82/06/08, 8206170309.
- 8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREQ-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl. EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York TALLMAN, W C Public Service Co. of New Hampshire THURLOW, E W Maine Yankee Atomic Power Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153
- 8206210620 Forwards response to Generic Ltrs 82-05 & 82-10 re dates for completion of specific NUREQ-0737 mods. MORISI, A V Boston Edison Co 82/06/09 EISENHUT, D O Division of Licensing 6pp, 13563, 327, 24X Fiche 50-293, 82/06/09, 8206210620.
- 8206210371 Application to amend App B of License DPR-35, nonradiological monitoring requirements. Proposed Tech Specs encl. HOWARD, J E Boston Edison Co 82/06/14 VASSALLO, D B Operating Reactors Branch 2 1p 13558-088 24X Fiche 50-293, 82/06/14, 8206210371
- 8206210374 Proposed Tech Specs re application to amend App B, nonradiological monitoring requirements. Boston Edison Co 82/06/14, 3pp 13558 089 24X Fiche 50-293, 82/06/14, 8206210371
- 8206210593 Forwards requested addl info in response to NUREQ-0737, Items I A 2 re upgrading reactor & senior reactor operator training & II B 4 re training to mitigate core damage. Training procedure forms encl. MORISI, A V Boston Edison Co 82/06/14, VASSALLO, D B Operating Reactors Branch 2 45pp 13563, 226 24X Fiche 50-293, 82/06/14, 8206210593
- 8206230163 Forwards payment for proposed Tech Spec Change 82-B transmitted in util 820614 ltr. MORISI, A V Boston Edison Co 82/06/16 VASSALLO, D B Operating Reactors Branch 2 1p 13586, 354 24X Fiche 50-293, 82/06/16, 8206230163
- 8206240274 Advises that nuclear executive support committee will be disbanded, effective 820701. STABZEKY, F M Boston Edison Co 82/06/17 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 1p, 13597 003 24X Fiche 50-293, 82/06/17, 8206240274
- 8206290354 Forwards matl in accordance w/commitment to provide NRC w/results of studies performed to demonstrate that addl under-voltage protection is not required on Class IE buses when powered from unit auxiliary transformer. MORISI, A V Boston Edison Co 82/06/17 VASSALLO, D B Operating Reactors Branch 2, 90pp 13634 030 24X Fiche 50-293, 82/06/17, 8206290354
- 0 Inspection reports, IE Bulletins & correspondence
- 8206150016 Responds to FOIA request for documents re airen sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US. Forwards documents listed in App A. FELTON, J M Division of Rules and Records 82/04/21, MADE, J Public Interest Research Group, New York, 7pp 13524, 010 24X Fiche 50-000, 82/04/21, 8206150016.
- 8206150087 Forwards notice of violation for failure to implement prompt notification sys by 820201 deadline. DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/02/12 HARRINGTON, W D Boston Edison Co 2pp, 13525, 052 24X Fiche 50-000, 82/04/21, 8206150016.

- B206150092 Notice of violation for failure to implement prompt notification sys by B20201 deadline
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/02/12 1p 13525 054 24X Fiche 50-000, 82/04/21, B206150016
- B206040178 Forwards results of review of NUREG-0737, Item I f 1 & 3, "Add'l Accident Monitoring Instrumentation," in response to IE Insp Rept 50-293/82-13 Remaining reviews currently underway as high priority effort Concurrence requested
MORRIS, A V Boston Edison Co 82/05/18 VASSALLO, D B Operating Reactors Branch 2 6pp 13360 650 24X Fiche 50-293, 82/05/18, B206040178
- B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, B202040147
- B204210378 IE Info Notice 82-16, "HPCI/RIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378
- B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/02 108pp 13327 150 24X Fiche 50-000, 82/06/02, B204210380
- B206220306 Forwards IE Safeguards Insp Rept 50-293/82-15 on 820511-12 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/06/04 HARRINGTON, W D Boston Edison Co 3pp 13571 045 24X Fiche 50-293, 82/06/04, B206220306
- B206220309 IE Safeguards Insp Rept 50-293/82-15 on 820511-12 No noncompliance noted Major areas inspected organization, operations, storage & internal controls, records & repts Details withheld (ref 10CFR2 790)
CHEN, I, GDDY, A T Division of Engineering & Technical Programs 82/06/03 2pp 13971 047 24X Fiche 50-293, 82/06/04, B206220306
- B206150101 Ack receipt of B20426 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-293/82-11
MARTIN, T T Division of Engineering & Technical Programs 82/06/09 HARRINGTON, W D Boston Edison Co 1p 13505 077 24X Fiche 50-293, 82/06/09, B206150101
- B206150102 Responds to NRC B20401 ltr re violations noted in IE Insp Rept 50-293/82-11. Corrective actions personnel involved in critical functions during performance of Type A test will receive training/briefing Type A test will be revised
HARRINGTON, W D Boston Edison Co 82/04/26 MARTIN, T T Division of Engineering & Technical Programs 3pp 13505: 078 24X Fiche, 50-293, 82/06/09, B206150101
- B206170094 Requests 3-month extension to B21208 for submittal of revised 10-yr inservice insp program Extension will not impact first scheduled insp period for new program Next refueling outage scheduled for Sept 1983
MORRIS, A V Boston Edison Co 82/06/10 EISENHUT, D O, Division of Licensing 1p 13530 103 24X Fiche 50-293, 82/06/10, B206170094,
- B206280141 Responds to Item 3b of IE Bulletin 81-01, "Surveillance of Mechanical Snubbers " Thirty-five mechanical snubbers subjected to visual & manual testing No snubbers failed testing No further testing mandated.
MORRIS, A V Boston Edison Co 82/06/10 HAYNES, R C Region 1, Office of Director 4pp 13624 348, 24X Fiche 50-293, 82/06/10, B206280141
- B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675:258 24X Fiche 50-000, 82/06/11, B204210383
- B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675:189 24X Fiche 50-000, 82/06/11, B204210384
- B206210190 Ack receipt of B20602 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-293/82-10.
STAROSTECKI, R Division of Project & Resident Programs 82/06/15, HARRINGTON, W D Boston Edison Co 1p 13560 106, 24X Fiche 50-293, 82/06/15, B206210190
- B206210199 Responds to NRC B20305 ltr re violations noted in IE Insp Rept 50-293/82-10 Corrective actions change to isolation for Maint Request 81-11-16 issued & maint supervisors counseled on importance of following procedures
HARRINGTON, W D Boston Edison Co 82/06/02 STAROSTECKI, R Division of Project & Resident Programs 3pp 13560 107 24X Fiche 50-293, 82/06/15, B206210190
- B206220151 Confirmatory Action Ltr 82-19 confirming B20615 telcon re spent resin on rooftops & pavement within protected area NRC understanding of actions taken or to be taken listed
STAROSTECKI, R Division of Project & Resident Programs 82/06/16 HARRINGTON, W D Boston Edison Co 3pp 13573 240 24X Fiche 50-293, 82/06/16, B206220151
- B205220497 Forwards Procedure Revision 1 to FP 87-25, "Standby Svc Water/Reactor Bldg Component Cooling Water Sys Heat Exchanger Test Performance," in response to B20520 telcon re IE Bulletin 81-03, "Flow Blockage of Cooling"
MORRIS, A V Boston Edison Co 82/06/16 VASSALLO, D B Operating Reactors Branch 2 1p 13582 136 24X Fiche 50-293, 82/06/16, B206220497
- B206220497 "Standby Svc Water/Reactor Bldg Component Cooling Water Sys Heat Exchanger Test Performance," Revision 1
HARRINGTON, W D Boston Edison Co 82/04/27 13pp 13582 137 24X Fiche 50-293, 82/06/16, B206220497
- B206280015 Requests review & reversal of Director's Decision 82-4 Heatr of MA wishes to use fine to finance weatherization & conservation program for util svc area NRC has statutory authority to grant MA 10CFR2 206 petition
KENNY, P J Massachusetts, State of 82/06/18 PALLADINO, N J Commissioners 7pp 13625 001 24X Fiche 50-293, 82/06/18, B206280015
- B206280016 Requests action under 10CFR2 206 to rescind or mitigate fine imposed on util & to order util to make payment to State of MA public svc program
HENNY, P J Massachusetts, State of 82/02/08 BICKWIT, L Office of the General Counsel 2pp 13625 008 24X Fiche 50-293, 82/06/18, B206280015
- B206280018 Forwards petition to intervene in 10CFR2 206 action re Enforcement Action 81-63
KENNY, P J Massachusetts, State of 82/03/18 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 2pp 13625 010 24X Fiche 50-293, 82/06/18, B206280015
- B206280020 Petition to intervene in 10CFR2 206 proceeding for revulsion of civil penalty & for order directing util to make payment to MA public svc program
KENNY, P J Massachusetts, State of 82/03/18 Commissioners 27pp 13625 012 24X Fiche 50-293, 82/06/18, B206280015
- B206280024 Requests util payment of penalty imposed under Enforcement Action 81-63 be stayed until deposition of State of MA petition to intervene
KENNY, P J Massachusetts, State of 82/03/19 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 1p 13625 041 24X Fiche 50-293, 82/06/18, B206280015
- B204150006 Ack receipt of petition on behalf of Executive Ofc of Energy Resources of Commonwealth of MA re proposal to redirect civil penalties to home weatherization & energy conservation program Petition treated as request under 10CFR2 206
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/03/31 KENNY, P J Boston, MA 1p 13625, 042 24X Fiche 50-293, 82/06/18, B206280015
- B204150007 Notice of issuance & availability of Executive Ofc of Energy of Commonwealth of MA B20318 petition to redirect civil penalties paid by util to home weatherization & energy conservation program
DEYOUNG, R C Office of International Programs, Director 82/03/30 1p, 13625 043 24X Fiche 50-293, 82/06/18, B206280015
- B206280038 Forwards Director's Decision 82-4, denying State of MA 10CFR2 206 petition that NRC have util pay NRC-imposed penalty to State of MA for public svc program
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/03/28 KENNY, P J Massachusetts, State of 1p 13625:064 24X Fiche 50-293, 82/06/18, B206280015
- B206280042 Director's Decision 82-4, denying State of MA 10CFR2 206 petition directing util to pay NRC-imposed penalty to State of MA for public svc program
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/03/28 6pp 13625:065 24X Fiche, 50-293, 82/06/18, B206280015

--B206280045 Notice of issuance of Director's Decision B2-4, denying State of MA 10CFR2 206 petition requesting util pay NRC-imposed penalty to State of MA for public svc program DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 2pp 13629 071 24X Fiche 50-293, 82/06/18, B206280015

R Periodic operating reports & related correspondence

B206010575 Forwards monthly operating rept for Apr 1982 MACHON, R D Boston Edison Co 82/05/14 Office of Management and Program Analysis 1p 13314 015 24X Fiche 50-293, 82/05/14, B206010575

--B206010580 Monthly operating rept for Apr 1982 MACHON, R D Boston Edison Co 82/05/14 8pp 13314 016 24X Fiche 50-293, 82/05/14, B206010575

S Reportable occurrences, LERs & related correspondence

B206010445 Forwards LER B2-014/01T-0 MACHON, R D Boston Edison Co 82/05/20 Region 1, Office of Director 1p 13315 323 24X Fiche 50-293, 82/05/20, B206010445

--B206010455 LER B2-014/01T-0 on B20506, sliding fire door found to be inoperable Door held open in normal manner except that fusible link had been disconnected Cause not determined No evidence of vandalism or sabotage found WHITNEY, G O Boston Edison Co 82/05/20 Region 1, Office of Director 2pp 13315 324 24X Fiche 50-293, 82/05/20, B206010445

B206080215 Forwards LER B2-012/03L-0 MACHON, R D Boston Edison Co 82/05/27 Region 1, Office of Director 1p 13421 357 24X Fiche 50-293, 82/05/27, B206080215

--B206080219 LER B2-012/03L-0 on B20430, during steady-state operation, diesel generator A did not respond to start signal during surveillance test Caused by defective pak unit Circuit repaired WHITNEY, G O Boston Edison Co 82/05/27 Region 1, Office of Director 1p 13421 358 24X Fiche 50-293, 82/05/27, B206080215

B206080152 PNO-I-B2-040 on B20603, traversing in-core probe (TIP) stuck causing high local radiation in reactor bldg due to TIP retracting beyond normal shield chamber Portable shielding to be used to gain access & analyze TIP machine condition ELSASSER, T STAROSTECKI, R Region 1, Office of Director 82/05/03 1p 13423 080 24X Fiche 50-293, 82/06/07, B206080152

B206110297 Forwards LER B2-015/03L-0 MACHON, R D Boston Edison Co 82/06/03 Region 1, Office of Director 1p 13466 166 24X Fiche 50-293, 82/06/03, B206110297

--B206110301 LER B2-015/03L-0 on B20504, test B B 4, Section C, smoke & heat detectors, not done within Tech Specs required time limit of 2 months Caused by misinterpretation of surveillance schedule WHITNEY, G O Boston Edison Co 82/06/03 Region 1, Office of Director 1p 13466 167 24X Fiche 50-293, 82/06/03, B206110297

B206100051 PNO-I-B2-040A on B20603, alert terminated following surveys performed to ensure radiation levels localized & decreasing No overexposures occurred Traversing in-core probe to be repaired & restored to normal location ELSASSER, T STAROSTECKI, R Region 1, Office of Director 82/06/04 1p 13448 318 24X Fiche 50-293, 82/06/04, B206100051

B206170070 RO on B20603, alert status declared due to malfunction of traversing in-core probe retraction mechanism Radiation levels in area increased Caused by limit switch malfunction Probe outside chamber Source allowed to decay MACHON, R D Boston Edison Co 82/06/04 Region 1, Office of Director 1p 13529 295, 24X Fiche 50-293, 82/06/04, B206170070

B206170377 PNO-I-B2-042 on B20611, spent resin found on ground near turbine bldg Roofs of turbine, reactor, offgas & retube bldgs contaminated No personnel or offsite locations contaminated Source of resin under investigation ELSASSER, T BRUNNER, E J Region 1, Office of Director 82/06/11 1p 13531 087, 24X Fiche 50-293, 82/06/11, B206170377

B206210607 PNO-I-B2-042A re release of spent resin Site surveys confirmed contamination of turbine, administration, augmented offgas & retube bldg roofs Duct surveillance program established No offsite release identified WHITZ, R L, ELSASSER, T C Region 1, Office of Director STAROSTECKI, R, Division of Project & Resident Programs 82/06/14 2pp 13561 102 24X Fiche 50-293, 82/06/14, B206210607

U Congressional/Executive Correspondence

B206250086 Responds to B20503 ltr to NJ Palladino re concerns about facility operation Assignment of resident inspectors to maintain continuous 24-h coverage is not best approach to assure adequate protection of public health & safety DIRKES, W J Office of the Executive Director for Operations 82/06/02 STUDDS, G L House of Rep, Foreign Affairs 8pp 13626 340 24X Fiche 50-293, 82/06/02, B206250086

--B206250089 Expresses concerns re facility operation Urges reconsideration of Commission position re petition from Atty General & request to place inspectors at facility on 24-h basis STUDDS, G L House of Rep, Foreign Affairs 82/05/03 PALLADINO, N J Commissioners 2pp 13626 348 24X Fiche 50-293, 82/06/02, B206250086

DOCKET 50-293 ZION NUCLEAR POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees PAPERIELLO, C J Emergency Preparedness & Program Support Branch 01/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRINES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by B20601 HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRINES, B Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, B206090002

B206070809 Informs that deficiencies identified during initial testing of prompt public notification sys for facilities documented in Util B20216 ltr have been corrected prior to B20601 DELGORGES, L O Commonwealth Edison Co 82/05/28 KEPLER, J O Region 3, Office of Director 2pp 13389 115 24X Fiche 50-000, 82/05/28, B206070809

B206100009 Forwards "Fire Protection Associated Cable Rept." in response to NRC B20208 & 0406 requests for info. Rept based on development of alternate safe shutdown cable charts LENTINE, F O Commonwealth Edison Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13448 319 24X Fiche 50-293, 82/06/07, B206100009

--B206100011 "Fire Protection Associated Cable Rept." Commonwealth Edison Co 82/06/30 100pp 13448 321 24X Fiche 50-293, 82/06/07, B206100009

B206140389 Releases public version of revised emergency plan implementing procedures index FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13510 006 24X Fiche 50-293, 82/06/08, B206140389

--B206140390 Forwards public version of revised emergency plan implementing procedures index Receipt form encl PLINL, O Commonwealth Edison Co 82/05/12 DENTON, H R NRC - No Detailed Affiliation Given, 2pp 13510 008 24X Fiche 50-293, 82/06/08, B206140389

--B206140393 Public version of revised emergency plan implementing procedures index Commonwealth Edison Co 82/05/11 2pp 13510 010 24X Fiche 50-293, 82/06/08, B206140389

DOCKETED ITEMS

8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring program
SCHROEDER, C. H. Commonwealth Edison Co 82/06/16 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X
Fiche 50-000, 82/06/16, 8206240332

8206230021 Releases public version of generating stations emergency plan telephone directory
FELTON, J. M. Division of Rules and Records 82/06/17 Document Management Branch 1p 13594 073 24X Fiche 50-000, 82/06/17, 8206230021

--8206230032 Forwards public version of generating stations emergency plan telephone directory
MOORE, R. D. Commonwealth Edison Co 82/06/04 DENTON, H. R. NRC - No Detailed Affiliation Given 1p 13594 074 24X
Fiche 50-000, 82/06/17, 8206230021

--8206230037 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 40pp 13594 076 24X
Fiche 50-000, 82/06/17, 8206230021

8206240032 Releases public version of generating stations emergency plan telephone directory
FELTON, J. M. Division of Rules and Records 82/06/18 Document Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18, 8206240032

--8206240049 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 41pp 13617 337 24X
Fiche 50-000, 82/06/18, 8206240032

8206300112 Releases public version of revised generating station emergency plan environ director emergency plan implementing procedures
FELTON, J. M. Division of Rules and Records 82/06/23 Document Management Branch 1p 13695 001 24X Fiche 50-000, 82/06/23, 8206300112

--8206300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
CICHY, G. Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement 2pp 13695 002 24X
Fiche 50-000, 82/06/23, 8206300112

--8206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
LITERSKI, L. A. Commonwealth Edison Co 82/06/02 11pp 13695 004 24X Fiche 50-000, 82/06/23, 8206300112

J Insurance & indemnity information

8206080378 Forwards Endorsements 136 to NELIA Policy NF-43, 144 to MAELU Policy MF-22, 59 to MAELU Policy MF-54, 72 to NELIA Policy NF-187, 59 to NELIA Policy NF-201 & 50 to MAELU Policy MF-64
OSTER, J. Commonwealth Edison Co 82/05/20, SALTZMAN, J. Office of State Programs, Director. 7pp 13417 137 24X
Fiche 50-000, 82/05/20, 8206080378

P Operating license stage documents & correspondence

8206020062 Addl response to FOIA request for all documents re probabilistic risk assessment for facilities. Forwards CS Woodhead 800530 memo to ES Christenbury
FELTON, J. M. Division of Rules and Records 81/11/06 DORSEY, J. A. Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06, 8206020062

--8206020075 Discusses 800527 meeting re possible legal &/or public perception consequences to NRC plan for risk assessment of sites near high population areas. Interim revision of 10CFR100 should be issued pending proposed rule
WOODHEAD, C. P. Office of the Executive Legal Director 80/05/30 CHRISTENBURY, E. Office of the Executive Legal Director 2pp 13339 213 24X Fiche 50-000, 81/11/06, 8206020062

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
FELTON, J. M. Division of Rules and Records 82/05/12 MCMURRAY, C. H. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 26pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided
MEDEIROS, H. S. Reactor Systems Standards Branch 81/02/02 ARLOTTO, G. A. Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

8206020551 Application to amend License DPR-39, changing Tech Spec Section 3.2.2 to specify new limit on total power peaking factor, FG
LENTINE, F. G. Commonwealth Edison Co 82/05/21 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 2pp 13324 016 24X
Fiche 50-295, 82/05/21, 8206020551

--8206020563 Proposed Tech Spec changes to Section 3.2.2 re power peaking factor, FG
* Commonwealth Edison Co 82/05/21 4pp 13324 018 24X
Fiche 50-295, 82/05/21, 8206020551

8206020402 Confirmatory action ltr re 820521 & 24 talcons Unit may restart from Mode 5, but may not operate beyond Mode 3 until satisfactory completion of listed items. Concurrence to go from Mode 5 to Mode 3 supersedes 820305 confirmation ltr
KEPPLER, J. G. Region 3, Office of Director 82/05/26 REED, C. Commonwealth Edison Co 2pp 13326 243 24X Fiche 50-295, 82/05/26, 8206020402

8206030294 Advises that response to TMI Action Item II K 3 25 re loss of ac power on pump seals is acceptable
VARQA, S. A. Operating Reactors Branch 1 82/05/26 DELGEOERGE, L. O. Commonwealth Edison Co 2pp 13361 324 24X Fiche 50-295, 82/05/26, 8206030294

8206080103 Informs that util training program meets TMI Action Item II B 4 requirements & is acceptable. Future changes to facilities should be reflected in updates to training program
VARQA, S. A. Operating Reactors Branch 1 82/05/28 DELGEOERGE, L. O. Commonwealth Edison Co 2pp 13441 332 24X Fiche 50-295, 82/05/20, 8206080103

8206170051 RESPONSE OF THE ZION & INDIAN POINT CONTAINMENT BUILDINGS TO SEVERE ACCIDENT PRESSURES
BUTLER, T. A. Los Alamos Scientific Laboratory FIN A-7270 NUREG/CR-2569 82/05/31 Division of Engineering 41pp Available at NTIS \$3 00 13555 240 24X Fiche 50-000, 82/05/31, 8206170051

8206070281 Submits addl info requested in NRC 820524-27 discussions re 820521 proposed change to License DPR-39 Results of Westinghouse FAC analysis indicate that 2.091 is highest total peaking factor which could occur during Cycle 7
LENTINE, F. G. Commonwealth Edison Co 82/06/02 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 2pp 13368 269 24X
Fiche 50-295, 82/06/02, 8206070281

8206100214 Forwards requested info re implementation status of NUREG-0737 items per Generic Ltr 82-10
SWARTZ, E. D. Commonwealth Edison Co 82/06/04 EISENHUT, D. G. Division of Licensing 20pp 13453 214 24X Fiche 50-000, 82/06/04, 8206100214

8206140008 Clarifies discussion of in-core instrumentation contained in App C to util 820517 ltr re steam generator insp & repair
Ten alternative thimbles can be used for calibr
LENTINE, F. G. Commonwealth Edison Co 82/06/07 EISENHUT, D. G. Division of Licensing 1p 13487 029 24X Fiche 50-295, 82/06/07, 8206140008

8206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A
SWARTZ, E. D. Commonwealth Edison Co 82/06/07 HAASE, W. P. Quality Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept"
* Commonwealth Edison Co CE-1-A R21 ERR 82/06/06 20pp 13522-028 24X Fiche 50-000, 82/06/07, 8206160222

8206160097 Notification of 820615 meeting w/util in Bethesda, MD to discuss basis for Tech Spec to assure leakage rate of primary to secondary coolant in each steam generator tube
WIDGINTON, D. Operating Reactors Branch 1 82/06/10 VARQA, S. A. Operating Reactors Branch 1 2pp 13538 023 24X
Fiche 50-295, 82/06/10, 8206160097

8206170394 Informs that, due to util lack of attempts to satisfy 10CFR2.790 requirements, 820414 response to control of heavy loads technical evaluation rpt is being returned. Addl info required
VARQA, S. A. Operating Reactors Branch 1 82/06/15 DELGEOERGE, L. O. Commonwealth Edison Co 2pp 13557 193 24X Fiche 50-295, 82/06/15, 8206170394

B206210110 Forwards Westinghouse "Analytical Assessment for Effects of Loose Parts, Zion 1," & affidavit requesting certain portions be considered proprietary & be withheld
LENTINE, F. O. Commonwealth Edison Co. 82/06/17 EISENHUT, D. O. Division of Licensing 1p 13560 139 24X Fiche 50-295, 82/06/17, B206210110

--B206210127 Discusses reasons for withholding info contained in "Analytical Assessment for Effects of Loose Parts, Zion 1" & forwards affidavit certifying proprietary nature
HIESEMAN, R. A. Westinghouse Electric Corp. 82/06/15 EISENHUT, D. O. Division of Licensing 1p 13560 140 24X Fiche 50-295, 82/06/17, B206210110

--B206210138 Affidavit certifying proprietary nature of portions of "Analytical Assessment for Effects of Loose Parts, Zion 1."
HIESEMAN, R. A. Westinghouse Electric Corp. 82/06/15 7pp 13560 141 24X Fiche 50-295, 82/06/17, B206210110

--B206210149 "Analytical Assessment for Effects of Loose Parts, Zion 1"
HLEHAM, R. A., YU, C. Westinghouse Electric Corp. 82/05/10 130pp 13560 148 24X Fiche 50-295, 82/06/17, B206210110

B206240429 Application for amend to Licenses DPR-39 & DPR-48 changing Tech Specs to replace 43-day holdup requirement for radioactive gaseous wastes
LENTINE, F. O. Commonwealth Edison Co. 82/06/17 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 3pp 13601 152 24X Fiche 50-295, 82/06/17, B206240429

B206240203 Provides status of NUREG-0737, Item II F 2, "Reactor Vessel Level Indicating Sys." Design of proposed mods expected to be completed during next operating cycle
LENTINE, F. O. Commonwealth Edison Co. 82/06/21 EISENHUT, D. O. Division of Licensing 2pp 13599 061 24X Fiche 50-295, 82/06/21, B206240203

B206290372 Confirms B20617 & 18 telcons w/util. Actions delineated in B20526 & 0622 confirmatory action ltr are acceptable
Startup & operation of Zion Unit 1 may proceed
KEPPLER, J. O. Region 3, Office of Director 82/06/22 REED, C. Commonwealth Edison Co. 1p 13634:111 24X Fiche 50-295, 82/06/22, B206290372

B206290407 Confirmatory action ltr re missing piece from reactor coolant pump loop A cold leg stop valve disc, discussed during B20616 & 17 telcons. Util will conduct two addl tests to evaluate potential presence of missing part
KEPPLER, J. O. Region 3, Office of Director 82/06/22, REED, C. E. Commonwealth Edison Co. 2pp 13632 317 24X Fiche 50-295, 82/06/22, B206290407

Q. Inspection reports, IE Bulletins & correspondence

B206020493 Forwards info re IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys." & IE Insp Repts 50-237/82-01, 50-249/82-01, 50-254/82-01 & 50-265/82-01, discussed during B20520 meeting
STIEDE, W. L. Commonwealth Edison Co. 82/05/24 KEPPLER, J. O. Region 3, Office of Director, 14pp 13323 001 24X Fiche 50-000, 82/05/24, B206020493

--B206020502 "Seismic Ground Motion Hazard at Zion Nuclear Power Plant Site for Pickard, Lowe & Garrick, Inc."
MCQUIRE, R. K. Dames & Moore 82/07/02 37pp 13325 015 24X Fiche 50-000, 82/05/24, B206020493

--B12020951 "Conditional Probabilities of Seismic Induced Failures for Structures & Components for Zion Nuclear Generating Station"
WESLEY, D. A. Structural Mechanics Associates, SMA 12901 02, 80/10/31 35pp, 13325 052 24X Fiche 50-000, 82/05/24, B206020493.

B206020377 Forwards photographs of ID tubeshet & resolution test photographs, description & evaluation of resolution test photographs & B&W 810518 loose part noise investigation reprot w/o photographs
LENTINE, F. O. Commonwealth Edison Co. 82/05/26, EISENHUT, D. L. Division of Licensing 15pp, 13326 270 24X Fiche 50-295, 82/05/26, B206020377.

B206070487 Submits monthly status reprot of evaluations performed in response to IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys." No changes since last status reprot
RAUSCH, T. J. Commonwealth Edison Co. 82/05/26, KEPPLER, J. O. Region 3, Office of Director, 1p, 13374.324 24X Fiche 50-000, 82/05/26, B206070487.

B202040147 IE Info Notice B2-15, "Notification of NRC." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, B204210380

B206140008 Clarifies discussion of in-core instrumentation contained in App C to Util B20517 ltr re steam generator insp & repair
Ten alternative thimbles can be used for calibr
LENTINE, F. O. Commonwealth Edison Co. 82/06/07 EISENHUT, D. O. Division of Licensing 1p, 13487-029 24X Fiche 50-295, 82/06/07, B206140008

B206250210 Forwards IE Insp Repts 50-295/82-12 & 50-304/82-10 on B20401-0514 & notice of violation.
SPESSARD, R. L. Division of Project & Resident Programs 82/06/10 REED, C. Commonwealth Edison Co. 2pp 13613 240 24X Fiche: 50-295, 82/06/10, B206250210

--B206250213 Notice of violation from insp on B20401-0514
* Division of Project & Resident Programs 82/06/10, 1p 13613 242 24X Fiche 50-295, 82/06/10, B206250210

--B206250219 IE Insp Repts 50-295/82-12 & 50-304/82-10 on B20401-0514
Noncompliance noted on B20402, operators observed routinely bypassing gripper tube up interlock in nonemergency situations.
WATERS, J. R., BURGESS, B. L., CONNAUGHTON, K. Division of Project & Resident Programs, 82/06/07 10pp 13613 243 24X Fiche 50-295, 82/06/10, B206250210.

B204210383 IE Info Notice B2-17, "Overpressurization of RCS" Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance, 82/06/11 106pp 13675 258, 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat by Workers." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675.189, 24X Fiche 50-000, 82/06/11, B204210384.

B206220369 Discusses steam generator insp & repair Insp to be performed at next refueling outage confirmed Reporting program re status of steam generator tube leakage described
LENTINE, F. O. Commonwealth Edison Co. 82/06/18 EISENHUT, D. O. Division of Licensing, 2pp 13581 274 24X Fiche 50-295, 82/06/18, B206220369

B206290407 Confirmatory action ltr re missing piece from reactor coolant pump loop A cold leg stop valve disc, discussed during B20616 & 17 telcons. Util will conduct two addl tests to evaluate potential presence of missing part.
KEPPLER, J. O. Region 3, Office of Director 82/06/22, REED, C. E. Commonwealth Edison Co. 2pp 13632.317 24X Fiche 50-295, 82/06/22, B206290407.

B206290477 Ack receipt of B20609 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-295/82-03 & 50-304/82-03.
NORRILUB, C. E. Division of Engineering & Technical Programs, 82/06/25, REED, C. Commonwealth Edison Co. 1p 13631.359 24X Fiche 50-295, 82/06/25, B206290477

--B206290488 Responds to NRC B20510 ltr re violations noted in IE Insp Repts 50-295/82-03 & 50-304/82-03. Corrective actions' Procedure ZAP 3-52-1, re change of instrument setpoint, will cover changes of safety-related instrument scaling.
DOUGLAS, E. Commonwealth Edison Co. 82/06/09 KEPPLER, J. O. Region 3, Office of Director 3pp 13631.360, 24X Fiche, 50-295, 82/06/25, B206290477.

R. Periodic operating reports & related correspondence

B206110206 Forwards monthly operating repts for May 1982.
CRAESBER, K. L. Commonwealth Edison Co. 82/06/08, Director's Office, Office of Inspection and Enforcement 1p 13466 346, 24X Fiche: 50-295, 82/06/08, B206110206

DOCKETED ITEMS

-8206110207 Monthly operating repts for May 1982
COOK, J. M. Commonwealth Edison Co 82/06/08 11pp 13466 047
24X Fiche 50-295, 82/06/08, 8206110204

Reportable occurrences, LERs & related correspondence

8206020545 Forwards LER 82-018/03L-0
GRAESSER, K. L. Commonwealth Edison Co 82/05/21. KEPLER, J. G.
Region 3, Office of Director 1p 13322 294 24X
Fiche 50-295, 82/05/21, 8206020545

-8206020560 LER 82-018/03L-0 on 820422, during routine calibr
surveillance, radiation monitor ORT-AR08 for 592-ft level of
auxiliary bldg found lower than Tech Spec limit Cause
unknown Procedures being revised.
JAKUBAITIS, T. C. Commonwealth Edison Co 82/05/21 Region 3,
Office of Director 1p 13322 295 24X Fiche 50-295, 82/05/21,
8206020545

8206020351 Forwards LER 82-019/03L-0
GRAESSER, K. L. Commonwealth Edison Co 82/05/24 KEPLER, J. G.
Region 3, Office of Director 1p 13320 277 24X
Fiche 50-295, 82/05/24, 8206020351

-8206020356 LER 82-019/03L-0 on 820424, during calibr surveillance,
condenser air ejector gas monitor IRE0015 found to be
reading low in high range of monitor Cause unknown Monitor
recall & radiation monitor calibr procedures revised
JAKUBAITIS, T. C. Commonwealth Edison Co 82/05/24 Region 3,
Office of Director 1p 13320 278 24X Fiche 50-295, 82/05/24,
8206020351

8206220125 Forwards LER 82-020/03L-0
GRAESSER, K. L. Commonwealth Edison Co 82/06/07 KEPLER, J. G.
Region 3, Office of Director 1p 13573 231 24X
Fiche 50-295, 82/06/07, 8206220125

-8206220129 LER 82-020/03L-0 on 820510, during refueling outage, fuel bldg
area radiation monitor ORC-0005 alarmed high Caused by
failed detector tube Tube replaced & monitor calibr
WANG, J. Commonwealth Edison Co 82/06/07 Region 3, Office of
Director 1p 13573 233 24X Fiche 50-295, 82/06/07, 8206220125,

DOCKET 50-296 BROWNS FERRY NUCLEAR POWER STATION, UNIT 3

Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J. M. Division of Rules and Records 82/05/11. REYNOLDS, R. S.
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
8206090002

-8206090082 Forwards updated info re status of prompt notification
sys for facilities Util expects to meet 820201 deadline
STOHR, J. P. Emergency Preparedness & Program Support Branch
82/01/21 GRIMES, B. K. Division of Emergency Preparedness 3pp
13454 155 24X Fiche 50-000, 82/05/11, 8206090002

-8203110473 Submits update of current assessment of licensees ability
to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKO, W. J. Office of the Executive Director for Operations
82/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/05/11, 8206090002

-8206090007 Forwards first monthly rept re status of prompt notification
sys implementation at facilities Meteorological programs,
emergency response facilities & research reactors need addl
mgt attention & clarification.
O'REILLY, J. P. Region 2, Atlanta, Office of the Director
(81/03/01), 81/01/08. DEYOUNG, R. C. Director's Office, Office of
Inspection and Enforcement Age 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

-8203110481 Submits monthly update of status of implementation of prompt
notification sys.
SPENCER, D. S. Division of Technical Inspection 82/01/05.
GRIMES, B. K. Division of Emergency Preparedness 8pp 13454 176,
24X Fiche: 50-000, 82/05/11, 8206090002

-8206090133 Responds to 820203 request for info re deficiencies
identified in initial testing of prompt notification sys
Facility test info encl.
STOHR, J. P. Division of Emergency Preparedness & Operational
Support 82/02/04 GRIMES, B. K. Division of Emergency
Preparedness 3pp 13454 239 24X Fiche 50-000, 82/05/11,
8206090002

8206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan" Plan should be of benefit to
understanding of NRC response to emergency W/o encl
STOHR, J. P. Division of Emergency Preparedness & Operational Support
82/05/12 PARRIS, H. G. Tennessee Valley Authority 1p 13375 05J
24X Fiche 50-000, 82/05/12, 8206070481

8206020108 Releases public version of revision to radiological
emergency plan
FELTON, J. M. Division of Rules and Records 82/05/25 Document
Management Branch 1p 13333 074 24X Fiche 50-259, 82/05/25,
8206020108

--8206020116 Forwards public version of Revision BFN-REP-82-002 to
radiological emergency plan Receipt form encl
WISEBURG, H. R. Tennessee Valley Authority 82/04/30 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 2pp 13333 075
24X Fiche 50-259, 82/05/25, 8206020108

--8206020121 Public version of Revision BFN-REP-82-002 to radiological
emergency plan Revision log sheet encl
Tennessee Valley Authority 82/04/28 43pp 13333 077 24X
Fiche 50-259, 82/05/25, 8206020108

8206030217 Forwards summary description of prompt notification sys at
facilities Four oversize locator maps for fixed sirens encl
Aperture cards are available in PDR
HILLS, L. M. Tennessee Valley Authority 82/05/25 VASSALLO, D. D.
Operating Reactors Branch 2 2pp 13337 265 24X
Fiche 50-259, 82/05/25, 8206030217

8206180129 Forwards FEMA 810922 ltr to State of AL containing rept of
deficiencies noted in 810909-10 emergency preparedness
exercise & regional assistance committee & State of AL
review of exercise
KRIMM, R. W. Federal Emergency Management Agency 82/06/02
GRIMES, B. Division of Emergency Preparedness 14pp 13552 159
24X Fiche 50-259, 82/06/02, 8206180129

8206170127 Forwards revised physical security plan Plan withheld
(ref 10CFR73.21)
HILLS, L. M. Tennessee Valley Authority 82/06/11 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 1p 13531 047 24X
Fiche 50-259, 82/06/11, 8206170127

G. Adjudicatory correspondence

8206040288 Response to ASLAB 820517 order requesting why Util 81103
submission not provided to ASLAB Util did not intentionally
mislead ASLAB & does not believe submission met to issues
before ASLAB Certificate of Svc encl
SANDER, H. S., WALLACE, L. E., BURGER, J. F. Tennessee Valley Authority.
82/05/27 7pp 13338 284 24X Fiche 50-259, 82/05/27, 8206040288

8206040297 Memorandum in response to ASLAB 820517 order Util failed to
serve parties w/81103 amended application NRC technical
staff did not inquire into document distribution & NRC
counsel unaware of document existence W/Certificate of Svc
RAWSON, R. J. Hearing Branch 4 82/05/28 8pp 13354 145 24X
Fiche 50-259, 82/05/28, 8206040297

8206170246 Memorandum ALAB-677, re-emphasizing need for ASLAB to be
informed of all significant developments which may have
bearing on decisions in pending proceedings Util failure to
serve mod violated ASLAB imposed requirements
SHENAKER, C. J. Atomic Safety and Licensing Appeal Panel 82/06/10
13pp 13533 190 24X Fiche 50-259, 82/06/10, 8206170246

P. Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of
documents Forwards documents listed in App A Documents
listed in App B available in PDR Confidential financial
info deleted
FELTON, J. M. Division of Rules and Records 82/05/12 McMURRAY, C. M.
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling
rulemaking Steering group to issue justification for
rulemaking activity in advance of agreement on quantitative
safety goal Examples of valve misoperation provided
MEDEIROS, H. S. Reactor Systems Standards Branch 81/02/02
ARLOTT, D. A. Division of Engineering Standards 20pp 13638 102
24X Fiche 50-000, 82/05/12, 8206280071

8206010051 Forwards Amends 83,80 & 54 to Licenses DPR-33,DPR-52 & DPR-68, respectively,safety evaluation & notice of issuance & availability Amends change Tech Specs to provide addl surveillance requirements for scram discharge vol vent
CLARK,R J Operating Reactors Branch 2 82/05/19 PARRIS,H O
Tennessee Valley Authority 2pp 13320 020 24X
Fiche 50-259, 82/05/19, 8206010051

--8206010055 Amends 83,80 & 54 to Licenses DPR-33,DPR-52 & DPR-68, respectively,changing Tech Specs to provide addl surveillance requirements for scram discharge vol vent, drain valves & limit switches
VASSALLO,D B Operating Reactors Branch 2 82/05/19 31pp
13332 022 24X Fiche 50-259, 82/05/19, 8206010051

--8206010060 Safety evaluation supporting Amends 83,80 & 54 to Licenses DPR-33,DPR-52 & DPR-68, respectively Technical Evaluation Rept TER-C5506-67/71/76 encl
+ Office of Nuclear Reactor Regulation, Director 82/05/19 2pp
13332 052 24X Fiche 50-259, 82/05/19, 8206010051

--8202090403 "BWR Scram Discharge Vol Long-Term Mods,TVA,Browns Ferry Nuclear Plants 1,2 & 3," technical evaluation rept
MUCHA,E Franklin Institute/Franklin Research Center
TER-C5506-67/71/76 82/02/05 71pp 13332 053 24X
Fiche 50-259, 82/05/19, 8206010051

--8206010063 Notice of issuance & availability of Amends 83,80 & 54 to Licenses DPR-33,DPR-52 & DPR-68, respectively
VASSALLO,D B Operating Reactors Branch 2 82/05/19 2pp
13332 123 24X Fiche 50-259, 82/05/19, 8206010051

8206040063 Forwards Amends 84,81 & 55 to Licenses DPR-33,DPR-52 & DPR-68, respectively,safety evaluation & notice of issuance & availability Amends change Tech Specs,adding addl requirements for insp of snubbers & seismic restraints
CLARK,R J Operating Reactors Branch 2 82/05/24 PARRIS,H O
Tennessee Valley Authority 2pp 13391 001 24X
Fiche 50-259, 82/05/24, 8206040063

--8206040065 Amends 84,81 & 55 to Licenses DPR-33,DPR-52 & DPR-68, respectively,changing Tech Specs to add addl requirements for insp of snubbers & seismic restraints in response to 81120 generic request
VASSALLO,D B Operating Reactors Branch 2 82/05/24 60pp
13391 003 24X Fiche 50-259, 82/05/24, 8206040063

--8206040067 Safety evaluation supporting Amends 84,81 & 55 to Licenses DPR-33,DPR-52 & DPR-68, respectively
+ Office of Nuclear Reactor Regulation, Director 82/05/24 4pp
13391 069 24X Fiche 50-259, 82/05/24, 8206040063

--8206040068 Notice of issuance & availability of Amends 84,81 & 55 to Licenses DPR-33,DPR-52 & DPR-68, respectively
VASSALLO,D B Operating Reactors Branch 2 82/05/24 2pp
13391 073 24X Fiche 50-259, 82/05/24, 8206040063

8206100419 Notification of 820602 meeting w/uttl & EG&O in Chattanooga, TN to discuss info needed by NRC for Unresolved Safety Issue A-47, "Safety Implications for Control Sys"
CLARK,R J Operating Reactors Branch 2 82/05/24 VASSALLO,D B
Operating Reactors Branch 2 2pp 13498 352 24X
Fiche 50-259, 82/05/24, 8206100419

8206090008 Forwards response to D Vassallo 820209 request for addl info & corrections to Tech Spec typographical & omission errors
KAHMER,D B Tennessee Valley Authority, 82/06/03 DENTON,H R
Office of Nuclear Reactor Regulation, Director 25pp 13435 109
24X Fiche 50-260, 82/06/03, 8206090008

8206140169 Forwards info re Section 2.1 of NUREG-0612, "Control of Heavy Loads at Nuclear Power Plants," in response to NRC 801222 ltr Six oversize drawings encl Aperture cards are available in PDR
KAHMER,D B Tennessee Valley Authority 82/06/03 VASSALLO,D B,
Operating Reactors Branch 2 13pp 13487 212 24X
Fiche 50-259, 82/06/03, 8206140169

--8206140178 "Mechanical Maint Instruction 119 Refuel Floor Lifting Instruction " Six oversize drawings encl Aperture cards are available in PDR
+ Tennessee Valley Authority 81/05/05 11pp 13487 227 24X
Fiche 50-259, 82/06/03, 8206140169

--8206140207 "Mechanical Maint Instruction 102 Rigging Equipment Program "
+ Tennessee Valley Authority 81/01/13 62pp 13487 240 24X
Fiche 50-259, 82/06/03, 8206140169

--8206140211 "Mechanical Maint Instruction 117 Installed Overhead Traveling Bridge Cranes - Insp,Testing & Preventative Maint "
+ Tennessee Valley Authority 81/03/03 48pp 13487 302 24X
Fiche 50-259, 82/06/03, 8206140169

--8206140214 "Crane Operator Qualification & Authorization "
+ Tennessee Valley Authority 81/03/25 10pp 13487 350 24X
Fiche 50-259, 82/06/03, 8206140169

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT,D O Division of Licensing 82/06/09 HAUSPURD,A,
Consolidated Edison Co of New York HATTINDE,J J Sacramento
Municipal Utility District WITHERS,B D Portland General Electric
Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206210380 Forwards corrections to 820430 Tech Spec change request
MILLS,L M Tennessee Valley Authority 82/06/10 DENTON,H R
Office of Nuclear Reactor Regulation, Director 2pp 13582 342
24X Fiche 50-259, 82/06/10, 8206210380

--8206210393 Corrections to 820430 proposed Tech Spec changes,clarifying requirements on inoperable control rods to avoid misinterpretation
+ Tennessee Valley Authority 82/06/10 5pp 13582 344 24X
Fiche 50-259, 82/06/10, 8206210380

8206230272 Forwards request for addl info re environ qualification of safety-related electrical equipment,including THI action plan equipment
VASSALLO,D B Operating Reactors Branch 2 82/06/16 PARRIS,H O
Tennessee Valley Authority 6pp 13592 227 24X
Fiche 50-259, 82/06/16, 8206230272

8206230075 Forwards response to NRC 820513 request for addl info re NUREG-0737, Items 11 B 2, II F.1.1 & II F.1.2 re plant shielding,sampling of plant effluents & sampling of high-range radioiodine, respectively
MILLS,L M Tennessee Valley Authority 82/06/17 DENTON,H R
Office of Nuclear Reactor Regulation, Director 3pp, 13588 245
24X Fiche 50-259, 82/06/17, 8206230075

8206290359 Declines participation in study re NUREG-0705, "Identification of New Unsolved Safety Issues re Nuclear Power Plants" & Task A-47, "Safety Implications of Control Sys," per 820602 request
MILLS,L M Tennessee Valley Authority 82/06/23 DENTON,H R,
Office of Nuclear Reactor Regulation, Director 2pp 13632 341
24X Fiche 50-259, 82/06/23, 8206290359.

8206290091 Forwards response to Generic Ltr 82-10, "Post-THI Requirements " Continued operation w/o suspension,mod or revocation of DLs justified
MILLS,L M Tennessee Valley Authority 82/06/24, DENTON,H R
Office of Nuclear Reactor Regulation, Director 3pp 13634 330
24X Fiche 50-259, 82/06/24, 8206290091

8206290109 Endorses B&W owners group work addressing interim hydrogen control rule, LOCFR50 44 Mark I containment design adequately controls combustible gases w/o need for containment venting
Addl design features not required
MILLS,L M Tennessee Valley Authority 82/06/24, DENTON,H R,
Office of Nuclear Reactor Regulation, Director 2pp 13634 316
24X Fiche 50-259, 82/06/24, 8206290109

Q Inspection reports, IE Bulletins & correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON,J M Division of Rules and Records 82/04/21, WADE,J
Public Interest Research Group, New York 7pp, 13524 010, 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150043 Ack receipt of 811013 ltr informing NRC of steps taken to correct deficiencies noted in 810922 notice of violation.
Actions acceptable
DEVOUNO,R C Director's Office, Office of Inspection and Enforcement, 82/01/04 PARRIS,H O Tennessee Valley Authority
1p 13524 023 24X Fiche 50-000, 82/04/21, 8206150016

8206070505 Ack receipt of 820517 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12.
LEWIS,R C Division of Project & Resident Programs 82/05/26,
PARRIS,H O Tennessee Valley Authority 1p 13374 102 24X
Fiche 50-259, 82/05/26, 8206070505.

DOCKETED ITEMS

--8206070512 Responds to NRC 820415 ltr re violations noted in IE Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12 Corrective actions rupture disc assembled correctly & mechanical maint instruction 22 will be revised
MILLS, L. M. Tennessee Valley Authority 82/05/17 O'REILLY, J. P.
Region 2, Office of Director 7p 13374 103 24X
Fiche 50-259, 82/05/26, 8206070505

--8206070526 Forwards IE Insp Repts 50-259/82-12, 50-260/82-12 & 50-296/82-12 on 820226-0325 & notices of violation & deviation
LEWIS, R. C. Division of Project & Resident Programs 82/04/15
PARRIS, H. G. Tennessee Valley Authority 2pp 13374 110 24X
Fiche 50-259, 82/05/26, 8206070505

--8206070533 Notice of violation from insp on 820226-0325
* Division of Project & Resident Programs 82/04/15 2pp
13374 112 24X Fiche 50-259, 82/05/26, 8206070505

--8206070543 Notice of deviation from insp on 820226-0325
* Division of Project & Resident Programs 82/04/15 1p
13374 114 24X Fiche 50-259, 82/05/26, 8206070505

--8206070554 IE Insp Repts 50-237/82-12, 50-260/82-12 & 50-296/82-12 on 820226-0325, Noncompliance noted violation of 10CFR50 App D Criterion V & Tech Specs & 3 A & 4 & H 1 & failure to meet commitment date
SULLIVAN, R. F.; CHASE, J. W.; PAULK, G. L. Division of Project & Resident Programs 82/04/14 10pp 13374-115 24X
Fiche 50-259, 82/05/26, 8206070505

8206070561 Act receipt of 820517 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-259/81-37, 50-260/81-37 & 50-296/81-37
LEWIS, R. C. Division of Project & Resident Programs 82/05/26
PARRIS, H. G. Tennessee Valley Authority 1p 13373 086 24X
Fiche 50-259, 82/05/26, 8206070561

--8206070571 Suppls responses to NRC 820121 & 0315 ltrs re violations noted in IE Insp Repts 50-259/81-37, 50-260/81-37 & 50-296/81-37 Corrective actions new valve check list run on radiowaste sys to ensure proper alignment of all valves
MILLS, L. M. Tennessee Valley Authority 82/05/17 O'REILLY, J. P.
Region 2, Office of Director 3pp 13373 087 24X
Fiche 50-259, 82/05/26, 8206070561

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440-264, 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 106pp 13527 190 24X
Fiche 50-000, 82/06/02, 8204210380

8206220568 Provides addl justification for suspension of functional testing of scram discharge instrument vol level switches following each scram per IE Bulletin 80-17, Suppl 3
Reconsideration of suspension denial requested
MILLS, L. M. Tennessee Valley Authority 82/06/04, O'REILLY, J. P.
Region 2, Office of Director, 3pp 13582 198 24X
Fiche: 50-259, 82/06/04, 8206220568

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13673 238 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Msl by Workers " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11, 120pp 13673-189 24X
Fiche 50-000, 82/06/11, 8204210384

8206230078 Act receipt of 820601 ltr w/info re wiring funds for payment of civil penalties
LIEBERMAN, J. Enforcement Staff 82/06/21, MILLS, L. M. Tennessee Valley Authority 2pp 13628 320 24X Fiche: 50-259, 82/06/21, 8206230078

R Periodic operating reports & related correspondence

8206010319 Forwards monthly operating repts for Apr 1982
JONES, O. T. Tennessee Valley Authority 82/05/11 Office of Management and Program Analysis 1p 13300 129 24X
Fiche 50-259, 82/05/11, 8206010319

--8206010326 Monthly operating repts for Apr 1982
JONES, O. T. Tennessee Valley Authority 82/05/01 42pp
13300 130 24X Fiche 50-259, 82/05/11, 8206010319

8206290558 Forwards revisions to effluent & waste disposal semiannual rpt for 1980 Corrects errors in solid waste-dry compressible waste, containment equipment figures, submitted on 820513
MILLS, L. M. Tennessee Valley Authority 82/06/23 VASSALLO, D. B.
Operating Reactors Branch 2 2pp 12631 053 24X
Fiche 50-259, 82/06/23, 8206290558

--8206290563 Revisions to effluent & waste disposal semiannual rpt for 1980
* Tennessee Valley Authority 82/06/23 4pp 13631 055 24X
Fiche 50-259, 82/06/23, 8206290558

S Reportable occurrences, LERs & related correspondence

8206010182 Forwards updated LER 81-065/03X-1
GREEN, H. J. Tennessee Valley Authority 82/05/04 O'REILLY, J. P.
Region 2, Office of Director 1p 13307 195 24X
Fiche 50-296, 82/05/04, 8206010182

--8206010190 Updated LER 81-065/03X-1 on B11031, reactor core isolation cooling steam supply isolation valve 3-FCV-71-3 could not be closed electrically Caused by wire lug broken off due to stress on motor field winding lead
CARTER, S. Tennessee Valley Authority 82/05/04 Region 2,
Office of Director 2pp 13307 196 24X Fiche 50-296, 82/05/04, 8206010182

8206010230 Forwards LER 82-007/03X-1
GREEN, H. J. Tennessee Valley Authority 82/05/18 O'REILLY, J. P.
Region 2, Office of Director, 1p 13301-156 24X
Fiche 50-296, 82/05/18, 8206010230

--8206010234 LER 82-007/03X-1 on 820318, ice storm caused loss of offsite power to 4-kV bus-tie board. Caused by interruption of power to cooling tower transformers & 4-kV switchgear feeding bus-tie board due to loss of 161-kV lines
SOLLEY, S. H. Tennessee Valley Authority 82/05/14 Region 2,
Office of Director 2pp 13301 157 24X Fiche 50-296, 82/05/18, 8206010230

8206010534 Forwards LER 81-062/03X-1
GREEN, H. J. Tennessee Valley Authority 82/05/19 O'REILLY, J. P.
Region 2, Office of Director 1p 13314 098 24X
Fiche 50-296, 82/05/19, 8206010534

--8206010543 LER 81-062/03X-1 on B11009, diesel generator 3C taken out of svc to calibr relay PFD1 out of tolerance & would not repeat; however, generator was operable & startable Delay relay replaced & timed
GREEN, H. J. Tennessee Valley Authority 82/05/14 Region 2,
Office of Director 2pp 13314 099 24X Fiche 50-296, 82/05/19, 8206010534

8206010442 Forwards LER 82-013/03L-0
GREEN, H. J. Tennessee Valley Authority 82/05/20, O'REILLY, J. P.
Region 2, Office of Director 1p 13307 348 24X
Fiche: 50-296, 82/05/20, 8206010442

--8206010450 LER 82-013/03L-0 on 820423, while performing SI 4 R. 2-B-6, pressure switch 3-PS-64-57D operated above Tech Spec limits Caused by setpoint drift Static-O-Ring switch model 12N-AA4 recalibr, tested & returned to svc
IRBY, B. J. Tennessee Valley Authority 82/05/20 Region 2,
Office of Director, 3pp 13307 349 24X Fiche 50-296, 82/05/20, 8206010442

8206010546 Forwards LER 82-012/03L-0
GREEN, H. J. Tennessee Valley Authority 82/05/20 O'REILLY, J. P.
Region 2, Office of Director 1p 13315 337 24X
Fiche 50-296, 82/05/20, 8206010546

--8206010555 LER 82-012/03L-0 on 820422, drywell pressure switch 3-PS-64-58C, switches 1 & 2 found operating at 2.517 psig, respectively, outside Tech Spec limit plus/minus 2.5 psig Caused by calibr drift Switch recalibr
IRBY, B. J. Tennessee Valley Authority 82/05/20, Region 2,
Office of Director 3pp 13315 338 24X Fiche 50-296, 82/05/20, 8206010546

8206010265 Forwards LER 82-014/03L-0

GREEN, H J Tennessee Valley Authority 82/05/24 O'REILLY, J P
Region 2, Office of Director 1p 13307 147 24X
Fiche 50-296, 82/05/24, 8206010265

--8206010275 LER 82-014/03L-0 on 820425, continuous air monitor 90-247
alarmed & insp revealed low flow alarm in caused by vacuum
pump failure due to normal operation Unit changed out &
returned to svc
PORTER, M R Tennessee Valley Authority 82/05/24 Region 2,
Office of Director 2pp 13307 148 24X Fiche 50-296, 82/05/24,
8206010265

8206070630 Forwards LER 82-016/03L-0

GREEN, H J Tennessee Valley Authority 82/05/26 O'REILLY, J P
Region 2, Office of Director 1p 13389 291 24X
Fiche 50-296, 82/05/26, 8206070630

--8206070640 LER 82-016/03L-0 on 820428, EECW pump A3 did not
automatically start when diesel generator 3D started
Caused by wiring error on relay TD2A on 4-KV shutdown board
JEA Relay replaced Personnel to be retrained
CHRISTOPHER, W Tennessee Valley Authority 82/05/26 Region 2,
Office of Director 2pp 13389 292 24X Fiche 50-296, 82/05/26,
8206070630

8206070414 Forwards LER 82-019/03L-0

GREEN, H J Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13371 209 24X
Fiche 50-296, 82/05/28, 8206070414

--8206070420 LER 82-019/03L-0 on 820412, channel B containment atmospheric
monitor FIC 76-104 discovered not indicating flow rendering
hydrogen analyzer B inoperable Caused by failure of solenoid
assembly FSV 76-65 due to excessive moisture buildup
MILLER, J Tennessee Valley Authority 82/05/28 Region 2,
Office of Director 2pp 13371 210 24X Fiche 50-296, 82/05/28,
8206070414

8206240339 Forwards updated LER 81-062/03X-1

GREEN, H J Tennessee Valley Authority 82/06/15 O'REILLY, J P
Region 2, Office of Director 1p 13603 172 24X
Fiche 50-296, 82/06/15, 8206240339

--8206240346 Updated LER 81-062/03X-1 on 811009, while performing EMI-3,
diesel generator 3C made inoperable to calibr relay PFD1
Caused by relay being out of tolerance Square D model EMD
8253246 pneumatic time delay relay replaced
SOLLEY, S W Tennessee Valley Authority 82/06/15 Region 2,
Office of Director 2pp 13603 173 24X Fiche 50-296, 82/06/15,
8206240339

8206240368 Forwards LER 82-020/03L-0

GREEN, H J Tennessee Valley Authority 82/06/15 O'REILLY, J P
Region 2, Office of Director 1p 13603 005 24X
Fiche 50-296, 82/06/15, 8206240368

--8206240374 LER 82-020/03L-0 on 820523, control rod drive (CRD) 46-15
failed to scram & CRD 54-47 had 90% scram insertion time of
8.02-s, failing to meet Tech Spec 3.3 C criteria Caused by
incorrectly rebuilt pilot valves Valves reassembled
WINDO, M D Tennessee Valley Authority 82/06/15 Region 2,
Office of Director 2pp 13603 006 24X Fiche 50-296, 82/06/15,
8206240368

8206240315 Forwards LER 82-024/03L-0

GREEN, H J Tennessee Valley Authority 82/06/18 O'REILLY, J P
Region 2, Office of Director 1p 13596 200 24X
Fiche 50-296, 82/06/18, 8206240315

--8206240317 LER 82-024/03L-0 on 820923, during startup testing, 5% average
insertion time for all control rods exceeded & 11 2x2 arrays
failed to meet 5% insertion time for fastest 3 rods Cause
undetermined
WINDO, M D Tennessee Valley Authority 82/06/18 Region 2,
Office of Director 2pp 13596 201 24X Fiche 50-296, 82/06/18,
8206240315

8206300222 Forwards LER 82-021/03L-0

GREEN, H J Tennessee Valley Authority 82/06/18 O'REILLY, J P
Region 2, Office of Director 1p 13654 282 24X
Fiche 50-296, 82/06/18, 8206300222

--8206300232 LER 82-021/03L-0 on 820525, core standby cooling sys pressure
switch PS-68-93, switches 1 & 2 & pressure switch PS-3-74B,
switch 2 operated above allowable level Caused by instrument
drift Switches recalibr.
IRBY, B J Tennessee Valley Authority 82/06/18 Region 2,
Office of Director 3pp 13654 283 24X Fiche 50-296, 82/06/18,
8206300222

8206300217 Forwards LER 82-022/03L-0

GREEN, H J Tennessee Valley Authority 82/06/22 O'REILLY, J P
Region 2, Office of Director 1p 13654 294 24X
Fiche 50-296, 82/06/22, 8206300217

--8206300225 LER 82-022/03L-0 on 820525, 31 & 0607, drywell temp
indicator TI-44-52A found reading downscale & declared
inoperable Cause unknown Investigation continuing
Followup rept will be submitted in 60 days
IRBY, B J Tennessee Valley Authority 82/06/22 Region 2,
Office of Director 2pp 13654 293 24X Fiche 50-296, 82/06/22,
8206300217

X Onsite Storage of Low Level Waste

8206220055 Forwards safety evaluation re low level radwaste storage
facility at Browns Ferry & notice of availability
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/04
PARRIS, H O Tennessee Valley Authority 1p 13585 048 24X
Fiche 50-259, 82/06/04, 8206220055

--8206220060 Safety evaluation supporting low level radwaste storage
facility at Browns Ferry
* Advanced Fuel & Spent Fuel Licensing Branch 82/05/31, 27pp
13585 049 24X Fiche 50-259, 82/06/04, 8206220055

--8206220064 Notice of availability of safety evaluation re low level
radwaste storage facility at Browns Ferry
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/04
3pp 13585 076 24X Fiche 50-259, 82/06/04, 8206220055

8206300009 Forwards EIA, supporting application for authority to store
low level radwaste at Browns Ferry Units 1, 2 & 3 site &
notice of issuance & availability
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/09
PARRIS, H O Tennessee Valley Authority 3pp 13683 241 24X
Fiche 50-259, 82/06/09, 8206300009

--8206300012 Notice of issuance & availability of EIA, supporting
application for authority to store low level radwaste at
Browns Ferry, Units 1, 2 & 3 site
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 82/06/09
2pp 13683 244 24X Fiche 50-259, 82/06/09, 8206300009.

--8206300014 EIA supporting application for authority to store low level
radwaste at Browns Ferry, Units 1, 2 & 3 site
* Division of Fuel Cycle & Material Safety 82/06/30 71pp
13683 246 24X Fiche 50-259, 82/06/09, 8206300009

DOCKET 50-297 NORTH CAROLINA STATE UNIV PULSTAR REACTOR

Q Inspection reports, IE Bulletins & correspondence

8206220547 Ack receipt of 820518 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-111/82-02 &
50-297/82-01 Violation A withdrawn
LONG, F J Division of Project & Resident Programs 82/07/03
COCKRELL, R O North Carolina State Univ 1p 13580 319 24X
Fiche 50-111, 82/07/03, 8206220547

--8206220556 Responds to NRC 820421 ltr re violations noted in IE Insp
Repts 50-111/82-02 & 50-297/82-01 Corrective actions 820312
incident reported & reactor safeguards advisory group met
820331 Disputes Item A re safeguards advisory group
COCKRELL, R O North Carolina State Univ 82/05/18 LONG, F J
Division of Project & Resident Programs 6pp 13580 320 24X
Fiche 50-111, 82/07/03, 8206220547.

--8206220559 Forwards IE Insp Repts 50-111/82-02 & 50-297/82-01 on
820315-19 & notice of violation
LONG, F J Division of Project & Resident Programs 82/04/21,
COCKRELL, R O North Carolina State Univ 2pp 13580 328 24X
Fiche 50-111, 82/07/03, 8206220547

--8206220569 Notice of violation from insp on 820315-19
* Division of Project & Resident Programs 82/04/21 1p,
13580 330 24X Fiche 50-111, 82/07/03, 8206220547

--8206220578 IE Insp Repts 50-111/82-02 & 50-297/82-01 on 820315-19,
Noncompliance noted control room left unattended & reactor
safeguards advisory group not convened semiannually
JULIAN, C., BURGER, C Division of Project & Resident Programs
82/04/21 7pp 13580 331 24X Fiche 50-111, 82/07/03, 8206220547

DOCKET 50-298 COOPER NUCLEAR STATION

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8203110478 Submits update of status of implementation of prompt notification sys Regional FEMA ofcs have indicated reviews/ tests of sys have not been conducted
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01) 82/01/04 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 1p 13454-175 24X Fiche 50-000, 82/05/11, 8206090002

--8206090174 Advises of licensee compliance w/820201 deadline for prompt notification sys
COLLINS, J T Region 4, Office of Director 82/02/09 GRIMES, B K Division of Emergency Preparedness 1p 13454 248 24X
Fiche 50-000, 82/05/11, 8206090002

8206040061 Agrees that changes presented in 820128 ltr re Revision 10 to physical security plan are consistent w/10CFR50 54(p) Revised pages should be submitted
VASSALLO, D B Operating Reactors Branch 2 82/05/20 PILANT, J M Nebraska Public Power District 2pp 13362 345 24X
Fiche 50-298, 82/05/20, 8206040061

8206220164 Ack receipt of 820524 ltr re public notification sys mod Proposal being reviewed If 820701 sys operational date cannot be met, NRC should be contacted
COLLINS, J T Region 4, Office of Director 82/05/26 PILANT, J M Nebraska Public Power District 1p 13574 050 24X
Fiche 50-298, 82/05/26, 8206220164

--8206220166 Updates util actions re early warning sys Util will make tone alert radios available for all residences within 10-mile emergency planning zone not covered by fixed sirens
PILANT, J M Nebraska Public Power District 82/05/24 COLLINS, J C Region 4, Office of Director 3pp 13574 051 24X
Fiche 50-298, 82/05/26, 8206220164

8206180339 Responds to 820503 ltr re changes to physical security plan Changes consistent w/10CFR50 54(p) Revised pages requested
VASSALLO, D B Operating Reactors Branch 2 82/06/11 PILANT, J M Nebraska Public Power District 2pp 13569 324 24X
Fiche 50-298, 82/06/11, 8206180339

P Operating license stage documents & correspondence

8206160321 Responds to 820224 request for addl info re RCB venting capability to ensure core cooling during natural circulation per NUREG-0737, Item II B 1 Facility does not have isolation condenser Special study unnecessary
PILANT, J M Nebraska Public Power District 82/04/30 VASSALLO, D B Operating Reactors Branch 2 2pp 13521 223 24X
Fiche 50-298, 82/04/30, 8206160321

8206010022 Summary of 820429 meeting w/util & EDS Nuclear, Inc re plant-unique analysis rpt for Mark I containment program. List of attendees encl
SIEGEL, B L Operating Reactors Branch 2 82/05/10 Operating Reactors Branch 2 2pp 13319 159 24X Fiche 50-298, 82/05/10, 8206010022

8206020237 Forwards Amend 79 to License DPR-46, safety evaluation & notice of issuance & availability Amend permits operation during startup between 820322 & 25 w/containment deinterred & w/o drywell suppression chamber differential pressure.
SIEGEL, B L Operating Reactors Branch 2 82/03/10, PILANT, J M Nebraska Public Power District 2pp 13334 319 24X
Fiche 50-298, 82/05/10, 8206020237

--8206020242 Amend 79 to License DPR-46, permitting operation during startup for period not to exceed 48-h between 820322 & 25 w/containment deinterred & w/o drywell suppression chamber differential pressure
VASSALLO, D B Operating Reactors Branch 2 82/05/10 5pp, 13334-321 24X Fiche 50-298, 82/05/10, 8206020237

--8206020246 Safety evaluation supporting Amend 79 to License DPR-46
SIEGEL, B Operating Reactors Branch 2 82/05/10 2pp 13334-326 24X Fiche 50-298, 82/05/10, 8206020237

--8206020247 Notice of issuance & availability of Amend 79 to License DPR-46
VASSALLO, D B Operating Reactors Branch 2 82/05/10 2pp 13334 328 24X Fiche 50-298, 82/05/10, 8206020237

8206020269 Forwards request for addl info needed to complete review of TMI Action Item I A 2 1 re upgraded reactor operator training & Item II B 4 re training for mitigating core damage
VASSALLO, D B Operating Reactors Branch 2 82/05/18 PILANT, J M Nebraska Public Power District 4pp 13334 336 24X
Fiche 50-298, 82/05/18, 8206020269

8206080140 Informs that acceptance of NUREG-0578, Item 2 B 5 also satisfies requirements of NUREG-0737, Item II E 4 1, "Dedicated Hydrogen Penetrations" Item considered resolved for facility
VASSALLO, D B Operating Reactors Branch 2 82/06/01 PILANT, J M Nebraska Public Power District 2pp 13441 284 24X
Fiche 50-298, 82/06/01, 8206080140

8206110083 Forwards response to NRC 820518 request for addl info on NUREG-0737, Items I A 2 1 re upgraded reactor & senior reactor operator training & II B 4 re training for mitigating core damage
PILANT, J M Nebraska Public Power District 82/06/01 VASSALLO, D B Operating Reactors Branch 2 4pp 13465 268 24X
Fiche 50-298, 82/06/01, 8206110083

8206140237 Notifies that NUREG-0737, Item II K 3 3, "Reporting Relief Valve & Safety Valve Failures & Challenges" responses acceptable Item considered closed
VASSALLO, D B Operating Reactors Branch 2 82/06/01 PILANT, J M Nebraska Public Power District 2pp 13507 167 24X
Fiche 50-298, 82/06/01, 8206140237

8206110170 Forwards response to 820505 Generic Ltr 82-10 request for commitments to implement NUREG-0737 items remaining to be completed after 820301
PILANT, J M Nebraska Public Power District 82/06/04 EISENHUT, D G Division of Licensing 4pp 13466 313 24X
Fiche 50-298, 82/06/04, 8206110170

8206300419 Ack receipt of 820430 application to amend license & Class II fee Addl Class III fee required
DIGGS, R M License Fee Management Branch 82/06/04 PILANT, J M Nebraska Public Power District 1p 13661 360 24X
Fiche 50-298, 82/06/04, 8206300419

8206140338 Notifies that electrical instrumentation & control design aspects of override of containment purge valve isolation & other engineering safety feature signals for facility acceptable Multi-Plant Action Item D-24 completed
VASSALLO, D B Operating Reactors Branch 2 82/06/07 PILANT, J M Nebraska Public Power District 3pp 13509 082 24X
Fiche 50-298, 82/06/07, 8206140338

--8206140341 "Technical Evaluation of Electrical Instrumentation & Control Design Aspects of Oversight of Containment Purge Valve Isolation & Other Engineered Safety Feature Signals for Cooper Nuclear Power Station"
COOPER, J M E&G, Inc EGO-1183-4147 82/06/30 NRC - No Detailed Affiliation Given 18pp 13509 085 24X
Fiche 50-298, 82/06/07, 8206140338

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York CHITKARA, K K Cincinnati Oak & Electric Co LYLE, H P Northern Indiana Public Service Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206150420 Forwards Refs I, 5, 16, 20 & 49 from plant-unique analysis repts as requested W/o encl
SIEGEL, B Operating Reactors Branch 2 82/06/09 SEAGRAVES, W Franklin Institute/Franklin Research Center 1p 13525 237 24X
Fiche 50-000, 82/06/09, 8206150420

8206230176 Forwards revised proposed radiological effluent Tech Specs, offsite dose assessment manual & process control program Tech Specs for instrumentation installed under NUREG-0737, Item II F 1 forthcoming
PILANT, J M Nebraska Public Power District 82/06/09 VASSALLO, D B Operating Reactors Branch 2 19pp 13587 017 24X
Fiche 50-298, 82/06/09, 8206230176

--8206230179 Revised proposed radiological effluent Tech Specs
* Nebraska Public Power District 82/06/07 73pp 13587 036 24X Fiche 50-298, 82/06/09, 8206230176

--8206230182 Offsite dose assessment manual for assessment of gaseous & liquid effluents
 * Nebraska Public Power District 82/06/09 93pp 13587 109
 24X Fiche 50-298,82/06/09,8206230176

--8206230183 Process control program
 * Nebraska Public Power District 82/06/07 4pp 13587 202
 24X Fiche 50-298,82/06/09,8206230176

8206210626 Forwards addl sum to cover Class III fee for portion of 810430 application re changes in safety limits per NRC request
 PILANT, J M Nebraska Public Power District 82/06/10 D100B,R M
 License Fee Management Branch 1p 13561 347 24X
 Fiche 50-298,82/06/10,8206210626

8206220323 Forwards proprietary GE NEDC-24360-P, "Cooper Nuclear Station Suppression Pool Temp Response " Rept withheld (ref 10CFR2 790)
 PILANT, J M Nebraska Public Power District 82/06/10
 VASSALLO, D B Operating Reactors Branch 2 3pp 13571 065 24X
 Fiche 50-298,82/06/10,8206220323

8206180343 Requests that BNL & Franklin Research Ctr be provided w/ documents referenced in Mark I plant-unique analysis review by 820915
 VASSALLO, D B Operating Reactors Branch 2 82/06/11 PILANT, J M
 Nebraska Public Power District 2pp 13569 358 24X
 Fiche 50-298,82/06/11,8206180343

8206210458 Responds to 820517 ltr requesting confirmation of telcon re NUREG-0737, Items II F 1 4, II F 1 5 & II F 1 6, "Containment Pressure, Level & Hydrogen"
 PILANT, J M Nebraska Public Power District 82/06/16
 VASSALLO, D B Operating Reactors Branch 2 4pp 13568 289 24X
 Fiche 50-298,82/06/16,8206210458

8206280286 Confirms GE completion of reanalysis of limiting transient load rejection w/o bypass, using corrected ODYN computer code Cleanup Tech Spec submitted 820430 not affected
 PILANT, J M Nebraska Public Power District 82/06/21
 VASSALLO, D B Operating Reactors Branch 2 1p 13624 090 24X
 Fiche 50-298,82/06/21,8206280286

8206290479 Forwards info re operability of containment purge valves, per 820419 request Valves given operability test weekly & closure timing test quarterly Addl info re Questions 1 & 2 will be provided by 820730
 PILANT, J M Nebraska Public Power District 82/06/23,
 VASSALLO, D B Operating Reactors Branch 2 3pp 13631:345 24X
 Fiche 50-298,82/06/23,8206290479

G Inspection reports, IE Bulletins & correspondence

8206020073 Informs that requirement to answer all notices of violation under oath or affirmation is rescinded NRC may still exercise option to require oath in specific cases
 MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 82/05/26 PILANT, J M Nebraska Public Power District
 2pp 13322 238 24X Fiche 50-298,82/05/26,8206020073

8206020293 Ack receipt of 820427 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-298/82-04
 MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 82/05/26 PILANT, J M Nebraska Public Power District
 1p 13321:360 24X Fiche 50-298,82/05/26,8206020293

--8206020297 Responds to NRC 820331 ltr re violations noted in IE Insp Rept 50-298/82-04 Corrective actions administrative procedure 11 will be revised to include shelf life control program
 PILANT, J M Nebraska Public Power District 82/04/27
 MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 2pp 13321 361 24X Fiche 50-298,82/05/26,8206020293

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000,82/05/28,8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28,
 103pp 13440 264 24X Fiche 50-000,82/05/28,8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000,82/06/02,8204210380

8206210103 Forwards IE Insp Rept 50-298/82-12 on 820426-29 No noncompliance noted
 MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 82/06/03 PILANT, J M Nebraska Public Power District
 2pp 13559 339 24X Fiche 50-298,82/06/03,8206210103

--8206210108 IE Insp Rept 50-298/82-12 on 820426-29, No noncompliance noted Major areas inspected offsite committee & support staff
 JAUDON, J P, WEBSTERMAN, T F, HALL, R E Division of Resident, Reactor Project & Engineering Programs 82/05/25 3pp,
 13559 341 24X Fiche 50-298,82/06/03,8206210103

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
 106pp 13675 258 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000,82/06/11,8204210384

R Periodic operating reports & related correspondence

8206010189 Forwards monthly rept for Apr 1982
 LESSOR, L C Nebraska Public Power District 82/05/04 Office of
 Management and Program Analysis 1p 13307 190 24X
 Fiche 50-298,82/05/04,8206010189

--8206010193 Monthly operating rept for Apr 1982
 BALLINGER, P L Nebraska Public Power District 82/05/04 4pp
 13307 191 24X Fiche: 50-298,82/05/04,8206010189

8206010264 Forwards corrected monthly operating rept for Apr 1982
 LESSOR, L C Nebraska Public Power District 82/05/10 Office of
 Management and Program Analysis 1p 13307 150 24X
 Fiche 50-298,82/05/10,8206010264

--8206010268 Corrected monthly operating rept for Apr 1982
 BALLINGER, P L Nebraska Public Power District 82/05/10 1p,
 13307 151 24X Fiche 50-298,82/05/10,8206010264

S Reportable occurrences, LERs & related correspondence

8206070132 Forwards LER 82-009/03L-0 Detailed event analysis submitted.
 LESSOR, L C Nebraska Public Power District 82/05/28 COLLINS, J T
 Region 4, Office of Director 2pp 13371 026 24X
 Fiche 50-298,82/05/28,8206070132

--8206070136 LER 82-009/03L-0 on 820428, suppression chamber level instrument PC-LI-13 failed full-scale Caused by personnel error Ref water leg drained while collecting torus water sample Level transmitter replaced, Sampling valve tagged.
 LAURENCE, L I Nebraska Public Power District 82/05/28, Region
 4, Office of Director 1p 13371.028 24X Fiche 50-298,82/05/28,8206070132

8206100140 Forwards LER 82-010/03L-0 Detailed event analysis submitted
 LESSOR, L C Nebraska Public Power District 82/06/01 COLLINS, J T
 Region 4, Office of Director 2pp 13448.264 24X
 Fiche 50-298,82/06/01,8206100140

--8206100143 LER 82-010/03L-0 on 820517, diesel generator 1 & output breaker tripped shortly after starting. Caused by open contact of potential transformer disconnect switch interrupting voltage to overcurrent relay restraining coil
 BEDNAR, L R Nebraska Public Power District 82/06/01 Region
 4, Office of Director 1p 13448 266 24X Fiche 50-298,82/06/01,8206100140

8206210305 Forwards LER 82-011/03-0 Detailed event analysis submitted
 LESSOR, L C Nebraska Public Power District 82/06/11 COLLINS, J T
 Region 4, Office of Director 2pp 13559 109 24X
 Fiche: 50-298,82/06/11,8206210305

--8206210310 LER 82-011/03-0 on 820514, isolation valve RR-740AV failed to close. Caused by dirty solenoid slug. Solenoid valve replaced
 SCHEER, J L Nebraska Public Power District 82/06/11, Region
 4, Office of Director 1p 13559.111 24X Fiche 50-298,82/06/11,8206210305

8206220299 PNO-IV-82-025 on 820614, indicators in welds & in adjacent heat affected zones in reactor water cleanup sys inlet piping identified. Affected piping will be replaced.
 DUBOIS, D., WEBSTERMAN, T F Region 4, Office of Director 82/06/14,
 1p 13573 259 24X Fiche 50-298,82/06/14,8206220299

DOCKET 50-301 POINT BEACH NUCLEAR PLANT, UNIT 2

F Security, medical, emergency & fire protection plans

9206070002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Debaivise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206070002

--8206070033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch 81/12/01
RAHOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206070002

--8203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05
GRIMES, D K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, 8206070002

--8206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by 820601
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17
GRIMES, B Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

8206020400 Confirms JA pagliaro & JE Knorr telcon fixing 820604 as due date for installation of upgraded meteorological monitoring sys Mfg & calibr problems w/telemetry equipment have caused delay
FAV, C W Wisconsin Electric Power Co 82/05/17 KEPLER, J Q
Region 3, Office of Director 1p 13326 245 24X
Fiche 50-266, 82/05/17, 8206020400

8206020159 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document
Management Branch 1p 13339 349 24X Fiche 50-266, 82/05/25, 8206020159

--8206020169 Forwards public version of revised Emergency Plan Implementing Procedures EPIP 1.1 re initial classification, EPIP 1.3 re estimation of source term & EPIP 1.4 re radiological dose evaluation
FAV, C W Wisconsin Electric Power Co 82/05/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13339 350 24X
Fiche 50-266, 82/05/25, 8206020159

--8206020174 Public version of revised emergency plan implementing procedures, including Procedures EPIP 1.1 re initial classification, EPIP 1.3 re estimation of source term & EPIP 1.4 re radiological dose evaluation
* Wisconsin Electric Power Co 82/04/30 100pp 13339 353. 24X
Fiche 50-266, 82/05/25, 8206020159

8206140283 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p. 13508 001 24X Fiche 50-266, 82/06/08, 8206140283

--8206140287 Forwards public version of revised emergency plan procedures & forms, including Procedures EPIP 1.4 re radiological dose evaluation & EPIP 1.8 re emergency offsite dose estimation Receipt form encl
FAV, C W Wisconsin Electric Power Co 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3, 3pp 13508 002 24X
Fiche 50-266, 82/06/08, 8206140283

--8206140291 Public version of revised emergency plan implementing procedures, including Procedures EPIP-1.4, "Radiological Dose Evaluation" Revision 5 & EPIP-1.8, "Emergency Offsite Dose Estimation," Revision 1
* Wisconsin Electric Power Co 82/05/28. 35pp 13508 004. 24X
Fiche 50-266, 82/06/08, 8206140283

8206220440 Forwards IE Mgt Meeting Repts 50-266/82-11 & 50-301/82-11 on 820506 No noncompliance noted
KEPLER, J Q Region 3, Office of Director 82/06/08 BURSTEIN, B
Wisconsin Electric Power Co 2pp 13580.027 24X
Fiche 50-266, 82/06/08, 8206220440

--8206220452 IE Mgt Meeting Repts 50-266/82-11 & 50-301/82-11 on 820506 No noncompliance noted Major areas discussed concerns re shift staffing & augmentation Findings resulting from 820104-15 & 20 emergency preparedness appraisal
PAGLIARO, J A Division of Emergency Preparedness & Operational Support 82/06/04 4pp 13580 029 24X Fiche 50-266, 82/06/08, 8206220440

G Adjudicatory correspondence

8206070105 Memorandum & order denying WI Environ Decade 820503 motion for reconsideration of portion of ASLB 820422 Memorandum & Order LBP-82-33 Reasons stated in 820422 order remain valid
BLOCH, P B Atomic Safety and Licensing Board Panel 82/06/03
Wisconsin's Environmental Decade 1p 13370 321 24X
Fiche 50-266, 82/06/03, 8206070105

8206100314 Summarizes 820601 telcon re scheduling matters Ltr to serve as minutes of telcon Schedule of proceeding adopted as list
CHURCHILL, B W Shaw, Pittman, Potts & Trowbridge CHURCHILL, B W
Wisconsin Electric Power Co 82/06/07 BLOCH, P B Atomic Safety and Licensing Board Panel 7pp 13444 168 24X
Fiche 50-266, 82/06/07, 8206100314

8206140033 Order granting Westinghouse 820609 request for extension of time until 820626 to file appeal from ASLB 820527 memorandum & order Other parties' time to appeal also extended
SHOENAKER, C J Atomic Safety and Licensing Board Panel 82/06/10
Westinghouse Electric Corp 2pp 13484 319 24X
Fiche 50-266, 82/06/10, 8206140033

8206180299 Opposes WI Environ Decade 820604 ltr re LER 82-007 issues advanced re decontamination process & removal of mechanical plugs constitute ill-conceived attempt to raise new issues unrelated to case
CHURCHILL, B W Shaw, Pittman, Potts & Trowbridge CHURCHILL, B W
Wisconsin Electric Power Co 82/06/16 BLOCH, P B, KLINE, J R, PAXTON, H C Atomic Safety and Licensing Board Panel 4pp 13545 329 24X Fiche 50-266, 82/06/16, 8206180299

8206210272 Memorandum & order granting WI Environ Decade 820604 renewed request to obtain info about until 820416 LER 82-007 re leaks in cold leg of two steam generator tubes Request reasonably related to admitted contentions
BLOCH, P B Atomic Safety and Licensing Board Panel 82/06/18
Wisconsin's Environmental Decade 3pp 13558 216 24X
Fiche 50-266, 82/06/18, 8206210272

8206280153 Response objecting to WI Environ Decade second set of interrogatories & request for production of documents re full-scale sleeving program Affidavit & Certificate of Svc encl
RIDGWAY, D A Wisconsin Electric Power Co RIDGWAY, D A Shaw, Pittman, Potts & Trowbridge 82/06/21 Wisconsin's Environmental Decade 16pp 13624 302 24X Fiche 50-266, 82/06/21, 8206280153

8206280055 Lists errors in transcription of QA Read 770718 memo to B Bernstein & TR Wilson re meeting w/Westinghouse on steam generator tube plugging Svc list encl
RIDGWAY, D A Shaw, Pittman, Potts & Trowbridge 82/06/22
ANDERSON, P Wisconsin's Environmental Decade 2pp 13624 286 24X
Fiche 50-266, 82/06/22, 8206280055

J Insurance & indemnity information

8206040152 Forwards Endorsement 68 to NELIA Policy NF-17B & Endorsement 56 to MAELU Policy NF-53
DUNDAS, W J Wisconsin Electric Power Co 82/06/01 Antitrust & Economic analysis Branch (Utility Finance) 3pp 13356 360 24X
Fiche 50-266, 82/06/01, 8206040152

P Operating license stage documents & correspondence

8204300003 Responds to FOIA request for five categories of documents re Sept 1979 rept, "Recommendations of TMI-2 IE Investigation Team" Approx 170 pages of matl being placed in PDR
FELTON, J M Division of Rules and Records. 82/04/02 WEISS, E R
Union of Concerned Scientists 1p 12920.032 24X
Fiche 50-000, 82/04/02, 8204300003

8205130448 Addl response to FOIA request for ten categories of records re NRR generic safety issues Forwards F Schroeder 800930 memo to SH Hanauer & related correspondence
FELTON, J M Division of Rules and Records. 82/04/20 SHOLLY, S C
Union of Concerned Scientists. 1p 13095.102 24X
Fiche 50-301, 82/04/20, 8205130448

--B01180368 Ack receipt of B00930 memo re problem created when resetting safety injection could negate automatic actuation of other safety features NRC will require specific action steps to ensure proper safety function actuation
HANAUER, S H Division of Human Factors Safety 80/11/05
SCHROEDER, F Assistant Director for Generic Projects 1p
13095 116 24X Fiche 50-000, 82/04/20, B205130448

B206080026 Forwards Amends 59 & 64 to Licenses DPR-24 & DPR-27, respectively, safety evaluation & notice of issuance & availability Amends upgrade surveillance requirements for hydraulic snubbers & incorporate administrative changes
COLBURN, T G Operating Reactors Branch 3 82/05/25 FAY, C W
Wisconsin Electric Power Co 3pp 13441 105 24X
Fiche 50-266, 82/05/25, B206080026

--B206080029 Amends 59 & 64 to Licenses DPR-24 & DPR-27, respectively, upgrading surveillance requirements for hydraulic snubbers & making administrative changes
CLARK, R A Operating Reactors Branch 3 82/05/25 10pp
13441 105 24X Fiche 50-266, 82/05/25, B206080026

--B206080031 Safety evaluation supporting Amends 59 & 64 to License DPR-24 & DPR-27, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/25 2pp
13441 118 24X Fiche 50-266, 82/05/25, B206080026

--B206080035 Notice of issuance & availability of Amends 59 & 64 to Licenses DPR-24 & DPR-27, respectively
CLARK, R A Operating Reactors Branch 3 82/05/25 1p
13441 120 24X Fiche 50-266, 82/05/25, B206080026

B206020461 Reconfirms & updates info previously provided B20426 re NUREG-0737 items per NRC B20317 & 0505 ltr Status encl
FAY, C W Wisconsin Electric Power Co 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director EISENHUT, D G
Division of Licensing 5pp 13325 330 24X Fiche 50-266, 82/05/26, B206020461

B206110337 Forwards Amends 60 & 65 to Licenses DPR-24 & DPR-27, respectively & notice of issuance & availability Amend upgrades operability requirements for containment fan coolers
COLBURN, T G Operating Reactors Branch 3 82/05/28 FAY, C W
Wisconsin Electric Power Co 4pp 13490 201 24X
Fiche 50-266, 82/05/28, B206110337

--B206110340 Amends 60 & 65 to Licenses DPR-24 & DPR-27, respectively, upgrading operability requirements for containment fan coolers
CLARK, R A Operating Reactors Branch 3 82/05/28 8pp
13490 205 24X Fiche 50-266, 82/05/28, B206110337

--B206110341 Notice of issuance & availability of Amends 60 & 65 to Licenses DPR-24 & DPR-27, respectively
CONNOR, E L Operating Reactors Branch 3 82/05/28 2pp
13490 213 24X Fiche 50-266, 82/05/28, B206110337

B206070405 Forwards clarification & updated info re adequacy of station electrical distribution sys voltages referenced in NRC B10326 ltr Info combined w/B10601 & 1230 ltr completes response
FAY, C W Wisconsin Electric Power Co 82/06/01 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 4pp 13371 279 24X
Fiche 50-266, 82/06/01, B206070405

B206080505 Forwards NRR input for systematic assessment of licensee performance rept for WI Electric Power Co W/o encl
COLBURN, T G Operating Reactors Branch 3 82/06/01 EISENHUT, D G
Division of Licensing 1p 13440 116 24X Fiche 50-266, 82/06/01, B206080505

B206090193 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUER, A
Consolidated Edison Co. of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, B206090193

B206280677 Informs that util response to NRC B20519 request for addl info on NUREG-0737, Items II B 4 re training to mitigate core damage & I A 2 i re upgrading reactor operator & senior reactor operator training qualifications acceptable
COLBURN, T G Operating Reactors Branch 3 82/06/11 FAY, C W
Wisconsin Electric Power Co 4pp 13630 356 24X
Fiche 50-266, 82/06/11, B206280677

B206220307 Tech Spec Change Request 80 for amends to Licenses DPR-24 & DPR-27, permitting changes re monthly testing of turbine stop & governor valves near end-of-cycle core life
FAY, C W Wisconsin Electric Power Co 82/06/14 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13571 008 24X
Fiche 50-266, 82/06/14, B206220307

--B206220339 Proposed Tech Spec Table 15 4 1-2 re turbine stop & governor valve testing
* Wisconsin Electric Power Co 82/06/14 1p 13571 011 24X
Fiche 50-266, 82/06/14, B206220307

B206230187 Forwards request for addl info re proposed reactor vessel water level indication sys Info should be submitted within 30 days of receipt of ltr
CLARK, R A Operating Reactors Branch 3 82/06/14 FAY, C W
Wisconsin Electric Power Co 5pp 13572 326 24X
Fiche 50-266, 82/06/14, B206230187

B206220143 Forwards response to NRC question Attachment 1-5 re interfacing lift point evaluation ltr provided as revised pages to 9-month response to NUREG-0612, "Control of Heavy Loads"
FAY, C W Wisconsin Electric Power Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 6pp 13573 276 24X Fiche 50-266, 82/06/16, B206220143

B206220213 Informs that util will be in technical violation of Section 15 & 12 of Tech Spec, requiring environ qualification of electrical equipment per NUREG-0588 by B20630 NRC should remove or modify Tech Spec
FAY, C W Wisconsin Electric Power Co 82/06/17 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 2pp 13572 322 24X
Fiche 50-266, 82/06/17, B206220213

B206240214 Forwards addl info re NUREG-0737, Item II B 1, "RCB Gas Vent Sys," in response to NRC B20311 ltr Requests exemption to permit delayed installation by B40101 w/four oversize drawings Aperture cards are available in PDR
FAY, C W Wisconsin Electric Power Co 82/06/18 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 16pp 13599 132 24X
Fiche 50-266, 82/06/18, B206240214

G Inspection reports, IE Bulletins & correspondence

B206020379 Notification of B20623 enforcement meeting in Glen Ellyn, IL to discuss results of radiation protection insp on B20503 & 04, util proposed corrective actions & NRC enforcement options, per B20526 telcon
KEPPLER, J G Region 3, Office of Director 82/05/27 BURSTEIN, B
Wisconsin Electric Power Co 1p 13326 269 24X
Fiche 50-266, 82/05/27, B206020379

B202040147 IE Info Notice B2-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440:264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206220440 Forwards IE Mtg Meeting Repts 50-266/B2-11 & 50-301/B2-11 on B20306 No noncompliance noted
KEPPLER, J G Region 3, Office of Director 82/06/08 BURSTEIN, B
Wisconsin Electric Power Co 2pp 13580 027 24X
Fiche 50-266, 82/06/08, B206220440

--B206220452 IE Mtg Meeting Repts 50-266/B2-11 & 50-301/B2-11 on B20506, No noncompliance noted. Major areas discussed: concerns re shift staffing & augmentation findings resulting from B20104-15 & 20 emergency preparedness appraisal
PAOLILARO, J A, AXELSON, W L, PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/04 4pp 13580 029 24X
Fiche 50-266, 82/06/08, B206220440

B204210383 IE Info Notice B2-17, "Overpressurization of RCB," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

DOCKETED ITEMS

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Meth by Workers " Svc list encl
DEYQUINO, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206170114 Forwards add info re safety evaluation concerning
implementation of IE Bulletin 80-11, "Masonry Wall Design"
Results of confirmatory plate analysis after mods on Walls
19, 111-1, 111-3N, 113 & 114 encl
BURSTEIN, S Wisconsin Electric Power Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13530 081 24X
Fiche 50-266, 82/06/11, 8206170114

R Periodic operating reports & related correspondence

8206160319 Forwards monthly operating repts for May 1982
BURSTEIN, S Wisconsin Electric Power Co 82/06/10 NRC - No
Detailed Affiliation Given 1p 13518 324 24X
Fiche 50-266, 82/06/10, 8206160319

--8206160324 Monthly operating repts for May 1982
FAY, C W Wisconsin Electric Power Co 82/06/07 8pp 13518 325
24X Fiche 50-266, 82/06/10, 8206160319

S Reportable occurrences, LERs & related correspondence

8206150289 Forwards LER 82-003/03L-0
BURSTEIN, S Wisconsin Electric Power Co 82/06/08 KEPPLER, J O
Region 3, Office of Director 1p 13503 220 24X
Fiche 50-301, 82/06/08, 8206150289

--8206150293 LER 82-003/03L-0 on 820510, during periodic testing of
safeguards protective relays, 4 kV undervoltage relays were
outside Tech Spec limits caused by limitations of relays
Relays adjusted
FAY, C W Wisconsin Electric Power Co 82/06/08 Region 3,
Office of Director 8pp 13503 221 24X Fiche 50-301, 82/06/08,
8206150289

8206210107 Forwards LER 82-004/01T-0
FAY, C W Wisconsin Electric Power Co 82/06/15 KEPPLER, J O
Region 3, Office of Director 1p 13559 353 24X
Fiche 50-301, 82/06/15, 8206210107

--8206210109 LER 82-004/01T-0 on 820601, combined leakage rate of Type B &
C tests for 1-inch check valve in containment air
particulate/gas radiation monitor (R11/R12) exceeded Tech
Spec limit Caused by accumulation of foreign matter
FAY, C W Wisconsin Electric Power Co 82/06/15 Region 3,
Office of Director 3pp 13559 354 24X Fiche 50-301, 82/06/15,
8206210107

DOCKET 50-302 CRYSTAL RIVER NUCLEAR PLANT, UNIT 3

F. Security, medical, emergency & fire protection plans

8206070347 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0849, "Agency Procedures for NRC
Incident Response Plan." Plan should be of benefit to
understanding of NRC response to emergency W/o encl.
STOLZ, J F Division of Emergency Preparedness & Operational Support
82/05/12 HANCOCK, J A Florida Power Corp 1p 13363 006 24X
Fiche 50-302, 82/05/12, 8206070347

8206220314 Responds to NRC 820310 confirmatory action ltr re IE Insp
Repts 50-302/81-21 & 50-302/81-23, corrective actions,
operability of fire dampers verified & continuous fire watch
established.
HARDIS, D O Florida Power Corp 82/05/27 O'REILLY, J P Region 2,
Office of Director 3pp 13571.034 24X Fiche 50-302, 82/05/27,
8206220314

8206140273 Ack receipt of 820423 ltr re changes to security plan
Changes consistent w/provisions of 10CFR50.54 (p) & are
acceptable
STOLZ, J F Operating Reactors Branch 4 82/06/07 HANCOCK, J A
Florida Power Corp 2pp 13507 204 24X Fiche 50-302, 82/06/07,
8206140273

8206170198 Forwards revised pages for modified amended security plan,
Revision 2 Pages withheld (ref 10CFR73.21).
HARDIS, D O Florida Power Corp 82/06/08 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13535 044 24X
Fiche 50-302, 82/06/08, 8206170198

I Financial information

8206080402 Forwards 1982 internal cash flow projection per 10CFR140.21
Anniversary date of indemnity agreement is 820620 Requests
info re continued compliance w/10CFR140.21 requirements
LOADER, J O Florida Power Corp 82/06/04 DENTON, H R Office of
Nuclear Reactor Regulation, Director 2pp 13417 109 24X
Fiche 50-302, 82/06/04, 8206080402

P Operating license stage documents & correspondence

8206040204 Requests expedited review & authorization to operate
facility at power levels up to 2300 MWT w/reactor coolant
pump power monitors bypassed Supporting documentation
encl
HARDIS, D O Florida Power Corp 82/04/06 DENTON, H R Office of
Nuclear Reactor Regulation, Director 10pp 13357 263 24X
Fiche 50-302, 82/04/06, 8206040204

8206040202 Requests approval to operate unit at power levels up to 75%
of 2300 MWT w/three of four reactor coolant pumps operating
& reactor coolant pump power monitors bypassed
HARDIS, D O Florida Power Corp 82/04/07 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13344 325 24X
Fiche 50-302, 82/04/09, 8206040202

8206230007 Addl response to FOIA request for eight categories of
documents Forwards documents listed in app Financial info in
Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--8103230522 Requests comments on candidate criteria for control sys in
std review plan Section 7.7 re implementation of electrical
interconnections between protection & control sys
ROSSI, C E Instrumentation & Control Systems Branch 81/02/12
Instrumentation & Control Systems Branch 4pp 13607 190 24X
Fiche 50-000, 82/04/29, 8206230007

8206280071 Addl response to FOIA request for eight categories of
documents Forwards documents listed in App A Documents
listed in App B available in PDR Confidential financial
info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8205040027 Forwards safety evaluation re NUREG-0737, Item II K 2.9,
"Failure Mode Effects Analysis on Integrated Control Sys"
Design meets current regulatory requirements No addl
licensing action necessary
SPEIS, T P Assistant Director for Reactor Safety 82/04/15
NOVAH, T H Assistant Director for Operating Reactors 6pp
13639 049 24X Fiche 50-000, 82/05/12, 8206280071

8206020569 Tech Spec Change Request 96 for amend to License DPR-72,
changing Tech Specs to redefine acceptable intake canal
dimensional requirements to assure min emergency cooling
water flow Certificate of Svc encl
HARDIS, D O Florida Power Corp 82/05/26 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13322 287 24X
Fiche 50-302, 82/05/26, 8206020569

--8206020571 Proposed Tech Spec change requiring that min cross-sectional
area be maintained below min depths.
* Florida Power Corp 82/05/26 App 13322.290 24X
Fiche 50-302, 82/05/26, 8206020569

8206040244 Forwards Tech Spec Change Request 98, requesting amend to App
A of License DPR-72 to allow operation at power levels up
to 2,475 MW & 1,400 MW w/four & three reactor coolant pumps,
respectively
HARDIS, D O Florida Power Corp 82/05/28 DENTON, H R Office of
Nuclear Reactor Regulation, Director 5pp 13354.104 24X
Fiche 50-302, 82/05/28, 8206040244

--8206040254 Tech Spec Change Request 98 re power levels for reactor
coolant pumps
* Florida Power Corp 82/05/28 8pp 13354 109 24X
Fiche 50-302, 82/05/28, 8206040244

--8206040258 "Crystal River Unit 3, Cycle 4 Reload Rept"
* Babcock & Wilcox Co BAW-1684 R02 82/05/31 15pp
13354 118 24X Fiche 50-302, 82/05/28, 8206040244

8206080121 Discusses phases of task force action plan re shutdown in late Jan 1982 due to primary coolant leak. Consideration given to generic applicability to other thermally sleeved nozzles. Task force pursuing Phase 2 activities.
HARDIS, D G Florida Power Corp 82/06/02 STOLZ, J F Operating Reactors Branch 4 2pp 13423 347 24X Fiche 50-302, 82/06/02, 8206080121

8206080221 Responds to NRC 820429 ltr re status of Generic Item B-24 & TMI Action Plan Item II E 4 2 5, "Containment Isolation Dependability." Addl info re containment purge valves & isolation setpoints provided.
HARDIS, D G Florida Power Corp 82/06/02 STOLZ, J F Operating Reactors Branch 4 6pp 13421 331 24X Fiche 50-302, 82/06/02, 8206080221

8206090048 Forwards updated completion schedule for selected NUREG-0737 items, in response to NRC 820505 request.
HARDIS, D G Florida Power Corp 82/06/04 EISENHUT, D G Division of Licensing 4pp 13436 001 24X Fiche 50-302, 82/06/04, 8206090048

8206140128 Forwards "Pump & Valve Program" revised through June 1982. Program supersedes previous submittals Class III fee encl w/o fee.
HARDIS, D G Florida Power Corp 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13489 001 24X Fiche 50-302, 82/06/04, 8206140128

--8206140135 "Pump & Valve Program"
* Florida Power Corp 82/06/30 300pp 13489 002 24X
Fiche 50-302, 82/06/04, 8206140128

8206160051 Submits status of engineering studies resulting from nuclear safety task force recommendations re 800226 transient.
HARDIS, D G Florida Power Corp 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13517 109 24X
Fiche 50-302, 82/06/11, 8206160051

8206160175 Confirms correctness of info provided during 820315 & 19 telcons w/NRC & documented in NRC 820512 ltr re NUREG-0737, Items II F 1 4, II F 1 5 & II F 1 6: containment pressure, water & hydrogen monitoring instrumentation, respectively.
HARDIS, D G Florida Power Corp 82/06/11 STOLZ, J F Operating Reactors Branch 4 1p 13522 013 24X Fiche 50-302, 82/06/11, 8206160175

8206210524 Forwards "Crane Design Evaluation for Crystal River Unit 3 Comparison to NUREG-0612," in response to NRC 820120 request for addl info re NUREG-0612, "Control of Heavy Loads."
HARDIS, D G Florida Power Corp 82/06/15 STOLZ, J F Operating Reactors Branch 4 6pp 13568 176 24X Fiche 50-302, 82/06/15, 8206210524

--8206210538 "Crane Design Evaluation for Crystal River Unit 3 Comparison to NUREG-0612"
* TERA Corp 82/01/31 125pp 13568 182 24X
Fiche 50-302, 82/06/15, 8206210524

8206220089 Discusses postulated common mode failure in redwaste gas sys. per 820607-08 telcon. Common inlet piping header & associated valves not designed nor installed per Seismic Category 1 criteria. Tech Spec amend will be submitted.
HARDIS, D G Florida Power Corp 82/06/16 O'REILLY, J P Region 2, Office of Director 2pp 13573 229 24X Fiche 50-302, 82/06/16, 8206220089

8206250375 Notification of 820720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program.
VIBBING, O B Operating Reactors Branch 4, 82/06/17 STOLZ, J F Operating Reactors Branch 4 2pp 13630 063 24X
Fiche 50-000, 82/06/17, 8206250375

8206220215 Informs of delay in completing installation of emergency feedwater initiation & control sys by Spring 1982. Equipment procurement not proceeding at rate to assure scheduled & safe installation.
BAYNARD, P Y Florida Power Corp 82/06/18 EISENHUT, D G Division of Licensing 5pp 13572 302 24X Fiche 50-302, 82/06/18, 8206220215

8206240369 Justifies completion schedule for NUREG-0737, Items II B 2 re design of plant shielding, II B 3 on post-accident sampling capability & II, F 1 1-4 on addl accident monitoring, per 820615 discussion.
HARDIS, D G Florida Power Corp 82/06/18 STOLZ, J F Operating Reactors Branch 4 2pp 13603 008 24X Fiche 50-302, 82/06/18, 8206240369

0 Inspection Reports, IE Bulletins & correspondence

8206070406 Discusses IE Insp Rept 50-302/81-08. No noncompliance noted. Sufficient potential existed for airborne radioactivity to warrant measurement of concentration of radioactive matls.
LEWIS, R C Division of Project & Resident Programs 82/04/30 HANCOCK, J A Florida Power Corp 2pp 13371 195 24X
Fiche 50-302, 82/04/30, 8206070406

8206070493 Ack receipt of 820430 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-302/82-03.
DANCE, H C Division of Project & Resident Programs 82/05/24 HANCOCK, J A Florida Power Corp 1p 13374 168 24X
Fiche 50-302, 82/05/24, 8206070493

--8206070500 Responds to NRC 820401 ltr re violations noted in IE Insp Rept 50-302/82-03. Corrective actions plant records reindexed & placed on computerized retrieval sys to alleviate record retrieval problems.
LUTKEHAUS, T C, HARDIS, D G Florida Power Corp 82/04/30 O'REILLY, J P Region 2, Office of Director 5pp 13374 169 24X
Fiche 50-302, 82/05/24, 8206070493

--8206070504 Forwards IE Insp Rept 50-302/82-03 & notice of violation LONG, F J Division of Project & Resident Programs 82/04/01.
HANCOCK, J A Florida Power Corp 2pp 13374:174 24X
Fiche: 50-302, 82/03/24, 8206070493

--8206070509 Notice of violation from insp on 820202-18
* Region 2, Office of Director, 82/04/01 1p 13374.176 24X
Fiche: 50-302, 82/03/24, 8206070493

--8206070514 IE Insp Rept 50-302/82-03 on 820202-18. Noncompliance noted: radiographs of makeup sys welds MV-429, MV-437 & MV-456 were not retrievable.
HERDT, A R Division of Engineering & Technical Programs, 82/04/01 22pp 13374 177 24X Fiche 50-302, 82/05/24, 8206070493

8206220314 Responds to NRC 820310 confirmatory action ltr re IE Insp Repts 50-302/81-21 & 50-302/81-25. Corrective actions, operability of fire dampers verified & continuous fire watch established.
HARDIS, D G Florida Power Corp 82/05/27 O'REILLY, J P Region 2, Office of Director, 3pp 13571 034 24X Fiche 50-302, 82/05/27, 8206220314

8202040147 IE Info Notice 82-15, "Notification of NRC." Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28, 107pp 13426 099 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Bvc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Bvc list encl.
JORDAN, E L Division of Engineering & Quality Assurance, 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220515 Ack receipt of 820521 ltr informing NRC of step correct violations noted in IE Insp Rept 50-302/82-05.
LEWIS, R C Division of Project & Resident Programs 8/ HANCOCK, J A Florida Power Corp 1p 13580:241 24X
Fiche 50-302, 82/06/11, 8206220515

--8206220523 Responds to NRC 820423 ltr re violation Rept 50-302/82-05. Corrective actions: current re for Tech Spec changes includes discipline engine supervisors to change required procedures.
LUTKEHAUS, T C, Florida Power Corp 82/05/21, Region 2, Office of Director 2pp 13580.242
Fiche 50-302, 82/06/11, 8206220515

--8206220527 Forwards IE Insp Rept 50-302/82-05 on 820304-26 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/23
HANCOCK, J A Florida Power Corp 2pp 13580 244 24X
Fiche 50-302, 82/06/11, 8206220515

--8206220535 Notice of violation from insp on 820304-26
* Division of Project & Resident Programs 82/04/23 1p
13580 246 24X Fiche 50-302, 82/06/11, 8206220515

--8206220549 IE Insp Rept 50-302/82-05 on 820304-26 Noncompliance noted failure to adhere to administrative procedure during plant operation & failure to perform Type C leak rate testing
STETKA, T F, SMITH, B W, BROWNLEE, V L Division of Project & Resident Programs 82/04/20 15pp 13580 247 24X
Fiche 50-302, 82/06/11, 8206220515

R Periodic operating reports & related correspondence

8206140111 Advises that estimated completion date for 1981 semiannual effluent & waste disposal rept has been revised to 820701 Revision due to data recording equipment malfunction
MARDIS, D G Florida Power Corp 82/06/08 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13484 145 24X
Fiche 50-302, 82/06/08, 8206140111

8206210077 Forwards monthly operating rept for May 1982
MARDIS, D G Florida Power Corp 82/06/15 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 1p 13560 003 24X
Fiche 50-302, 82/06/15, 8206210077

--8206210101 Monthly operating rept for May 1982
CULVER, M W, BOGART, D Florida Power Corp 82/06/07 4pp
13560:004 24X Fiche 50-302, 82/06/15, 8206210077

S Reportable occurrences, LERs & related correspondence

8204300003 Responds to FOIA request for five categories of documents re Sept 1979 rept, "Recommendations of TM-2 IE Investigation Team " Approx 170 pages of matl being placed in PDR
FELTON, J M Division of Rules and Records 82/04/02 WEISS, E R Union of Concerned Scientists 1p 12920 032 24Y
Fiche 50-000, 82/04/02, 8204300003

--8007030473 Discusses 800226 turbine trip at 1,423 psig Detailed audit of transient parameters should be made to explain anomalies in data which indicate void formation occurred soon after trip & stopped natural circulation
HUNTER, D R Region 3, Chicago, Reactor Construction & Engineering Support Branch 82/04/30 JORDAN, E L Division of Reactor Operations Inspections 35pp 12920 134 24X
Fiche 50-000, 82/04/02, 8204300003

8206010313 Forwards LER 82-018/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/08
O'REILLY, J P Region 2, Office of Director 1p 13300 063 24X
Fiche 50-302, 82/04/08, 8206010313

--8206010343 LER 82-018/03L-0 on 820308, following recirculation of boric acid sys tanks, both tanks were isolated Cause attributed to procedural deficiency Procedure OP-403 revised
BROWN, C G Florida Power Corp 82/04/08 Region 2, Office of Director 2pp 13300 064 24X Fiche 50-302, 82/04/08, 8206010313

8206010365 Forwards LER 82-019/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/08
O'REILLY, J P Region 2, Office of Director 1p 13301 302 24X
Fiche 50-302, 82/04/08, 8206010365

--8206010376 LER 82-019/03L-0 on 820301, while performing housekeeping, air start line to number 5 cylinder on emergency diesel generator B found parted. Caused by fatigue on cylinder air start line line repaired.
BROWN, C G Florida Power Corp 82/04/08 Region 2, Office of Director 2pp 13301 303 24X Fiche 50-302, 82/04/08, 8206010365

8206010379 Forwards LER 82-015/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/08
O'REILLY, J P Region 2, Office of Director 1p 13301 305 24X
Fiche 50-302, 82/04/08, 8206010379

--8206010387 LER 82-015/03L-0 on 820204, reactor bldg pressure transmitter isolation valve V-1 shut in mode 5. Caused by undocumented valve closing Valve opened.
BROWN, C G Florida Power Corp 82/04/08 Region 2, Office of Director 2pp 13301 306 24X Fiche 50-302, 82/04/08, 8206010379

8206010389 Forwards LER 82-017/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/08
O'REILLY, J P Region 2, Office of Director 1p 13311 331 24X
Fiche 50-302, 82/04/08, 8206010389

--8206010393 LER 82-017/03L-0 on 820307, reactor bldg pressure indicator fluctuated between 10 & 20 lb Caused by water in junction box & flex cable Junction box & flex cable dried out & instrument calibr & sealed
BROWN, C G Florida Power Corp 82/04/08 Region 2, Office of Director 2pp 13311 332 24X Fiche 50-302, 82/04/08, 8206010389

8206010550 Forwards LER 82-016/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/08
O'REILLY, J P Region 2, Office of Director 1p 13315 358 24X
Fiche 50-302, 82/04/08, 8206010550

--8206010553 LER 82-016/03L-0 on 820304, failed to properly complete IOPRSO 59 review on planned mod resulting in approval of mod to sys that could have allowed operation w/response time greater than Tech Spec limit Caused by human error
BROWN, C G Florida Power Corp 82/04/08 Region 2, Office of Director 2pp 13315 359 24X Fiche 50-302, 82/04/08, 8206010550

8206010636 Forwards LER 82-020/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/08
O'REILLY, J P Region 2, Office of Director 1p 13314 343 24X
Fiche 50-302, 82/04/08, 8206010636

--8206010647 LER 82-020/03L-0 on 820305, while reviewing surveillance data, nuclear overpower, RCS flow & axial power imbalance, bistable in channel C discovered out of tolerance Caused by instrument drift Instrument recalibr
BROWN, C G Florida Power Corp 82/04/08 Region 2, Office of Director 2pp 13314 344 24X Fiche 50-302, 82/04/08, 8206010636

8206010311 Forwards LER 82-025/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/19
O'REILLY, J P Region 2, Office of Director 1p 13300 073 24X
Fiche 50-302, 82/04/19, 8206010311

--8206010321 LER 82-025/03L-0 on 820322, while performing surveillance procedure 179, station air valves SAV-23 & SAV-122 & leakrate valve LAV-46 found not included on procedure Caused by ineffective administrative control
BROWN, C G Florida Power Corp 82/04/19 Region 2, Office of Director 2pp 13300 074 24X Fiche 50-302, 82/04/19, 8206010311

8206010327 Forwards LER 82-021/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/19
O'REILLY, J P Region 2, Office of Director 1p 13300 124 24X
Fiche 50-302, 82/04/19, 8206010327

--8206010339 LER 82-021/03L-0 on 820219, while using SP-221 (startup feedwater valve air accumulator leak test) for maint trouble identification, feedwater valve (FWV-39) failed to meet surveillance criteria Cause undetermined
BROWN, C G Florida Power Corp 82/04/19 Region 2, Office of Director 2pp 13300 125 24X Fiche 50-302, 82/04/19, 8206010327

8206010340 Forwards LER 82-022/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/19
O'REILLY, J P Region 2, Office of Director 1p 13301 150 24X
Fiche 50-302, 82/04/19, 8206010340

--8206010345 LER 82-022/03L-0 on 820321, emergency feedwater ultrasonic flow indicator not functioning Caused by failed power supply Ultrasonic flow transmitter will be replaced w/ conventional flow transmitter
* Florida Power Corp 82/04/19 Region 2, Office of Director 2pp 13301 151 24X Fiche 50-302, 82/04/19, 8206010340

8206010478 Forwards LER 82-023/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/19
O'REILLY, J P Region 2, Office of Director 1p 13314 351 24X
Fiche 50-302, 82/04/19, 8206010478

--8206010498 LER 82-023/03L-0 on 820320, mainsteam valve MSV-130, discovered leaking on high pressure side Caused by seal ring failure Valve removed, cleaned & ring replaced
BROWN, C G Florida Power Corp 82/04/19 Region 2, Office of Director 2pp 13314 352 24X Fiche 50-302, 82/04/19, 8206010478

8206010517 Forwards LER 82-024/03L-0
LUTKEHAUS, T C, MARDIS, D G Florida Power Corp 82/04/19
O'REILLY, J P Region 2, Office of Director 1p 13314 324 24X
Fiche 50-302, 82/04/19, 8206010517

--8206010530 LER 82-024/03L-0 on 820321, during normal operation, air temp Delta T meteorological monitoring instrumentation discovered inoperable contrary to Tech Spec Caused by failed aspirating fan motor Motor replaced
* Florida Power Corp 82/04/19 Region 2, Office of Director
2pp 13314 325 24X Fiche 50-302, 82/04/19, 8206010517

8206010484 Forwards LER 82-027/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/04/29
O'REILLY, J P Region 2, Office of Director 1p 13314 340 24X
Fiche 50-302, 82/04/29, 8206010484

--8206010491 LER 82-027/03L-0 on 820327, reactor coolant pump IC tripped Caused by failure of surge capacitor causing pump to trip on phase differential Shorted capacitor replaced & motor satisfactorily tested
BROWN, C O Florida Power Corp 82/04/29 Region 2, Office of Director 2pp 13314 341 24X Fiche 50-302, 82/04/29, 8206010484

8206010616 Forwards LER 82-026/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/04/29
O'REILLY, J P Region 2, Office of Director 1p 13314 045 24X
Fiche 50-302, 82/04/29, 8206010616

--8206010627 LER 82-026/03L-0 on 820326, during procedural review, procedure identified for security sodium hydroxide spray in mode 4 prior to entry into mode 3, contrary to Tech Specs Caused by procedural error Procedure rewritten
BROWN, C O Florida Power Corp 82/04/29 Region 2, Office of Director 2pp 13314 046 24X Fiche 50-302, 82/04/29, 8206010616

8206010109 Forwards LER 82-034/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/05/19
O'REILLY, J P Region 2, Office of Director 1p 13300 038 24X
Fiche 50-302, 82/05/19, 8206010109

--8206010112 LER 82-034/03L-0 on 820307, radiation monitoring instrument RM-AS, iodine channel, inoperable Caused by dirty contact surface on high voltage potentiometer, surface cleaned.
BROWN, C O Florida Power Corp 82/05/19 Region 2, Office of Director 2pp 13300 039 24X Fiche 50-302, 82/05/19, 8206010109

8206010587 Forwards LER 82-033/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/05/21
O'REILLY, J P Region 2, Office of Director 1p 13314 001 24X
Fiche 50-302, 82/05/21, 8206010587

--8206010601 LER 82-033/03L-0 on 820303, during normal operation, reactor bldg pressure indicator BB-16-P1 discovered inoperable. Caused by instrument drift Pressure transmitter calibr per surveillance Procedure SP-162
BROWN, C O Florida Power Corp 82/05/21 Region 2, Office of Director 2pp 13314 002 24X Fiche 50-302, 82/05/21, 8206010587

8206110253 Forwards LER 82-035/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/06/04
O'REILLY, J P Region 2, Office of Director 1p 13466 001 24X
Fiche 50-302, 82/06/04, 8206110253

--8206110262 LER 82-035/03L-0 on 820306, while performing control rod exercise surveillance, control rod 7, group 3 absolute position indication failed to indicate motion Caused by faulty reed switch, Position indication tube replaced.
BROWN, C O Florida Power Corp 82/06/04 Region 2, Office of Director 2pp 13466 002 24X Fiche 50-302, 82/06/04, 8206110253

8206210519 Forwards LER 82-037/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/06/08
O'REILLY, J P Region 2, Office of Director 1p 13568 254 24X
Fiche 50-302, 82/06/08, 8206210519

--8206210533 LER 82-037/03L-0 on 820510, during routine insp, leaks discovered at weld penetrations MUV-292 & MUV-283, contrary to Tech Spec 3.1.2.4.1 Caused by vibration, Welds replaced & bracing added to reduce vibration of makeup sys piping.
BROWN, C O Florida Power Corp 82/06/08 Region 2, Office of Director 2pp 13568 255 24X Fiche 50-302, 82/06/08, 8206210519

8206210053 Forwards LER 82-036/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/06/11
O'REILLY, J P Region 2, Office of Director 1p 13560 033 24X
Fiche 50-302, 82/06/11, 8206210053

--8206210056 LER 82-036/03L-0 on 820514, while reviewing responses to corp audit findings, determined that functional check for source range instrumentation audible counts was not documented reportable event, Procedure revised 81113.
BROWN, C O Florida Power Corp 82/06/11 Region 2, Office of Director 2pp 13560 034 24X Fiche 50-302, 82/06/11, 8206210053

8206220148 Forwards LER 82-038/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/06/16
O'REILLY, J P Region 2, Office of Director 1p 13571 331 24X
Fiche 50-302, 82/06/16, 8206220148

--8206220154 LER 82-038/03L-0 on 820517, while performing BP-820, weekly battery check, pilot cell 29 failed to meet criteria for specific gravity Caused by minor fluctuation of specific gravity Water added to cell No further action necessary
BROWN, C O Florida Power Corp 82/06/16 Region 2, Office of Director 2pp 13571 332 24X Fiche 50-302, 82/06/16, 8206220148

8206300056 Forwards LER 82-039/03L-0
LUTKEHAUS, T C , MARDIS, D O Florida Power Corp 82/06/22
O'REILLY, J P Region 2, Office of Director 1p 13655 359 24X
Fiche 50-302, 82/06/22, 8206300056

--8206300061 LER 82-039/03L-0 on 820523, once-through steam generator D discovered performing erratically Caused by failure of level transmitter amplifier LAM 2 Amplifier replaced & channel calibr Operability restored on 820525
BROWN, C O Florida Power Corp 82/06/22 Region 2, Office of Director 2pp 13655 360 24X Fiche 50-302, 82/06/22, 8206300056

V Operator Examinations

8206180232 Forwards D Morrison requalification exam in support of util 820224 & 0402 requests for reactivation & renewal of senior operator license, Exam withheld (ref 10CFR2 790)
MARDIS, D O Florida Power Corp 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation Director 2pp 13547 174 24X
Fiche 50-302, 82/06/11, 8206180232

DOCKET 50-303 CRYSTAL RIVER NUCLEAR PLANT, UNIT 4

F Security, medical, emergency & fire protection plans

8206090002 Responds to FDIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities, Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J P Region 2, Atlanta, Office of the Director 81/03/01, 81/01/08, DEYOUNG, R C Director's Office, Office of Inspection and Enforcement App 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl
STOHM, J P Division of Emergency Preparedness & Operational Support 82/02/04, GRIMES, B K Division of Emergency Preparedness 3pp 13454 237 24X Fiche 50-000, 82/05/11, 8206090002

DOCKET 50-304 ZION NUCLEAR POWER STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206090002 Responds to FDIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch, 81/12/01 RAMOS, B L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

--8203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/03 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, 8206090002

DOCKETED ITEMS

8206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B Division of Emergency Preparedness 3pp 13434 190 24X Fiche 50-000, 82/05/11, 8206090002

06070809 Informs that deficiencies identified during initial testing of prompt public notification sys for facilities documented in util 820216 ltr have been corrected prior to 820601
DELGEORE, L O Commonwealth Edison Co 82/05/28 KEPLER, J O Region 3, Office of Director 2pp 13389 115 24X Fiche 50-000, 82/05/28, 8206070809

06100009 Forwards "Fire Protection Associated Cable Rept," in response to NRC 820208 & 0404 requests for info Rept based on development of alternate safe shutdown cable charts
LENTINE, F O Commonwealth Edison Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13448 319 24X Fiche 50-295, 82/06/07, 8206100009

8206100011 "Fire Protection Associated Cable Rept "
* Commonwealth Edison Co 82/06/30 100pp 13448 321 24X Fiche 50-295, 82/06/07, 8206100009

06140389 Releases public version of revised emergency plan implementing procedures index
FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13510 006 24X Fiche 50-295, 82/06/08, 8206140389

8206140390 Forwards public version of revised emergency plan implementing procedures index Receipt form encl
PLIML, O Commonwealth Edison Co 82/05/12 DENTON, H R NRC - No Detailed Affiliation Given 2pp 13510 008 24X Fiche 50-295, 82/06/08, 8206140389

8206140393 Public version of revised emergency plan implementing procedures index
* Commonwealth Edison Co 82/05/11 2pp 13510 010 24X Fiche 50-295, 82/06/08, 8206140389

16240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring/Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 of GA program for meteorological monitoring programs
CHROEDER, C W Commonwealth Edison Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X Fiche 50-000, 82/06/16, 8206240332

6230021 Releases public version of generating stations emergency plan telephone directory
ELTON, J M Division of Rules and Records 82/06/17 Document Management Branch 1p 13594 073 24X Fiche 50-000, 82/06/17, 8206230021

206230032 Forwards public version of generating stations emergency plan telephone directory.
MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC - No Detailed Affiliation Given 1p 13594 074 24X Fiche 50-000, 82/06/17, 8206230021

206230037 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co, 82/05/28, 40pp, 13594 076 24X Fiche 50-000, 82/06/17, 8206230021

06240032 Releases public version of generating stations emergency plan telephone directory
ELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13617 336, 24X Fiche 50-000, 82/06/18, 06240032.

06240049 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 41pp 13617-337 24X Fiche 50-000, 82/06/18, 8206240032

300112 Releases public version of revised generating station emergency plan environ director emergency plan implementing procedures
ELTON, J M Division of Rules and Records, 82/06/23 Document Management Branch, 1p, 13695: 001 24X Fiche 50-000, 82/06/23, 16300112.

16300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
ICHY, O Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement 2pp 13695: 002 24X Fiche 50-000, 82/06/23, 8206300112.

--8206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data
LITERSKI, L A Commonwealth Edison Co 82/06/02 11pp 13695 004 24X Fiche 50-000, 82/06/23, 8206300112

P Operating license stage documents & correspondence

8206020042 Addl response to FOIA request for all documents re probabilistic risk assessment for facilities Forwards
LE Woodhead 800530 memo to ES Christenbury
FELTON, J M Division of Rules and Records 81/11/06 DORSEY, J A Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06, 8206020042

--8206020075 Discusses 800527 meeting re possible legal &/or public perception consequences to NRC plan for risk assessment of sites near high population areas Interim revision of 10CFR100 should be issued pending proposed rule
WOODHEAD, C P Office of the Executive Legal Director 80/05/30 CHRISTENBURY, E Office of the Executive Legal Director 2pp 13339 213 24X Fiche 50-000, 81/11/06, 8206020062

8206030274 Advises that response to TMI Action Item II K 3 25 re loss of ac power on pump seals is acceptable
VARQA, S A Operating Reactors Branch 1 82/05/26 DELGEORE, L O Commonwealth Edison Co 2pp 13361 324 24X Fiche 50-295, 82/05/26, 8206030274

8206080103 Informs that util training program meets TMI Action Item II B 4 requirements & is acceptable Future changes to facilities should be reflected in updates to training program
VARQA, S A Operating Reactors Branch 1 82/05/28 DELGEORE, L O Commonwealth Edison Co 2pp 13441 332 24X Fiche 50-295, 82/05/28, 8206080103

8206170031 RESPONSE OF THE ZION & INDIAN POINT CONTAINMENT BUILDINGS TO SEVERE ACCIDENT PRESSURES
BUTLER, T A Los Alamos Scientific Laboratory FIN A-7270 NUREG/CR-2369 82/05/31 Division of Engineering 41pp Available at NTIS \$3 00 13555-240 24X Fiche 50-000, 82/05/31, 8206170031

8206100214 Forwards requested info re implementation status of NUREG-0737 items per Generic Ltr 82-10
SHARTZ, E D Commonwealth Edison Co 82/06/04 EISENHUT, D Q Division of Licensing 20pp 13453 214 24X Fiche 50-000, 82/06/04, 8206100214

8206160222 Forwards Revision 21 to GA Program, Topical Rept CE-1-A
SHARTZ, E D Commonwealth Edison Co 82/06/07 HAASS, W P Quality Assurance Branch 1p 13522-027 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "GA Topical Rept "
* Commonwealth Edison Co CE-1-A R21 ERR 82/06/06 20pp 13522 028 24X Fiche 50-000, 82/06/07, 8206160222

8206170394 Informs that, due to util lack of attempts to satisfy 10CFR2.770 requirements, 820414 response to control of heavy loads technical evaluation rept is being returned Addl info required
VARQA, S A Operating Reactors Branch 1 82/06/15 DELGEORE, L O Commonwealth Edison Co 2pp 13557 193 24X Fiche 50-295, 82/06/15, 8206170394

8206240429 Application for amend to Licenses DPR-37 & DPR-48 changing Tech Specs to replace 45-day holdup requirement for radioactive gaseous wastes
LENTINE, F O Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13601 152 24X Fiche 50-295, 82/06/17, 8206240429

8206290372 Confirms 820617 & 18 telcons w/util Actions delineated in 820526 & 0622 confirmatory action ltr are acceptable
Startup & operation of Zion Unit 1 may proceed
KEPLER, J O Region 3, Office of Director 82/06/22 REED, C Commonwealth Edison Co 1p 13634 111, 24X Fiche 50-295, 82/06/22, 8206290372

Q Inspection reports, IE Bulletins & correspondence

8206020493 Forwards info re IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys" & IE Insp Repts 50-237/82-01, 50-249/82-01, 50-254/82-01 & 50-263/82-01, discussed during 820520 meeting
STIEDE, W L Commonwealth Edison Co 82/05/24 KEPLER, J O Region 3, Office of Director 14pp 13325-001, 24X Fiche 50-000, 82/05/24, 8206020493

--B206020302 "Seismic Ground Motion Hazard at Zion Nuclear Power Plant Site for Pickard, Lowe & Garrick, Inc."
 HCGUIRE, R K Dames & Moore 82/07/02 37pp 13325 015 24X
 Fiche 50-000, 82/05/24, 8206020493

--B112020751 "Conditional Probabilities of Seismic Induced Failures for Structures & Components for Zion Nuclear Generating Station"
 WESLEY, D A Structural Mechanics Associates SMA 12901 02
 80/10/31 35pp 13325 052 24X Fiche 50-000, 82/05/24, 8206020493

8206070487 Submits monthly status rept of evaluations performed in response to IE Bulletin 79-14, "Seismic Analysis for As-Built Safety-Related Piping Sys." No changes since last status rept
 RAUSCH, T J Commonwealth Edison Co 82/05/26 KEPLER, J O Region 3, Office of Director 1p 13374 326 24X Fiche 50-000, 82/05/26, 8206070487

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 244 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8206250210 Forwards IE Insp Repts 50-295/82-12 & 50-304/82-10 on 820401-0514 & notice of violation
 SPEERARD, R L Division of Project & Resident Programs 82/06/10 REED, C Commonwealth Edison Co 2pp 13613 240 24X
 Fiche: 50-295, 82/06/10, 8206250210

--8206250219 IE Insp Repts 50-295/82-12 & 50-304/82-10 on 820401-0514 Noncompliance noted on 820402, operators observed routinely bypassing gripper tube up interlock in nonemergency situations
 WATERS, J R, BURESS, B L, CONNAUGHTON, K Division of Project & Resident Programs 82/06/07 10pp 13613 243 24X
 Fiche 50-295, 82/06/10, 8206250210

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

8206290477 Ack receipt of 820609 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-295/82-03 & 50-304/82-03.
 NORELIUS, C E Division of Engineering & Technical Programs 82/06/25 REED, C Commonwealth Edison Co. 1p 13631 359 24X
 Fiche: 50-295, 82/06/25, 8206290477

--8206290488 Responds to NRC 820510 ltr re violations noted in IE Insp Repts 50-295/82-03 & 50-304/82-03 Corrective actions
 Procedure ZAP 3-92-1, re change of instrument setpoint, will cover changes of safety-related instrument scaling
 DOUGLAS, E Commonwealth Edison Co 82/06/09 KEPLER, J O Region 3, Office of Director 3pp 13631 360 24X
 Fiche 50-295, 82/06/25, 8206290477

R. Periodic operating reports & related correspondence

8206110206 Forwards monthly operating repts for May 1982
 GRAESSER, K L Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement 1p 13466 346 24X
 Fiche 50-295, 82/06/08, 8206110206

--8206110209 Monthly operating repts for May 1982.
 CDDK, J M Commonwealth Edison Co 82/06/08 11pp 13466 347, 24X Fiche 50-295, 82/06/08, 8206110206

S Reportable occurrences, LERs & related correspondence

8206020341 Forwards LER 82-011/03L-0.
 GRAESSER, K L Commonwealth Edison Co 82/05/24 KEPLER, J O Region 3, Office of Director 1p 13321 287 24X
 Fiche 50-304, 82/05/24, 8206020341

--8206020346 LER 82-011/03L-0 on 820424, during calibr surveillance, condenser air ejector gas monitor 2RE0015 found to be reading low in lower range Caused by failure of high voltage power supply for monitor to adjust to within tolerances.
 JAKUBAITIS, T C Commonwealth Edison Co 82/05/24 Region 3, Office of Director 1p 13321 288 24X Fiche 50-304, 82/05/24, 8206020341

8206100172 Forwards LER 82-012/03L-0
 GRAESSER, K L Commonwealth Edison Co 82/06/04 KEPLER, J O Region 3, Office of Director 1p 13451 164 24X
 Fiche: 50-304, 82/06/04, 8206100172

--8206100179 LER 82-012/03L-0 on 820510, 120-volt ac feed switch to train A div 29 safeguards actuating relays & train A safeguards & blackout sequence timers found in off position Cause unknown Mod to undervoltage alarm in progress
 RONDIC, J E Commonwealth Edison Co 82/06/04 Region 3, Office of Director 1p 13451 165 24X Fiche 50-304, 82/06/04, 8206100172

8206150181 Forwards LER 82-013/03L-0
 GRAESSER, K L Commonwealth Edison Co 82/06/09 KEPLER, J O Region 3, Office of Director 1p 13503 339 24X
 Fiche 50-304, 82/06/09, 8206150181

--8206150192 LER 82-013/03L-0 on 820510, reactor coolant loop 2A overpower delta-T setpoint summator 2TC-411E found out-of-tolerance high by 10.7% Caused by sporadic component failure within summator Summator replaced
 CANTWELL, P F Commonwealth Edison Co 82/06/09 Region 3, Office of Director 1p 13503 340 24X Fiche 50-304, 82/06/09, 8206150181

8206150204 Forwards LER 82-014/03L-0
 GRAESSER, K L Commonwealth Edison Co 82/06/10 KEPLER, J O Region 3, Office of Director 1p 13501 358 24X
 Fiche: 50-304, 82/06/10, 8206150204

--8206150214 LER 82-014/03L-0 on 820511, 2A steam generator pressure comparator 2PC-516A/B setpoint found drifting w/max error of -7.5% Caused by failure of input buffer amplifier in comparator Comparator (Hagan 118) replaced
 CANTWELL, P F Commonwealth Edison Co 82/06/10 Region 3, Office of Director 1p 13501 359 24X Fiche 50-304, 82/06/10, 8206150204

8206220353 Forwards LER 82-015/03L-0
 GRAESSER, K L Commonwealth Edison Co 82/06/15 KEPLER, J O Region 3, Office of Director 1p 13582 097 24X
 Fiche 50-304, 82/06/15, 8206220353

--8206220360 LER 82-015/03L-0 on 820525 & 29, condenser offgas radiation monitor 2RE-0015 failed above alarm setpoint Caused by condensate buildup flooding detector Monitor dried & detector replaced Leakage problem under investigation
 WANO, J Commonwealth Edison Co 82/06/15 Region 3, Office of Director 1p 13582 098 24X Fiche 50-304, 82/06/15, 8206220353

DOCKET 50-305 KENAUWEE NUCLEAR POWER PLANT

F Security, medical, emergency & fire protection plans

8206030291 Requests correction of typographical errors on NRC 820421 ltr transmitting Amend 39 to License DPR-43 re fire protection Docket 50-306 & License 3 should read Docket 50-305 & License DPR-43, respectively
 GROTHENHUIS, M Operating Reactors Branch 1, 82/05/26 MATHEWS, E R Wisconsin Public Service Corp 2pp 13361 322 24X
 Fiche 50-305, 82/05/26, 8206030291

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B, Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
 PAPERIELLO, C J Emergency Preparedness & Program Support Branch, 81/12/01, RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

DOCKETED ITEMS

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J. A. Division of Emergency Preparedness & Operational Support. 82/01/05 ORIHES, B. K. Division of Emergency Preparedness App 13454 133 24X Fiche 50-000, 82/05/11, 8206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by B20601
HIND, J. A. Division of Emergency Preparedness & Operational Support 82/02/17 ORIHES, B. Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

B206160249 Releases public version of revised emergency plan implementing procedures
FELTON, J. M. Division of Rules and Records 82/06/14 Document Management Branch 1p 13540 093 24X Fiche 50-305, 82/06/14, 8206160249

--B206160258 Forwards public version of revised radiological emergency response plan implementing procedures, including Procedures EP-ENV-3B re environ monitoring team actions & EP-ENV-4A re sample acquisition, portable instrument use
MATHEWS, E. R. Wisconsin Public Service Corp 82/05/26 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 2pp 13540 094 24X Fiche 50-305, 82/06/14, 8206160249

--B206160266 Public version of revised radiological emergency response plan implementing procedures, including Procedures EP-ENV-3B re environ monitoring team actions & EP-ENV-4A re sample acquisition, portable instrument use
* Wisconsin Public Service Corp 82/05/21 39pp 13540 096 24X Fiche 50-305, 82/06/14, 8206160249

B206290194 Requests one-time exemption from annual exercise requirement of 10CFR50, App E for 820223-831101 Proposed date of 831101 will not decrease effectiveness of program
QIESLER, C. W. Wisconsin Public Service Corp 82/05/24 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 3pp 13635 348 24X Fiche 50-305, 82/06/24, 8206290194

H General correspondence

B206250201 Advises that CW Qiesler has been appointed vice-president, nuclear power in place of ER Mathews
MATHEWS, E. R. Wisconsin Public Service Corp. 82/06/21 VARQA, S. A. Operating Reactors Branch 1 KEPLER, J. O. Region 3, Office of Director 1p 13613 292 24X Fiche: 50-305, 82/06/21, 8206250201.

P. Operating license stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted.
FELTON, J. M. Division of Rules and Records 82/05/12 MCHURRAY, C. M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 28pp 13638; 055. 24X Fiche 50-000, 82/05/12, 8206280071

--B103020313 Updates 801222 memo re decisions for degraded cooling rulemaking. Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided.
MEDEIRO, M. S. Reactor Systems Standards Branch 81/02/02. ARLOTTO, G. A. Division of Engineering Standards 20pp 13638-102 24X Fiche 50-000, 82/05/12, 8206280071

B206030291 Requests correction of typographical errors on NRC 820421 ltr transmitting Amend 39 to License DPR-43 re fire protection. Docket 50-305 & License 3 should read Docket 50-305 & License DPR-43, respectively
QROTHMUIB, M. Operating Reactors Branch 1 82/05/26 MATHEWS, E. R. Wisconsin Public Service Corp 2pp 13361.322 24X Fiche, 50-305, 82/05/26, 8206030291.

B206160470 Forwards Amend 45 to License DPR-43, safety evaluation & notice of issuance & availability Amend revises Tech Specs re adjustment to nuclear flux trip setpoint pressure heaters & auxiliary feedwater pumps.
QROTHMUIB, M. Operating Reactors Branch 1. 82/06/02 MATHEWS, E. R. Washington Public Power Supply System. 2pp 13543; 214, 24X Fiche, 50-305, 82/06/02, 8206160470

--B206160482 Amend 45 to License DPR-43, applying trip settings for instruments monitoring reactor power coolant pressure, temp, flow, pressurizer level & permissives re reactor protection.
VARQA, S. A. Operating Reactors Branch 1 82/06/02. 9pp 13543. 216 24X Fiche 50-305, 82/06/02, 8206160470

--B206160489 Safety evaluation supporting Amend 45 to License DPR-43
* Office of Nuclear Reactor Regulation, Director 82/06/02 App 13543 225 24X Fiche 50-305, 82/06/02, 8206160470

--B206160492 Notice of issuance & availability of Amend 45 to License DPR-43
NEIHBORGS, J. D. Operating Reactors Branch 1 82/06/02 2pp 13543 229 24X Fiche 50-305, 82/06/02, 8206160470

B206110075 Forwards response to Generic Ltr 82-10, "Past-TMI Requirements"
QIESLER, C. W. Wisconsin Public Service Corp 82/06/07 EISENHUT, D. G. Division of Licensing 7pp 13467 094 24X Fiche 50-305, 82/06/07, 8206110075

B206140007 Forwards list of current or anticipated activities which affect facility in addition to NUREG-0748 activities Listed activities significant enough to warrant discussion during B20608 meeting
QIESLER, C. W. Wisconsin Public Service Corp 82/06/07 EISENHUT, D. G. Division of Licensing 7pp 13487 057 24X Fiche 50-305, 82/06/07, 8206140007

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D. G. Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co. of New York 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

B206210493 Forwards revised Tech Specs re adjustment to nuclear flux trip setpoint, pressurizer heaters & auxiliary feedwater pumps, originally issued w/Amend 45
THORGERSEN, J. O. Wisconsin Public Service Corp 82/06/14 LICCIARDO, R. Operating Reactors Branch 1 8pp 13570 337 24X Fiche 50-305, 82/06/14, 8206210493

--B206210507 Revised Tech Spec Pages 2 3-1, 3 1-2a, 3 1-2c, 3 4-1, 3 4-1a & 4 1-3 re adjustment to nuclear flux trip setpoint pressurizer heaters & auxiliary feedwater pumps
* Wisconsin Public Service Corp 82/06/02 7pp 13570 345 24X Fiche 50-305, 82/06/14, 8206210493

B206210273 Responds to 820517 ltr re schedule for submitting required info on NUREG-0612, "Control of Heavy Loads at Nuclear Power Plants" Part 1 of response will be submitted by 821115 & Part 2 by 830215
QIESLER, C. W. Wisconsin Public Service Corp 82/06/15 VARQA, S. A. Operating Reactors Branch 1 1p 13559 071 24X Fiche 50-305, 82/06/15, 8206210273

B206220402 Forwards revised Tech Spec Page TB 3 1-2(c) in Amend 45 to OL Revision necessary due to typographical error in B20614 submittal
THORGERSEN, J. O. Wisconsin Public Service Corp. 82/06/16 LICCIARDO, R. Operating Reactors Branch 1 1p 13578 047. 24X Fiche 50-305, 82/06/16, 8206220402

--B206220406 Revised Tech Spec Page TB 3 1-2(c) in Amend 45 to OL Corrects typographical error re pressurizer heaters
* Wisconsin Public Service Corp 82/06/02 1p 13578 048 24X Fiche 50-305, 82/06/16, 8206220402

B206230362 Notification of 820623 meeting w/util in Bethesda, MD to discuss basis for alternate shutdown schedule
QROTHMUIB, M. Operating Reactors Branch 1 82/06/16 VARQA, S. A. Operating Reactors Branch 1 2pp 13594 337 24X Fiche 50-305, 82/06/16, 8206230362

B206230224 Forwards correction to 820615 ltr changing date of generic ltr from 801227 to 801222 & Section 5 1, "General Info" to 2 1
QIESLER, C. W. Wisconsin Public Service Corp 82/06/18 VARQA, S. A. Operating Reactors Branch 1 1p 13586 307 24X Fiche: 50-305, 82/06/18, 8206230224

B206280433 Forwards corrected Tech Spec Page TB 3.4-1a to Amend 45 to License DPR-43; dtd 820614
THORGERSEN, J. O. Wisconsin Public Service Corp. 82/06/21 LICCIARDO, R. Operating Reactors Branch 1 1p 13621 331 24X Fiche 50-305, 82/06/21, 8206280433.

--B206280451 Corrected Tech Spec Page TB 3.4-1a to Amend 45 to License DPR-43
* Wisconsin Public Service Corp 82/06/14 1p 13621 332 24X Fiche 50-305, 82/06/21, 8206280433

8206290199 Informs of delay in submitting final rept re specific analysis of generic testing of PWR safety & relief valves Rept initially scheduled for 820701, now scheduled for 820712 submittal
 QIESLER, C W Wisconsin Public Service Corp 82/06/25
 EISENHUT, D G Division of Licensing 1p 13636 257 24X
 Fiche 50-305, 82/06/25, 8206290199

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8206170189 Forwards IE Insp Rept 50-305/82-02 on 820111-14 & 29 No noncompliance noted
 STREETER, J F Region 3, Office of Director 82/06/02 MATHEWS, E R Wisconsin Public Service Corp 2pp 13534 310 24X
 Fiche 50-305, 82/06/02, 8206170189

--8206170200 IE Insp Rept 50-305/82-02 on 820111-14 & 29, No noncompliance noted Major areas inspected special insp of potential metl false statement re applications for renewal of reactor operator & senior reactor operator licenses.
 KONKLIN, J E, NELSON, R L Division of Project & Resident Programs 82/06/01 3pp 13534 312 24X Fiche: 50-305, 82/06/02, 8206170189

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Metl by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp, 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206010204 Forwards monthly operating rept for Apr 1982
 MATHEWS, E R Wisconsin Public Service Corp 82/05/10 Office of Management and Program Analysis 1p, 13307 161 24X
 Fiche 50-305, 82/05/10, 8206010204.

--8206010206 Monthly operating rept for Apr 1982.
 RUITER, O H Wisconsin Public Service Corp 82/05/03 4pp
 13307 162 24X Fiche: 50-305, 82/05/10, 8206010204

8206150255 Forwards monthly operating rept for May 1982.
 QIESLER, C W Wisconsin Public Service Corp 82/06/09 Management Information Branch 1p 13505 208 24X Fiche 50-305, 82/06/09, 8206150255

--8206150258 Monthly operating rept for May 1982
 RUITER, O H Wisconsin Public Service Corp 82/06/09 4pp
 13505 209 24X Fiche: 50-305, 82/06/09, 8206150255

S Reportable occurrences, LERs & related correspondence

8206070706 Forwards LER 82-011/03L-0
 MATHEWS, E R Wisconsin Public Service Corp 82/05/28 KEPLER, J O Region 3, Office of Director 1p 13389:153 24X
 Fiche: 50-305, 82/05/28, 8206070706

--8206070712 LER 82-011/03L-0, on 820428, RCS temp transmitter calibr was in excess of Tech Spec limit Caused by instrument drift Transmitter recalibr & tested satisfactorily
 LINDBERG, P M Wisconsin Public Service Corp, 82/05/28, Region 3, Office of Director, 1p 13389 154 24X Fiche: 50-305, 82/05/28, 8206070706.

8206170301 Forwards updated LER 82-010/03X-1 & LERs 82-012/03L-0 & 82-013/01T-0
 QIESLER, C W Wisconsin Public Service Corp 82/06/11 KEPLER, J O Region 3, Office of Director 1p 13531 248 24X
 Fiche 50-305, 82/06/11, 8206170301

--8206170307 Updated LER 82-010/03X-1 on 820422, during refueling outage, surveillance testing indicated RCS flow transmitter out of calibr Caused by instrument drift Transmitter recalibr
 SHOMER, C S Wisconsin Public Service Corp 82/06/11 Region 3, Office of Director 1p 13531 249 24X Fiche 50-305, 82/06/11, 8206170301

--8206170308 LER 82-012/03L-0 on 820512, mainsteam header 1A, isolation valve, MS-1A, exceeded Tech Spec closure time Caused by valve being closed & dry since start of cold shutdown, Shaft cleaned & lubricated externally
 BERNHOFF, S L Wisconsin Public Service Corp 82/06/11 Region 3, Office of Director 1p 13531 250 24X Fiche 50-305, 82/06/11, 8206170301

--8206170314 LER 82-013/01T-0 on 820528, preliminary analysis of piping load evaluation per NUREG-0737, Item II D 1 indicated allowable stresses will be exceeded on pressurizer safety loop seal piping when safety valve opens Analysis underway
 BERNHOFF, S L Wisconsin Public Service Corp 82/06/11 Region 3, Office of Director 1p 13531 251 24X Fiche 50-305, 82/06/11, 8206170301

8206220233 Forwards LER 82-014/03L-0
 QIESLER, C W Wisconsin Public Service Corp, 82/06/15 KEPLER, J O Region 3, Office of Director 1p 13571 285 24X
 Fiche 50-305, 82/06/15, 8206220233

--8206220239 LER 82-014/03L-0 on 820517, during refueling outage, turbine driven auxiliary feedwater pump IC would not reach required speed Caused by exercise of governor valve to eliminate flat spot in controller Governor adjusted per mfg manual
 BERNHOFF, S L Wisconsin Public Service Corp, 82/06/16, Region 3, Office of Director 1p 13571 286 24X Fiche 50-305, 82/06/15, 8206220233

8206240197 Forwards LER 82-015/03L-0
 QIESLER, C W Wisconsin Public Service Corp 82/06/18 KEPLER, J O Region 3, Office of Director 1p 13597 188 24X
 Fiche 50-305, 82/06/18, 8206240197

--8206240199 LER 82-015/03L-0, on 820518, while trying to borate RCS during physic testing, no boric acid flow obtained through blender due to freeze-up in boric acid tank to blender line at valve CVC-401, Old heat tracing tape replaced.
 BERNHOFF, S L Wisconsin Public Service Corp 82/06/18 Region 3, Office of Director 1p 13597 189 24X Fiche 50-305, 82/06/18, 8206240197

8206290180 Forwards LERs 82-016/03L-0 & 82-017/03L-0.
 QIESLER, C W Wisconsin Public Service Corp 82/06/22 KEPLER, J O Region 3, Office of Director 1p 13635 345 24X
 Fiche 50-305, 82/06/22, 8206290180

--8206290185 LER 82-017/03L-0 on 820525, error in surveillance testing frequency discovered Sr-60 calibr source listed as having 60-month rather than 6-month test interval No cause stated Test schedule revision submitted.
 BERNHOFF, S L Wisconsin Public Service Corp 82/06/24, Region 3, Office of Director 1p, 13635 346 24X Fiche 50-305, 82/06/22, 8206290180

--8206290191 LER 82-016/03L-0 on 820524, one train of auxiliary bldg special ventilation sys filter efficiency fell below 90%. Caused by natural end of life of charcoal absorber cells. Fifteen of 27 cells replaced
 BERNHOFF, S L Wisconsin Public Service Corp 82/06/23, Region 3, Office of Director, 1p 13635 347 24X Fiche: 50-305, 82/06/22, 8206290180

DOCKET 50-306 PRAIRIE ISLAND NUCLEAR STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J M Division of Rules and Records, 82/04/21, WADE, J, Public Interest Research Group, New York 7pp, 13524:010 24X
 Fiche: 50-000, 82/04/21, 8206150016

--8206150023 Updates delivery schedule for siren shipments to facilities.
 ANDERSON, M E Federal Signal Corp, 82/01/28, GANNON, P, Affiliation Unknown, 5pp 13524:234, 24X Fiche: 50-000, 82/04/21, 8206150016

DOCKETED ITEMS

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR
 FELTON, J. M. Division of Rules and Records 82/05/11 REYNOLDS, N. S. Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090033 Forwards updated info re prompt notification & warning sys. for Region 3 licensees
 PAPERIELLO, C. J. Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S. L. Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

--8203110477 Forwards update on prompt notification & warning sys. for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys. now complete
 HIND, J. A. Division of Emergency Preparedness & Operational Support 82/01/05 GRINES, B. K. Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, 8206090002

--8206090073 Forwards monthly status report re prompt notification sys. at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601
 HIND, J. A. Division of Emergency Preparedness & Operational Support 82/02/17 GRINES, B. Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

8206010515 Requests mod of exemption from App R Section III-J re emergency lighting mods granted in 820504 ltr, extending implementation date to 9 months after 820401 Delay caused by need to modify units to accept substitute battery
 MAYER, L. O. Northern States Power Co 82/05/20 Docketing & Services Branch 3pp 13314 081 24X Fiche 50-282, 82/05/20, 8206010515

8206020166 Releases public version of revision to corporate emergency response plan
 FELTON, J. M. Division of Rules and Records 82/05/25. Document Management Branch 1p 13340 134 24X Fiche 50-000, 82/05/25, 8206020166

--8206020172 Forwards public version of Revision 4 to corporate emergency response plan, consisting of changes requested in NRC 811217 ltr re Prairie Island emergency preparedness appraisal
 MAYER, L. O. Northern States Power Co 82/05/11 Region 3, Office of Director 2pp 13340 135 24X Fiche 50-000, 82/05/25, 8206020166

--8206020177 Public version of Revision 4 to corporate emergency response plan
 HUDSON, O. WARD, E. C. NEILS, O. H. Northern States Power Co 82/05/03 13pp 13340 137 24X Fiche 50-000, 82/05/25, 8206020166

8206180287 Forwards post-exercise evaluation of "Joint Emergency Exercise on 811208," final report. Govts in vicinity have adequate offsite capability to protect public in event of radiological event
 KRIMM, R. W. Federal Emergency Management Agency 82/05/26 GRINES, B. Division of Emergency Preparedness 3pp 13547 182 24X Fiche 50-282, 82/05/26, 8206180287

--8206180288 Post-exercise evaluation of "Joint Emergency Exercise on 811208," final report
 * Federal Emergency Management Agency 82/04/30 74pp 13547 185 24X Fiche 50-282, 82/05/26, 8206180287

8206080303 Ack receipt of 820118 ltr informing NRC of steps taken to address items in Apps A & B of IE emergency preparedness implementation appraisal report dtd 811217 Response acceptable
 PAPERIELLO, C. J. Division of Emergency Preparedness & Operational Support 82/06/03 GILBERTS, D. E. Northern States Power Co 1p 13420 192 24X Fiche 50-282, 82/06/03, 8206080303

8206230114 Submits add'l fee for processing request for extension of fire protection mod completion date. Add'l fee in response to NRC 820320 request
 MUSOLF, D. Northern States Power Co 82/06/08 MILLER, W. D. License Fee Management Branch 2pp 13591 055 24X Fiche 50-282, 82/06/08, 8206230114

J Insurance & indemnity information

8206020494 Forwards Endorsement 45 to MAELU Policy NF-68 & Endorsement 52 to NELIA Policy NF-197
 JOHNSON, R. O. Northern States Power Co 82/05/26 DINI, T. J. Antitrust & Economic Analysis Branch (Utility Finance) 3pp 13325 321 24X Fiche 50-000, 82/05/26, 8206020494

K Utility Final Safety Analysis Report (FSAR) & amends

8206300216 Chapter 1 to Prairie Island updated FSAR, "Introduction & Summary Description"
 * Northern States Power Co 81/12/31 100pp 13647 095 24X Fiche 50-282, 81/12/31, 8206300216

8206300218 Chapter 2 to Prairie Island updated FSAR, "Plant Site & Environs"
 * Northern States Power Co 81/12/31 200pp 13647 154 24X Fiche 50-282, 81/12/31, 8206300218

8206300220 Chapter 3 to Prairie Island updated FSAR, "Reactor Core"
 One oversize drawing encl. Aperture card available in PDR
 * Northern States Power Co 81/12/31 200pp 13647 250 24X Fiche 50-282, 81/12/31, 8206300220

8206300223 Chapter 4 to Prairie Island updated FSAR, "RCS"
 * Northern States Power Co 81/12/31 400pp 13648 001 24X Fiche 50-282, 81/12/31, 8206300223

8206300226 Chapter 5 to Prairie Island updated FSAR, "Plant Containment Sys"
 * Northern States Power Co 81/12/31 400pp 13648 158 24X Fiche 50-282, 81/12/31, 8206300226

8206300228 Chapter 6 to Prairie Island updated FSAR, "ESFs"
 * Northern States Power Co 81/12/31 375pp 13648 330 24X Fiche 50-282, 81/12/31, 8206300228

8206300230 Chapter 7 to Prairie Island updated FSAR, "Plant Instrumentation & Control Sys"
 * Northern States Power Co 81/12/31 375pp 13649 119 24X Fiche 50-282, 81/12/31, 8206300230

8206300233 Chapter 8 to Prairie Island updated FSAR, "Plant Electrical Sys"
 * Northern States Power Co 81/12/31 175pp 13649 296 24X Fiche 50-282, 81/12/31, 8206300233

8206300236 Chapter 9 to Prairie Island updated FSAR, "Plant Radwaste Control Sys"
 * Northern States Power Co 81/12/31 175pp 13650 006 24X Fiche 50-282, 81/12/31, 8206300236

8206300238 Chapter 10 to Prairie Island updated FSAR, "Plant Auxiliary Sys"
 * Northern States Power Co 81/12/31 425pp 13650 074 24X Fiche 50-282, 81/12/31, 8206300238

8206300241 Chapter 11 to Prairie Island updated FSAR, "Plant Power Conversion Sys"
 * Northern States Power Co 81/12/31 200pp 13650 278 24X Fiche 50-282, 81/12/31, 8206300241

8206300243 Chapter 12 to Prairie Island updated FSAR, "Plant Structures & Shielding"
 * Northern States Power Co 81/12/31 500pp 13651 012 24X Fiche 50-282, 81/12/31, 8206300243

8206300269 Chapter 13 to Prairie Island updated FSAR, "Plant Operations"
 * Northern States Power Co 81/12/31 16pp 13651 307 24X Fiche 50-282, 81/12/31, 8206300269

8206300271 Chapter 14 to Prairie Island updated FSAR, "Safety & Accident Analysis"
 * Northern States Power Co 81/12/31 425pp 13651 324 24X Fiche 50-282, 81/12/31, 8206300271

8206300204 Forwards updated SAR for facility
 MUSOLF, D. M. Northern States Power Co 82/06/18 Office of Nuclear Reactor Regulation, Director 3pp 13647 061 24X Fiche 50-282, 82/06/18, 8206300204

--8206300206 Updated FSAR for Prairie Island Units 1 & 2
 * Northern States Power Co 81/12/31 3,966pp 13647 064 24X Fiche 50-282, 82/06/18, 8206300204

P Operating license stage documents & correspondence

8206070660 Requests add'l extensions re implementation of NUREG-0737, Item II F 1 re steam relief monitors & Item II F 2 re qualified core exit thermocouples
 MAYER, L. O. Northern States Power Co 82/03/01 Office of Nuclear Reactor Regulation, Director 1p 13390 212 24X Fiche 50-282, 82/03/01, 8206070660

8206110324 Advises that acceptance of response to Item 2 1 3a in NUREG-0578 also satisfies requirements of TMI Item II E 4 1, "Dedicated Hydrogen Penetrations." Item considered resolved. CLARK, R A Operating Reactors Branch 3 82/06/01 MUSOLF, D M Northern States Power Co 2pp 13490 315 24X Fiche 50-282, 82/06/01, 8206110324

8206150288 Forwards info re status of NUREG-0737 items w/implementation dates after 820301 in response to Generic Ltr 82-10 MUSOLF, D M Northern States Power Co 82/06/04 Office of Nuclear Reactor Regulation, Director 20pp 13503 226 24X Fiche 50-282, 82/06/04, 8206150288

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York THOMAS, R A Southern Co Services, Inc CLAYTON, F L Alabama Power Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206220120 Application for amend to Licenses DPR-42 & DPR-60 changing App A Tech Spec Figure TS 3 10-7 re normalized exposure dependent function for Exxon Nuclear Co fuel MUSOLF, D M Northern States Power Co 82/06/14 Office of Nuclear Reactor Regulation, Director 3pp 13573 234 24X Fiche 50-282, 82/06/14, 8206220120

--8206220123 Proposed Tech Spec Figure TS 3 10-7 re normalized exposure dependent function for Exxon Nuclear Co fuel * Northern States Power Co 82/06/14 2pp 13573 237 24X Fiche 50-282, 82/06/14, 8206220120

8206210170 Supply license amend request re normalized exposure dependent function figure by transmitting XN-NF-81-06(P), "LOCA ECCS Limiting Break & Exposure Sensitivity Analysis" Rept withheld (ref 10CFR2 790) MUSOLF, D M Northern States Power Co 82/06/15 Office of Nuclear Reactor Regulation, Director 6pp 13560 330 24X Fiche 50-282, 82/06/15, 8206210170

8206230333 Advises that until 811229 response to NUREG-0737, TMI Action Plan Item II K 3 25 requiring licensees to demonstrate integrity of reactor coolant pump seals during potential loss of offsite power event adequate item resolved. CLARK, R A Operating Reactors Branch 3 82/06/17 MUSOLF, D M Northern States Power Co 2pp 13594 339 24X Fiche 50-282, 82/06/17, 8206230333

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206100203 Forwards IE Insp Repts 50-282/82-06 & 50-304/82-06 on 820401-30 No noncompliance noted STREETER, J F Division of Project & Resident Programs 82/05/28 GILBERTS, D E Northern States Power Co 2pp 13453 308 24X Fiche 50-282, 82/05/28, 8206100203

--8206100208 IE Insp Repts 50-282/82-06 & 50-304/82-06 on 820401-30. No noncompliance noted. Major areas inspected plant operation, maint, surveillance, security, radiation protection, procedures, design changes & event repts FEIERABEND, C D, BURGESS, B L., REYES, L A Division of Project & Resident Programs 82/05/28 7pp 13453 310 24X Fiche 50-282, 82/05/28, 8206100203

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380.

8206080303 Ack receipt of 820115 ltr informing NRC of steps taken to address items in Apps A & B of IE emergency preparedness implementation appraisal rept dtd 811217 Response acceptable PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/03 GILBERTS, D E Northern States Power Co 1p 13420 132 24X Fiche 50-282, 82/06/03, 8206080303.

8206210513 Forwards IE Insp Repts 50-282/82-07 & 50-304/82-07 on 820505-07 No noncompliance noted MILLER, J R Division of Engineering & Technical Programs 82/06/04 GILBERTS, D E Northern States Power Co 2pp 13568 093 24X Fiche 50-282, 82/06/04, 8206210513

--8206210523 IE Insp Repts 50-282/82-07 & 50-304/82-07 on 820505-07 No noncompliance noted. Major areas inspected actions taken in response to NUREG-0737 post-TMI Items II B 3 2 B, II F 1 1 D 2 & II F 1 3 HUETER, L J, GREGOR, L R Division of Engineering & Technical Programs 82/06/04 9pp 13568 093 24X Fiche 50-282, 82/06/04, 8206210513

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206150190 Forwards monthly operating repts for May 1982 MUSOLF, D M Northern States Power Co 82/06/10 Director's Office, Office of Inspection and Enforcement 1p 13498 350 24X Fiche 50-282, 82/06/10, 8206150190

--8206150193 Monthly operating repts for May 1982 DUOSTAD, D M Northern States Power Co 82/06/03 8pp 13498 351 24X Fiche 50-282, 82/06/10, 8206150190

S Reportable occurrences, LERs & related correspondence

8206100247 Forwards LER 82-009/03L-0 MUSOLF, D M Northern States Power Co 82/06/04 Region 3, Office of Director 1p 13458 232 24X Fiche 50-306, 82/06/04, 8206100247.

--8206100249 LER 82-009/03L-0 on 820505, during surveillance testing of SI pump 22, test isolation valve found closed. Caused by improper restoration of sys after maint Design change initiated HUNSTAD, A A Northern States Power Co 82/06/04 Region 3, Office of Director 2pp 13458 233 24X Fiche 50-306, 82/06/04, 8206100247

DOCKET 50-309 MAINE YANKEE ATOMIC POWER PLANT

F Security, medical, emergency & fire protection plans

8206150014 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US. Forwards documents listed in App A FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, 8206150014

--8201250015 Forwards Central Files version of revised emergency plan implementing procedures, including revised page list, Pages App III 23-III 24 re distribution of public emergency alerting sys & revised alerting sys map GARRITY, J H Maine Yankee Atomic Power Co 82/01/19 Office of Nuclear Reactor Regulation, Director 3pp 13524 112 24X Fiche 50-000, 82/04/21, 8206150014

8206170011 Informs that Commission granted 810209 exemption request re fire protection scheduler requirements of 10CFR50 48(c) & design criteria specified in Section III C of App R to 10CFR50 Evaluation of exemption request encl DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/19 GARRITY, J H Maine Yankee Atomic Power Co 7pp 13525 288 24X Fiche 50-309, 82/05/19, 8206170011.

--8206170012 Exemption from fire protection scheduler requirements of 10CFR50 48(C) & design criteria specified in Section III.L of App R to 10CFR50 DENTON, H R Office of Nuclear Reactor Regulation, Director 82/05/19 Maine Yankee Atomic Power Co 28pp 13553 295 24X Fiche 50-309, 82/05/19, 8206170011

DOCKETED ITEMS

3206140023 Notifies of receipt of NRC 820519 ltr on 820524 Info re fire protection safe shutdown capability will be submitted by 821124
GARRITY, J H Maine Yankee Atomic Power Co 82/06/07 CLARK, R A
Operating Reactors Branch 3 1p 13484 347 24X
Fiche 50-309, 82/06/07, 8206140023

3206140245 Releases public version of emergency notification procedure change rept
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13508 046 24X Fiche 50-309, 82/06/08,
8206140245

--8206140251 Forwards public version of Procedural Change Rept 82-155 for Revision 3 to Procedure 2 50 17, "Emergency Notification"
* Maine Yankee Atomic Power Co 82/05/25 NRC - No Detailed
Affiliation Given 1p 13508 047 24X Fiche 50-309, 82/06/08,
8206140245

--8206140235 Public version of Procedural Change Rept 82-155 for Revision 3 to Emergency Plan Implementing Procedure 2 50 17, "Emergency Notification" Receipt form encl.
* Maine Yankee Atomic Power Co 82/05/24 1p 13508 048 24X
Fiche 50-309, 82/06/08, 8206140245

3206290295 Responds to NRC 820503 ltr re TH1 action items & emergency preparedness items addressed in SECY-82-111
FRIZZLE, C D Maine Yankee Atomic Power Co 82/06/25 CLARK, R A
Operating Reactors Branch 3 4pp 13635 217 24X
Fiche 50-309, 82/06/25, 8206290295

2 Adjudicatory correspondence

3206040227 Advises that EIA & BER will be issued by 820604
GUTIERREZ, J M Hearing Branch 3 82/05/28 LAZA, R M, HAND, C H,
MORRIS, P A Atomic Safety and Licensing Board Panel 1p
13355 267 24X Fiche 50-309, 82/05/28, 8206040227

3206040165 Forwards DC Mannheim 820521 postcard supporting corrective measures in anticipation of 5-yr mothballing of facility NRC does not anticipate filing formal reply to encl communication
GUTIERREZ, J M Hearing Branch 3, 82/06/01 LAZO, R M, HAND, C H,
MORRIS, P A Atomic Safety and Licensing Board Panel 1p
13359 151 24X Fiche 50-309, 82/06/01, 8206040165,

--8206040169 Requests initiation of appropriate corrective measures in anticipation of 5-yr mothballing
MANHEIM, D C Affiliation Unknown 82/05/21 Director's Office,
Office of Inspection and Enforcement 1p 13359 152 24X
Fiche: 50-309, 82/06/01, 8206040165

3206070601 Response to applicant 820517 motion for proposed schedule for further proceedings Motion should be denied, or if granted, granted subj to listed amends or conditions
Certificate of Svc encl
MILLER, D B Sensible Maine Power MILLER, D B Miller, D B
82/06/01, Atomic Safety and Licensing Board Panel 9pp
13373 307, 24X Fiche: 50-309, 82/06/01, 8206070601.

3206090063 Response to applicant motion for proposed schedule for further proceedings Certificate of Svc encl
BROWN, R E, AHRENS, P., FRANK, R B Maine, State of. 82/06/01
Atomic Safety and Licensing Board Panel 3pp. 13435 346, 24X
Fiche: 50-309, 82/06/01, 8206090063

3 Operating license stage documents & correspondence

3206070142 Forwards summary of 820507 meeting w/util re need for review of facility seismic design Concurs w/util proposal for program to address seismic design issue by 820618
NOVAK, T M Assistant Director for Operating Reactors 82/05/18
GARRITY, J H Maine Yankee Atomic Power Co 1p 13427 012 24X
Fiche 50-309, 82/05/18, 8206070142.

3206010667 Requests addl containment purge & vent info within 45 days, in support of review of licensee response to NRC 781129 ltr Info needed includes schedule for installing debris screens, valve operability & safety actuation override
CLARK, R A Operating Reactors Branch 3 82/05/21 GARRITY, J H
Maine Yankee Atomic Power Co 13pp 13331 287 24X
Fiche: 50-309, 82/05/21, 8206010667

3206020383 Responds to NRC 820402 questions re seismic qualification of auxiliary feedwater sys
GARRITY, J H Maine Yankee Atomic Power Co 82/05/27 CLARK, R A
Operating Reactors Branch 3 2pp, 13326 267, 24X
Fiche: 50-309, 82/05/27, 8206020383.

8206080265 Forwards Suppl 1 to Proposed Change 67 to License DPH-36 consisting of revision to Tech Spec 4 7 re inservice insp Amend replaces Pages 4 7-1 through 4 7-6 w/Page 4 7-1, in response to NRC 820323 request
RAHDATZA, J B Maine Yankee Atomic Power Co 82/05/27 CLARK, R A
Operating Reactors Branch 3 2pp 13420 068 24X
Fiche 50-309, 82/05/27, 8206080265

--8206080270 Suppl 1 to Proposed Change 67 to Tech Spec 4 7, inservice insp & testing of safety class components which replaces Pages 4 7-1 through 4 7-6 w/Page 4 7-1
* Maine Yankee Atomic Power Co 82/05/27 1p 13420 070 24X
Fiche 50-309, 82/05/27, 8206080265

8206070354 Application for amend to License DPR-36 consisting of proposed changes to Tech Specs, Section 3, limiting conditions for operations
RAHDATZA, J B Maine Yankee Atomic Power Co 82/05/28 CLARK, R A
Operating Reactors Branch 3 2pp 13363 136 24X
Fiche 50-309, 82/05/28, 8206070354

--8206070358 Proposed changes to Tech Specs to clarify & restructure Section 3, limiting conditions for operation
* Maine Yankee Atomic Power Co 82/05/28 103pp 13363 138 24X Fiche 50-309, 82/05/28, 8206070354

8206080126 Responds to 820519 request re Topical Rept YAE 1296P concerning local thermal hydraulic conditions at point of min departure from nucleate boiling ratio Review of rept may be necessary to enable Cycle 7 full power operation
GARRITY, J H Maine Yankee Atomic Power Co 82/06/01 CLARK, R A
Operating Reactors Branch 3 17pp 13423 048 24X
Fiche 50-309, 82/06/01, 8206080126

8206080230 Forwards revision to 820510 response to NRC 820317 Generic Ltr 82-05, "Post-THI Requirements" Mode will be implemented during Fall 1982 refueling outage
GARRITY, J H Maine Yankee Atomic Power Co 82/06/03 CLARK, R A
Operating Reactors Branch 3 4pp 13420 153 24X
Fiche 50-309, 82/06/03, 8206080230

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Qinna Rept documents findings re cause of event w/o encl
EISENHUT, D O, Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co. of New York COUNSEL, W G, SWITZER, D. C.
Connecticut Yankee Atomic Power Co 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206230324 Forwards Page 4 of Encl 2 inadvertently omitted from 820331 ltr re independence of reactor protection sys
NELSON, C Operating Reactors Branch 3 82/06/14 GARRITY, J H,
Maine Yankee Atomic Power Co 3pp 13594 346 24X
Fiche 50-309, 82/06/14, 8206230324

8206220238 Responds to NRC 820423 ltr re verification of draft radioactive effluent summary Also confirms 820521 telcon w/NRC No identifiable numerical errors in yearly summaries
GARRITY, J H Maine Yankee Atomic Power Co 82/06/15 BEEBE, M R
Division of Data Automation & Management Information 1p
13571 284 24X Fiche 50-309, 82/06/15, 8206220238

8206240281 Confirms info exchanged during 820329 telcon w/NRC re transmitter analyzers
GARRITY, J H Maine Yankee Atomic Power Co 82/06/15 CLARK, R A
Operating Reactors Branch 3 2pp 13596 164 24X
Fiche 50-309, 82/06/15, 8206240281

8206250137 Forwards safety evaluation & EIA re proposed facility mods to increase capacity of spent fuel storage pool Response for open items requested within 30 days of receipt of ltr. Mods acceptable upon completion of open items
CLARK, R A Operating Reactors Branch 3 82/06/16 GARRITY, J H
Maine Yankee Atomic Power Co 3pp 13629 015 24X
Fiche 50-309, 82/06/16, 8206250137

--8206250143 Safety evaluation re proposed facility mods to increase capacity of spent fuel storage pool Mods acceptable subj to resolution of open items
* Office of Nuclear Reactor Regulation, Director. 82/06/16 25pp. 13629 018 24X Fiche 50-309, 82/06/16, 8206250137

--8206250146 EIA supporting proposed facility mods to increase capacity of spent fuel storage pool
* Office of Nuclear Reactor Regulation, Director 82/06/16 10pp. 13629 043, 24X Fiche: 50-309, 82/06/16, 8206250137,

8206220571 Notifies of delay until 820623 for util response to NRC
820505 Generic Ltr 82-10, "Post-TMI Requirements " Request
received on 820524
GARRITY, J H Maine Yankee Atomic Power Co 82/06/17 EISENHUT, D G
Division of Licensing 1p 13582 197 24X Fiche 50-309, 82/06/17,
8206220571

8206240147 Approves until 810518 & 0727 requests to withhold repts
YAEC-1249P & YAEC-1265P from public disclosure, per
10CFR2 790
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/17 KAY, J A
Yankee Atomic Electric Co 3pp 13600 011 24X
Fiche 50-000, 82/06/17, 8206240147

8206240253 Forwards "Program to Establish Seismic Safety Margins Using
Revised Criteria & Analytical Methods "
GARRITY, J H Maine Yankee Atomic Power Co 82/06/21 CLARK, R A
Operating Reactors Branch 3 1p 13593 346 24X
Fiche 50-309, 82/06/21, 8206240253

--8206240259 "Program to Establish Seismic Safety Margins Using Revised
Criteria & Analytical Methods "
* Maine Yankee Atomic Power Co 82/06/30 5pp 13598 347 24X
Fiche 50-309, 82/06/21, 8206240253

9206290449 Provides response to 820427 request for addl info re environ
qualification of safety-related electrical equipment
GARRITY, J H Maine Yankee Atomic Power Co 82/06/24 CLARK, R A
Operating Reactors Branch 3 4pp 13634 174 24X
Fiche 50-309, 82/06/24, 8206290449

8206290212 Forwards improved reproduction of Pages 3 12-2 & 3 14-3 of
Proposed Change 67, Suppl 1, per 820528 application
GARRITY, J H Maine Yankee Atomic Power Co 82/06/25 CLARK, R A
Operating Reactors Branch 3 3pp 13636 254 24X
Fiche 50-309, 82/06/25, 8206290212

Q Inspection reports, IE Bulletins & correspondence

8206040327 Forwards IE Insp Rept 50-309/82-06 on 820419-23 & notice
of violation
MARTIN, T T Division of Engineering & Technical Programs 82/05/21
GARRITY, J H Maine Yankee Atomic Power Co 2pp 13354, 052 24X
Fiche 50-309, 82/05/21, 8206040327

--8206040329 Notice of violation from insp on 820419-23
MARTIN, T T Division of Engineering & Technical Programs
82/05/21 2pp 13354 054 24X Fiche 50-309, 82/05/21, 8206040327

--8206040331 IE Insp Rept 50-309/82-06 on 820419-23 Noncompliance
noted failure to control review & changes to controlled
drawings
BLUMBERG, N, MEYER, O, CAPTON, D L Region 1, Office of Director
82/05/20 13pp 13354 056 24X Fiche 50-309, 82/05/21, 8206040327,

8206080265 Forwards Suppl 1 to Proposed Change 67 to License DPK-36
consisting of revision to Tech Spec 4 7 re inservice insp
Amend replaces Pages 4 7-1 through 4 7-6 w/Page 4 7-1, in
response to NRC 820723 request
RANDAZZA, J B Maine Yankee Atomic Power Co 82/05/27 CLARK, R A
Operating Reactors Branch 3 2pp 13420 068 24X
Fiche 50-309, 82/05/27, 8206080265

--8206080270 Suppl 1 to Proposed Change 67 to Tech Spec 4 7, inservice
insp & testing of safety class components which replaces
Pages 4 7-1 through 4 7-6 w/Page 4 7-1
* Maine Yankee Atomic Power Co 82/05/27 1p 13420 070 24X
Fiche 50-309, 82/05/27, 8206080265

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl,
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206150211 Ack receipt of 820520 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-309/81-16
SMITH, O M, Division of Emergency Preparedness & Operational Support
82/06/09 RANDAZZA, J B Yankee Atomic Electric Co 1p
13505 001, 24X Fiche 50-309, 82/06/09, 8206150211,

--8206150215 Responds to NRC 810901 ltr re violations noted in IE Insp
Rept 50-309/81-16 Corrective actions Teledyne procedure will
be used to perform Sr-89 & 90 analysis by radiological
environ lab senior technical staff
RANDAZZA, J B Yankee Atomic Electric Co 82/05/20 HAYNES, R C
Region 1, Office of Director 1p 13505 002 24X
Fiche 50-309, 82/06/09, 8206150211

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206150445 Forwards LER 82-017/03L-0
WOOD, E C Maine Yankee Atomic Power Co 82/06/03 HAYNES, R C
Region 1, Office of Director 1p 13503 029 24X
Fiche 50-309, 82/06/03, 8206150445

--8206150447 LER 82-017/03L-0 on 820513, diesel generator 18 failed to
phase during surveillance test following completion of
redundant sys check Caused by failure to observe time frame
during redundant sys check, allowing continued operation.
PAINE, W J Maine Yankee Atomic Power Co 82/06/03 Region 1,
Office of Director 2pp 13503 030 24X Fiche 50-309, 82/06/03,
8206150445

DOCKET 50-311 SALEM NUCLEAR GENERATING STATION, UNIT 2

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of
documents Forwards documents listed in app Financial info in
Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCHURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007,

--8102230492 Forwards requests for addl info re additions to recently
review Q-lists Requests should be transmitted to applicants
or licensees at earliest convenience
NODMAN, V B Assistant Director for Materials & Qualifications
Engineering 81/02/02 TEDESCO, R L Assistant Director for
Licensing 4pp 13605 207 24X Fiche 50-000, 82/04/29, 8206230007

F Security, medical, emergency & fire protection plans

8206040365 Notifies of intention to conduct annual emergency plan
exercise on 820519
ZUPKO, J M Public Service Electric & Gas Co of New Jersey
82/02/17 GRIMES, B K Division of Emergency Preparedness 1p.
13354 323 24X Fiche 50-272, 82/02/17, 8206040365

8206150016 Responds to FOIA request for documents re siren sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US Forwards
documents listed in App A.
FELTON, J M Division of Rules and Records, 82/04/21 WADE, J.
Public Interest Research Group, New York 7pp 13524 010, 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150049 Provides update re status of installation & testing of
prompt notification sys Siren sys silent & growl tests
successfully completed in State of NJ Related info encl
ZUPKO, J M Public Service Electric & Gas Co of New Jersey,
82/01/29 DENTON, H R Office of Nuclear Reactor Regulation,
Director VARGA, B A Operating Reactors Branch 1 6pp.
13524, 263 24X Fiche 50-000, 82/04/21, 8206150016

--8206150076 Provides status of installation & testing of prompt alerting
& notification sys Complete siren sys silent test completed
in State of DE on 820129
ZUPKO, J M Public Service Electric & Gas Co of New Jersey,
82/02/03 DENTON, H R Office of Nuclear Reactor Regulation,
Director VARGA, B A Operating Reactors Branch 1 App,
13524, 290 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR,
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B
Debevoise & Liberman 3pp 13454, 003 24X Fiche 50-000, 82/05/11,
8206090002

DOCKETED ITEMS

--B206090011 List of facilities completing emergency preparedness activities by 8/10/701
 * NRC - No Detailed Affiliation Given 82/05/11 9pp
 13494 006 24X Fiche 50-000, 82/05/11, B206090002

B206020059 Releases public version of intended scenario for radiological emergency response plan exercise
 FELTON, J M Division of Rules and Records 82/05/21 Document
 Management Branch 1p 13332 125 24X Fiche 50-272, 82/05/21, B206020059

--B206020064 Forwards public version of intended scenario for 1984 FEMA/NRC witnessed exercise of NJ/DE/facility radiological emergency response plans
 * Public Service Electric & Gas Co of New Jersey 82/04/01
 VARQA, S A Operating Reactors Branch 1 110pp 13332 126 24X Fiche 50-272, 82/05/21, B206020059

B206230140 Forwards fire protection program safe shutdown & interaction analyses in response to B20420 Ltr Rept supplements original "Safe Shutdown & Analysis Rept," submitted Sept 1981
 LIDEN, E A Public Service Electric & Gas Co of New Jersey 82/06/16 VARQA, S A Operating Reactors Branch 1 2pp 13591 014 24X Fiche 50-272, 82/06/16, B206230140

--B206230147 Fire protection program safe shutdown & interaction analyses, supplemental info
 * Public Service Electric & Gas Co of New Jersey 82/06/30 18pp 13591 016 24X Fiche 50-272, 82/06/16, B206230140

B206290333 Discusses B20418 telcon re request for discontinuation of post-strike security plan implementation Concurs w/discontinuation
 HAYNES, R C Region 1, Office of Director 82/06/25 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 1p 13632 326 24X Fiche 50-272, 82/06/25, B206290333

4 General correspondence

B206300170 Advises that corporate contact for correspondence changed from FW Schneider to RA Uderitz
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 82/06/21 SCOTT, R B Document Management Branch 1p 13634 228 24X Fiche 50-272, 82/06/21, B206300170

5 Operating license stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided
 MEDERROS, M S Reactor Systems Standards Branch 81/02/02 ARLOTTO, O A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, B206280071

B206110150 Forwards Amends 44 & 8 to Licenses DPR-70 & DPR-75, respectively, safety evaluation & notice of issuance & availability Amend revises Tech Specs re surveillance of automatic isolation & interlock action of RHR sys
 ROSS, W J Operating Reactors Branch 1 82/05/25 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp 13490 322 24X Fiche 50-272, 82/05/25, B206110150

--B206110184 Amends 44 & 8 to Licenses DPR-70 & DPR-75, respectively, revising Tech Specs re surveillance of automatic isolation & interlock action of RHR sys
 VARQA, S A Operating Reactors Branch 1 82/05/25 11pp 13490 324 24X Fiche 50-272, 82/05/25, B206110150

--B206110156 Safety evaluation supporting Amends 44 & 8 to Licenses DPR-70 & DPR-75, respectively
 * Office of Nuclear Reactor Regulation, Director 82/05/25 2pp 13490 335 24X Fiche 50-272, 82/05/25, B206110150

--B206110157 Notice of issuance & availability of Amends 44 & 8 to Licenses DPR-70 & DPR-75, respectively
 VARQA, S A Operating Reactors Branch 1 82/05/25 2pp 13490 337 24X Fiche 50-272, 82/05/25, B206110150

B206020444 Application for Amend B2-10 to License DPR-75, proposing change to completion date for TMI-related Item II F 1 identified in Section 2 C(25)(h)(v) of license
 LIDEN, E A Public Service Electric & Gas Co of New Jersey 82/05/28 VARQA, S A Operating Reactors Branch 1 5pp 13436 194 24X Fiche 50-311, 82/05/28, B206020444

B206090038 Forwards "Salem Generating Station Unit 2 Control Sys Failures Analysis," considering failure modes of major NSSS sys equipment including sys interrelationships, per NRC 810416 request
 LIDEN, E A Public Service Electric & Gas Co of New Jersey 82/06/02 VARQA, S A Operating Reactors Branch 1 2pp 13432 217 24X Fiche 50-311, 82/06/02, B206090038

--B206090042 "Salem Generating Station Unit 2 Control Sys Failures Analysis"
 * Public Service Electric & Gas Co of New Jersey 82/05/31 200pp 13432 239 24X Fiche 50-311, 82/06/02, B206090038

B206160067 Notification of B20614 & 15 meetings w/util in Hancock Bridge, NJ to review licensee proposed radiological effluent Tech Specs
 ROSS, W J Operating Reactors Branch 1 82/06/08 VARQA, S A Operating Reactors Branch 1 2pp 13538 031 24X Fiche 50-272, 82/06/08, B206160067

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
 EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York FINFROCK, I R Jersey Central Power & Light Co JURGENSEN, R W American Electric Power Service Corp 13pp 13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206240143 Provides updated info re shift technical advisor phase out program scheduled for Sept 1982 Senior shift supervisor will take charge of affected unit & shift supervisor engineer will assume shift technical duties
 LIDEN, E A Public Service Electric & Gas Co of New Jersey 82/06/16 VARQA, S A Operating Reactors Branch 1 2pp 13599 332 24X Fiche 50-272, 82/06/16, B206240143

B206250403 Forwards request for addl info re implementation of TMI action items, per B20505 Generic Ltr B2-10
 ROSS, W J Licensing Branch 1 82/06/16 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp 13630 107 24X Fiche 50-272, 82/06/16, B206250403

Q Inspection reports, IE Bulletins & correspondence

B206040188 Forwards IE Safeguards Insp Repts 50-272/82-03 & 50-311/82-03 on B20111-15 & notice of violation Encls withheld (ref 10CFR73 21)
 MARTIN, T T Division of Engineering & Technical Programs 82/05/19 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 9pp 13360 114 24X Fiche 50-272, 82/05/19, B206040188

B206040356 Forwards IE Insp Repts 50-272/82-10 & 50-311/82-09 on B20406-0511 & notice of violation
 STAROSTECKI, R Division of Project & Resident Programs 82/05/19 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp 13352 264 24X Fiche 50-272, 82/05/19, B206040356

--B206040360 Notice of violation from insp on B20406-0511
 STAROSTECKI, R Division of Project & Resident Programs 82/05/19 2pp 13352 266 24X Fiche 50-272, 82/05/19, B206040356

--B206040371 IE Insp Repts 50-272/82-10 & 50-311/82-09 on B20406-0511 Noncompliance noted failure to make 10CFR50 72 rept & failure to adequately monitor liquid release
 NORRIS, L J, SUMMERS, R, LAZARUS, W J Region 1, Office of Director 82/05/18 20pp 13352 268 24X Fiche 50-272, 82/05/19, B206040356

B206170107 Forwards IE Insp Rept 50-311/81-23 on B10902-03 & notice of violation
 MARTIN, T T Division of Engineering & Technical Programs 82/05/26 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp 13530 114 24X Fiche 50-311, 82/05/26, B206170107

--B206170110 Notice of violation from insp on B10902-03
 MARTIN, T T Division of Engineering & Technical Programs 82/05/26 1p 13530 116 24X Fiche 50-311, 82/05/26, B206170107

--B206170111 IE Insp Rept 50-311/81-23 on B10902-03 Noncompliance noted blowdown flow not diverted to waste mgmt sys when steam generator blowdown monitors inoperable
 CLEMONS, P, GREENMAN, E O Division of Engineering & Technical Programs 82/05/24 6pp 13530 117 24X Fiche 50-311, 82/05/26, B206170107

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206150219 Forwards IE Insp Repts 50-272/82-08 & 50-311/82-07 on 820122 & notice of violation
 MARTIN, T T Division of Engineering & Technical Programs 82/05/28
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp
 13503 298 24X Fiche 50-272, 82/05/28, 8206150219

--8206150222 Notice of violation from insp on 820122
 MARTIN, T T Division of Engineering & Technical Programs
 82/05/28 1p 13503 300 24X Fiche 50-272, 82/05/28, 8206150219

--8206150226 IE Insp Repts 50-272/82-08 & 50-311/82-07 on 820122
 Noncompliance noted delivery of shipment of licensed matl to carrier for transport w/two containers not strong, tight packages
 CLEMONS, P GREENMAN, E O Division of Engineering & Technical Programs 82/05/27 4pp 13503 301 24X Fiche 50-272, 82/05/28, 8206150219

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 108pp 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

8206290402 Forwards IE Insp Repts 50-272/82-12 & 50-311/82-13 on 820512-0608 & notice of violation
 STAROSTECKI, R Division of Project & Resident Programs 82/06/14
 UDERITZ, R A Public Service Electric & Gas Co of New Jersey 2pp
 13634 266 24X Fiche 50-272, 82/06/14, 8206290402

--8206290404 Notice of violation from insp on 820512-0608
 STAROSTECKI, R Division of Project & Resident Programs 82/06/14, 2pp 13634 268 24X Fiche 50-272, 82/06/14, 8206290402

--8206290411 IE Insp Repts 50-272/82-12 & 50-311/82-13 on 820512-0608, Noncompliance noted failure to review & approve procedures & failure to perform surveillance tests re containment penetration isolation points
 NORRHOLM, L J SUMMERS, R LAZARUS, H J Division of Project & Resident Programs 82/06/14 21pp 13634 270 24X
 Fiche 50-272, 82/06/14, 8206290402.

R Periodic operating reports & related correspondence

8206150244 Forwards monthly operating rept for May 1982
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/06/10 Director's Office, Office of Inspection and Enforcement 1p 13478 313 24X Fiche 50-311, 82/06/10, 8206150244

--8206150248 Monthly operating rept for May 1982
 MILLER, L K Public Service Electric & Gas Co of New Jersey.
 82/06/10, 12pp 13507 314 24X Fiche 50-311, 82/06/10, 8206150244

S Reportable occurrences, LERs & related correspondence

8206030191 Forwards LER 82-028/01T-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co. of New Jersey
 82/05/12 HAYNES, R C Region 1, Office of Director 3pp
 13337 285 24X Fiche 50-311, 82/05/12, 8206030191.

--8206030192 LER 82-028/01T-0 on 820504, svc water leak discovered on containment fan coil unit 23 during visual insp of containment bldg Caused by leaky blank flange in svc water line to bank 3 primary coil
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/12 Region 1, Office of Director 1p 13337 288 24X
 Fiche 50-311, 82/05/12, 8206030191.

8206030265 Forwards LER 82-027/03L-0 Detailed event analysis encl
 MIDURA, H J, FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/12 HAYNES, R C Region 1, Office of Director 3pp
 13337 235 24X Fiche 50-311, 82/05/12, 8206030265

--8206030269 LER 82-027/03L-0 on 820418, RCS water inventory not performed within Tech Spec 72-h time interval Changes in xenon reactivity precluded performance of surveillance Sump pump & radioactivity monitor surveillance increased
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/12 Region 1, Office of Director 1p 13337 238 24X
 Fiche 50-311, 82/05/12, 8206030265

8206070666 Forwards LER 82-032/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/03/19 HAYNES, R C Region 1, Office of Director 3pp
 13390 213 24X Fiche 50-311, 82/05/19, 8206070666

--8206070673 LER 82-032/03L-0 on 820428, steam generator feedwater pump 21 tripped, causing axial flux to go outside target band Control rod low low insertion limit alarm received Caused by attempted sabotage
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/19 Region 1, Office of Director 1p 13390 216 24X
 Fiche 50-311, 82/05/19, 8206070666

8206100139 Forwards LER 82-029/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/03/19 HAYNES, R C Region 1, Office of Director 3pp
 13449 092 24X Fiche 50-311, 82/05/19, 8206100139

--8206100142 LER 82-029/03L-0 on 820423, containment sump monitoring sys declared inoperable due to containment sump pumps running continuously since previous day Caused by closed pump discharge valve 2WL16 on breaker 3 in cabinet 26RC7
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/19 Region 1, Office of Director 1p 13449 095 24X
 Fiche 50-311, 82/05/19, 8206100139

8206100117 Forwards LER 82-033/03L-0 Detailed event analysis encl
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/05/21 HAYNES, R C Region 1, Office of Director 3pp
 13449 114 24X Fiche 50-311, 82/05/21, 8206100117

--8206100123 LER 82-033/03L-0 on 820424, control room emergency air conditioning sys fan 21 tripped & would not start Caused by failed overloaded contactor Contactor replaced
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/21 Region 1, Office of Director 1p 13449 117 24X
 Fiche 50-311, 82/05/21, 8206100117

8206070758 Forwards LER 82-034/03L-0 Detailed event analysis encl.
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/05/26 HAYNES, R C Region 1, Office of Director 3pp
 13389 331 24X Fiche 50-311, 82/05/26, 8206070758

--8206070772 LER 82-034/03L-0 on 820501, during routine operation, snubber 23FW5N15A seized & declared inoperable Cause under investigation Snubber replaced
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/26 Region 1, Office of Director 1p 13389 334 24X
 Fiche 50-311, 82/05/26, 8206070758

8206100215 Forwards LER 82-036/03L-0 Detailed event analysis encl.
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/05/26 HAYNES, R C Region 1, Office of Director 3pp
 13458 215 24X Fiche 50-311, 82/05/26, 8206100215.

--8206100218 LER 82-036/03L-0 on 820503, containment fan coil unit 21 failed to start in low speed Caused by failed control board pushbutton. Pushbutton repaired
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/26 Region 1, Office of Director 1p 13458 218 24X
 Fiche 50-311, 82/05/26, 8206100215

8206100219 Forwards LER 82-035/03L-0 Detailed event analysis encl.
 MIDURA, H J Public Service Electric & Gas Co of New Jersey
 82/05/26 HAYNES, R C Region 1, Office of Director 3pp.
 13458 209 24X Fiche 50-311, 82/05/26, 8206100219

--8206100222 LER 82-035/03L-0 on 820501, on two occasions, svc water flow to containment fan coil unit 22 was less than required by Tech Specs. First caused by stuck valve 22sw37; second caused by improper valve position due to loose nut on valve stem
 FRAHM, R Public Service Electric & Gas Co of New Jersey
 82/05/26 Region 1, Office of Director 1p 13458 212 24X
 Fiche 50-311, 82/05/26, 8206100219

8206100248 Forwards LER 82-038/03L-0 Detailed event analysis encl.
 MIDURA, H J Public Service Electric & Gas Co. of New Jersey
 82/05/26 HAYNES, R C Region 1, Office of Director 3pp.
 13458 228 24X Fiche 50-311, 82/05/26, 8206100248.

DOCKETED ITEMS

--8206100253 LER 82-038/03L-0 on 820503, during routine surveillance, svc water flow to containment fan coil unit 23 discovered less than Tech Specs Caused by flow transmitter plugged w/silt Transmitter blown down
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/05/26 Region 1, Office of Director 1p 13458 231 24X
Fiche 50-311, 82/05/26, 8206100248

8206100307 Forwards LER 82-028/01X-1 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/05/26 HAYNES, R C Region 1, Office of Director 3pp
13444 175 24X Fiche 50-311, 82/05/26, 8206100307

--8206100326 LER 82-028/01X-1 on 820503, svc water leak found on containment for coil unit 23 On 820504, svc water flow to containment fan coil unit 22 found below Tech Spec limit Caused by leak in blank flange & plugged transmitter
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/05/26 Region 1, Office of Director 1p 13444 178 24X
Fiche 50-311, 82/05/26, 8206100307

8206070584 LER 82-039/01P-0 svc water leak discovered inside containment bldg on containment fan coil unit 21 Leak rate was 100 gallons per minute Investigation in progress
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/05/27 HAYNES, R C Region 1, Office of Director 1p
13374 035 24X Fiche 50-311, 82/05/27, 8206070584

8206240005 Forwards corrected LER 82-034/03L-0
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/01 HAYNES, R C Region 1, Office of Director 1p
13601 073 24X Fiche 50-311, 82/06/01, 8206240005

8206150114 Forwards LER 82-037/03L-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/02 HAYNES, R C Region 1, Office of Director 3pp
13501 327 24X Fiche 50-311, 82/06/02, 8206150114

--8206150116 LER 82-037/03L-0 on 820508, containment plant vent radioactivity monitor low flow alarm received rendering particulate & gaseous radioactivity channels inoperable Caused by 2VC908 drifting closed due to loosened packing
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/02 Region 1, Office of Director 1p 13501 330 24X
Fiche 50-311, 82/06/02, 8206150114

8206150093 Forwards LER 82-040/01T-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/03 HAYNES, R C Region 1, Office of Director 3pp
13501 124 24X Fiche 50-311, 82/06/03, 8206150093

--8206150100 LER 82-040/01T-0 on 820519, during maint on containment fan coil unit 22, 1.5 gpm leak discovered on svc water piping Caused by eroded blank flange Blank flange replaced & leakage stopped
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/03 Region 1, Office of Director 1p 13501 127 24X
Fiche 50-311, 82/06/03, 8206150093

8206150109 LER 82-040/01P on 820519, svc water leak discovered inside containment bldg on containment fan coil unit 22 Rept of event overlooked due to another incident occurring concurrently on coil unit Leak isolated
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/04 HAYNES, R C Region 1, Office of Director 1p
13504 342 24X Fiche 50-311, 82/06/04, 8206150109

8206210382 Forwards LER 82-039/01T-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/07 HAYNES, R C Region 1, Office of Director 3pp
13583 103 24X Fiche 50-311, 82/06/07, 8206210382

--8206210388 LER 82-039/01T-0 on 820526, 100-gpm svc water leak in containment fan coil unit 21 motor cooler discovered Caused by failed motor cooler seam weld Failed motor cooler & fan motor replaced & tested
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/07 Region 1, Office of Director 1p 13583 106 24X
Fiche 50-311, 82/06/07, 8206210382

8206220094 Forwards LER 82-041/03L-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/09 HAYNES, R C Region 1, Office of Director 3pp
13573 224 24X Fiche 50-311, 82/06/09, 8206220094

--8206220098 LER 82-041/03L-0 on 820516, 224 CFU tripped shortly after being started On 820519, svc water flow to 224 CFU was less than Tech Spec limits Caused by supply breaker tripping because of low overload trip setpoint Trip adjusted
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/09 Region 1, Office of Director 1p 13573 227 24X
Fiche 50-311, 82/06/09, 8206220094

8206220182 Forwards LER 82-045/03L-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/09 HAYNES, R C Region 1, Office of Director 3pp
13572 060 24X Fiche 50-311, 82/06/09, 8206220182

--8206220185 LER 82-045/03L-0 on 820522, operator discovered leakage rate of 100-ft elevation containment air lock exceeded Tech Spec limits Caused by failed inner door latch mechanism Latch mechanism repaired & tested
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/09 Region 1, Office of Director 1p 13572 063 24X
Fiche 50-311, 82/06/09, 8206220182

8206220501 Forwards LER 82-046/03L-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/09 HAYNES, R C Region 1, Office of Director 3pp
13576 167 24X Fiche 50-311, 82/06/09, 8206220501

--8206220505 LER 82-046/03L-0 on 820527, during routine surveillance, 1.5x than required svc water flow to containment coil unit 23 discovered Caused by oysters plugging valve tube bundle 235457 Oysters removed & svc water flow returned to normal
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/09 Region 1, Office of Director 1p 13576 170 24X
Fiche 50-311, 82/06/09, 8206220501

8206230108 Forwards LER 82-044/03L-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/09 HAYNES, R C Region 1, Office of Director 3pp
13589 190 24X Fiche 50-311, 82/06/09, 8206230108

--8206230112 LER 82-044/03L-0 on 820518, operator discovered leakage rate of 130-ft elevation containment air lock exceeded Tech Spec limits Caused by improperly positioned inner door seal Inner door seal properly positioned
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/09 Region 1, Office of Director 1p 13589 193 24X
Fiche 50-311, 82/06/09, 8206230108

8206290384 Forwards LER 82-042/03L-0 Detailed event analysis encl
MIDURA, H J Public Service Electric & Gas Co of New Jersey
82/06/16 HAYNES, R C Region 1, Office of Director 1p
13634 140 24X Fiche 50-311, 82/06/16, 8206290384

--8206290389 LER 82-042/03L-0 on 820518, number 21 operational temp channel trip actuated higher than Tech Specs Caused by failure of contacts on lead/lag-derivative switch to complete trip circuit Contacts cleaned
FRAHM, R Public Service Electric & Gas Co of New Jersey
82/06/16 Region 1, Office of Director 1p 13634 143 24X
Fiche 50-311, 82/06/16, 8206290384

V Operator Examinations

8206290147 Submits new requalification training schedule for approval
UDERITZ, R A Public Service Electric & Gas Co of New Jersey
82/06/24 VARQA, S A Operating Reactors Branch 1 1p 13635 301
24X Fiche 50-272, 82/06/24, 8206290147

DOCKET 50-312 RANCHO SECO NUCLEAR GENERATING STATION

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--820250415 Forwards for transmittal to licensee, responses denying requests for exemption from 820201 deadline for implementation of prompt notification sys
RAMAS, S L Division of Emergency Preparedness 82/01/21 STOLZ, J Operating Reactors Branch 4 12pp 13524 179 24X
Fiche 50-000, 82/04/21, 8206150016

--8203040508 Submits list of facilities that have filed exemption requests from 820201 prompt notification deadline Exemption requests will be denied.
EISENHUT, D O Division of Licensing 82/02/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13524 288 24X
Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
 FELTON, J. M. Division of Rules and Records 82/05/11 REYNOLDS, N. S. Dabavico & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline
 Thirteen licensees may not meet deadline
 DIRCKS, W. J. Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X Fiche 50-000, 82/03/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
 SPENCER, G. S. Division of Technical Inspection 82/01/05
 GRINES, B. K. Division of Emergency Preparedness 8pp 13454 176 24X Fiche 50-000, 82/05/11, 8206090002

--8206090088 Provides implementation status of prompt notification sys for facilities. Eight licensees failed to meet 820201 deadline
 DIRCKS, W. J. Office of the Executive Director for Operations 82/03/04 PALLADINO, N. Commissioners 1p 13454 196 24X Fiche 50-000, 82/05/11, 8206090002

--8205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
 DIRCKS, W. J. Office of the Executive Director for Operations 82/03/30 PALLADINO, N. J. Commissioners 2pp 13454 232 24X Fiche 50-000, 82/05/11, 8206090002

8206150242 Forwards IC Insp Rept 50-312/82-19 on 820422-23 No noncompliance noted
 STERNBERG, D. M. Region 5, Office of Director 82/05/18
 MATTIMOE, J. J. Sacramento Municipal Utility District 2pp 13497 351 24X Fiche 50-312, 82/05/18, 8206150242

--8206150247 IE Insp Rept 50-312/82-19 on 820422-23 No noncompliance noted Major areas inspected fire protection activities & independent insp of combustible mats
 WILLETT, D. J., YOUNG, T. Region 5, Office of Director 82/05/14 4pp 13497 353 24X Fiche 50-312, 82/05/18, 8206150242

8206080443 Advises that Amend 10 to physical security plan, submitted on 811207 & 820416, consistent w/provisions of 10CFR54(p) & does not decrease plan effectiveness. Amend 10 withheld (ref 10CFR73 21).
 STOLZ, J. F. Operating Reactors Branch 4 82/05/28 MATTIMOE, J. J. Sacramento Municipal Utility District 3pp 13440, 121 24X Fiche 50-312, 82/05/28, 8206080443

8206110286 Requests exemption of control room from all requirements of Section III G 2 of App R to 10CFR50 Redundant control panels not separated by required distance One oversize drawing encl. Aperture card available in PDR
 MATTIMOE, J. J. Sacramento Municipal Utility District 82/05/28 STOLZ, J. F. Operating Reactors Branch 4 4pp 13466 078 24X Fiche 50-312, 82/05/28, 8206110286

--8206110287 "Conduit Insulation Fire Test 1"
 * Sacramento Municipal Utility District. 82/05/28 16pp 13466 083, 24X Fiche 50-312, 82/05/28, 8206110286

8206250328 Responds to 820118 request for exemption from 10CFR50, App E, Section IV F 1 a, changing date of full-scale emergency preparedness exercise from 820317 to 820623 Request granted.
 EISENHUT, D. O. Division of Licensing. 82/06/10. MATTIMOE, J. J. Sacramento Municipal Utility District App 13629, 061 24X Fiche 50-312, 82/06/10, 8206250328

8206300004 Releases public version of state & county emergency response plans
 FELTON, J. M. Division of Rules and Records 82/06/22 Document Management Branch 1p 13678:305 24X Fiche 50-312, 82/06/22, 8206300004

--8206300007 Forwards public version of emergency response plans for State of CA & Amador, San Joaquin & Sacramento Counties Plans will be tested at 820623 full-scale FEMA reviewed exercise
 WALBRIDGE, W. C. Sacramento Municipal Utility District 82/06/11 STOLZ, J. F. Operating Reactors Branch 4 1p. 13678, 308 24X Fiche. 50-312, 82/06/22, 8206300004

--8206300008 Public version of emergency response plans for State of CA & Amador, San Joaquin & Sacramento Counties
 * Sacramento Municipal Utility District 82/03/01 1,400pp. 13678 309 24X Fiche 50-312, 82/06/22, 8206300004

G Adjudicatory correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J. M. Division of Rules and Records 82/05/12 MCMURRAY, C. M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8112030225 Forwards affidavits in response to ALAB-665 Items 1 & 3 re recommendations in BAW-1564 & safety-grade anticipatory reactor trip, respectively, per R Mattson 811030 request
 ROSA, F. Instrumentation & Control Systems Branch 81/11/12 CAPRA, R. A. Division of Systems Integration (post 811005) 1p. 13639 132 24X Fiche 50-000, 82/05/12, 8206280071

--8112030231 Affidavits in response to ASLAB 811007 Memorandum & Order (ALAB-655) Items 1 & 3 re recommendations in BAW-1564 & safety-grade anticipatory reactor trip, respectively Prof qualifications encl
 ROSSI, C. E. Instrumentation & Control Systems Branch 81/11/12 7pp 13639 238 24X Fiche 50-000, 82/05/12, 8206280071

--8112030233 Requests info re status of unresolved safety issues to supply generic discussion of issues in SER Info should include summary description of relevant programs & interim measures taken
 YOUNG, D. O. J. Licensing Branch 1 81/11/13 KOSTER, O. L. Kansas Gas & Electric Co 23pp 11064 257 24X Fiche 50-000, 82/05/12, 8206280071

--8112290081 Affidavit re status repts from SMUD & NRC on six recommendations in BAW-1564 to enhance auxiliary feedwater sys safety & reliability
 ROSSI, C. E. Instrumentation & Control Systems Branch 81/12/02. 7pp 13639 123 24X Fiche 50-000, 82/05/12, 8206280071

--8206280214 Forwards affidavits for ASLAB re recommendations in BAW-1564, "Integrated Control Sys Reliability Analysis" & safety-grade anticipatory reactor trip
 ROSA, F. Division of Systems Integration (post 811005) 81/11/10 CAPRA, R. A. Division of Systems Integration (post 811005) 1p 13639 237 24X Fiche 50-000, 82/05/12, 8206280071

--8206280268 Draft affidavit of CE Rossi in response to Item 1 of ALAB-655 requesting status repts from util & staff on six recommendations in BAW-1564 to enhance auxiliary feedwater safety reliability
 ROSSI, C. E. NRC - No Detailed Affiliation Given 82/05/12 12pp 13640 029 24X Fiche 50-000, 82/05/12, 8206280071

8206170093 Forwards util 820609 ltr to Div of Licensing indicating util will provide addl info requested in NRC 820521 ltr re repair of high pressure injection nozzles & safe ends by 820701
 BLACK, R. L. Hearing Branch 3 82/06/14 ROSENTHAL, A. B., BUCK, J. H., KOHL, C. N. Atomic Safety and Licensing Appeal Panel 2pp. 13530 129 24X Fiche 50-312, 82/06/14, 8206170093

--8206170105 Advises that 820521 request for addl info re repair of high pressure injection nozzles & safe ends will be answered by 820701.
 WALBRIDGE, W. C. Sacramento Municipal Utility District 82/06/09. EISENHUT, D. O. Division of Licensing 1p 13530 131. 24X Fiche. 50-312, 82/06/14, 8206170093

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J. M. Division of Rules and Records 82/05/12 MCMURRAY, C. M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp. 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8112290078 Forwards revised affidavits re recommendations in BAW-1564, "Integrated Control Sys Reliability Analysis," & safety-grade anticipatory reactor trip
 ROSA, F. Instrumentation & Control Systems Branch. 81/12/02. CAPRA, R. A. Division of Systems Integration (post 811005). 1p. 13639 122 24X Fiche 50-000, 82/05/12, 8206280071.

--8206280140 Discusses close out of NUREO-0737, Item II K 2.9 re integrated control sys analysis safety evaluation will summarize final action taken by licensee
 ROSA, F. Division of Systems Integration (post 811005). 82/05/12 MATTISON, R. Division of Systems Integration (post 811005). 2pp 13639 107 24X Fiche 50-000, 82/05/12, 8206280071.

8206220086 Submits addl info re auxiliary feedwater header mod. per NRC request Existing headers have become distorted since original fabrication Headers will be replaced & stabilized to prevent further unacceptable damage to steam generators
RODRIGUES, R J Sacramento Municipal Utility District 82/05/20
EISENHUT, D J Division of Licensing 2pp 13571 348 24X
Fiche 50-312, 82/05/20, 8206220086

8206220481 Submits details re mod of once-through steam generator auxiliary feedwater header, per NRC request at 820318 meeting Sketches encl
LATHAM, W K Sacramento Municipal Utility District 82/05/20
EISENHUT, D J Division of Licensing 4pp 13581 002 24X
Fiche 50-312, 82/05/20, 8206220481

8206080088 Submits agreements reached during 820318 discussions re anticipated mods to steam generator auxiliary feedwater distribution headers Written work scope for attaching nozzle flange prior to work on steam generator expected
STOLZ, J F Operating Reactors Branch 4 82/05/21 MATTIMOE, J J Sacramento Municipal Utility District 3pp 13441 172 24X
Fiche 50-312, 82/05/21, 8206080088

8206080391 Requests addl info in response to listed questions re util responses to ASLAB 820415 memorandum & order concerning repair & future operation of HPI nozzles Response requested within 20 days of receipt of ltr
EISENHUT, D J Division of Licensing 82/05/21 MATTIMOE, J J Sacramento Municipal Utility District 7pp 13442 180 24X
Fiche 50-312, 82/05/21, 8206080391

8206020270 Requests verification of encl records of 820319 & 23 telcons to permit completion of review of TMI Action Items II F 1 & 4 re containment pressure monitor, II F 1 & 3 re containment water level monitor & II F 1 & 4 re hydrogen monitor
STOLZ, J F Operating Reactors Branch 4 82/05/24 MATTIMOE, J J Sacramento Municipal Utility District 8pp 13334 340 24X
Fiche 50-312, 82/05/24, 8206020270

8206020425 Application for waiver from license, extending refueling interval to 24 months on a one time only basis & deferring diesel generator overhaul until next refueling
MATTIMOE, J J Sacramento Municipal Utility District 82/05/24
EISENHUT, D J Division of Licensing 3pp 13326 101 24X
Fiche: 50-312, 82/05/24, 8206020425

8206040049 Requests explanation of broken JAEA seals in reactor vessel head area, found first on 820406 & again by IAEA insp on 820426 Steps to prevent further occurrences should be outlined within 30 days
STOLZ, J F Operating Reactors Branch 4 82/05/28 MATTIMOE, J J Sacramento Municipal Utility District 3pp 13362 341 24X
Fiche 50-312, 82/05/28, 8206040049

8206080261 Informs that due to present workload, info requested in NRC 820409 ltr re environ qualification of safety-related electrical equipment installed per NUREG-0737 will not be provided until 820701
MATTIMOE, J J Sacramento Municipal Utility District 82/05/28
STOLZ, J F Operating Reactors Branch 4 1p 13419 042 24X
Fiche: 50-312, 82/05/28, 8206080261

8206070089 Clarifies Tech Specs re eddy current exam of steam generator tubes adjacent to internal auxiliary feedwater headers Util will inspect 100% of peripheral tubes to depth of 15th tube support plate.
MATTIMOE, J J Sacramento Municipal Utility District 82/06/01
EISENHUT, D J Division of Licensing 2pp 13370 328 24X
Fiche 50-312, 82/06/01, 8206070089

8206110143 Application to amend License DPR-54, reflecting editorial changes in Tech Spec Table 4.14-1, "Snubbers Accessible During Power Operations."
MATTIMOE, J J Sacramento Municipal Utility District 82/06/02
EISENHUT, D J Division of Licensing 1p 13467 060 24X
Fiche: 50-312, 82/06/02, 8206110143

--8206110148 Proposed revision to Tech Spec Table 4.14-1, "Snubbers Accessible During Power Operations," reflecting editorial changes
* Sacramento Municipal Utility District 82/06/02 2pp 13467 061 24X Fiche 50-312, 82/06/02, 8206110143.

8206150019 Informs of review of 810115 response to NUREG-0737, Item II K 3 3 re reporting relief valve & safety valve failures & challenges. Commitments listed
STOLZ, J F Operating Reactors Branch 4 82/06/02 MATTIMOE, J J Sacramento Municipal Utility District 3pp 13523 113 24X
Fiche 50-312, 82/06/02, 8206150019

8206140077 Provides info on implementation dates of listed NUREG-0737 items in response to Generic Ltr 82-10, "Post-TMI Requirements"
MATTIMOE, J J Sacramento Municipal Utility District 82/06/04
EISENHUT, D J Division of Licensing 3pp 13484 178 24X
Fiche 50-312, 82/06/04, 8206140077

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D J Division of Licensing 82/06/09 HAUSPUNO, A Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206180187 Responds to NRC 820507 ltr requesting addl info re NUREG-0737 Items I A 2 i & II B 4 re upgraded senior reactor operator & reactor operator training & training for mitigating core damage, respectively
WALBRIDGE, W C Sacramento Municipal Utility District 82/06/09
STOLZ, J F Operating Reactors Branch 4 9pp 13552 244 24X
Fiche 50-312, 82/06/09, 8206180187

8206250334 Responds to 820608 telecopy re preliminary description of stabilization of steam generator internal auxiliary feedwater headers Util can proceed w/internal header stabilization as described based on review & 820609 telcons
NOVAK, T H Assistant Director for Operating Reactors 82/06/09
MATTIMOE, J J Sacramento Municipal Utility District 3pp 13629 077 24X Fiche 50-312, 82/06/09, 8206250334

8206160047 Confirms telcon record encl in NRC 820524 ltr re TMI Items II F 1 & 4, II F 1 & 5 & II F 1 & 6
MATTIMOE, J J Sacramento Municipal Utility District 82/06/11
STOLZ, J F Operating Reactors Branch 4 1p 13517 354 24X
Fiche 50-312, 82/06/11, 8206160047

8206160058 Informs that response to NRC 820507 request for addl info re auxiliary feedwater sys design will be delayed until 820629 Delay caused by increased workload required for mod of steam generator headers
MATTIMOE, J J Sacramento Municipal Utility District 82/06/11
STOLZ, J F Operating Reactors Branch 4 1p 13517 353 24X
Fiche 50-312, 82/06/11, 8206160058

8206170093 Forwards util 820609 ltr to Div of Licensing indicating util will provide addl info requested in NRC 820521 ltr re repair of high pressure injection nozzles & safe ends by 820701
BLACK, R L Hearing Branch 3 82/06/14 ROSENTHAL, A B, BUCK, J H, KOHL, C N Atomic Safety and Licensing Appeal Panel 2pp 13530 129 24X Fiche 50-312, 82/06/14, 8206170093

--8206170103 Advises that 820521 request for addl info re repair of high pressure injection nozzles & safe ends will be answered by 820701
WALBRIDGE, W C Sacramento Municipal Utility District 82/06/09
EISENHUT, D J Division of Licensing 1p 13530 131 24X
Fiche 50-312, 82/06/14, 8206170093

8206250373 Notification of 820720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program
VIRSIKO, G S Operating Reactors Branch 4 82/06/17 STOLZ, J F Operating Reactors Branch 4 2pp 13630 063 24X
Fiche: 50-000, 82/06/17, 8206250373

8206240309 Comments on proposed regulatory position re pressurized thermal shock, as discussed at 820609 meeting w/NRC Programs undertaken to prevent overcooling, following 780320 event, also discussed
MATTIMOE, J J Sacramento Municipal Utility District 82/06/21
BENTON, W R Office of Nuclear Reactor Regulation, Director. 1p 13597 020 24X Fiche: 50-312, 82/06/21, 8206240309

8206290080 Requests addl info re auxiliary feedwater header repair, reported in LER 82-10, Response should be provided 10 days prior to scheduled restart
NOVAK, T H Assistant Director for Operating Reactors 82/06/23
MATTIMOE, J J Sacramento Municipal Utility District 3pp 13661 288 24X Fiche 50-312, 82/06/23, 8206290080

0 Inspection reports, IE Bulletins & correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J H Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche: 50-000, 82/04/21, 8206150016

--B206150095 Forwards notice of violation for failure to implement prompt notification sys by 820201 deadline
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/02/12 WALBRIDGE, W C Sacramento Municipal Utility District 2pp 13525 067 24X Fiche 50-000, 82/04/21, 8206150016

--B206150097 Notice of violation for failure to implement prompt notification sys by 820212 deadline
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/02/12 ip 13525 069 24X Fiche 50-000, 82/04/21, 8206150016

B206020455 Forwards IE Insp Rept 50-312/82-17 on 820405-09 No noncompliance noted
 BODK, H E Region 5, Office of Director 82/05/18 MATTIMOE, J Sacramento Municipal Utility District 2pp 13325 335 24X Fiche 50-312, 82/05/18, 8206020455

--B206020460 IE Insp Rept 50-312/82-17 on 820405-09 No noncompliance noted Major areas inspected lab QC program including independent confirmatory measurements
 HAHADA, G H, TEMPLE, G M, WENSLAWSKI, F Region 5, Office of Director 82/05/18 9pp 13325 337 24X Fiche 50-312, 82/05/18, 8206020455

B206150242 Forwards IE Insp Rept 50-312/82-19 on 820422-23 No noncompliance noted
 STERNBERG, D M Region 5, Office of Director 82/05/18 MATTIMOE, J J Sacramento Municipal Utility District 2pp 13497 351 24X Fiche 50-312, 82/05/18, 8206150242

--B206150247 IE Insp Rept 50-312/82-19 on 820422-23 No noncompliance noted Major areas inspected fire protection activities & independent insp of combustible matls
 WILLETT, D J, YOUNG, T Region 5, Office of Director 82/05/14 4pp 13497 353 24X Fiche 50-312, 82/05/18, 8206150242

B206150107 Informs of delays in schedule to distribute public info brochures designed to satisfy guidance of NUREG-0654
 FEMA-REP-1, Rev 1, Item 9.1 per IE Insp Rept 50-312/81-22. Brochures to be distributed by 820701
 MATTIMOE, J J Sacramento Municipal Utility District 82/05/21
 SPENCER, G S Region 5, Office of Director ip 13504 343 24X Fiche 50-312, 82/05/21, 8206150107

B206040261 Forwards IE Safeguards Insp Rept 50-312/82-12 on 820426 No noncompliance noted
 NORDERHAUG, L R Division of Radiological Safety & Safeguards Program, 82/05/26 MATTIMOE, J J Sacramento Municipal Utility District ip 13355 329, 24X Fiche 50-312, 82/05/26, 8206040261

--B206040265 IE Safeguards Insp Rept 50-312/82-12 on 820426 No noncompliance noted Major areas inspected: observation of IAEA ad hoc insp to audit licensee records & repts Details withheld (ref 10CFR2 790 & 10CFR73 21)
 NELSON, G B, NORDERHAUG, L R Division of Radiological Safety & Safeguards Program 82/05/26 ip 13355 330 24X Fiche 50-312, 82/05/26, 8206040261

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
 DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378

B206080203 Responds to 820315 request for addl info to util 800506 response to IE Bulletin 80-04, "Analysis of Main Steam Line Break W/Continued Feedwater Addition " Effort to develop requested info not justified
 MATTIMOE, J J Sacramento Municipal Utility District, 82/05/28
 STOLZ, J F Operating Reactors Branch 4 ip 13420 254 24X Fiche: 50-312, 82/05/28, 8206080203

B206070089 Clarifies Tech Specs re eddy current exam of steam generator tubes adjacent to internal auxiliary feedwater headers Util will inspect 100% of peripheral tubes to depth of 15th tube support plate
 MATTIMOE, J J Sacramento Municipal Utility District 82/06/01
 EISENHUT, D O Division of Licensing 2pp, 13370 328 24X Fiche 50-312, 82/06/01, 8206070089

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
 DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

B206150325 Forwards IE Mgt Conference Rept 50-312/82-18 on 820421. No noncompliance noted
 STERNBERG, D M Division of Resident, Reactor Project & Engineering Programs 82/06/07 MATTIMOE, J J Sacramento Municipal Utility District 2pp 13505 262 24X Fiche 50-312, 82/06/07, 8206150325

--B206150326 IE Mgt Conference Rept 50-312/82-18 on 820421. No noncompliance noted Major areas discussed NRC enforcement policies & procedures & NRC actions considered as result of violations identified during 820210-0428 insp
 CANTER, H L, O'BRIEN, J P, YOUNG, T Division of Resident, Reactor Project & Engineering Programs 82/05/18 3pp 13505 264 24X Fiche 50-312, 82/06/07, 8206150325

B206150351 Responds to NRC 820315 ltr requesting addl info re integrity of concrete masonry walls per IE Bulletin 80-11 Requested info encl
 WALBRIDGE, W C Sacramento Municipal Utility District 82/06/08
 STOLZ, J F Operating Reactors Branch 4 28pp 13505 281 24X Fiche 50-312, 82/06/08, 8206150351

B206280488 Forwards IE Insp Rept 50-312/82-08 on 820211-0428 No noncompliance noted
 STERNBERG, D M Division of Resident, Reactor Project & Engineering Programs 82/06/08 MATTIMOE, J J Sacramento Municipal Utility District ip 13626 252 24X Fiche 50-312, 82/06/08, 8206280488

--B206280494 IE Insp Rept 50-312/82-08 on 820211-0428 No noncompliance noted Major areas inspected LER 82-03 on B diesel generator inoperability & LER 82-03 on B HPI pump inoperability
 CANTER, H L, O'BRIEN, J, YOUNG, T Division of Resident, Reactor Project & Engineering Programs 82/05/17 11pp 13626 253 24X Fiche 50-312, 82/06/08, 8206280488

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
 DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement, 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

B206280518 Forwards IE Insp Rept 50-312/82-21 on 820503-0601 No noncompliance noted
 STERNBERG, D M Region 5, Office of Director 82/06/11, MATTIMOE, J Sacramento Municipal Utility District 2pp, 13626 285 24X Fiche 50-312, 82/06/11, 8206280518

--B206280527 IE Insp Rept 50-312/82-21 on 820503-0601 No noncompliance noted Major areas inspected long-term shutdown activities, maint observations, surveillance observations, review of plant operation, receipt of new fuel & LER followup
 CANTER, H L, O'BRIEN, J P, YOUNG, T Region 5, Office of Director 82/06/09 8pp 13626 287 24X Fiche 50-312, 82/06/11, 8206280518

B206250113 Confirms IAEA 820709 site visit to svc spent fuel storage pool camera & for insp of fuel accountability records
 STOLZ, J F Operating Reactors Branch 4 82/06/16 MATTIMOE, J J Sacramento Municipal Utility District 3pp 13626 358, 24X Fiche 50-312, 82/06/16, 8206250113

R Periodic operating reports & related correspondence

B206150279 Forwards monthly operating rept for May 1982
 RODRIGUEZ, R J Sacramento Municipal Utility District, 82/06/10
 Director's Office, Office of Inspection and Enforcement 3pp 13495 349 24X Fiche 50-312, 82/06/10, 8206150279

--B206150281 Monthly operating rept for May 1982
 COLMBO, R Sacramento Municipal Utility District, 82/06/10 3pp 13495 352 24X Fiche, 50-312, 82/06/10, 8206150279

S Reportable occurrences, LERs & related correspondence

B206010481 Forwards LER 82-010/O1T-1 Optimum repair schedule encl.
 LATHAM, W K Sacramento Municipal Utility District 82/05/19,
 ENGELKEN, R H Region 5, Office of Director 2pp, 13315 300 24X Fiche, 50-312, 82/05/19, 8206010481

--B206010507 LER 82-010/O1T-1 on 820419, insp of B once-through steam generator auxiliary feedwater header ring & A ring on 820420 revealed deformations. Mod work to correct problem partially scheduled. Old header will be stabilized.
 COLMBO, R W Sacramento Municipal Utility District, 82/05/12
 Region 5, Office of Director ip 13315 302 24X Fiche: 50-312, 82/05/19, 8206010481

DOCKETED ITEMS

8206040175 Forwards LER 82-012/03L-0 Detailed event analysis submitted
MATTINGLOE, J. H. Sacramento Municipal Utility District 82/05/25
ENGELKEN, R. H. Region 5, Office of Director 1p 13357 273 24X
Fiche 50-312, 82/05/25, 8206040175

--8206040193 LER 82-012/03L-0 on 820505, during cold shutdown, A decay
heat pump inboard bearing found leaking oil Cause of leak
undetermined Probable cause due to partial seal failure Leak
will be repaired
COLOMBARD, R. W. Sacramento Municipal Utility District 82/05/25
Region 5, Office of Director 1p 13357 274 24X
Fiche 50-312, 82/05/25, 8206040175

8206180204 EN-82-020 on 820622, notice of violation & proposed
imposition of civil penalties in amount of \$120,000 will be
issued, based on two alleged noncompliances re inoperability
of diesel generator
CRAIG, J. LIEBERMAN, J. Director's Office, Office of Inspection and
Enforcement 82/06/16 1p 13553 240 24X Fiche 50-312, 82/06/16,
8206180204

8206300192 Part 21 rept re potential defect in couplings drive element
of DSRV or DSR standby diesel generator Affected licensees
will be notified no later than 820715
MILLS, L. L. Transamerica Delaval, Inc 82/06/23 Director's
Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-313 ARKANSAS NUCLEAR ONE, UNIT 1

F Security, medical, emergency & fire protection plans

8206070259 Concurs w/interim solution to meeting requirements of
Industrial security plan until security sys upgraded Details
withheld (ref 10CFR73.21)
SEIDLE, W. C. Division of Resident, Reactor Project & Engineering
Programs 82/04/19 MARSHALL, J. R. Arkansas Power & Light Co 1p
13366 342 24X Fiche 50-313, 82/04/19, 8206070259

8206010004 Forwards exemption from scheduler requirements of
10CFR50.48(c) re time allowed to complete reassessment of
fire protection features per 10CFR50, App R, Section III G
Exemption requests & design details due 820701
EISENHUT, D. O. Division of Licensing 82/05/10 CAVANAUGH, W.
Arkansas Power & Light Co 3pp 13319 305 24X
Fiche 50-313, 82/05/10, 8206010004

--8206010008 Exemption from scheduler requirements of 10CFR50.48(c) re
time allowed to complete reassessment of fire protection
features per 10CFR50, App R, Section III G Clarification of
generic Ltr 81-12 & criteria for evaluating exemption encl
DENTON, H. R. Office of Nuclear Reactor Regulation, Director
82/05/10, Arkansas Power & Light Co 30pp 13319 308 24X
Fiche 50-313, 82/05/10, 8206010004

8206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J. M. Division of Rules and Records 82/05/11 REYNOLDS, N. B.
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
8206090002

--8206090011 List of facilities completing emergency preparedness
activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 9pp
13454 006 24X Fiche 50-000, 82/05/11, 8206090002

--8203110478 Submits update of status of implementation of prompt
notification sys Regional FEHA ofcs have indicated reviews/
tests of sys have not been conducted
COLLINS, J. T. Region 4, Office of the Director (81/03/01)
82/01/04 DEYOUNG, R. C. Director's Office, Office of Inspection
and Enforcement 1p 13454 175 24X Fiche 50-000, 82/05/11,
8206090002

--8206090174 Advises of licensee compliance w/820201 deadline for prompt
notification sys.
COLLINS, J. T. Region 4, Office of Director 82/02/09 GRIMES, R. K.
Division of Emergency Preparedness 1p 13454 248 24X
Fiche 50-000, 82/05/11, 8206090002

8206020131 Releases public version of revised emergency procedures
FELTON, J. M. Division of Rules and Records 82/05/25 Document
Management Branch 1p 13333 199 24X Fiche 50-313, 82/05/25,
8206020131

--8206020136 Forwards public version of Revision 1 to Emergency Procedure
1904 01 re magnitude of release computer method &
Revision 1 to Procedure 1904 04 re magnitude of release -
GERMS
* Arkansas Power & Light Co 82/05/17 NRC - No Detailed
Affiliation Given 1p 13333 200 24X Fiche 50-313, 82/05/25,
8206020131

--8206020143 Public version of Revision 1 to Emergency Procedure 1904 01
re magnitude of release computer method & Revision 1 to
Procedure 1904 04 re magnitude of release - GERMS
LEVINE, J. M. Arkansas Power & Light Co 82/05/17 47pp
13333 201 24X Fiche 50-313, 82/05/25, 8206020131

8206070205 Releases public version of revised emergency plan
procedures
FELTON, J. M. Division of Rules and Records 82/05/27 Document
Management Branch 1p 13424 313 24X Fiche 50-313, 82/05/27,
8206070205

--8206070210 Forwards public version of revised emergency plan
procedures, including Procedures 1903 10 re emergency action level
response, 1903 30 re plant evacuation & 1903 60 re
emergency supplies & equipment
* Arkansas Power & Light Co 82/05/18 NRC - No Detailed
Affiliation Given 1p 13424 314 24X Fiche 50-313, 82/05/27,
8206070205

--8206070217 Public version of revised emergency plan procedures,
including Procedures 1903 10 re emergency action level
response, 1903 30 re plant evacuation & 1903 60 re
emergency supplies & equipment
LEVINE, J. M. Arkansas Power & Light Co 82/05/18 23pp
13424 315 24X Fiche 50-313, 82/05/27, 8206070205

8206100202 Forwards "Rept on Floor & Wall Penetration Fire Stops,"
providing test results for fire seals, per Item 3 12 of Table
3 1 of fire protection SER Fire seals meet requirement for
3-h rating per IEEE 634 criteria
MARSHALL, J. R. Arkansas Power & Light Co 82/06/02 STOLZ, J. I.
Operating Reactors Branch 4 2pp 13450 061 24X
Fiche 50-313, 82/06/02, 8206100202

--8206100205 "Rept on Floor & Wall Penetration Fire Stops"
* Underwriters Laboratory 80N16616 80/12/12 175pp
13450 063 24X Fiche 50-313, 82/06/02, 8206100202

8206180242 Forwards "Exercise Critique Rept for AR Nuclear One,
Russellville, AR, 810324-25"
KRIMM, R. W. Federal Emergency Management Agency 82/06/02
GRIMES, R. K. Division of Emergency Preparedness 1p 13551 245
24X Fiche 50-313, 82/06/02, 8206180242

--8206180251 "Exercise Critique Rept for AR Nuclear One, Russellville, AR,
810324-25"
* Federal Emergency Management Agency 82/06/02 54pp
13551 286 24X Fiche 50-313, 82/06/02, 8206180242

--8206180259 Discusses State of AR & local emergency preparedness plans
Plans & preparedness for offsite protection appear adequate
Plans approved subj to FEMA Region 4 approval of alerting/
notification sys by 820201
THOMAS, L. H. Federal Emergency Management Agency 82/01/27
DIRKSB, W. J. Office of the Executive Director for Operations 1p
13551 340 24X Fiche 50-313, 82/06/02, 8206180242

8206100216 Requests that util position re use of post-accident sampling
sys in emergency be reconsidered in light of discovery that
manual block valves could not be opened safely. Response
required within 10 days
COLLINS, J. T. Region 4, Office of Director 82/06/04 CAVANAUGH, W.
Arkansas Power & Light Co 2pp 13458 213 24X
Fiche 50-313, 82/06/04, 8206100216

8206110238 Informs of recent developments affecting commitments to
comply w/NUREG-0737, Item III A 1 2, "Upgrade of Emergency
Support Facilities," by 820701 Implementation contingent
upon completion of negotiations w/Union to resume 820719.
MARSHALL, J. R. Arkansas Power & Light Co 82/06/07 EISENHUT, D. O.
Division of Licensing 2pp 13466 277 24X Fiche 50-313, 82/06/07,
8206110238

8206150163 Ack receipt of 820512 ltr, Amend 4 to emergency plan & Amend
1 to nuclear contingency plan & procedures
COLLINS, J. T. Region 4, Office of Director 82/06/11 CAVANAUGH, W.
Arkansas Power & Light Co 1p 13497 357 24X
Fiche 50-313, 82/06/11, 8206150163

--8206150167 Forwards Amend 4 to emergency plan & Amend 1 to nuclear
contingency plan & procedures, w/o encl
CAVANAUGH, W. Arkansas Power & Light Co 82/05/12 COLLINS, J. T.
Region 4, Office of Director 3pp 13497 358 24X
Fiche 50-313, 82/06/11, 8206150163

8206220187 Forwards IE Safeguards Insp Repts 50-313/82-16 & 50-368/82-13 on 820426-27 No noncompliance noted Repts withheld (ref 10CFR2 790 & 10CFR73 21)
SEIDLE, W C Region 4, Office of Director 82/06/11 CAVANAUGH, W.
Arkansas Power & Light Co 2pp 13574 065 24X
Fiche 50-313, 82/06/11, 8206220187

8206160330 Releases public version of revised emergency plan & implementing procedures
FELTON, J M Division of Rules and Records 82/06/14 Document
Management Branch 1p 13538 327 24X Fiche 50-313, 82/06/14, 8206160330

--8206160333 Forwards public version of Amend 4 to emergency plan & Amend 1 to nuclear contingency plan & procedures Plans meet 10CFR50 47 & App E requirements Privacy info deleted W/o Amend 4 to emergency plan
CAVANAUGH, W Arkansas Power & Light Co 82/05/12 COLLINS, J T
Region 4, Office of Director 3pp 13538 328 24X
Fiche 50-313, 82/06/14, 8206160330

--8206160335 Public version of Amend 1 to nuclear contingency plan & procedures
* Arkansas Power & Light Co 82/05/03 115pp, 13538 331 24X
Fiche 50-313, 82/06/14, 8206160330

--8206160338 Public version of communication equipment manual
* Arkansas Power & Light Co 81/10/01 142pp 13539 085 24X
Fiche 50-313, 82/06/14, 8206160330

8206250016 Releases public version of revision to emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/18 Document
Management Branch 1p 13628 090 24X Fiche 50-313, 82/06/18, 8206250016

--8206250020 Forwards public version of Revision 6 to Emergency Plan Implementing Procedure 1903 10, "Emergency Action Level Response"
* Arkansas Power & Light Co 82/06/08 NRC - No Detailed
Affiliation Given 1p 13628 091 24X Fiche 50-313, 82/06/18, 8206250016

--8206250023 Public version of Revision 6 to Emergency Plan Implementing Procedure 1903 10, "Emergency Action Level Response"
Revised index encl
* Arkansas Power & Light Co 82/06/08 9pp, 13628 092 24X
Fiche 50-313, 82/06/18, 8206250016

8206300333 Releases public version of permanent changes to emergency plan implementing procedures
FELTON, J M Division of Rules and Records, 82/06/22 Document
Management Branch 1p, 13661 347 24X Fiche 50-313, 82/06/22, 8206300333

--8206300340 Forwards public version of permanent changes to Emergency Plan Implementing Procedures 1903 30 re plant evacuation, 1903 31 re exclusion area evacuation & 1903 32 re area evacuation
* Arkansas Power & Light Co, 82/06/11, NRC - No Detailed
Affiliation Given 1p 13661, 348, 24X Fiche 50-313, 82/06/22, 8206300333

--8206300345 Public version of Permanent Change 2 to Emergency Plan Implementing Procedure 1903 30, "Plant Evacuation," Permanent Change 2 to 1903 31, "Exclusion Area Evacuation" & Permanent Change 1 to 1903 32, "Area Evacuation"
* Arkansas Power & Light Co 82/06/11 6pp 13661, 349, 24X
Fiche 50-313, 82/06/22, 8206300333

F Operating license stage documents & correspondence

8204080342 Forwards 12 oversize revised P&IDs Drawing transmittal list encl. Aperture cards are available in PDR
EWING, E. Arkansas Power & Light Co 82/03/17 NRC - No Detailed
Affiliation Given 2pp 12606 200, 24X Fiche: 50-313, 82/03/17, 8204080342

8206230007 Addl response to FOIA request for eight categories of documents, Forwards documents listed in app Financial info in Documents 3-34, 3-35 & 3-11 deleted.
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044, 24X Fiche: 50-000, 82/04/29, 8206230007,

--811170117 Summary of 811023 meeting to assess in-house availability & completeness of control sys info on operating plant for A-47 reviews. Meeting scheduled for 81109 to discuss findings of nonsafety control info.
SZUKIEWICZ, A J. Generic Issues Branch 81/10/28 KNIEL, K
Generic Issues Branch, 3pp, 13605 347, 24X Fiche 50-000, 82/04/29, 8206230007

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR. Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M.
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIRROS, M S Reactor Systems Standards Branch 81/02/02
ARLOTT, O A Division of Engineering Standards 20pp, 13638 102
24X Fiche 50-000, 82/05/12, 8206280071

--8203050213 Forwards safety evaluation re NUREG-0737, Item II K 2 9, failure mode effects analysis on integrated control sys Design meets current regulatory requirements No addl licensing action required Item closed
SPEIS, T P Assistant Director for Reactor Safety 82/02/19
NDVAK, T Assistant Director for Operating Reactors 7pp
13639 068 24X Fiche 50-000, 82/05/12, 8206280071

8206020453 Notifies that due date for submittal re emergency feedwater sys upgrade reliability analysis has been extended to 820815
MARSHALL, J R Arkansas Power & Light Co 82/05/26 STOLZ, J F
Operating Reactors Branch 4 1p 13320 360 24X
Fiche 50-313, 82/05/26, 8206020453

8206020447 Responds to NRC 820402 ltr requesting addl info re seismic qualification of emergency feedwater sys
MARSHALL, J R Arkansas Power & Light Co 82/05/27 STOLZ, J F,
Operating Reactors Branch 4 2pp 13324 305 24X
Fiche 50-313, 82/05/27, 8206020447

8206030026 Advises that fees are not charged for deletion of nonradiological water quality conditions in cases where licensees have effective NPDES permit Fees paid for Amend 65 to License DPR 51 to be refunded
MILLER, W D License Fee Management Branch 82/05/27 CAVANAUGH, W
Arkansas Power & Light Co 1p 13361 340 24X
Fiche 50-313, 82/05/27, 8206030026

8206020371 Application for amend to Licenses DPR-51 & NFF-6 consisting of proposed changes to Tech Specs 4.0 3 & 4.0 modifying language to reflect current C-E 8TS
CAVANAUGH, W. Arkansas Power & Light Co 82/05/28, CLARK, R. A.
Operating Reactors Branch 3 STOLZ, J F Operating Reactors Branch 4, 3pp, 13326 290 24X Fiche: 50-313, 82/05/28, 8206020371.

--8206020418 Proposed Tech Specs changes modifying language of Section 4 0 3 & 4.0 to reflect current language in C-E 8TS.
* Arkansas Power & Light Co, 82/05/28 4pp 13326 293, 24X
Fiche: 50-313, 82/05/28, 8206020371.

8206070611 Updates status of util efforts to upgrade emergency feedwater sys Final installation will be no later than Fall 1984
MARSHALL, J R. Arkansas Power & Light Co 82/05/28 STOLZ, J. F.
Operating Reactors Branch 4 2pp 13373-092 24X
Fiche: 50-313, 82/05/28, 8206070611.

8206070654 Requests exemption from requirement to install reactor vessel head vents, per 811202 final notice in FR & NUREG-0737 Response requested by 820901
MARSHALL, J R Arkansas Power & Light Co 82/06/02 STOLZ, J F
Operating Reactors Branch 4 3pp, 13389 360 24X
Fiche: 50-313, 82/06/02, 8206070654

8206160124 Responds to 820504 ltr re purge valve sealing & leakage testing. Purge valve position light checked once during each 8-h shift to verify valve closure, per TH1 Action Item II E 4 2 No further action will be taken.
MARSHALL, J R Arkansas Power & Light Co 82/06/07, CLARK, R. A.
Operating Reactors Branch 3 STOLZ, J F Operating Reactors Branch 4, 2pp 13514-352 24X Fiche 50-313, 82/06/07, 8206160124.

8206160295 Submits addl info re emergency feedwater sys upgrade, per NUREG-0737, Items II, E 1 1 & II, E 1 2 Equipment scheduled for installation during refueling outage listed
MARSHALL, J R Arkansas Power & Light Co 82/06/07, STOLZ, J. F.
Operating Reactors Branch 4 3pp, 13521-302, 24X
Fiche: 50-313, 82/06/07, 8206160295.

8206090133 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D. O. Division of Licensing, 82/06/09, HAUSPURG, A
Consolidated Edison Co of New York, SHIELDS, B W. Public Service Co of Indiana, Inc. TAUBER, H. Detroit Edison Co 13pp.
13557-349, 24X Fiche 50-000, 82/06/09, 8206090133.

DOCKETED ITEMS

8206110233 Forwards II revised oversize P&IDs Drawing list encl
Aperture cards are available in PDR
EWING, E Arkansas Power & Light Co 82/06/10 NRC - No Detailed
Affiliation Given 2pp 13463 132 24X Fiche 50-313, 82/06/10,
8206110233

8206210058 Requests addl remittance for 820528 application for proposed
Tech Spec changes Class III fee has been determined to be
more appropriate than Class II fee since review will involve
consideration of single safety issue
HILLER, W D License Fee Management Branch 82/06/11 CAVANAUGH, W
Arkansas Power & Light Co 1p 13583 066 24X
Fiche 50-313, 82/06/11, 8206210058

8206220227 Submits addl info on emergency feedwater sys upgrade, in
response to NRC 820514 request One oversize drawing encl
Aperture card is available in PDR
MARSHALL, J R Arkansas Power & Light Co 82/06/15 STOLZ, J F
Operating Reactors Branch 4 2pp 13577 136 24X
Fiche 50-313, 82/06/15, 8206220227

8206220506 Notifies that response to Generic Ltr 82-10 re status of
NUREG-0737 items will be delayed until 820701
MARSHALL, J R Arkansas Power & Light Co 82/06/15 EISENHUT, D O
Division of Licensing 1p 13581 178 24X Fiche 50-313, 82/06/15,
8206220506

8206250373 Notification of 820720 meeting w/B&W owners group in
Bethesda, MD to discuss small break model verification
program
VIGSSING, G S Operating Reactors Branch 4 82/06/17 STOLZ, J F
Operating Reactors Branch 4 2pp 13630 063 24X
Fiche 50-000, 82/06/17, 8206250373

8206240029 Forwards status repts on evaluations of licensee
implementation of NRC recommendations for emergency
feedwater sys (EFS), EFS upgrade proposal & basis for EFS
flow requirements Open items listed.
STOLZ, J F Operating Reactors Branch 4 82/06/18 CAVANAUGH, W
Arkansas Power & Light Co 34pp 13617 302 24X
Fiche 50-313, 82/06/18, 8206240029

8206290208 Informs that proposed Tech Specs requiring chlorine
detector operability will be submitted by 820716
MARSHALL, J R Arkansas Power & Light Co 82/06/18 STOLZ, J F
Operating Reactors Branch 4 1p 13636 253 24X
Fiche 50-313, 82/06/18, 8206290208

8206290075 Delineates status of investigation & action plan re
deficiencies in B&W thermal sleeve of makeup/HPI nozzle
Owners group established safe-end task force to determine
cause of cracking & make recommendations
MARSHALL, J R Arkansas Power & Light Co 82/06/21 STOLZ, J F
Operating Reactors Branch 4 2pp 13634 337 24X
Fiche 50-313, 82/06/21, 8206290075

8206290081 Responds to 820609 request for comments re proposal for
resolving pressurized thermal shock issue Disagrees w/basic
assumptions & urgency for imposing inflexible regulations
that do not consider all parameters in issues
MARSHALL, J R Arkansas Power & Light Co 82/06/21 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13634 333
24X Fiche 50-313, 82/06/21, 8206290081

Q Inspection reports, IE Bulletins & correspondence

8206280180 Forwards IE Insp Repts 50-313/82-07 & 50-368/82-06 on
820401-30. No noncompliance noted
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/19 CAVANAUGH, W Arkansas Power & Light Co 2pp
13624 144 24X Fiche 50-313, 82/05/19, 8206280180

--8206280190 IE Insp Repts 50-313/82-07 & 50-368/82-06 on 820401-30 No
noncompliance noted Major areas inspected: operational safety
verification, surveillance, maint, followup on TMI action plan
items & steam generator blowdown pipe leak
JOHNSON, W S, CALLAN, L J, HALL, R E Division of Resident, Reactor
Project & Engineering Programs 82/05/07 10pp 13624 146 24X
Fiche 50-313, 82/05/19, 8206280180

8206010371 Forwards IE Insp Repts 50-313/82-09 & 50-368/82-07 on
820426-28 No noncompliance noted
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/23 CAVANAUGH, W Arkansas Power & Light Co 2pp
13301 316 24X Fiche 50-313, 82/05/23, 8206010371

--8206010373 IE Insp Repts 50-313/82-09 & 50-368/82-07 on 820426-28 No
noncompliance noted Major areas inspected: environ protection
programs including audits, radiological & nonradiological
environ monitoring & QA control of analytical measurements
WILBORN, L, HOLLEY, W L, MURRAY, B Division of Resident, Reactor
Project & Engineering Programs 82/05/14 10pp 13301 316 24X
Fiche 50-313, 82/05/23, 8206010371

8206010441 Notifies of nods to notice of violation requirements re
submission of responses Under oath or affirmation Notice of
violation will indicate where sworn responses must be
submitted
SEIDLE, W C Region 4, Office of Director 82/05/26 CAVANAUGH, W
Arkansas Power & Light Co 2pp 13314 277 24X
Fiche 50-313, 82/05/26, 8206010441

8206210093 Forwards IE Insp Rept 50-313/82-08 on 820412-16 No
noncompliance noted
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/26 CAVANAUGH, W Arkansas Power & Light Co 2pp
13564 317 24X Fiche 50-313, 82/05/26, 8206210093

--8206210095 IE Insp Rept 50-313/82-08 on 820412-16 No noncompliance
noted Major areas inspected repair & nondestructive exam of
four HPI nozzles
TOMLINSON, D P, ROBERTS, M J, HALL, R E Division of Resident,
Reactor Project & Engineering Programs 82/05/26 4pp
13564 319 24X Fiche 50-313, 82/05/26, 8206210093

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants."
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mist by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220189 Forwards IE Safeguards Insp Repts 50-313/82-16 &
50-368/82-13 on 820426-27. No noncompliance noted Repts
withheld (ref 10CFR2 790 & 10CFR73 21)
SEIDLE, W C Region 4, Office of Director 82/06/11 CAVANAUGH, W
Arkansas Power & Light Co 2pp 13574 065 24X
Fiche 50-313, 82/06/11, 8206220189

R Periodic operating reports & related correspondence

8206010330 Forwards monthly operating rept for Apr 1982
MARSHALL, J R Arkansas Power & Light Co 82/05/12 HALLER, N H
Office of Management and Program Analysis 1p 13300 113 24X
Fiche 50-313, 82/05/12, 8206010330

--8206010333 Monthly operating rept for Apr 1982
GERTSCH, A J Arkansas Power & Light Co 82/05/12 6pp
13300 114 24X Fiche 50-313, 82/05/12, 8206010330

8206010614 Forwards corrected pages to "Effluent & Waste Disposal
Annual Rept for 1980," in response to NRC 820423 request
MARSHALL, J R Arkansas Power & Light Co 82/05/14 BEEBE, M R
Office of Management and Program Analysis 1p 13314 251 24X
Fiche 50-313, 82/05/14, 8206010614

--8206010619 Corrected pages to "Effluent & Waste Disposal Annual Rept
for 1980 "
Arkansas Power & Light Co 82/05/14 21pp 13314 252 24X
Fiche 50-313, 82/05/14, 8206010614

--8206010643 Requests comments, changes & addl info re encl "Effluent &
Waste Disposal Annual Rept for 1980," by 820521 W/o encl.
HARTFIELD, R A Office of Management and Program Analysis
82/04/23 CAVANAUGH, W Arkansas Power & Light Co 1p
13314 273 24X Fiche 50-313, 82/05/14, 8206010614

8206070234 Forwards intake impingement data, Apr 1982
MARSHALL, J R Arkansas Power & Light Co 82/05/28 STOLZ, J F
Operating Reactors Branch 4 1p 13370 355 24X
Fiche 50-313, 82/05/28, 8206070234

--8206070240 Intake impingement data, Apr 1982
 * Arkansas Power & Light Co 82/05/28 10pp 13370 356 24X
 Fiche 50-313, 82/05/28, 8206070234

S Reportable occurrences, LERs & related correspondence

8206010401 PND-IV-82-020 on 820525, plant shutdown due to indications of tube leak in A steam generator Tube leak rate below resolution level of RCS makeup sys instrumentation.
 CALLAN, L J, HALL, R E, SEIDLE, W C Region 4, Office of Director.
 82/05/25 1p 13313 271 24X Fiche 50-313, 82/05/25, 8206010401

8206220271 Forwards LER 82-010/03L-0
 MARSHALL, J R Arkansas Power & Light Co 82/06/08 SEIDLE, W C
 Division of Resident, Reactor Project & Engineering Programs 1p
 13571 150 24X Fiche 50-313, 82/06/08, 8206220271

--8206220277 LER 82-010/03L-0 on 820511, while at 43% full power, standby hydrogen purge sys failed monthly surveillance test, failing to meet Tech Spec requirements Caused by Filter saturated w/water Filter replaced
 MCKENNER, D Arkansas Power & Light Co 82/06/08 Region 4,
 Office of Director 2pp 13571 151 24X Fiche 50-313, 82/06/08,
 8206220271

8206220474 Forwards LER 82-011/03L-0
 MARSHALL, J R Arkansas Power & Light Co 82/06/09 SEIDLE, W C,
 Division of Resident, Reactor Project & Engineering Programs 1p
 13581 162 24X Fiche 50-313, 82/06/09, 8206220474

--8206220495 LER 82-011/03L-0 on 820514, discovered that on 820502 reactor heated above 280 F w/o proving emergency feedwater sys operable through successful completion of required automatic actuation surveillance tests
 MCKENNER, D Arkansas Power & Light Co. 82/06/09 Region 4,
 Office of Director 2pp 13581 163 24X Fiche 50-313, 82/06/09,
 8206220474

DOCKET 50-315 DONALD C COOK NUCLEAR POWER PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B
 Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
 8206090002

--8206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
 PAPERIELLO, C J Emergency Preparedness & Program Support Branch,
 81/12/01 RAMOS, S L Emergency Preparedness & Program Support
 Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, 8206090002.

--8203110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys now complete
 HIND, J A Division of Emergency Preparedness & Operational
 Support, 82/01/05 GRINEB, B K Division of Emergency
 Preparedness 4pp 13454 133 24X Fiche. 50-000, 82/05/11,
 8206090002.

--8206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601
 HIND, J A Division of Emergency Preparedness & Operational
 Support 82/02/17 GRINEB, B. Division of Emergency Preparedness
 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

8206020071 Releases public version of procedure temporary sheets for plant manager emergency plan procedures
 FELTON, J. M. Division of Rules and Records 82/05/25 Document
 Management Branch, 1p. 13332, 243 24X Fiche. 50-315, 82/05/25,
 8206020071

--8206020078 Forwards public version of procedure temporary sheets for Plant Manager Emergency Plan Procedures PMP 2080 EPP, 008 re calling off-duty plant personnel & PMP 2081 EPP, 023 re operation of emergency control ctr
 * Indiana & Michigan Electric Co 82/05/06 NRC - No Detailed
 Affiliation Given 1p 13332 244 24X Fiche. 50-315, 82/05/25,
 8206020071

--8206020083 Public version of procedure temporary sheets for Plant Manager Emergency Plan Procedures PMP 2080 EPP, 008 re calling off-duty plant personnel & PMP 2081 EPP 023 re operation of emergency control ctr
 * Indiana & Michigan Electric Co 82/05/06 4pp 13332 243
 24X Fiche 50-315, 82/05/25, 8206020071

8206020085 Releases public version of revised plant manager emergency plan procedure
 FELTON, J. M. Division of Rules and Records 82/05/25 Document
 Management Branch 1p 13333 278 24X Fiche 50-315, 82/05/25,
 8206020085

--8206020090 Forwards public version of Revision 1 to Plant Manager Emergency Plan Procedure PMP 2081 EPP 007, "Security Actions During Emergency Conditions " Receipt form encl
 * Indiana & Michigan Electric Co 82/05/07 NRC - No Detailed
 Affiliation Given 1p 13333 279 24X Fiche 50-315, 82/05/25,
 8206020085

--8206020096 Public version of Revision 1 to Plant Manager Emergency Plan Procedure PMP 2081 EPP 007, "Security Actions During Emergency Conditions " Revised index encl
 * Indiana & Michigan Electric Co 82/05/07 12pp 13333, 280
 24X Fiche 50-315, 82/05/25, 8206020085

8206020320 Forwards response to BA Varga request for mods to two items of security training & qualification plan amends submitted on 811130 re documentation retention & security force night usage of weapons Encl withheld (ref 10CFR2 790)
 HERING, R F Indiana & Michigan Electric Co 82/05/27 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 3pp 13320 279
 24X Fiche 50-315, 82/05/27, 8206020320

8206170300 Forwards modified amended security plan, in response to NRC 820427 request re deficiency in key & lock control sys Plan withheld (ref 10CFR2 790)
 HUNTER, R S Indiana & Michigan Electric Co. 82/06/07 DENTON, H. R
 Office of Nuclear Reactor Regulation, Director 2pp 13331 011
 24X Fiche 50-315, 82/06/07, 8206170300.

8206140271 Releases public version of revision to emergency plan procedures
 FELTON, J. M. Division of Rules and Records 82/06/08 Document
 Management Branch 1p 13508 049 24X Fiche 50-315, 82/06/08,
 8206140271

--8206140275 Forwards public version of Revision 1 to Emergency Plan Procedures PMP 2081 EPP 003 re personnel evacuation & PMP 2081 EPP 021 re activation & operation of operations staging area & personnel accountability
 CARTEAUX, P Indiana & Michigan Electric Co 82/05/26 NRC - No
 Detailed Affiliation Given 1p. 13508 050 24X
 Fiche 50-315, 82/06/08, 8206140271

--8206140280 Public version of Revision 1 to Emergency Plan Procedures PMP 2081 EPP 003 re personnel evacuation & PMP 2081 EPP 021 re activation & operation of operations staging area & personnel accountability
 DUFFY, J P Indiana & Michigan Electric Co 82/05/25 14pp
 13508 051 24X Fiche 50-315, 82/06/08, 8206140271

8206220224 Forwards IE Insp Repts 50-315/82-09 & 50-316/82-09 on 820329-31 No noncompliance noted
 PAPERIELLO, C. J. Division of Emergency Preparedness & Operational
 Support 82/06/08 DOLAN, J E American Electric Power Co., Inc.
 DOLAN, J E Indiana & Michigan Electric Co 2pp 13571, 287 24X
 Fiche. 50-315, 82/06/08, 8206220224

--8206220232 IE Insp Repts 50-315/82-09 & 50-316/82-09 on 820329-31 No noncompliance noted Major areas inspected observation of emergency exercise involving integrated response from State of MI & local counties. FEMA/NRC exercise scenario encl
 JANUSKA, A O, GRANT, W B., SMITH, M J Division of Emergency
 Preparedness & Operational Support 82/06/04 20pp. 13571 289.
 24X Fiche 50-315, 82/06/08, 8206220224

8206150328 Requests exemption from fire protection requirements, App R of 10CFR50 48, Sections III O, III J & III O Detailed reanalysis of safety sys & formal seismic re-evaluation required Compliance schedule encl
 HUNTER, R S Indiana & Michigan Electric Co 82/06/11 DENTON, H. R,
 Office of Nuclear Reactor Regulation, Director 11pp. 13505, 251
 24X Fiche 50-315, 82/06/11, 8206150328

8206160146 Releases public version of instruction or procedure temporary sheets for emergency plan implementing procedures
 FELTON, J. M. Division of Rules and Records, 82/06/14, Document
 Management Branch 1p. 13538 186, 24X Fiche 50-315, 82/06/14,
 8206160146

--8206160151 Forwards public version of instruction or procedure temporary sheets for emergency plan implementing procedures.
 * Indiana & Michigan Electric Co 82/06/03 NRC - No Detailed
 Affiliation Given 1p 13538 187, 24X Fiche. 50-315, 82/06/14,
 8206160146

--8206160156 Public version of instruction or procedure temporary sheets for emergency plan implementing procedures
 * Indiana & Michigan Electric Co 82/06/03 60pp 13538 189
 24X Fiche 50-315,82/06/14,8206160146

8206160277 Releases public version of reissued emergency plan implementing procedures
 FELTON, J M Division of Rules and Records 82/06/14 Document
 Management Branch 1p 13539 231 24X Fiche 50-315, 82/06/14,
 8206160277

--8206160282 Forwards public version of reissued Revision 1 to Emergency Plan Implementing Procedures PHP 2081 EPP 009 re personnel evacuation & PHP 2081 EPP 021 re activation & operation of operations staging area w/o PHP 2081 EPP 021
 * Indiana & Michigan Electric Co 82/05/28 NRC - No Detailed
 Affiliation Given 1p 13539 232 24X Fiche 50-315,82/06/14,
 8206160277

--8206160286 Public version of reissued Revision 1 to Emergency Plan Implementing Procedure PHP 2081 EPP 005, "Personnel Evacuation"
 * Indiana & Michigan Electric Co 82/05/28 7pp 13539 233
 24X Fiche 50-315,82/06/14,8206160277

8206160320 Releases public version of Page 6 of 7 to Emergency Plan Procedure EPP App A, "Telephone Numbers for Key Plant Personnel"
 FELTON, J M Division of Rules and Records 82/06/14 Document
 Management Branch 1p 13539 241 24X Fiche 50-315,82/06/14,
 8206160320

--8206160325 Forwards public version of Page 6 of 7 to Emergency Plan Procedure EPP App A, "Telephone Numbers for Key Plant Personnel"
 * Indiana & Michigan Electric Co 82/06/01 NRC - No Detailed
 Affiliation Given 1p 13539 242 24X Fiche 50-315,82/06/14,
 8206160320

--8206160328 Public version of Page 6 of 7 to Emergency Plan Procedure EPP App A, "Telephone Numbers for Key Plant Personnel."
 Revised index encl
 * Indiana & Michigan Electric Co. 82/06/01 3pp 13539 243
 24X Fiche 50-315,82/06/14,8206160320

8206210251 Corrects util 820504 ltr which responded to NRC 820430 request for addl info re fire protection - App R compliance
 HUNTER, R S Indiana & Michigan Electric Co 82/06/14 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 2pp 13539 079
 24X Fiche 50-315,82/06/14,8206210251.

8206230045 Releases public version of revised emergency plan procedure
 FELTON, J M Division of Rules and Records 82/06/17 Document
 Management Branch 1p 13593 320 24X Fiche 50-315,82/06/17,
 8206230045

--8206230047 Forwards public version of Revision 1 to Emergency Plan Procedures PHP 2080 EPP 010, "Toxic Gas Release Guidelines"
 * Indiana & Michigan Electric Co. 82/06/04 NRC - No Detailed
 Affiliation Given 1p 13593 321 24X Fiche:50-315,82/06/17,
 8206230045.

--8206230050 Public version of Revision 1 to Emergency Plan Procedure PHP 2080 EPP 010, "Toxic Gas Release Guidelines."
 * Indiana & Michigan Electric Co 82/06/04 7pp 13593 322,
 24X Fiche 50-315,82/06/17,8206230045

8206240483 Releases public version of licensee notice of cancellation of emergency plan procedure
 FELTON, J M Division of Rules and Records. 82/06/18 Document
 Management Branch 1p 13620 105 24X Fiche 50-315,82/06/18,
 8206240483

--8206240484 Forwards public version of notice of cancellation of Emergency Plan Procedure PHP 2081 EPP 023 re activation of emergency control ctr
 * Indiana & Michigan Electric Co 82/06/07 NRC - No Detailed
 Affiliation Given 1p 13620 106 24X Fiche 50-315,82/06/18,
 8206240483.

--8206230009 Public version of notice of cancellation of Emergency Plan Procedure PHP 2081 EPP 023 re activation & operation of emergency control ctr Procedure superseded by Procedure PHP 2081 EPP 022 Revised index encl
 * Indiana & Michigan Electric Co 82/06/07 15pp 13620 107,
 24X Fiche 50-315,82/06/18,8206240483

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M
 Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
 13639 055 24X Fiche 50-000,82/05/12,8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
 NEDEIROS, M S Reactor Systems Standards Branch 81/02/02
 ARLOTT, G A Division of Engineering Standards 20pp 13636 102
 24X Fiche 50-000,82/05/12,8206280071

8206030323 Summary of 820430 meeting w/util in Bethesda, MD re continued safe operation of plant Attendees list encl
 CILIMBERO, R L Operating Reactors Branch 1 82/05/21 Operating
 Reactors Branch 1 7pp 13342 301 24X Fiche 50-315, 82/05/21,
 8206030323

8206040214 Revises reporting requirements in response to 820420 ltr re safety relief valve failures & challenges per TMI Action Plan NUREG-0737, Item II K 3 3 Challenges which occur after 820401 will be reported in annual operating rept
 HERING, R F Indiana & Michigan Electric Co 82/05/28 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 2pp 13360 014
 24X Fiche 50-315, 82/05/28, 8206040214

8206140125 Confirms 820607 telephone authorization for amend to License DPR-58 to allow one-time exclusion of inoperable status of one ECCS subsystem to 144-h
 NOVAK, T M Assistant Director for Operating Reactors 82/06/00
 DOLAN, J Indiana & Michigan Electric Co 2pp 13507 213 24X
 Fiche 50-315, 82/06/08, 8206140125

8206150453 Forwards Tech Spec Pages 3/4 2-3 & 3/4 2-17, inadvertently omitted from 820304 transmittal of Amend 38 to License DPR-74 Amends 54 & 40 to Licenses DPR-58 & DPR-74, respectively, listed incorrect dockets
 CILIMBERO, R Operating Reactors Branch 1 82/06/08 DOLAN, J
 Indiana & Michigan Electric Co 2pp 13523 103 24X
 Fiche 50-315, 82/06/08, 8206150453

--8206150454 Tech Spec Pages 3/4 2-3 & 3/4 2-17, inadvertently omitted from 820304 transmittal of Amend 38 to License DPR-74
 * Operating Reactors Branch 1 82/06/08, 2pp 13523 105 24X
 Fiche 50-315, 82/06/08, 8206150453

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
 EISENHUT, D O Division of Licensing 82/06/09 HAUSPURD, A
 Consolidated Edison Co of New York DOLAN, J American Electric
 Power Service Corp DOLAN, J Indiana & Michigan Electric Co. 13pp
 13537 349. 24X Fiche 50-000,82/06/09,8206090153

8206140155 Forwards addl info re upgraded senior reactor operator & reactor operator training & training for mitigating core damage in response to 820503 request info re hot license (replacement) training in response to Item 1 A 2 1 encl
 HUNTER, R S Indiana & Michigan Power Co 82/06/09 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 140pp 13484 001
 24X Fiche 50-315,82/06/09,8206140155

8206160312 Forwards affidavit in support of withholding proprietary info contained in Attachment 5 to 820407 application for uprating & Cycle 4 reload re spent fuel storage array criticality safety analyses
 HUNTER, R S Indiana & Michigan Electric Co 82/06/11 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 4pp 13521 260
 24X Fiche:50-315,82/06/11,8206160312

8206290388 Forwards Phase Ia response to NUREG-0612 re control of heavy loads Phase Ia is resubmittal of part of response to Section 2 1 of Encl 3 of DO Eisenhut 801222 ltr Response to technical evaluation rept also encl
 HUNTER, R S Indiana & Michigan Electric Co 82/06/18 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 44pp 13631 053
 24X Fiche 50-315,82/06/18,8206290388

8206290482 Forwards request for approval of amend to License DPR-58 per 820607 ltr re relief from Tech Spec 3 5 2 centrifugal charging pump requirements Amend fee encl
 HUNTER, R S Indiana & Michigan Electric Co 82/06/23 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 2pp 13631 353
 24X Fiche 50-315,82/06/23,8206290482

--8206290485 Application for amend to License DPR-5B granting relief from requirements of Tech Spec 3.5.2 re centrifugal charging pump
HUNTER, R S Indiana & Michigan Electric Co 82/06/07
DENTON, H R , VAROA, S A Office of Nuclear Reactor Regulation,
Director App 13631 355 24X Fiche 50-315, 82/06/23, 8206290482

0 Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206020533 Ack receipt of 820512 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-315/82-04 &
50-316/82-04
SPASSARD, R L Division of Project & Resident Programs 82/05/28
DOLAN, J E Indiana & Michigan Electric Co DOLAN, J E American
Electric Power Service Corp 1p 13324 279 24X
Fiche 50-315, 82/05/28, 8206020533

--8206020541 Responds to NRC 820401 ltr re violations noted in IE Insp
Repts 50-315/82-04 & 50-316/82-04 Corrective actions
suppliers of calibr svcs for test equipment will be required
to be on qualified suppliers list
HUNTER, R S Indiana & Michigan Electric Co 82/05/12
KEPPLER, J O Region 3, Office of Director 5pp 13324 280 24X
Fiche 50-315, 82/05/28, 8206020533

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220224 Forwards IE Insp Repts 50-315/82-09 & 50-316/82-09 on
820329-31 No noncompliance noted
PAPERIELLO, C J Division of Emergency Preparedness & Operational
Support 82/06/08 DOLAN, J E American Electric Power Co., Inc
DOLAN, J E Indiana & Michigan Electric Co 2pp, 13571 287 24X
Fiche 50-315, 82/06/08, 8206220224

--8206220232 IE Insp Repts 50-315/82-09 & 50-316/82-09 on 820329-31 No
noncompliance noted Major areas inspected: observation of
emergency exercise involving integrated response from State
of MI & local counties FEMA/NRC exercise scenario encl
JANUBKA, A Q , ORANT, W B , SMITH, M J Division of Emergency
Preparedness & Operational Support 82/06/04, 20pp 13571 289
24X Fiche 50-315, 82/06/08, 8206220224

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
104pp, 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384,

8206180273 Forwards response to safety evaluation on environ
qualification of safety-related electrical equipment
transmitted in NRC 810526 ltr, per IE Bulletin 79-01B
Submittal does not reflect Generic Ltr 82-09
HUNTER, R S Indiana & Michigan Electric Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1, 200PP, 13548 027,
24X Fiche 50-315, 82/06/11, 8206180273

8206220221 Ack receipt of 820607 ltr informing NRC of steps taken to
correct violations noted in NRC 820429 ltr
HIND, J A Region 3, Office of Director, 82/06/17 DOLAN, J E,
American Electric Power Service Corp DOLAN, J E Indiana & Michigan
Power Co. 1p, 13571 263 24X Fiche 50-315, 82/06/17, 8206220221

R Periodic operating reports & related correspondence

8206010400 Forwards monthly operating rept for Apr 1982
SMITH, W O Indiana & Michigan Electric Co. 82/05/13, Office of
Management and Program Analysis 1p, 13313 261, 24X
Fiche: 50-315, 82/05/13, 8206010400,

--8206010404 Monthly operating rept for Apr 1982
MIGHT, A Indiana & Michigan Electric Co 82/05/04 7pp,
13313 262 24X Fiche 50-315, 82/05/13, 8206010400

6 Reportable occurrences, LERs & related correspondence

8206020432 Forwards LER 82-027/01T-0
SMITH, W O Indiana & Michigan Power Co 82/05/25 KEPPLER, J O
Region 3, Office of Director 1p 13326 158 24X
Fiche 50-315, 82/05/25, 8206020432

--8206020437 LER 82-027/01T-0 on 820511, during design change review,
piping at containment air sampling penetrations discovered
overstressed due to addition of padlocks & chains Padlocks
& chains replaced w/ lightweight seals
PALMER, R A Indiana & Michigan Power Co 82/05/25 Region 3,
Office of Director 3pp 13326 159 24X Fiche 50-315, 82/05/25,
8206020432

8206070802 Forwards LERs 82-028/03L-0 & 82-029/03L-0
SMITH, W O Indiana & Michigan Power Co 82/05/27 KEPPLER, J O
Region 3, Office of Director 1p 13389 239 24X
Fiche 50-315, 82/05/27, 8206070802

--8206070810 LER 82-028/03L-0 on 820429, during power ascension loop, one
wide range RCS pressure indication, NP8-122, failed high
Replacement read low on 820523 Caused by open stain gauge &
faulty calibr, respectively
PALMER, R A Indiana & Michigan Power Co 82/05/27 Region 3,
Office of Director 1p, 13389 240 24X Fiche 50-315, 82/05/27,
8206070802

--8206070818 LER 82-029/03L-0 on 820503, during surveillance test, low
pressure alarm XPA-152 for emergency air supply to NRV-152
actuated at less than 900 psig. Caused by faulty calibr.
Setpoint increased
PALMER, R A Indiana & Michigan Power Co 82/05/27 Region 3,
Office of Director 1p 13389 241, 24X Fiche 50-315, 82/05/27,
8206070802

8206070534 Forwards LER 82-030/04L-0
SMITH, W O Indiana & Michigan Power Co. 82/06/01 KEPPLER, J O
Region 3, Office of Director 1p, 13374 069, 24X
Fiche 50-315, 82/06/01, 8206070534

--8206070534 LER 82-030/04L-0 on 820503, flow indicator (BFR-201) for
turbine gland seal leakoff failed low Caused by excessive
moisture on sensing element of flow indicating probe
Moisture removed & probe reinstalled
PALMER, R A Indiana & Michigan Power Co 82/06/01, Region 3,
Office of Director 1p 13374 070 24X Fiche: 50-315, 82/06/01,
8206070534

8206080082 RO on 820601, boron concentration in boron injection tank
fell below Tech Spec requirements for 1.3-h. Probably caused
by failure to follow prescribed procedure for conducting
ECCS operability surveillance test
SMITH, W O Indiana & Michigan Power Co 82/06/01 KEPPLER, J O
Region 3, Office of Director 1p 13423 294 24X
Fiche 50-315, 82/06/01, 8206080082

8206100250 Forwards updated LER 81-002/03X-1 & LERs 82-031/03L-0,
82-032/03L-0 & 82-033/03L-0
SMITH, W O Indiana & Michigan Power Co 82/06/03, KEPPLER, J O,
Region 3, Office of Director 1p 13458 235 24X
Fiche 50-315, 82/06/03, 8206100250

--8206100254 Updated LER 81-002/03X-1 on 810213, west motor driven
auxiliary feed pump removed from svc to repair emergency
leakoff line check valve FW-160. Caused by dirt in valve
causing valve to stick Valve cleaned & returned to svc.
WIZNER, D O Indiana & Michigan Power Co 82/06/03 Region 3,
Office of Director, 1p 13458 236 24X Fiche 50-315, 82/06/03,
8206100250

--8206100258 LER 82-031/03L-0 on 820510, operator on tour discovered that
fire door 227 would not latch Caused by slight misalignment
between latch & latch plate. Latch plate adjusted & door
operated satisfactorily
PIEHL, R H Indiana & Michigan Power Co. 82/06/03 Region 3,
Office of Director 1p, 13458 237 24X Fiche: 50-315, 82/06/03,
8206100250

--8206100263 LER 82-032/03L-0 on 820518, fire hose station 33 near
emergency diesel generator rooms access removed from svc to
replace leaking drain valve Best leakage caused by normal
wear. Drain valve replaced
WIZNER, D O Indiana & Michigan Power Co 82/06/03, Region 3,
Office of Director 1p 13458 238, 24X Fiche: 50-315, 82/06/03,
8206100250,

--B206100264 LER 82-033/03L-0 on B20510, operator on tour discovered that fire door 226 would not fully close. Caused by insufficient closure mechanism against flow of thermostatically controlled ventilation supply fan add'l mechanism added. PIEHL, R H Indiana & Michigan Power Co 82/06/03 Region 3, Office of Director 1p 13458 239 24X Fiche 50-315, 82/06/03, B206100250

B206100141 Forwards LERs 82-034/03L-0 & 82-035/03L-0 SMITH, W G Indiana & Michigan Power Co 82/06/04 KEPLER, J G Region 3, Office of Director 1p 13445 239 24X Fiche 50-315, 82/06/04, B206100141

--B206100147 LER 82-034/03L-0 on B20508, operator discovered safety stop pin in track of pressurizer heaters transformer room, overhead door. Caused by pin not being removed upon exit by unknown personnel. Pin immediately removed. PIEHL, R H Indiana & Michigan Power Co 82/06/04 Region 3, Office of Director 1p 13445 240 24X Fiche 50-315, 82/06/04, B206100141

--B206100151 LER 82-035/03L-0 on B20507 & 10, fire detector 1-HV ACRF charcoal filter instrumentation declared inoperable to troubleshoot & repair automatic reset function on fire detection actuation sys. Caused by defective transistor. PALMER, R A Indiana & Michigan Power Co 82/06/04 Region 3, Office of Director 1p 13445 241 24X Fiche 50-315, 82/06/04, B206100141

B206170312 Forwards updated LER 76-045/03X-1 & LER 82-036/03L-0. SMITH, W G Indiana & Michigan Power Co 82/06/09 KEPLER, J G Region 3, Office of Director 1p 13531 044 24X Fiche 50-315, 82/06/09, B206170312

--B206170317 Updated LER 76-045/03X-1 on 761001, three temporary change sheets instituted on 760614 not approved until 760629, violating Tech Spec Plant procedure modified, assuring change sheet submittal for approval at time of initiation. PALMER, R A Indiana & Michigan Power Co 82/06/09 Region 3, Office of Director 1p 13531 045 24X Fiche 50-315, 82/06/09, B206170312

--B206170323 LER 82-036/03L-0 on B20512, hydrogen concentration meter improperly indicating during containment hydrogen monitoring sys. Caused by defective meter. New meter ordered & to be installed on receipt. PALMER, R A Indiana & Michigan Power Co 82/06/09 Region 3, Office of Director 1p 13531 046 24X Fiche 50-315, 82/06/09, B206170312

B206170282 Forwards LER 82-037/03L-0 SMITH, W G Indiana & Michigan Power Co 82/06/11 KEPLER, J G Region 3, Office of Director 1p 13529 240 24X Fiche 50-315, 82/06/11, B206170282

--B206170288 LER 82-037/03L-0 on B20520, emergency diesel generator room cardox sys found isolated w/no names on entry board. Caused by personnel error. Incident will be reviewed by operations dept personnel to emphasize seriousness of event. KRAUSE, D F Indiana & Michigan Power Co 82/06/11 Region 3, Office of Director 1p 13529 241 24X Fiche 50-315, 82/06/11, B206170282

B206210145 Forwards LER 82-038/03L-0. SMITH, W G Indiana & Michigan Electric Co 82/06/14 KEPLER, J G Region 3, Office of Director 1p 13559 243 24X Fiche 50-315, 82/06/14, B206210145

--B206210151 LER 82-038/03L-0 on B20514, during routine plant tour, fire door w/no latching or closure device discovered. Caused by personnel error. Fire watch re-established & maintained until devices installed & door declared operable. DRAPER, D M Indiana & Michigan Electric Co 82/06/14 Region 3, Office of Director 2pp 13559 244 24X Fiche 50-315, 82/06/14, B206210145

B206220588 Forwards LER 82-039/01T-0 SMITH, W G Indiana & Michigan Power Co 82/06/15 KEPLER, J G Region 3, Office of Director 1p 13582 152 24X Fiche 50-315, 82/06/15, B206220588

--B206220593 LER 82-039/01T-0 on B20601, during monthly insp of ECCS, boron injection tank isolation valve cycled w/recirculation valve open. Caused by personnel error. Procedure revised & appropriate administrative action taken. DRAPER, D M Indiana & Michigan Power Co 82/06/15 Region 3, Office of Director 1p 13582 153 24X Fiche 50-315, 82/06/15, B206220588

B206240183 Forwards LER 82-040/03L-0 SMITH, W G Indiana & Michigan Power Co 82/06/17 KEPLER, J G Region 3, Office of Director 1p 13600 009 24X Fiche 50-315, 82/06/17, B206240183

--B206240188 LER 82-040/03L-0 on B20521, operator discovered fire fr. to nuclear sampling room would not close properly. Caused by 3 of 4 screws missing from sequencer for double doors. Sequencer securely fastened to frame. PIEHL, R H Indiana & Michigan Power Co 82/06/17 Region 3, Office of Director 1p 13600 010 24X Fiche 50-315, 82/06/17, B206240183

B206240262 Forwards LERs 82-041/03L-0 & 82-042/03L-0 SMITH, W G Indiana & Michigan Power Co 82/06/18 KEPLER, J G Region 3, Office of Director 1p 13597 107 24X Fiche 50-315, 82/06/18, B206240262

--B206240267 LER 82-041/03L-0 on B20520, during normal startup, fire fr. isolation valve FMO-202 failed while being utilized to regulate feedwater flow. Caused by heat buildup due to frequent cycling. Stem nut & motor replaced. PIEHL, R H Indiana & Michigan Power Co 82/06/18 Region 3, Office of Director 2pp 13597 108 24X Fiche 50-315, 82/06/18, B206240262

--B206240275 LER 82-042/03L-0 on B20524, during operation, containment particulate radiation monitoring sys (R-11) found operating erratically. Caused by high ac ripple on low voltage dc power sys. Low voltage dc power sys replaced. PALMER, R A Indiana & Michigan Power Co 82/06/18 Region 3, Office of Director 1p 13597 109 24X Fiche 50-315, 82/06/18, B206240262

B206290513 Forwards LER 82-043/03L-0 SMITH, W G Indiana & Michigan Power Co 82/06/22 KEPLER, J G Region 3, Office of Director 1p 13631 319 24X Fiche 50-315, 82/06/22, B206290513

--B206290521 LER 82-043/03L-0 on B20523 & 24, 1-WMO-702, W essential 1, water discharge valve failed to operate during surveillance test. Caused by buildup of corrosion products Model PR20 130D (drawing 5-6073) replaced w/Pratt valve. PIEHL, R H Indiana & Michigan Electric Co 82/06/22 Region 3, Office of Director 2pp 13631 320 24X Fiche 50-315, 82/06/22, B206290513

B206290421 Forwards LERs 82-044/03L-0 & 82-045/03L-0 SMITH, W G Indiana & Michigan Power Co 82/06/23 KEPLER, J G Region 3, Office of Director 1p 13634 157 24X Fiche 50-315, 82/06/23, B206290421

--B206290422 LER 82-044/03L-0 on B20526, security personnel discovered 11 emergency diesel generator carbon dioxide sys isolated, no names on entry board & no personnel in room. Caused by personnel error. Administrative action taken. DRAPER, D M Indiana & Michigan Power Co 82/06/23 Region 3, Office of Director 1p 13634 158 24X Fiche 50-315, 82/06/23, B206290421

--B206290428 LER 82-045/03L-0 on B20528, security officer discovered 11 pressure carbon dioxide sys for auxiliary cable vault isolated w/o personnel on duty. Caused by personnel error. Need for full compliance w/fire protection emphasized. WILNER, D G Indiana & Michigan Power Co 82/06/23 Region 3, Office of Director 2pp 13634 159 24X Fiche 50-315, 82/06/23, B206290421

DOCKET 50-316 DONALD C COOK NUCLEAR POWER PLANT, UNIT 2

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR. FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees. PAPERIELLO, C J Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys now complete. HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

- B206090073 Forwards monthly status report re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 ORIMES, B Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-315, 82/05/11, 8206090002
- B206020071 Releases public version of procedure temporary sheets for plant manager emergency plan procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13332 243 24X Fiche 50-315, 82/05/25, 8206020071
- B206020078 Forwards public version of procedure temporary sheets for Plant Manager Emergency Plan Procedures PMP 2080 EPP 008 re calling off-duty plant personnel & PMP 2081 EPP 023 re operation of emergency control ctr
* Indiana & Michigan Electric Co 82/05/06 NRC - No Detailed Affiliation Given 1p 13332 244 24X Fiche 50-315, 82/05/25, 8206020071
- B206020083 Public version of procedure temporary sheets for Plant Manager Emergency Plan Procedures PMP 2080 EPP 008 re calling off-duty plant personnel & PMP 2081 EPP 023 re operation of emergency control ctr
* Indiana & Michigan Electric Co 82/05/06 4pp 13332 245 24X Fiche 50-315, 82/05/25, 8206020071
- B206020085 Releases public version of revised plant manager emergency plan procedure
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13333 278 24X Fiche 50-315, 82/05/25, 8206020085
- B206020090 Forwards public version of Revision 1 to Plant Manager Emergency Plan Procedure PMP 2081 EPP 007, "Security Actions During Emergency Conditions" Receipt form encl
* Indiana & Michigan Electric Co 82/05/07 NRC - No Detailed Affiliation Given 1p 13333 279 24X Fiche 50-315, 82/05/25, 8206020085
- B206020096 Public version of Revision 1 to Plant Manager Emergency Plan Procedure PMP 2081 EPP 007, "Security Actions During Emergency Conditions" Revised index encl
* Indiana & Michigan Electric Co 82/05/07 12pp, 13333, 280 24X Fiche 50-315, 82/05/25, 8206020085
- B206020320 Forwards response to BA Varga request for mods to two items of security training & qualification plan amends submitted on 811130 re documentation retention & security force night usage of weapons Encl withheld (ref 10CFR2 790)
HERING, R F Indiana & Michigan Electric Co 82/05/27 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13320 279 24X Fiche 50-315, 82/05/27, 8206020320
- B206170300 Forwards modified amended security plan, in response to NRC B20427 request re deficiency in key & lock control sys Plan withheld (ref 10CFR2 790)
HUNTER, R S Indiana & Michigan Electric Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director, 2pp 13331, 011, 24X Fiche 50-315, 82/06/07, 8206170300
- B206140271 Releases public version of revision to emergency plan procedures
FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13308 049 24X Fiche 50-315, 82/06/08, 8206140271
- B206140275 Forwards public version of Revision 1 to Emergency Plan Procedures PMP 2081 EPP 005 re personnel evacuation & PMP 2081 EPP 021 re activation & operation of operations staging area & personnel accountability
CARTEAUX, P Indiana & Michigan Electric Co 82/05/26, NRC - No Detailed Affiliation Given, 1p 13308 050 24X Fiche 50-315, 82/06/08, 8206140271
- B206140280 Public version of Revision 1 to Emergency Plan Procedures PMP 2081 EPP 005 re personnel evacuation & PMP 2081 EPP 021 re activation & operation of operations staging area & personnel accountability.
DUFFY, J P Indiana & Michigan Electric Co 82/05/25 14pp 13308 051 24X Fiche 50-315, 82/06/08, 8206140271
- B206220224 Forwards IE Insp Repts 50-315/82-09 & 50-316/82-09 on 820329-31 No noncompliance noted.
PAPERIELLO, C J Division of Emergency Preparedness & Operational Support, 82/06/08 DOLAN, J E American Electric Power Co, Inc, 2pp 13371 287 24X Fiche 50-315, 82/06/08, 8206220224
- B206220232 IE Insp Repts 50-315/82-09 & 50-316/82-09 on 820329-31 No noncompliance noted Major areas inspected observation of emergency exercise involving integrated response from State of MI & local counties FEMA/NRC exercise scenario encl JANUSKA, A G, AXELSON, W L, PAPERIELLO, C Division of Emergency Preparedness & Operational Support 82/06/04 20pp 13371 289 24X Fiche 50-315, 82/06/08, 8206220224
- B206150328 Requests exemption from fire protection requirements, App R of 10CFR50 49, Sections III G, III J & III O Detailed reanalysis of safety sys & formal seismic re-evaluation required Compliance schedule encl
HUNTER, R S Indiana & Michigan Electric Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 11pp 13505 251 24X Fiche 50-315, 82/06/11, 8206150328
- B206160146 Releases public version of instruction or procedure temporary sheets for emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/14 Document Management Branch 1p 13338 186 24X Fiche 50-315, 82/06/14, 8206160146
- B206160151 Forwards public version of instruction or procedure temporary sheets for emergency plan implementing procedures
* Indiana & Michigan Electric Co 82/06/03 NRC - No Detailed Affiliation Given 1p 13338 187 24X Fiche 50-315, 82/06/14, 8206160146
- B206160156 Public version of instruction or procedure temporary sheets for emergency plan implementing procedures
* Indiana & Michigan Electric Co 82/06/03 60pp, 13338, 188 24X Fiche 50-315, 82/06/14, 8206160146
- B206160277 Releases public version of reissued emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/14 Document Management Branch 1p 13339 231 24X Fiche 50-315, 82/06/14, 8206160277
- B206160282 Forwards public version of reissued Revision 1 to Emergency Plan Implementing Procedures PMP 2081 EPP 005 re personnel evacuation & PMP 2081 EPP 021 re activation & operation of operations staging area w/o PMP 2081 EPP, 021.
* Indiana & Michigan Electric Co 82/05/28 NRC - No Detailed Affiliation Given 1p 13339 232 24X Fiche 50-315, 82/06/14, 8206160277.
- B206160286 Public version of reissued Revision 1 to Emergency Plan Implementing Procedures PMP 2081 EPP 005, "Personnel Evacuation"
* Indiana & Michigan Electric Co 82/05/28 7pp 13339, 233 24X Fiche 50-315, 82/06/14, 8206160277
- B206160320 Releases public version of Page 6 of 7 to Emergency Plan Procedure EPP App A, "Telephone Numbers for Key Plant Personnel"
FELTON, J M Division of Rules and Records 82/06/14, Document Management Branch 1p, 13339 241 24X Fiche 50-315, 82/06/14, 8206160320
- B206160325 Forwards public version of Page 6 of 7 to Emergency Plan Procedure EPP App A, "Telephone Numbers for Key Plant Personnel"
* Indiana & Michigan Electric Co 82/06/01 NRC - No Detailed Affiliation Given 1p 13339 242 24X Fiche 50-315, 82/06/14, 8206160320
- B206160328 Public version of Page 6 of 7 to Emergency Plan Procedure EPP App A, "Telephone Numbers for Key Plant Personnel" Revised index encl
* Indiana & Michigan Electric Co 82/06/01 3pp, 13339, 243, 24X Fiche 50-315, 82/06/14, 8206160320
- B206210251 Corrects Util 820504 ltr which responded to NRC B20430 request for addl info re fire protection - App R compliance.
HUNTER, R S Indiana & Michigan Electric Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13339 079, 24X Fiche 50-315, 82/06/14, 8206210251
- B206230045 Releases public version of revised emergency plan procedure.
FELTON, J M Division of Rules and Records 82/06/17 Document Management Branch 1p 13393 320 24X Fiche 50-315, 82/06/17, 8206230045
- B206230047 Forwards public version of Revision 1 to Emergency Plan Procedures PMP 2080 EPP 010, "Toxic Gas Release Guidelines"
* Indiana & Michigan Electric Co 82/06/04 NRC - No Detailed Affiliation Given 1p 13393 321 24X Fiche 50-315, 82/06/17, 8206230045

DOCKETED ITEMS

--B206230050 Public version of Revision 1 to Emergency Plan Procedure PMP 2080 EPP 010, "Toxic Gas Release Guidelines"
 * Indiana & Michigan Electric Co 82/06/04 7pp 13593 J22
 24X Fiche 50-315, 82/06/17, 8206230045

B206240483 Releases public version of licensee notice of cancellation of emergency plan procedure
 FELTON, J M Division of Rules and Records 82/06/18 Document
 Management Branch 1p 13620 105 24X Fiche 50-315, 82/06/18,
 B206240483

--B206240484 Forwards public version of notice of cancellation of Emergency Plan Procedure PMP 2081 EPP 023 re activation of emergency control ctr
 * Indiana & Michigan Electric Co 82/06/07 NRC - No Detailed
 Affiliation Given 1p 13620 106 24X Fiche 50-315, 82/06/18,
 B206240483

--B206250009 Public version of notice of cancellation of Emergency Plan Procedure PMP 2081 EPP 023 re activation & operation of emergency control ctr Procedure superseded by Procedure PMP 2081 EPP 022 Revised Index encl
 * Indiana & Michigan Electric Co 82/06/07 15pp 13620 107
 24X Fiche 50-315, 82/06/18, 8206240483

P Operating license stage documents & correspondence

B206030323 Summary of B20430 meeting w/utl in Bethesda, MD re continued safe operation of plant Attendee list encl
 CILIMBERO, R L Operating Reactors Branch 1 82/05/21 Operating
 Reactors Branch 1 7pp 13342 301 24X Fiche 50-315, 82/05/21,
 B206030323

B206040214 Revises reporting requirements in response to B20420 ltr re safety relief valve failures & challenges, per TMI Action Plan NUREG-0737, Item II K 3 3 Challenges which occur after B20401 will be reported in annual operating rept
 HERINO, R F Indiana & Michigan Electric Co 82/05/28 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 3pp 13360 014
 24X Fiche 50-315, 82/05/28, 8206040214

B206150453 Forwards Tech Spec Pages 3/4 2-3 & 3/4 2-17, inadvertently omitted from B20304 transmittal of Amend 38 to License DPR-74 Amends 54 & 40 to Licenses DPR-38 & DPR-74, respectively, listed incorrect dockets
 CILIMBERO, R Operating Reactors Branch 1 82/06/08 DOLAN, J
 Indiana & Michigan Electric Co 2pp 13523 103 24X
 Fiche 50-315, 82/06/08, 8206150453

--B206150454 Tech Spec Pages 3/4 2-3 & 3/4 2-17, inadvertently omitted from B20304 transmittal of Amend 38 to License DPR-74
 * Operating Reactors Branch 1, 82/06/08 2pp 13523 105 24X
 Fiche 50-315, 82/06/08, 8206150453

B206140155 Forwards addl info re upgraded senior reactor operator & reactor operator training & training for mitigating core damage in response to B20503 request info re hot license (replacement) training in response to Item 1 A 2 i encl
 HUNTER, R S Indiana & Michigan Power Co 82/06/09 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 140pp 13484 001
 24X Fiche 50-315, 82/06/09, 8206140155

B206160312 Forwards affidavit in support of withholding proprietary info contained in Attachment 5 to B20407 application for uprating & Cycle 4 reload re spent fuel storage array criticality safety analyses
 HUNTER, R S Indiana & Michigan Electric Co 82/06/11 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 6pp 13521, 288
 24X Fiche 50-315, 82/06/11, 8206160312

B206290388 Forwards Phase Ia response to NUREG-0612 re control of heavy loads, Phase Ia is resubmittal of part of response to Section 2.1 of Encl 3 of DO Eisenhower 801222 ltr Response to technical evaluation rept also encl
 HUNTER, R S Indiana & Michigan Electric Co 82/06/18 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 44pp 13631 065
 24X Fiche 50-315, 82/06/18, 8206290388

Q Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/05/28 107pp, 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147,

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264, 24X Fiche 50-000, 82/05/28, 8204210378

B204020533 Act receipt of B20512 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-315/82-04 & 50-316/82-04
 SPESSARD, R L Division of Project & Resident Programs 82/05/28
 DOLAN, J E Indiana & Michigan Electric Co DOLAN, J E American
 Electric Power Service Corp 1p 13324 279 24X
 Fiche 50-315, 82/05/28, 8204020533

--B206020541 Responds to NRC B20401 ltr re violations noted in IE Insp Repts 50-315/82-04 & 50-316/82-04 Corrective actions suppliers of calibr svcs for test equipment will be required to be on qualified suppliers list
 HUNTER, R S Indiana & Michigan Electric Co 82/05/12
 KEPPLER, J O Region 3, Office of Director 5pp 13324 280 24X
 Fiche 50-315, 82/05/28, 8206020533

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 130 24X
 Fiche 50-000, 82/06/02, 8204210380

B206220224 Forwards IE Insp Repts 50-315/82-09 & 50-316/82-09 on B20329-31 No noncompliance noted
 PAPERIELLO, C J Division of Emergency Preparedness & Operational Support 82/06/08 DOLAN, J E American Electric Power Co, Inc
 DOLAN, J E Indiana & Michigan Electric Co 2pp 13571 287 24X
 Fiche 50-315, 82/06/08, 8206220224

--B206220232 IE Insp Repts 50-315/82-09 & 50-316/82-09 on B20329-31 No noncompliance noted Major Areas inspected observation of emergency exercise involving integrated response from State of MI & local counties FEMA/NRC exercise scenario encl
 JANUSKA, A G, GRANT, W B, SMITH, M J Division of Emergency Preparedness & Operational Support 82/06/04 20pp 13571 289
 24X Fiche 50-315, 82/06/08, 8206220232

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

B206160273 Forwards response to safety evaluation on environ qualification of safety-related electrical equipment transmittal in NRC 810526 ltr, per IE Bulletin 79-01B
 Submittal does not reflect Generic Ltr 82-09
 HUNTER, R S Indiana & Michigan Electric Co 82/06/11 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 1,200pp 13548 027
 24X Fiche 50-315, 82/06/11, 8206160273

B206220221 Act receipt of B20607 ltr informing NRC of steps taken to correct violations noted in NRC B20429 ltr
 HIND, J A Region 3, Office of Director 82/06/17 DOLAN, J E
 American Electric Power Service Corp DOLAN, J E Indiana & Michigan
 Power Co 1p 13571 263 24X Fiche 50-315, 82/06/17, 8206220221

R Periodic operating reports & related correspondence

B206010355 Forwards monthly operating rept for Apr 1982
 SMITH, W O Indiana & Michigan Electric Co 82/05/13 Office of
 Management and Program Analysis 1p 13301 347 24X
 Fiche 50-316, 82/05/13, 8206010355

--B206010361 Monthly operating rept for Apr 1982
 MIGHT, A Indiana & Michigan Electric Co 82/05/05 App,
 13301, 348 24X Fiche 50-316, 82/05/13, 8206010361

S Reportable occurrences, LERs & related correspondence

B205250229 Forwards updated LER 79-031/03X-1 & LER 82-038/03L-0
 SMITH, W O Indiana & Michigan Power Co 82/05/19 KEPPLER, J O
 Region 3, Office of Director 1p 13240 330 24X
 Fiche 50-316, 82/05/19, 8205250229

--B205260008 Updated LER 79-031/03X-1 on 790711 & 12, elevation containment airlock interlock did not prevent opening of outer door w/inner door open Caused by flexing of interlock support bracket preventing signal from engaging pawl
 WIZNER, D O Indiana & Michigan Power Co 82/05/19, Region 3,
 Office of Director 1p 13240:151, 24X Fiche 50-316, 82/05/19,
 8205260008

--8206260012 LER 82-038/03L-0 on 820420, steam generator 3 stop valve dump valve MRV-232 removed from svc to repair seat leakage, leading to valve in less conservative configuration than Tech Spec requirement Seat ring replaced
PIEHL, R H Indiana & Michigan Power Co 82/05/19 Region 3,
Office of Director 1p 13240 352 24X Fiche 50-316, 82/05/19,
8205250229

8206020054 Forwards LER 82-037/03L-0
SMITH, W G Indiana & Michigan Electric Co 82/05/24 KEPLER, J G
Region 3, Office of Director 1p 13321 357 24X
Fiche 50-316, 82/05/24, 8206020054

--8206020061 LER 82-037/03L-0 on 820424, low flow alarm would not clear after containment air particulate & gaseous radiation monitor sys (R-11/R-12) sample pump stopped to perform required sampling Pump & flowmeter replaced
PALMER, R A Indiana & Michigan Electric Co 82/05/24 Region 3,
Office of Director 2pp 13321 358 24X Fiche 50-316,
82/05/24, 8206020054

8206020276 Forwards LER 82-040/01T-0
SMITH, W G Indiana & Michigan Power Co 82/05/25 KEPLER, J G
Region 3, Office of Director 1p 13320 342 24X
Fiche 50-316, 82/05/25, 8206020276

--8206020300 LER 82-040/01T-0 on 820511, during design change review, piping at containment air sampling penetrations discovered overstressed due to addition of padlocks & chains Padlocks & chains replaced w/lightweight seals
PALMER, R A Indiana & Michigan Power Co 82/05/25 Region 3,
Office of Director 3pp 13320 343 24X Fiche 50-316, 82/05/25,
8206020276

8206040339 Forwards LER 82-041/03L-0
SMITH, W G Indiana & Michigan Power Co 82/05/26 KEPLER, J G
Region 3, Office of Director 1p 13392 358 24X
Fiche 50-316, 82/05/26, 8206040339

--8206040342 LER 82-041/03L-0 on 820427, during surveillance testing, axial power distribution monitoring sys detector B F(2) limit setpoints was incorrect Caused by use of incorrect data during test performance Procedures revised
PALMER, R A Indiana & Michigan Power Co 82/05/26 Region 3,
Office of Director 3pp 13392 359 24X Fiche 50-316, 82/05/26,
8206040339

8206070853 Forwards LER 82-042/03L-0
SMITH, W G Indiana & Michigan Power Co 82/05/27 KEPLER, J G
Region 3, Office of Director 1p 13387 358 24X
Fiche 50-316, 82/05/27, 8206070853

--8206070859 LER 82-042/03L-0 on 820428, low pressure alarm XPA-153 for emergency air supply to NRV-153 activated at 628 psig Cause not stated Setpoint re-evaluated
PALMER, R A Indiana & Michigan Power Co 82/05/27 Region 3,
Office of Director 1p 13387 359 24X Fiche 50-316, 82/05/27,
8206070853

8206100283 Forwards LER 81-058/03X-1
SMITH, W G Indiana & Michigan Power Co 82/06/03 KEPLER, J G
Region 3, Office of Director 1p 13493 359 24X
Fiche 50-316, 82/06/03, 8206100283

--8206100287 LER 81-058/03X-1 on 811023, RCS leak rate estimated to be in excess of Tech Spec limits Caused by Crosby 2x3 style JB-25-3 valve found to be lifting at 230 psig rather than 600 psig setpoint Valve replaced
WIZNER, D G Indiana & Michigan Power Co 82/06/03 Region 3,
Office of Director 1p 13493 360 24X Fiche 50-316, 82/06/03,
8206100283

8206100155 Forwards LER 82-043/03L-0
SMITH, W G Indiana & Michigan Power Co 82/06/04 KEPLER, J G
Region 3, Office of Director 1p 13445 246 24X
Fiche 50-316, 82/06/04, 8206100155

--8206100159 LER 82-043/03L-0 on 820506, operator on tour noted fire barrier door 388 would not latch properly when closed by door closure Apparently caused by normal usage Latch lubricated & reinstalled Door adjusted
JACQUES, P H Indiana & Michigan Power Co 82/06/04 Region 3,
Office of Director 1p 13445 247 24X Fiche 50-316, 82/06/04,
8206100155

8206150198 RD on 820603, field insp of panel VCC 2ABV-A showed panel to have mounting details different from drawings, Temporary lateral bracing installed Installation of permanent mod in progress
SMITH, W G Indiana & Michigan Electric Co 82/06/04 KEPLER, J G
Region 3, Office of Director 1p 13501 354 24X
Fiche 50-316, 82/06/04, 8206150198

8206170222 Forwards LERs 82-044/03L-0 & 82-045/03L-0
SMITH, W G Indiana & Michigan Electric Co 82/06/11 KEPLER, J G
Region 3, Office of Director 1p 13534 334 24X
Fiche 50-316, 82/06/11, 8206170222

--8206170226 LER 82-044/03L-0 on 820512, during surveillance testing, loss of bistable FB-445A setpoint for loop 4 reactor coolant detected Caused by instrument setpoint drift Model 63U-AC-OHAAF replaced, calibr & returned to svc
PALMER, R A Indiana & Michigan Electric Co 82/06/11 Region 3,
Office of Director 2pp 13534 335 24X Fiche 50-316,
82/06/11, 8206170222

--8206170233 LER 82-045/03L-0 on 820513, during normal operation, operator noted fire door 461 would not latch properly due to loose latch cover Caused by screws used to secure cover in place falling out New screws installed
JACQUES, P H Indiana & Michigan Electric Co 82/06/11 Region 3,
Office of Director 1p 13534 337 24X Fiche 50-316, 82/06/11,
8206170222

8206240333 Forwards LER 82-046/03L-0
SMITH, W G Indiana & Michigan Power Co 82/06/17 KEPLER, J G
Region 3, Office of Director 1p 13603 181 24X
Fiche 50-316, 82/06/17, 8206240333

--8206240335 LER 82-046/03L-0 on 820520, west centrifugal charging pump removed from svc to repair leaking 1/2-inch threaded seal water line elbow at inboard mechanical seal HX Cause of leak undetermined Fitting removed & threads cleaned
PIEHL, R H Indiana & Michigan Power Co 82/06/17 Region 3,
Office of Director 1p 13603 182 24X Fiche 50-316, 82/06/17,
8206240333

8206240345 Forwards LER 82-047/03L-0
SMITH, W G Indiana & Michigan Power Co 82/06/17 KEPLER, J G
Region 3, Office of Director 1p 13603 160 24X
Fiche 50-316, 82/06/17, 8206240345

--8206240349 LER 82-047/03L-0 on 820603, insp revealed that installation of valve control 2-ABV-A did not conform to design drawing Caused by inadequate installation during const Emergency mod initiated
WIZNER, D G Indiana & Michigan Power Co 82/06/17 Region 3,
Office of Director 2pp 13603 161 24X Fiche 50-316, 82/06/17,
8206240345

8206290053 Forwards LER 82-048/03L-0
SMITH, W G Indiana & Michigan Power Co 82/06/23 KEPLER, J G
Region 3, Office of Director 1p 13635 234 24X
Fiche 50-316, 82/06/23, 8206290053

--8206290062 LER 82-048/03L-0 on 820524, safety stop pin in track of pressurizer heater transformer room overhead door discovered Caused by personnel error Pin removed Ltr sent to all personnel re proper use of pins
WIZNER, D G Indiana & Michigan Power Co 82/06/23 Region 3,
Office of Director 1p 13635 235 24X Fiche 50-316, 82/06/23,
8206290053

DOCKET 50-317 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

8206010086 Advises that changes to security plan, identified as Revision B, have been adequately incorporated into approved physical security plan & are therefore acceptable
CLARK, R A Operating Reactors Branch 3 82/05/18 GWIAZDOWSKI, E
Baltimore Gas & Electric Co 2pp 13331 224 24X
Fiche 50-317, 82/05/18, 8206010086

8206100234 Forwards IE Emergency Preparedness Appraisal Repts 50-317/81-19 & 50-318/81-18 on 811005-16 No noncompliance noted
SMITH, W G Division of Emergency Preparedness & Operational Support,
82/05/26 LUNDVALL, A E Baltimore Gas & Electric Co 30pp
13453 076 24X Fiche 50-317, 82/05/26, 8206100234

--8206100241 IE Emergency Preparedness Appraisal Repts 50-317/81-19 & 50-318/81-18 on 811005-16 No noncompliance noted Major areas inspected selected procedures & representative records, emergency facility & equipment
ROHNER, D, KINNEY, W, BAKENAS, C Division of Emergency Preparedness & Operational Support 82/06/04 67pp, 13453:135
24X Fiche 50-317, 82/05/26, 8206100234

DOCKETED ITEMS

8206140058 Forwards addl info re use of water curtains in protection of addl doorways & openings in fire barriers. Calculations will be performed by 820730 to confirm operability of sys for addl doors. Operability of Unit 1 sys confirmed 820429 LUNDVALL, A E Baltimore Gas & Electric Co 82/06/08 CLARK, R A Operating Reactors Branch 3 App 13484 296 24X Fiche 50-317, 82/06/08, 8206140058

P Operating license stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted FELTON, J M Division of Rules and Records 82/04/29 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--811170117 Summary of 811023 meeting to assess in-house availability & completeness of control sys info on operating plant for A-47 reviews. Meeting scheduled for 811109 to discuss findings of nonsafety control info SZUKIEWICZ, A J Generic Issues Branch 81/10/28 YNIEL, K Generic Issues Branch 3pp 13605 347 24X Fiche 50-000, 82/04/29, 8206230007

--811230007 Submits alternate recommendations for facilities to be reviewed re designs & identification of control sys whose failure would have significant safety implications SZUKIEWICZ, A J Generic Issues Branch 81/10/07 BASDEKA, D I Instrumentation & Control Branch 4p 65710 239 24X Fiche 50-000, 82/04/29, 8206230007

8206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 26pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking. Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided MEDEIROS, M S Reactor Systems Standards Branch 81/02/02 ARLOTT, G A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

8206020589 Approves licensee 810707 request for withholding of responses to NRC questions re C-E fuel performance methodology GEN-161(B)-P, "Improvements to Fuel Evaluation Model" CLARK, R A Operating Reactors Branch 3 82/05/20 LUNDVALL, A E Baltimore Gas & Electric Co 3pp 13339 034 24X Fiche 50-317, 82/05/20, 8206020589

8206080146 Forwards Amends 70 & 53 to Licenses DPR-53 & DPR-69, respectively & notice of issuance & availability. Amends delete nonradiological water quality-related requirements in current ETS CLARK, R A Operating Reactors Branch 3 82/05/26 LUNDVALL, A E Baltimore Gas & Electric Co 4pp 13441 240 24X Fiche 50-317, 82/05/26, 8206080146

--8206080151 Amends 70 & 53 to Licenses DPR-53 & DPR-69, respectively, revising App B ETS to delete nonradiological water quality-related requirements CLARK, R A Operating Reactors Branch 3 82/05/26 38pp 13441 244 24X Fiche 50-317, 82/05/26, 8206080146

--8206080157 Notice of issuance & availability of Amends 70 & 53 to Licenses DPR-53 & DPR-69, respectively CLARK, R A Operating Reactors Branch 3 82/05/26 2pp 13441 282 24X Fiche 50-317, 82/05/26, 8206080146

ting w/util to discuss resolution safety implications of thermal shock 82/05/27 CLARK, R A 24X

steam

L R A

8206020511 Forwards info requested in NRC 820126 ltr re NUREG-073, Items I A 2 I & I B 4 on upgrading reactor operator & senior reactor operator training qualifications & training to mitigate core damage, respectively LUNDVALL, A E Baltimore Gas & Electric Co 82/05/28 CLARK, R A Operating Reactors Branch 3 16pp 13324 285 24X Fiche 50-317, 82/05/28, 8206020511

8206160003 Informs that NRC considers multi-plant issue, "Boron Solubility During Long-Term Cooling Following LOCA," closed based on review of 771110, 780207, 0331 & 820517 submittals CLARK, R A Operating Reactors Branch 3 82/06/02 LUNDVALL, A E Baltimore Gas & Electric Co 3pp 13525 251 24X Fiche 50-317, 82/06/02, 8206160003

8206140088 Forwards response to Generic Ltr 82-10 requesting detailed schedule info re post-TMI requirements LUNDVALL, A E Baltimore Gas & Electric Co 82/06/04 EISENHUT, D G Division of Licensing 3pp 13487 173 24X Fiche 50-317, 82/06/04, 8206140088

8206180336 Submits confirmatory items re 820601 memo concerning review of Cycle & reload imposition of addl regulatory requirements are backfit items w/little real value when compared to impact resulting from imposition of requirements NOVAK, T M Assistant Director for Operating Reactors 82/06/04 SPEIS, T Assistant Director for Reactor Safety 1p 13569 JJJ 24X Fiche 50-317, 82/06/04, 8206180336

8206100091 Forwards response to 820120 request for addl info re NUREG-0737, Items II K 3 2 & II K 3 17 re power operated relief valve & ECCB sys failures, respectively LUNDVALL, A E Baltimore Gas & Electric Co 82/06/07 CLARK, R A Operating Reactors Branch 3 11pp 13448 305 24X Fiche 50-317, 82/06/07, 8206100091

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl EISENHUT, D G Division of Licensing 82/06/09 HAUSFUHR, A Consolidated Edison Co of New York SCOVILLE, J J Potomac Electric Power Co LUNDVALL, A E Baltimore Gas & Electric Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206140380 Notifies that fee to be remitted due to deletion of nonradiological water quality conditions from Tech Specs to Licenses DPR-53 & DPR-69 MILLER, W D License Fee Management Branch 82/06/10 LUNDVALL, A E Baltimore Gas & Electric Co 1p 13509 301 24X Fiche 50-317, 82/06/10, 8206140380

8206210004 Notification of 820618 meeting w/util in Bethesda, MD to discuss questions from consultant on cable separation JAFFE, D H Operating Reactors Branch 3 82/06/11 CLARK, R A Operating Reactors Branch 3 2pp 13583 010 24X Fiche 50-317, 82/06/11, 8206210004

8206290221 Application for amend to License DPR-53, consisting of proposed changes to Tech Spec Table 3 7-4 re safety-related hydraulic snubbers LUNDVALL, A E Baltimore Gas & Electric Co 82/06/17 CLARK, R A Operating Reactors Branch 3 3pp 13635 338 24X Fiche 50-317, 82/06/17, 8206290221

--8206290231 Proposed changes to Tech Spec Table 3 7-4 re safety-related hydraulic snubbers & Baltimore Gas & Electric Co 82/06/17 4pp 13635 341 24X Fiche 50-317, 82/06/17, 8206290221

8206290583 Summary of 820524 meeting w/util in Baltimore, MD re identification & resolution of priority licensing issues. Establishment of contract w/util to resolve selected licensing issues suggested. First draft issued JAFFE, D H Operating Reactors Branch 3 82/06/21 Operating Reactors Branch 3 3pp 13659 087 24X Fiche 50-317, 82/06/21, 8206290583

8206290589 Summary of 820614 meeting w/util in Bethesda, MD re recent steam generator tube damage. Util response requested re processing of analytic data in vicinity of support plates & on evaluation of tube data. JAFFE, D H Licensing Branch 3 82/06/21 Licensing Branch 3 3pp 13658 107 24X Fiche 50-317, 82/06/21, 8206290589

8206300393 Forwards safety evaluation re NUREG-0737, Item II E & F, "Auxiliary Feedwater Automatic Initiation & Flow Indication." Design features meet requirements. Periodic testing of steam generator channels required CLARK, R A Operating Reactors Branch 3 82/06/21 LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13678 290 24X Fiche 50-317, 82/06/21, 8206300393

--B206300408 Safety evaluation re reliability of auxiliary feedwater sys
Design features meet requirements of NUREG-0737, Item
II E 1.2 Periodic testing of steam generator differential
pressure instrumentation channels required
* Operating Reactors Branch 3 82/06/21 3pp 13678 292 24X
Fiche 50-317, 82/06/21, B206300393

B206290106 Advises that util will participate in resolution of
Unresolved Safety Issue A-49, "Pressurized Thermal Shock,"
based on B20615 meeting Participation in Issue A-47, "Safety
Implications of Control Sys," not decided
POINDEXTER, C H Baltimore Gas & Electric Co 82/06/22 DENTON, H R
Office of Nuclear Reactor Regulation, Director HANAUER, S H
Division of Safety Technology 2pp 13634 323 24X
Fiche 50-317, 82/06/22, B206290106

B206300020 Notifies that design & safety analysis reported for Unit 1,
Cycle 6 is valid as result of independent analysis No
impurities which might have adverse effect on cladding
found C-E reports no problem w/as-fabricated boron pellets
LUNDVALL, A E Baltimore Gas & Electric Co 82/06/24 CLARK, R A
Operating Reactors Branch 3 3pp 13656 033 24X
Fiche 50-317, 82/06/24, B206300020

G Inspection reports, IE Bulletins & correspondence

B206070179 Describes actions to improve mgt controls over corrective
action sys & 10CFR50.59 re safety evaluations for facility
changes per IE Performance Appraisal Insp Repts 50-317/82-01
& 50-318/82-01, in response to NRC B20414 ltr
LUNDVALL, A E Baltimore Gas & Electric Co 82/05/13 TAYLOR, J M
Division of Reactor Programs 4pp 13369 218 24X
Fiche 50-317, 82/05/13, B206070179

B206040107 Forwards IE Safeguards Insp Repts 50-317/82-08 &
50-318/82-08 on B20412-16 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/21
ROMMAKER, N J Baltimore Gas & Electric Co 2pp 13347 075 24X
Fiche 50-317, 82/05/21, B206040107

--B206040115 IE Safeguards Insp Repts 50-317/82-08 & 50-318/82-08 on
B20412-16 No noncompliance noted Major areas inspected
security plan & implementation procedures & security
organization Details withheld (ref 10CFR73.21)
MCKEOWN, L M, COGAN, N J, GDDY, A T Division of Engineering &
Technical Programs 82/05/18 1p 13347 077 24X
Fiche 50-317, 82/05/21, B206040107

B206100190 Forwards IE Insp Repts 50-317/82-11 & 50-318/82-13 on
B20506-07 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/24
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13453 350 24X
Fiche 50-317, 82/05/24, B206100190

--B206100193 IE Insp Repts 50-317/82-11 & 50-318/82-13 on B20506-07 No
noncompliance noted Major areas inspected salt water
intrusion into steam generator & primary water leakage
induced corrosion problems w/reactor coolant pump
REYNOLDS, S D, DURR, J Division of Engineering & Technical
Programs 82/05/19 5pp 13453 352 24X Fiche 50-317, 82/05/24,
B206100190

B206170259 Forwards IE Insp Repts 50-317/82-07 & 50-318/82-07 on
B20413-0511 & notice of violation
STARDSTECKI, R Division of Project & Resident Programs 82/05/24
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13338 001 24X
Fiche 50-317, 82/05/24, B206170259

--B206170278 Notice of violation from insp on B20413-0511
STARDSTECKI, R Division of Project & Resident Programs 82/05/24
1p 13338 003 24X Fiche 50-317, 82/05/24, B206170259

--B206170290 IE Insp Repts 50-317/82-07 & 50-318/82-07 on B20413-0511
Noncompliance noted failure to follow requirements for
tagouts & failure to have operable hydrogen analyzer during
Cycle 5 Page 6 withheld (ref 10CFR73.21)
ARCHITZEL, R E, TRIMBLE, D C, MCCABE, E C Division of Project &
Resident Programs 82/05/18 20pp 13538 004 24X
Fiche 50-317, 82/05/24, B206170259

B206100234 Forwards IE Emergency Preparedness Appraisal Repts
50-317/81-19 & 50-318/81-18 on B11005-16 No noncompliance
noted
SMITH, G H Division of Emergency Preparedness & Operational Support
82/05/26 LUNDVALL, A E Baltimore Gas & Electric Co 30pp
13453 096 24X Fiche 50-317, 82/05/26, B206100234

--B206100241 IE Emergency Preparedness Appraisal Repts 50-317/81-19 &
50-318/81-18 on B11005-16 No noncompliance noted Major areas
inspected selected procedures & representative records,
emergency facility & equipment
ROHRE, D, KINNEY, W, SAKENAS, C Division of Emergency
Preparedness & Operational Support 82/05/04 69pp 13453 139
24X Fiche 50-317, 82/05/26, B206100234

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of FWR Plants "
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13927 150 24X
Fiche 50-000, 82/06/02, B204210380

B206220560 Forwards IE Insp Rept 50-317/82-10 on B20503-07 No
noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/06/04
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13580 113 24X
Fiche 50-317, 82/06/04, B206220560

--B206220564 IE Insp Rept 50-317/82-10 on B20503-07 No noncompliance
noted Major areas inspected surveillance testing, maint,
preparation for refueling, refueling activities & followup
on previous insp items
PETRONE, C D, BETTENHAUSEN, L Division of Engineering & Technical
Programs 82/05/24 7pp 13580 115 24X Fiche 50-317, 82/06/04,
B206220560

B204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

B206210501 Ack receipt of B20402 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-317/81-25 &
50-318/81-24
MARTIN, T T Division of Engineering & Technical Programs 82/06/15
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13582 358 24X
Fiche 50-317, 82/06/15, B206210501

--B206210512 Responds to NRC B20304 ltr re violations noted in IE Insp
Repts 50-317/81-25 & 50-318/81-24 Corrective actions
nonfuel assembly SNM moved inside security fence
LUNDVALL, A E Baltimore Gas & Electric Co 82/04/02 MARTIN, T T
Division of Engineering & Technical Programs 3pp 13582 360,
24X Fiche 50-317, 82/06/15, B206210501

B206280205 Updates & clarifies info previously submitted re IE Bulletin
79-25, "Failures of Westinghouse BFD Relays in Safety-
Related Sys " Annual maint/testing program set up Coils in
NBFD relays will be replaced.
LUNDVALL, A E Baltimore Gas & Electric Co 82/06/16 HAYNER, R C
Region I, Office of Director 2pp 13624 221 24X
Fiche 50-317, 82/06/16, B206280205

R Periodic operating reports & related correspondence

B206010437 Forwards monthly operating repts for Apr 1982
LOTITO, E M Baltimore Gas & Electric Co 82/05/17, Director's
Office, Office of Inspection and Enforcement 1p 13313 225 24X
Fiche 50-317, 82/05/17, B206010437

--B206010443 Monthly operating repts for Apr 1982
LOTITO, E M Baltimore Gas & Electric Co 82/05/14 10pp
13313 226 24X Fiche 50-317, 82/05/17, B206010437

B206210543 Forwards monthly operating repts for May 1982 & revised
pages to monthly operating repts for Apr 1982
LOTITO, E M Baltimore Gas & Electric Co 82/06/14 Director's
Office, Office of Inspection and Enforcement 1p 13564 028 24X
Fiche 50-317, 82/06/14, B206210543

DOCKETED ITEMS

--B206210556 Monthly operating repts for May 1982
 LOTITO, E Baltimore Gas & Electric Co 82/06/14 10pp
 13564 029 24X Fiche 50-317, 82/06/14, B206210543

--B206210562 Revised pages to monthly operating repts for Apr 1982
 LOTITO, E Baltimore Gas & Electric Co 82/06/14 2pp
 13564 039 24X Fiche 50-317, 82/06/14, B206210543

S Reportable occurrences, LERs & related correspondence

B206080399 Forwards LER 82-023/01T-0
 RUSSELL, L B Baltimore Gas & Electric Co 82/05/28 HAYNES, R C
 Region 1, Office of Director 1p 13417 111 24X
 Fiche 50-317, 82/05/28, B206080399

--B206080406 LER 82-023/01T-0 on B20514, RCS experienced unplanned
 dilution in excess of 0.5% delta K/K. Caused by perforation
 of tube during steam generator 11 tube support plate rim
 cut. Leakage reduced by reducing steam generator level.
 WENDERLICH, R L, JENNINGS, R Baltimore Gas & Electric Co
 82/05/28 Region 1, Office of Director 2pp 13417 112 24X
 Fiche 50-317, 82/05/28, B206080399

B206110221 RDs 82-27 & 82-25 on B20602, emergency diesel generators 12 &
 21 tripped on loss of field while loaded after test start
 & declared inoperable. Details & further corrective action
 will be addressed in followup rept.
 RUSSELL, L B Baltimore Gas & Electric Co 82/06/02 HAYNES, R C
 Region 1, Office of Director 1p 13467 042 24X
 Fiche 50-317, 82/06/02, B206110221

B206220190 Forwards updated LER 81-056/01X-1
 RUSSELL, L B Baltimore Gas & Electric Co 82/06/10 HAYNES, R C
 Region 1, Office of Director 1p 13572 354 24X
 Fiche 50-317, 82/06/10, B206220190

--B206220194 Updated LER 81-056/01X-1 on 810716, power operated relief
 valve declared inoperable. Valve opened on erroneous high
 pressure signal caused by bumping pressurizer transmitter
 Configuration of transmitter modified.
 WENDERLICH, R L, HUSEBY, D E Baltimore Gas & Electric Co
 82/06/10 Region 1, Office of Director 2pp 13572 355 24X
 Fiche 50-317, 82/06/10, B206220190

B206280046 Forwards LER 82-025/03L-0
 RUSSELL, L B Baltimore Gas & Electric Co 82/06/16 HAYNES, R C
 Region 1, Office of Director 1p 13624 288 24X
 Fiche 50-317, 82/06/16, B206280046

--B206280058 LER 82-025/03L-0 on 820517, while in mode S, discovered
 through boric acid residue at weld surfaces, that several
 deficient pipe penetration welds existed in refueling
 water tank 11. Caused by poor workmanship by fabricator.
 PAVIS, O S, L'HEUREUX, R W Baltimore Gas & Electric Co 82/06/16
 Region 1, Office of Director 1p 13624 289 24X
 Fiche 50-317, 82/06/16, B206280046

B206280369 Forwards LER 82-026/03L-0
 RUSSELL, L B Baltimore Gas & Electric Co 82/06/16 HAYNES, R C
 Region 1, Office of Director 1p 13621 351 24X
 Fiche 50-317, 82/06/16, B206280369

--B206280377 LER 82-026/03L-0 on 820517, during mode 6 operation, loss of
 shutdown cooling flow experienced when operating low
 pressure safety injection pump 11 breaker opened. Cause
 undetermined. Motor supply breaker alignment check performed.
 WENDERLICH, R L, RIZZO, P O Baltimore Gas & Electric Co
 82/06/16 Region 1, Office of Director 1p 13621 352 24X
 Fiche 50-317, 82/06/16, B206280369

B206230218 PNO-I-82-045 on B20618, rept submitted to resident inspector
 of apparently falsified records of composition analysis of
 sample burnable poison pellets. Failure to analyze pellets
 discovered during B20614-18 audit.
 MCCABE, E Region 1, Office of Director 82/06/21 1p 13506 275
 24X Fiche 50-317, 82/06/21, B206230218

B206100234 Forwards IE Emergency Preparedness Appraisal Repts
 50-317/81-19 & 50-318/81-18 on 811005-16 No noncompliance
 noted.

SMITH, G H Division of Emergency Preparedness & Operational Support
 82/05/26 LUNDVALL, A E Baltimore Gas & Electric Co 30pp
 13453 076 24X Fiche 50-317, 82/05/26, B206100234

--B206100241 IE Emergency Preparedness Appraisal Repts 50-317/81-19 &
 50-318/81-18 on 811005-16 No noncompliance noted. Major areas
 inspected selected procedures & representative records,
 emergency facility & equipment.
 ROHRER, D, MATHEWS, D Division of Emergency Preparedness &
 Operational Support HOOVER, C Battelle Memorial Institute,
 Pacific Northwest Laboratory 82/05/04 69pp 13453 135 24X
 Fiche 50-317, 82/05/26, B206100234

B206140058 Forwards addl info re use of water curtains in protection
 of addl doorways & openings in fire barriers. Calculations
 will be performed by B20730 to confirm operability of sys
 for addl doors. Operability of Unit 1 sys confirmed B20429.
 LUNDVALL, A E Baltimore Gas & Electric Co 82/06/08 CLARK, R A
 Operating Reactors Branch 3 4pp 13484 296 24X
 Fiche 50-317, 82/06/08, B206140058

P Operating license stage documents & correspondence

B206230007 Addl response to FOIA request for eight categories of
 documents. Forwards documents listed in app Financial info in
 Documents 3-54, 3-55 & 5-11 deleted.
 FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M
 Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
 13604 044 24X Fiche 50-000, 82/04/29, B206230007

--B206230007 Submits alternate recommendations for facilities to be
 reviewed re designs & identification of control sys whose
 failure would have significant safety implications.
 SZUKIENICZ, A J Generic Issues Branch 81/10/07 BASDEKAS, D L
 Instrumentation & Control Branch 4p 65710 239 24X
 Fiche 50-000, 82/04/29, B206230007

B206280071 Addl response to FOIA request for eight categories of
 documents. Forwards documents listed in App A Documents
 listed in App D available in PDR Confidential financial
 info deleted.
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M
 Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B206280313 Updates 801222 memo re decisions for degraded cooling
 rulemaking. Steering group to issue justification for
 rulemaking activity in advance of agreement on quantitative
 safety goal. Examples of valve misoperation provided.
 MEDEIROS, M S Reactor Systems Standards Branch 81/02/02
 ARLOTTO, G A Division of Engineering Standards 20pp 13638 101
 24X Fiche 50-000, 82/05/12, B206280071

B206080146 Forwards Amends 70 & 53 to Licenses DPR-53 & DPR-69,
 respectively & notice of issuance & availability. Amends
 delete nonradiological water quality-related requirements in
 current ETS.
 CLARK, R A Operating Reactors Branch 3 82/05/26 LUNDVALL, A E
 Baltimore Gas & Electric Co 4pp 13441 240 24X
 Fiche 50-317, 82/05/26, B206080146

--B206080151 Amends 70 & 53 to Licenses DPR-53 & DPR-69, respectively,
 revising App B ETS to delete nonradiological water
 quality-related requirements.
 CLARK, R A Operating Reactors Branch 3 82/05/26 38pp
 13441 244 24X Fiche 50-317, 82/05/26, B206080146

--B206080157 Notice of issuance & availability of Amends 70 & 53 to
 Licenses DPR-53 & DPR-69, respectively.
 CLARK, R A Operating Reactors Branch 3 82/05/26 2pp
 13441 282 24X Fiche 50-317, 82/05/26, B206080146

B206020582 Notification of B20613 meeting w/uttl to discuss resolution
 of Unresolved Safety Issues A-47 re safety implications of
 control sys & A-49 re pressurized thermal shock.
 JAFFE, D H Operating Reactors Branch 3 82/05/27 CLARK, R A
 Operating Reactors Branch 3 2pp 13339 008 24X
 Fiche 50-317, 82/05/27, B206020582

B206020511 Forwards info requested in NRC B20426 ltr re NUREG-0737
 Items I A 2 I & I B 4 on upgrading reactor operator &
 senior reactor operator training qualifications & training
 to mitigate core damage, respectively.
 LUNDVALL, A E Baltimore Gas & Electric Co 82/05/28 CLARK, R A
 Operating Reactors Branch 3 16pp 13324 285 24X
 Fiche 50-317, 82/05/28, B206020511

DOCKET 50-318 CALVERT CLIFFS NUCLEAR POWER PLANT, UNIT 2

F Security, medical, emergency & fire protection plans

B206010086 Advises that changes to security plan, identified as Revision
 B, have been adequately incorporated into approved physical
 security plan & are therefore acceptable.
 CLARK, R A Operating Reactors Branch 3 82/05/18 GWIAZDOHSKI, E
 Baltimore Gas & Electric Co 2pp 13324 224 24X

8206160003 Informs that NRC considers multi-plant issue, "Boron Solubility During Long-Term Cooling Following LOCA," closed based on review of 771110, 780207, 0331 & 820317 submittals
CLARK, R A Operating Reactors Branch 3 82/06/02 LUNDVALL, A E
Baltimore Gas & Electric Co 3pp 13525 251 24X
Fiche 50-317, 82/06/02, 8206160003

8206140088 Forwards response to Generic ltr 82-10 requesting detailed schedule info re post-TMI requirements
LUNDVALL, A E Baltimore Gas & Electric Co 82/06/04 EISENHUT, D G
Division of Licensing 3pp 13487 1/3 24X Fiche 50-317, 82/06/04, 8206140088

8206100091 Forwards response to 820120 request for addl info re NUREG-0737, Items II K 3 2 & II K 3 17 re power operated relief valve & ECCS sys failures, respectively
LUNDVALL, A E Baltimore Gas & Electric Co 82/06/07 CLARK, R A
Operating Reactors Branch 3 11pp 13448 305 24X
Fiche 50-317, 82/06/07, 8206100091

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York SCOVILLE, J J Potomac Electric Power Co LUNDVALL, A E Baltimore Gas & Electric Co 13pp
13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206140380 Notifies that fee to be remitted due to deletion of nonradiological water quality conditions from Tech Specs to Licenses DPR-53 & DPR-69
MILLER, W D License Fee Management Branch 82/06/10 LUNDVALL, A E
Baltimore Gas & Electric Co 1p 13509 301 24X
Fiche 50-317, 82/06/10, 8206140380

8206210004 Notification of 820618 meeting w/util in Bethesda, MD to discuss questions from consultant on cable separation
JAFFE, D H Operating Reactors Branch 3 82/06/11 CLARK, R A
Operating Reactors Branch 3 2pp 13583 010 24X
Fiche 50-317, 82/06/11, 8206210004

8206290383 Summary of 820524 meeting w/util in Baltimore, MD re identification & resolution of priority licensing issues
Establishment of contract w/util to resolve selected licensing issues suggested First draft issued
JAFFE, D H Operating Reactors Branch 3 82/06/21 Operating Reactors Branch 3 3pp 13659 087 24X Fiche 50-317, 82/06/21, 8206290383

8206300393 Forwards safety evaluation re NUREG-0737, Item II E 1 2, "Auxiliary Feedwater Automatic Initiation & Flow Indication" Design features meet requirements Periodic testing of steam generator channels required
CLARK, R A Operating Reactors Branch 3 82/06/21 LUNDVALL, A E
Baltimore Gas & Electric Co 2pp 13678 290 24X
Fiche 50-317, 82/06/21, 8206300393

--8206300408 Safety evaluation re reliability of auxiliary feedwater sys
Design features meet requirements of NUREG-0737, Item II E 1 2 Periodic testing of steam generator differential pressure instrumentation channels required
* Operating Reactors Branch 3 82/06/21 3pp 13678 292, 24X
Fiche 50-317, 82/06/21, 8206300393

8206290106 Advises that util will participate in resolution of Unresolved Safety Issue A-49, "Pressurized Thermal Shock," based on 820615 meeting Participation in Issue A-47, "Safety Implications of Control Sys," not decided
POINDEXTER, C H Baltimore Gas & Electric Co 82/06/22 DENTON, H R
Office of Nuclear Reactor Regulation, Director HANAUER, S H
Division of Safety Technology 2pp 13634.323 24X
Fiche 50-317, 82/06/22, 8206290106

8206300020 Notifies that design & safety analysis reported for Unit 1, Cycle 6 is valid as result of independent analysis No impurities which might have adverse effect on cladding found, C-E reports no problem w/as-fabricated boron pellets
LUNDVALL, A E Baltimore Gas & Electric Co 82/06/24 CLARK, R A
Operating Reactors Branch 3 3pp 13656 033 24X
Fiche 50-317, 82/06/24, 8206300020

8206240048 REACTOR SAFETY STUDY METHODOLOGY APPLICATIONS PROGRAM.
Calvert Cliffs No 2 PWR Power Plant
HATCH, B W, KOLB, G O Sandia Laboratories CYBULSKI, P Battelle Memorial Institute, Columbus Laboratories FIN A-1047
NUREG-0737-1559 V03 82/06/30 Office of Nuclear Regulatory Research, Director, 240pp Available at NTIS 13618 016 24X
Fiche 50-318, 82/06/30, 8206240048

Q Inspection reports, IE Bulletins & correspondence

8206070199 Describes actions to improve mgt controls over corrective action sys & 10CFR50.59 re safety evaluations for facility changes per IE Performance Appraisal Insp Repts 50-317/82-01 & 50-318/82-01, in response to NRC 820414 ltr
LUNDVALL, A E Baltimore Gas & Electric Co 82/05/13 TAYLOR, J M
Division of Reactor Programs App 13369 218 24X
Fiche 50-317, 82/05/13, 8206070199

8206040107 Forwards IE Safeguards Insp Repts 50-317/82-08 & 50-318/82-08 on 820412-16 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/21
BOWMAKER, N J Baltimore Gas & Electric Co 2pp 13347 075 24X
Fiche 50-317, 82/05/21, 8206040107

--8206040115 IE Safeguards Insp Repts 50-317/82-08 & 50-318/82-08 on 820412-16 No noncompliance noted Major areas inspected security plan & implementation procedures & security organization Details withheld (ref 10CFR73.21)
MCKEOWN, L M, COGAN, N J, GDDY, A T Division of Engineering & Technical Programs 82/05/18 1p 13347 077 24X
Fiche 50-317, 82/05/21, 8206040107

8206100190 Forwards IE Insp Repts 50-317/82-11 & 50-318/82-13 on 820506-07 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/24
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13453 350 24X
Fiche 50-317, 82/05/24, 8206100190

--8206100193 IE Insp Repts 50-317/82-11 & 50-318/82-13 on 820506-07 No noncompliance noted Major areas inspected salt water intrusion into steam generator & primary water leakage induced corrosion problems w/reactor coolant pump
REYNOLDS, S D, DURR, J Division of Engineering & Technical Programs 82/05/19 5pp 13453 352 24X Fiche 50-317, 82/05/24, 8206100190

8206170259 Forwards IE Insp Repts 50-317/82-07 & 50-318/82-07 on 820413-0511 & notice of violation
STAROSTECKI, R Division of Project & Resident Programs 82/05/24
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13538 001 24X
Fiche 50-317, 82/05/24, 8206170259

--8206170278 Notice of violation from insp on 820413-0511
STAROSTECKI, R Division of Project & Resident Programs 82/05/24
1p 13538 003 24X Fiche 50-317, 82/05/24, 8206170259

--8206170290 IE Insp Repts 50-317/82-07 & 50-318/82-07 on 820413-0511. Noncompliance noted failure to follow requirements for tagouts & failure to have operable hydrogen analyzer during Cycle 5 Page 6 withheld (ref 10CFR73.21)
ARCHITZEL, R E, TRIMBLE, D C, MCCABE, C C Division of Project & Resident Programs 82/05/18 20pp, 13538 004 24X
Fiche 50-317, 82/05/24, 8206170259

8206100234 Forwards IE Emergency Preparedness Appraisal Repts 50-317/81-19 & 50-318/81-18 on 811005-16 No noncompliance noted
SMITH, G H Division of Emergency Preparedness & Operational Support 82/05/26
LUNDVALL, A E Baltimore Gas & Electric Co 30pp
13453 096 24X Fiche 50-317, 82/05/26, 8206100234

--8206100241 IE Emergency Preparedness Appraisal Repts 50-317/81-19 & 50-318/81-18 on 811005-16 No noncompliance noted Major areas inspected selected procedures & representative records, emergency facility & equipment
ROHRER, D, KINNEY, W, SAKENAS, C Division of Emergency Preparedness & Operational Support 82/05/04 69pp, 13453 135 24X
Fiche 50-317, 82/05/26, 8206100234

8202040147 IE Info Notice 82-15, "Notification of NRC" Bvc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095, 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Bvc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Bvc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02, 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/06/11, 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383.

DOCKETED ITEMS

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 12pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206210501 Ack receipt of 820402 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-317/81-25 & 50-318/81-24
MARTIN, T T Division of Engineering & Technical Programs 82/06/15
LUNDVALL, A E Baltimore Gas & Electric Co 2pp 13582 358 24X
Fiche 50-317, 82/06/15, 8206210501

--8206210512 Responds to NRC 820304 ltr re violations noted in IE Insp Repts 50-317/81-25 & 50-318/81-24 Corrective actions nonfuel assembly SNM moved inside security fence
LUNDVALL, A E Baltimore Gas & Electric Co 82/04/02 MARTIN, T T Division of Engineering & Technical Programs 3pp 13582 360 24X
Fiche 50-317, 82/06/15, 8206210501

8206280205 Updates & clarifies info previously submitted re IE Bulletin 79-25, "Failures of Westinghouse GFD Relays in Safety-Related Sys " Annual maint/testing program set up Coils in NDFD relays will be replaced
LUNDVALL, A E Baltimore Gas & Electric Co 82/06/16 HAYNES, R C Region 1, Office of Director 2pp 13624 221 24X
Fiche 50-317, 82/06/16, 8206280205

R Periodic operating reports & related correspondence

8206010437 Forwards monthly operating repts for Apr 1982
LOTITO, E M Baltimore Gas & Electric Co 82/05/17 Director's Office, Office of Inspection and Enforcement 1p 13313 225 24X
Fiche 50-317, 82/05/17, 8206010437

--8206010443 Monthly operating repts for Apr 1982
LOTITO, E M Baltimore Gas & Electric Co 82/05/14 10pp 13313 226 24X
Fiche 50-317, 82/05/17, 8206010437

8206210543 Forwards monthly operating repts for May 1982 & revised pages to monthly operating repts for Apr 1982
LOTITO, E M Baltimore Gas & Electric Co 82/06/14 Director's Office, Office of Inspection and Enforcement 1p 13564 028 24X
Fiche 50-317, 82/06/14, 8206210543

--8206210556 Monthly operating repts for May 1982
LOTITO, E Baltimore Gas & Electric Co 82/06/14 10pp 13564 029 24X
Fiche 50-317, 82/06/14, 8206210543

--8206210562 Revised pages to monthly operating repts for Apr 1982
LOTITO, E Baltimore Gas & Electric Co 82/06/14 2pp 13564 039 24X
Fiche 50-317, 82/06/14, 8206210543

S Reportable occurrences, LERs & related correspondence

8206110221 ROs 82-27 & 82-25 on 820602, emergency diesel generators 12 & 21 tripped on loss of field while loaded after test start & declared inoperable Details & further corrective action will be addressed in followup rept
RUSSELL, L B Baltimore Gas & Electric Co 82/06/02 HAYNES, R C Region 1, Office of Director 1p 13467 042 24X
Fiche 50-317, 82/06/02, 8206110221

8206170027 Forwards LER 82-022/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 82/06/06 HAYNES, R C Region 1, Office of Director 1p 13529 307 24X
Fiche 50-318, 82/06/06, 8206170027

--8206170028 LER 82-022/03L-0 on 820509, control element assembly 43 reed switch position indicator channel erroneously indicating 127 inches withdrawn rendering channel inoperable. Caused by failed reed switch.
PAVIS, G S, RAYNOR, J W Baltimore Gas & Electric Co 82/06/08 Region 1, Office of Director 1p 13529 308 24X
Fiche 50-318, 82/06/06, 8206170027

8206220967 Forwards updated LER 80-011/01X-1
RUSSELL, L B Baltimore Gas & Electric Co 82/06/10 HAYNES, R C Region 1, Office of Director 1p 13591 047 24X

8206230120 Forwards LER 82-024/03L-0
RUSSELL, L B Baltimore Gas & Electric Co 82/06/11 HAYNES, R C Region 1, Office of Director 1p 13591 047 24X
Fiche 50-318, 82/06/11, 8206230120

--8206230126 LER 82-024/03L-0 on 820514, ESF actuation sys channel C pressurizer pressure failed low, resulting in removal of Channel 2F & subcooled margin monitor 22 from svc Caused by fault in ac/dc converter isolator 2-PV-102C
PAVIS, G S, BASSO, L Baltimore Gas & Electric Co 82/06/11 Region 1, Office of Director 1p 13591 050 24X
Fiche 50-318, 82/06/11, 8206230120

8206280237 Forwards LER 82-025/01T-0
RUSSELL, L B Baltimore Gas & Electric Co 82/06/16 HAYNES, R C Region 1, Office of Director 1p 13624 140 24X
Fiche 50-318, 82/06/16, 8206280237

--8206280244 LER 82-025/01T-0 on 820602, emergency diesel generators 21 & 12 tripped on loss of field & declared inoperable Caused by voltage drift Emergency diesel generator voltage regulator assembly replaced
PAVIS, G S, RIZZO, P O Baltimore Gas & Electric Co 82/06/16 Region 1, Office of Director 3pp 13624 141 24X
Fiche 50-318, 82/06/16, 8206280237

DOCKET 50-320 THREE MILE ISLAND NUCLEAR STATION, UNIT 2

Γ Security, medical, emergency & fire protection plans

8206020087 Releases public version of revision to emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13333 292 24X
Fiche 50-320, 82/05/25, 8206020087

--8206020093 Forwards public version of Revision 1 to Emergency Plan Implementing Procedure 1054 16, "Contaminated Injuries/Radiation Overexposure " Temporary change notice encl
MCKINNEY, M General Public Utilities - GPU Service Corp 82/05/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13333 293 24X
Fiche 50-320, 82/05/25, 8206020087

--8206020100 Public version of annotated Revision 1 to Emergency Plan Implementing Procedure 1054 16, "Contaminated Injuries/Radiation Overexposure "
* General Public Utilities - GPU Service Corp 82/05/10 5pp 13333 296 24X
Fiche 50-320, 82/05/25, 8206020087

8206070185 Releases public version of revision to emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p 13427 286 24X
Fiche 50-320, 82/05/27, 8206070185

--8206070192 Forwards public version of Revision 2 to Emergency Plan Implementing Procedure 1054 8 re callout of onsite & offsite duty roster personnel & Procedure 1054 24 re recovery operations Receipt form encl
MCKINNEY, W General Public Utilities - GPU Service Corp 82/05/19 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13427 287 24X
Fiche 50-320, 82/05/27, 8206070185

--8206070198 Public version of Revision 2 to Emergency Plan Implementing Procedure 1054 8 re callout of onsite & offsite duty roster personnel & Procedure 1054 24 re recovery operations
* General Public Utilities - GPU Service Corp 82/05/11 22pp 13427 288 24X
Fiche 50-320, 82/05/27, 8206070185

8206140307 Releases public version of revision to administrative procedure
FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13509 058 24X
Fiche 50-320, 82/06/08, 8206140307

--8206140311 Forwards public version of Revision 1 to Administrative Procedure 1055, "Emergency Preparedness Drills "
* General Public Utilities - GPU Service Corp 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13509 059 24X
Fiche 50-320, 82/06/08, 8206140307

--8206140314 Public version of Revision 1 to Administrative Procedure 1055, "Emergency Preparedness Drills "
* General Public Utilities - GPU Service Corp 82/05/19 17pp 13509 060 24X
Fiche 50-320, 82/06/08, 8206140307

8206180314 Forwards Revision 1 to fire protection program evaluation
BARTON, J J General Public Utilities - GPU Service Corp 82/06/15 SNYDER, B J TMI Program Office 7pp 13544 006 24X
Fiche 50-320, 82/06/15, 8206180314

--B206180317 Revision 1 to fire protection program evaluation
QUINNETTE, J. W., D'CONNOR, T. A., BARBIERI, F. P. General Public
Utilities - GPU Service Corp 82/06/13 400pp 13544 016 24X
Fiche 50-320, 82/06/13, B206180314

G Adjudicatory correspondence

B206080131 Forwards unexecuted stipulation & joint motion for approval
of stipulation, proposed order & amend to order & proposed
safety evaluation & Tech Spec Joint motion & stipulation to
be signed & sent to WA Lochstet
WILCOVE, M. N. Hearing Branch 2 82/06/03 RIDGWAY, D. A. Shaw,
Pittman, Potts & Troubridge RIDGWAY, D. A. Metropolitan Edison Co
Ip 13423 005 24X Fiche 50-320, 82/06/03, B206080131

--B206080136 Advises that encl joint stipulation & supporting papers sent
to licensee counsel Papers to be forwarded for signature
WILCOVE, M. N. Hearing Branch 2 82/06/03 LOCHSTET, W. A.
Lochstet, W. A. 18pp 13423 006 24X Fiche 50-320, 82/06/03,
B206080131

B206220084 Notice of issuance of amend to NRR 800211 order & motion for
formal mod of Tech Specs to conform to B20517 amend of
order Amend allows movement of one control rod drive
mechanism to obtain info on core Certificate of Bvc encl
WILCOVE, M. N. Hearing Branch 2 82/06/18 Atomic Safety and
Licensing Board Panel 3pp 13573 079 24X Fiche 50-320, 82/06/18,
B206220084

B206280497 Response to NRC B20618 motion to conform proposed Tech Spec
in accordance w/B20517 amend to NRR 800211 order to permit
movement of one control rod drive mechanism Licensee does
not oppose motion Certificate of Bvc encl
RIDGWAY, D. A. Metropolitan Edison Co RIDGWAY, D. A. Shaw, Pittman,
Potts & Troubridge 82/06/24 Atomic Safety and Licensing Board
Panel 5pp 13626 264 24X Fiche 50-320, 82/06/24, B206280497

P Operating license stage documents & correspondence

B206240449 Notification of contract execution "Reanalysis of Existing
Data From Telephone Surveys Concerning TMI," awarded to
Uniformed Svcs Univ of Health Sciences
MILES, E. B. Technical Assistance Contracts Branch FIN B-8614
82/04/22 VOLLMER, R. H., RATHBUN, P. Division of Engineering Ip
13620 096 24X Fiche 50-289, 82/04/22, B206240449

--B206240453 Ltr Contract NRC-03-82-123 "Reanalysis of Existing Data
From Telephone Surveys Concerning TMI," awarded to Uniformed
Svcs Univ of Health Sciences
MATTIA, M. J. Technical Assistance Contracts Branch FIN B-8614
82/04/22 CRANFORD, H. B. Uniformed Services Univ of the Health
Sciences 8pp 13620 097 24X Fiche 50-289, 82/04/22, B206240449

B206080442 Notification of contract execution, Mod 2 to "Psychological
Stress Generally & Psychological Stress in Vicinity of TMI."
Contractor Mitre Corp
FIELDS, J. A. Technical Assistance Contracts Branch NRC-03-82-113
82/05/06 VOLLMER, R. H. Division of Engineering SINISGALLI, A. NRC
- No Detailed Affiliation Given Ip 13440 119 24X
Fiche 50-289, 82/05/06, B206080442,

--B206080445 Mod 2, incorporating RW Perry as participant in B20204-05
workshop, to "Psychological Stress Generally & Psychological
Stress in Vicinity of TMI "
MULLEN, G. W. Mitre Corp HAGAN, T. F. NRC - No Detailed Affiliation
Given NRC-03-82-113 82/05/06 Ip. 13440 120 24X
Fiche 50-289, 82/05/06, B206080442,

B206280307 FOIA request for documents & records re DOE decision to
accept entire TMI-2 nuclear reactor core & NRC decision to
enter into memorandum of understanding w/DOE
HANCOCK, D., ISBELL-BIROTKIN Southwest Research and Information
Center 82/05/11, Office of Administration, 2pp. 13630 239
24X Fiche 50-320, 82/05/11, B206280307

B206210031 Forwards amend of order changing recovery mode Tech Specs to
allow operations necessary to prepare for future recovery
mode activities. Changes made in response to B20408 requests
SNYDER, B. J. TMI Program Office 82/05/17 BARTON, J. J. General
Public Utilities - GPU Service Corp. 2pp 13582 303 24X
Fiche 50-320, 82/05/17, B206210031

--B206210038 Amend of order to License DPR-73, changing recovery mode Tech
Specs to allow operations necessary to prepare future
recovery mode activities & allows for movement of control
of axial power shaping rods to obtain core condition info.
DENTON, H. R. Office of Nuclear Reactor Regulation, Director
82/05/17 General Public Utilities - GPU Service Corp. 4pp
13582 305 24X Fiche 50-320, 82/05/17, B206210031

--B206210039 Safety evaluation supporting amend of License DPR-73
* TMI Program Office 82/05/17 5pp 13582 309 24X
Fiche 50-320, 82/05/17, B206210031.

--B206210042 Proposed Tech Specs re control of axial power shaping rods
* General Public Utilities - GPU Service Corp 82/05/17 3pp
13582 314 24X Fiche 50-320, 82/05/17, B206210031

B206010009 Discusses shipment of submerged demineralizer sys waste
vessels offsite to DOE facility, per JJ Barton B20514 ltr
NRC will inspect each shipping container on individual
basis prior to actual shipment
BARRETT, L. H. TMI Program Office 82/05/19 BARTON, J. J. General
Public Utilities - GPU Service Corp 2pp 13319 338, 24X
Fiche 50-320, 82/05/19, B206010009

B206080383 Forwards corrected Tech Spec Page B 3/4 4-1 including
previous change to Section 3/4 4.1 inadvertently omitted
from NRC B20512 ltr transmitting recovery operations plan
Change 12
BARRETT, L. H. TMI Program Office 82/05/21 BARTON, J. J. General
Public Utilities - GPU Service Corp Ip 13442 187 24X
Fiche 50-320, 82/05/21, B206080383

--B206080388 Tech Spec corrected Page B 3/4 4-1 including previous change
to Section 3/4 4.1 omitted from NRC B20512 ltr
* TMI Program Office 82/05/21 2pp 13442 188 24X
Fiche 50-320, 82/05/21, B206080383

B206280138 Notification of contract execution, Mod 3 to "Psychological
Stress Generally & Psychological Stress in Vicinity of TMI "
Contractor Mitre Corp
FIELDS, J. A. Technical Assistance Contracts Branch NRC-03-82-113
82/05/21 VOLLMER, R. H., SINISGALLI, A. Division of Engineering Ip
13630 266 24X Fiche 50-289, 82/05/21, B206280138

--B206280144 Mod 3, incorporating RW Perry as participant in B20204-05
workshop, to "Psychological Stress Generally & Psychological
Stress in Vicinity of TMI "
MULLEN, G. W. Mitre Corp HAGAN, T. F. Technical Assistance
Contracts Branch NRC-03-82-113 82/05/21 Ip 13630 267 24X
Fiche: 50-289, 82/05/21, B206280138

B206040117 Requests approval to use ANSI B31.1 power piping code in
place of ASME III Class A in design & fabrication of
contingency RCS motor tube closure.
BARTON, J. J. General Public Utilities - GPU Service Corp 82/05/26
BARRETT, L. H. TMI Program Office 4pp 13350 060 24X
Fiche 50-320, 82/05/26, B206040117

B206080130 Responds to NRC B20517 ltr re arrangement of meeting w/
contractors who are studying socioeconomic impacts to
Chesapeake Bay resulting from discharge of TMI processed
water to Susquehanna River
WATKINS, S. B. Maryland, State of 82/05/26 LYNCH, D. D. TMI Program
Office 2pp 13423 024 24X Fiche 50-289, 82/05/26, B206080130

B206080066 Provides results of sample of makeup & purification sys
demineralizer cubicles for combustible gases, taken on
B20513 No combustible gases detected
BARTON, J. J. General Public Utilities - GPU Service Corp 82/06/02
SNYDER, B. J. TMI Program Office Ip 13423 305 24X
Fiche 50-320, 82/06/02, B206080066.

B206100322 Requests change to standby pressure control sys limits on
water level & valve isolation Changes would allow variations
in surge tank water level & temporary isolation of sys
BARTON, J. J. General Public Utilities - GPU Service Corp 82/06/04,
SNYDER, B. J. TMI Program Office 6pp 13450 262 24X
Fiche 50-320, 82/06/04, B206100322

B206170058 Responds to NRC B20426 questions re delay or cancellation of
reactor bldg entry due to malfunctioning airlock doors.
BARTON, J. J. General Public Utilities - GPU Service Corp. 82/06/07
BARRETT, L. H. TMI Program Office 4pp 13529 301 24X
Fiche 50-320, 82/06/07, B206170058

B206230127 Responds to B20519 generic ltr re fracture toughness of PWR
steam generator & reactor coolant pump supports. Requested
analysis per NUREG-0577 not practical at this time. Complete
analysis will be provided prior to TMI-2 restart.
BARTON, J. J. General Public Utilities - GPU Service Corp 82/06/08
EISENHUT, D. O. Division of Licensing 2pp 13591 035 24X
Fiche. 50-320, 82/06/08, B206230127

B206160290 Forwards revised design requirements for temporary
contingency RCS motor tube closure, per request Closure
will be designed & fabricated in accordance w/ANSI B31.1
Power Piping Code
BARTON, J. J. General Public Utilities - GPU Service Corp 82/06/11
BARRETT, L. H. TMI Program Office 2pp 13521 320, 24X
Fiche 50-320, 82/06/11, B206160290

DOCKETED ITEMS

8206280312 Partial response to 820511 FOIA request for documents & records re DOE decision to accept entire TH1-2 nuclear reactor core WJ Dircks & E Coffman 810107 & 0603 ltrs & WD Travers 810327 memo encl W/O NUREG-0483, Vols 1 & 2 FELTON, J M Division of Rules and Records 82/06/11 HANCOCK, D Southwest Research and Information Center 2pp 13630 241 24X Fiche 50-320, 82/06/11, 8206280312

--8206280316 Informs that NRC has no jurisdiction over transfer of high level radwastes from UTL to DOE Facility Jurisdiction applies only to receipt & storage facilities DIRCKS, W J Office of the Executive Director for Operations 81/01/07 BAYEHAN, C W Energy Dept of 2pp 13630 243 24X Fiche 50-320, 82/06/11, 8206280312

--8206280321 Summary of 810323 meeting w/DOE re scope of DOE R&D activities at site Attendance list submitted TRAVERS, W D TH1 Program Office 81/03/27 TH1 Program Office 2pp 13630 246 24X Fiche 50-320, 82/06/11, 8206280312

8206180152 Forwards safety evaluation rept for axial power shaping rod insertion test scheduled for 820624 per Tech Spec Change Request 37 Info also provided for use in reviewing & approving required procedures per Tech Spec 6 B 2 BARTON, J J General Public Utilities - GPU Service Corp 82/06/15 BARRETT, L H TH1 Program Office 20pp 13552 175 24X Fiche 50-320, 82/06/15, 8206180152

8206220084 Notice of issuance of amend to NRR 800211 order & motion for formal mod of Tech Specs to conform to 820517 amend of order Amend allows movement of one control rod drive mechanism to obtain info on core Certificate of Svc encl WILCOVE, M N Hearing Branch 2 82/06/18 Atomic Safety and Licensing Board Panel 3pp 13573 079 24X Fiche 50-320, 82/06/18, 8206220084

G Inspection reports, IE Bulletins & correspondence

8206070522 Forwards response to IE Bulletin 80-24, "Prevention of Damage Due to Water Leakage Inside Containment (801017 Indian Point 2 Event) " Requested short-term actions not appropriate given current post-accident condition BARTON, J J General Public Utilities - GPU Service Corp 82/05/26 HAYNES, R C Region I, Office of Director 6pp 13390 165 24X Fiche 50-320, 82/05/26, 8206070522

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206220260 Forwards IE Insp Rept 50-320/82-03 on 820329-0517 No noncompliance noted STAROSTECKI, R Division of Project & Resident Programs 82/06/04 BARTON, J J General Public Utilities - GPU Service Corp 2pp 13571 098 24X Fiche 50-320, 82/06/04, 8206220260

--8206220264 IE Insp Rept 50-320/82-03 on 820329-0517 No noncompliance noted Major areas inspected training, respiratory protection, procedures, external dosimetry, internal dosimetry, instrumentation & control of radioactive matl O'NEILL, B , SHANBAKY, M , FABANO, A Division of Project & Resident Programs 82/06/02 24pp 13571 100 24X Fiche 50-320, 82/06/04, 8206220260

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206070251 Forwards monthly progress rept for Mar 1982 & Ichthyological Associates, Inc annual rept W/O annual rept TEITT, T R General Public Utilities - GPU Service Corp 82/04/30 HICKEY, C NRC - No Detailed Affiliation Given 1p 13638 278 24X Fiche 50-289, 82/04/30, 8206070251

--8206070260 "TH1 Aquatic Study," monthly progress rept for Mar 1982 NARDACCI, O A Ichthyological Associates, Inc 82/04/30 21pp 13368 279 24X Fiche 50-289, 82/04/30, 8206070251

8206070213 Forwards TH1 Program Ofc Weekly Status rept for wk of 820516-22 BARRETT, L H TH1 Program Office 82/05/24 DENTON, H R Office of Nuclear Reactor Regulation, Director SNYDER, B J TH1 Program Office 16pp 13456 057 24X Fiche 50-320, 82/05/24, 8206070213

8206040111 Submits first groundwater monitoring rept presenting results of program to detect radioactive water leakage BARTON, J J General Public Utilities - GPU Service Corp 82/05/27 BARRETT, L H TH1 Program Office 55pp 13347 179 24X Fiche 50-320, 82/05/27, 8206040111

8206070223 Forwards TH1 Program Ofc weekly status rept for wk of 820523-28 BARRETT, L H TH1 Program Office 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director SNYDER, B J TH1 Program Office 7pp 13427 211 24X Fiche 50-320, 82/05/28, 8206070223

8206070465 Forwards errata sheet to 1981 annual environ & operating repts submitted 820505 HUKILL, H D General Public Utilities - GPU Service Corp 82/05/28 HAYNES, R C Region I, Office of Director 1p 13374 215 24X Fiche 50-289, 82/05/28, 8206070465

--8206070471 Errata to 1981 annual environ & operating repts submitted 820505 * General Public Utilities - GPU Service Corp 82/05/28 1p 13374 216 24X Fiche 50-289, 82/05/28, 8206070465

8206150200 Forwards quarterly dose assessment rept for Jan-Mar 1982 Dose summary table summarizes max hypothetical &/or real doses to individuals & general population BARTON, J J General Public Utilities - GPU Service Corp 82/06/04 HAYNES, R C Region I, Office of Director 1p 13501 347 24X Fiche 50-320, 82/06/04, 8206150200

--8206150208 "Quarterly Dose Assessment Rept - First Quarter 1982 " * General Public Utilities - GPU Service Corp 82/06/04 6pp 13501 348 24X Fiche 50-320, 82/06/04, 8206150200

8206290019 Forwards TH1 Program Ofc weekly status rept for wk of 820824-0604 BARRETT, L H TH1 Program Office 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director SNYDER, B J TH1 Program Office 12pp 13661 126 24X Fiche 50-320, 82/06/07, 8206290019

8206290622 Forwards weekly status rept for wk of 820613-19. BARRETT, L H TH1 Program Office 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director SNYDER, B J TH1 Program Office 10pp 13638 131 24X Fiche 50-289, 82/06/21, 8206290622

06290322 Forwards "TH1 Aquatic Study Monthly Rept for May 1982 " TEITT, T R General Public Utilities - GPU Service Corp 82/06/25 HICKEY, C NRC - No Detailed Affiliation Given 1p 13634 001 24X Fiche 50-289, 82/06/25, 8206290322

8206290326 "TH1 Aquatic Study Monthly Rept for May 1982," NARDACCI, O A Ichthyological Associates, Inc. 82/06/25 24pp. 13634 002 24X Fiche 50-289, 82/06/25, 8206290322

S Reportable occurrences, LERs & related correspondence

B206030146 RO B2-15 on B20517, incore thermocouple 14-D was inoperable Details will be included in followup rept
BARTON, J J General Public Utilities - GPU Service Corp 82/05/19
HAYNES, R C Region 1, Office of Director 1p 13337 020 24X
Fiche 50-320, 82/05/19, B206030146

B206080360 Forwards LER B2-013/03L-0
BARTON, J J General Public Utilities - GPU Service Corp 82/05/28
HAYNES, R C Region 1, Office of Director 1p 13416 186 24X
Fiche 50-320, 82/05/28, B206080360

--B206080365 LER B2-013/03L-0 on B20428, seven smoke detectors tested failed to provide required trip functions & alarms Caused by malfunctioning of fire indicating unit (FIU) which controls smoke detectors & alarm/trip FIU replaced
CHAPLIN, S D General Public Utilities - GPU Service Corp 82/05/28 Region 1, Office of Director 3pp 13416 187 24X
Fiche 50-320, 82/05/28, B206080360

B206110291 Forwards LER B2-014/03L-0
BARTON, J J General Public Utilities - GPU Service Corp 82/06/03
HAYNES, R C Region 1, Office of Director 1p 13466 201 24X
Fiche 50-320, 82/06/03, B206110291

--B206110295 LER B2-014/03L-0 on B20504, auxiliary bldg ventilation exhaust flow rate fluctuated between 67,000 & 63,000 cfm; dropping below Tech Spec limit Cause unidentified
CHAPLIN, S D General Public Utilities - GPU Service Corp 82/06/03 Region 1, Office of Director 3pp 13466, 202 24X
Fiche 50-320, 82/06/03, B206110295

B206220091 RO B2-20 on B20603, determined that recent overflow of auxiliary bldg sump occurred due to influx of rainwater from boverted water storage tank recirculation pump encl sump Caused by deficient administrative & design controls
BARTON, J J General Public Utilities - GPU Service Corp 82/06/04
HAYNES, R C Region 1, Office of Director 1p 13573 228 24X
Fiche 50-320, 82/06/04, B206220091

B206230130 PNO-TMI-B2-014 on B20617, employee contaminated both hands w/C-137 on palms Decontamination efforts effected Person wearing proper respiratory protection equipment at time of incident Individual exposures within planned ALARA limits
O'NEILL, S, SHANDAKY, M, FABANO, A TMI Program Office 82/06/18
1p 13591 034 24X Fiche 50-320, 82/06/18, B206230130.

B206280355 Forwards LER B2-015/01L-0
BARTON, J J General Public Utilities - GPU Service Corp 82/06/18
HAYNES, R C Region 1, Office of Director 1p 13623 347 24X
Fiche 50-320, 82/06/18, B206280355

--B206280367 LER B2-015/01L-0 on B20517, w/unit in long-term cold shutdown, incore thermocouple D14 exhibited erratic behavior Cause not determined, due to condition of core re incore instrumentation Situation is being monitored
CHAPLIN, S D General Public Utilities - GPU Service Corp 82/06/18, Region 1, Office of Director 3pp 13623 348 24X
Fiche 50-320, 82/06/18, B206280355

B206250199 PNO-TMI-B2-015 on B20623, licensee will begin moving axial power shaping rods Rods will be fully inserted for later decoupling from lead screw before reactor head removal.
CONTE, R, FABANO, A, BARRETT, L TMI Program Office 82/06/23 1p 13613 300 24X Fiche 50-320, 82/06/23, B206250199.

B206290362 PNO-TMI-B2-015A on B20623, one of eight axial power shaping rods moved from initial position of 24% to 5% Axial power shaping rod test terminated due to reaching time limit for motor energization. NRC continuing to monitor events
CONTE, R, FABANO, A, BARRETT, L TMI Program Office 82/06/24 1p 13632 345 24X Fiche 50-320, 82/06/24, B206290362.

B206290394 PNO-TMI-B2-015B on B20623, during axial power shaping rod testing attempts to move Rod 62 unsuccessful & Rods 63 & 66 could not be inserted Fully Four rods remain to be moved Next update B20628
CONTE, R, FABANO, A, BARRETT, L TMI Program Office 82/06/25 2pp 13634 249 24X Fiche 50-320, 82/06/25, B206290394.

B206290236 PNO-TMI-B2-015C on B20623, axial power shaping rod testing completed Rods 64 & 67 did not move, Rod 68 inserted to 22 9% from bottom position & Rod 67 inserted to position 1.1% from bottom No changes in neutron population occurred
THOMAS, L., SHANDAKY, M, BARRETT, L TMI Program Office 82/06/28 2pp 13636, 317 24X Fiche 50-320, 82/06/28, B206290236

T Hearing transcripts on non-antitrust matters

B206040037 Transcript of Commission B20526 public meeting in Washington, DC re briefing on TMI-2 cleanup Pp 1-57
* Commissioners 82/05/26 59pp 13362 265 24X
Fiche 50-320, 82/05/26, B206040037

--B206040037 Speech entitled "Presentation to NRC on TMI-2 Cleanup" presented at Commission B20526 public meeting Responds to concerns raised in Commission B20402 itr to Counsellor E Messer re acceleration of cleanup process
COFFMAN, F E Energy, Dept of 82/05/26 12pp 13362 325 24X
Fiche 50-320, 82/05/26, B206040037

DOCKET 50-321 EDWIN I HATCH NUCLEAR PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

B206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR
FELTON, J M Division of Rules and Records 82/04/26 SHOLLY, S C Union of Concerned Scientists 2pp 13342 255 24X
Fiche 50-000, 82/04/26, B206020014

--B206020046 Discusses operability of public notification sys at facilities Required contingency actions by licensee in event of sys failure should be considered
ROGERS, R F Region 2, Office of Director 82/02/12
BROWNLEE, V L Region 2, Office of Director 1p 13342 270 24X
Fiche 50-000, 82/04/26, B206020014

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debovoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs; emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director 81/03/01 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche: 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/02/04 ORIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, B206090002.

B20607047B Forwards Region 2 incident response plan dtd Mar 1982, Plan issued as Suppl 2 to NUREG-0849, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support. 82/05/12 KELLY, R J Georgia Power Co 1p 13375 011 24X
Fiche 50-000, 82/05/12, B20607047B

B206070517 Confirms B20511 arrangements for B20517 meeting w/util in Region 2 ofcs to discuss security performance at facility
O'REILLY, J P. Region 2, Office of Director 82/05/13 KELLY, R J Georgia Power Co 2pp 13374 253 24X Fiche: 50-321, 82/05/13, B206070517

B206020072 Releases public version of emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13332 249 24X Fiche 50-321, 82/05/25, B206020072.

--B206020077 Forwards public version of Emergency Plan Implementing Procedure HNP-B033, "Quantitative Fit Testing" Receipt form encl
SENELLE, E. C. Georgia Power Co 82/05/13 Office of Nuclear Reactor Regulation, Director 1p 13332 250 24X
Fiche: 50-321, 82/05/25, B206020072

--B206020081 Public version of Emergency Plan Implementing Procedure HNP-B033, "Quantitative Fit Testing"
ROGERS, M. H., NIX, H Georgia Power Co, 82/05/10, 16pp, 13332: 251, 24X Fiche: 50-321, 82/05/25, B206020072

DOCKETED ITEMS

20180 Releases public version of emergency plan implementing procedure
TOLSON, J. M. Division of Rules and Records 82/05/25 Document
Management Branch 1p 13340 166 24X Fiche 50-321, 82/05/25,
6020180

16020184 Forwards public version of Emergency Plan Implementing Procedure HNP-8152, "Instrument Calibr Intervals " Receipt form encl
Georgia Power Co 82/05/17 Office of Nuclear Reactor Regulation, Director 1p 13340 167 24X Fiche 50-321, 82/05/25, 1206020180

16020187 Public version of Emergency Plan Implementing Procedure HNP-8152, "Instrument Calibr Intervals " Receipt form encl
ROGERS, W. H., GREVE, T. Georgia Power Co 82/05/23 3pp
13340 168 24X Fiche 50-321, 82/05/25, 8206020180

180471 Releases public version of revised emergency plan implementing procedure
TOLSON, J. M. Division of Rules and Records 82/05/28 Document
Management Branch 1p 13440 044 24X Fiche 50-321, 82/05/28, 16080471

06080477 Forwards public version of Revision 2 to Emergency Plan Implementing Procedure HNP-8142, "Stabilized Assay Meter, SAM-2 " Receipt form encl
BORRELL, E. C. Georgia Power Co 82/05/24 Office of Nuclear Reactor Regulation, Director 1p 13440 045 24X
Fiche 50-321, 82/05/28, 8206080471

06080481 Public version of Revision 2 to Emergency Plan Implementing Procedure HNP-8142, "Stabilized Assay Meter, SAM-2 " Revision request form encl
ROGERS, W. H., NIX, H. Georgia Power Co 82/05/20 17pp
13440 046 24X Fiche 50-321, 82/05/28, 8206080471

110290 Requests verification of exemption of station battery room turn-tight doors from having 3-h fire rating
CKHAM, J. T. Georgia Power Co 82/06/02 Office of Nuclear Reactor Regulation, Director 1p 13465 161 24X
Fiche 50-321, 82/06/02, 8206110290

140259 Releases public version of revision to plant site survey procedure.
TOLSON, J. M. Division of Rules and Records 82/06/08 Document
Management Branch 1p 13508 037 24X Fiche 50-321, 82/06/08, 106140259

106140263 Forwards public version of Revision 2 to Procedure HNP-8029, "Plant Site Survey " Receipt form encl
BORRELL, E. C. Georgia Power Co 82/05/25 Office of Nuclear Reactor Regulation, Director 1p 13508 038 24X
Fiche 50-321, 82/06/08, 8206140259

206140269 Public version of Revision 2 to Procedure HNP-8029, "Plant Site Survey "
Georgia Power Co 82/05/24 7pp 13508 039 24X
Fiche 50-321, 82/06/08, 8206140259

1140319 Releases public version of revised pages to emergency plan
TOLSON, J. M. Division of Rules and Records 82/06/08 Document
Management Branch 1p 13509 037 24X Fiche 50-321, 82/06/08, 206140319

206140323 Forwards public version of Pages K-1, "Radiological Exposure Control" & P-1, "Responsibility for Planning Effort," to emergency plan for Units 1 & 2
BORRELL, E. C. Georgia Power Co 82/05/24 Office of Nuclear Reactor Regulation, Director 2pp 13509 038 24X
Fiche 50-321, 82/06/08, 8206140319

206140325 Public version of Pages K-1, "Radiological Exposure Control" & P-1, "Responsibility for Planning Effort," to emergency plan for Units 1 & 2
Georgia Power Co 82/05/31 2pp 13509 040 24X
Fiche 50-321, 82/06/08, 8206140319

Financial information

6030239 Files guarantee of payment of deferred premiums for partnership in Unit 1 Cash flow statements for actual FY81 taken from certified audit & projected figures for FY82
approved budget
EADRIK, T. B., Dalton, GA 82/05/27 SALTZMAN, J. Antitrust & Economic Analysis Branch (Utility Finance). 3pp. 13337 227 24X
Fiche 50-321, 82/05/27, 8206030239

F Operating license stage documents & correspondence

8205110370 Notifies of procedural change re inservice testing of RH14 sys LPC1 check valves 1(2)E11-F050 A & B Flow rate will be documented each cold shutdown in lieu of "test switch" method
BECKHAM, J. T. Georgia Power Co 82/04/30 Office of Nuclear Reactor Regulation, Director 1p 13027 267 24X
Fiche 50-321, 82/04/30, 8205110370

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J. M. Division of Rules and Records 82/05/12 HCHURRAY, C. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
HEDEIRI, M. S. Reactor Systems Standards Branch 81/02/02 ARLOTT, G. A. Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

8206010207 Summarizes findings & expands justification for concluding no safety concern exists re control of heavy loads Complete review of overhead handling sys performed No further review of design bases for load handling sys required
BECKHAM, J. T. Georgia Power Co 82/05/24 Office of Nuclear Reactor Regulation, Director 11pp 13313 281 24X
Fiche 50-321, 82/05/24, 8206010207

8206110336 Forwards response to 820505 Generic Ltr 82-10 re post-TMI requirement implementation schedule, per NUREG-0737
BECKHAM, J. T. Georgia Power Co 82/06/04 Office of Nuclear Reactor Regulation, Director 5pp 13467 087 24X
Fiche 50-321, 82/06/04, 8206110336

8206140242 Forwards corrected Tech Specs w/deleted ref limiting condition for operation & surveillance requirements for 600-volt swing bus
FAIRFILL, M. B. Operating Reactors Branch 4 82/06/07 BECKHAM, J. T. Georgia Power Co 2pp 13507 264 24X Fiche 50-321, 82/06/07, 8206140242

--8206140244 Corrected Tech Spec Page 3 9-4a deleting all refs to deleted swing bus
Office of Nuclear Reactor Regulation, Director 82/06/07 1p
13507 166 24X Fiche 50-321, 82/06/07, 8206140242

8206140256 Forwards Franklin Research Ctr requests for addl info re equipment environ qualification program Response requested within 30 days.
STOLZ, J. F. Operating Reactors Branch 4 82/06/07 BECKHAM, J. T. Georgia Power Co 16pp 13507 077 24X Fiche 50-321, 82/06/07, 8206140256

8206170376 Forwards NUREG-0737 post-TMI requirements implementation schedule revision & explanation in response to Generic Ltr 82-05 & 820326 request Info supersedes 820420 ltr
WIDNER, W. A. Georgia Power Co 82/06/07 Office of Nuclear Reactor Regulation, Director 11pp 13531 094 24X
Fiche 50-321, 82/06/07, 8206170376

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D. O. Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co of New York MAURIN, L. V. Louisiana Power & Light Co. CAVANAUGH, W. Arkansas Power & Light Co 13pp
13557 349 24X Fiche 50-000, 82/06/07, 8206090153

8206170365 Revises implementation completion date to Sept 1983 for NUREG-0737, Item II K 3 22 re automation of reactor core isolation cooling suction transfer
WIDNER, W. A. Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 2pp 13531 088 24X
Fiche 50-321, 82/06/11, 8206170365

8206170367 Application to amend License DPR-57, clarifying limiting condition for operation where secondary containment integrity cannot be properly maintained & operability requirements for standby gas treatment sys
WIDNER, W. A. Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 2pp 13531 126 24X
Fiche 50-321, 82/06/11, 8206170367

--B206170370 Proposed Tech Spec changes clarifying limiting condition for operation where secondary containment integrity cannot be properly maintained & operability requirements for standby gas treatment sys
* Georgia Power Co 82/06/11 5pp 13531 128 24X
Fiche 50-321,82/06/11,8206170367

8206180178 Application to amend License DPR-57 providing limiting condition for operation w/o secondary containment integrity
WIDNER, W A Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 2pp 13553 209 24X
Fiche 50-321,82/06/11,8206180178

--B206180181 Proposed Tech Specs providing limiting condition for operation w/o secondary containment integrity
* Georgia Power Co 82/06/11 5pp 13553 211 24X
Fiche 50-321,82/06/11,8206180178

8206210330 Application to amend Licenses DPR-57 & NPF-5 increasing min shift crew composition requirements as shown in Table A 2-1 & required by NUREG-0737
WIDNER, W A Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 2pp 13559 154 24X
Fiche 50-321,82/06/11,8206210330

--B206210336 Proposed changes to Tech Specs increasing min shift crew composition requirements
* Georgia Power Co 82/06/11 4pp 13559 156 24X
Fiche 50-321,82/06/11,8206210330

8206250386 Forwards safety evaluation concurring w/licenses B01231 response to NUREG-0737, Item II K 3 21 re restart of LPCS & LPCI sys based on BWR owners group position Logic mods not warranted
STOLZ, J F Operating Reactors Branch 4 82/06/16, BECKHAM J T Georgia Power Co 5pp 13630 080 24X Fiche 50-321,82/06/16, 8206250386

G Inspection reports, IE Bulletins & correspondence

8206070648 Forwards IE Insp Repts 50-321/82-14 & 50-366/82-14 on 820321-0420 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/14
KELLY, R J Georgia Power Co 2pp 13390 094 24X
Fiche 50-321,82/05/14,8206070648

--8206070657 IE Insp Repts 50-321/82-14 & 50-366/82-14 on 820321-0420 No noncompliance noted Major areas inspected, Tech Spec compliance, housekeeping, operator performance, overall plant operations, QA practices & station & corporate mgt practices
ROGERS, R F, BROWNLEE, V L Division of Project & Resident Programs 82/05/14 3pp 13390 096 24X Fiche 50-321,82/05/14, 8206070648

8202040147 IE Info Notice 82-15, "Notification of NRC," Bvc list encl
DEYDUNG, R C Director's Office, Office of Inspection and Enforcement, 82/05/28 107pp 13426 095 24X
Fiche 50-000,82/05/28,8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints," Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000,82/05/28,8204210378

8206220442 Forwards IE Insp Repts 50-321/82-13 & 50-366/82-13 on 820428-0504 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/28
KELLY, R J Georgia Power Co 2pp 13578 182 24X
Fiche 50-321,82/05/28,8206220442

--8206220446 IE Insp Repts 50-321/82-13 & 50-366/82-13 on 820428-0504 No noncompliance noted Major areas inspected witnessing preparation & performance of containment integrated leak rate test & review of test results
WHITENER, H L, JAFE, F Division of Engineering & Technical Programs 82/05/26 5pp 13578 184 24X Fiche 50-321,82/05/28, 8206220442

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Bvc list encl
DEYDUNG, R C Director's Office, Office of Inspection and Enforcement, 82/06/02 108pp 13527 150 24X
Fiche 50-000,82/06/02,8204210380

8206140064 Submits addl info requested in NRC B10504 ltr re B10701 response to Generic Ltr B1-01, "Qualification of Insp, Exam, Testing & Audit Personnel," Commits to conform w/Positions C 0.6, 7, 8 & 10 of Reg Guide 1.58, Revision 1
WIDNER, W A Georgia Power Co 82/06/07, Office of Nuclear Reactor Regulation, Director 1p 13484 259 24X
Fiche 50-321,82/06/07,8206140064

--8206140065 Forwards plan for augmented inservice insp of certain components to address interest in intergranular stress corrosion cracking On 820424 water chemistry transient caused chloride intrusion Conditions may impact exam
BECKHAM, J T Georgia Power Co 82/06/04 O'REILLY, J P Region 2, Office of Director 15pp 13484 260 24X
Fiche 50-321,82/06/07,8206140064

8206220350 Ack receipt of 820521 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/82-11 & 50-366/82-11
DANCE, H C Division of Project & Resident Programs 82/06/09
KELLY, R J Georgia Power Co 1p 13581 204 24X
Fiche 50-321,82/06/09,8206220350

--8206220356 Responds to NRC 820421 ltr re violations noted in IE Insp Repts 50-321/82-11 & 50-366/82-11 Corrective actions personnel notified of mgt position on misuse of pocket dosimeters
HEAD, O F Georgia Power Co 82/05/21 O'REILLY, J P Region 2, Office of Director 2pp 13581 205 24X Fiche 50-321,82/06/09, 8206220350

--8206220361 Forwards IE Insp Repts 50-321/82-11 & 50-366/82-11 on 820329-0402 & notice of violation
DANCE, H C Division of Project & Resident Programs 82/04/21
KELLY, R J Georgia Power Co 2pp 13581 207 24X
Fiche 50-321,82/06/09,8206220350

--8206220367 Notice of violation from insp on 820329-0402
* Division of Project & Resident Programs 82/04/21 1p, 13581 209 24X Fiche 50-321,82/06/09,8206220350

--8206220372 IE Insp Repts 50-321/82-11 & 50-366/82-11 on 820329-0402 Noncompliance noted radiation protection procedures not established, maintained & implemented re personnel dosimetry
FRANKLIN, L A, BARR, K P Division of Engineering & Technical Programs 82/04/16 6pp 13581 210 24X Fiche 50-321,82/06/09, 8206220350

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Bvc list encl
DEYDUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000,82/06/11,8204210384

8206170260 Forwards response to NRC B20312 & 0416 requests for addl info re relief requests for inservice insp programs Diagram of RHR heat exchangers encl
WIDNER, W A Georgia Power Co 82/06/11, Office of Nuclear Reactor Regulation, Director 10pp, 13533 168 24X
Fiche 50-321,82/06/11,8206170260

R. Periodic operating reports & related correspondence

8206150110 Forwards monthly operating repts for May 1982
NIX, H C Georgia Power Co 82/06/08 Director's Office, Office of Inspection and Enforcement 1p, 13501 316 24X
Fiche 50-321,82/06/08,8206150110

--8206150111 Monthly operating repts for May 1982
GILBRETH, T Georgia Power Co 82/06/10, 10pp 13501 317 24X
Fiche 50-321,82/06/08,8206150110

B Reportable occurrences, LERs & related correspondence

8206010584 Forwards LER 82-025/03L-0
NIX, H C Georgia Power Co 82/04/21, O'REILLY, J P, Region 2, Office of Director 1p 13314 036 24X Fiche 50-321,82/04/21, 8206010584

--8206010590 LER 82-023/03L-0 on 820322, while performing HNP-1-3653, standby gas treatment sys failed to maintain secondary containment integrity Caused by leaking door seals, open drain valves & inaccurate control room instruments
* Georgia Power Co 82/04/21, Region 2, Office of Director, 2pp 13314 037 24X Fiche 50-321,82/04/21,8206010584

8206010650 Forwards LER 82-023/03L-0.
NIX, H C Georgia Power Co 82/04/28, O'REILLY, J P, Region 2, Office of Director 1p, 13314 052 24X Fiche 50-321,82/04/28, 8206010650

--B206010662 LER 82-023/03L-0 on B20329, during steady-state power, torus water level indicator inoperable on two events. Caused by loss of water in ref leg to transmitter 1T48-N010B due to worn valve manifold. Manifold will be replaced.
NIX, R T Georgia Power Co 82/04/28 Region 2, Office of Director 2pp 13314 053 24X Fiche 50-321, 82/04/28, B206010650

B206010164 Forwards LER 82-027/03L-0
NIX, H C Georgia Power Co 82/05/12 O'REILLY, J P Region 2, Office of Director 1p 13307 212 24X Fiche 50-321, 82/05/12, B206010164

--B206010170 LER 82-027/03L-0 on B20412, site failed to prove operability for two trains within 4-h w/standby gas treatment filter train 1T46-C001B inoperable. Caused by manometer failure. Manometers replaced.
SUMNER, H L Georgia Power Co 82/05/12 Region 2, Office of Director 3pp 13307 213 24X Fiche 50-321, 82/05/12, B206010164

B206010503 Forwards LER 82-034/03L-0
NIX, H C Georgia Power Co 82/05/14 O'REILLY, J P Region 2, Office of Director 1p 13307 317 24X Fiche 50-321, 82/05/14, B206010503

--B206010510 LER 82-034/03L-0 on B20414, QA mgt review of current open item 79-FP-2/120 revealed that inadequately rated fire doors had been in place since 791026. Caused by inadvertent oversight of Tech Spec application.
SUMNER, H L Georgia Power Co 82/05/14 Region 2, Office of Director 2pp 13307 318 24X Fiche 50-321, 82/05/14, B206010503

B206010250 Forwards LER 82-031/03L-0
NIX, H C Georgia Power Co 82/05/18 O'REILLY, J P Region 2, Office of Director 1p 13307 055 24X Fiche 50-321, 82/05/18, B206010250

--B206010259 LER 82-031/03L-0 on B20422, particulate sample pump & noble gas panel monitors 1D11-K631, 623 & 633 declared inoperative. Caused by component failure & leakage of air to monitors. Pump repaired & air leaks stopped.
NIX, R T Georgia Power Co 82/05/18 Region 2, Office of Director 2pp 13307 056 24X Fiche 50-321, 82/05/18, B206010250

B206070077 Forwards LER 82-042/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13368 221 24X Fiche 50-321, 82/05/20, B206070077

--B206070079 LER 82-042/03L-0 on B20505, unsealed penetration discovered passing through 112-ft to 130-ft elevation. Penetration overlooked during const phase Maint request issued for installation of fire rated seal.
SUMNER, H L Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13368 222 24X Fiche 50-321, 82/05/20, B206070077

B206070149 Forwards LER 82-040/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13368 346 24X Fiche 50-321, 82/05/20, B206070149

--B206070155 LER 82-040/03L-0 on B20430, during testing, RHR svc water pump 1E11-C001A failed to meet rated flow requirements of Tech Specs. Caused by failed mechanical seal. Mechanical seal replaced.
NIX, H C Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13368 347 24X Fiche 50-321, 82/05/20, B206070149

B206070564 Forwards LER 82-039/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13372 320 24X Fiche 50-321, 82/05/20, B206070564

--B206070568 LER 82-039/03L-0 on B20428, during shutdown & performance of HNP-1-3052, intermediate range monitor failed to yield half alarm when tripped. Caused by detector drift. Correct point to jumper identified & corrected.
SUMNER, H L Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13372 321 24X Fiche 50-321, 82/05/20, B206070564

B206070096 Forwards LER 82-036/03L-0
NIX, H C Georgia Power Co 82/05/25 O'REILLY, J P Region 2, Office of Director 1p 13368 216 24X Fiche 50-321, 82/05/25, B206070096

--B206070101 LER 82-036/03L-0 on B20429, 1B21-R615 reactor level recorder found inoperative. Caused by open resistor R18 in recorder amplifier component replaced & recorder recalibrated.
NIX, R T Georgia Power Co 82/05/25 Region 2, Office of Director 2pp 13368 217 24X Fiche 50-321, 82/05/25, B206070096

B206110109 Forwards LER 82-038/03L-0
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13467 030 24X Fiche 50-321, 82/05/27, B206110109

--B206110162 LER 82-038/03L-0 on B20430, contamination found outside northeast corner of turbine bldg. Caused by water backing into discharge of low pressure air blower during backwash of condensate demineralizer vessel. Procedure revised.
ROGERS, W H Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13467 031 24X Fiche 50-321, 82/05/27, B206110109

B206110205 Forwards LER 82-048/03L-0
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13467 033 24X Fiche 50-321, 82/05/27, B206110205

--B206110208 LER 82-048/03L-0 on B20512, no senior reactor operator on refueling floor during low power range monitor changeout. Caused by failure of personnel to recognize operation as core alteration. Practice discontinued.
BAKLEY, S X Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13467 034 24X Fiche 50-321, 82/05/27, B206110205

B206110235 Forwards LER 82-049/01T-0
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13466 245 24X Fiche 50-321, 82/05/27, B206110235

--B206110239 LER 82-049/01T-0 on B20517, fuel loading performed w/o all control rods fully inserted. Caused by second shift resuming operations w/o knowing first shift suspended operations due to inability to insert rods. Procedure to be revised.
BAKLEY, S X Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13466 246 24X Fiche 50-321, 82/05/27, B206110235

B206110259 Forwards LER 82-050/03L-0
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13466 288 24X Fiche 50-321, 82/05/27, B206110259

--B206110268 LER 82-050/03L-0 on B20514, w/unit shut down & in refuel mode due to solvent intrusion, intermediate range monitor functional test, HNP-1-3092 performed 34-h late. Caused by personnel error. Test performed satisfactorily.
NIX, R T Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13466 289 24X Fiche 50-321, 82/05/27, B206110259

B206210119 Forwards updated LER 82-034/03L-1
NIX, H C Georgia Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 1p 13559 234 24X Fiche 50-321, 82/06/03, B206210119

--B206210131 Updated LER 82-034/03L-1 on B20414, during review of QA open item 79-FP-2/120 fire doors & door frames identified having inadequate ratings. Fire watches had not been established. Fire watches established on B20426.
SUMNER, H L Georgia Power Co 82/06/03 Region 2, Office of Director 2pp 13559 235 24X Fiche 50-321, 82/06/03, B206210119

B206210542 Forwards LER 82-047/03L-0
NIX, H C Georgia Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 1p 13563 335 24X Fiche 50-321, 82/06/03, B206210542

--B206210573 LER 82-047/03L-0 on B20511, QA auditor found that revisions to certain procedures had not been reviewed by plant review board. Caused by incomplete definition of safety-related procedures in HNP-D-9, "Procedure Writing, Use & Control."
TIPPS, S B Georgia Power Co 82/06/03 Region 2, Office of Director 2pp 13563 336 24X Fiche 50-321, 82/06/03, B206210542

B206210655 Forwards LER 82-043/03L-0
NIX, H C Georgia Power Co 82/06/04 O'REILLY, J P Region 2, Office of Director 1p 13564 065 24X Fiche 50-321, 82/06/04, B206210655

--B206210660 LER B2-043/03L-0 on B20305, RHR svc water pump IE11-C001C failed to meet flow & discharge pressure requirements. Caused by debris entering pump & becoming lodged in impellers. Screens repaired.
NIX, R T Georgia Power Co 82/06/04 Region 2, Office of Director 2pp 13564 066 24X Fiche 50-321, 82/06/04, B206210655

B206210359 Forwards LER B2-051/03L-0
NIX, H C Georgia Power Co 82/06/08 O'REILLY, J P Region 2, Office of Director 1p 13358 093 24X Fiche 50-321, 82/06/08, B206210359

--B206210364 LER B2-051/03L-0 on B20524, w/unit in refuel mode, routine performance of HNP-1-3182 showed that plant svc water pump IP41-C001A failed. Caused by normal wear & foreign matter in pump. Pump rebuilt, reinstalled & retested.
NIX, R T Georgia Power Co 82/06/08 Region 2, Office of Director 2pp 13558 094 24X Fiche 50-321, 82/06/08, B206210359

B206210448 Forwards LER B2-046/03L-0
NIX, H C Georgia Power Co 82/06/08 O'REILLY, J P Region 2, Office of Director 1p 13370 332 24X Fiche 50-321, 82/06/08, B206210448

--B206210470 LER B2-046/03L-0 on B20510 & 19, during cold shutdown, RHR svc water pumps 2E11-C001D & IE11-C001D failed to meet flow & pressure Tech Specs. Caused by debris in pump impellers. Debris removed & screens repaired.
NIX, R T Georgia Power Co 82/06/08 Region 2, Office of Director 3pp 13370 353 24X Fiche 50-321, 82/06/08, B206210448

B206240137 RO on B20524, during refueling outage & performance of Procedure HNP-1-3331, electric fire pump IX43-C001 failed to autostart properly. Caused by component failure due to loose needle. Needle replaced & calibr performed.
NIX, H C Georgia Power Co 82/06/08 O'REILLY, J P Region 2, Office of Director 2pp 13599 270 24X Fiche 50-321, 82/06/08, B206240137

B206300117 Forwards LER B2-029/03L-0
NIX, H C Georgia Power Co 82/06/17 O'REILLY, J P Region 2, Office of Director 1p 13656 303 24X Fiche 50-321, 82/06/17, B206300117

--B206300119 LER B2-029/03L-0 on B20601, during cold shutdown, plant svc water pump D failed to meet operability test flow requirements. Caused by normal wear & damaged first stage impeller. Pump rebuilt & tested satisfactorily.
NIX, R T Georgia Power Co 82/06/17 Region 2, Office of Director 2pp 13656 304 24X Fiche 50-321, 82/06/17, B206300117

DOCKET 50-322 SHOREHAM NUCLEAR POWER STATION

A Application/construction stage documents & correspondence

B206030147 Forwards details of reliability study re 125-volt dc sys, providing basis for info on dc sys reliability contained in util B11208 submittal.
SMITH, J L Long Island Lighting Co 82/04/26, FISHER, D ACRB - Advisory Committee on Reactor Safeguards 12pp 13337 008 24X Fiche 50-322, 82/04/26, B206030147

B206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app. Financial info in Documents 3-54, 3-55 & 5-11 deleted.
FELTON, J M Division of Rules and Records, 82/04/29, MCMURRAY, C M, Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, B206230007

B206010518 Discusses interpretation of statement in util Apr 1977 rept, "Shoreham Nuclear Power Station Schedule & Const Mgt Evaluation," re critical design problems suppressed by B&W.
READ, H J New York, State of 82/05/19 HAYNES, R C Region 1, Office of Director 2pp 13314 322 24X Fiche 50-322, 82/05/19, B206010518

B206020331 Forwards "Program Description, Independent Design Review for Shoreham Nuclear Station."
SMITH, J L Long Island Lighting Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13321 231 24X Fiche 50-322, 82/05/26, B206020331

--B206020337 "Program Description, Independent Design Review for Shoreham Nuclear Station."
* Teledyne Engineering Services TR-5633-1 82/05/19 31pp, 13321 232 24X Fiche 50-322, 82/05/26, B206020331

B206080164 Notification of B20608 meeting w/util in Bethesda, MD to discuss open & confirmatory safety items.
GILBERT, R Licensing Branch 2 82/05/28 SCHWENCER, A Licensing Branch 2 2pp 13442 162 24X Fiche 50-322, 82/05/28, B206080164.

B206080448 Forwards request for addl info re environ qualification of mechanical equipment.
SCHWENCER, A Licensing Branch 2 82/06/01 POLLOCK, M S Long Island Lighting Co 3pp 13440 129 24X Fiche 50-322, 82/06/01, B206080448

B206070566 Forwards revised response to NRC Question 223 93 re remote shutdown panel. Encl response clarifies items based on B20511 discussions w/NRC instrumentation & Control Sys Branch.
SMITH, J L Long Island Lighting Co 82/06/02 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13372 238 24X Fiche 50-322, 82/06/02, B206070566

B206080299 Advises that util will have completed seismic qualification review team (SBRT) evaluation for approx 90% of equipment required to be seismically qualified by B20628. Util requests that audit be conducted during wk of B20628.
SMITH, J L Long Island Lighting Co 82/06/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13419 312 24X Fiche 50-322, 82/06/03, B206080299

B206080281 Discusses util B20217 ltr re commitment to install bubbler sys for addl wide range suppression pool level monitoring. Due to vendor delivery delays of required valves, util requests requirement for implementing sys be removed.
SMITH, J L Long Island Lighting Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13420 109 24X Fiche 50-322, 82/06/04, B206080281

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginns Rept documents findings re cause of event W/o encl.
EISENHUT, D G Division of Licensing, 82/06/09 HAUSPURG, A Consolidated Edison Co of New York BERRY, G T Power Authority of the State of New York POLLOCK, M S Long Island Lighting Co 13pp, 13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206150036 Board notification notifying of drywell to wetwell vacuum breakers which can be subj to air-clearing load resulting from pool swell following postulated LOCA. Components can be overstressed by impact load.
TEDESCO, R L Assistant Director for Licensing 82/06/10 Atomic Safety and Licensing Board Panel 11pp 13523 118 24X Fiche 50-000, 82/06/10, B206150036

B206210002 Notification of B20614 meeting w/util in Bethesda, MD to discuss technical requirements for remote shutdown panel capability.
GILBERT, R Licensing Branch 4 82/06/11 SCHWENCER, A Licensing Branch 4 3pp 13583 007 24X Fiche 50-322, 82/06/11, B206210002

B206220117 Confirms B20514 telcon re switch used to initiate standby liquid control sys. Switch is safety-related & is mounted on seismic Category I panel.
SMITH, J L Long Island Lighting Co, 82/06/17, DENTON, H R, Office of Nuclear Reactor Regulation, Director 1p 13573 239 24X Fiche 50-322, 82/06/17, B206220117

B206230093 Forwards Region 1 B20614 memo re util request for byproduct mat'l license amend.
BORDENICK, B M Hearing Branch 3 82/06/21 BARRETT, E M, McCAFFREY, B Long Island Lighting Co, GOLDSMITH, M W Energy Research Group, Inc 4pp 13591 057 24X Fiche 50-322, 82/06/21, B206230093

--B206230067 Ack receipt of B20614 amend request & requests addl info re use of Sb-124 & storage location.
GLENN, J E Region 1, Office of Director, 82/06/11 MIELE, M L Long Island Lighting Co 1p 13591 063 24X Fiche 50-322, 82/06/21, B206230067

B206290174 Ack Commission withdrawal of recommendation for control rod drive makeup flow design specified in NUREG-0619, Section B.1, per NRC B20623 memo.
CURTIS, N W Pennsylvania Power & Light Co 82/06/25 SCHWENCER, A Licensing Branch 2 1p 13631 058 24X Fiche 50-000, 82/06/25, B206290174

--B206290189 Forwards Auxiliary Sys Branch evaluation of BWR licensing review group B20326 ltr re proposal for elimination of control rod drive makeup flow test recommended in NUREG-0619, Section B.1 Proposal acceptable.
RUBENSTEIN, L S Assistant Director for Core & Plant Systems, 82/06/23, TEDESCO, R L Assistant Director for Licensing, 1p 13631 059 24X Fiche 50-000, 82/06/25, B206290174

--B206290201 Safety evaluation supporting BWR licensing review group proposal for elimination of control rod drive makeup pump flow test recommended in NUREG-0619, Section B.1.
* Auxiliary Systems Branch, 82/06/23 5pp, 13631 060 24X Fiche 50-000, 82/06/25, B206290174

DOCKETED ITEMS

E NRC Safety Evaluation Report (SER), suppl's & correspondence

8206080375 Requests that NRC discussion in SER, Suppl 1, Chapter 22, of NUREG-0737, Item II K 3 18 re automatic depressurization sys logic, be revised per results of Sept 1982 study
SMITH, J L Long Island Lighting Co 82/06/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13417 134 24X Fiche 50-322, 82/06/03, 8206080375

--8206080380 Informs that submittal by 820930 of revised position & planned actions to resolve NUREG-0737, Item II K 3 18 re mod of automatic depressurization sys logic is acceptable, in response to 820205 ltr
EISENHUT, D O Division of Licensing 82/04/23 DENTE, J J DWR Owners Group 1p 13417 136 24X Fiche 50-322, 82/06/03, 8206080375

F Security, medical, emergency & fire protection plans

8206080316 Forwards IE Insp Rept 50-322/82-07 on 820315-17 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/20 POLLOCK, M S Long Island Lighting Co 2pp 13420 074 24X Fiche 50-322, 82/05/20, 8206080316

--8206080317 IE Safeguards Insp Rept 50-322/82-07 on 820315-17 No noncompliance noted Major areas inspected security organization, testing & maint & nuclear matl control & accounting program Details withheld (ref IOCFR73 21)
BAILEY, R J, KUSHNER, W L, GODY, A T Region 1, Office of Director 82/04/27 1p 13420 076 24X Fiche 50-322, 82/05/20, 8206080316

8206280379 Forwards info classifying fire protection program, including personnel qualification & training & revised response to Question 420 39, reflecting mgt procedural changes
SMITH, J L Long Island Lighting Co 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director 16pp 13423 331 24X Fiche 50-322, 82/06/21, 8206280379

O Adjudicatory correspondence

8206040174 Requests to be informed re steps taken to assure compliance w/Paragraph 2(b) of 790918 stipulation re adequacy of training of licensee personnel Certificate of B/c encl
SHAPIRO, R, Cammer & Shapiro SHAPIRO, R North Shore Committee Against Nuclear & Thermal Pollution 82/05/25 BRENNER, L, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 4pp 13360 046 24X Fiche 50-322, 82/05/25, 8206040174

8206010317 Request for confidential treatment of certain proprietary info re S&W QA activities
EDGAR, O L Stone & Webster Engineering Corp 82/05/27 Atomic Safety and Licensing Board Panel 4pp 13300 049 24X Fiche 50-322, 82/05/27, 8206010317

--8206010322 Affidavit of RB Kelly re request for confidential treatment Public disclosure likely to cause substantial harm to S&W competitive position Certificate of B/c encl
KELLY, R B Stone & Webster Engineering Corp 82/05/26 7pp 13300 053 24X Fiche 50-322, 82/05/27, 8206010317

8206040230 Forwards notice of appearance in proceeding w/o encl
BLACK, R L Hearing Branch 1 82/06/01 BRENNER, L, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 1p 13355 273 24X Fiche 50-322, 82/06/01, 8206040230

8206070110 First request for production of emergency planning documents, Notices of appearance & Certificate of B/c encl
CHRISTMAN, J N Long Island Lighting Co CHRISTMAN, J N Hutton & Williams 82/06/02 Suffolk County, NY 13pp 13370 180 24X Fiche 50-322, 82/06/02, 8206070110

--8206070521 Requests amend to License 31-17432-01 to increase quantity of single source, each source not to exceed 3,300 Ci
MIELE, M L Long Island Lighting Co 82/05/14 JERMAN, P Region 1, Office of Director 1p 13374 093 24X Fiche 50-322, 82/06/03, 8206070518

--8011030574 Matl/Byproduct License 31-17432-01 for Long Island Lighting Co is amended per 800703 ltr Amend 3 adds Am-241 in any form for calibr of radiation measuring equipment
BROWN, J M Licensing Management Branch 80/10/10 1p 13374 094 24X Fiche 50-322, 82/06/03, 8206070518

--8206070530 Matl/Byproduct License 31-17432-01, authorizing possession of Cs-137 & U-235
* Radioisotopes Licensing Branch (Pre 790501) 79/04/18 Jpp 13374 099 24X Fiche 50-322, 82/06/03, 8206070518

8206070538 Advises of 820527 conversation w/R Shapiro re 820525 ltr Requirements of 790918 stipulation Paragraph 2(b) fulfilled
BORDENICK, B M Hearing Branch 3 82/06/03 BRENNER, L, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 2pp 13374 041 24X Fiche 50-322, 82/06/03, 8206070538

--8206070542 Forwards util ltrs to NRC, transmitting new fuel receipt procedures for review, forwarded per 820527 verbal request to R Dordenick w/o encl
HIGGINS, J C Region 1, Office of Director 82/05/28 SHAPIRO, R Cammer & Shapiro 1p 13374 043 24X Fiche 50-322, 82/06/03, 8206070538

8206070581 Responds to 820601 ltr re NRC 820524 response to Suffolk County informal discovery requests Suffolk County has received all items County should have received per request for emergency planning documents
BORDENICK, B M Hearing Branch 3 82/06/03 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips MCMURRAY, C M Suffolk County, NY 1p 13372 213 24X Fiche 50-322, 82/06/03, 8206070581

--8206070595 Advises that Suffolk County objects to NRC treatment of County 820512 request for documents as informal discovery request Documents under Category 2 of NRC 820224 response should be provided or County notified if none exist
MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips MCMURRAY, C M Suffolk County, NY 82/06/01 BORDENICK, B M Hearing Branch 3 2pp 13372 214 24X Fiche 50-322, 82/06/03, 8206070581

8206090096 Forwards SECY-82-207 re final rule on environ qualification of safety-related electrical equipment for nuclear power plants
RAWSON, R J Hearing Branch 4 82/06/04 BRENNER, L, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 2pp 13439 110 24X Fiche 50-322, 82/06/04, 8206090096

8206100102 Forwards revisions to std affidavit of nondisclosure & revised protective order governing access to security plan info Problem of availability of NRC mailroom for filing originals of documents w/safeguards info not resolved
LANPHER, L C Kirkpatrick, Lockhart, Hill, Christopher & Phillips 82/06/07 Atomic Safety and Licensing Board Panel 11pp 13449 202 24X Fiche 50-322, 82/06/07, 8206100102

8206100311 Forwards State of NY Dept of Public Svc 820519 ltr to NRC re statement in Apr 1977 "Shoreham Nuclear Power Station Schedule & Const Mgt Evaluation " NRC response to be sent when available.
BORDENICK, B M Hearing Branch 3 82/06/07 BRENNER, L J, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 2pp 13451 171 24X Fiche 50-322, 82/06/07, 8206100311

8206110045 Motion to strike portions of util testimony on Contention 7B ASLB 820330 order clearly stated that details of probabilistic risk assessment & assessment adequacy outside scope of Contention 7B Certificate of B/c encl
LANPHER, L C Suffolk County, NY LANPHER, L C Kirkpatrick, Lockhart, Hill, Christopher & Phillips 82/06/07 Atomic Safety and Licensing Board Panel 4pp 13465 247 24X Fiche 50-322, 82/06/07, 8206110045

8206090155 Motion to separate applicant & NRC witness panels on Shoreham Opponents Coalition Contention 16 re clad swelling & flow blockage Both applicant & NRC oppose contention but for different reasons
REPKA, D A Hearing Branch 3 82/06/08 Atomic Safety and Licensing Board Panel 1p 13438 315 24X Fiche 50-322, 82/06/08, 8206090155

--8206090157 Motion to add ON Lauben to NRC witness panel on Shoreham Opponents Coalition Contention 16 on clad swelling & flow blockage Prof qualifications & Certificate of B/c encl.
REPKA, D A Hearing Branch 3 82/06/08 Atomic Safety and Licensing Board Panel 5pp 13438 316 24X Fiche 50-322, 82/06/08, 8206090155

8206140100 Motion to add S Lucks as witness on Shoreham Opponents Coalition Contention 19(e) Lucks can provide discussion of scientific & technical bases of plant design response spectra Prof qualifications & Certificate of Svc encl
IRWIN, D P Long Island Lighting Co IRWIN, D P Hunton & Williams
82/06/08 Atomic Safety and Licensing Board Panel 7pp
13489 357 24X Fiche 50-322, 82/06/08, 8206140100

8206110051 Forwards NRC 820601 ltr to util requesting addl info re Open Item 9 & County Contention B & Coalition Contention 19(h)
BORDENICK, B M Hearing Branch 3 82/06/09 BRENNER, L, MORRIS, P A, CARPENTER, J L Atomic Safety and Licensing Board Panel
82/06/09 2pp 13465 235 24X Fiche 50-322, 82/06/09, 8206110051

8206160099 Motion to add JS Baron as witness on Suffolk County Contention 28(a)(iii) & Shoreham Opponents Coalition Contention 7A(3) Prof qualifications & Certificate of Svc encl Related correspondence
EARLEY, A F Long Island Lighting Co EARLEY, A F Harmon & Weiss
82/06/09 Atomic Safety and Licensing Board Panel 8pp
13517 323 24X Fiche 50-322, 82/06/09, 8206160099

8206170360 Revised protective order governing access to security plan info Clarifies persons permitted access to info, revises conditions governing access & re-emphasizes importance of holding protective data in confidence
BRENNER, L Atomic Safety and Licensing Board Panel 82/06/09 Suffolk County, NY 10pp 13531 113 24X Fiche 50-322, 82/06/09, 8206170360

8206140084 Settlement agreement re Shoreham Opponents Coalition Contention 16 on clad swelling & flow blockage Certificate of Svc encl
BORDENICK, B Hearing Branch 4 * Long Island Lighting Co * Shoreham Opponents Coalition 82/06/10 10pp 13517 290 24X Fiche 50-322, 82/06/10, 8206140084

8206170362 Stipulation resolving Suffolk County Contention 28(a)(iii)/Shoreham Opponents Coalition Contention 7A(3) & Suffolk County Contention 27(c)/Shoreham Opponents Coalition Contention 3(c) Certificate of Svc encl
BORDENICK, B Hearing Branch 3 EARLEY, A F Long Island Lighting Co LANPHER, L C Suffolk County, NY 82/06/11 5pp 13531:108 24X Fiche 50-322, 82/06/11, 8206170362

8206160127 Motion to strike portions of GC Minor, of Shoreham Opponents Coalition, direct testimony on Contention 9 re notification of disabled safety sys Testimony would broaden contention re applicability of Reg Guide 1.47 Certificate of Svc encl
REPKA, D A Hearing Branch 3 82/06/14 Atomic Safety and Licensing Board Panel 6pp 13514 346 24X Fiche 50-322, 82/06/14, 8206160127

8206170375 Confirmatory order lifting interim order staying fuel shipment Parties' agreement on security concerns re fuel shipment at 820609 hearing approved
BRENNER, L Atomic Safety and Licensing Board Panel 82/06/14 7pp 13531 133 24X Fiche 50-322, 82/06/14, 8206170375

8206180066 Response to Suffolk County motion to strike portions of util Contention 7B testimony, NRC takes no position re striking of specified portions of testimony Opposes striking of Attachments 2 & 4 to util testimony Certificate of Svc encl
RAHSON, R J Hearing Branch 4 82/06/14 Atomic Safety and Licensing Board Panel 7pp 13552 256 24X Fiche 50-322, 82/06/14, 8206180066

8206180284 Response to 820511 first request for production of emergency planning documents Certificate of Svc encl
MCCLESKEY, K E Long Island Lighting Co MCCLESKEY, K E Hunton & Williams 82/06/14 Suffolk County, NY 34pp 13551, 131 24X Fiche 50-322, 82/06/14, 8206180284

8206210454 Motion to strike portions of GC Minor prepared direct testimony re Suffolk County Contention 28(a)(iv) & Shoreham Opponents Coalition Contention 7A(4) re safety parameter display sys Certificate of Svc encl Related correspondence
FLANAGAN, D O Long Island Lighting Co FLANAGAN, D O Hunton & Williams 82/06/15 Atomic Safety and Licensing Board Panel 7pp 13562 349 24X Fiche 50-322, 82/06/15, 8206210454

8206240265 Certifies svc on 820616 of FR Hayes prof qualifications, omitted from util 820614 testimony on Suffolk County Contention 28(a)(vi) & Shoreham Opponents Coalition Contention 7A(6)
MCCLESKEY, K E Long Island Lighting Co MCCLESKEY, K E Hunton & Williams 82/06/16 3pp 13597 111 24X Fiche 50-322, 82/06/16, 8206240265

8206240211 Motion to add WJ Roths as witness on Suffolk County/Shoreham Opponents Coalition Contention 7B & Coalition Contention 19(b) Prof qualifications, draft agreement & Certificate of Svc encl
EARLEY, R A Long Island Lighting Co EARLEY, R A Hunton & Williams 82/06/17 Atomic Safety and Licensing Board Panel 10pp 13598 019 24X Fiche 50-322, 82/06/17, 8206240211

8206240218 Motion for summary disposition of Shoreham Opponents Coalition Contention 9(c) & motion to strike portions of Coalition testimony No genuine issue of matl fact exists Certificate of Svc encl
IRWIN, D P Long Island Lighting Co IRWIN, D P Hunton & Williams 82/06/17 Atomic Safety and Licensing Board Panel 10pp 13598 009 24X Fiche 50-322, 82/06/17, 8206240218

8206240371 Motion to file motion for summary disposition of Shoreham Opponents Coalition Contention 9(c) & to file partial motion to strike Coalition testimony Motion will narrow issues & reduce hearing time Certificate of Svc encl
IRWIN, D P Long Island Lighting Co IRWIN, D P Hunton & Williams 82/06/17 Atomic Safety and Licensing Board Panel 4pp 13603 210 24X Fiche 50-322, 82/06/17, 8206240371

8206230172 Second request for production of emergency planning documents Certificate of Svc encl
MCMURRAY, C M Suffolk County, NY MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 82/06/18 Long Island Lighting Co 8pp 13586 309 24X Fiche 50-322, 82/06/18, 8206230172

8206230059 Forwards util 820514 amend request & NRC 820611 request for addl info
GLENN, J E Region 1, Office of Director 82/06/14 BORDENICK, B M Hearing Branch 3 1p 13591 061 24X Fiche 50-322, 82/06/21, 8206230059

--8206230062 Requests amend to License 31-17432-01 to change description of authorized matl No single source will exceed 3,300 Ci.
MIELE, M L Long Island Lighting Co 82/05/14 JERMAN, P, Region 1, Office of Director 1p 13591 062 24X Fiche 50-322, 82/06/21, 8206230062

8206230149 Consolidated emergency planning contentions, pursuant to ASLB 820420 order Iodine monitoring & technical support ctr contentions forthcoming Certificate of Svc encl
MCMURRAY, C M Suffolk County, NY SHAPIRO, R North Shore Committee Against Nuclear & Thermal Pollution SHEA, J F Shoreham Opponents Coalition 82/06/22 Atomic Safety and Licensing Board Panel 48pp 13590 328 24X Fiche 50-322, 82/06/22, 8206230149

8206280161 Second request for production of emergency planning documents Certificate of Svc encl
REVELEY, W T Long Island Lighting Co REVELEY, W T Hunton & Williams 82/06/22 Suffolk County, NY 11pp 13624 291 24X Fiche 50-322, 82/06/22, 8206280161

8206280516 Position on Suffolk County, Shoreham Opponents Coalition & North Shore Committee emergency planning contentions Intervenor draft contentions not adequately consolidated per ASLB 820420 order Certificate of Svc encl
MCCLESKEY, K E Long Island Lighting Co MCCLESKEY, K E Hunton & Williams 82/06/22 Atomic Safety and Licensing Board Panel 7pp 13626 278 24X Fiche 50-322, 82/06/22, 8206280516

8206290308 Response to first request for production of emergency planning documents Certificate of Svc encl
KELLY, M J New York, State of 82/06/22 Suffolk County, NY 100pp 13637 160 24X Fiche 50-322, 82/06/22, 8206290308

8206300043 Forwards NUREG-0802 & NUREG-0783, per request w/o encl
REPKA, D A Hearing Branch 3 82/06/25 HUBBARD, R MHB Technical Associates 1p 13656 016 24X Fiche 50-322, 82/06/25, 8206300043

H General correspondence

8206240167 Urges protest of hearing schedule & fuel loading date of Sept. 1982 ASLB proceeding too rapidly to allow sufficient time to present pertinent testimony
ZAVESKI, M Affiliation Unknown 82/05/07 BEHAN, J New York, State of 1p 13599 285 24X Fiche 50-322, 82/05/07, 8206240167

8206240229 Opposes facility.
WING, J P Affiliation Unknown 82/05/15 BRENNER Atomic Safety and Licensing Board Panel 1p 13601 078 24X Fiche 50-322, 82/05/15, 8206240229

1 Financial information

8206020312 Forwards Annual Financial Repts 1981 for Niagara Mohawk Power Corp, NY State Electric & Gas Corp, LILCO, Rochester Gas & Electric Corp & Central Hudson Gas & Electric Corp
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae 82/05/27 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13324 02 24X
Fiche 50-000, 82/05/27, 8206020312

--8206020385 Annual Financial Rept 1981
* Long Island Lighting Co 82/05/27 37pp 13324 103 24X
Fiche 50-000, 82/05/27, 8206020312

G Inspection reports, IE Bulletins & correspondence

8206070800 Forwards IE Insp Rept 50-322/82-04 on 820208-26 & notices of violation & deviation
MARTIN, T T Division of Engineering & Technical Programs 82/05/12
POLLACK, M S Long Island Lighting Co 2pp 13387 296 24X
Fiche 50-322, 82/05/12, 8206070800

--8206070807 Notice of violation from insp on 820208-26
MARTIN, T T Division of Engineering & Technical Programs
82/05/12 3pp 13387 298 24X Fiche 50-322, 82/05/12, 8206070800

--8206070812 Notice of deviation from insp on 820208-26 List of observations re various licensee programs encl
MARTIN, T T Division of Engineering & Technical Programs
82/05/12 4pp 13387 301 24X Fiche 50-322, 82/05/12, 8206070800

--8206070822 IE Insp Rept 50-322/82-04 on 820208-26 Noncompliance noted 1-inch HPCI steam drain line w/only two check valves for containment isolation LCPI & reactor bldg closed loop cooling water do not meet Reg Guide 1.62
BETTENHAUSEN, L, CHAUDHARY, S K, HIGGINS, J C Division of Engineering & Technical Programs 82/05/10 42pp 13387 305 24X Fiche 50-322, 82/05/12, 8206070800

8206010454 Forwards revisions to preservice insp program Procedures BOAO473, BOAO472, BOAO482, BOAO481 & BOAO437, per NRC Request 121 16
SMITH, J L Long Island Lighting Co 82/05/19 DENTON, H R Office of Nuclear Reactor Regulation, Director 6pp 13315 023 24X
Fiche 50-322, 82/05/19, 8206010454

--8206010460 Revision 6 to "Manual Ultrasonic Exam Procedures for Vessel Nozzle Safe-ends & Closure Head Nozzle-Flange Welds"
* Nuclear Energy Service, Inc 82/03/30 34pp 13315 029 24X
Fiche 50-322, 82/05/19, 8206010454

--8206010462 Revision 1 to "Preservice Insp Automated Exams Scan Plan for Reactor Vessel Welds"
NICHOLS, E J Nuclear Energy Service, Inc 82/04/27 85pp 13315 063 24X Fiche 50-322, 82/05/19, 8206010454

8206080316 Forwards IE Insp Rept 50-322/82-07 on 820315-17 No noncompliance noted.
MARTIN, T T Division of Engineering & Technical Programs 82/05/20
POLLACK, M S Long Island Lighting Co 2pp 13420 074 24X
Fiche 50-322, 82/05/20, 8206080316

--8206080317 IE Safeguards Insp Rept 50-322/82-07 on 820315-17 No noncompliance noted, Major areas inspected security organization, testing & maint & nuclear matl control & accounting program Details withheld (ref 10CFR73.21)
BAILEY, R J, KUSHNER, W L, ODDY, A T Region 1, Office of Director, 82/04/27 1p 13420 076 24X Fiche 50-322, 82/05/20, 8206080316

8206220507 Forwards IE Insp Rept 50-322/82-08 on 820330-0510 & notice of violation
STAROSTECKI, P Division of Project & Resident Programs 82/04/27
POLLACK, M S Long Island Lighting Co 2pp 13581 165 24X
Fiche 50-322, 82/05/27, 8206220507

--8206220512 Notice of violation from insp on 820330-0510
STAROSTECKI, R Division of Project & Resident Programs 82/05/27 2pp 13581 167 24X Fiche 50-322, 82/05/27, 8206220507

--8206220518 IE Insp Rept 50-322/82-08 on 820330-0510 Noncompliance noted failure to properly control issuance of documents re startup instructions
HIGGINS, J C, PAOLINO, R, RICHARDS, S Division of Project & Resident Programs 82/05/26 9pp 13581 169 24X
Fiche 50-322, 82/05/27, 8206220507

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl 1
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206220324 Forwards IE Insp Rept 50-322/82-12 on 820518-21 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/05/28 2pp 13581 309 24X
Fiche 50-322, 82/05/28, 8206220324

--8206220329 IE Insp Rept 50-322/82-12 on 820518-21 No noncompliance noted Major areas inspected licensee work & QC activities re corrective action for significant deficiencies & other outstanding items
NARROW, L, MCCABE, E C Region 1, Office of Director 82/05/27 3pp 13581 311 24X Fiche 50-322, 82/05/28, 8206220324

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

T Hearing transcripts on non-antitrust matters

8206010247 Transcript of 820525 hearing in Riverhead, NY Pp 1, 846-1, 904 & 1, 924-2, 043 Testimony of RE Fortier & RA Hill on water hammer contention encl
* Atomic Safety and Licensing Board Panel 82/05/25 155pp 13302 001 24X Fiche 50-322, 82/05/25, 8206010247

8206040279 Forwards QC Minor testimony on behalf of Shoreham Opponents Coalition re Contention 9 on notification of disabled safety sys Suffolk County & Shoreham Opponents Coalition testimony re Contentions 3, B, 18 & 22 adequate LATHAM, S B, Twomey, Latham & Schmitt LATHAM, S B Shoreham Opponents Coalition 82/05/25, BRENNER, L Atomic Safety and Licensing Board Panel 1p 13359 080 24X Fiche 50-322, 82/05/25, 8206040279

--8206040283 Testimony of QC Minor on behalf of Shoreham Opponents Coalition re Contention 9 on notification of disabled safety sys Certificate of Svc encl Related correspondence, MINOR, Q C Shoreham Opponents Coalition MINOR, Q C MHB Technical Associates 82/05/25 20pp 13359 081 24X
Fiche 50-322, 82/05/25, 8206040279

8206040390 Forwards testimony of JL Mauck, RJ Eckenrode, BB Sun, JW Clifford, Q Rivenbark, TP Speis, WP Hauss, MW Hodges, CE Rossi, JH Conran, R Kirkwood, VA Deliso, F Eltaula, MB Fields, CP Tan & RJ Wright
BORDENICK, B M Hearing Branch 4 82/05/25 BRENNER, L, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 2pp 13352 077 24X Fiche 50-322, 82/05/25, 8206040390

- B206040394 Testimony of J.L. Mauck re Suffolk County Contention 27 & Shoreham Opponents Coalition Contention 3 on post-accident monitoring instrumentation & intervenor compliance w/Reg Guide 1 97, Revision 2 Prof qualifications encl
MAUCK, J.L. Instrumentation & Control Systems Branch 82/05/25 8pp 13352 079 24X Fiche 50-322, 82/05/25, B206040390
- B206040399 Testimony of RJ Eckenrode re Shoreham Opponents Coalition Contention 7 A(4) & Suffolk County Contention 28(a)(IV) on safety parameter display console, per NUREG-0737, Item 1 D 2 Prof qualifications encl
ECKENRODE, R J Human Factors Engineering Branch 82/05/25 6pp 13352 087 24X Fiche 50-322, 82/05/25, B206040390
- B206040404 Testimony of SR Sun re Suffolk County Contention 3 & Shoreham Opponents Coalition Contention 8 on intervenor compliance w/NUREG-0737, Item 1 F 2 concerning detection of inadequate core cooling Prof qualifications encl
SUN, S B Core Performance Branch 82/05/25 10pp 13352 094 24X Fiche 50-322, 82/05/25, B206040390
- B206040408 Testimony of J.L. Mauck re Shoreham Opponents Coalition Contention 9 on intervenor compliance w/Reg Guide 1 47 concerning notification of disabled safety sys Prof qualifications encl
MAUCK, J.L. Instrumentation & Control Systems Branch 82/05/25 9pp 13352 104 24X Fiche 50-322, 82/05/25, B206040390
- B206040411 Testimony re RJ Eckenrode re Suffolk County Contention 18 on adequacy of control room design equipment Prof qualifications encl
ECKENRODE, R J Human Factors Engineering Branch 82/05/25 15pp 13352 113 24X Fiche 50-322, 82/05/25, B206040390
- B206040414 Testimony of JW Clifford, RJ Eckenrode & O Rivenbark re Suffolk County Contention 19(a), (b), (c) & (d) on adequacy of intervenor emergency operating procedures Prof qualifications encl
CLIFFORD, J W Procedures & Test Review Branch ECKENRODE, R J Human Factors Engineering Branch RIVENBARK, O Licenses Qualifications Branch 82/05/25 15pp 13352 128 24X Fiche 50-322, 82/05/25, B206040390
- B206040420 Testimony of TP Speis, WP Haass, MW Hodges, CE Rossi, JH Conyon & R Kirkwood re Suffolk County/Shoreham Opponents Coalition Contentions 7B & 19(b) Prof qualifications encl
SPEIS, T.P. Assistant Director for Reactor Safety HAASS, W P Assurance Branch HODGES, M W Reactor Systems Branch 82/05/25 50pp 13352 143 24X Fiche 50-322, 82/05/25, B206040390
- B206040427 Testimony of VA Deliso re Suffolk County Contention 20 on simulator training Prof qualifications encl
DELISO, V A Operator Licensing Branch 82/05/25 12pp 13352 213 24X Fiche 50-322, 82/05/25, B206040390
- B206040432 Testimony of F Eltawila, MB Fields & CP Tan re Suffolk County Contention 21 on Mark II containment Prof qualifications encl
ELTAWILA, F, FIELDS, M B Containment Systems Branch TAN, C.P. Structural Engineering Branch 82/05/25 21pp 13352 225 24X Fiche 50-322, 82/05/25, B206040390
- B206040438 Testimony of RJ Wright re Suffolk County Contention 22 on adequacy of generic safety relief valve test program, per NUREG-0737, Item 2 D 1
WRIGHT, R J Equipment Qualification Branch 82/05/25 9pp 13352 246 24X Fiche 50-322, 82/05/25, B206040390
- B206020301 Transcript of B20526 hearing in Riverhead, NY Pp 2, 044-2, 270
* Atomic Safety and Licensing Board Panel 82/05/26 226pp 13321-001 24X Fiche 50-322, 82/05/26, B206020301
- B206040209 Transcript of B20527 hearing in Riverhead, NY Pp 2, 271-2, 482
* Atomic Safety and Licensing Board Panel 82/05/27 271pp 13345-001 24X Fiche 50-322, 82/05/27, B206040209
- B206030001 Transcript of B20528 OL hearing in Riverhead, NY Pp 2, 517-2, 677,
* Atomic Safety and Licensing Board Panel 82/05/28 161pp 13336 082 24X Fiche 50-322, 82/05/28, B206030001
- B206040017 Transcript of B20601 OL hearing in Riverhead, NY, Pp 2, 678-2, 891
* Atomic Safety and Licensing Board Panel 82/06/01 215pp 13349 001 24X Fiche 50-322, 82/06/01, B206040017
- B206040294 Forwards correction to Page 1, Question 1, of RJ Wright B20525 testimony on Suffolk County Contention 22 re NUREG-0737, Item II D 1 concerning performance testing of safety relief valves
REPKA, D A Hearing Branch 3 82/06/01 Atomic Safety and Licensing Board Panel 1p 13354 175 24X Fiche 50-322, 82/06/01, B206040294
- B206040298 Correction to Page 1, Question 1, of RJ Wright B20525 testimony on Suffolk County Contention 22 re NUREG-0737, Item II D 1 concerning performance testing of safety relief valves Certificate of Svc encl
WRIGHT, R J Equipment Qualification Branch 82/06/01 4pp 13354 176 24X Fiche 50-322, 82/06/01, B206040294
- B206070283 Revised transcript of B20601 OL hearing in Riverhead, NY Pp 2, 678-2, 891,
* Atomic Safety and Licensing Board Panel 82/06/01 215pp 13366 081 24X Fiche 50-322, 82/06/01, B206070283
- B206240254 Requests Eagle Estates Civic Assoc statement be added to record of hearings at Riverhead, Long Island, NY
STQSSSEL, A Affiliation Unknown 82/06/01 NRC - No Detailed Affiliation Given 1p 13598 341 24X Fiche 50-322, 82/06/01, B206240254
- B206240256 Statement to be entered in B20526 hearing record opposing opening of plant
MICHIA, D Affiliation Unknown 82/05/26 2pp 13598 342 24X Fiche 50-322, 82/06/01, B206240254
- B206070160 Transcript of B20602 OL hearing in Riverhead, NY Pp 2, B92-3, 146
* Atomic Safety and Licensing Board Panel 82/06/02 256pp 13366 343 24X Fiche 50-322, 82/06/02, B206070160
- B206080232 Transcript of B20603 OL hearing in Riverhead, NY Pp 3, 147-3, 393
* Atomic Safety and Licensing Board Panel 82/06/03 300pp 13420 348 24X Fiche 50-322, 82/06/03, B206080232
- B206100152 Transcript of B20604 OL hearing in Riverhead, NY Pp 3, 394-3, 609
* Atomic Safety and Licensing Board Panel 82/06/04 217pp 13444 338 24X Fiche 50-322, 82/06/04, B206100152
- B206110216 Transcript of B20608 hearing in Hauppauge, NY Pp 3, 610-3, 817 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/08 221pp, 13459 004 24X Fiche 50-322, 82/06/08, B206110216
- B206140018 Transcript of B20609 OL hearing in Hauppauge, NY Pp 3, 818-4, 037
* Atomic Safety and Licensing Board Panel 82/06/09 227pp 13486 113 24X Fiche 50-322, 82/06/09, B206140018
- B206150253 Transcript of B20611 evidentiary hearing in Hauppauge, NY Pp 4, 295-4, 321
* Atomic Safety and Licensing Board Panel 82/06/11 22pp 13495 284 24X Fiche 50-322, 82/06/11, B206150253
- B206170197 Forwards direct testimony of MW Hodges, WB Hazelton, CY Cheng, MR Hum, DE Smith, GA Walton & CB Hinson re Suffolk County Contentions 28(a)(vi) & 25 & Shoreham Opponents Coalition Contentions 7(a)(4) & 19(a)
PERLIS, R O Hearing Branch 3 82/06/14 BRENNER, L, CARPENTER, J L, MORRIS, P A Atomic Safety and Licensing Board Panel 2pp, 13535 198 24X Fiche 50-322, 82/06/14, B206170197
- B206170202 Testimony of MW Hodges re Suffolk County Contention 28(a)(vi) & Shoreham Opponents Coalition Contention 7(a)(6) on reduction of safety relief valve challenges Prof qualifications encl
HODGES, M W Reactor Systems Branch 82/06/14 7pp 13535 200 24X Fiche 50-322, 82/06/14, B206170197
- B206170206 Testimony of WB Hazelton, CY Cheng, MR Hum, DE Smith, GA Walton, & CB Hinson re Suffolk County Contention 25 & Shoreham Opponents Coalition Contention 19(a) on preservice & inservice insp programs Prof qualifications encl
HAZELTON, W B, CHENG, C Y, HUM, M R Materials Engineering Branch 82/06/14 29pp 13535 207 24X Fiche 50-322, 82/06/14, B206170197
- B206170238 Testimony of DO Bridenbaugh on behalf of Suffolk County re County Contention 25 on ASME Section XI preservice/inservice insp program
BRIDENBAUGH, D Suffolk County, NY 82/06/14 40pp 13532 287 24X Fiche 50-322, 82/06/14, B206170238

--8206170244 Testimony of DO Bridenbaugh & GC Minor on behalf of Suffolk County re County Contention 28(a)(v1) & Shoreham Opponents Coalition Contention 7a(6) on reduction of safety relief valve challenges Certificate of Svc encl
BRIDENBAUGH, D., MINOR, G C Suffolk County, NY 82/06/14 16pp
13532 327 24X Fiche 50-322, 82/06/14, 8206170238

8206180188 Testimony of PS Barry, CK Seaman & S Ranganath re preservice & inservice insp program & reactor pressure vessel integrity Certificate of Svc encl
BARRY, P S, SEAMAN, C K, RANGANATH, S Long Island Lighting Co
82/06/14 30pp 13553 077 24X Fiche 50-322, 82/06/14, 8206180188

--8206180193 Testimony of JJ Boseman, RM Crawford, F Hayes, JJ Kreps & JL Smith re implementation of NUREG-0737, Item II K 3 16 concerning reduction of challenges & failures of relief valves Schematic of three-stage pilot operated valve encl
BOSEMAN, J J, CRAWFORD, R M, HAYES, F Long Island Lighting Co
82/06/14 101pp 13553 107 24X Fiche 50-322, 82/06/14, 8206180188

8206170067 Transcript of 820615 hearing in Hauppauge, NY Pp 4, 322-4, 519 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/15 425pp
13528 001 24X Fiche 50-322, 82/06/15, 8206170067

8206210540 Transcript of 820617 DL hearing in Hauppauge, NY Pp 4, 520-4, 656 & 4, 748-4, 775 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/17 202pp.
13564 323 24X Fiche 50-322, 82/06/17, 8206210540

8206220178 Transcript of 820618 hearing in Hauppauge, NY Pp 4, 776-4, 991
* Atomic Safety and Licensing Board Panel 82/06/18 217pp
13572 078 24X Fiche 50-322, 82/06/18, 8206220178

8206240174 Transcript of 820622 hearing in Riverhead, NY Pp 4, 992-5, 166
* Atomic Safety and Licensing Board Panel 82/06/22 175pp
13600 136 24X Fiche 50-322, 82/06/22, 8206240174

8206250138 Transcript of 820623 DL hearing in Riverhead, NY Pp 5, 167-5, 339 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/23 185pp
13616 096 24X Fiche 50-322, 82/06/23, 8206250138

8206280304 Transcript of 820624 DL hearing in Riverhead, NY Pp 5, 340-5, 533 Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/24 250pp
13623 069 24X Fiche 50-322, 82/06/24, 8206280304

8206290497 Transcript of 820625 hearing in Riverhead, NY Pp 5, 534-5, 700
* Atomic Safety and Licensing Board Panel 82/06/25 168pp
13631 143 24X Fiche 50-322, 82/06/25, 8206290497

DOCKET 80-323 DIABLO CANYON NUCLEAR POWER PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206040222 Discusses problems encountered w/Teledyne independent review of facility design & const
REYNOLDS, J R Center for Law in the Public Interest REYNOLDS, J R, FLEISCHAKER, D Joint Intervenor-Diablo Canyon 82/05/28
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13359 289 24X Fiche 50-275, 82/05/28, 8206040222

8206070269 Discusses requirement of License Condition 2 C (8) n. "Sequential Auxiliary Feedwater Flow Analysis " Util believes that condition met prior to issuance of OL for Unit 1
CRANE, P A Pacific Gas & Electric Co 82/06/01 MIRAGLIA, F J Licensing Branch 3 1p 13368 323 24X Fiche 50-275, 82/06/01, 8206070269

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206230329 Responds to 820504 ltr expressing concern that 820430 meeting between NRC, util & Bechtel Power Corp not transcribed Meeting not part of seismic design verification program w/o encl meeting summary
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/11 FLEISCHAKER, D Fleischaker, D 8 3pp 13594 341 24X Fiche 50-275, 82/06/11, 8206230329

8206230197 Advises that project work to obtain commercial operation of facilities will be performed per encl BQ-TOP-1, Revision 3A, "Bechtel QA Program for Nuclear Power Plants " Discussion of mods to BQ-TOP-1 included
CRANE, P A Pacific Gas & Electric Co 82/06/18 MIRAGLIA, F J Licensing Branch 3 2pp 13586 017 24X Fiche 50-275, 82/06/18, 8206230197

8206280428 Forwards portions of QA program, KV Seyfrid & WP Haass 810611
* 801016 ltrs & BQ-TOP-1, Revision 3A
CRANE, P A Pacific Gas & Electric Co 82/06/18 MIRAGLIA, F J Licensing Branch 3 18pp 13621 230 24X Fiche 50-275, 82/06/18, 8206280428

8206280385 Forwards application for amend to License DPR-76 Class 11 fee encl
CRANE, P A Pacific Gas & Electric Co 82/06/23 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13621 355 24X Fiche 50-275, 82/06/23, 8206280385

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, G S Division of Technical Inspection 82/01/05 GRIMES, D K Division of Emergency Preparedness 8pp 13454 114 24X Fiche 50-000, 82/05/11, 8206090002

8206020490 Forwards Revision 11 to security plan Revision withheld (ref 10CFR2 790)
CRANE, P A Pacific Gas & Electric Co 82/05/27 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13325 324 24X Fiche 50-275, 82/05/27, 8206020490

8206080059 Responds to 820311 ltr re changes to physical security plan Changes are consistent w/provisions of 10CFR50 54(p)
MIRAGLIA, F J Licensing Branch 3 82/05/28 CRANE, P A Pacific Gas & Electric Co 1p 13441 153 24X Fiche 50-275, 82/05/28, 8206080059

8206250313 Forwards changes to security plan effective 820705 Changes withheld (ref 10CFR73 21)
CRANE, P A Pacific Gas & Electric Co 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13617 234 24X Fiche 50-275, 82/06/21, 8206250313

G Adjudicatory correspondence

8205040348 Expresses concern re Bechtel activities w/o complete QA program development & approval & util deficiencies after 1978, discussed at NRC 820430 meeting w/util
BROWN, H H Kirkpatrick, Lockhart, Hill, Christopher & Phillips BROWN, H H California, State of 82/04/30 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13583 001 24X Fiche 50-275, 82/04/30, 8205040348

8206010314 Reply to Governor Brown motion re board notification transmitting PND-V-82-09 & IE Info Notice 82-11 When util investigation into errors identified in PND complete, rept will be included in bimonthly rept w/Certificate of Svc
CRANE, P A Pacific Gas & Electric Co 82/05/25 4pp 13300 044 24X Fiche 50-275, 82/05/25, 8206010314

8206040053 Response in support of Governor Brown 820513 motion for order directing util to provide full info to all parties re status of util investigation of PND-V-82-009 & re IE Info Notice 82-11, Certificate of Svc encl
REYNOLDS, J R Joint Intervenor-Diablo Canyon REYNOLDS, J R Center for Law in the Public Interest 82/05/25 Atomic Safety and Licensing Board Panel 4pp 13347 298 24X Fiche 50-275, 82/05/25, 8206040053

8206030186 Opposes early audit conclusion Timely access to documents issued by Teledyne requested Maint of adequate record of all future meetings reiterated
REYNOLDS, J R, FLEISCHAKER, D Center for Law in the Public Interest REYNOLDS, J R, Joint Intervenor-Diablo Canyon 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13337 358 24X Fiche 50-275, 82/05/28, 8206030186

8206040109 Response opposing Governor Brown 820513 motion for ASL B order directing util to provide info on implication of errors identified in PNO-V-82-09 & IE Info Notice 82-11 No further ASLB action needed W/Certificate of Svc JONES, B W Hearing Branch 1 82/06/02 Atomic Safety and Licensing Board Panel 6pp 13344 355 24X Fiche 50-275, 82/06/02, 8206040109

8206140054 Motion to reopen record to receive significant new evidence on recently established breakdowns in plant GA/GC control Order should be issued Vacating ASLB 810717 findings approving GA program & revoking OL W/Certificate of Svc REYNOLDS, J R, FLEISCHAKER, D Joint Intervenor-Diablo Canyon REYNOLDS, J R Center For Law in the Public Interest 82/06/07 Atomic Safety and Licensing Board Panel 19pp 13488 001 24X Fiche 50-275, 82/06/07, 8206140054

--8206140059 Affidavit of RB Hubbard re breakdowns in GA program Significant new info recently available clearly demonstrates util & major subcontractors failed to develop & implement GA/GC program complying w/NRC regulations HUBBARD, R B Joint Intervenor-Diablo Canyon HUBBARD, R B MHR Technical Associates 82/05/24 250pp 13488 020 24X Fiche 50-275, 82/06/07, 8206140054

8206170079 Memorandum & order denying Governor Brown 820513 motion for order directing util to provide info re implications of errors in PNO-V-82-009 & IE Info Notice 82-11 Util investigation re PNO continuing info notice inapplicable WOLF, J F, BRIGHT, O D, KLINE, J R Atomic Safety and Licensing Board Panel 82/06/14 California, State of 2pp 13529 290 24X Fiche 50-275, 82/06/14, 8206170079

8206170412 Ack receipt of 820512 petition, supplemented by 820525 ltr requesting issuance of order to util to show cause why util should not be required to submit amend to OL applications DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/16 REYNOLDS, J R Center For Law in the Public Interest 4pp 13555 325 24X Fiche 50-275, 82/06/16, 8206170412

--8206170417 Notices of receipt of 820512 & 15 petitions requesting issuance of order to util to show cause why util should not be required to submit amend to OL applications reflecting recent changes in organization & mgmt DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/16 4pp 13555 330 24X Fiche 50-275, 82/06/16, 8206170412

--8206170418 Forwards announcement ltr & organization chart of facility organization which integrates util & Dechtel resources CRANE, P A Pacific Gas & Electric Co 82/04/22 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13555 342 24X Fiche 50-275, 82/06/16, 8206170412

--8206170421 Forwards 820512 petition filed on behalf of Joint Intervenor requesting issuance of order to util to show cause why util should not be required to file amend to OL applications to reflect organization restructuring MURRAY, J P Deputy Executive Legal Director 82/06/02 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13555 346 24X Fiche 50-275, 82/06/16, 8206170412

8206240373 Motion for extension of time until 820628 to file answer to Joint Intervenor motion to reopen record Addl time needed due to vol of matl to be analyzed & absence of necessary personnel W/Certificate of Svc Granted by ASLB on 820622 CRANE, P A Pacific Gas & Electric Co 82/06/18 Atomic Safety and Licensing Appeal Panel 8pp 13603 119 24X Fiche 50-275, 82/06/18, 8206240373

8206280428 Forwards portions of GA program, KV Seyfrit & WP Haas 810612 & 801016 ltrs & 80-TDP-1, Revision GA CRANE, P A Pacific Gas & Electric Co 82/06/18, MIRAOLIA, F J Licensing Branch 3 18pp 13621 230 24X Fiche 50-275, 82/06/18, 8206280428

8206280049 Advises that NRC does not object to util 820618 motion for extension of time to respond to intervenor 820511 motion, as long as NRC response will be due 5 days after applicant response JONES, B W Hearing Branch 1 82/06/23 MOORE, T S, BUCK, J H, JOHNSON, W R Atomic Safety and Licensing Appeal Panel 1p 13616 265 24X Fiche 50-275, 82/06/23, 8206280049

O Advisory Committee on Reactor Safeguards reports & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted FELTON, J M Division of Rules and Records 82/05/12 McMurray, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 035 24X Fiche 50-000, 82/05/12, 8206280071

--8206280956 Notification of 801008 meeting of ACRS Safety Philosophy, Technology & Criteria Subcommittee Proposed agenda encl SAVIO, R ACRS - Advisory Committee on Reactor Safeguards 80/09/25 OKRENT, D, EBERSOLE, J, KERR, W ACRS - Advisory Committee on Reactor Safeguards 3pp 13643 071 24X Fiche 50-000, 82/05/12, 8206280071

--8206280956 Notification of 801011 ACRS Safety Philosophy, Technology & Criteria Subcommittee meeting re Diablo Canyon seismic interaction study & North Anna LPT & RHR sys SAVIO, R ACRS - Advisory Committee on Reactor Safeguards 80/10/01 ACRS - Advisory Committee on Reactor Safeguards 1p 13643 074 24X Fiche 50-000, 82/05/12, 8206280071

--8206280572 Provides status of review of sys interaction study discussed during 801008 meeting of ACRS Safety Philosophy, Technology & Criteria Subcommittee SAVIO, R ACRS - Advisory Committee on Reactor Safeguards 80/10/30 ACRS - Advisory Committee on Reactor Safeguards 4pp 13643 073 24X Fiche 50-000, 82/05/12, 8206280071

Q Inspection reports, IE Bulletins & correspondence

8206080328 Forwards IE Insp Repts 50-275/82-13 & 50-323/82-08 on 820419-23 & notice of violation BISHOP, T W Region 5, Office of Director 82/05/24 CRANE, P A Pacific Gas & Electric Co 2pp 13420 082 24X Fiche 50-275, 82/05/24, 8206080328

--8206080331 IE Insp Repts 50-275/82-13 & 50-323/82-08 on 820419-23 Noncompliance noted failure to take adequate corrective action on identified audit findings re prehydrostatic test walkdowns to prevent recurrence of conditions BURDGIN, J F, ECKHARDT, J H Region 5, Office of Director 82/05/24 8pp 13420 085 24X Fiche 50-275, 82/05/24, 8206080328

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206180226 Forwards requested info re IE Bulletin 79-02 open issues Encl info constitutes final rept for Unit 1 Unit 2 final rept will be provided by 830215 CRANE, P A Pacific Gas & Electric Co 82/06/11 ENGELKEN, R H Region 5, Office of Director 11pp 13554 241 24X Fiche 50-275, 82/06/11, 8206180226

R Periodic operating reports & related correspondence

8206180192 Forwards "Progress Rept 15 of Seismic Safety-Related Contracts Prior to 1978," work period of 820528-0611 REEDY, R F R F. Reedy, Inc 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director ENGELKEN, R H Region 5, Office of Director MANEATIS, Q A Pacific Gas & Electric Co 1p 13553 073 24X Fiche 50-275, 82/06/11, 8206180192

--8206180196 "Progress Rept 15 of Seismic Safety-Related Contracts Prior to 1978," work period of 820528-0611 * R F. Reedy, Inc 82/06/11 3pp 13553 074 24X Fiche 50-275, 82/06/11, 8206180192

DOCKETED ITEMS

T Hearing transcripts on non-antitrust matters

8206290564 Commission determination releasing portions of transcript of Commission B20113 meeting in Washington, DC Pp 1-47
CHILK, S J Office of the Secretary of the Commission 82/06/11
5pp 13658 244 24X Fiche 50-324, 82/06/21, 8206290564

DOCKET 50-324 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 2

F Security, medical, emergency & fire protection plans

8203170522 Responds to NRC B20111 ltr re violations noted in IE Insp Rept 50-324/81-25 & 50-325/81-26 Corrective actions corporate emergency plan is being revised & evaluation will be completed by B20401 to determine need for mods
FURR, B J Carolina Power & Light Co 82/02/18 O'REILLY, J P Region 2, Office of the Director 5pp 13388 037 24X
Fiche 50-324, 82/02/18, 8203170522

--8206070784 Forwards IE Emergency Preparedness Appraisal Repts 50-324/81-24 & 50-325/81-26 on 811013-22 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 82/01/11 JONES, J A Carolina Power & Light Co 8pp 13388 042 24X Fiche 50-324, 82/02/18, 8203170522

--8206070792 IE Emergency Preparedness Appraisal Repts 50-324/81-24 & 50-325/81-26 on 811013-22 No noncompliance noted Significant appraisal deficiencies identified in emergency plan training/retraining & dose assessment
KEVERN, T A, HICKMAN, J B, MCFARLAND, C R Division of Emergency Preparedness & Operational Support 82/01/08 42pp 13388 050 24X Fiche 50-324, 82/02/18, 8203170522

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADC, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8202180137 Forwards final rept on case study re reactor vessel level instrumentation in BHRs, consisting of findings & conclusions re 810120 & 0313 events W/o encl
DIRCKS, W J Office of the Executive Director for Operations 82/02/02 PALLADINO, N J Commissioners 1p 13524 279 24X
Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N D DeBruin & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090007 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090133

8206220071 Forwards IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/24 JONES, J A Carolina Power & Light Co 2pp 13573 003 24X
Fiche 50-324, 82/05/24, 8206220071

--8206220075 IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted Major areas inspected small-scale radiological emergency exercise on 820421
MCFARLAND, C R, HICKMAN, J B, JENKINS, G H Division of Emergency Preparedness & Operational Support 82/05/20 4pp 13573 003 24X Fiche 50-324, 82/05/24, 8206220071

8206140185 Responds to Generic Ltr 81-04, "Emergency Preparedness Training For Station Blackout Events" Util does not consider loss of offsite & onsite & power single failure criteria event nor design basis event
HOME, P W Carolina Power & Light Co 82/06/09 EISENHUT, D C Division of Licensing 10pp 13484 247 24X Fiche 50-324, 81/06/09, 8206140185

8206150040 Notification of B20417 meeting w/util in Bethesda, MD to discuss fire protection submittals
VAN ULJET, J A Operating Reactors Branch 2 82/06/09 VASSALLO, D B Operating Reactors Branch 2 2pp 13523 129 24X
Fiche 50-324, 82/06/09, 8206150040

8206220622 Advises that Revision 2 to security personnel training & qualification plan & Revision 3 to industrial security plan acceptable
VASSALLO, D B Operating Reactors Branch 2 82/06/16 FURR, B J Carolina Power & Light Co 7pp 13791 175 24X
Fiche 50-324, 82/06/16, 8206220622

P Operating license stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app financial info in Documents 3-94, 3-95 & 3-11 deleted
FELTON, J M Division of Rules and Records 82/04/27 MCMURRAY, I N Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/27, 8206230007

--8111230007 Submits alternate recommendations for facilities to be reviewed re designs & identification of control sys whose failure would have significant safety implications
SZUKIEWICZ, A J Generic Issues Branch 81/10/07 BASDEKAB, U I Instrumentation & Control Branch 4p 65710 239 24X
Fiche 50-000, 82/04/27, 8206230007

8206030140 Advises that Sections 5.5.1 & 5.5.2 of ANSI NIB 1-1971 on retraining & replacement training intended to apply to entire operating organization not just to licensed operators as in util B20317 interpretation
VASSALLO, D B Operating Reactors Branch 2 82/05/19 JONES, J A Carolina Power & Light Co 3pp 13342 311 24X
Fiche 50-000, 82/05/19, 8206030140

8206010535 Application for amend to License DPR-62, revising Tech Specs to begin Fuel Cycle 5 reload operation
HOME, P W Carolina Power & Light Co 82/05/20 VASSALLO, D B Operating Reactors Branch 2 4pp 13307 216 24X
Fiche 50-324, 82/05/20, 8206010535

--8206010539 Proposed Tech Specs re power distribution limits for Fuel Cycle 5 reload operation
* Carolina Power & Light Co 82/05/20 27pp 13307 220 24X
Fiche 50-324, 82/05/20, 8206010539

--8206010547 "Supplemental Reload Licensing Submittal for Brunswick Steam Electric Plant Unit 2, Reload 4 (W/o Recirculation Pump Trip Feature)"
ZARBIS, W A, CHARNLEY, J S, ENGEL, R E General Electric Co Y1003J01A37 82/03/31 37pp 13307 249 24X
Fiche 50-324, 82/05/20, 8206010535

--8206010557 "Supplemental Reload Licensing Submittal for Brunswick Steam Electric Plant Unit 2, Reload 4 (W/Recirculation Pump Trip Feature)," Revision 1
ZARBIS, W A, CHARNLEY, J S, ENGEL, R E General Electric Co Y1003J01A37 R01 82/03/31 33pp 13307 284 24X
Fiche 50-324, 82/05/20, 8206010535

8206070338 Confirms 820520 telcon re B20528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl
O'REILLY, J P Region 2, Office of the Director 82/05/21 JONES, J A Carolina Power & Light Co 2pp 13363 067 24X
Fiche 50-000, 82/05/21, 8206070338

8206070843 Proposed revisions to Tech Specs to allow unit operation up to 30% of rated thermal power w/one recirculation loop out of svc
 * Carolina Power & Light Co 82/06/03 25pp 13387 211 24X
 Fiche 50-324, 82/06/03, 8206070829

8206100162 Supplis 820519 response to Generic Ltr 82-03 Util endorse: GE application of ECCS evaluation model changes to offset MAPLHGR penalties, per GE B10306 ltr
 HOWE, P W Carolina Power & Light Co 82/06/07 VASSALLO, D B
 Operating Reactors Branch 2 1p 13444 326 24X
 Fiche 50-324, 82/06/07, 8206100162

8206090153 Generic Ltr 87-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restat of RE Ginna Rept documents findings re cause of event W/o encl
 EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
 Consolidated Edison Co of New York HUKILL, H D Metropolitan
 Edison Co BAUER, E G Philadelphia Electric Co 13pp 1355/ 349
 24X Fiche 50-000, 82/06/09, 8206090153

8206140080 Forwards addl info re post-TMI requirements, Generic Ltr 82-10
 UTLEY, E Carolina Power & Light Co 82/06/09 EISENHUT, D G
 Division of Licensing 7pp 13483 124 24X Fiche 50-324, 82/06/09, 8206140080

8206150046 Confirms that safety evaluation for TMI Action Items II B 4 & I A 2 1 4 will be reworked, per 820604 telcon
 VASSALLO, D B Operating Reactors Branch 2 82/06/10 BECKHAM, D H
 Operator Licensing Branch 1p 13523 134 24X
 Fiche 50-324, 82/06/10, 8206150046

8206170249 Comments on NUREG-0803, "Generic SER re Integrity of NWR Scram Sys Piping" transmitted in Generic Ltr 81-34
 Conclusions are overly conservative & not justified on basis of risk to public
 HOWE, P W Carolina Power & Light Co 82/06/14 EISENHUT, D G
 Division of Licensing 8pp 13534 015 24X Fiche 50-324, 82/06/14, 8206170249

8206210518 Application to amend Licenses DPR-71 & DPR-62 Tech Specs reflecting projected completion of certain plant mods as required by TMI Items II F 1 6, II F 1 1 & II F 1 2 re accident monitoring instrumentation
 HOWE, P W Carolina Power & Light Co 82/06/16 VASSALLO, D B
 Operating Reactors Branch 2 3pp 13568 039 24X
 Fiche 50-324, 82/06/16, 8206210518

--8206210526 Proposed revisions to Tech Specs reflecting projected completion of plant mods as required by NUREG-0737
 * Carolina Power & Light Co 82/06/16 30pp 13568 062 24X
 Fiche 50-324, 82/06/16, 8206210518

8206250118 Forwards revisions to results of 810302 inservice insp/test program, resolving inappropriate classification per requirements of ASME Boiler & Pressure Vessel Code, Section XI & 10CFR50.55a(g)
 HOWE, P W Carolina Power & Light Co 82/06/18 VASSALLO, D B
 Operating Reactors Branch 2 2pp 13616 279 24X
 Fiche 50-324, 82/06/18, 8206250118

--8206250121 Revisions to "Brunswick Steam Electric Plant Units 1 & 2 Valve Test Program"
 * Carolina Power & Light Co 82/06/18 4pp 13616 281 24X
 Fiche 50-324, 82/06/18, 8206250118

8206240271 Forwards Periodic Tests PT 14 2 1, Revision 7, "Single Rod Scram Insertion Times Test," & PT 1 11, Revision 14, "Core Performance Parameter Check," & Procedure ENP-11, Revision 0, "Software Changes to Process Computer," per NRC request
 ZIMMERMAN, S R Carolina Power & Light Co 82/06/21 VASSALLO, D B
 Operating Reactors Branch 2 1p 13597 055 24X
 Fiche 50-324, 82/06/21, 8206240271

--8206240285 Revision 7 to "Single Rod Scram Insertion Times Test," periodic test
 * Carolina Power & Light Co 82/06/02 39pp 13597 056 24X
 Fiche 50-324, 82/06/21, 8206240271.

--8206240288 Revision 14 to "Core Performance Parameter Check," periodic test
 * Carolina Power & Light Co 82/06/02 7pp 13597 096 24X
 Fiche 50-324, 82/06/21, 8206240271

--8206240290 Revision 0 to "Software Changes to Process Computer"
 * Carolina Power & Light Co 77/05/08 5pp 13597 102 24X
 Fiche 50-324, 82/06/21, 8206240271

8206280407 Forwards SAI-186-029-11R & SAI-186-029-31, "Improvements in Training & Requalification Programs as Required by TMI Items I A 2 1 & II B 4," technical evaluation repts
 JOHNSON, B W Science Applications, Inc NRC-03-82-096 82/06/24
 NRC - No Detailed Affiliation Given 1p 13621 168 24X
 Fiche 50-000, 82/06/24, 8206280407

--8206280436 "Improvements in Training & Requalification Programs as Required by TMI Action Items I A 2 1 & II B 4"
 * Science Applications, Inc NRC-03-82-096 SAI-186-029-31
 82/06/14 NRC - No Detailed Affiliation Given 16pp
 13621 183 24X Fiche 50-000, 82/06/24, 8206280407

8206290486 Application for amend to License DPR-62, proposing Tech Spec changes to correct ODYN transient computer code used to perform Cycle 5 analysis of pressurization transients Tables re corrected min critical power ratio encl
 HOWE, P W Carolina Power & Light Co 82/06/24 VASSALLO, D B
 Operating Reactors Branch 2 5pp 13632 014 24X
 Fiche 50-324, 82/06/24, 8206290486

--8206290490 Proposed Tech Spec 3/4 2 3 re min critical power ratio
 * Carolina Power & Light Co 82/06/24 3pp 13632:019 24X
 Fiche 50-324, 82/06/24, 8206290486

8206290539 Forwards response to NRC 820126 request for addl info re NUREG-0737, Item II B 1, "RCS High Point Vents" Facilities in compliance
 ZIMMERMAN, S R Carolina Power & Light Co 82/06/25 VASSALLO, D B
 Operating Reactors Branch 2 4pp 13631 037 24X
 Fiche 50-324, 82/06/25, 8206290539

G Inspection reports, IE Bulletins & correspondence

8203170522 Responds to NRC 820111 ltr re violations noted in IE Insp Rept 50-324/B1-25 & 50-325/B1-26 Corrective actions corporate emergency plan is being revised & evaluation will be completed by 820401 to determine need for mods
 FURR, B J Carolina Power & Light Co 82/02/18 O'REILLY, J P
 Region 2, Office of Director 5pp 13388 037 24X
 Fiche 50-324, 82/02/18, 8203170522

--8206070784 Forwards IE Emergency Preparedness Appraisal Repts 50-324/B1-26 & 50-325/B1-26 on 811013-22 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies
 O'REILLY, J P Region 2, Atlanta, Office of the Director
 (81/03/01) 82/01/11 JONES, J A Carolina Power & Light Co
 Bpp 13388 042 24X Fiche 50-324, 82/02/18, 8203170522

--8206070792 IE Emergency Preparedness Appraisal Repts 50-324/B1-26 & 50-325/B1-26 on 811013-22 No noncompliance noted Significant appraisal deficiencies identified in emergency plan training/retraining & dose assessment
 KEVERN, T A, HICKMAN, J B, MCFARLAND, C R Division of Emergency Preparedness & Operational Support 82/01/08 42pp. 13388 050
 24X Fiche 50-324, 82/02/18, 8203170522

8206020053 Forwards request for addl info re inservice insp program. Response requested within 30 days of receipt of ltr
 VASSALLO, D B Operating Reactors Branch 2 82/05/05 JONES, J
 Carolina Power & Light Co 6pp 13333 068 24X
 Fiche 50-324, 82/05/05, 8206020053

8206070569 Forwards IE Insp Repts 50-324/B2-13 & 50-325/B2-13 on 820413 & 15 No noncompliance noted
 LONG, F J. Division of Project & Resident Programs 82/05/11
 JONES, J A Carolina Power & Light Co 2pp 13372 232 24X
 Fiche 50-324, 82/05/11, 8206070569

--8206070583 IE Insp Repts 50-324/B2-13 & 50-325/B2-13 on 820413 & 15 No noncompliance noted Major areas inspected emergency planning interface between licensee organization & NRC Region 2 organization at emergency response facilities
 TAYLOR, P A, JENKINS, Q R Division of Emergency Preparedness & Operational Support 82/05/07, 4pp 13372 234 24X
 Fiche 50-324, 82/05/11, 8206070569

8206220078 Forwards IE Insp Repts 50-324/B2-14 & 50-325/B2-14 on 820504-07, No noncompliance noted.
 LONG, F J. Division of Project & Resident Programs 82/05/21
 JONES, J A Carolina Power & Light Co 2pp 13373 100 24X
 Fiche 50-324, 82/05/21, 8206220078.

--8206220083 IE Insp Repts 50-324/B2-14 & 50-325/B2-14 on 820505-07 No noncompliance noted Major areas inspected radiological environ monitoring, mgt controls & review of licensee actions on previous insp findings
 CUNNINGHAM, A L, MONTGOMERY, D M Region 2, Office of Director,
 82/05/21 7pp 13373 102 24X Fiche 50-324, 82/05/21, 8206220078

8206220071 Forwards IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/24
JONES, J A Carolina Power & Light Co 2pp 13573 003 24X
Fiche 50-324, 82/05/24, 8206220071

--8206220075 IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted Major areas inspected small-scale radiological emergency exercise on 820421
McFARLAND, C R HUFFMAN, O W JENKINS, O R Division of Emergency Preparedness & Operational Support 82/05/20 6pp 13573 00b
24X Fiche 50-324, 82/05/24, 8206220071

8202040147 IE Info Notice 82-15, "Notification of NRC's Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206070719 Ack receipt of 820512 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-325/82-08 & 50-324/82-08
LEWIS, R C Region 2, Office of Director 82/05/28 JONES, J A Carolina Power & Light Co 1p 13389 335 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070729 Responds to NRC 820412 ltr re violations noted in IE Insp Repts 50-325/82-08 & 50-324/82-08 Corrective actions radiowaste operators will perform second verification to complete valve lineup prior to releases
FURR, B J Carolina Power & Light Co 82/05/12 O'REILLY, J P Region 2, Office of Director 4pp 13389 336 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070736 Forwards IE Insp Repts 50-325/82-08 & 50-324/82-08 on 820215-0315 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/12 JONES, J A Carolina Power & Light Co 2pp 13389 340 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070750 Notice of violation from insp on 820215-0315
* Region 2, Office of Director 82/04/12 2pp 13389 342 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070755 Notice of deviation from insp on 820215-0315
* Region 2, Office of Director 82/04/12 1p 13389 344 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070767 IE Insp Repts 50-325/82-08 & 50-324/82-08 on 820215-0315 Noncompliance noted failure to maintain updated control procedures & to revise procedures in accordance w/TMI action item requirements
GARNER, L W CHASE, J JULIAN, C Division of Project & Resident Programs 82/04/09 15pp 13389 345 24X Fiche 50-324, 82/05/28, 8206070719

8206220174 Submits supplemental info in response to IE Bulletins 79-07 & 79-14 Supports of all safety-related control drive lines modified to meet long-term mod criteria Supports meeting short-term criteria will not be modified
DIETZ, C R Carolina Power & Light Co 82/06/01 O'REILLY, J P Region 2, Office of Director 4pp 13572 070 24X
Fiche 50-324, 82/06/01, 8206220174

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants"
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 106pp 13527 150 24X

8206220236 Responds to NRC 820423 ltr re violations noted in IE Insp Repts 50-324/82-09 & 50-325/82-09 Corrective actions rotameter float installed correctly & drawing posted showing correct point to read flow level
DIETZ, C R Carolina Power & Light Co 82/05/17 O'REILLY, J P Region 2, Office of Director 4pp 13571 175 24X
Fiche 50-324, 82/06/09, 8206220225

--8206220242 Forwards IE Insp Repts 50-324/82-09 & 50-325/82-09 on 820322-26 & 30-31 & notice of violation
LEWIS, R C Region 2, Office of Director 82/04/23 JONES, J A Carolina Power & Light Co 2pp 13571 181 24X
Fiche 50-324, 82/06/09, 8206220225

--8206220245 Notice of violation from insp on 820322-26 & 30-31
* Region 2, Office of Director 82/04/23 1p 13571 183 24X
Fiche 50-324, 82/06/09, 8206220225

--8206220252 IE Insp Repts 50-324/82-09 & 50-325/82-09 on 820322-26 & 30-31 Noncompliance noted stack gas samples not collected per approved procedure from 810601-820324
EVANS, C D MONTGOMERY, D M Region 2, Office of Director 82/04/22 10pp 13571 184 24X Fiche 50-324, 82/06/09, 8206220225

8206220467 Ack receipt of 820524 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-324/82-10 & 50-325/82-10
LONG, F J Division of Project & Resident Programs 82/06/09 JONES, J A Carolina Power & Light Co 1p 13580 344 24X
Fiche 50-324, 82/06/09, 8206220467

--8206220475 Responds to NRC 820402 ltr re violations noted in IE Insp Repts 50-324/82-10 & 50-325/82-10 Corrective actions instructions developed as part of plant operating manual & independent verification training provided
FURR, B J Carolina Power & Light Co 82/05/24 O'REILLY, J P Region 2, Office of Director 6pp 13580 345 24X
Fiche 50-324, 82/06/09, 8206220467

--8206220486 Advises that until response to NRC 820402 ltr re violations noted in IE Insp Repts 50-324/82-10 & 50-325/82-10 will be submitted by 820521, per 820503 telcon w/NRC
DIETZ, C R Carolina Power & Light Co 82/05/11 O'REILLY, J P Region 2, Office of Director 1p 13580 351 24X
Fiche 50-324, 82/06/09, 8206220467

--8206220493 Forwards IE Insp Repts 50-324/82-10 & 50-325/82-10 on 820119-21 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/02 JONES, J A Carolina Power & Light Co 2pp 13580 352 24X
Fiche 50-324, 82/06/09, 8206220467

--8206220498 Notice of violation from insp on 820119-21
* Division of Project & Resident Programs 82/04/02 3pp 13580 354 24X Fiche 50-324, 82/06/09, 8206220467

--8206220508 IE Insp Repts 50-324/82-10 & 50-325/82-10 on 820119-21 Noncompliance noted failure to follow procedures, failure to meet commitments of TMI Action Item I C & failure to take corrective action & failure to implement procedures
GARNER, L JULIAN, C BURGER, C Division of Project & Resident Programs 82/04/01 7pp 13580 357 24X Fiche 50-324, 82/06/09, 8206220467

8206220510 Ack receipt of 820430 & 0510 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-324/82-05 & 50-325/82-05
LEWIS, R C Division of Project & Resident Programs 82/06/09 JONES, J A Carolina Power & Light Co 1p 13580 289 24X
Fiche 50-324, 82/06/09, 8206220510

--8206220522 Forwards supplemental response to NRC 820430 ltr re deviation from commitments per IE Insp Repts 50-324/82-05 & 50-325/82-05 Corrective actions calibr performed on radiation monitors Maint scheduling program revised
FURR, B J Carolina Power & Light Co 82/05/10 O'REILLY, J P Region 2, Office of Director 3pp 13580 290 24X
Fiche 50-324, 82/06/09, 8206220510

--8206220529 Forwards response to NRC 820331 ltr re violations noted in IE Insp Repts 50-324/82-05 & 50-325/82-05 Corrective actions procedures revised to include safety-related annunciator alarm & daily surveillance rept sheets
FURR, B J Carolina Power & Light Co 82/04/30 O'REILLY, J P Region 2, Office of Director 4pp 13580 293 24X
Fiche 50-324, 82/06/09, 8206220510

--8206220536 Forwards IE Insp Repts 50-324/82-05 & 50-325/82-05 on 820119-0215 & notices of violation & deviation
LEWIS, R C Division of Project & Resident Programs 82/03/31 JONES, J A Carolina Power & Light Co 2pp 13580 297 24X
Fiche 50-324, 82/06/09, 8206220510

--8206220942 Notice of violation from insp on 820115-0215
 * Region 2, Office of Director 82/03/31 2pp 13980 299 24X
 Fiche 50-324,82/06/09,8206220510

--8206220548 Notice of deviation from insp on 820115-0215
 * Region 2, Office of Director 82/03/31 1p 13580 301 24X
 Fiche 50-324,82/06/09,8206220510

--8206220558 IE Insp Repts 50-324/82-05 & 50-325/82-05 on 820115-0215
 Noncompliance noted failure to adequately establish
 procedure, retain surveillance, maintain records & initiate
 standby liquid control & limiting condition of operation
 GARNER, L. W., PAULK, G., BURGER, C. Division of Project & Resident
 Programs 82/03/25 17pp 13580 302 24X Fiche 50-324,82/06/09,
 8206220510

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
 encl
 JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11
 106pp 13675 258 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
 Mat'l by Workers " Svc list encl
 DEYOUNG, R. C. Director's Office, Office of Inspection and
 Enforcement 82/06/11 120pp 13675 169 24X
 Fiche 50-000,82/06/11,8204210384

8206250118 Forwards revisions to results of 810302 inservice insp/test
 program, resolving inappropriate classification per
 requirements of ASME Boiler & Pressure Vessel Code, Section
 XI & 10CFR50 55a(g)
 HOWE, P. W. Carolina Power & Light Co 82/06/18 VASSALLO, D. B.
 Operating Reactors Branch 2 2pp 13616 279 24X
 Fiche 50-324,82/06/18,8206250118

--8206250121 Revisions to "Brunswick Steam Electric Plant Units 1 & 2
 Valve Test Program "
 * Carolina Power & Light Co 82/06/18 4pp 13616 281 24X
 Fiche 50-324,82/06/18,8206250118

8206250150 Forwards response to NRC 820505 request for addl info re
 inservice insp program
 HOWE, P. W. Carolina Power & Light Co 82/06/18 VASSALLO, D. B.
 Operating Reactors Branch 2 7pp 13616 301, 24X
 Fiche 50-324,82/06/18,8206250150

R Periodic operating reports & related correspondence

8206150235 Forwards monthly operating repts for May 1982
 DIETZ, C. R. Carolina Power & Light Co 82/06/04 STELLO, V.
 Director's Office, Office of Inspection and Enforcement 3pp
 13496 337 24X Fiche 50-324,82/06/04,8206150235

--8206150238 Monthly operating repts for May 1982
 HARRISON, F. Carolina Power & Light Co 82/06/01 8pp
 13496 340 24X Fiche 50-324,82/06/04,8206150235

S Reportable occurrences, LERs & related correspondence

8206010302 Forwards LER 82-056/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/15 O'REILLY, J. P.
 Region 2, Office of Director 1p 13301 137 24X
 Fiche 50-324,82/04/15,8206010302.

--8206010308 LER 82-056/03L-0 on 820317, during performance of torus-
 reactor bldg vacuum breakers air operated butterfly valve
 actuation test, auto open actuation switch of valve 2-CAC-V16
 failed Caused by instrument drift
 PASTVA, M. J. Carolina Power & Light Co. 82/04/15 Region 2,
 Office of Director 1p 13301 138 24X Fiche 50-324,82/04/15,
 8206010302

8206010664 Forwards LER 82-064/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/19 O'REILLY, J. P.
 Region 2, Office of Director 1p 13314 134 24X
 Fiche 50-324,82/04/19,8206010664

--8206010673 LER 82-064/03L-0 on 820321, during performance of diesel
 generator 3 monthly load test, PT-12 2C, diesel tripped &
 locked out due to jacket water temp exceeding trip setpoint
 of 200 F Caused by HX inlet valve, DJH-V206, being closed.
 PASTVA, M. J. Carolina Power & Light Co 82/04/19 Region 2,
 Office of Director 1p 13314, 135 24X Fiche 50-324,82/04/19,
 8206010664

8206010348 Forwards LER 82-063/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/21 O'REILLY, J. P.
 Region 2, Office of Director 1p 13301, 005 24X
 Fiche: 50-324,82/04/21,8206010348.

--8206010352 LER 82-063/03L-0 on 820326, routine surveillance revealed
 that primary containment atmospheric oxygen analyzer
 2-CAC-AT-1263-2 was not showing expected trend in drywell
 oxygen concentration Caused by stuck contacts
 PASTVA, M. J. Carolina Power & Light Co 82/04/21 Region 2,
 Office of Director 2pp 13301 006 24X Fiche 50-324,82/04/21,
 8206010348

8206010394 Forwards LER 82-062/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/21 O'REILLY, J. P.
 Region 2, Office of Director 1p 13314 360 24X
 Fiche 50-324,82/04/21,8206010394

--8206010402 LER 82-062/03L-0 on 820322, CAD tank level lowered below Tech
 Spec level to permit investigation of potential problem w/
 operation of tank west-end pressure control buildup coil
 sys
 PASTVA, M. J. Carolina Power & Light Co 82/04/21 Region 2,
 Office of Director 2pp 13314 361 24X Fiche 50-324,82/04/21,
 8206010394

8206150016 Responds to FOIA request for documents re siren sys
 installed to provide early notification to populace in
 plume pathway around nuclear reactor sites in US Forwards
 documents listed in App A
 FELTON, J. M. Division of Rules and Records 82/04/21 WADE, J.
 Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000,82/04/21,8206150016.

8206010324 Forwards LER 82-049/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/22 O'REILLY, J. P.
 Region 2, Office of Director 1p 13300 127 24X
 Fiche 50-324,82/04/22,8206010324

--8206010331 LER 82-049/03L-0 on 820325, during channel calibr &
 functional test of ECCS shroud level instrumentation, level
 switch actuated out of Tech Spec tolerances Caused by drift
 of instrument mechanism instrument recalibr
 PASTVA, M. J. Carolina Power & Light Co 82/04/23 Region 2,
 Office of Director 1p 13300 128 24X Fiche 50-324,82/04/22,
 8206010324

8206010486 Forwards LER 82-061/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/22 O'REILLY, J. P.
 Region 2, Office of Director 1p 13314 338 24X
 Fiche 50-324,82/04/22,8206010486

--8206010492 LER 82-061/03L-0 on 820323, routine surveillance revealed
 that electrolyte levels in cells 34 & 55 of 125-volt dc Div
 II Batteries 20-1 & 20-2 were higher than max level mark
 Caused by overwatering of cells & temp increase
 PASTVA, M. J. Carolina Power & Light Co 82/04/22 Region 2,
 Office of Director 1p 13314 339 24X Fiche 50-324,82/04/22,
 8206010486

8206010596 Forwards LER 82-043/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/22 O'REILLY, J. P.
 Region 2, Office of Director 1p 13314 136 24X
 Fiche 50-324,82/04/22,8206010596

--8206010612 LER 82-043/03L-0 on 820323, "tripped/not available" &
 "abnormal condition" annunciators for diesel generator 3
 received at RT0B, Caused by diesel barrier gear limit switch
 actuating/initiating lockout due to personnel error
 PASTVA, M. J. Carolina Power & Light Co 82/04/22 Region 2,
 Office of Director 2pp 13314 137 24X Fiche 50-324,82/04/22,
 8206010596

8206010419 Forwards LER 82-067/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/04/29 O'REILLY, J. P.
 Region 2, Office of Director 1p 13313 245 24X
 Fiche 50-324,82/04/29,8206010419

--8206010423 LER 82-067/03L-0 on 820407, suppression chamber water temp
 recorder 2-CAC-TR-77B on remote shutdown panel showed normal
 temp indications, but did not record on chart recorder, Caused
 by worn instrument print wheel Print wheel replaced
 PASTVA, M. J. Carolina Power & Light Co 82/04/29 Region 2,
 Office of Director 1p 13313 246 24X Fiche 50-324,82/04/29,
 8206010419

8206010141 Forwards LER 82-072/03L-0
 DIETZ, C. R. Carolina Power & Light Co 82/05/04 O'REILLY, J. P.
 Region 2, Office of Director 1p 13300 016 24X
 Fiche 50-324,82/05/04,8206010141

--8206010150 LER 82-072/03L-0 on 820411, RHR pump 2C motor breaker
 tripped upon start, Cause not determined Breaker 3HK250
 racked out, inspected & tested, Pump started
 PASTVA, M. J. Carolina Power & Light Co 82/05/04, Region 2,
 Office of Director 2pp 13300 017 24X Fiche 50-324,82/05/04,
 8206010141

8206010645 Forwards LER 82-073/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/10 O'REILLY, J P
Region 2, Office of Director 1p 13313 278 24X
Fiche 50-324, 82/05/10, 8206010645

--8206010657 LER 82-073/03L-0 on 820414, calibr check revealed that remote
shutdown instrument panel 2-CAC-11-3342 indicated incorrect
water level Caused by slight change in trickles flow to wet
ref leg of indicator transmitter Transmitter adjusted
PASTVA, M J Carolina Power & Light Co 82/05/10 Region 2,
Office of Director 2pp 13313 279 24X Fiche 50-324, 82/05/10,
8206010645

8206010363 Forwards updated LER 82-051/03L-1
DIETZ, C R Carolina Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director 1p 13301 338 24X
Fiche 50-324, 82/05/17, 8206010363

--8206010367 Updated LER 82-051/03L-1 on 820318, primary containment
atmospheric hydrogen analyzer, 2-CAC-AT-1263-1, indicated 0%
to 1 8% change in hydrogen concentration in drywell On
820325, 3% change noted Caused by erratic potentiometer
PASTVA, M J Carolina Power & Light Co 82/05/17 Region 2,
Office of Director 2pp 13301 339 24X Fiche 50-324, 82/05/17,
8206010363.

8206010490 Forwards LER 82-076/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director 1p 13314 336 24X
Fiche 50-324, 82/05/17, 8206010490

--8206010505 LER 82-076/03L-0 on 820417, CSF suction low water level
instrument, 2-E41-LSL-N003, did not actuate & repeat within
required calibr tolerances Caused by organic deposit within
instrument float stem guide tube Deposit removed
PASTVA, M J Carolina Power & Light Co 82/05/17 Region 2,
Office of Director 1p 13314 337 24X Fiche 50-324, 82/05/17,
8206010490

8206010020 Forwards updated LER 82-024/03L-2
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13313 221 24X
Fiche 50-324, 82/05/18, 8206010020

--8206010029 Updated LER 82-024/03L-2 on 820311, torus epoxy coating found
blistered under normal waterline Caused by demineralized
water becoming entrapped between steel liner & coating due
to permeability of lining to demineralized water
PASTVA, M J Carolina Power & Light Co 82/05/18 Region 2,
Office of Director 3pp 13313 222 24X Fiche 50-324, 82/05/18,
8206010020

8206010196 Forwards LER 82-069/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13307 179 24X
Fiche 50-324, 82/05/18, 8206010196

--8206010201 LER 82-069/03L-0 on 820424, during reactor startup, rod
overtravel annunciation received during verification of
rod-drive coupling for rod 30-31 Cause unknown, Rods inserted
& deactivated Rod will be inspected
PASTVA, M J Carolina Power & Light Co 82/05/18 Region 2,
Office of Director, 1p 13307 180, 24X Fiche 50-324, 82/05/18,
8206010196

8206010629 Forwards LER 82-079/03L-0.
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13314 274 24X
Fiche 50-324, 82/05/18, 8206010629

--8206010639 LER 82-079/03L-0 on 820422, primary containment atmosphere
hydrogen analyzer, 2-CAC-AT-1259-1, indicated below scale
hydrogen concentration in drywell Caused by oxidation of
internals of potentiometers R3 & R5
PASTVA, M J Carolina Power & Light Co 82/05/18, Region 2,
13314 275, 24X Fiche 50-324, 82/05/18,

--8206070164 LER 82-059/03L-0 on 820426, during refueling while realigning
core spray subsystem pump suction to core spray tank vs
suppression pool, tank water inventory fell below Tech Spec
requirement Caused by personnel error Inventory restored
PASTVA, M J Carolina Power & Light Co 82/05/27 Region 2,
Office of Director 2pp 13368 306 24X Fiche 50-324, 82/05/27,
8206070159

8206170100 PNO-11-82-060 on 820527, during inservice insp, pinhole leak
discovered in 6-inch reactor water cleanup sys suction
piping Reactor defueled Southwest Research Inst evaluating
defective pipe section
HEHL, C , BURGER, C Region 2, Office of Director 82/05/28 1pp
13530 101 24X Fiche 50-324, 82/05/28, 8206170100

8206170125 PNO-11-82-061A, updating 820603 submittal re bent incore
neutron range monitoring tubes found beneath reactor
vessel Sabotage suspected Security measures including daily
walkthrough insp & addl patrols initiated
HARDIN, A K , BURGER, C W Region 2, Office of Director 82/06/04
2pp 13530 168 24X Fiche 50-324, 82/06/04, 8206170125

8206210437 Forwards LER 82-080/01T-0
DIETZ, C R Carolina Power & Light Co 82/06/09 O'REILLY, D P
Region 2, Office of Director 1p 13568 298 24X
Fiche 50-324, 82/06/09, 8206210437

--8206210449 LER 82-080/01T-0 on 820525, during inservice insp, testing of
6-inch reactor water cleanup suction line, leak discovered
approx 1/8 inch from elbow pipe weld Caused by sensitization
of elbow matl with heat affected zone of weld
PASTVA, M J Carolina Power & Light Co 82/06/09 Region 2,
Office of Director 2pp 13568 299 24X Fiche 50-324, 82/06/09,
8206210437

8206210479 Forwards LER 82-077/01T-0 Detailed event analysis encl
DIETZ, C R Carolina Power & Light Co 82/06/09 O'REILLY, J P
Region 2, Office of Director 2pp 13568 055 24X
Fiche 50-324, 82/06/09, 8206210479

--8206210489 LER 82-077/01T-0 on 820524, discovered baseplate on support
brace for hydraulic snubber missing nuts on wedge anchors &
fourth wedge anchor missing Caused by improper installation
Brace & baseplate will be repaired prior to startup
PASTVA, M J Carolina Power & Light Co 82/06/09 Region 2,
Office of Director 1p 13568 057 24X Fiche 50-324, 82/06/09,
8206210479

8206210520 Forwards updated LER 82-041/03L-1
DIETZ, C R Carolina Power & Light Co 82/06/15 O'REILLY, J P
Region 2, Office of Director, 1p 13565 307 24X
Fiche 50-324, 82/06/15, 8206210520

--8206210530 Updated LER 82-041/03L-1 on 820314, during performance of
standby liquid control sys relief valve operability test,
relief valve 2-C41-F029A lifted outside Tech Spec
requirements Caused by setpoint drift Setpoint adjusted
PASTVA, M J Carolina Power & Light Co 82/06/15 Region 2,
Office of Director 2p 13565 308 24X Fiche 50-324, 82/06/15,
8206210520

DOCKET 50-325 BRUNSWICK STEAM ELECTRIC PLANT, UNIT 1
F Security, medical, emergency & fire protection plans

8203170522 Responds to NRC 820111 ltr re violations noted in IE Insp
Rept 50-324/81-25 & 50-325/81-26 Corrective actions
corporate emergency plan is being revised & evaluation will
be completed by 820401 to determine need for mods
FURR, B J Carolina Power & Light Co 82/02/18 O'REILLY, J P
Region 2, Office of Director 5pp 13388 037 24X
Fiche: 50-324, 82/02/18, 8203170522

--8206070784 Forwards IE Emergency Preparedness Appraisal Repts
50-324/81-26 & 50-325/81-26 on 811013-22 & lists of
emergency preparedness deficiencies, preparedness improvement
items & emergency plan deficiencies
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01). 82/01/11 JONES, J A Carolina Power & Light Co
8pp 13388 042 24X Fiche 50-324, 82/02/18, 8203170522

--8206070792 IE Emergency Preparedness Appraisal Repts 50-324/81-26 &
50-325/81-26 on 811013-22 No noncompliance noted Significant
appraisal deficiencies identified in emergency plan
training/retraining & dose assessment
KEVERN, T A , MARSTON, R R , JENKINS, G R Division of Emergency
Preparedness & Operational Support 82/01/08 42pp 13388:050
24X Fiche 50-324, 82/02/18, 8203170522

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S DeBevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002

8206070277 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 JONES, J A Carolina Power & Light Co 1p 13381 152 24X Fiche 50-000, 82/05/12, 8206070277

8206020044 Forwards list of questions re safety/safeguards interface to be used as agenda for future meeting No formal response required
EISENHUT, D G Division of Licensing 82/05/19 JONES, J A Carolina Power & Light Co 6pp 13333 062 24X Fiche 50-324, 82/05/19, 8206020044

8206220071 Forwards IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted
LONO, F J Division of Project & Resident Programs 82/05/24 JONES, J A Carolina Power & Light Co 2pp 13573 003 24X Fiche 50-324, 82/05/24, 8206220071

--8206220075 IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted Major areas inspected small-scale radiological emergency exercise on 820421
MCFARLAND, C R Division of Emergency Preparedness & Operational Support 82/05/20 8pp 13573 009 24X Fiche 50-324, 82/05/24, 8206220075

8206140185 Responds to Generic Ltr 81-04, "Emergency Preparedness & Training For Station Blackout Events" Util does not consider loss of offsite & onsite ac power single failure criteria event nor design basis event
HOWE, P W Carolina Power & Light Co 82/06/09 EISENHUT, D G Division of Licensing 10pp 13484 247 24X Fiche 50-324, 82/06/09, 8206140185

8206150040 Notification of 820617 meeting w/util in Bethesda, MD to discuss fire protection submittals
VAN VLIET, J A Operating Reactors Branch 2 82/06/09 VASSALLO, D B Operating Reactors Branch 2 2pp 13523 129 24X Fiche 50-324, 82/06/09, 8206150040

8206220622 Advises that Revision 2 to security personnel training & qualification plan & Revision 7 to industrial security plan acceptable
VASSALLO, D B Operating Reactors Branch 2 82/06/16 FURR, D J Carolina Power & Light Co 2pp 13591 175 24X Fiche 50-324, 82/06/16, 8206220622

F Operating license stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13404 044 24X Fiche 50-000, 82/04/29, 8206230007

--811230007 Submits alternate recommendations for facilities to be reviewed re designs & identification of control sys whose failure would have significant safety implications
SZUKIEWICZ, A J Generic Issues Branch 81/10/07 BABDEKAB, D L Instrumentation & Control Branch 4p 65710, 239 24X Fiche: 50-000, 82/04/29, 8206230007

8206030140 Advises that Sections 5.5.1 & 5.5.2 of ANSI N18.1-1971 on retraining & replacement training intended to apply to entire operating organization not just to licensed operators as in util 820317 interpretation
VASSALLO, D B Operating Reactors Branch 2 82/05/19 JONES, J A Carolina Power & Light Co 3pp 13432 311 24X Fiche 50-000, 82/05/19, 8206030140

8206070338 Confirms 820520 telcon re 820528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl
O'REILLY, J P Region 2, Office of Director 82/05/21 JONES, J A Carolina Power & Light Co 2pp 13363 067 24X Fiche 50-000, 82/05/21, 8206070338

8206070843 Proposed revisions to Tech Specs to allow unit operation up to 50% of rated thermal power w/one recirculation loop out of svc
* Carolina Power & Light Co 82/06/03 25pp 13387 211 24X Fiche 50-324, 82/06/03, 8206070843

8206100162 Suppl 820319 response to Generic Ltr 82-03 Util endorses GE application of ECCS evaluation model changes to offset MAPLHGR penalties, per GE B10506 ltr
HOWE, P W Carolina Power & Light Co 82/06/07 VASSALLO, D B Operating Reactors Branch 2 1p 13444 326 24X Fiche 50-324, 82/06/07, 8206100162

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olina Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York HUKILL, H D Metropolitan Edison Co BAUER, E G Philadelphia Electric Co 13pp 13597 349 24X Fiche 50-000, 82/06/09, 8206090153

8206140080 Forwards addl info re post-TMI requirements, Generic Ltr 82-10
UTLEY, E E Carolina Power & Light Co 82/06/09 EISENHUT, D G Division of Licensing 7pp 13483 124 24X Fiche 50-324, 82/06/09, 8206140080

8206150046 Confirms that safety evaluation for TMI Action Items II B.4 & I A.2.1.4 will be reworked, per 820604 telcon.
VASSALLO, D B Operating Reactors Branch 2 82/06/10 BECKHAM, D H Operator Licensing Branch 1p 13523, 134 24X Fiche 50-324, 82/06/10, 8206150046

8206170249 Comments on NUREG-0803, "Generic BER re Integrity of BWR Scram Sys Piping" transmitted in Generic Ltr 81-34
Conclusions are overly conservative & not justified on basis of risk to public
HOWE, P W Carolina Power & Light Co 82/06/14 EISENHUT, D G Division of Licensing 8pp 13534 015 24X Fiche 50-324, 82/06/14, 8206170249

8206210518 Application to amend Licenses DPR-71 & DPR-62 Tech Specs reflecting projected completion of certain plant mods as required by TMI Items II F.1.6, I F.1.1 & I F.1.2 re accident monitoring instrumentation
HOWE, P W Carolina Power & Light Co 82/06/16 VASSALLO, D B Operating Reactors Branch 2 3pp 13568, 059 24X Fiche 50-324, 82/06/16, 8206210518

--8206210526 Proposed revisions to Tech Specs reflecting projected completion of plant mods as required by NUREG-0737
* Carolina Power & Light Co 82/06/16 30pp 13568 062 24X Fiche 50-324, 82/06/16, 8206210518

8206250118 Forwards revisions to results of B10302 inservice insp/test program resolving inappropriate classification per requirements of ASME Boiler & Pressure Vessel Code, Section XI & 10CFR50.55a(g)
HOWE, P W Carolina Power & Light Co 82/06/18 VASSALLO, D B Operating Reactors Branch 2 2pp 13616 279 24X Fiche 50-324, 82/06/18, 8206250118

--8206250121 Revisions to "Brunswick Steam Electric Plant Units 1 & 2 Valve Test Program"
* Carolina Power & Light Co 82/06/18 4pp 13616, 281 24X Fiche 50-324, 82/06/18, 8206250118

8206240271 Forwards Periodic Tests PT 14.2.1, Revision 7, "Single Rod Scram Insertion Times Test," & PT 1.11, Revision 14, "Core Performance Parameter Check," & Procedures ENP-11, Revision 0, "Software Changes to Process Computer," per NRC request
ZIMMERMAN, S R Carolina Power & Light Co 82/06/21 VASSALLO, D B Operating Reactors Branch 2 1p 13597 055 24X Fiche 50-324, 82/06/21, 8206240271

--8206240285 Revision 7 to "Single Rod Scram Insertion Times Test," periodic test.
* Carolina Power & Light Co 82/06/02 39pp 13597 086 24X Fiche 50-324, 82/06/21, 8206240271

--8206240288 Revision 14 to "Core Performance Parameter Check," periodic test.
* Carolina Power & Light Co 82/06/02 7pp 13597 096 24X Fiche 50-324, 82/06/21, 8206240271

--8206240290 Revision O to "Software Changes to Process Computer"
* Carolina Power & Light Co 79/05/08 5pp 13597 102 24X
Fiche 50-324,82/06/21,8206240291

8206280407 Forwards SAI-186-029-11R & SAI-186-029-31, "Improvements in Training & Requalification Programs as Required by TMI Items I A 2 1 & II B 4," technical evaluation repts
JOHNSON, B W Science Applications, Inc NRC-03-82-096 82/06/24
NRC - No Detailed Affiliation Given 1p 13621 168 24X
Fiche 50-000, 82/06/24, 8206280407

--8206280436 "Improvements in Training & Requalification Programs as Required by TMI Action Items I A 2 1 & II B 4"
* Science Applications, Inc NRC-03-82-096 SAI-186-029-31
82/06/14 NRC - No Detailed Affiliation Given 16pp
13621 183 24X Fiche 50-000, 82/06/24, 8206280407

8206290539 Forwards response to NRC 820126 request for addl info re NUREG-0737, Item II B 1, "RCS High Point Vents" Facilities in compliance
ZIMMERMAN, S R Carolina Power & Light Co 82/06/25 VASSALLO, D B
Operating Reactors Branch 2 App 13631 037 24X
Fiche 50-324, 82/06/25, 8206290539

0 Inspection reports, IE Bulletins & correspondence

8203170522 Responds to NRC 820111 ltr re violations noted in IE Insp Rept 50-324/81-25 & 50-325/81-26 Corrective actions corporate emergency plan is being revised & evaluation will be completed by 820401 to determine need for mods
FURR, D J Carolina Power & Light Co 82/02/18 O'REILLY, J P
Region 2, Office of Director App 13388 037 24X
Fiche 50-324, 82/02/18, 8203170522

--8206070784 Forwards IE Emergency Preparedness Appraisal Repts 50-324/81-26 & 50-325/81-26 on 811013-22 & lists of emergency preparedness deficiencies, preparedness improvement items & emergency plan deficiencies.
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 82/01/11 JONES, J A Carolina Power & Light Co
Bpp 13388 042 24X Fiche 50-324, 82/02/18, 8203170522

--8206070792 IE Emergency Preparedness Appraisal Repts 50-324/81-26 & 50-325/81-26 on 811013-22 No noncompliance noted Significant appraisal deficiencies identified in emergency plan training/retraining & dose assessment
KEVERN, T A, HICKMAN, J B, MCFARLAND, C R Division of Emergency Preparedness & Operational Support 82/01/08 42pp 13388 050
24X Fiche: 50-324, 82/02/18, 8203170522

8206020053 Forwards request for addl info re inservice insp program Response requested within 30 days of receipt of ltr
VASSALLO, D B Operating Reactors Branch 2 82/05/05 JONES, J
Carolina Power & Light Co App 13333 068 24X
Fiche 50-324, 82/05/05, 8206020053

8206070569 Forwards IE Insp Repts 50-324/82-13 & 50-325/82-13 on 820413 & 15 No noncompliance noted
LONG, F J Division of Project & Resident Programs, 82/05/11
JONES, J A Carolina Power & Light Co 2pp 13372 232 24X
Fiche 50-324, 82/05/11, 8206070569

--8206070583 IE Insp Repts 50-324/82-13 & 50-325/82-13 on 820413 & 15 No noncompliance noted Major areas inspected: emergency planning interface between licensee organization & NRC Region 2 organization at emergency response facilities
TAYLOR, P A, JENKINS, O R Division of Emergency Preparedness & Operational Support 82/05/07 App 13372 234 24X
Fiche 50-324, 82/05/11, 8206070569

8206220078 Forwards IE Insp Repts 50-324/82-14 & 50-325/82-14 on 820504-07 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/21
JONES, J A Carolina Power & Light Co 2pp 13573 100 24X
Fiche 50-324, 82/05/21, 8206220078

--8206220083 IE Insp Repts 50-324/82-14 & 50-325/82-14 on 820505-07 No noncompliance noted Major areas inspected: radiological environ monitoring, agt controls & review of licensee actions on previous insp findings
CUNNINGHAM, A L, MONTGOMERY, D M Region 2, Office of Director
82/05/21 7pp 13573 102 24X Fiche 50-324, 82/05/21, 8206220078

8206220071 Forwards IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted
LONG, F J Division of Project & Resident Programs, 82/05/24
JONES, J A Carolina Power & Light Co 2pp 13573 003 24X
Fiche 50-324, 82/05/24, 8206220071

--8206220075 IE Insp Repts 50-324/82-12 & 50-325/82-12 on 820420-22 No noncompliance noted Major areas inspected small-scale radiological emergency exercise on 820421
MCFARLAND, C R, HUFFMAN, G N, JENKINS, G R Division of Emergency Preparedness & Operational Support 82/05/20 Bpp 13573 005
24X Fiche 50-324, 82/05/24, 8206220071

820240147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 820240147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206070719 Ack receipt of 820512 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-325/82-08 & 50-324/82-08
LEWIS, R C Region 2, Office of Director 82/05/28 JONES, J A
Carolina Power & Light Co 1p 13389 335 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070729 Responds to NRC 820412 ltr re violations noted in IE Insp Repts 50-325/82-08 & 50-324/82-08 Corrective actions radwaste operators will perform second verification to complete valve lineup prior to releases
FURR, B J Carolina Power & Light Co 82/05/12 O'REILLY, J P
Region 2, Office of Director App 13389 336 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070736 Forwards IE Insp Repts 50-325/82-08 & 50-324/82-08 on 820215-0315 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/12
JONES, J A Carolina Power & Light Co 2pp 13389 340 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070750 Notice of violation from insp on 820215-0315
* Region 2, Office of Director 82/04/12 2pp 13389 342 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070755 Notice of deviation from insp on 820215-0315
* Region 2, Office of Director 82/04/12 1p 13389 344 24X
Fiche 50-324, 82/05/28, 8206070719

--8206070767 IE Insp Repts 50-325/82-08 & 50-324/82-08 on 820215-0315 Noncompliance noted failure to maintain updated control procedures & to revise procedures in accordance w/TMI action item requirements
GARNER, L W, CHASE, J, JULIAN, C Division of Project & Resident Programs 82/04/09 13pp 13389 345 24X Fiche 50-324, 82/05/28, 8206070719

8206220174 Submits supplemental info in response to IE Bulletins 79 O/ & 79-14 Supports of all safety-related control drive lines modified to meet long-term mod criteria. Supports meeting short-term criteria will not be modified
DIETZ, C R Carolina Power & Light Co 82/06/01 O'REILLY, J P
Region 2, Office of Director App 13572 070 24X
Fiche 50-324, 82/06/01, 8206220174

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220225 Ack receipt of 820521 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-324/82-07 & 50-325/82-07
LEWIS, R C Region 2, Office of Director 82/06/09 JONES, J A
Carolina Power & Light Co 1p 13571 171 24X
Fiche 50-324, 82/06/09, 8206220225

--8206220230 Responds to NRC 820423 ltr re violations noted in IE Insp Repts 50-324/82-09 & 50-325/82-09 Corrective actions new efficiency curves established using NBS sources to allow for accurate marinelli beaker sample Procedure changes effected
FURR, B J Carolina Power & Light Co 82/05/21 O'REILLY, J P
Region 2, Office of Director App 13571 172 24X
Fiche 50-324, 82/06/09, 8206220225

--8206220236 Responds to NRC 820423 ltr re violations noted in IE Insp Repts 50-324/82-09 & 50-325/82-09 Corrective actions rotameter float installed correctly & drawing posted showing correct point to read flow level
DIETZ, C R Carolina Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director App 13571 175 24X
Fiche 50-324, 82/06/09, 8206220225

--B206220242 Forwards IE Insp Repts 50-324/82-09 & 50-325/82-09 on 820322-26 & 30-31 & notice of violation
LEWIS, R C Region 2, Office of Director 82/04/23 JONES, J A
Carolina Power & Light Co 2pp 13571 181 24X
Fiche 50-324, 82/06/09, 8206220223

--B206220245 Notice of violation from insp on 820322-26 & 30-31
* Region 2, Office of Director 82/04/23 1p 13571 183 24X
Fiche 50-324, 82/06/09, 8206220225

--B206220252 IE Insp Repts 50-324/82-09 & 50-325/82-09 on 820322-26 &
30-31 Noncompliance noted stack gas samples not collected
per approved procedure from 810601-820324
EVANS, C D, MONTGOMERY, D M Region 2, Office of Director
82/04/22 10pp 13571 184 24X Fiche 50-324, 82/06/09, 8206220225

8206220467 Ack receipt of 820524 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-324/82-10 &
50-325/82-10
LONG, F J Division of Project & Resident Programs 82/06/09
JONES, J A Carolina Power & Light Co 1p 13580 344 24X
Fiche 50-324, 82/06/09, 8206220467

--B206220475 Responds to NRC 820402 ltr re violations noted in IE Insp
Repts 50-324/82-10 & 50-325/82-10 Corrective actions
instructions developed as part of plant operating manual &
independent verification training provided
FURR, B J Carolina Power & Light Co 82/05/24 O'REILLY, J P
Region 2, Office of Director 6pp 13580 345 24X
Fiche 50-324, 82/06/09, 8206220467

--B206220486 Advises that util response to NRC 820402 ltr re violations
noted in IE Insp Repts 50-324/82-10 & 50-325/82-10 will be
submitted by 820521, per 820503 telcon w/NRC
DIETZ, C R Carolina Power & Light Co 82/05/11 O'REILLY, J P
Region 2, Office of Director 1p 13580 351 24X
Fiche 50-324, 82/06/09, 8206220467

--B206220493 Forwards IE Insp Repts 50-324/82-10 & 50-325/82-10 on
820119-21 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/02
JONES, J A Carolina Power & Light Co 2pp 13580 352 24X
Fiche 50-324, 82/06/09, 8206220467

--B206220498 Notice of violation from insp on 820119-21
* Division of Project & Resident Programs 82/04/02 3pp
13580:354. 24X Fiche 50-324, 82/06/09, 8206220467

--B206220508 IE Insp Repts 50-324/82-10 & 50-325/82-10 on 820119-21
Noncompliance noted failure to follow procedures, failure to
meet commitments of TMI Action Item 1 C & failure to take
corrective action & failure to implement procedures
GARNER, L J, JULIAN, C, BURGER, C Division of Project & Resident
Programs 82/04/01 7pp 13580 357 24X Fiche 50-324, 82/06/09,
8206220467

8206220510 Ack receipt of 820430 & 0510 ltrs informing NRC of steps
taken to correct violations noted in IE Insp Repts
50-324/82-05 & 50-325/82-05
LEWIS, R C Division of Project & Resident Programs 82/06/09
JONES, J A Carolina Power & Light Co 1p 13580, 289 24X
Fiche 50-324, 82/06/09, 8206220510

--B206220522 Forwards supplemental response to NRC 820430 ltr re
deviation from commitments per IE Insp Repts 50-324/82-05 &
50-325/82-05 Corrective actions calibr performed on
radiation monitors Maint scheduling program revised
FURR, B J Carolina Power & Light Co 82/03/10 O'REILLY, J P
Region 2, Office of Director 3pp 13580 290 24X
Fiche 50-324, 82/06/09, 8206220510

--B206220529 Forwards response to NRC 820331 ltr re violations noted in
IE Insp Repts 50-324/82-05 & 50-325/82-05 Corrective
actions, procedures revised to include safety-related
annunciator alarm & daily surveillance rept sheets
FURR, B J Carolina Power & Light Co 82/04/30 O'REILLY, J P
Region 2, Office of Director 4pp 13580 293 24X
Fiche 50-324, 82/06/09, 8206220510

--B206220536 Forwards IE Insp Repts 50-324/82-05 & 50-325/82-05 on
820115-0215 & notices of violation & deviation
LEWIS, R C Division of Project & Resident Programs 82/03/31
JONES, J A Carolina Power & Light Co 2pp 13580 297 24X
Fiche 50-324, 82/06/09, 8206220510

--B206220542 Notice of violation from insp on 820115-0215
* Region 2, Office of Director 82/03/31 2pp 13580 299. 24X
Fiche 50-324, 82/06/09, 8206220510

--B206220548 Notice of deviation from insp on 820115-0215
* Region 2, Office of Director 82/03/31 1p 13580 301 24X
Fiche 50-324, 82/06/09, 8206220510.

--B206220558 IE Insp Repts 50-324/82-05 & 50-325/82-05 on 820115-0215
Noncompliance noted failure to adequately establish
procedure, retain surveillance, maintain records & initiate
standby liquid control & limiting condition of operation
GARNER, L W, PAULK, G, BURGER, C Division of Project & Resident
Programs 82/03/25 17pp 13580 302 24X Fiche 50-324, 82/06/09,
8206220510

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206250118 Forwards revisions to results of 810302 inservice insp/test
program, resolving inappropriate classification per
requirements of ASME Boiler & Pressure Vessel Code, Section
XI & 10CFR50.55a(g)
HOWE, P W Carolina Power & Light Co 82/06/18 VASSALLO, D B.
Operating Reactors Branch 2 2pp 13616 279 24X
Fiche 50-324, 82/06/18, 8206250118

8206250150 Forwards response to NRC 820505 request for addl info re
inservice insp program
HOWE, P W Carolina Power & Light Co 82/06/18 VASSALLO, D B.
Operating Reactors Branch 2 7pp 13616 301 24X
Fiche 50-324, 82/06/18, 8206250150

R Periodic operating reports & related correspondence

8206150235 Forwards monthly operating repts for May 1982.
DIETZ, C R Carolina Power & Light Co 82/06/04, STELLO, V.
Director's Office, Office of Inspection and Enforcement. 3pp.
13496 337 24X Fiche 50-324, 82/06/04, 8206150235.

--8206150238 Monthly operating repts for May 1982
HARRISON, F Carolina Power & Light Co 82/06/01 8pp
13496 340. 24X Fiche 50-324, 82/06/04, 8206150235

S Reportable occurrences, LERs & related correspondence

8206010635 Forwards LER 82-037/03L-0
DIETZ, C R Carolina Power & Light Co 82/04/15 O'REILLY, J P
Region 2, Office of Director 1p 13314 039. 24X
Fiche 50-325, 82/04/15, 8206010635

--8206010651 LER 82-037/03L-0 on 820317, RT08 instrument 1-CAC-LR-2602
indicated level of -31.2 inches while RT08 instrument
1-CAC-LI-2601-3 read -29.0 inches. Actual level -28.5 inches.
Caused by incorrect trickle flow to transmitter
PASTVA, M J Carolina Power & Light Co 82/04/15 Region 2,
Office of Director 2pp 13314 040 24X Fiche 50-325, 82/04/15,
8206010635

8206150016 Responds to FOIA request for documents re siren sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US. Forwards
documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J.
Public Interest Research Group, New York 7pp 13524 010. 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150090 PNO-11-82-031 on 820321, Brunswick County, NC sheriff # ofc
incorrectly activated emergency warning siren sys sirens. No
emergency condition occurred. NRC Incident Response Ctr
notified
BURGER, C W Region 2, Office of Director 82/03/22 1p
13525 196 24X Fiche 50-000, 82/04/21, 8206150016

8206010235 Forwards LER 82-047/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/04 O'REILLY, J P.
Region 2, Office of Director 1p 13307 104. 24X
Fiche 50-325, 82/05/04, 8206010235

--8206010243 LER 82-047/03L-0 on 820405, vibration of 3 2 mile measured
for 18 RHR svc water pump. Caused by failure of pump packing
gland allowing svc water to enter pump bearing, resulting in
bearing surface corrosion. New packing gland to be installed.
PASTVA, M J Carolina Power & Light Co 82/05/04 Region 2,
Office of Director 2pp 13307 105 24X Fiche 50-325, 82/05/04,
8206010235

8206010153 Forwards LER 82-022/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director 1p 13300 006 24X
Fiche 50-325, 82/05/17, 8206010153

--B206010160 LER 82-022/03L-0 on 820417, reactor circulation pump 1A tripped due to motor generator set undervoltage, resulting from spurious opening & closing of unit switchyard PCB 23A & 23B Caused by transmission line perturbations
PASTVA, M J Carolina Power & Light Co 82/05/17 Region 2,
Office of Director 1p 13300 007 24X Fiche 50-325, 82/05/17,
8206010153

B206010202 Forwards LER 82-038/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director 1p 13307 171 24X
Fiche 50-325, 82/05/17, 8206010202

--B206010205 LER 82-038/03L-0 on 820419, reactor screamed due to opening of 125-volt battery charger output breaker while removing electrical clearance on Div II battery Caused by operator error Breaker reclosed & power restored to IB-1 bus
POULK, R M Carolina Power & Light Co 82/05/17 Region 2,
Office of Director 2pp 13307 172 24X Fiche 50-325, 82/05/17,
8206010202

B206010114 Forwards LER 82-042/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13300 041 24X
Fiche 50-325, 82/05/18, 8206010114

--B206010122 LER 82-042/03L-0 on 820423, post-accident monitoring control room recorder/indicator 1-CAC-AR-1263 exhibited unvarying indication of drywell oxygen concentration Caused by broken drive cord due to normal wear Drive cord replaced
PASTVA, M J Carolina Power & Light Co 82/05/18 Region 2,
Office of Director 1p 13300 042 24X Fiche 50-325, 82/05/18,
8206010114.

B206010217 Forwards LER 82-030/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13300 084 24X
Fiche 50-325, 82/05/18, 8206010217

--B206010220 LER 82-030/03L-0 on 820419, HPCI steam line area high differential temp switch 1-E51-DTS-N604D would not respond to applied test signal Caused by electronic failure of switch module Module 86DT replaced
PASTVA, M J Carolina Power & Light Co 82/05/18 Region 2,
Office of Director 1p 13300 085 24X Fiche 50-325, 82/05/18,
8206010217

B206010358 Forwards updated LER 82-047/03L-1
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13301 341 24X
Fiche 50-325, 82/05/18, 8206010358

--B206010362 Updated LER 82-047/03L-1 on 820405, during RHRBW operability test, vibration of 3 2 mils measured for 18 RHRBW pump On 820420, during suppression cooling, smoke observed emanating from pump bearing housing
PASTVA, M J Carolina Power & Light Co 82/05/18 Region 2,
Office of Director 2pp 13301 342 24X Fiche 50-325, 82/05/18,
8206010358

B206010418 Forwards updated LER 82-017/03L-1
DIETZ, C R Carolina Power & Light Co 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13313 247 24X
Fiche 50-325, 82/05/18, 8206010418,

--B206010424 Updated LER 82-017/03L-1 on 820128, E11-F048A valve had no indication on RTGB due to failure of valve breaker magnetic trip to trip breaker w/valve in open position Caused by loose B & C phase power leads to magnetic trip unit
POULK, R M Carolina Power & Light Co 82/05/18 Region 2,
Office of Director 1p 13313 248 24X Fiche 50-325, 82/05/18,
8206010418.

B206010493 Forwards LER 82-046/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/21 O'REILLY, J P
Region 2, Office of Director 1p 13313 275 24X
Fiche 50-325, 82/05/21, 8206010493

--B206010502 LER 82-046/03L-0 on 820429-0503, while performing weekly verification of Divs I & II 125-volt ac battery & charger operability PT-17, 1P, discovered specific gravity for pilot cell of Div II less than required
PASTVA, M J Carolina Power & Light Co 82/05/21 Region 2,
Office of Director 2pp 13313 276 24X Fiche 50-325, 82/05/21,
8206010493

B206070075 Forwards LER 82-051/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/26 O'REILLY, J P
Region 2, Office of Director 1p 13370 317 24X
Fiche 50-325, 82/05/26, 8206070075

--B206070078 LER 82-051/03L-0 on 820505, during rod sequence control system operability test, PT-1 & 1, fully inserted control rod 30-1P had intermittent full-in RTGB position indication Caused by defective rod position reed switch
PASTVA, M J Carolina Power & Light Co 82/05/26 Region 2,
Office of Director 1p 13370 318 24X Fiche 50-325, 82/05/26,
8206070075

B206070295 Forwards LER 82-050/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/26 O'REILLY, J P
Region 2, Office of Director 1p 13363 304 24X
Fiche 50-325, 82/05/26, 8206070295

--B206070304 LER 82-050/03L-0 on 820505, discovered broken instrument diaphram nipple on main condenser low vacuum PCIB instrument 1-B21-P8-N056D Caused by operating environ vibration of instrument Model D2T-M1835-L6 replaced
PASTVA, M J Carolina Power & Light Co 82/05/26 Region 2,
Office of Director 1p 13363 305 24X Fiche 50-325, 82/05/26,
8206070295

B206070388 Forwards LER 82-047/03L-0
DIETZ, C R Carolina Power & Light Co 82/05/26 O'REILLY, J P
Region 2, Office of Director 1p 13371 290 24X
Fiche 50-325, 82/05/26, 8206070388

--B206070396 LER 82-049/03L-0 on 820504, primary containment atmosphere oxygen analyzer, 1-CAC-AT-1263-2, showed erratic indication of drywell oxygen concentration Caused by ice formation in analyzer air dryer Dryer defrosted & Model F3M3 calibr
PASTVA, M J Carolina Power & Light Co 82/05/26 Region 2,
Office of Director 2pp 13371 291 24X Fiche 50-325, 82/05/26,
8206070388

B206070570 PNO-11-82-061 on 820514, 12 in incore source range monitoring & intermediate range monitoring neutron detector tubes found bent where tubes exit beneath reactor vessel Cause not known, Sabotage suspected Event under investigation
HARDIN, A K, BURGER, C W Region 2, Office of Director 82/06/03
2pp 13372 230 24X Fiche 50-325, 82/06/03, 8206070570

B206110310 Forwards updated LER 82-038/03L-1
DIETZ, C R Carolina Power & Light Co 82/06/04 O'REILLY, J P
Region 2, Office of Director 1p 13467 063 24X
Fiche 50-325, 82/06/04, 8206110310

--B206110314 Updated LER 82-038/03L-1 on 820419 Reactor screamed when electrical bus 1A-1 dc de-energized Caused by operator error in opening 125-volt dc battery charger output breaker for battery 1A-1 Breaker closed & power restored to bus
POULK, R M Carolina Power & Light Co 82/06/04 Region 2,
Office of Director 2pp 13467 064 24X Fiche 50-325, 82/06/04,
8206110310

B206170125 PNO-11-82-061A, updating 820603 submittal re bent incore neutron range monitoring tubes found beneath reactor vessel Sabotage suspected Security measures including daily walkthrough insp & addl patrols initiated
HARDIN, A K, BURGER, C W Region 2, Office of Director 82/06/04
2pp 13330 168 24X Fiche 50-324, 82/06/04, 8206170125

B206210228 Forwards LER 82-032/03L-0
DIETZ, C R Carolina Power & Light Co 82/06/09 O'REILLY, J P
Region 2, Office of Director 1p 13359 059 24X
Fiche 50-325, 82/06/09, 8206210228

--B206210233 LER 82-032/03L-0 on 820510, primary containment temp record 1-CAC-TR-1258 found malfunctioning Caused by dirty recorder slidewire & slidewire contacts & loose print mechanism timing delay Slidewire, contacts & print contacts cleaned
PASTVA, M J Carolina Power & Light Co 82/06/09 Region 2,
Office of Director 2pp 13359 060 24X Fiche 50-325, 82/06/09,
8206210228

B206210337 Forwards LER 82-045/03L-0
DIETZ, C R Carolina Power & Light Co 82/06/15 O'REILLY, J P
Region 2, Office of Director 1p 13367 004 24X
Fiche 50-325, 82/06/15, 8206210337

--B206210548 LER 82-045/03L-0 on 820519, during testing C12-L6H-127 accumulator leak detectors of control rod drive line accumulators 30-11, 34-43, 22-27, 22-03 & 42-13 would not respond to applied test inputs, Caused by reed switch arcing
PASTVA, M J Carolina Power & Light Co 82/06/15 Region 2,
Office of Director 2pp 13367 005 24X Fiche 50-325, 82/06/15,
8206210337

B206220344 Forwards LER 82-059/03L-0
DIETZ, C R Carolina Power & Light Co 82/06/15 O'REILLY, J P
Region 2, Office of Director 1p 13581 242 24X
Fiche 50-325, 82/06/15, 8206220344

--8206220354 LER 82-059/03L-0 on 820522, surveillance revealed that fully withdrawn control rod 3B-39 had intermittent RT08 position 48 indication while full-out RT08 indication was operable. Caused by defective rod position read switch. PASTVA, M J. Carolina Power & Light Co. 82/06/15. Region 2, Office of Director. 1p. 13581 243. 24X Fiche 50-325, 82/06/15, 8206220344.

8206220389 Forwards LER 82-052/03L-0. DIETZ, C R. Carolina Power & Light Co. 82/06/16. O'REILLY, J P. Region 2, Office of Director. 1p. 13582 040. 24X Fiche 50-325, 82/06/16, 8206220389.

--8206220399 LER 82-052/03L-0 on 820524, surveillance revealed that primary containment atmosphere oxygen analyzer, 1-CAC-AT-125 7-2 would not indicate expected drywell oxygen concentrations. Caused by calibr shift on zero end. PASTVA, M J. Carolina Power & Light Co. 82/06/16. Region 2, Office of Director. 1p. 13582, 041. 24X Fiche 50-325, 82/06/16, 8206220389.

8206240175 Forwards updated LER 81-095/03L-1. DIETZ, C R. Carolina Power & Light Co. 82/06/18. O'REILLY, J P. Region 2, Office of Director. 1p. 13599 342. 24X Fiche 50-325, 82/06/18, 8206240175.

--8205240182 Updated LER 81-095/03L-1 on 811206, RHR svc water subsystem pumps B & D would not start due to simulated low header pressure lockout. Caused by open circuit breaker in motor coolers low suction pressure permissive switch. PASTVA, M J. Carolina Power & Light Co. 82/06/18. Region 2, Office of Director. 2pp. 13599 343. 24X Fiche 50-325, 82/06/18, 8206240175.

8206240186 Forwards updated LER 81-093/01T-2. DIETZ, C R. Carolina Power & Light Co. 82/06/18. O'REILLY, J P. Region 2, Office of Director. 1p. 13599 128. 24X Fiche 50-325, 82/06/18, 8206240186.

--8206240192 Updated LER 81-093/01T-2 on 811226, reactor protection sys vessel low level trip instrument, 1-B21-LT-N017D-1, was indicating upscale. Caused by personnel failure to recognize & perform Tech Specs Personnel counseled. PASTVA, M J. Carolina Power & Light Co. 82/06/18. Region 2, Office of Director. 3pp. 13599 129. 24X Fiche 50-325, 82/06/18, 8206240186.

8206300105 Forwards updated LER 81-092/01T-2. DIETZ, C R. Carolina Power & Light Co. 82/06/21. O'REILLY, J P. Region 2, Office of Director. 1p. 13656 050. 24X Fiche 50-325, 82/06/21, 8206300105.

--8206300109 Updated LER 81-092/01T-2 on 811226, action statement 3.3.2b not entered when 821-LT-N017D-1 instrument failed upscale. Caused by failure of operations personnel to recognize & perform required action. PASTVA, M J. Carolina Power & Light Co. 82/06/21. Region 2, Office of Director. 3pp. 13656 051. 24X Fiche 50-325, 82/06/21, 8206300103.

DOCKET 50-326 UNIV OF CALIFORNIA AT IRVINE RES REACTOR

F. Security, medical, emergency & fire protection plans

8206080401 Forwards Amend 2 to License R-116, incorporating approved physical security plan into license. BERNARD, H. Standardization & Special Projects Branch. 82/06/02. MILLER, G. Chicago, Univ. of. 3pp. 13442 172. 24X Fiche 50-326, 82/06/02, 8206080401.

--8206080404 Amend 2 to License R-116 Amend incorporates approved physical security plan into license. BERNARD, H. Standardization & Special Projects Branch. 82/06/02. 2pp. 13442 173. 24X Fiche 50-326, 82/06/02, 8206080401.

P. Operating license stage documents & correspondence

8204300003 Responds to FOIA request for five categories of documents re Sept 1979 rept, "Recommendations of TMI-2 IE Investigation Team." Approx 170 pages of matl being placed in PDR. FELTON, J M. Division of Rules and Records. 82/04/02. WEISS, E R. Union of Concerned Scientists. 1p. 12920 032. 24X Fiche 50-000, 82/04/02, 8204300003.

8206080401 Forwards Amend 2 to License R-116, incorporating approved physical security plan into license. BERNARD, H. Standardization & Special Projects Branch. 82/06/02. MILLER, G. Chicago, Univ. of. 3pp. 13442 172. 24X Fiche 50-326, 82/06/02, 8206080401.

--8206080404 Amend 2 to License R-116 Amend incorporates approved physical security plan into license. BERNARD, H. Standardization & Special Projects Branch. 82/06/02. 2pp. 13442 173. 24X Fiche 50-326, 82/06/02, 8206080401.

DOCKET 50-327 SEQUOYAH NUCLEAR PLANT, UNIT 1

A. Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted. FELTON, J M. Division of Rules and Records. 82/04/29. MCMURRAY, C M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 21pp. 13604 044. 24X Fiche 50-000, 82/04/29, 8206230007.

--8206230819 Forwards memoranda re facility G-list review Addl comments or questions requested. W/o encl. HAASB, W P. Quality Assurance Branch. 80/06/09. Quality Assurance Branch. 1p. 13603 297. 24X Fiche 50-000, 82/04/29, 8206230007.

--8102230492 Forwards requests for addl info re additions to recently review G-lists. Requests should be transmitted to applicants or licensees at earliest convenience. NOONAN, V B. Assistant Director for Materials & Qualifications Engineering. 81/02/02. TEDESCO, R L. Assistant Director for Licensing. 4pp. 13603 207. 24X Fiche 50-000, 82/04/29, 8206230007.

F. Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR. FELTON, J M. Division of Rules and Records. 82/05/11. REYNOLDS, N B. Debevoise & Liberman. 3pp. 13454 003. 24X Fiche 50-000, 82/05/11, 8206090002.

--8206090011 List of facilities completing emergency preparedness activities by 810701. * NRC - No Detailed Affiliation Given. 82/05/11. 9pp. 13454 006. 24X Fiche 50-000, 82/05/11, 8206090002.

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities. Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification. O'REILLY, J P. Region 2, Atlanta, Office of the Director (81/03/01). 81/01/08. DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement. 4pp. 13454 167. 24X Fiche 50-000, 82/05/11, 8206090002.

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl. STOHR, J P. Division of Emergency Preparedness & Operational Support. 82/02/04. GRIMES, B K. Division of Emergency Preparedness. 3pp. 13454 239. 24X Fiche 50-000, 82/05/11, 8206090002.

8206070481 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency. W/o encl. STOHR, J P. Division of Emergency Preparedness & Operational Support. 82/05/12. PARRIS, H G. Tennessee Valley Authority. 1p. 13375 053. 24X Fiche 50-000, 82/05/12, 8206070481.

8206180275 Forwards TN ofc of Civil Defense & Emergency Preparedness evaluation of 800616-17 offsite emergency preparedness exercise w/FEMA observations. FEMA 810724 ltr noting deficiencies of 810707-08 exercise also encl. KRIMM, R W. Federal Emergency Management Agency. 82/06/02. GRIMES, B K. Division of Emergency Preparedness. 75pp. 13551 201. 24X Fiche 50-327, 82/06/02, 8206180275.

8206170159 Advises of util plans to conduct full-scale exercise of emergency plan once every 5 yrs for each plant, in accordance w/10CFR50 App E. Small-scale exercise will be performed each yr. Full-scale exercise not conducted. MILLER, L M. Tennessee Valley Authority. 82/06/10. DENTON, H R. Office of Nuclear Reactor Regulation, Director. 2pp. 13534 040. 24X Fiche 50-327, 82/06/10, 8206170159.

8206170117 Forwards estimated completion dates for physical security plan per 820414 meeting. Submittal withheld (ref 10CFR73.21). MILLER, L M. Tennessee Valley Authority. 82/06/11. ADENBAM, E. Licensing Branch 4. 2pp. 13529 282. 24X Fiche 50-327, 82/06/11, 8206170117.

B206250270 Clarifies sections of fire protection program re-evaluations re "fast-response" sprinkler heads Only OL listed or factory mutual approved sprinkler heads will be used
MILLS,L.M Tennessee Valley Authority 82/06/22 ADENSAM,E
Licensing Branch 4 2pp 13617 184. 24X Fiche 50-000,82/06/22,
B206250270

J Insurance & indemnity information

B206250247 Forwards Endorsement 23 to MAELU Policy MF-102 & Endorsement 28 to MELIA Policy NF-247.
FIELDER,J Marsh & McLennan, Inc , M & M Nuclear Consultants, Inc.
Div 82/06/21 SALTZMAN,J Assistant Director for State & Licensee
Relations 3pp 13613 179 24X Fiche 50-327,82/06/21,B206250247

P Operating license stage documents & correspondence

B205270043 Forwards repts by R Strehlow re hydrogen control sys at Sequoyah plant, Issues raised by repts have been incorporated into review of Grand Gulf hydrogen control sys
SCHWENGER,A. Licensing Branch 2 82/05/17 MCGAUGHY,J.P.
Mississippi Power & Light Co 2pp 13297 003 24X
Fiche 50-000,82/05/17,B205270043

--B205270051 Comments on encl "Evaluation of Second Quarterly Progress Rept Research Program on Hydrogen Combustion & Control Dtd 810316, TVA Sequoyah Nuclear Plant "
RATHBUN,D.K Office of Policy Evaluations. 81/05/12
MENDRIE,J.M , GILINSKY,V , BRADFORD,P A Commissioners 2pp
13297 016. 24X Fiche 50-000,82/05/17,B205270043

--B205270059 "Evaluation of Second Quarterly Progress Rept Research Program on Hydrogen Combustion & Control Dtd 810316, TVA Sequoyah Nuclear Plant "
STREHLOW,R.A Strehlow, R A 81/05/01 MILHOAN,J Office of
Policy Evaluations. 10pp 13297 018 24X Fiche 50-000,82/05/17,
B205270043.

--B110190280 Forwards "Evaluation of Quarterly Progress Rept 3, Research Program on Hydrogen Combustion & Control " Ofc of Policy Evaluation suggests addressing flame acceleration question more comprehensively. Accident sequence range under review
REHICK,F.J. NRC - No Detailed Affiliation Given. 81/09/23
PALLADINO,N , GILINSKY,V , BRADFORD,P Commissioners 2pp
13297. 028 24X Fiche 50-000,82/05/17,B205270043.

B206010073 Notifies of acceptability of Westinghouse 1717 assemblies, per Suppl 1 to safety evaluation & License Condition 2 C.21, in response to B20506 1tr, Guide thimble tube wear issue resolved.
ADENSAM,E.O Licensing Branch 4. 82/05/21 PARRIS,H O. Tennessee
Valley Authority 2pp. 13331 232. 24X Fiche:50-327,82/05/21,
B206010073

B206030121 Application for amend to Licenses DPR-77 & DPR-79, changing license conditions re environ qualification of safety-related electrical equipment (ref NUREG-0588) & control room design review
KAHMER,D.S Tennessee Valley Authority. 82/05/23 ADENSAM,E.
Operating Reactors Branch 5. 10pp 13337 021. 24X
Fiche:50-327, 82/05/23, B206030121

B206070661 Forwards response to NRC B20429 request for addl info re B20303 request for amend to License DPR-77 & DPR-79 to change Tech Specs 6.4 re training, 6.5 i re plant operations review committee & 6.5 1.7b re committee authority.
MILLS,L.M Tennessee Valley Authority 82/05/27. ADENSAM,E.
Licensing Branch 4 8pp. 13390 274. 24X Fiche:50-327,82/05/27,
B206070661

--B206070667 Revised proposed Tech Spec Figures 6-2-1 & 6-2-2 & Tech Spec 6.2.3 re offsite organization for facility mgt & technical support
* Tennessee Valley Authority 82/05/27. 10pp. 13390.282. 24X
Fiche 50-327,82/05/27,B206070661

B206080503 Forwards questions & comments re inservice testing program for pumps & valves, which will serve as agenda for B20629-30 site meeting.
ADENSAM,E O Licensing Branch 4 82/06/02. PARRIS,H O Tennessee
Valley Authority. 14pp. 13440 102. 24X Fiche:50-327, 82/06/02,
B206080503

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event, W/o encl.
EISENHUT,D O. Division of Licensing. 82/06/09. HAUSPURG,A
Consolidated Edison Co. of New York 13pp 13557:349. 24X
Fiche:50-000, 82/06/09, B206090153

B206160117 Forwards "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys," as addl info to B20430 sixth quarterly rept
MILLS,L.M Tennessee Valley Authority 82/06/14 ADENSAM,E
Licensing Branch 4 1p 13517 332 24X Fiche 50-000,82/06/14,
B206160117

--B206160123 "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys "
* Tennessee Valley Authority 82/06/14 12pp 13517 333. 24X
Fiche 50-000,82/06/14, B206160117

B206160132 Forwards info re proposed changes for Cycle 2 operations Refueling outage scheduled to begin B20717, w/ tentative startup scheduled for 821230
MILLS,L.M Tennessee Valley Authority 82/06/14. ADENSAM,E
Licensing Branch 4 4pp 13517 302 24X Fiche 50-327,82/06/14,
B206160132

B206230008 Confirms B20604 telcon re outstanding requests for amends to DL Action on four items discussed listed Amend fees paid by until will be returned for amend requests withdrawn
STAHE,C Licensing Branch 4. 82/06/18 PARRIS,H O Tennessee
Valley Authority 2pp 13594 117 24X Fiche 50-327,82/06/18,
B206230008

B206290281 Application to amend Licenses DPR-77 & DPR-79 for temporary change re requirement that containment sump level instrumentation be operable for automatic switchover from refueling water storage tank to containment sump.
KAHMER,D S Tennessee Valley Authority 82/06/18 DENTON,H R.
Office of Nuclear Reactor Regulation, Director 2pp 13636.167
24X Fiche 50-327,82/06/18, B206290281

--B206290290 Proposed Tech Spec changes re requirement that containment sump level instrumentation be operable for automatic switchover from refueling water storage tank to containment sump & accident monitoring
* Tennessee Valley Authority 82/06/18 15pp 13636 169 24X
Fiche 50-327,82/06/18, B206290281

B206290614 Confirms B20618 telephone authorization for Tech Spec changes. Amends to Tech Specs authorizing changes, safety evaluation & FR notice will be sent when completed.
TEDESCO,R L Assistant Director for Licensing. 82/06/23
PARRIS,H O Tennessee Valley Authority 3pp 13658 123 24X
Fiche. 50-327, 82/06/23, B206290614

Q Inspection reports, IE Bulletins & correspondence

B206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-03, 50-519/82-03, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG,F J Division of Project & Resident Programs 82/05/20.
PARRIS,H O Tennessee Valley Authority 3pp 13374 255 24X
Fiche:50-000, 82/05/20, B206070482

--B206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-03, 50-519/82-03, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02. No noncompliance noted
LENAHAN,J.J. Division of Project & Resident Programs. 82/05/18
9pp. 13374.258 24X Fiche.50-000, 82/05/20, B206070482.

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYDUNG,R.C Director's Office, Office of Inspection and
Enforcement 82/05/28. 10pp. 13426.095. 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN,E L Division of Engineering & Quality Assurance. 82/05/28.
103pp. 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYDUNG,R.C. Director's Office, Office of Inspection and
Enforcement 82/06/02 10pp 13527 190. 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN,E L Division of Engineering & Quality Assurance. 82/06/11.
106pp. 13673 258. 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mail by Workers." Svc list encl.
DEYDUNG,R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13673:189. 24X
Fiche:50-000, 82/06/11, B204210384

R Periodic operating reports & related correspondence

8206010227 Forwards monthly operating repts for Apr 1982
 MASON, C C Tennessee Valley Authority 82/05/14 Office of
 Management and Program Analysis. 1p 13301 159 24X
 Fiche 50-327, 82/05/14, 8206010227

--8206010229 Monthly operating repts for Apr 1982
 MASON, C C Tennessee Valley Authority 82/05/14 24pp
 13301 160 24X Fiche 50-327, 82/05/14, 8206010227

8206070369 "Discharge Monitoring Rept, Feb 1982"
 EL-ASHRY, M T Tennessee Valley Authority 82/05/28 50pp
 13372.018 24X Fiche 50-327, 82/05/28, 8206070369

S Reportable occurrences, LERs & related correspondence

8206010572 Forwards LER 82-041/03L-0
 GREEN, H J Tennessee Valley Authority 82/04/15 O'REILLY, J P
 Region 2, Office of Director 1p 13315 148 24X
 Fiche 50-327, 82/04/15, 8206010572

--8206010579 LER 82-041/03L-0 on 820317, pressurizer level transmitter,
 1-LT-6B-335, failed to meet surveillance requirements Caused
 by leak in 3-way valve manifold where loop LT-6B-321 sense
 line ties to loop 335 Manifold will be replaced
 ROGERS, H R, HARDING, M R Tennessee Valley Authority 82/04/15
 Region 2, Office of Director 1p 13315.149 24X
 Fiche 50-327, 82/04/15, 8206010572

8206010586 Forwards LER 82-040/03L-0.
 GREEN, H J Tennessee Valley Authority 82/04/15 O'REILLY, J P
 Region 2, Office of Director 1p 13319.356 24X
 Fiche 50-327, 82/04/15, 8206010586

--8206010592 LER 82-040/03L-0 on 820319, loop 2 temp indicator, 1-TI-6B-25,
 for RCS failed to meet surveillance requirements Caused by
 failure of temp modifier sense diode which allowed setpoint
 to drift out of tolerance Modifier repaired
 HARDING, M R, ROGERS, H R Tennessee Valley Authority 82/04/15
 Region 2, Office of Director. 1p 13313 357 24X
 Fiche 50-327, 82/04/15, 8206010586

8206010494 Forwards LER 82-043/01T-0.
 GREEN, H J Tennessee Valley Authority 82/04/21 O'REILLY, J P
 Region 2, Office of Director 1p 13314 090. 24X
 Fiche 50-327, 82/04/21, 8206010494

--8206010504 LER 82-043/01T-0 on 820407, Westinghouse notified that recent
 qualification tests in post-accident high energy line break
 environ indicated that RCS wide range pressure channels
 exhibit ambiguities in accuracy Cause undetermined.
 KIRK, G. B, HARDING, M R Tennessee Valley Authority 82/04/21.
 Region 2, Office of Director 2pp 13314 091 24X
 Fiche 50-327, 82/04/21, 8206010494

8206010329 Forwards LER 82-046/03L-0.
 GREEN, H J Tennessee Valley Authority 82/04/23, O'REILLY, J P
 Region 2, Office of Director. 1p. 13300.120. 24X
 Fiche 50-327, 82/04/23, 8206010329.

--8206010337 LER 82-046/03L-0; on 820205, surveillance instruction 166 &
 not performed on steam generator blowdown isolation valve,
 found during review of maint requests on 820326. Caused by
 misplaced maint request
 CARVER, A M, HARDING, M R. Tennessee Valley Authority 82/04/23.
 Region 2, Office of Director. 2pp 13300.121 24X
 Fiche 50-327, 82/04/23, 8206010329.

8206010468 Forwards LER 82-039/03L-0.
 GREEN, H J Tennessee Valley Authority 82/04/23 O'REILLY, J P
 Region 2, Office of Director. 1p 13315 010. 24X
 Fiche 50-327, 82/04/23, 8206010468

--8206010476 LER 82-039/03L-0 on 820328, w/unit in Mode 1, one power range
 channel N-41 of excore neutron instrumentation declared
 inoperable due to failing low. Caused by natural end-of-life
 of instrument Power supply replaced
 ROGERS, H R, HARDING, M R. Tennessee Valley Authority. 82/04/23
 Region 2, Office of Director 1p. 13315.011 24X
 Fiche 50-327, 82/04/23, 8206010468

8206010512 RD 82-2; on 820326, fire barriers in control bldg cable
 spreading room & between turbine & auxiliary bldgs were
 breached for more than 7 days. Caused by contamination of
 cable & need to align piping in penetration.
 GREEN, H J. Tennessee Valley Authority. 82/04/30 O'REILLY, J P.
 Region 2, Office of Director. 2pp. 13311.355. 24X
 Fiche 50-327, 82/04/30, 8206010512

8206010540 Fourth revised final deficiency rept re spent fuel pool
 gates, initially reported 800501 GA aspects of gate seismic
 integrity to be verified through evaluation of insp & repair
 records, certificates of compliance or testing
 MILLER, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
 Region 2, Office of Director 3pp 13315 341 24X
 Fiche 50-327, 82/05/18, 8206010540

8206010116 Forwards LER 82-051/03L-0
 GREEN, H J Tennessee Valley Authority 82/05/21 O'REILLY, J P
 Region 2, Office of Director 1p 13300 034 24X
 Fiche 50-327, 82/05/21, 8206010116

--8206010121 LER 82-051/03L-0 on 820423, containment ventilation isolator
 sys declared inoperable due to loss of automatic initiation
 capability Caused by design error which prevents automatic
 reactivation after isolation signal reset
 ROGERS, H R, HARDING, M R Tennessee Valley Authority 82/05/21
 Region 2, Office of Director 3pp 13300 035 24X
 Fiche 50-327, 82/05/21, 8206010116

8206010654 Forwards LER 82-055/03L-0.
 GREEN, H J Tennessee Valley Authority. 82/05/21 O'REILLY, J P
 Region 2, Office of Director. 1p 13314 048 24X
 Fiche 50-327, 82/05/21, 8206010654

--8206010669 LER 82-055/03L-0 on 820424, during full power, demand position
 indicator control banks A & C group 2 step counters declared
 inoperable Caused by faulty step counter & circuit boards.
 Counters replaced & board repaired
 ROGERS, H R, HARDING, M R Tennessee Valley Authority. 82/05/21
 Region 2, Office of Director 3pp 13314 049. 24X
 Fiche 50-327, 82/05/21, 8206010654

8206070157 Forwards LER 82-054/03L-0
 GREEN, H J. Tennessee Valley Authority 82/05/28. O'REILLY, J P
 Region 2, Office of Director 1p 13368 308. 24X
 Fiche 50-327, 82/05/28, 8206070157.

--8206070162 LER 82-054/03L-0 on 820502, at 100% power, steam generator
 blowdown containment isolation valve 1-FCV-1-25 would not
 reopen after blowdown was isolated. Caused by ruptured valve
 operator diaphragm Diaphragm replaced
 CARVER, A M, HARDING, M R Tennessee Valley Authority. 82/05/28
 Region 2, Office of Director 1p 13368.309 24X
 Fiche 50-327, 82/05/28, 8206070157

8206070179 Forwards LER 82-056/03L-0.
 GREEN, H J Tennessee Valley Authority. 82/05/28 O'REILLY, J P
 Region 2, Office of Director 1p 13369.003. 24X
 Fiche 50-327, 82/05/28, 8206070179.

--8206070188 LER 82-056/03L-0 on 820502, w/unit in mode 1, one auxiliary
 feedwater automatic control valve declared inoperable due to
 failure to meet surveillance requirements Caused by faulty
 signal from pipe break detection pressure switch
 ROGERS, H R, HARDING, M R Tennessee Valley Authority. 82/05/28
 Region 2, Office of Director 1p 13369.004 24X
 Fiche 50-327, 82/05/28, 8206070179.

8206150022 Notification of 820515 noncompliance w/effluent limitations
 re diffuser gate discharge to TN River Cause Unknown.
 Increase in release vol from Chickamauga Dam initiated to
 increase riverflow past plant to increase mixing ratio.
 EL-ASHRY, M T Tennessee Valley Authority. 82/06/10. MARLAR, J
 Environmental Protection Agency 7pp. 13501.088 24X
 Fiche 50-327, 82/06/10, 8206150022

8206210139 PND-11-82-046 on 820612, 12 TVA employees
 contaminated after radioactive gas leaked from check valve
 flange on waste gas compressor. Employees decontaminated.
 Leaking flange repaired Release limits not exceeded
 COLLINS, T R, BARR, K P. Region 2, Office of Director. 82/06/14.
 1p 13559.248. 24X Fiche 50-327, 82/06/14, 8206210139.

8206210463 Forwards LER 82-059/03L-0
 GREEN, H J Tennessee Valley Authority 82/06/14 O'REILLY, J P.
 Region 2, Office of Director 1p. 13568.360. 24X
 Fiche 50-327, 82/06/14, 8206210463.

--8206210466 LER 82-059/03L-0 on 820517, one excore neutron
 instrumentation power range channel (N-42) declared
 inoperable due to loss of power Cause of high voltage power
 supply failure not known Component replaced
 ROGERS, H R, HARDING, M R Tennessee Valley Authority 82/06/14
 Region 2, Office of Director 1p. 13568.361 24X
 Fiche 50-327, 82/06/14, 8206210463

8206300314 Supplemental RO 82-2 on 820326,29,30 & 0413,electrical penetration 721C04200000 & four pipe penetrations breached for more than 7 days.Caused by personnel error Personnel instructed Communication between shifts stressed
GREEN,H J Tennessee Valley Authority 82/06/17 O'REILLY, J P Region 2, Office of Director 2pp 13456 347 24X
Fiche 30-327,82/06/17,8206300314

8206240312 Forwards LER 82-067/03L-O
GREEN,H J Tennessee Valley Authority 82/06/18 O'REILLY, J P Region 2, Office of Director. 1p 13996 205 24X
Fiche 30-327,82/06/18,8206240312

--8206240313 LER 82-067/03L-O on 820521,diesel generator 1B-B declared inoperable when 120-volt control power fuses blew during replacement of bulb in control board Caused by shattered bulb glass shorting filaments Fuses & bulbs replaced
ROMINE,W D., HARDING,M R Tennessee Valley Authority 82/06/18 Region 2, Office of Director 1p 13994 206 24X
Fiche:30-327,82/06/18,8206240312

X Onsite Storage of Low Level Waste

8206100401 Notification of contract execution,Mod 3 to "Environ Assessment for Low Level Waste Storage at TVA Sequoyah Nuclear Plant " Contractor Science Applications,Inc
HAIRSTON,C , FLEENOR,C Technical Assistance Contracts Branch NRC-02-B1-053 82/05/20 DAVIS,G LOYSEN,P Office of Nuclear Material Safety & Safeguards,Director 1p 13458 299 24X
Fiche 30-327,82/05/20,8206100401

--8206100404 Mod 3,extending period of performance to 820930, to "Environ Assessment for Low Level Waste Storage at TVA Sequoyah Nuclear Plant "
FINDLEY,D E Science Applications, Inc HAGAN,T F Division of Contracts NRC-02-B1-053 82/05/20 1p 13458 300. 24X
Fiche 30-327,82/05/20,8206100401

DOCKET 30-328 SEQUOYAH NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents,Forwards documents listed in app.Financial info in Documents 3-54,3-55 & 5-11 deleted
FELTON,J M Division of Rules and Records 82/04/29 McMURRAY,C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp.
13404 044 24X Fiche:30-000,82/04/29,8206230007

--8006230819 Forwards memoranda re facility Q-list review.Addl comments or questions requested w/o encl
HAASB,W.P. Quality Assurance Branch 80/06/09. Quality Assurance Branch. 1p 13405 297 24X Fiche:30-000,82/04/29, 8206230007.

--8102230492 Forwards requests for addl info re additions to recently review Q-lists.Requests should be transmitted to applicants or licensees at earliest convenience.
NOONAN,V.B Assistant Director for Materials & Qualifications Engineering 81/02/02 TEDESCO,R L Assistant Director for Licensing. 4pp. 13605-207 24X Fiche 30-000,82/04/29,8206230007.

F. Security, medical, emergency & fire protection plans

8206010395 LER 82-047/03L-O:On 820327,during BI-566,essential raw cooling water flow verification test,flow through containment spray heat exchanger 2B discovered to be 800 gpm.Probable cause was incorrect procedure.
KIRK,O.B., HARDING,M R Tennessee Valley Authority 82/04/23 Region 2, Office of Director. 2pp. 13311:329 24X
Fiche:30-328,82/04/23,8206010390.

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR.
FELTON,J.M Division of Rules and Records. 82/05/11. REYNOLDS,N B Debevoise & Liberman. 3pp. 13454 003 24X Fiche:30-000,82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701.
* NRC - No Detailed Affiliation Given 82/05/11. 7pp.
13454:006. 24X Fiche:30-000,82/05/11,8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY,J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG,R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 30-000,82/05/11,8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR,J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES,B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 30-000,82/05/11, 8206090002

8206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NURE0-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency w/o encl
STOHR,J P Division of Emergency Preparedness & Operational Support 82/05/12 PARRIS,H G Tennessee Valley Authority 1p 13375 05 24X Fiche 30-000,82/05/12,8206070481

8206180275 Forwards TN ofc of Civil Defense & Emergency Preparedness evaluation of 800616-17 offsite emergency preparedness exercise w/FEMA observations FEMA 810724 ltr noting deficiencies of 810707-08 exercise also encl
KRIMM,R W Federal Emergency Management Agency 82/06/02 GRIMES,B K Division of Emergency Preparedness 75pp 13551-201 24X Fiche 30-327,82/06/02,8206180275.

8206170159 Advises of util plans to conduct full-scale exercise of emergency plan once every 5 yrs for each plant,in accordance w/10CFR50 App E Small-scale exercise will be performed each yr full-scale exercise not conducted
MILLS,L M Tennessee Valley Authority 82/06/10 DENTON,H R. Office of Nuclear Reactor Regulation, Director 2pp 13534.040 24X Fiche 30-327,82/06/10,8206170159

8206170117 Forwards estimated completion dates for physical security plan,per 820414 meeting,Submittal withheld (ref 10CFR73 21)
MILLS,L M Tennessee Valley Authority 82/06/11 ADENSAM,E. Licensing Branch 4. 2pp 13929 282 24X Fiche:30-327,82/06/11, 8206170117

8206230270 Clarifies sections of fire protection program re-evaluatic re "fast-response" sprinkler heads Only OL listed or factory mutual approved sprinkler heads will be used
MILLS,L M Tennessee Valley Authority. 82/06/22. ADENSAM,E. Licensing Branch 4 2pp 13617.184 24X Fiche:30-000,82/06/22, 8206230270

J Insurance & indemnity information

8206230247 Forwards Endorsement 23 to MAELU Policy HF-102 & Endorsem 28 to NELIA Policy NF-247
FIELDER,J. Marsh & McLennan, Inc., M & M Nuclear Consultants, Inc. Div. 82/06/21. BALTZMAN,J. Assistant Director for State & Licen/ Relations. 3pp 13613.179. 24X Fiche 30-327,82/06/21,8206230247.

P Operating license stage documents & correspondence

8205270043 Forwards repts by R Strehlow re hydrogen control sys at Sequoyah plant Issues raised by repts have been incorporated into review of Grand Gulf hydrogen control sys.
SCHWENGER,A Licensing Branch 2. 82/05/17. MCQUAUGHY, J P. Mississippi Power & Light Co. 2pp 13297-003 24X
Fiche.30-000,82/05/17,8205270043.

--8205270051 Comments on encl "Evaluation of Second Quarterly Progre Rept Research Program on Hydrogen Combustion & Control Dtd 810316,TVA Sequoyah Nuclear Plant."
RATHBUN,D.X Office of Policy Evaluations 81/05/12 HENDRIE,J M, OILINSKY,V., BRADFORD,P.A. Commissioners. 2pp. 13297.016. 24X Fiche.30-000,82/05/17,8205270043

--8205270059 "Evaluation of Second Quarterly Progress Rept Research Program on Hydrogen Combustion & Control Dtd 810316,TVA Sequoyah Nuclear Plant "
STREHLOW,R A Strehlow, R A 81/05/01. MILHOAN,J Office of Policy Evaluations 10pp. 13297.018. 24X Fiche:30-000,82/05/17, 8205270043.

--8110190280 Forwards "Evaluation of Quarterly Progress Rept 3, Resea Program on Hydrogen Combustion & Control " Ofc of Policy Evaluation suggests addressing flame acceleration question more comprehensively Accident sequence range under review
REHICK,F J NRC - No Detailed Affiliation Given. 81/09/23 PALLADINO,N , OILINSKY,V., BRADFORD,P. Commissioners. 2pp 13297 028. 24X Fiche:30-000,82/05/17,8205270043

8206010073 Notifies of acceptability of Westinghouse 17x17 assemblies, per Suppl 1 to safety evaluation & License Condition 2 C 21, in response to 820506 ltr Guide thimble tube wear issue resolved
ADENSA, E O Licensing Branch 4 82/05/21 PARRIS, H O Tennessee Valley Authority 2pp 13331 232 24X Fiche 50-327, 82/05/21, 8206010073

8206030121 Application for amend to Licenses DPR-77 & DPR-79, changing license conditions re environ qualification of safety-related electrical equipment (ref NUREG-0588) & control room design review
KAHNER, D S Tennessee Valley Authority 82/05/23 ADENSA, E Operating Reactors Branch 9 10pp 13337 021 24X Fiche 50-327, 82/05/23, 8206030121

8206030112 Application to amend License DPR-79, requesting relief from hydrostatic test requirements for MSIV warming line per Article IWC-5000 of ASME Section XI, 1975 Edition-Summer 1975 Addenda W/Class III amend Fee
MILLS, L M Tennessee Valley Authority 82/05/27 ADENSA, E Licensing Branch 4 5pp 13337 106 24X Fiche 50-328, 82/05/27, 8206030112

8206070661 Forwards response to NRC 820429 request for addl info re 820303 request for amend to License DPR-77 & DPR-79 to change Tech Specs 6 4 re training, 6 5 1 re plant operations review committee & 6 5 1 7b re committee authority
MILLS, L M Tennessee Valley Authority 82/05/27 ADENSA, E Licensing Branch 4 6pp 13390 274 24X Fiche 50-327, 82/05/27, 8206070661

--8206070667 Revised proposed Tech Spec Figures 6 2-1 & 6 2-2 & Tech Spec 6 2 3 re offsite organization for facility mgt & technical support
* Tennessee Valley Authority 82/05/27 10pp 13390 282, 24X Fiche 50-327, 82/05/27, 8206070661

8206080503 Forwards questions & comments re inservice testing program for pumps & valves, which will serve as agenda for 820629-30 site meeting.
ADENSA, E O Licensing Branch 4 82/06/02 PARRIS, H O Tennessee Valley Authority 14pp 13440 102 24X Fiche 50-327, 82/06/02, 8206080503

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York 13pp 13597 349 24X Fiche 50-000, 82/06/09, 8206090153

8206160117 Forwards "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys," as addl info to 820430 sixth quarterly rept
MILLS, L M Tennessee Valley Authority 82/06/14 ADENSA, E Licensing Branch 4 1p, 13517:332 24X Fiche 50-000, 82/06/14, 8206160117

--8206160123 "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys"
* Tennessee Valley Authority, 82/06/14 12pp 13517-333 24X Fiche: 50-000, 82/06/14, 8206160117

8206230008 Confirms 820604 telcon re outstanding requests for amends to OL Action on four items discussed listed Amend fees paid by util will be returned for amend requests withdrawn
STAHL, C Licensing Branch 4 82/06/18 PARRIS, H O Tennessee Valley Authority 2pp, 13994, 117 24X Fiche 50-327, 82/06/18, 8206230008

8206290281 Application to amend Licenses DPR-77 & DPR-79 for temporary change re requirement that containment sump level instrumentation be operable for automatic switchover from refueling water storage tank to containment sump
KAHNER, D S Tennessee Valley Authority 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director, 2pp 13636 167 24X Fiche: 50-327, 82/06/18, 8206290281

--8206290290 Proposed Tech Spec changes re requirement that containment sump level instrumentation be operable for automatic switchover from refueling water storage tank to containment sump & accident monitoring
* Tennessee Valley Authority 82/06/18 15pp 13636, 169 24X Fiche: 50-327, 82/06/18, 8206290281

8206290614 Confirms 820618 telephone authorization for Tech Spec changes Amends to Tech Specs authorizing changes, safety evaluation & FR notice will be sent when completed
TEDESCO, R L Assistant Director for Licensing 82/06/23 PARRIS, H O Tennessee Valley Authority 3pp 13658 123 24X Fiche 50-327, 82/06/23, 8206290614

Q Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-437/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-533/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F J Division of Project & Resident Programs 82/05/20 PARRIS, H O Tennessee Valley Authority 3pp 13374 255 24X Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-437/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-533/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted
LENAHAN, J J Division of Project & Resident Programs 82/05/18 9pp 13374 258 24X Fiche 50-000, 82/05/20, 8206070482

8206030309 Forwards safety evaluation supporting request to waive hydrostatic test (insp) requirements of Article IWC-5000 of ASME Section XI, following repair of bypass line on main steam line
TEDESCO, R L Assistant Director for Licensing 82/05/27 PARRIS, H O Tennessee Valley Authority 3pp 13342 358 24X Fiche 50-328, 82/05/27, 8206030309

--8206030310 Safety evaluation supporting request for relief from performing inservice insp requirement re hydrostatic testing following repair of bypass line on main steam line
* Office of Nuclear Reactor Regulation, Director 82/05/27, 1p 13342 361 24X Fiche 50-328, 82/05/27, 8206030309

8202040147 IE Info Notice 82-15, "Notification of NRC," Bvc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095, 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants," Bvc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/06/02, 108pp 13527:150 24X Fiche: 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675:258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Bvc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206010227 Forwards monthly operating repts for Apr 1982
HAGON, C C Tennessee Valley Authority, 82/05/14 Office of Management and Program Analysis 1p 13301 159 24X Fiche: 50-327, 82/05/14, 8206010227

--8206010229 Monthly operating repts for Apr 1982
HAGON, C C Tennessee Valley Authority 82/05/14 24pp 13301, 160 24X Fiche 50-327, 82/05/14, 8206010227

8206070369 "Discharge Monitoring Rept, Feb 1982"
EL-ASHRY, M T Tennessee Valley Authority, 82/05/28, 50pp, 13372: 018, 24X Fiche 50-327, 82/05/28, 8206070369

S Reportable occurrences, LERs & related correspondence

8206010520 Forwards LER 82-037/03L-0
GREEN, H J Tennessee Valley Authority 82/04/15, O'REILLY, J. P. Region 2, Office of Director 1p 13314:318, 24X Fiche: 50-328, 82/04/15, 8206010520

--8206010332 LER 82-037/03L-0 on 820318, isolation valves 2FCV-81-21 & 23 in upper head injection sys closed on low level signal from accumulator tank level switches Caused by pressure drop to switch cell Valves reopened
ROGERS, H R , HARDING, M R Tennessee Valley Authority 82/04/15
Region 2, Office of Director 3pp 13314 319 24X
Fiche 50-328, 82/04/15, 8206010332

8206010600 Forwards LER 82-038/03L-0
GREEN, H J Tennessee Valley Authority 82/04/15 O'REILLY, J P
Region 2, Office of Director 1p 13313 311 24X
Fiche 50-328, 82/04/15, 8206010600

--8206010606 LER 82-038/03L-0 on 820318, auxiliary feedwater automatic control bypass valve, 2-LCV-3-171A, failed to open Caused by worn flapper nozzle on electro-pneumatic masonillon valve transducer, model 8005 Transducer replaced.
ROGERS, H R , HARDING, M R Tennessee Valley Authority 82/04/15
Region 2, Office of Director 1p 13313 312 24X
Fiche 50-328, 82/04/15, 8206010606

8206010124 Forwards LER 82-044/01T-0
GREEN, H J Tennessee Valley Authority 82/04/22 O'REILLY, J P
Region 2, Office of Director 1p 13300 030 24X
Fiche: 50-328, 82/04/22, 8206010124

--8206010130 LER 82-044/01T-0 on 820409, containment purge air exhaust radiation monitor declared inoperable due to inadequate sample points Caused by const drawing failure to indicate flows to & from radiation monitors Piping reworked
ROGERS, H R , HARDING, M R Tennessee Valley Authority 82/04/22
Region 2, Office of Director 3pp 13300 031 24X
Fiche: 50-328, 82/04/22, 8206010130

8206010390 Forwards LER 82-047/03L-0
GREEN, H J Tennessee Valley Authority 82/04/23 O'REILLY, J P
Region 2, Office of Director 1p 13311 328 24X
Fiche 50-328, 82/04/23, 8206010390

8206010435 Forwards LER 82-042/03L-0
GREEN, H J Tennessee Valley Authority 82/04/23 O'REILLY, J P
Region 2, Office of Director 1p 13314 294 24X
Fiche: 50-328, 82/04/23, 8206010435

--8206010439 LER 82-042/03L-0 on 820327, one automatic control valve 2-LCV-3-171 in auxiliary feedwater sys declared inoperable due to failure to open on command. Caused by failure of pneumatic relay Relay replaced
ROGERS, H R , HARDING, M R Tennessee Valley Authority 82/04/23
Region 2, Office of Director 1p 13314 293 24X
Fiche: 50-328, 82/04/23, 8206010435

8206010522 Forwards LER 82-045/03L-0
GREEN, H J Tennessee Valley Authority 82/04/23 O'REILLY, J P
Region 2, Office of Director 1p 13314-316 24X
Fiche: 50-328, 82/04/23, 8206010522

--8206010526 LER 82-045/03L-0 on 820327, power operated relief block valve 2-FCV-68-333 declared inoperable when valve would not close completely. Cause not stated. On 820407, valve stroked & worked properly Torque switch setting increased.
RODINE, W D , HARDING, M R Tennessee Valley Authority 82/04/23
Region 2, Office of Director 1p 13314 317 24X
Fiche 50-328, 82/04/23, 8206010522

8206010413 Forwards LER 82-049/03L-0
GREEN, H J Tennessee Valley Authority 82/04/28 O'REILLY, J P
Region 2, Office of Director 1p 13313 249 24X
Fiche 50-328, 82/04/28, 8206010413

--8206010420 LER 82-049/03L-0 on 820330, w/unit in mode 1 at 30% reactor power, one upper containment airlock door found jammed closed. Caused by failure of CAM roller bearing in operating mechanism Bearing replaced & door satisfactorily tested.
KIRK, O B , HARDING, M R Tennessee Valley Authority 82/04/28
Region 2, Office of Director 1p 13313 270 24X
Fiche: 50-328, 82/04/28, 8206010413

8206010514 Forwards updated LER 82-002/03X-1
GREEN, H J Tennessee Valley Authority 82/05/05 O'REILLY, J P
Region 2, Office of Director 1p 13314 078 24X
Fiche: 50-328, 82/05/05, 8206010514

--8206010525 Updated LER 82-002/03X-1 on 820112, turbine driven auxiliary feedwater pump declared inoperable due to failure to start on safety injection actuation Caused by failure to reset electronic overspeed trip latch function to pump stop valve
ROGERS, H R , HARDING, M R Tennessee Valley Authority 82/05/05
Region 2, Office of Director 2pp 13314 079 24X
Fiche: 50-328, 82/05/05, 8206010514

8206010540 Fourth revised final deficiency rept re spent fuel pool gates, initially reported 800501 GA aspects of gate seismic integrity to be verified through evaluation of insp & repair records, certificates of compliance or testing
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 3pp 13315 341 24X
Fiche: 50-327, 82/05/18, 8206010540

8206070440 Forwards LER 82-052/03L-0
GREEN, H J Tennessee Valley Authority 82/05/25 O'REILLY, J P
Region 2, Office of Director 1p 13374 242 24X
Fiche 50-328, 82/05/25, 8206070440

--8206070449 LER 82-052/03L-0 on 820426, during full power, ice condenser intermediate deck doors beneath air handling unit 9B discovered frozen closed Caused by improper installation of unit drain pan Ice removed from doors & drain pan
KIRK, O B , HARDING, M R Tennessee Valley Authority 82/05/25
Region 2, Office of Director 2pp 13374 243 24X
Fiche 50-328, 82/05/25, 8206070440

8206070169 Forwards LER 82-058/03L-0
GREEN, H J Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13371 149 24X
Fiche 50-328, 82/05/28, 8206070169

--8206070178 LER 82-058/03L-0 on 820429, after routine maint, diesel generator 2A-A tripped on both crankcase overpressure switches before reaching 900 RPM Caused by improper latching of reset button Switch assembly relatched
RODINE, W D , HARDING, M R Tennessee Valley Authority 82/05/28
Region 2, Office of Director 2pp 13371 150 24X
Fiche 50-328, 82/05/28, 8206070169

8206110196 Forwards LER 82-057/03L-0
GREEN, H J Tennessee Valley Authority 82/06/04 O'REILLY, J P
Region 2, Office of Director 1p 13466 330 24X
Fiche 50-328, 82/06/04, 8206110196

--8206110203 LER 82-057/03L-0 on 820507, at 100% power, one steam generator narrow range level indicator, 2-LI-3-107, declared inoperable due to loss of power to instrumentation loop Caused by improperly installed fuse in relay rack Fuse reinstalled
ROGERS, H R , HARDING, M R Tennessee Valley Authority 82/06/04
Region 2, Office of Director 1p 13466 331 24X
Fiche: 50-328, 82/06/04, 8206110196

8206110214 Forwards LER 82-060/03L-0
GREEN, H J Tennessee Valley Authority 82/06/04 O'REILLY, J P
Region 2, Office of Director 1p 13459 002 24X
Fiche 50-328, 82/06/04, 8206110214

--8206110215 LER 82-060/03L-0 on 820506, at 30% power, one lower containment airlock door would not close. Caused by broken follower bearing Bearing replaced & door secured properly Bearing failure probably due to heavy use during const
KIRK, O B , HARDING, M R Tennessee Valley Authority 82/06/04
Region 2, Office of Director 1p 13459 003 24X
Fiche 50-328, 82/06/04, 8206110214

8206150022 Notification of 820515 noncompliance w/effluent limitations re diffuser gate discharge to TN River Cause unknown. Increase in release vol from Chickamauga Dam initiated to increase riverflow past plant to increase mixing ratio.
EL-ASHRY, M T Tennessee Valley Authority 82/06/10 MARLAR, J
Environmental Protection Agency 7pp 13501 088 24X
Fiche: 50-327, 82/06/10, 8206150022

8206210329 Forwards LER 82-062/03L-0
GREEN, H J Tennessee Valley Authority 82/06/11 O'REILLY, J P
Region 2, Office of Director 1p 13559 162 24X
Fiche: 50-328, 82/06/11, 8206210329

--8206210334 LER 82-062/03L-0 on 820514, several snubbers found inoperable Caused by improper handling during installation & adjustment & by excessive pipe vibration. Support redesigned & snubbers replaced.
CARVER, A M , HARDING, M R Tennessee Valley Authority 82/06/11
Region 2, Office of Director 1p 13559 163 24X
Fiche 50-328, 82/06/11, 8206210329

8206210410 Forwards LER 82-061/03L-0
GREEN, H J Tennessee Valley Authority 82/06/11 O'REILLY, J P
Region 2, Office of Director 1p 13568 334 24X
Fiche: 50-328, 82/06/11, 8206210410

--8206210417 LER 82-061/03L-0 on 820514, pneumatic jumper found installed on damper 2-FCO-30-271 such that controlling solenoid was bypassed Caused by personnel not checking to ensure that pneumatic jump had been removed following repair on 820318.
CARVER, A M , HARDING, M R Tennessee Valley Authority 82/06/11
Region 2, Office of Director 2pp 13568 335 24X
Fiche: 50-328, 82/06/11, 8206210410

8206240140 Forwards LER 82-064/03L-0

GREEN, H J Tennessee Valley Authority 82/06/15 O'REILLY, J P
Region 2, Office of Director 1p 13600 065 24X
Fiche 50-328, 82/06/15, 8206240140

--8206240144 LER 82-064/03L-0 on 820523, lower containment airlock door
failed air leak rate test caused by air leakage through door
handwheel shaft packing Packing tightened & door retested
Design change request submitted
HARDING, M R, KIRK, O B Tennessee Valley Authority 82/06/15
Region 2, Office of Director 1p 13600 066 24X
Fiche 50-328, 82/06/15, 8206240140

8206220234 Final deficiency rept re potential for inadvertent boron
dilution event at cold or hot shutdown conditions while on
RHR sys, initially reported on 800710 Westinghouse preventive
operating procedures acceptable
MILLS, L M Tennessee Valley Authority 82/06/16 O'REILLY, J P
Region 2, Office of Director 2p 13571 282 24X
Fiche 50-328, 82/06/16, 8206220234

8206220420 Forwards LER 82-063/03L-0

GREEN, H J Tennessee Valley Authority 82/06/16 O'REILLY, J P
Region 2, Office of Director 1p 13578 045 24X
Fiche 50-328, 82/06/16, 8206220420

--8206220432 LER 82-063/03L-0 on 820518, during surveillance instruction
106, several ice bed flow passages found blocked w/excessive
frost & ice in bay 8 of ice condenser Caused by blockage of
air handling unit 9A by sandblasting pellets
CARVER, A M, HARDING, M R Tennessee Valley Authority 82/06/16
Region 2, Office of Director, 1p, 13578 046 24X
Fiche 50-328, 82/06/16, 8206220420

X Onsite Storage of Low Level Waste

8206100401 Notification of contract execution, Mod 3 to "Environ
Assessment for Low Level Waste Storage at TVA Bequoyah
Nuclear Plant " Contractor Science Applications, Inc
HAIRSTON, C, FLEENOR, C Technical Assistance Contracts Branch,
NRC-02-81-053 82/05/20 DAVIS, J, LOYSEN, P Office of Nuclear
Material Safety & Safeguards, Director 1p 13458 299, 24X
Fiche 50-327, 82/05/20, 8206100401

--8206100404 Mod 3, extending period of performance to 820930, to "Environ
Assessment for Low Level Waste Storage at TVA Bequoyah
Nuclear Plant "
FINDLEY, D E, Science Applications, Inc HAGAN, T F Division of
Contracts NRC-02-81-053 82/05/20 1p 13458 300 24X
Fiche 50-327, 82/05/20, 8206100401

DOCKET 50-329 MIDLAND PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206230338 Advises that Revision 12 of CPC-1A, "QA Manual for Midland
Nuclear Plant, Vol 1," submitted on 820426, meets criteria of
App B to 10CFR50 w/one exception. Revision acceptable w/
incorporation of stated change
HAABBS, M P Quality Assurance Branch, 82/05/19 COOK, J W
Consumers Power Co, 2pp, 13594:337 24X Fiche 50-329, 82/05/19,
8206230338

8206020271 Forwards Amend 3 to CPPR-81 & CPPR-82 & notice of issuance &
availability Amend issued pursuant to ABLB 820430
memorandum & order & outlines steps to be taken re soils-
related activities
ADENBAH, E G, Licensing Branch 4 82/05/26 COOK, J W Consumers
Power Co 2pp, 13342, 242 24X Fiche 50-329, 82/05/26, 8206020271

--8206020274 Amend 3 to CPPR-81 & CPPR-82, imposing certain interim
conditions pending issuance of partial initial decision
pursuant to ABLB 820430 memorandum & order
EISENHUT, D G Division of Licensing 82/05/26, 8pp, 13342:244,
24X Fiche 50-329, 82/05/26, 8206020271

--8206020276 Notice of issuance & availability of Amend 3 to CPPR-81 &
CPPR-82,
ADENBAH, E Licensing Branch 4, 82/05/26 3pp 13342, 252 24X
Fiche 50-329, 82/05/26, 8206020271

8206080226 Advises that response to NRC 820523 request for addl info re
soils remedial activities will be submitted by 820615
COOK, J W Consumers Power Co, 82/06/01 DENTON, H R Office of
Nuclear Reactor Regulation, Director, 2pp, 13421:347, 24X
Fiche 50-329, 82/06/01, 8206080226

8206080340 Forwards response to NRC request for settlement-related
analyses for diesel generator bldg, "Structural Stresses
Induced by Differential Settlement of Diesel Generator
Bldg "
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13417 155 24X
Fiche 50-329, 82/06/01, 8206080340

--8206080344 "Structural Stresses Induced by Differential Settlement of
Diesel Generator Bldg "
* Consumers Power Co, 82/06/01 71pp 13417 158, 24X
Fiche 50-329, 82/06/01, 8206080340

8206090010 Forwards analysis re diesel generator bldg settlement,
evaluation of data to support conclusion that structure
is settling as rigid body & analysis of bldg using zero
springs &/or reduced springs
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13435 035 24X
Fiche 50-329, 82/06/01, 8206090010

--8206090013 "Technical Rept, Structural Stresses Induced by Differential
Settlement of Diesel Generator Bldg "
* Consumers Power Co 82/06/01, 32pp 13435 038 24X
Fiche 50-329, 82/06/01, 8206090010

--8206090015 Attachment 1-1 to "Technical Rept, Structural Stresses
Induced by Differential Settlement of Diesel Generator
Bldg "
* Consumers Power Co 82/06/01 27pp 13435 074 24X
Fiche 50-329, 82/06/01, 8206090010

--8206090018 Attachment 1-2 to, "Technical Rept, Structural Stresses
Induced by Differential Settlement of Diesel Generator
Bldg "
* Consumers Power Co 82/06/01 7pp 13435, 102 24X
Fiche 50-329, 82/06/01, 8206090010

8206100259 Forwards "EPRI PWR Safety & Relief Valve Test Program, Power
Operated Relief Valve Block Valve Info Package," in response
to NUREG-0737, Item II, D 1 D, as discussed at 810717 meeting
w/NRC
YOUNGDAHL, R C Consumers Power Co 82/06/01 DENTON, H, Office of
Nuclear Reactor Regulation, Director 2pp, 13452, 192, 24X
Fiche 50-000, 82/06/01, 8206100259.

--8206100261 "EPRI PWR Safety & Relief Valve Test Program, Power Operated
Relief Valve Block Valve Info Package "
* Electric Power Research Institute, 82/05/31 13pp, 13452:194,
24X Fiche 50-000, 82/06/01, 8206100259

--8206100265 "EPRI/Marshall Electric Motor Operated Valve (Block Valve),
Interim Test Data Rept "
KUCHARSKI, S. D., HOUSE, R K, CORDES, G A Intermountain
Technologies, Inc 82/05/31 166pp 13452 209, 24X
Fiche 50-000, 82/06/01, 8206100259.

--8206100268 "EPRI Summary Rept Westinghouse Gate Valve Closure Testing
Program," Revision 1
DRAKE, J. A., LERI, M. A., COLLIER, D R Westinghouse Electric Corp
EN 9683 R01, 82/03/31, 8pp, 13453, 013, 24X
Fiche 50-000, 82/06/01, 8206100259

8206280483 Forwards addl info re soils remedial action at facilities,
including verification test for permanent dewatering sys
recharge time & underpinning of auxiliary bldg w/five
oversize drawings Aperture cards are available in PDR
COOK, J W Consumers Power Co 82/06/07 DENTON, H R Office of
Nuclear Reactor Regulation, Director 54pp, 13626, 160, 24X
Fiche 50-329, 82/06/07, 8206280483

8206220627 Forwards until 820518 ltr to Bechtel transmitting quality
plan for underpinning activities, relevant to Amend 3 to CPs.
HOOD, D, Licensing Branch 4 82/06/08 Licensing Branch 4, 4pp,
13591, 152 24X Fiche 50-329, 82/06/08, 8206220627

--8206220628 Quality plan for underpinning activities, Revision 2
* Consumers Power Co, MPQP-1 R02 82/05/18 16pp, 13591, 156
24X Fiche 50-329, 82/06/08, 8206220627

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restat of RE Ginna Rept documents findings re cause of
event W/o encl.
EISENHUT, D G Division of Licensing, 82/06/09 HAUSEPUD, A
Consolidated Edison Co. of New York 13pp 13557, 349 24X
Fiche 50-000, 82/06/09, 8206090153.

8206240002 Notification of 820615 meeting w/util in Bethesda, MD to discuss elements of staff review schedule being developed for soils remedial activities.
HOOD, D S Licensing Branch 4 82/06/09 ADENSA, E O Licensing Branch 4 2pp 13607 332 24X Fiche 50-329, 82/06/09, 8206240002

8206240044 Notification of 820611 meeting w/util in Bethesda, MD to clarify Encl B from NRC 820525 ltr re soils remedial work
HOOD, D S Licensing Branch 4 82/06/09 ADENSA, E O Licensing Branch 4 9pp. 13617 297 24X Fiche 50-329, 82/06/09, 8206240044

8206210001 Notification of 820616 meeting w/util in Bethesda, MD to discuss addl info needed for equipment environ qualification audit
HERNAN, R W Licensing Branch 4 82/06/11 ADENSA, E O Licensing Branch 4 2pp. 13583 003 24X Fiche 50-329, 82/06/11, 8206210001

8206210118 Forwards suppl to 820611 response to Enclosure B of NRC 820525 request for addl info to complete review of soils remedial work.
COOK, J W Consumers Power Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 67pp 13559 253 24X Fiche 50-329, 82/06/14, 8206210118

8206210590 Forwards "Observed Cracks in Walls of Midland Plant Structures," in response to 820525 request for addl info sufficiently conservative acceptance criteria for crack monitoring program established
DEWITT, R B Consumers Power Co 82/06/14 DENTON, H R Division of Licensing 4pp 13563 357 24X Fiche 50-329, 82/06/14, 8206210590

--8206210598 "Observed Cracks in Walls of Midland Plant Structures," CORLEY, W O, FIORATO, A E Construction Technology Laboratories 82/06/14 27pp 13563 361 24X Fiche 50-329, 82/06/14, 8206210590

8206180084 Forwards revised auxiliary feedwater three-pump reliability analysis Proposed sys meets BRP reliability criterion
COOK, J W Consumers Power Co 82/06/16 DENTON, H R Division of Licensing 4pp. 13553 008 24X Fiche 50-329, 82/06/16, 8206180084

--8206180088 "Midland Plant Auxiliary Feedwater Sys Reliability Analysis," Revision 1
* Pickard Lowe & Garrick, Inc PL0-D147 82/06/10 49p 13553 012 24X Fiche 50-329, 82/06/16, 8206180084

8206220537 Forwards Revision 12 to CPC-1-A, "QA Program Manual for Midland Nuclear Plant, Vol 1"
COOK, J W Consumers Power Co 82/06/17 DENTON, H R Division of Licensing 1p 13580 122 24X Fiche 50-329, 82/06/17, 8206220537

--8206220553 Revision 12 to "QA Program Manual for Midland Nuclear Plant, Vol 1"
COOK, J W, HEINS, O L, DEWITT, R B Consumers Power Co CPC-1-A Vol 1 R12 82/04/02 114pp. 13580 123 24X Fiche 50-329, 82/06/17, 8206220537.

8206220193 Confirms telcon scheduling 820621 meeting w/util in Jackson, MI to discuss util response to systematic assessment of license performance held 820426
KEPPLER, J O Region 3, Office of Director 82/06/18 COOK, J W Consumers Power Co 1p. 13613 263 24X Fiche: 50-329, 82/06/18, 8206220193.

8206220246 Forwards supplemental info on feedwater isolation valve pits. Two oversize drawings encl Aperture cards are available in PDR.
COOK, J W Consumers Power Co 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director. 6pp 13613 001. 24X Fiche 50-329, 82/06/18, 8206220246

8206240142 Requests list of specific new B&W steam generator auxiliary feedwater header design details required for NRC design review of new scheme to supply auxiliary feedwater to steam generators
WELLS, R A Consumers Power Co. 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director. 2pp. 13600 061 24X Fiche 50-329, 82/06/21, 8206240142

8206220566 Summary of 820615 meeting w/util in Bethesda, MD re status of schedule development for review of soils remedial actions. Ltr of clarification re FIVP proof load test will be issued in future.
HOOD, D Licensing Branch 4 82/06/23 Licensing Branch 4 6pp 13659 077 24X Fiche: 50-329, 82/06/23, 8206220566

D NRC Draft/Final Environmental Statements, suppl & correspondence

8206080285 Forwards errata sheet containing minor corrections to responses re DES Only substantive change relates to authorized rate of return for electric operations All other corrections involve typographic errors W/O encl
WELLS, R A Consumers Power Co 82/06/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13419 309 24X Fiche 50-329, 82/06/03, 8206080285

8206080247 Forwards Certificate of Gvc for 820521 errata sheet for response to DES comments
WELLS, R A Consumers Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13420 157 24X Fiche 50-329, 82/06/04, 8206080247

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206080256 Forwards marked-up SER pages re site emergency plan & technical memo "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," in response to open issues discussed at 820524 meeting w/NRC
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Division of Licensing 12pp 13420 172 24X Fiche 50-329, 82/06/01, 8206080256

--8206080260 "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," technical memo
WANG, H Dames & Moore 82/04/14 30pp 13420 184 24X Fiche 50-329, 82/06/01, 8206080256

8206150312 Forwards confirmatory info for SER, NUREG-0793, re post-accident access to decay heat removal manual valves per request Water headers have flow alarms to indicate water discharge
COOK, J W Consumers Power Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13506 133 24X Fiche 50-329, 82/06/07, 8206150312

8206140402 Forwards request for addl info on SER open items re masonry walls & ultimate containment capacity Response due within 7 days of receipt of ltr
TEDESCO, R L Assistant Director for Licensing 82/06/08 COOK, J W Consumers Power Co 4pp 13510 060 24X Fiche 50-329, 82/06/08, 8206140402

8206240006 Notification of 820611 meeting w/util & Bechtel in Bethesda, MD to resolve SER Open Item 3 on tornado missile protection
HERNAN, R Licensing Branch 4 82/06/09 ADENSA, E O Licensing Branch 4 2pp 13607 349 24X Fiche 50-329, 82/06/09, 8206240006

8206220491 Forwards supplemental SER input re compliance w/NUREG-0654 concerning emergency operations facilities, per 820601 commitment Info will be incorporated into next emergency plan revision
DEWITT, R B Consumers Power Co 82/06/15 DENTON, H R Division of Licensing 6pp 13581 138 24X Fiche 50-329, 82/06/15, 8206220491

F Security, medical, emergency & fire protection plans

8206080094 Notification of 820601 meeting w/util in Silver Spring, MD to discuss security plan
HOOD, D S Licensing Branch 4 82/05/28 ADENSA, E O Licensing Branch 4 1p 13441 178 24X Fiche 50-329, 82/05/28, 8206080094

8206080128 Forwards review comments for Revision 4 of security plan & Revision 1 of safeguards contingency plan. Requests response within 30 days of receipt of ltr Encl withheld
(ref 10CFR73 21)
ADENSA, E O Licensing Branch 4 82/06/01 COOK, J W Consumers Power Co. 2pp. 13441.201 24X Fiche 50-329, 82/06/01, 8206080128

8206080256 Forwards marked-up SER pages re site emergency plan & technical memo "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," in response to open issues discussed at 820524 meeting w/NRC
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Division of Licensing 12pp. 13420 172. 24X Fiche 50-329, 82/06/01, 8206080256

--8206080260 "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," technical memo
WANG, H Dames & Moore 82/04/14 30pp 13420 184 24X Fiche 50-329, 82/06/01, 8206080256

8206210611 Forwards info re prompt public notification sys, including description of public warning sys, ambient sound surveys, alternative warning sys & preliminary site selection Three oversize drawings encl Aperture cards are in PDR
DEWITT, R B Consumers Power Co. 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director. 87pp. 13560:344 24X Fiche 50-329, 82/06/15, 8206210611.

8206220491 Forwards supplemental SER input re compliance w/NUREG-0654 concerning emergency operations facilities, per 820601 commitment info will be incorporated into next emergency plan revision
DEWITT, R B Consumers Power Co 82/06/15 DENTON, H R Division of Licensing 6pp 13581 138 24X Fiche 50-329, 82/06/15, 8206220491

8206250394 Notification of 820428-30 meetings w/util & Bechtel in Bethesda, MD to discuss fire protection & safe shutdown
HERNAN, R W Licensing Branch 4 82/06/22 ADENAM, E O Licensing Branch 4 2pp 13630 095 24X Fiche 50-329, 82/06/22, 8206250394

8206290596 Summary of 820601 meeting w/util in Bethesda, MD re elements of physical security plan comments withheld per 10CFR73.21 Response to comments & corresponding revisions to plan will be forwarded by 820630 & 0713, respectively
HOGG, D B Licensing Branch 4 82/06/23 Licensing Branch 4 4pp 13658 113 24X Fiche 50-329, 82/06/23, 8206290596

G Adjudicatory correspondence

8206070102 Order denying WH Marshall 820528 request for halt to const Requested relief not within ASLB authority
BECHHOEFER, C Atomic Safety and Licensing Board Panel 82/06/03 MARSHALL, W H Affiliation Unknown 2pp 13370 342 24X Fiche 50-329, 82/06/03, 8206070102

8206170344 Critique of SER, submitted for NRC & ASLB evaluation & action Related correspondence
MARSHALL, W H Affiliation Unknown 82/06/11 7pp 13531 037 24X Fiche 50-329, 82/06/11, 8206170344

8206180331 Requests extension of deadline to appeal ASLB 820430 memorandum & order re irreversible effect of Amend 3 Delay in submittal of appeal caused by pending hearing on soils remedial work
STAMIRIS, B Stamiris, B 82/06/14 KOHL, C N, BUCK, J H, MOORE, T S Atomic Safety and Licensing Board Panel 1P 13545 184 24X Fiche 50-329, 82/06/14, 8206180331

8206170109 Informs that time for Commission to act to review ALAD-674 expired Commission declined review Decision became final agency action on 820614
CHILK, S J Office of the Secretary of the Commission 82/06/15 Office of the Executive Legal Director 1p 13530 086 24X Fiche 50-329, 82/06/15, 8206170109

8206210568 First set of interrogatories Certificate of Svc encl.
STEPTOE, P P Consumers Power Co 82/06/16 Affiliation Unknown 44pp 13563 277 24X Fiche 50-329, 82/06/16, 8206210568.

8206210583 First set of interrogatories Certificate of Svc encl
STEPTOE, P P Consumers Power Co STEPTOE, P P Isham, Lincoln & Beale 82/06/16 MARSHALL, W H, Marshall, W H 41pp 13561 358 24X Fiche: 50-329, 82/06/16, 8206210583

8206230194 Notice of appearance in proceeding Certificate of Svc encl
WEST, A E Consumers Power Co WEST, A E Isham, Lincoln & Beale 82/06/18 3pp 13586 150 24X Fiche, 50-329, 82/06/18, 8206230194

8206240226 Discovery questions pursuant to ASLB 790226 special prehearing conference order Proof of svc encl. Related correspondence
SINCLAIR, M P Sinclair, M 82/06/18 Consumers Power Co. 19pp 13597, 324 24X Fiche 50-329, 82/06/18, 8206240226.

8206240243 New contentions for DL hearing Proof of svc encl.
SINCLAIR, M P Sinclair, M. 82/06/18, Atomic Safety and Licensing Board Panel 5pp 13597 287 24X Fiche 50-329, 82/06/18, 8206240243

8206240398 Contentions for DL hearing
STAMIRIS, B Stamiris, B 82/06/18 Atomic Safety and Licensing Board Panel 8pp 13603 100. 24X Fiche 50-329, 82/06/18, 8206240398

8206290331 Requests extension of time to complete response to util first set of interrogatories Extension needed due to poor health
MARSHALL, W H Marshall, W H MARSHALL, W H, Mapleton Intervenor 82/06/21 NRC - No Detailed Affiliation Given 1p 13632 327 24X Fiche 50-329, 82/06/21, 8206290331.

8206230196 Order treating B Stamiris 820607 & 14 ltrs as motion for leave to file untimely appeal Accompanying brief on merits lodged rather than filed pending decision on acceptance of brief Replies to motion due 820702
SHOEMAKER, C. J. Atomic Safety and Licensing Appeal Panel 82/06/22 Stamiris, B. 2pp 13586 148. 24X Fiche 50-329, 82/06/22, 8206230196

8206300250 Memorandum & order memorializing 820625 telcon B Stamiris & M Sinclair permitted to supply earlier filings of new contentions to incorporate good cause showing for ASLB to consider Addl info to be filed by 820709
BECHHOEFER, C Atomic Safety and Licensing Board Panel 82/06/28 4pp 13652 338 24X Fiche 50-329, 82/06/28, 8206300250

8206300040 Advises that previous testimony by Region 3 needs to be supplemented
PATON, W D Hearing Branch 2 82/06/29 BECHHOEFER, C, COWAN, F P, DECKER, R B Atomic Safety and Licensing Board Panel 1p 13656 017 24X Fiche 50-329, 82/06/29, 8206300040

H General correspondence

8206180094 Discusses quality of low level waste mgt techniques at nuclear power plants & potential hazards of radwaste storage
STEMPEK, D K Affiliation Unknown 82/04/04 HERNAN, R W Division of Licensing 4pp 13552 227 24X Fiche 50-329, 82/04/04, 8206180094

M Antitrust correspondence

8206030080 Concurs w/MI Public Power Agency views contained in 820510 ltr Resolution on matters raised in ltr should be resolved per Midland Agreement & antitrust principles
NEWBY, H N Wolverine Electric Cooperative 82/05/27 SKJEI, B S Antitrust & Economic analysis Branch (Utility Finance) 1p 13336 331 24X Fiche: 50-329, 82/05/27, 8206030080

D Advisory Committee on Reactor Safeguards reports & correspondence

8206140166 Discusses ACRS interim rept re CP application. Addl QA info requested Recommendation re full-power operation deferred pending review of audit plan
SHEWTON, P ACRS - Advisory Committee on Reactor Safeguards 82/06/08 PALLADINO, N J Commissioners 6pp 13483 356 24X Fiche 50-329, 82/06/08, 8206140166

8206220039 Forwards ACRS 820608 ltr re ACRS interim rept on facilities NRC plans to issue supplemental SER on 820630 to address ACRS recommendations Response re any changes in util position or other decisions requested by 820610
TDEBSCO, R L Assistant Director for Licensing 82/06/11. COOK, J W Consumers Power Co 4pp 13585 209 24X Fiche: 50-329, 82/06/11, 8206220039.

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/05/28 107pp 13426, 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche: 50-000, 82/05/28, 8204210378

8206080109 Forwards status of areas to be addressed in IE Bulletin 79-02 re anchor bolts Next rept will be provided by 830130
COOK, J W Consumers Power Co 82/06/01 KEPLER, J G Region 3, Office of Director 4pp 13423 089 24X Fiche, 50-329, 82/06/01, 8206080109

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 130 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11. 106pp 13675 298 24X Fiche 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/06/11 120pp, 13675 189 24X Fiche, 50-000, 82/06/11, 8204210384

R. Periodic operating reports & related correspondence

8206070108 0A program mgt corrective action repts, noncompliance repts, quality action requests & audit finding repts.
* Consumers Power Co 82/04/14 500pp 13363 341 24X
Fiche: 50-329, 82/04/14, 8206070108

S Reportable occurrences, LERs & related correspondence

8206070379 Interim deficiency rept re design of internal auxiliary feedwater header in B&W steam generator. Probable cause of deformation is header inability to withstand temp & pressure. External ring to be added. Next rept due 820730.
COOK, J W Consumers Power Co 82/05/26 KEPLER, J O Region 3, Office of Director 5pp 13372 003 24X Fiche: 50-329, 82/05/26, 8206070379

8206080159 Interim deficiency rept re auxiliary feedwater level control valve power supplies. FSAR review completion to assure all commitments met for feeding sys from preferred power supplies anticipated by May 1982. Next rept due by 820702.
COOK, J W Consumers Power Co 82/06/01 KEPLER, J O Region 3, Office of Director 2pp 13423 292 24X Fiche: 50-329, 82/06/01, 8206080159

8206080238 Interim Deficiency Rept 3 re nonconformance of electrical components associated w/MSIV actuators, logic cabinets & control panel inserts. Tech Spec 7220-M-238 for upgrading components issued to Gulf & Western. Next rept by 820730.
COOK, J W, BALLWEG, T O, CURTIS, L H Consumers Power Co 82/06/01 KEPLER, J O Region 3, Office of Director 3pp 13422 016 24X Fiche: 50-329, 82/06/01, 8206080238

8206100284 Interim Part 21 Rept 7 re underrated terminal strips on Limitorque Valve operators. Environ qualification test & repts expected by latter part of May 1982. Next rept expected 820806.
COOK, J W Consumers Power Co 82/06/04 KEPLER, J O Region 3, Office of Director 7pp 13458 160 24X Fiche: 50-329, 82/06/04, 8206100284

8206170304 Final deficiency rept re rodent damage to electrical penetrations, initially reported on 821203. Rodent control initiated, including removal of nesting & debris, add'l baiting & re-entry prevention.
COOK, J W Consumers Power Co 82/06/09 KEPLER, J O Region 3, Office of Director 6pp 13531:234 24X Fiche: 50-329, 82/06/09, 8206170304

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715.
HILL, S L Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653:328 24X Fiche: 50-000, 82/06/23, 8206300192

T Hearing transcripts on non-antitrust matters

8206040021 Transcript of ACRS Subcommittee on Midland Plant Units 1 & 2 820602 meeting in Washington, DC. Pp 1-170.
* ACRS - Advisory Committee on Reactor Safeguards 82/06/02, 172pp, 13348 001, 24X Fiche: 50-329, 82/06/02, 8206040021

DOCKET 50-330 MIDLAND PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206230338 Advises that Revision 12 of CPC-1A, "QA Manual for Midland Nuclear Plant, Vol 1," submitted on 820426, meets criteria of App B to 10CFR50 w/one exception. Revision acceptable w/ incorporation of stated changes.
HAASB, W F Quality Assurance Branch 82/05/19 COOK, J W Consumers Power Co 2pp 13594 337 24X Fiche: 50-329, 82/05/19, 8206230338

8206020271 Forwards Amend 3 to CPPR-81 & CPPR-82 & notice of issuance & availability. Amend issued pursuant to ASLB 820430 memorandum & order & outlines steps to be taken re soils-related activities.
ADENSAH, E O Licensing Branch 4, 82/05/26 COOK, J W Consumers Power Co 2pp 13342 242, 24X Fiche: 50-329, 82/05/26, 8206020271

--8206020274 Amend 3 to CPPR-81 & CPPR-82, imposing certain interim conditions pending issuance of partial initial decision pursuant to ASLB 820430 memorandum & order.
EISENHUT, D O Division of Licensing 82/05/26 8pp 13342 244 24X Fiche: 50-329, 82/05/26, 8206020274

--8206020276 Notice of issuance & availability of Amend 3 to CPPR-81 & CPPR-82
ADENSAH, E Licensing Branch 4 82/05/26 3pp 13342 252 24X Fiche: 50-329, 82/05/26, 8206020271

8206080226 Advises that response to NRC 820525 request for add'l info re soils remedial activities will be submitted by 820615.
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13421 347 24X Fiche: 50-329, 82/06/01, 8206080226

8206080340 Forwards response to NRC request for settlement-related analyses for diesel generator bldg, "Structural Stresses Induced by Differential Settlement of Diesel Generator Bldg."
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13417 155 24X Fiche: 50-329, 82/06/01, 8206080340

--8206080344 "Structural Stresses Induced by Differential Settlement of Diesel Generator Bldg."
* Consumers Power Co 82/06/01 71pp 13417 158 24X Fiche: 50-329, 82/06/01, 8206080340

8206090010 Forwards analysis re diesel generator bldg settlement, evaluation of data to support conclusion that structure is settling as rigid body & analysis of bldg using zero springs &/or reduced springs.
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13435:035 24X Fiche: 50-329, 82/06/01, 8206090010

--8206090013 "Technical Rept, Structural Stresses Induced by Differential Settlement of Diesel Generator Bldg."
* Consumers Power Co 82/06/01 32pp 13435 038 24X Fiche: 50-329, 82/06/01, 8206090010

--8206090015 Attachment I-1 to "Technical Rept, Structural Stresses Induced by Differential Settlement of Diesel Generator Bldg."
* Consumers Power Co 82/06/01 27pp 13435 074 24X Fiche: 50-329, 82/06/01, 8206090010

--8206090018 Attachment I-2 to "Technical Rept, Structural Stresses Induced by Differential Settlement of Diesel Generator Bldg."
* Consumers Power Co 82/06/01 7pp 13435 102 24X Fiche: 50-329, 82/06/01, 8206090010

8206100259 Forwards "EPRI PWR Safety & Relief Valve Test Program, Power Operated Relief Valve Block Valve Info Package," in response to NUREG-0737, Item II D 1. B as discussed at 810717 meeting w/NRC.
YOUNGBAHL, R C Consumers Power Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13458:192 24X Fiche: 50-000, 82/06/01, 8206100259

--8206100261 "EPRI PWR Safety & Relief Valve Test Program, Power Operated Relief Valve Block Valve Info Package."
* Electric Power Research Institute 82/05/31 13pp 13452:194 24X Fiche: 50-000, 82/06/01, 8206100259

--8206100265 "EPRI/Marshall Electric Motor Operated Valve (Block Valve), Interim Test Data Rept."
KUCHARSKI, S D, HOUSE, R K, CORDEB, O A Intermountain Technologies, Inc 82/05/31 166pp, 13452 209, 24X Fiche: 50-000, 82/06/01, 8206100259

--8206100268 "EPRI Summary Rept Westinghouse Gate Valve Closure Testing Program," Revision 1.
DRAKE, J A, LERI, M A, COLLIER, D R Westinghouse Electric Corp. EM 5683 R01 82/03/31 84pp, 13453:013 24X Fiche: 50-000, 82/06/01, 8206100259

8206280483 Forwards add'l info re soils remedial action at facilities, including verification test for permanent dewatering sys recharge time & underpinning of auxiliary bldg w/five oversize drawings. Aperture cards are available in PDR.
COOK, J W Consumers Power Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 54pp, 13626:160, 24X Fiche: 50-329, 82/06/07, 8206280483

8206220627 Forwards until 820518 ltr to Bechtel transmitting quality plan for underpinning activities, relevant to Amend 3 to CPs.
HODD, D Licensing Branch 4 82/06/08 Licensing Branch 4 4pp 13591:152 24X Fiche: 50-329, 82/06/08, 8206220627

--8206220628 Quality plan for underpinning activities, Revision 2.
* Consumers Power Co. MPQP-1 R02 82/05/18 16pp 13591:156 24X Fiche: 50-329, 82/06/08, 8206220627

8206070153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206070153

8206240002 Notification of 820615 meeting w/util in Bethesda, MD to discuss elements of staff review schedule being developed for soils remedial activities
HOOD, D B Licensing Branch 4 82/06/09 ADENBAM, E O Licensing Branch 4 2pp 13607 332 24X Fiche 50-329, 82/06/09, 8206240002

8206240044 Notification of 820611 meeting w/util in Bethesda, MD to clarify Encl B from NRC 820525 ltr re soils remedial work
HOOD, D B Licensing Branch 4 82/06/09 ADENBAM, E O Licensing Branch 4 3pp 13617 297 24X Fiche 50-329, 82/06/09, 8206240044

8206210001 Notification of 820616 meeting w/util in Bethesda, MD to discuss addl info needed for equipment environ qualification audit
HERMAN, R W Licensing Branch 4 82/06/11 ADENBAM, E O Licensing Branch 4 2pp 13583 005 24X Fiche 50-329, 82/06/11, 8206210001

8206210118 Forwards suppl to 820611 response to Enclosure B of NRC 820525 request for addl info to complete review of soils remedial work
COOK, J W Consumers Power Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 67pp 13559 253 24X Fiche 50-329, 82/06/14, 8206210118

8206210590 Forwards "Observed Cracks in Walls of Midland Plant Structures," in response to 820525 request for addl info. Sufficiently conservative acceptance criteria for crack monitoring program established
DEWITT, R B Consumers Power Co 82/06/14 DENTON, H R Division of Licensing 4pp 13563 357 24X Fiche 50-329, 82/06/14, 8206210590

--8206210598 "Observed Cracks in Walls of Midland Plant Structures" CORLEY, W O, FIORATO, A E Construction Technology Laboratories, 82/06/14 27pp 13563 361 24X Fiche 50-329, 82/06/14, 8206210590

8206180084 Forwards revised auxiliary feedwater three-pump reliability analysis. Proposed sys meets SRP reliability criterion
COOK, J W Consumers Power Co 82/06/16 DENTON, H R Division of Licensing 4pp 13553 008 24X Fiche 50-329, 82/06/16, 8206180084

--8206180088 "Midland Plant Auxiliary Feedwater Sys Reliability Analysis," Revision 1
* Pickard Lowe & Garrick, Inc. PLO-0147, 82/06/10 49p 13553 012 24X Fiche 50-329, 82/06/16, 8206180084

8206220537 Forwards Revision 12 to CPC-1-A, "QA Program Manual for Midland Nuclear Plant, Vol I"
COOK, J W Consumers Power Co, 82/06/17 DENTON, H R Division of Licensing 1p 13580 122 24X Fiche 50-329, 82/06/17, 8206220537

--8206220553 Revision 12 to "QA Program Manual for Midland Nuclear Plant, Vol I"
COOK, J W, HEINB, G L, DEWITT, R B Consumers Power Co, CPC-1-A Vol I R12, 82/04/02 114pp, 13580, 123, 24X Fiche 50-329, 82/06/17, 8206220537

8206250193 Confirms telcon scheduling 820621 meeting w/util in Jackson, MI to discuss util response to systematic assessment of license performance held 820426
KEPPLER, J O Region 3, Office of Director, 82/06/18 COOK, J W Consumers Power Co, 1p 13613 263, 24X Fiche 50-329, 82/06/18, 8206250193

8206250246 Forwards supplemental info on feedwater isolation valve gits Two oversize drawings encl. Aperture cards are available in PDR.
COOK, J W Consumers Power Co 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director 6pp 13613, 001 24X Fiche 50-329, 82/06/18, 8206250246

8206240142 Requests list of specific new B&W steam generator auxiliary feedwater header design details required for NRC design review of new scheme to supply auxiliary feedwater to steam generators.
WELLS, R A Consumers Power Co 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13600, 061, 24X Fiche 50-329, 82/06/21, 8206240142

8206290566 Summary of 820615 meeting w/util in Bethesda, MD re status of schedule development for review of soils remedial actions. Ltr of clarification re FIUP proof load test will be issued in future.
HOOD, D B Licensing Branch 4 82/06/23 Licensing Branch 4 6pp, 13639, 077 24X Fiche 50-329, 82/06/23, 8206290566

B NRC Draft/Final Environmental Statements, suppl & correspondence

8206080285 Forwards errata sheet containing minor corrections to responses re DES Only substantive change relates to authorized rate of return for electric operations. All other corrections involve typographic errors W/o encl
WELLS, R A Consumers Power Co 82/06/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13419 309 24X Fiche 50-329, 82/06/03, 8206080285

8206080247 Forwards Certificate of Svc for 820521 errata sheet for response to DES comments
WELLS, R A Consumers Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13420 137 24X Fiche 50-329, 82/06/04, 8206080247

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206080236 Forwards marked-up SER pages re site emergency plan & technical memo "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," in response to open issues discussed at 820524 meeting w/NRC
COOK, J W Consumers Power Co, 82/06/01 DENTON, H R Division of Licensing 12pp 13420, 172 24X Fiche 50-329, 82/06/01, 8206080236

8206150312 Forwards confirmatory info for SER, NUREG-0793, re post-accident access to decay heat removal manual valves per request. Water headers have flow alarms to indicate water discharge
COOK, J W Consumers Power Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13506 133 24X Fiche 50-329, 82/06/07, 8206150312

8206140402 Forwards request for addl info on SER open items re masonry walls & ultimate containment capacity. Response due within 7 days of receipt of ltr
TEDESCO, R L Assistant Director for Licensing 82/06/08 COOK, J W Consumers Power Co 4pp 13510, 060 24X Fiche 50-329, 82/06/08, 8206140402

8206240006 Notification of 820611 meeting w/util & Bechtel in Bethesda, MD to resolve SER Open Item 3 on tornado missile protection
HERMAN, R Licensing Branch 4, 82/06/09, ADENBAM, E O Licensing Branch 4 2pp 13607 349 24X Fiche 50-329, 82/06/09, 8206240006

8206220491 Forwards supplemental SER input re compliance w/NUREG-0654 concerning emergency operations facilities, per 820601 commitment. Info will be incorporated into next emergency plan revision
DEWITT, R B Consumers Power Co 82/06/15 DENTON, H R Division of Licensing 6pp 13581 138 24X Fiche 50-329, 82/06/15, 8206220491

F Security, medical, emergency & fire protection plans

8206080094 Notification of 820601 meeting w/util in Silver Spring, MD to discuss security plan
HOOD, D B, Licensing Branch 4, 82/05/28 ADENBAM, E O Licensing Branch 4 1p 13441 178, 24X Fiche 50-329, 82/05/28, 8206080094

8206080128 Forwards review comments for Revision 4 of security plan & Revision 1 of safeguards contingency plan. Requests response within 30 days of receipt of ltr Encl withheld (ref 10CFR73.21).
ADENBAM, E O Licensing Branch 4 82/06/01 COOK, J W Consumers Power Co 2pp 13441 201, 24X Fiche 50-329, 82/06/01, 8206080128

8206080256 Forwards marked-up SER pages re site emergency plan & technical memo "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," in response to open issues discussed at 820524 meeting w/NRC
COOK, J W Consumers Power Co 82/06/01 DENTON, H R Division of Licensing 12pp 13420 172 24X Fiche 50-329, 82/06/01, 8206080256

--8206080260 "Site-Specific Atmospheric Diffusion & Dose Projection Models for Midland Nuclear Power Plant," technical memo
WANG, H Dames & Moore 82/04/14, 30pp, 13420, 184 24X Fiche 50-329, 82/06/01, 8206080256

8206210611 Forwards info re prompt public notification sys, including description of public warning sys, ambient sound surveys, alternative warning sys & preliminary site selection. Three oversize drawings encl. Aperture cards are in PDR.
DEWITT, R B Consumers Power Co 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director 87pp, 13560 344, 24X Fiche 50-329, 82/06/15, 8206210611

8206220491 Forwards supplemental SER input re compliance w/NUREG-0654 concerning emergency operations facilities, per 820601 commitment info will be incorporated into next emergency plan revision.
DEWITT, R. B Consumers Power Co 82/06/15 DENTON, H. R Division of Licensing 6pp 13581 138 24X Fiche 50-329, 82/06/15, 8206220491

8206250394 Notification of 820628-30 meetings w/util & Bechtel in Bethesda, MD to discuss fire protection & safe shutdown
HERNAN, R. W Licensing Branch 4 82/06/22 ADENSAH, E. O Licensing Branch 4 2pp. 13630 095 24X Fiche 50-329, 82/06/22, 8206250394

8206290596 Summary of 820601 meeting w/util in Bethesda, MD re elements of physical security plan. Comments withheld per 10CFR72.21. Response to comments & corresponding revisions to plan will be forwarded by 820630 & 0715, respectively.
HOOD, D. B Licensing Branch 4 82/06/23 Licensing Branch 4 4pp. 13658 113 24X Fiche 50-329, 82/06/23, 8206290596

G Adjudicatory correspondence

8206070102 Order denying WH Marshall 820528 request for halt to const. Requested relief not within ASLB authority.
BECHHOEFER, C Atomic Safety and Licensing Board Panel. 82/06/03 MARSHALL, W. H Affiliation Unknown 2pp 13370 342 24X Fiche 50-329, 82/06/03, 8206070102

8206170344 Critique of SER, submitted for NRC & ASLB evaluation & action. Related correspondence.
MARSHALL, W. H Affiliation Unknown 82/06/11 7pp 13531 037 24X Fiche 50-329, 82/06/11, 8206170344

8206180331 Requests extension of deadline to appeal ASLB 820430 memorandum & order re irreversible effect of Amend 3 Delay in submittal of appeal caused by pending hearing on soils remedial work.
STAMIRIS, B Stamiris, B 82/06/14 KOHL, C. N., BUCK, J. H., MOORE, T. S Atomic Safety and Licensing Board Panel 1p 13545 184 24X Fiche 50-329, 82/06/14, 8206180331

8206170109 Informs that time for Commission to act to review ALAD-674 expired. Commission declined review. Decision became final agency action on 820614.
CHILK, B. J Office of the Secretary of the Commission. 82/06/15 Office of the Executive Legal Director 1p 13530 086 24X Fiche 50-329, 82/06/15, 8206170109

8206210568 First set of interrogatories. Certificate of Svc encl.
STEPTOE, P. P Consumers Power Co 82/06/16 Affiliation Unknown 4pp 13563 277 24X Fiche 50-329, 82/06/16, 8206210568

8206210583 First set of interrogatories. Certificate of Svc encl.
STEPTOE, P. P Consumers Power Co STEPTOE, P. P Isham, Lincoln & Beale 82/06/16 MARSHALL, W. H Marshall, W. H 4pp. 13561 358 24X Fiche 50-329, 82/06/16, 8206210583

8206230194 Notice of appearance in proceeding. Certificate of Svc encl.
WEST, A. E Consumers Power Co WEST, A. E Isham, Lincoln & Beale. 82/06/18 3pp 13586 150 24X Fiche 50-329, 82/06/18, 8206230194

8206240226 Discovery questions pursuant to ASLB 790226 special prehearing conference order. Proof of svc encl. Related correspondence.
SINCLAIR, M. P Sinclair, M. 82/06/18 Consumers Power Co. 19pp. 13597 324 24X Fiche 50-329, 82/06/18, 8206240226

8206240243 New contentions for OL hearing. Proof of svc encl.
SINCLAIR, M. P Sinclair, M. 82/06/18 Atomic Safety and Licensing Board Panel 5pp 13597 287 24X Fiche 50-329, 82/06/18, 8206240243

8206240398 Contentions for OL hearing.
STAMIRIS, B. Stamiris, B 82/06/18 Atomic Safety and Licensing Board Panel. 8pp 13603 100 24X Fiche 50-329, 82/06/18, 8206240398

8206290331 Requests extension of time to complete response to util first set of interrogatories. Extension needed due to poor health.
MARSHALL, W. H Marshall, W. H MARSHALL, W. H. Mapleton Intervenor 82/06/21. NRC - No Detailed Affiliation Given 1p. 13632 327 24X Fiche 50-329, 82/06/21, 8206290331

8206230196 Order treating B Stamiris 820607 & 14 ltrs as motion for leave to file untimely appeal. Accompanying brief on merits lodged rather than filed pending decision on acceptance of brief. Replies to motion due 820702.
SHOEMAKER, C. J Atomic Safety and Licensing Appeal Panel. 82/06/22, Stamiris, B 2pp 13586 148 24X Fiche 50-329, 82/06/22, 8206230196

8206300250 Memorandum & order memorializing 820625 telcon B Stamiris & M Sinclair permitted to suppl earlier filings of new contentions to incorporate good cause showing for ASLB to consider Addl info to be filed by 820709.
BECHHOEFER, C Atomic Safety and Licensing Board Panel 82/06/28 4pp 13652 358 24X Fiche 50-329, 82/06/28, 8206300250

8206300040 Advises that previous testimony by Region 3 needs to be supplemented.
PATRI, W. D Hearing Branch 2 82/06/29 BECHHOEFER, C., COWAN, F. P., DECKER, R. S Atomic Safety and Licensing Board Panel 1p 13656 017 24X Fiche 50-329, 82/06/29, 8206300040

H General correspondence

8206180096 Discusses quality of low level waste mgt techniques at nuclear power plants & potential hazards of radwaste storage.
STEINER, D. K Affiliation Unknown 82/04/04 HERNAN, R. W Division of Licensing 4pp 13552 227 24X Fiche 50-329, 82/04/04, 8206180096

H Antitrust correspondence

8206030080 Concurs w/MI Public Power Agency views contained in 820510 ltr. Resolution on matters raised in ltr should be resolved per Midland Agreement & antitrust principles.
NEWBY, R. N Wolverine Electric Cooperative 82/05/27 SKAJEL, S. B Antitrust & Economic Analysis Branch (Utility Finance) 1p 13336 371 24X Fiche 50-329, 82/05/27, 8206030080

G Advisory Committee on Reactor Safeguards reports & correspondence

8206140166 Discusses ACRS interim rept re CP application Addl QA info requested. Recommendation re full-power operation deferred pending review of audit plan.
SHEWMON, P ACRS - Advisory Committee on Reactor Safeguards 82/06/08 PALLADINO, N. J Commissioners 6pp 13483 356 24X Fiche 50-329, 82/06/08, 8206140166

8206220039 Forwards ACRS 820608 ltr re ACRS interim rept on facilities. NRC plans to issue supplemental SER on 820630 to address ACRS recommendations. Response re any changes in util position or other decisions requested by 820618.
TEDESCO, R. L Assistant Director for Licensing 82/06/11 CUMK, J. W Consumers Power Co 4pp 13585 209 24X Fiche 50-329, 82/06/11, 8206220039

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEVOUNO, R. C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E. L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206080109 Forwards status of areas to be addressed in IE Bulletin 79-02 re anchor bolts. Next rept will be provided by 830130.
COOK, J. W Consumers Power Co. 82/06/01 KEEPLER, J. O Region 3, Office of Director 4pp 13423 089 24X Fiche 50-329, 82/06/01, 8206080109

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEVOUNO, R. C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl.
JORDAN, E. L Division of Engineering & Quality Assurance 82/06/11 106pp 13673 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers, " Svc list encl.
DEVOUNO, R. C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13673 189 24X Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

B206070108 QA program mgt corrective action repts, noncompliance repts, quality action requests & audit finding repts
 * Consumers Power Co 82/04/14 900pp 13363 341 24X
 Fiche 50-329, 82/04/14, B206070108

S Reportable occurrences, LERs & related correspondence

B206070379 Interim deficiency rept re design of internal auxiliary feedwater header in B&W steam generator. Probable cause of deformation is header inability to withstand temp & pressure. External ring to be added. Next rept due 820730
 COOK, J W Consumers Power Co 82/05/26 KEPLER, J O Region 3, Office of Director 5pp 13372-003 24X Fiche 50-329, 82/05/26, B206070379

B206080159 Interim deficiency rept re auxiliary feedwater level control valve power supplies FSAR review completion to assure all commitments met for feeding sys from preferred power supplies anticipated by May 1982. Next rept due by 820702
 COOK, J W Consumers Power Co 82/06/01 KEPLER, J O Region 3, Office of Director 2pp 13423 292 24X Fiche 50-329, 82/06/01, B206080159

B206080238 Interim Deficiency Rept 3 re nonconformance of electrical components associated w/MSIV actuators, logic cabinets & control panel inserts Tech Spec 7220-M-238 for upgrading components issued to Gulf & Western. Next rept by 820730.
 COOK, J W, BALLWEG, T O, CURTIS, L H Consumers Power Co 82/06/01 KEPLER, J O Region 3, Office of Director 3pp 13422 016 24X Fiche 50-329, 82/06/01, B206080238

B206100284 Interim Part 21 Rept 7 re underrated terminal strips on Limitorque valve operators Environ qualification test & repts expected by latter part of May 1982. Next rept expected B20806
 COOK, J W Consumers Power Co 82/06/04, KEPLER, J O Region 3, Office of Director 7pp 13458 160, 24X Fiche 50-329, 82/06/04, B206100284

B206170304 Final deficiency rept re rodent damage to electrical penetrations, initially reported on 811203. Rodent control initiated, including removal of nesting & debris, add baiting & re-entry prevention
 COOK, J W Consumers Power Co 82/06/09 KEPLER, J O Region 3, Office of Director 6pp 13331-234, 24X Fiche 50-329, 82/06/09, B206170304

B206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820713
 MILLS, L L Transamerica Delaval, Inc 82/06/23, Director's Office, Office of Inspection and Enforcement 2pp 13653-328 24X Fiche 50-000, 82/06/23, B206300192

T. Hearing transcripts on non-antitrust matters

B206040021 Transcript of ACRS Subcommittee on Midland Plant Units 1 & 2 B20602 meeting in Washington, DC Pp 1-170.
 * ACRS - Advisory Committee on Reactor Safeguards. 82/06/02 172pp 13348-001 24X Fiche 50-329, 82/06/02, B206040021

DOCKET 50-331 DUANE ARNOLD ENERGY CENTER

F. Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR
 FELTON, J M. Division of Rules and Records. 82/05/11 REYNOLDS, N B, Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys now complete
 HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05, GRIMES, B K. Division of Emergency Preparedness. App 13454-133 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601.
 HIND, J A Division of Emergency Preparedness & Operational Support. 82/02/17 GRIMES, B. Division of Emergency Preparedness 3pp 13454-190 24X Fiche 50-000, 82/05/11, B206090002

B206020147 Releases public version of revised emergency response organization notification list & revised corporate plan implementing procedures
 FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p. 13333 293 24X Fiche 50-331, 82/05/25, B206020147

--B206020153 Forwards public version of revised emergency response organization & notification list & revised Corporate Plan Implementing Procedures CIP-4 12 re public info program & CIP-4 4 re periodic plan review
 MEYER, K Iowa Electric Light & Power Co 82/05/05 DENTON, H R. Office of Nuclear Reactor Regulation, Director 1p 13333 254 24X Fiche 50-331, 82/05/25, B206020147

--B206020156 Public version of revised emergency organization notification list
 MINECK, D L Iowa Electric Light & Power Co 82/04/16 14pp 13333 255 24X Fiche 50-331, 82/05/25, B206020147

--B206020160 Public version of Revision 1 to Corporate Plan Implementing Procedure CIP-4 1 re public info program & Procedure CIP-4 4 re periodic plan & procedure review
 * Iowa Electric Light & Power Co 82/05/03 9pp 13333 269 24X Fiche 50-331, 82/05/25, B206020147

B206070770 Advises that objectives for 820728 emergency preparedness exercise adequate except for issue of testing prompt public notification sys. in response to util 820513 ltr. Test should be performed in conjunction w/exercise per 10CFR50, App E
 HIND, J A Division of Emergency Preparedness & Operational Support. 82/05/28 ARNOLD, D Iowa Electric Light & Power Co 2pp 13389 313 24X Fiche 50-331, 82/05/28, B206070770

--B206070776 Forwards objectives for 1982 emergency preparedness exercise. Administrative & physical means to alert public within plume exposure pathway emergency planning zone will be demonstrated, short of actual siren activation.
 ROOT, L D Iowa Electric Light & Power Co 82/05/13 KEPLER, J O Region 3, Office of Director 4pp 13389 315 24X Fiche 50-331, 82/05/28, B206070770

B206210041 Forwards Amend 74 to License DPR-49 & notice of issuance & availability. Amend adds license condition to include Commission approved guard training & qualification plan
 ECCLESTON, K T Operating Reactors Branch 2 82/06/09, ARNOLD, D, Iowa Electric Light & Power Co 3pp 13582-319, 24X Fiche 50-331, 82/06/09, B206210041

--B206210044 Amend 74 to License DPR-49 adding license condition to include Commission approved guard training & qualification plan
 VASSALLO, D B Operating Reactors Branch 2 82/06/09, 2pp 13582 322 24X Fiche 50-331, 82/06/09, B206210041

--B206210054 Notice of issuance & availability of Amend 74 to License DPR-49
 VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp 13582 324, 24X Fiche 50-331, 82/06/09, B206210041

B206150122 Provides info for schedule for meeting B10220, 0603 & B20420 requests for info re fire protection. Response deadline may be missed by 2 wks to 30 days.
 ROOT, L D Iowa Electric Light & Power Co 82/06/10, DENTON, H R. Office of Nuclear Reactor Regulation, Director 2pp 13504 332 24X Fiche 50-331, 82/06/10, B206150122

B206220235 Forwards status of TMI Items I A 1 3.1, I A 1.3.2, I C 1, I I K 3 18, I I K 3 30, I I K 3 31, I I I A 1.2, I I I A 2 2 & I I I D 3 4, in response to B20905 Generic Letter 82-10.
 ROOT, L D. Iowa Electric Light & Power Co 82/06/16 DENTON, H Office of Nuclear Reactor Regulation, Director 3pp 13571-264, 24X Fiche 50-331, 82/06/16, B206220235

B206240206 Forwards, "Response to NRC Ltr Dtd B20420," re fire protection & alternate safe shutdown
 ROOT, L D. Iowa Electric Light & Power Co 82/06/22 DENTON, H R. Office of Nuclear Reactor Regulation, Director 1p. 13598-128 24X Fiche 50-331, 82/06/22, B206240206

--B206240207 "Response to NRC Ltr Dtd B20420"
 * Bechtel Corp 82/06/30, 17pp 13598 129, 24X Fiche 50-331, 82/06/22, B206240206

H General correspondence

B206020387 Informs of changes to titles of personnel in certain positions at facility, effective 820601. Changes will be included in administrative amend to Tech Specs.
 ROOT, L D Iowa Electric Light & Power Co 82/05/26, DENTON, H Office of Nuclear Reactor Regulation, Director 1p. 13326-289, 24X Fiche 50-331, 82/05/26, B206020387

P Operating license stage documents & correspondence

8206080156 Notifies that review of reactor protection sys power monitoring sys design mods completed Proposed mods & Tech Spec changes acceptable
VASSALLO, D B Operating Reactors Branch 2 82/05/19 ARNOLD, D
Iowa Electric Light & Power Co 2pp 13441 348 24X
Fiche 50-331, 82/05/19, 8206080156

--8206080158 Safety evaluation supporting proposed design mods of reactor protection sys
* Operating Reactors Branch 2 82/05/19 2pp 13441 350 24X
Fiche 50-331, 82/05/19, 8206080156

--8206080162 "Technical Evaluation of Monitoring of Electric Power to Reactor Protection Sys for Duane Arnold Energy Ctr."
SELAN, J C Lawrence Livermore Laboratory FIN A-0250
UCID-19129 81/03/01 Office of Nuclear Regulatory Research,
Director 8pp 13441 352 24X Fiche 50-331, 82/05/19, 8206080156

8206020393 Advises that util continues to request extension of time re implementation of 10CFR50.44(c) on installation of hydrogen recombiner & endorses BWR owners group position
RODT, L D Iowa Electric Light & Power Co 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13326 015 24X
Fiche 50-331, 82/05/28, 8206020393

8206070112 Forwards proposed "Integrated Program for Mod of Duane Arnold Energy Ctr." Program will develop comprehensive guidelines for implementation of mods Approval requested
RODT, L D Iowa Electric Light & Power Co 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13369 347 24X Fiche 50-331, 82/05/28, 8206070112

--8206070116 Proposed "Integrated Program for Mod of Duane Arnold Energy Ctr."
* Iowa Electric Light & Power Co 82/05/28 175pp 13369 351 24X Fiche 50-331, 82/05/28, 8206070116

8206080056 Confirmatory action ltr re improvements to regulatory performance as discussed in 820604 meeting Util must submit written draft plan of action to effect short-term & long-term improvements in six listed areas.
KEPPLER, J O Region 3, Office of Director 82/06/04 ARNOLD, D
Iowa Electric Light & Power Co 2pp 13423 313 24X
Fiche 50-331, 82/06/04, 8206080056

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olina. Rept documents findings re cause of event W/o encl
ETBENHUT, D O. Division of Licensing 82/06/09 HAUSPUR, A
Consolidated Edison Co of New York 13pp. 13557 349, 24X
Fiche 50-000, 82/06/09, 8206090153

8206180323 Forwards Amend 75 to License DPR-49 & notice of issuance & availability Amend incorporates revisions to tables of containment isolation valves to reflect mods to satisfy NUREG-0737 Item II B 3 requirements.
VASSALLO, D B Operating Reactors Branch 2 82/06/09 ARNOLD, D
Iowa Electric Light & Power Co 3pp 13569 326 24X
Fiche 50-331, 82/06/09, 8206180323

--8206180335 Amend 75 to License DPR-49, changing Tech Spec tables of containment isolation valves to reflect mods per requirements of NUREG-0737, Item II B 3 "Post-Accident Sampling"
VASSALLO, D B Operating Reactors Branch 2 82/06/09 5pp 13569 328 24X Fiche 50-331, 82/06/09, 8206180323

--8206180337 Notice of issuance & availability of Amend 75 to License DPR-49
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp 13569 333 24X Fiche 50-331, 82/06/09, 8206180323

8206210041 Forwards Amend 74 to License DPR-49 & notice of issuance & availability Amend adds license condition to include Commission approved guard training & qualification plan.
ECCLESTON, K T Operating Reactors Branch 2 82/06/09 ARNOLD, D
Iowa Electric Light & Power Co 3pp 13582 319, 24X
Fiche 50-331, 82/06/09, 8206210041

--8206210044 Amend 74 to License DPR-49 adding license condition to include Commission approved guard training & qualification plan.
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp 13582 322, 24X Fiche 50-331, 82/06/09, 8206210041

--8206210054 Notice of issuance & availability of Amend 74 to License DPR-49
VASSALLO, D B Operating Reactors Branch 2 82/06/09 2pp 13582 324, 24X Fiche 50-331, 82/06/09, 8206210041

8206180309 Application for amend to License DPR-49, consisting of change RTS-133 to Tech Specs incorporating administrative changes re containment vent & purge sys
RODT, L D Iowa Electric Light & Power Co 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13505 219 24X Fiche 50-331, 82/06/10, 8206180309

--8206180314 Proposed change RTS-133 to Tech Specs incorporating administrative changes re containment vent & purge sys
* Iowa Electric Light & Power Co 82/06/10 6pp 13505 221 24X Fiche 50-331, 82/06/10, 8206180309

8206210442 Forwards addl info re status & schedule for completion of NUREG-0737, items II B 2, II B 3, II F 1 & II K 3 27, supplementing util 820414 ltr
RODT, L D Iowa Electric Light & Power Co 82/06/14 DENTON, H R
Office of Nuclear Reactor Regulation, Director 6pp 13568 310 24X Fiche 50-331, 82/06/14, 8206210442

8206210377 Revision to 790829 application for amend to License DPR-49, proposing changes to radiological effluent & ETS App A & deleting App B in entirety
RODT, L D Iowa Electric Light & Power Co 82/06/15 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13567 012 24X Fiche 50-331, 82/06/15, 8206210377

--8206210384 Proposed changes to radiological effluent & ETS App A, incorporating changes to plant & procedures since issuance of 790829 application & deleting App B in entirety
* Iowa Electric Light & Power Co 82/06/30 75pp 13567 014 24X Fiche 50-331, 82/06/15, 8206210377

--8206210390 "Offsite Dose Assessment Manual for Gaseous & Liquid Effluents"
* Iowa Electric Light & Power Co 82/06/02 89pp, 13567 089 24X Fiche 50-331, 82/06/15, 8206210377

8206290528 Forwards Amend 76 to License DPR-49 & notice of issuance & availability Amend modifies Tech Spec to incorporate certain requirements of Reg Guide 1.52 re control room ventilation
VASSALLO, D B Operating Reactors Branch 2 82/06/15 ARNOLD, D
Iowa Electric Light & Power Co 3pp 13568 224 24X
Fiche 50-331, 82/06/15, 8206290528

--8206290535 Amend 76 to License DPR-49, incorporating certain requirements of Reg Guide 1.52 re control room ventilation & standby gas treatment sys HEPA replacement filters
VASSALLO, D B Operating Reactors Branch 2 82/06/15 10pp 13658 227 24X Fiche 50-331, 82/06/15, 8206290528

--8206290541 Notice of issuance & availability of Amend 76 to License DPR-49
VASSALLO, D B Operating Reactors Branch 2 82/06/15 2pp 13658 237 24X Fiche 50-331, 82/06/15, 8206290528

8206220235 Forwards status of TMI Items I A.1.3, I A.1.3.2, I C.1, II K 3 18, II K 3 30, II K 3 31, III A.1.2, III A.2.2 & III D 3.4, in response to 820503 Generic Letter 82-10.
RODT, L D Iowa Electric Light & Power Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13571 264 24X Fiche 50-331, 82/06/16, 8206220235

8206280163 Proposes adoption of NRC recommended implementation date of first refueling after 821001 for NUREG-0737, Item I C.1, "Emergency Procedures." Util projects refueling outage for Fuel Cycle 7 to encompass implementation date of 821001.
RODT, L D Iowa Electric Light & Power Co 82/06/18 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13624 290 24X Fiche 50-331, 82/06/18, 8206280163

8206300380 Forwards Amend 77 to License DPR-49 & notice of issuance & availability Amend changes Tech Spec to incorporate detailed definition of terms operable & limiting condition for operation
VASSALLO, D B Operating Reactors Branch 2 82/06/21 ARNOLD, D
Iowa Electric Light & Power Co 3pp 13673 340 24X
Fiche 50-331, 82/06/21, 8206300380

--8206300384 Amend 77 to License DPR-49, amending Tech Spec to incorporate detailed definition of terms operable & limiting condition for operation
VASSALLO, D B Operating Reactors Branch 2 82/06/21 5pp 13673 343, 24X Fiche 50-331, 82/06/21, 8206300380

--8206300388 Notice of issuance & availability of Amend 77 to License DPR-49
VASSALLO, D B Operating Reactors Branch 2 82/06/21 2pp 13673 348 24X Fiche 50-331, 82/06/21, 8206300380

Q Inspection reports, IE Bulletins & correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150029 Ack receipt of 811105 ltr informing NRC of corrective actions taken in response to 810922 notice of violation
Actions acceptable
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/01/04 ARNOLD, D Iowa Electric Light & Power Co
ip 13524 017 24X Fiche 50-000, 82/04/21, 8206150016

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-14, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206100325 Forwards IE Insp Rept 50-331/82-02 on 820201-0331 No noncompliance noted
STREETER, J F Region 3, Office of Director 82/05/28 ARNOLD, D Iowa Electric Light & Power Co 2pp 13444 033 24X
Fiche 50-331, 82/05/28, 8206100325

--8206100330 IE Insp Rept 50-331/82-02 on 820201-0331 No noncompliance noted
Major areas inspected maint observation, surveillance observation, IE circular followup, procurement, LER followup & preparation for refueling
CLARDY, L, STREETER, J, Division of Project & Resident Programs 82/05/28 10pp 13444 033 24X Fiche 50-331, 82/05/28, 8206100325

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206100242 Ack receipt of 820528 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-331/82-06.
MILLER, J R Division of Engineering & Technical Programs 82/06/04 ARNOLD, D Iowa Electric Light & Power Co ip 13453, 317 24X
Fiche: 50-331, 82/06/04, 8206100242

--8206100245 Responds to NRC 820430 ltr re violations noted in IE Insp Rept 50-331/82-06 Corrective actions, instructions on control of discharged or missing dosimeters issued to security personnel & retraining program instituted
ROOT, L D, Iowa Electric Light & Power Co 82/05/28 KEPLER, J Q, Region 3, Office of Director 2pp 13453, 318 24X
Fiche: 50-331, 82/06/04, 8206100242

8204210383 IE Info Notice 82-17, "Overpressurization of RCB, " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206290624 Concludes that commitment to meet requirements of Reg Guide 1.5B, Revision 1 (Regulatory Positions C 5.6, 7.8 & 10) & Reg Guide 1.146 re qualifications for insp, exam, testing & audit personnel is acceptable
VASSALLO, D B Operating Reactors Branch 2 82/06/22 ARNOLD, D Iowa Electric Light & Power Co 2pp 13658 138 24X
Fiche: 50-331, 82/06/22, 8206290624

R Periodic operating reports & related correspondence

8206210278 Forwards monthly operating rept for May 1982.
MINECK, D L Iowa Electric Light & Power Co 82/06/14 Director's Office, Office of Inspection and Enforcement ip 13558, 143 24X
Fiche: 50-331, 82/06/14, 8206210278

--8206210279 Monthly operating rept for May 1982
BROWN, S L Iowa Electric Light & Power Co 82/06/14 6pp 13558, 144 24X Fiche 50-331, 82/06/14, 8206210278

S Reportable occurrences, LERs & related correspondence

8206080080 Forwards LER 82-032/03L-0
MINECK, D L Iowa Electric Light & Power Co 82/05/28 KEPLER, J Q Region 3, Office of Director ip 13423 295 24X
Fiche 50-331, 82/05/28, 8206080080

--8206080085 LER 82-032/03L-0 on 820504, RHR svc water D pump discharge check valve V-46-11 found leaking & A pump IP-22A failed to read discharge pressure of 264 psig Caused by eroded set screw allowing hinge pin to loosen & valve to move
MILL, K L Iowa Electric Light & Power Co 82/05/28 Region 3, Office of Director 2pp 13423 296 24X Fiche 50-331, 82/05/28, 8206080080

8206100182 RO during normal operation, MSIV position indicating switch, Z84415, failed to indicate closure of CV4415 to reactor protection sys. Caused by broken cap screws holding speed control valve manifold assembly to hydraulic cylinder
MINECK, D L Iowa Electric Light & Power Co 82/06/03 KEPLER, J Q, Region 3, Office of Director ip 13490 295 24X
Fiche 50-331, 82/06/03, 8206100182

8206100290 PNO-III-82-052 on 820602, C inboard MSIV would not intake reactor protection sys trip at 10X closure On 820603, C switch speed controller unit Allen screw found sheared off & 1/16-inch crack discovered in valve MSIV could not reopen.
CLARDY, L, REYER, L, STREETER, J, Region 3, Office of Director 82/06/04 ip 13453 357 24X Fiche: 50-331, 82/06/04, 8206100290

8206170346 Forwards LER 82-033/03L-0
MINECK, D L Iowa Electric Light & Power Co 82/06/10 KEPLER, J Q, Region 3, Office of Director ip 13331 145 24X
Fiche 50-331, 82/06/10, 8206170346

--8206170357 LER 82-033/03L-0 on 820511, primary containment isolation valve CV-4306 on drywell & torus purge supply line failed to close completely Caused by stuck pneumatic valve on air supply to valve operator CV-4306, Valve cleaned.
VARNER, D M Iowa Electric Light & Power Co 82/06/10 Region 3, Office of Director ip 13331 146 24X Fiche: 50-331, 82/06/10, 8206170346

8206220280 Forwards LER 82-034/01T-0.
MINECK, D L Iowa Electric Light & Power Co 82/06/16 KEPLER, J Q, Region 3, Office of Director ip 13585 322 24X
Fiche: 50-331, 82/06/16, 8206220280

--8206220310 LER 82-034/01T-0 on 820602, MSIV position switch Z84415 failed to operate within Tech Spec limit. Caused by broken cylinder & cap screws. During 820522 startup, procedure violation found on MSIV sequence. Procedures & reviewed.
BROWN, S L Iowa Electric Light & Power Co 82/06/16 Region 3, Office of Director 2pp 13585 323 24X Fiche: 50-331, 82/06/16, 8206220280

DOCKET 50-333 JAMES A. FITZPATRICK NUCLEAR POWER PLANT

F Security, medical, emergency & fire protection plans

8206210481 Ack receipt of 820526 ltr re violations noted in IE Emergency Preparedness Appraisal Rept 50-333/82-03
Extension of response dates for App B & C items to 820727 & 0924, respectively, granted.
SMITH, G H, Division of Emergency Preparedness & Operational Support 82/06/11 MCNEILL, C A, Power Authority of the State of New York ip 13567, 001 24X Fiche: 50-333, 82/06/11, 8206210481

--8206210492 Responds to NRC 820428 ltr re violations noted in IE Emergency Preparedness Appraisal Rept 50-333/82-03 on 820216-25 Requests extension of response dates for App B & C items until 820727 & 0924, respectively
BAYNE, J P Power Authority of the State of New York 82/05/26 HAYNES, R C Region 1, Office of Director 2pp 13567, 002 24X
Fiche 50-333, 82/06/11, 8206210481

P Operating license stage documents & correspondence

8206020266 Advises of acceptability of submittals on TMI Action Items I, A 1, 3 1 re shift manning, I C 5 re procedure for feedback of operating experience to plant staff & I, C 6 re procedures for verifying correct performance of operating activities.
VASSALLO, D B Operating Reactors Branch 2 82/05/21, BINCLAIR, L M, Power Authority of the State of New York 3pp 13341 211 24X
Fiche: 50-333, 82/05/21, 8206020266

8206020499 Submits schedule for implementation of TMI Action Item II F 1 2 re sampling for iodine & particulates
BAYNE, J P, Power Authority of the State of New York 82/05/28, VASSALLO, D B, Operating Reactors Branch 2 2pp 13324 348 24X
Fiche 50-333, 82/05/28, 8206020499

B206080252 Forwards "Revised Environ Parameters & TMI-Related Equipment," containing revised environ svc conditions within reactor bldg, sys component evaluation worksheets & revised ref documents master list, per NRC 020118 request W/o encl.
BAYNE, J P Power Authority of the State of New York. 82/06/02
VASSALLO, D B Operating Reactors Branch 2 2pp 13419 040 24X
Fiche 50-333, 82/06/02, B206080252

B206100296 Forwards applications for amend to Licenses DPR-59 & DPR-64 Change incorporates addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6-1-1.
BAYNE, J P Power Authority of the State of New York. 82/06/04
VARDA, S A Operating Reactors Branch 1 VASSALLO, D B Operating Reactors Branch 2 3pp 13451:328 24X Fiche 50-000, 82/06/04, B206100296

--B206100299 Application for amend to License DPR-59 Change incorporates addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6-1-1.
BAYNE, J P Power Authority of the State of New York. 82/06/04
1p. 13451:331 24X Fiche 50-000, 82/06/04, B206100296

--B206100308 Proposed Tech Spec pages, incorporating addition of executive vice president & chief development officer positions to mgt organization chart, Figure 6-1-1 Safety evaluation encl
* Power Authority of the State of New York. 82/06/04. 9pp
13451 333 24X Fiche 50-000, 82/06/04, B206100296

B206090153 Generic Ltr 82-11 to all LWR reactor plant licenses & applicants re transmittal of NUREO-0916 relative to restart of RE Oinna Rept documents findings re cause of event, W/o encl.
EISENHUT, D O Division of Licensing. 82/06/09 HAUSPURA, A Consolidated Edison Co. of New York BERRY, O T Power Authority of the State of New York POLLACK, M B Long Island Lighting Co 13pp.
13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206140197 Forwards status & schedule for implementation of NUREO-0737 items, in response to Generic Ltr 82-10 Items 1.A 1 3 1, II K 3 30 & II K 3 31 complete Items I A 1 3 2 & II A 1 2 will be implemented by 821130.
BAYNE, J P Power Authority of the State of New York. 82/06/09.
VASSALLO, D B Operating Reactors Branch 2. 6pp 13484 222 24X
Fiche 50-333, 82/06/09, B206140197.

B206280503 Forwards application for amend to License DPR-59, App A Change requires addl surveillance for containment purge & vent valves to provide greater assurance of isolation in event of accident.
BAYNE, J P. Power Authority of the State of New York. 82/06/21
VASSALLO, D B Operating Reactors Branch 2 2pp 13626 088. 24X
Fiche 50-333, 82/06/21, B206280503

--B206280509 Application for amend to License DPR-59, App A Change requires addl surveillance for containment purge & vent valves to provide greater assurance of isolation in event of accident.
BAYNE, J P. Power Authority of the State of New York. 82/06/21
1p. 13626:090 24X Fiche 50-333, 82/06/21, B206280503

--B206280515 Proposed Tech Spec pages, requiring addl surveillance for containment purge & vent valves to provide greater assurance of isolation in event of accident, Safety evaluation encl
* Power Authority of the State of New York. 82/06/21. 11pp
13626:091. 24X Fiche 50-333, 82/06/21, B206280503.

B206280264 Forwards "Voltage Profile Test Rept," in response to NRC 810415 request, Rept verifies previous analyses submitted 761018 & confirms adequacy of electrical distribution sys.
BAYNE, J P Power Authority of the State of New York. 82/06/22
VASSALLO, D B Operating Reactors Branch 2. 2pp. 13624:094 24X
Fiche 50-333, 82/06/22, B206280264

--B206280269 "Voltage Profile Test Rept."
* Power Authority of the State of New York. 82/05/31 40pp.
13624:096 24X Fiche 50-333, 82/06/22, B206280264

Q Inspection reports, IE Bulletins & correspondence

B206030234 Forwards IE Insp Rept 50-333/82-09 on B20419-23 No noncompliance noted.
MARTIN, T T. Division of Engineering & Technical Programs. 82/05/12
MCNEILL, C A Power Authority of the State of New York. 2pp.
13337:290 24X Fiche 50-333, 82/05/12, B206030234.

--B206030237 IE Insp Rept 50-333/82-09 on B20419-23, No noncompliance noted, Major areas inspected Cycle 5 startup testing, administrative controls for test procedures & test program, QA surveillance program during startup testing.
PETRONE, C., CHUNG, J.W., BETTENHAUSEN, L. Region 1, Office of Director. 82/05/06 9pp 13337 232 24X Fiche 50-333, 82/05/12, B206030234

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206040185 Act receipt of B20506 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-333/82-03
MARTIN, T T Division of Engineering & Technical Programs. 82/05/28
MCNEILL, C A Power Authority of the State of New York. 1p
13360:108 24X Fiche 50-333, 82/05/28, B206040185

--B206040194 Responds to NRC B20406 ltr re violations noted in IE Insp Rept 50-333/82-03 Corrective actions required radiation protection, security plan, emergency plan, QA, QC & industrial safety requalification or initial training almost completed.
MCNEILL, C A Power Authority of the State of New York. 82/05/06
MARTIN, T T Division of Engineering & Technical Programs. 11pp
13360 109 24X Fiche 50-333, 82/05/28, B206040185

B206080205 Forwards results of visual & functional tests for mechanical snubbers, in response to IE Bulletin 81-01, "Surveillance of Mechanical Snubbers " Visual exam & functional test results satisfactory.
MCNEILL, C A Power Authority of the State of New York. 82/05/28
HAYNES, R C Region 1, Office of Director. 3pp 13420 255 24X
Fiche 50-333, 82/05/28, B206080205

--B206080212 Certification test rept for Mechanical Snubber PBA-3, Serial Number 8387
SMITH, H., KIMBRELL, M J Wyle Laboratories. 45893-01. 81/12/07
2pp 13420 258 24X Fiche 50-333, 82/05/28, B206080205

--B206080216 Certification test rept for Mechanical Snubber PBA-3, Serial Number 8387
SMITH, H., KIMBRELL, M J Wyle Laboratories. 81/12/07 2pp.
13420.260. 24X Fiche 50-333, 82/05/28, B206080205

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/06/02. 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206100015 Forwards addl info in response to IE Bulletin 79-018, "Environ Qualification of Class IE Equipment " Encl inadvertently omitted from util B20602 response & discuss environ parameters & TMI-related equipment.
BAYNE, J P Power Authority of the State of New York. 82/06/07
VASSALLO, D B Operating Reactors Branch 2. 200pp 13445:268 24X
Fiche 50-333, 82/06/07, B206100015.

B204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11.
108pp. 13675 298. 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mists by Workers " Svc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement. 82/06/11. 120pp 13679,189 24X
Fiche 50-000, 82/06/11, B204210384

B206210481 Act receipt of B20526 ltr re violations noted in IE Emergency Preparedness Appraisal Rept 50-333/82-03. Extension of response dates for App B & C items to B20727 & 0924, respectively, granted.
SMITH, O H Division of Emergency Preparedness & Operational Support. 82/06/11 MCNEILL, C A Power Authority of the State of New York. 1p 13567 001 24X Fiche 50-333, 82/06/11, B206210481

--B206210492 Responds to NRC B20428 ltr re violations noted in IE Emergency Preparedness Appraisal Rept 50-333/82-03 on B20218-25 Requests extension of response dates for App B & C items until B20727 & 0924, respectively.
BAYNE, J P Power Authority of the State of New York. 82/05/26
HAYNES, R C Region 1, Office of Director. 2pp. 13567:002 24X
Fiche 50-333, 82/06/11, B206210481

B206290458 Forwards IE Insp Rept 50-333/82-10 on B20501-31 & notice of violation.
STAROSTECKI, R Division of Project & Resident Programs. 82/06/14.
MCNEILL, C A Power Authority of the State of New York. 2pp.
13634.201. 24X Fiche 50-333, 82/06/14, B206290458

--B206290462 Notice of violation from insp on 820501-31
STAROSTECKI, R Division of Project & Resident Programs 82/06/14
2pp 13634 203 24X Fiche 50-333, 82/06/14, 8206290458

--B206290467 IE Insp Rept 50-333/82-10 on 820501-31 Noncompliance noted
failure to control restricted access area keys, to maintain
fire door seals & to remove combustible trash from vital
area & storage of combustible mail in vital area
LINVILLE, J C, DOERFLEIN, L T, KISTER, H B Division of Project &
Resident Programs 82/06/11 19pp 13634 205 24X
Fiche 50-333, 82/06/14, 8206290458

B206220269 Forwards addl info re IE Bulletin 80-11, "Masonry Wall
Design," in response to NRC 820426 request Five oversize
drawings encl Aperture cards are available in PDR
BAYNE, J P Power Authority of the State of New York 82/06/17
VASSALLO, D B Operating Reactors Branch 2 79pp 13577 058 24X
Fiche 50-333, 82/06/17, 8206220269

B206280078 Requests extension to 821015 for submitting addl info re
inservice insp program inservice exam of welds & supports
Responses requiring plant shutdown will be submitted 30 days
after end of first outage of sufficient duration
BAYNE, J P Power Authority of the State of New York 82/06/21
VASSALLO, D B Operating Reactors Branch 2 3pp 13624 245 24X
Fiche 50-333, 82/06/21, 8206280078

R Periodic operating reports & related correspondence

B206080363 Forwards monthly operating rept for May 1982
MCNEILL, C A Power Authority of the State of New York 82/06/04
Director's Office, Office of Inspection and Enforcement 1p
13424 001 24X Fiche 50-333, 82/06/04, 8206080363

--B206080366 Monthly operating rept for May 1982
COOK, J Power Authority of the State of New York 82/06/04
15pp 13424 002 24X Fiche 50-333, 82/06/04, 8206080363

B. Reportable occurrences, LERs & related correspondence

B206010453 Forwards LER 82-019/03L-0.
MCNEILL, C A Power Authority of the State of New York 82/05/20
HAYNES, R C Region 1, Office of Director 1p 13315 245 24X
Fiche 50-333, 82/05/20, 8206010453

--B206010459 LER 82-019/03L-0 on 820423, control rod 26-51 could not be
selected to move & could not be normally inserted or
withdrawn Caused by broken wire on select switch 26-51
Switch repaired
CHILDS, W V Power Authority of the State of New York 82/05/20
Region 1, Office of Director 1p 13315 246 24X
Fiche 50-333, 82/05/20, 8206010453

B206010479 Forwards LER 82-020/03L-0.
MCNEILL, C A Power Authority of the State of New York 82/05/20
HAYNES, R C Region 1, Office of Director 1p 13314 349 24X
Fiche 50-333, 82/05/20, 8206010479

--B206010485 LER 82-020/03L-0 on 820427, red block monitor B did not
indicate proper level & caused some relay chattering when
control rods were selected for movement Caused by failed
5-volt dc power supply Power supply repaired
CHILDS, W V Power Authority of the State of New York 82/05/20
Region 1, Office of Director 1p 13314 350 24X
Fiche 50-333, 82/05/20, 8206010479

B206080132 Forwards LER 82-021/03L-0
MCNEILL, C A Power Authority of the State of New York 82/05/28
HAYNES, R C Region 1, Office of Director 1p 13423 345 24X
Fiche 50-333, 82/05/28, 8206080132

--B206080135 LER 82-021/03L-0 on 820501, emergency diesel generator A was
removed from svc & declared inoperable due to voltage &
frequency fluctuations. Cause could not be determined.
CHILDS, W V Power Authority of the State of New York 82/05/28
Region 1, Office of Director 1p 13423 346 24X
Fiche 50-333, 82/05/28, 8206080132

B206080242 Forwards LER 82-022/03L-0
MCNEILL, C A Power Authority of the State of New York 82/05/28
HAYNES, R C Region 1, Office of Director 1p 13417 038 24X
Fiche 50-333, 82/05/28, 8206080242

--B206080377 LER 82-022/03L-0 on 820501, during normal operation, emergency
diesel generator D declared inoperable w/A also inoperable
requiring reactor shutdown initiation Cause not determined.
Generators declared operable & returned to svc
CHILDS, W V Power Authority of the State of New York 82/05/28
Region 1, Office of Director 3pp 13417 039 24X
Fiche 50-333, 82/05/28, 8206080242

B206080320 Forwards LER 81-039/03X-1
MCNEILL, C A Power Authority of the State of New York 82/05/28
HAYNES, R C Region 1, Office of Director 1p 13420 079 24X
Fiche 50-333, 82/05/28, 8206080320

--B206080322 LER 81-039/03X-1 on 810429, containment spray valves 10MOV26A
& 31A limit switch rotors failed, making containment spray
loop A inoperable Caused by loose switch finger screws
Rotors replaced
CHILDS, W V Power Authority of the State of New York 82/06/01
Region 1, Office of Director 1p 13420 080 24X
Fiche 50-333, 82/05/28, 8206080320

B206110132 Forwards LER 81-059/03X-1.
MCNEILL, C A Power Authority of the State of New York 82/06/01
HAYNES, R C Region 1, Office of Director 1p 13463 216 24X
Fiche 50-333, 82/06/01, 8206110132

--B206110137 LER 81-059/03X-1 on 810731, during HPCI sys primary
containment troubleshooting, administrative controls re
maint activities not followed, Caused by personnel error
Controls applied & formal training conducted.
CHILDS, W V Power Authority of the State of New York 82/06/01
Region 1, Office of Director 1p 13465 217 24X
Fiche 50-333, 82/06/01, 8206110132

B206110244 Forwards LER 81-071/03X-1
MCNEILL, C A Power Authority of the State of New York 82/06/02
HAYNES, R C Region 1, Office of Director 1p 13466 282 24X
Fiche 50-333, 82/06/02, 8206110244

--B206110249 LER 81-071/03X-1 on 810915, safety relief valve primary
position indication instruments found inoperable Caused by
failed signal cable. Coaxial signal cable replaced
CHILDS, W V Power Authority of the State of New York 82/06/01
Region 1, Office of Director 1p 13466 283 24X
Fiche 50-333, 82/06/02, 8206110244

B206110315 Forwards LER 81-082/03X-1.
MCNEILL, C A Power Authority of the State of New York 82/06/02
HAYNES, R C Region 1, Office of Director 1p 13467 072 24X
Fiche 50-333, 82/06/02, 8206110315

--B206110318 LER 81-082/03X-1 on 811230, erratic readings noted on source
range & intermediate range monitor instruments provided w/
power from Div 1 24-volt dc batteries Caused by low voltage
due to charger being off during preventive maint
CHILDS, W V Power Authority of the State of New York 82/06/02
Region 1, Office of Director 1p 13467 073 24X
Fiche 50-333, 82/06/02, 8206110315

B206150013 PNB-I-82-004 on 820607, inadequate search of Chem-Nuclear
tractor trailer admitted to site protected area failed to
identify two handguns under blanket in cab bunk area Guns
remanded to Sheriff's Dept & driver fined.
MADDEN, W, QODY, A, JOYNER, J Region 1, Office of Director
82/06/08 1p 13501 095 24X Fiche 50-333, 82/06/08, 8206150013

B206220521 Forwards LER 82-023/03L-0
MCNEILL, C A Power Authority of the State of New York 82/06/11
HAYNES, R C Region 1, Office of Director 1p 13579 121 24X
Fiche 50-333, 82/06/11, 8206220521

--B206220530 LER 82-023/03L-0 on 820514, during normal operation, while
conducting surveillance, containment isolation valve
10 MOV 38A found inoperable, Caused by motor failure, Motor
replaced
CHILDS, W V Power Authority of the State of New York 82/06/11
Region 1, Office of Director 2pp 13579 122 24X
Fiche 50-333, 82/06/11, 8206220521

B206290533 Forwards LER 82-024/03L-0.
MCNEILL, C A Power Authority of the State of New York 82/06/17
HAYNES, R C Region 1, Office of Director 1p 13631 048 24X
Fiche 50-333, 82/06/17, 8206290533

--B206290537 LER 82-024/03L-0 on 820520, RHR svc water pump A discharge
check valve stuck open at completion of pump testing. Caused
by loose disc retaining nut, Nut, washer & cotter pin replaced
& sys restored to operable status.
CHILDS, W V Power Authority of the State of New York 82/06/17
Region 1, Office of Director 2pp 13631 049 24X
Fiche 50-333, 82/06/17, 8206290533

DOCKET 50-334 BEAVER VALLEY POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 MADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, B206150016

--B206150044 Requests relief from B20201 deadline for installation of prompt notification sys siting siren locations difficult to reach due to terrain
CAREY, J J Duquesne Light Co 82/01/29 NRC - No Detailed Affiliation Given 11pp 13524:250. 24X Fiche 50-000, 82/04/21, B206150016

--B206150077 Forwards draft response denying licensee request for exemption from B20201 deadline for implementation of prompt notification sys
PERKINS, K E. Emergency Preparedness Development Branch (Pm B20201). 82/02/12 VARQA, S Operating Reactors Branch 1 3pp. 13524-225 24X Fiche 50-000, 82/04/21, B206150016

--B206150079 Status of prompt notification sys.
* NRC - No Detailed Affiliation Given 82/03/09, 1p 13525 154. 24X Fiche: 50-000, 82/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Devoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206150473 Submits update of current assessment of licensee's ability to implement prompt notification sys by B20201 deadline
Thirteen licensees may not meet deadline.
DIRCKS, W J. Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X Fiche 50-000, 82/05/11, B206090002

--B206150481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O S Division of Technical Inspection 82/01/05
GRIMES, B K. Division of Emergency Preparedness 8pp 13454 176 24X Fiche 50-000, 82/05/11, B206090002

--B206090088 Provides implementation status of prompt notification sys for facilities. Eight licensees failed to meet B20201 deadline
DIRCKS, W J. Office of the Executive Director for Operations 82/03/04 PALLADINO, N Commissioners 1p. 13454 196. 24X Fiche: 50-000, 82/05/11, B206090002

--B206060494 Forwards monthly status rept of licensee implementation of prompt notification sys.
DIRCKS, W J. Office of the Executive Director for Operations 82/03/30 PALLADINO, N J Commissioners 2pp 13454-252 24X Fiche: 50-000, 82/05/11, B206090002

B206070083 Submits addl info to support proposed 10CFR50 54(p) change to physical security plan info withheld (ref 10CFR2 790).
CAREY, J J Duquesne Light Co 82/05/21 VARQA, S A Operating Reactors Branch 1. 2pp. 13366:340 24X Fiche 50-334, 82/05/21, B206070083

B206220065 Forwards IE Safeguards Insp Rept 50-334/B1-24 on 810817-21 No noncompliance noted Rept withheld (ref 10CFR73.21)
MARTIN, T T Division of Engineering & Technical Programs 82/06/04 CAREY, J J. Duquesne Light Co 2pp 13574:067 24X Fiche, 50-334, 82/06/04, B206220065

B206220177 Confirmatory Action Ltr 82-18 confirming util actions listed in B20528 ltr re emergency public warning sys.
SMITH, C H. Division of Emergency Preparedness & Operational Support 82/06/10. CAREY, J J. Duquesne Light Co 1p 13572.066 24X Fiche 50-334, 82/06/10, B206220177

--B206220184 Confirms that all sirens in 10-mile emergency planning zone are operable & capable of providing alerting function in event of emergency
CAREY, J J Duquesne Light Co 82/05/28 SMITH, O H Division of Emergency Preparedness & Operational Support 3p 24X Fiche 50-334, 82/06/10, B206220177

B206160300 Releases public version of new emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/06/14 Document Management Branch 1p 13539 246 24X Fiche 50-334, 82/06/14, B206160300

--B206160313 Forwards public version of Emergency Preparedness Plan Procedure EPP/IP-1 1.1. "Monthly Communication/Verification Check"
SIEBER, J D Duquesne Light Co 82/05/28 VARQA, S A Operating Reactors Branch 1 2pp 13539 247 24X Fiche 50-334, 82/06/14, B206160300

--B206160317 Public version of Emergency Preparedness Plan Procedure EPP/IP-1 1.1. "Monthly Communication/Verification Check"
* Duquesne Light Co 82/05/28 8pp 13539 249 24X Fiche 50-334, 82/06/14, B206160300

P Operating license stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIROS, M S Reactor Systems Standards Branch 81/02/02 ARLOTT, O A Division of Engineering Standards 20pp 13638.102 24X Fiche 50-000, 82/05/12, B206280071

B206040337 Forwards Class II license fee for Tech Spec Change Request 73 dtd 820513
SIEBER, J D Duquesne Light Co 82/05/17 License Fee Management Branch 2pp 13354.037 24X Fiche 50-334, 82/05/17, B206040337

B206020544 Forwards amended Tech Spec Pages 3/4 1-19, 3/4 1-20b & B 3/4 1-3 reflecting change re Cycle 3 reload safety evaluation, per B20506 & 0223 ltrs Proposed Tech Specs required for entry into Mode 3 by B20604
CAREY, J J Duquesne Light Co. 82/05/26 VARQA, S A Operating Reactors Branch 1 7pp 13322 299. 24X Fiche, 50-334, 82/05/26, B206020544

--B206020547 Proposed Tech Spec Pages 3/42 1-19, 3/4 1-20b & B 3/4 1-3 re reactivity control sys
* Duquesne Light Co 82/05/26 4pp 13322 306 24X Fiche 50-334, 82/05/26, B206020544

B206070249 Forwards Westinghouse 781027 ltr transmitting BAR for deletion of reactor trip following turbine trip below 50% power Review requested against NUREG-0737, Item II K.3 10 concerns
CAREY, J J. Duquesne Light Co 82/05/27 VARQA, S A Operating Reactors Branch 1. 4pp. 13369 287 24X Fiche, 50-334, 82/05/27, B206070249

--B206070254 "Deletion of Reactor Trip on Turbine Trip Below 50% Power"
NARASIMHAN, O Westinghouse Electric Corp 82/05/27 38pp 13369:291 24X Fiche 50-334, 82/05/27, B206070249

B206100220 Informs of implementation of Tech Spec Amend 49 re mechanical & hydraulic snubbers, effective B20330
Requirements cannot be implemented on existing spare parts purchased prior to effective date Mfg date info required.
CAREY, J J Duquesne Light Co. 82/05/28 VARQA, S A Operating Reactors Branch 1 2pp 13488:207. 24X Fiche, 50-334, 82/05/28, B206100220

B206100169 Forwards application for amend to License DPR-66 to Update Tech Specs 3 B 2 3/4, B.1 & B 3/4 B.2 re station batteries. Fee for Class III change request will be submitted under separate cover per 10CFR170.22.
CAREY, J J Duquesne Light Co. 82/06/03 VARQA, S A Operating Reactors Branch 1 1p 13453:204. 24X Fiche: 50-334, 82/06/03, B206100169

--B206100170 Application for amend to License DPR-66 re limiting condition for operation & surveillance requirements of station batteries
CAREY, J J Duquesne Light Co. 82/06/03 2pp 13453:205 24X

--B206100174 Proposed Tech Specs 3 B 2 3,3/4 B 1 & B 3/4 B-2 re limiting conditions & surveillance requirements for station batteries
* Duquesne Light Co 82/06/03 6pp 13453 208 24X
Fiche 50-334,82/06/03,8206100169

B206170034 Forwards check required for Class III license fee for B20603 Tech Spec Change Request 71
SIEBER, J D Duquesne Light Co 82/06/03 License Fee Management Branch 2pp 13929 305 24X Fiche 50-334,82/06/03,8206170034,

B206150298 Provides status of listed NUREG-0737 items in response to Generic Ltr B2-10, "Post-TMI Requirements"
CAREY, J J Duquesne Light Co 82/06/08 EISENHUT, D O Division of Licensing 11pp 13505 340 24X Fiche 50-334,82/06/08,8206150298

B206090193 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York UHERTO, H Municipal Electric Co of Georgia HARRINGTON, A W Jacksonville Electric Authority 13pp 13557 349 24X Fiche 50-000,82/06/09,8206090193

B206170306 Forwards revised application to amend License DPR-66, changing Tech Spec Sections 3/4 1 3 1-6, B 3/4 1 3,3/4 10 2 & 3/4 10 4 re movable control assemblies
CAREY, J J Duquesne Light Co 82/06/10 VARGA, S A Operating Reactors Branch 1 2pp 13531 267 24X Fiche 50-334,82/06/10,8206170306

--B206170310 Application to amend License DPR-66, changing Tech Spec Sections 3/4 1 3 1-6, B 3/4 1 3,3/4 10 2 & 3/4 10 4 re movable control assemblies
CAREY, J J Duquesne Light Co 82/06/10 2pp. 13531 269. 24X Fiche 50-334,82/06/10,8206170306

--B206170313 Proposed revision to Tech Spec Sections 3/4, 1, 3 1-6, B 3/4 1, 3,3/4, 10, 2 & 3/4 10 4 re movable control assemblies
Safety evaluation encl
* Duquesne Light Co. 82/06/10 17pp 13531 271 24X
Fiche 50-334,82/06/10,8206170306

B206170180 Forwards application for amend to License DPR-66, consisting of Proposed Change Request 66, revising Tech Specs 3/4 1 3 2 & 3/4, 1 3 3 re movable control assemblies
CAREY, J J Duquesne Light Co 82/06/11 VARGA, S A Operating Reactors Branch 1 2pp 13534 158 24X Fiche 50-334,82/06/11,8206170180

--B206170181 Application for amend to License DPR-66, consisting of Proposed Change Request 66, revising Tech Specs 3/4 1 3, 2 & 3/4 1 3 3 re movable control assemblies
CAREY, J J Duquesne Light Co 82/06/11 2pp 13534 160 24X Fiche 50-334,82/06/11,8206170180

--B206170184 Proposed changes to Tech Specs 3/4 1, 3 2 & 3/4 1, 3 3 re movable control assemblies
* Duquesne Light Co 82/06/11 4pp 13534, 162 24X
Fiche 50-334,82/06/11,8206170180

B206280676 Forwards Amend 51 to License DPR-66, safety evaluation & notice of issuance & availability Amend modifies Tech Specs on rod misalignment, core peaking factor limits & associated parameters
TAM, P. S Operating Reactors Branch 1 82/06/14 CAREY, J J Duquesne Light Co 2pp. 13630 192 24X Fiche 50-334,82/06/14,8206280676

--B206280681 Amend 51 to License DPR-66, revising Tech Specs on rod misalignment, core peaking factor limits & associated parameters.
VARGA, S A Operating Reactors Branch 1. 82/06/14. 24pp. 13630 194 24X Fiche 50-334,82/06/14,8206280676

--B206280685 Safety evaluation supporting Amend 51 to License DPR-66.
* Office of Nuclear Reactor Regulation, Director 82/06/14. 7pp. 13630 218 24X Fiche 50-334,82/06/14,8206280676

--B206280690 Notice of issuance & availability of Amend 51 to License DPR-66
VARGA, S A. Operating Reactors Branch 1 82/06/14. 2pp 13630 227 24X Fiche 50-334,82/06/14,8206280676

B206220471 Discusses Tech Spec Amend 51 re rod position indication sys, per B20616 discussion Approval of interim change to Tech Spec 3 1 3 3 requested by B20621
CAREY, J J Duquesne Light Co 82/06/16 VARGA, S A Operating Reactors Branch 1. 2pp. 13581 019 24X Fiche 50-334,82/06/16,8206220471.

--B206220476 Proposed Tech Spec 3 1 3 3, deferring monitoring of analog to demand position accuracy until operating temp attained
* Duquesne Light Co 82/06/16 1p 13581 021 24X
Fiche 50-334,82/06/16,8206220471

Q Inspection reports, IE Bulletins & correspondence

B201200153 Ack receipt of B20106 response to Immediate Action Ltr B1-14 re actions to prevent recurrent losses of RHR sys flow when RCB is drained below range of pressurizer level indication
Proposed mods acceptable
STARDSEYCKI, R Division of Resident & Project Inspection 82/01/08
CAREY, J J Duquesne Light Co 2pp 11620 114 24X
Fiche 50-334,82/01/08,8201200153

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000,82/04/21,8206150016

--B206180086 Requests reconsidered of denial of util B20121 request for extension of deadline for implementing prompt notification sys & rescission of B20212 notice of violation.
CAREY, J J Duquesne Light Co 82/03/10 NRC - No Detailed Affiliation Given 7pp. 13525 160 24X Fiche 50-000,82/04/21,8206180016

B206030267 Forwards IE Insp Rept 50-334/B2-09 on B20409-09 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs. 82/05/12.
CAREY, J J Duquesne Light Co 2pp 13337 127 24X
Fiche 50-334,82/05/12,8206030267

--B206030270 IE Insp Rept 50-334/B2-09 on B20409-09 No noncompliance noted Major areas inspected: Cycle 2 startup testing proposed Cycle 3 startup testing & Cycle 3 reload evaluation rept.
CHUNG, J H, TROSKOSKI, W M, BETTENHAUSEN, L Region 1, Office of Director 82/04/27. App 13337 129 24X Fiche 50-334,82/05/12,8206030267

B202040147 IE Info Notice B2-15, "Notification of NRC." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095. 24X
Fiche 50-000,82/05/28,8202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28 103pp 13440 264. 24X Fiche 50-000,82/05/28,8204210378

B206070308 Ack receipt of B20430 & 0506 ltrs informing NRC of steps taken to correct violations noted in IE Health Physics Appraisal Rept 50-334/B1-05. Shift supervisor now responsible for oversight of gaseous radwaste sys operations.
MARTIN, T T Division of Engineering & Technical Programs 82/05/28
CAREY, J J Duquesne Light Co 2pp 13363 288 24X
Fiche 50-334,82/05/28,8206070308

--B206070312 Advises that anticipated date for purchase of state-of-the-art phantom, procedure revisions, training & QC test program implementation is 830331
CAREY, J J Duquesne Light Co 82/05/06. HAYNES, R C Region 1, Office of Director 1p. 13363, 290. 24X Fiche 50-334,82/05/28,8206070308

--B206070319 Supplis response to NRC B20329 ltr re violations noted in IE Health Physics Appraisal Rept 50-334/B1-05. Corrective actions: Radcon manual is being revised to incorporate changes to air sampling program
CAREY, J J Duquesne Light Co 82/04/30 HAYNES, R C Region 1, Office of Director 12pp. 13363 291 24X Fiche 50-334,82/05/28,8206070308

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/04/02 108pp 13327 150 24X
Fiche 50-000,82/04/02,8204210380

B206220458 Forwards IE Insp Rept 50-334/B2-12 on B20510-14. No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs. 82/06/03
CAREY, J J Duquesne Light Co 2pp 13576 175 24X
Fiche 50-334,82/06/03,8206220458

--B206220465 IE Insp Rept 50-334/82-12 on 820510-14 No noncompliance noted Major areas inspected receipt, storage & handling of safety-related materials & equipment & audits
EAPEN, P. K. Region 1, Office of Director SHAUB, E. T., CAPHTON, D. L. Division of Engineering & Technical Programs 82/06/02 9pp
13376 177 24X Fiche: 50-334, 82/06/03, 8206220465

B206110106 Ack receipt of B20419 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-334/82-05
MARTIN, T. T. Division of Engineering & Technical Programs 82/06/04
CAREY, J. J. Duquesne Light Co. 1p 13465 357 24X
Fiche: 50-334, 82/06/04, 8206110106

--B206110111 Responds to NRC B20323 ltr re violations noted in IE Insp Rept 50-334/82-05 Corrective actions-MUREO-0737 mods being reviewed to examine applicable design requirements for each design change & to identify projected schedule status
CAREY, J. J. Duquesne Light Co. 82/04/19 MARTIN, T. T. Division of Engineering & Technical Programs. 4pp. 13465 358 24X
Fiche: 50-334, 82/06/04, 8206110111

B206220065 Forwards IE Safeguards Insp Rept 50-334/81-24 on 810817-21 No noncompliance noted Rept withheld (ref 10CFR73.21)
MARTIN, T. T. Division of Engineering & Technical Programs 82/06/04
CAREY, J. J. Duquesne Light Co. 2pp 13574 067 24X
Fiche: 50-334, 82/06/04, 8206220065

B206220261 Forwards IE Insp Rept 50-334/82-11 on 820504-06 & 10-13 No noncompliance noted.
MARTIN, T. T. Division of Engineering & Technical Programs 82/06/04
CAREY, J. J. Duquesne Light Co. 2pp 13571 086 24X
Fiche: 50-334, 82/06/04, 8206220261

--B206220266 IE Insp Rept 50-334/82-11 on 820504-06 & 10-13 No noncompliance noted Major areas inspected LERs, plant mod, containment penetration leakage testing program & containment integrated leakage rate test
REKTO, W. A., BETTENHAUSEN Division of Engineering & Technical Programs 82/06/03. 10pp 13571:088. 24X Fiche: 50-334, 82/06/04, 8206220266

B206150127 Ack receipt of B20419 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-334/82-02 & 50-334/82-09 Leak test procedure categorized as unresolved item pending further clarification of Tech Specs
MARTIN, T. T. Division of Engineering & Technical Programs. 82/06/08
CAREY, J. J. Duquesne Light Co. 1p 13504:028 24X
Fiche: 50-334, 82/06/08, 8206150127.

--B206150130 Responds to NRC ltr re violations noted in IE Insp Rept 50-334/82-02, Existing leak rate test procedure adequately conservative to meet intent of Tech Specs.
CAREY, J. J. Duquesne Light Co. 82/04/19 HAYNES, R. C. Region 1, Office of Director. 3pp. 13504 329. 24X Fiche: 50-334, 82/06/08, 8206150130

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13679:258 24X Fiche: 50-000, 82/06/11, 8204210383.

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Material by Workers." Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp. 13678:189. 24X
Fiche: 50-000, 82/06/11, 8204210384

B206210082 Ack receipt of B20430 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-334/82-01
STAROSTECKI, R. Division of Project & Resident Programs 82/06/11
CAREY, J. J. Duquesne Light Co. 1p. 13559 175 24X
Fiche: 50-334, 82/06/11, 8206210082

--B206210087 Responds to NRC B20401 ltr re violations noted in IE Insp Rept 50-334/82-01 Corrective actions: penetration fire barrier repaired & plans made for personnel indoctrination by B20623.
CAREY, J. J. Duquesne Light Co. 82/04/30 STAROSTECKI, R. Division of Project & Resident Programs 14pp. 13559 177. 24X
Fiche: 50-334, 82/06/11, 8206210082.

B206290425 Ack receipt of B20609 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-334/82-08.
STAROSTECKI, R. Division of Project & Resident Programs. 82/06/23
CAREY, J. J. Duquesne Light Co. 1p. 13634:161 24X
Fiche: 50-334, 82/06/23, 8206290425

--B206290435 Responds to NRC B20511 ltr re violations noted in IE Insp Rept 50-334/82-08 Corrective actions shift technical advisors assigned to check operating surveillance test schedule to assure items started & completed as scheduled
CAREY, J. J. Duquesne Light Co. 82/06/09 STAROSTECKI, R. Region 1, Office of Director 3pp 13634 162 24X Fiche: 50-334, 82/06/23, 8206290435

R Periodic operating reports & related correspondence

B206010263 Forwards monthly operating rept for Apr 1982 & revised monthly operating rept for Feb & Mar 1982
CAREY, J. J. Duquesne Light Co. 82/05/06 Office of Management and Program Analysis 3pp 13307 152 24X Fiche: 50-334, 82/05/06, 8206010263

--B206010266 Monthly operating rept for Apr 1982
WEAVER, L. W. Duquesne Light Co. 82/05/12. 1p 13307.155. 24X
Fiche: 50-334, 82/05/06, 8206010266

--B206010271 Revised monthly operating rept for Mar 1982
WEAVER, L. W. Duquesne Light Co. 82/04/02 1p 13307 156 24X
Fiche: 50-334, 82/05/06, 8206010263

--B206010274 Revised monthly operating rept for Feb 1982.
WEAVER, L. W. Duquesne Light Co. 82/03/05 1p 13307 157 24X
Fiche: 50-334, 82/05/06, 8206010263.

B206080311 Forwards NPDES discharge monitoring rept for Apr 1982
FEITKNECHT, C. Duquesne Light Co. 82/05/31 REID, R. W. Operating Reactors Branch 4 3pp 13420 017. 24X Fiche: 50-334, 82/05/31, 8206080311

--B206080313 NPDES discharge monitoring rept for Apr 1982
* Duquesne Light Co. 82/05/28. 13pp 13420 020 24X
Fiche: 50-334, 82/05/31, 8206080311

B206150128 Forwards monthly operating rept for May 1982.
CAREY, J. J. Duquesne Light Co. 82/06/08 Office of Management and Program Analysis 1p 13504 323 24X Fiche: 50-334, 82/06/08, 8206150128

--B206150132 Monthly operating rept for May 1982
WEAVER, L. W. Duquesne Light Co. 82/06/10 4pp 13504 324 24X
Fiche: 50-334, 82/06/08, 8206150128

S Reportable occurrences, LERs & related correspondence

B205100225 Forwards updated LER B1-014/01X-1
WILLIAMS, H. P. Duquesne Light Co. 82/04/28 HAYNES, R. C. Region 1, Office of Director 2pp 13012 040 24X Fiche: 50-334, 82/04/28, 8205100225

--B205100228 Updated LER B1-014/01X-1 on 810221, RCS leak initially calculated at 0.5 gpm discovered due to leak at weld where RC-11 valve nipple penetrates RCS boundary Weld failure caused by corrosion fatigue mechanism Repairs made
LACEY, W. B. Duquesne Light Co. 82/04/28 Region 1, Office of Director 2pp 13012:042 24X Fiche: 50-334, 82/04/28, 8205100228

B206080354 Forwards LER 82-016/03L-0
WILLIAMS, H. P. Duquesne Light Co. 82/05/25 HAYNES, R. C. Region 1, Office of Director. 2pp 13419 001. 24X Fiche: 50-334, 82/05/25, 8206080354

--B206080358 LER 82-016/03L-0 on 820427, turbine auto stop oil pressure switch, FB-TB63-SABT, found inoperable & trip setpoints for FB-TB63-4AST & 6AST found out of spec Caused by lug blocking trip mechanism & instrument drift, respectively.
LACEY, W. B. Duquesne Light Co. 82/05/25 Region 1, Office of Director 2pp. 13419:003. 24X Fiche: 50-334, 82/05/25, 8206080354

B206110276 LER 82-014/01P on 820601, while performing last stage of records update analysis required by IE Bulletin 79-14, S&W identified postulated overstress condition within structural support framework for access leadout heat exchanger, CH-E-4.
WILLIAMS, H. P. Duquesne Light Co. 82/06/02 HAYNES, R. C. Region 1, Office of Director. 2pp 13466.146 24X Fiche: 50-334, 82/06/02, 8206110276.

B206150112 LER 82-017/01P on 820528, small void originating approx 1-1/2 inch below outer containment wall found while mounting conduit for security alarm at newly installed emergency escape hatch Cause not stated Integrity not violated
WILLIAMS, H. P. Duquesne Light Co. 82/06/03 HAYNES, R. C. Region 1, Office of Director. 2pp. 13504 340 24X Fiche: 50-334, 82/06/03, 8206150112

B206280248 Forwards LER 82-017/01T-0
WILLIAMS, H P Duquesne Light Co 82/06/09 HAYNES, R C Region 1,
Office of Director 2pp 13624 136 24X Fiche 50-334, 82/06/09,
B206280248

--B206280237 LER 82-017/01T-0 on 820528, small void in outer containment
wall discovered, located within concrete reinforced ring
around equipment hatch Containment integrity not affected
Cause unknown Procedure to repair void provided
LACEY, W S Duquesne Light Co 82/06/10 Region 1, Office of
Director 2pp 13624 138 24X Fiche 50-334, 82/06/09, B206280248

B206230107 Forwards LER 82-018/03L-0
WILLIAMS, H P Duquesne Light Co 82/06/11 HAYNES, R C Region 1,
Office of Director 2pp 13589 186 24X Fiche 50-334, 82/06/11,
B206230107

--B206230111 LER 82-018/03L-0 on 820512, RHR pump RH-P-18 failed to start
Caused by interruption of RHR flow due to procedural &
personnel errors Circuit breaker racking mechanism problem
delayed restoring flow Procedure revised & operator trained
LACEY, W S Duquesne Light Co 82/06/11 Region 1, Office of
Director 2pp 13589 188 24X Fiche 50-334, 82/06/11, B206230107

B206280332 Forwards LER 82-019/03L-0
WILLIAMS, H P Duquesne Light Co 82/06/11 HAYNES, R C Region 1,
Office of Director 2pp 13624 086 24X Fiche 50-334, 82/06/11,
B206280332

--B206280334 LER 82-019/03L-0 on 820521, pin hole leak discovered in
expansion joint on river water discharge of recirculation
spray heat exchanger 1B Cause under investigation Expansion
joint replaced
LACEY, W S Duquesne Light Co 82/06/11 Region 1, Office of
Director 2pp 13624 088 24X Fiche 50-334, 82/06/11, B206280332

B206230228 Forwards LER 82-014/01T-0
WILLIAMS, H P Duquesne Light Co 82/06/14 HAYNES, R C Region 1,
Office of Director 2pp 13586 009 24X Fiche 50-334, 82/06/14,
B206230228

--B206230229 LER 82-014/01T-0 on 820601, during records update per IE
Bulletin 79-14, postulated overstress condition identified
on structural support beam for excess letdown heat exchanger
CH-E-4 Caused by design deficiency Brace installed
LACEY, W S Duquesne Light Co 82/06/14 Region 1, Office of
Director 2pp 13586 011 24X Fiche 50-334, 82/06/14, B206230228

DOCKET 50-335 ST LUCIE PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US Forwards
documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J
Public Interest Research Group, New York 7pp 13524.010 24X
Fiche. 50-000, 82/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys. Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
Debevoise & Liberman 3pp. 13454:003 24X Fiche. 50-000, 82/05/11,
B206090002

--B206090085 Forwards RE Trojanowski B20122 memo to JP Stohr re State of
FL & licensee emergency planning Full field exercise
scheduled for 820210-13

STOHR, J P Emergency Preparedness & Program Support Branch
82/01/25 GRIMES, B K Division of Emergency Preparedness. 2pp
13454 158. 24X Fiche 50-000, 82/05/11, B206090002.

--B206090090 Discusses status of emergency planning in State of FL re
St Lucie facilities County does not wish to participate in
exercise scheduled for 820210

TROJANOWSKI, R. Division of Engineering & Technical Inspection.
82/01/22 STOHR, J P Emergency Preparedness & Program Support
Branch 4pp. 13454 160. 24X Fiche 50-000, 82/05/11, B206090002.

--B203110473 Submits update of current assessment of licensees ability
to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline.
DIRCKE, W J Office of the Executive Director for Operations
82/01/26 Commissioners. 2pp 13454.164. 24X
Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification
sys implementation at facilities Meteorological programs,
emergency response facilities & research reactors need addl
mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 81/01/08 DEYOUNG, P C Director's Office, Office of
Inspection and Enforcement App 13454 167 24X
Fiche 50-000, 82/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt
notification sys
SPENCER, O S Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
24X Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies
identified in initial testing of prompt notification sys
Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational
Support 82/02/04 GRIMES, B K Division of Emergency
Preparedness. 5pp 13454 239. 24X Fiche 50-000, 82/05/11,
B206090002

B206070473 Forwards Region 2 incident response plan dtd Mar 1982. Plan
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan" Plan should be of benefit to
understanding of NRC response to emergency w/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 UHRIO, R E Florida Power & Light Co 1p 13374 324
24X Fiche 50-000, 82/05/12, B206070473

B206100342 Discusses B20518 meeting re App R fire protection submittal
dates Util attempting to provide Unit 1 App R fire
protection submittal before 820701 to provide addl review
time prior to in of industry submittals on 820701
VEBBEL, J E Florida Power & Light Co 82/06/04 EISENHUT, D G
Division of Licensing 1p 13450 306 24X Fiche 50-000, 82/06/04,
B206100342

B206170232 Advises that NRC review of security plan, Revision 5,
indicates need for further revisions Response within 45 days
after receipt of ltr requested Encl withheld
(ref 10CFR73 21)
MIRALIA, F J Licensing Branch 3 82/06/16 UHRIO, R E Florida
Power & Light Co 1p 13335 186 24X Fiche 50-335, 82/06/16,
B206170232

J Insurance & indemnity information

B206110243 Forwards Endorsements 43 & 34 to ANI Policy NF-227 & MAELU
Policy MF-8B, respectively
FIELDER, J Marsh & McLennan, Inc. & M & M Nuclear Consultants, Inc
Div. 82/06/07 BALTZMAN, J Assistant Director for State & Licensee
Relations 3pp 13466.279 24X Fiche 50-335, 82/06/07, B206110243

P Operating license stage documents & correspondence

B206080002 Forwards Amend 50 to License DPR-67, EIA & notice of issuance
& availability. Amend deletes all water quality requirements
& allows termination of sea turtles program
NELSON, C C Operating Reactors Branch 3 82/05/21 UHRIO, R E
Florida Power & Light Co 5pp 13441:054 24X
Fiche 50-335, 82/05/21, B206080002

--B206080003 Amend 50 to License DPR-67, deleting water quality
requirements & terminating endangered sea turtle program
CLARK, R A Operating Reactors Branch 3 82/05/21 27pp
13441 099 24X Fiche. 50-335, 82/05/21, B206080002

--B206080004 EIA supporting Amend 50 to License DPR-67
* Office of Nuclear Reactor Regulation, Director. 82/05/21. 5pp
13441 086 24X Fiche 50-335, 82/05/21, B206080002.

--B206080011 Notice of issuance & availability of Amend 50 to License
DPR-67.
* Operating Reactors Branch 3 82/05/21 2pp 13441.091. 24X
Fiche: 50-335, 82/05/21, B206080002

B206010211 Informs of delay in analysis of seized rotor & loss of all
nonemergency power events Complexity of task dictated that
analysis be subcontracted New submittal date of 820831
anticipated
UHRIO, R E Florida Power & Light Co 82/05/24. EISENHUT, D. G.
Division of Licensing. 1p 13307 158. 24X Fiche: 50-335, 82/05/24,
B206010211

B206010273 Forwards response to B20419 request for addl info re
operating time curves for undervoltage relays for 4, 160-volt
& 480-volt sys & Class IE equipment protection
UHRIO, R E Florida Power & Light Co 82/05/24. CLARK, R. A.
Operating Reactors Branch 3 5pp. 13307.118 24X
Fiche: 50-335, 82/05/24, B206010273

DOCKETED ITEMS

B206020314 Advises that proposed Tech Spec amend dtd 770519 has been withdrawn. Appropriate secondary water limits are controlled by NRC approved program.
UHRIG, R E Florida Power & Light Co 82/05/26 EISENHUT, D O
Office of Nuclear Reactor Regulation, Director 1p 13322 29B 24X
Fiche 50-335, 82/05/26, B206020314

B206020348 Forwards addl info to substantiate util UHS Tech Spec request, in response to NRC B20504 ltr
UHRIG, R E Florida Power & Light Co 82/05/26 CLARK, R A
Operating Reactors Branch 3 32pp 13321 304 24X
Fiche 50-335, 82/05/26, B206020348

B206030201 Advises that responses to Generic Ltr 82-1, Post-TM1 Requirements, will be submitted by 820702.
UHRIG, R E Florida Power & Light Co 82/05/27 EISENHUT, D O
Division of Licensing 1p 13337 311 24X Fiche 50-335, 82/05/27, B206030201.

B206080198 Concurs w/ revised position on startup flux channel boron dilution alarm per NRC B20426 ltr Alarm will not be installed
UHRIG, R E Florida Power & Light Co 82/06/01 CLARK, R A
Operating Reactors Branch 3 1p 13420 22B 24X
Fiche 50-335, 82/06/01, B206080198

B206140164 Forwards responses to Questions 2-5 re overpressure mitigating sys. per B20412 request Testing procedures verifying operability will be developed by B20801 Response to Question 1 will be provided by B20716
UHRIG, R E Florida Power & Light Co 82/06/07 CLARK, R A
Operating Reactors Branch 3 3pp 13484 185 24X
Fiche 50-335, 82/06/07, B206140164.

--B206140176 Corrected Tech Spec Page 3/4 4-59 re power operated relief valves
* Florida Power & Light Co 78/04/13 1p 13484 18B 24X
Fiche 50-335, 82/06/07, B206140164

B206090153 Generic Ltr 82-11 to all LHR reactor plant licensees & Applicants re transmittal of NUREG-0916 relative to restart of RE Ginna. Rept documents findings re cause of event. W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSFORD, A
Consolidated Edison Co of New York MATHEWS, E R Wisconsin Public Service Corp 13pp 13357, 349 24X Fiche 50-000, 82/06/09, B206090153

B206230079 Forwards Revision 5 to Topical GA Rept FPL-NQA-100, "GA Manual" Revision includes latest organization changes submitted on B10928 & new reg guide & ANSI std commitments requested & approved in facility SER
UHRIG, R E Florida Power & Light Co 82/06/16 HAAS, W P Quality Assurance Branch 1p 13589 244 24X Fiche 50-000, 82/06/16, B206230079

--B206230083 "GA Manual"
HUDIBURO, J J Florida Power & Light Co, FPL-NQA-100 R05
82/03/07 125pp 13589 245 24X Fiche 50-000, 82/06/16, B206230079

0 - Inspection reports, IE Bulletins & correspondence

B206220576 Forwards IE Insp Rept 50-335/82-14 on B20419-22 No noncompliance noted.
DANCE, H C Division of Project & Resident Programs 82/05/24
UHRIG, R E Florida Power & Light Co 2pp 13582 186 24X
Fiche 50-335, 82/05/24, B206220576

--B206220581 IE Insp Rept 50-335/82-14 on B20419-22 No noncompliance noted. Major areas inspected GC & confirmatory measurements including review of lab GC program, chemistry & radiochemistry procedures & airborne effluent sampling.
EVANS, C D MONTGOMERY, D M Division of Project & Resident Programs 82/05/20 9pp 13582 188 24X Fiche 50-335, 82/05/24, B206220576

B202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 244 24X Fiche 50-000, 82/05/28, B204210378.

--B206220311 IE Insp Repts 50-335/82-16 & 50-389/82-18 on B20426-30 No noncompliance noted. Major areas inspected GA program design control procurement, const of facility & interviews w/ personnel
WRIGHT, R W, DEBBAGE, A O, MERRIWEATHER, N Division of Project & Resident Programs 82/05/28 15pp 13571 050 24X
Fiche 50-335, 82/05/28, B206220304

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 180 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

R Periodic operating reports & related correspondence

B206010291 Forwards monthly operating repts for Apr 1982
WILLIAMS, J W Florida Power & Light Co 82/05/14 Office of Management and Program Analysis 1p 13301 072 24X
Fiche 50-000, 82/05/14, B206010291

--B206010296 Monthly operating repts for Apr 1982
PACE, P L Florida Power & Light Co 82/05/14 11pp 13301 073 24X Fiche 50-000, 82/05/14, B206010291

B206090004 Forwards summary operating repts for Apr 1982 W/o Turkey Point 2 rept
WILLIAMS, J W Florida Power & Light Co 82/05/14 Management Information Branch 3pp 13435 307 24X Fiche 50-000, 82/05/14, B206090004

S Reportable occurrences, LERs & related correspondence

B206010408 Forwards LER 82-014/03L-0.
WILLIAMS, J W Florida Power & Light Co 82/05/19 O'REILLY, J P
Region 2, Office of Director 1p 13313 259 24X
Fiche 50-335, 82/05/19, B206010408

--B206010412 LER 82-014/03L-0 on B20424, during power operation, KCO leakage exceeded limit of 10 gpm Caused by failed body to bonnet gasket on V-1237 pressurizer mini-spray valve Valve isolated to stop leakage Gasket replaced.
PACE, P L Florida Power & Light Co 82/05/19 Region 2, Office of Director 1p 13313 260 24X Fiche 50-335, 82/05/19, B206010408

B206010436 Forwards LER 82-015/03L-0.
WILLIAMS, J W Florida Power & Light Co 82/05/19 O'REILLY, J P
Region 2, Office of Director 1p 13314 292 24X
Fiche 50-335, 82/05/19, B206010436

--B206010448 LER 82-015/03L-0 on B20423, during normal full power operation, radiation channel MD failed routine surveillance Caused by failure of action-PAK Model 4300-159 E to I converter Instrument repaired
PACE, P L Florida Power & Light Co 82/05/19 Region 2, Office of Director 1p 13314 293 24X Fiche 50-335, 82/05/19, B206010436

B206070120 Forwards LER 82-016/03L-0
WILLIAMS, J W Florida Power & Light Co 82/05/24 O'REILLY, J P
Region 2, Office of Director 1p 13368 331 24X
Fiche 50-335, 82/05/24, B206070120

--B206070127 LER 82-016/03L-0 on B20422, low level radioactive resin disposed of in landfill. Matl involved 1.8 mCi cesium Landfill is within owner controlled area Caused by failure to test sample until after disposal
PACE, P L Florida Power & Light Co 82/05/24 Region 2, Office of Director 3pp 13368 332 24X Fiche 50-335, 82/05/24, B206070120

B206110246 Forwards LER 82-018/03L-0
WILLIAMS, J W Florida Power & Light Co 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13466 156 24X
Fiche 50-335, 82/05/28, B206110246.

--8206110267 LER 82-018/03L-0 on 820503, reactor protection sys steam generator level channel bypassed during power operation due to erroneous indication of high level on channel C Caused by instrument root isolation valve packing leak Valve repacked
PACE, P L Florida Power & Light Co 82/05/28 Region 2, Office of Director 1p 13466 137 24X Fiche 50-335, 82/05/28, 8206110246

8206110277 Forwards LER 82-017/03L-0
WILLIAMS, J W Florida Power & Light Co 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13466 219 24X
Fiche 50-335, 82/05/28, 8206110277

--8206110287 LER 82-017/03L-0 on 820506, dose equivalent I-131 exceeded
Tech Spec limit Caused by 135 days of continuous power operation Limit exceeded for 28-h, 19 minutes
PACE, P L Florida Power & Light Co 82/05/28 Region 2, Office of Director 4pp 13466 220 24X Fiche 50-335, 82/05/28, 8206110277

8206110302 Forwards updated LER 82-013/03X-1
WILLIAMS, J W Florida Power & Light Co 82/06/04 O'REILLY, J P
Region 2, Office of Director 1p 13466 228 24X
Fiche 50-335, 82/06/04, 8206110302

--8206110306 LER 82-013/03X-1 on 820322, during monthly surveillance containment radiation channel MC trip setpoint exceeded Tech Spec limits Caused by defective trim potentiometer
Potentiometer replaced Setpoint adjusted
PACE, P L Florida Power & Light Co 82/06/04 Region 2, Office of Director 2pp 13466 229 24X Fiche 50-335, 82/06/04, 8206110302

8206220365 Forwards LER 82-021/03L-0
WILLIAMS, J W Florida Power & Light Co 82/06/14 O'REILLY, J P
Region 2, Office of Director 1p 13582 036 24X
Fiche 50-335, 82/06/14, 8206220365

--8206220378 LER 82-021/03L-0 on 820514, insp on small bore piping mechanical snubbers found three snubbers failed Cause not determined Snubbers replaced
PACE, P L Florida Power & Light Co 82/06/14 Region 2, Office of Director 1p 13582 037 24X Fiche 50-335, 82/06/14, 8206220365

8206240148 Forwards LER 82-019/03L-0
WILLIAMS, J W Florida Power & Light Co 82/06/18 O'REILLY, J P
Region 2, Office of Director 1p 13599 345 24X
Fiche 50-335, 82/06/18, 8206240148

--8206240150 LER 82-019/03L-0 on 820527, shield bldg door open w/hoses & electrical leads passing through Door left open for 19 5-h by backfit const personnel Hoses removed, door shut & personnel relieved to maintain integrity
PACE, P L Florida Power & Light Co 82/06/18 Region 2, Office of Director 1p 13599 346 24X Fiche 50-335, 82/06/18, 8206240148

DOCKET 50-336 MILLSTONE NUCLEAR POWER STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records, 82/04/21, WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, 82/04/21, 8206150016

--8201200541 Petitions for limited exemption from Section IV D 3 of App E to 10CFR50, requiring installation of prompt notification sys by 820201 Sys will be installed by 820801
COUNCIL, W O Connecticut Yankee Atomic Power Co 82/01/18 DIRCKS, W J Office of the Executive Director for Operations 11pp 13524 088 24X Fiche 50-000, 82/04/21, 8206150016

--8203040508 Submits list of facilities that have filled exemption requests from 820201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D O Division of Licensing 82/02/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp, 13524 288 24X Fiche 50-000, 82/04/21, 8206150016

--8206150068 Forwards draft ltr to licensees in response to requests for exemption from 820201 deadline for installation of prompt notification sys
SCHWARTZ, B A Emergency Preparedness Development Branch (Pre 820201) 82/01/21, CRUTCHFIELD, D Operating Reactors Branch 5, 4pp 13524 161 24X Fiche 50-000, 82/04/21, 8206150016

--8206150075 Forwards draft ltr to licensees in response to request for exemption from 820201 deadline from prompt notification sys installation
SCHWARTZ, B A Emergency Preparedness Development Branch (Pre 820201) 82/01/27 CRUTCHFIELD, D Operating Reactors Branch 5 3pp 13524 222 24X Fiche 50-000, 82/04/21, 8206150016

--8206150080 Requests reconsideration of util request for exemption from 820201 deadline re implementation of prompt notification sys Current state of emergency preparedness adequate
Related info encl
COUNCIL, W O Connecticut Yankee Atomic Power Co 82/02/09, PALLADINO, N Commissioners 3pp 13524 335 24X
Fiche 50-000, 82/04/21, 8206150016

--8206150079 Status of prompt notification sys
* NRC - No Detailed Affiliation Given 82/03/09 1p 13525 154 24X Fiche 50-000, 82/04/21, 8206150016

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations 82/01/25 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/03/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O S Division of Technical Inspection 82/01/05 GRIMES, B K Division of Emergency Preparedness 8pp 13454 176 24X Fiche 50-000, 82/03/11, 8206090002

--8206090088 Provides implementation status of prompt notification sys for facilities. Eight licensees failed to meet 820201 deadline
DIRCKS, W J Office of the Executive Director for Operations 82/03/04 PALLADINO, N Commissioners 1p 13454 195 24X
Fiche 50-000, 82/03/11, 8206090002

--8205040494 Forwards monthly status rept of licensee implementation of prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations, 82/03/30 PALLADINO, N J Commissioners 2pp, 13454 232 24X
Fiche 50-000, 82/03/11, 8206090002

8206080208 Requests addl info re Items 1 & 3 of util 820301 ltr informing NRC of actions taken to improve emergency preparedness
SMITH, Q H Division of Emergency Preparedness & Operational Support 82/06/02 COUNCIL, W O Northeast Nuclear Energy Co (subs. of Northeast Utilities) 2pp 13420 310, 24X Fiche 50-245, 82/06/02, 8206080208

--8206080218 Responds to 12 deficiencies listed in NRC 820204 ltr re emergency preparedness appraisal Normal & emergency organization charts encl.
COUNCIL, W O Northeast Nuclear Energy Co (subs. of Northeast Utilities), 82/03/01 HAYNES, R C Region 1, Office of Director 18pp 13420 312 24X Fiche 50-245, 82/06/02, 8206080208

--8206080224 Responds further to Item 4 of NRC 820204 ltr re emergency preparedness appraisal Addl training of station emergency organization members completed
COUNCIL, W O Northeast Nuclear Energy Co (subs. of Northeast Utilities) 82/04/30 HAYNES, R C Region 1, Office of Director, 2pp, 13420 341 24X Fiche 50-245, 82/06/02, 8206080208

8206140184 Forwards Revision 2 to safeguards contingency plan. Revision withheld (ref 10CFR2 790)
COUNCIL, W O Northeast Nuclear Energy Co (subs. of Northeast Utilities) 82/06/02, CLARK, R A Operating Reactors Branch 3 CRUTCHFIELD, D Operating Reactors Branch 5, 2pp, 13484 181, 24X
Fiche 50-245, 82/06/02, 8206140184

8206170193 Forwards Revision 9 to modified amended security plan, Revision withheld (ref 10CFR73 21)
COUNCIL, W O Northeast Nuclear Energy Co (subs. of Northeast Utilities) 82/06/03 EISENHUT, D O Division of Licensing, 3pp, 13534 274, 24X Fiche 50-245, 82/06/03, 8206170193

8206240370 Forwards IE Emergency Preparedness Appraisal Repts 80-245/82-01 & 80-336/82-01 on 820104-14, significant emergency preparedness findings & emergency preparedness improvement items
SMITH, O H Division of Emergency Preparedness & Operational Support
82/06/11 COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 9pp 13602 281 24X Fiche 50-245, 82/06/11, 8206240370

--8206240375 IE Emergency Preparedness Appraisal Repts 80-245/82-01 & 80-336/82-01 on 820104-14 Areas inspected emergency organization, training facilities & equipment, procedures for implementation & coordination of offsite agencies
KANTOR, F Division of Emergency Preparedness & Operational Support 82/06/10 76pp 13602 291 24X Fiche 50-245, 82/06/11, 8206240370

8206240348 Forwards response to util 820503 ltr re proposed changes to physical security plan changes consistent w/provisions of 10CFR50.54 & acceptable
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/14 COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13603 154 24X Fiche 50-245, 82/06/14, 8206240348

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted.
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDEIRAS, M S Reactor Systems Standards Branch 81/02/02 ARLOTT, G A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

8206020038 Requests confirmation of encl 820322-30 telcon records re NUREG-0737 Items II, F 1, 4, "Containment Pressure Monitor", II, F 1, 5, "Containment Water Level Monitor" & II, F 1, 6, "Containment Hydrogen Monitor"
CONNER, E L Operating Reactors Branch 3 82/05/14, COUNCIL, W O Connecticut Yankee Atomic Power Co 18pp 13333 301 24X Fiche 50-000, 82/05/14, 8206020038

8206140101 Forwards Amends 84 & 77 to Licenses DPR-21 & DPR-65, respectively, EIA & notice of issuance & availability Amends add monitoring & sampling requirements for distillate discharge from condensate polishing radwaste evaporator
CONNER, E L Operating Reactors Branch 3 82/05/28 COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 4pp 13507, 276 24X Fiche 50-245, 82/05/28, 8206140101

--8206140107 Amends 84 & 77 to Licenses DPR-21 & DPR-65, respectively, adding monitoring & sampling requirements for distillate discharge from condensate polishing radwaste evaporator & revising liquid radioactive effluent limits
CRUTCHFIELD, D Operating Reactors Branch 5 82/05/28 18pp, 13507 280 24X Fiche 50-245, 82/05/28, 8206140101

--8206140110 EIA supporting Amends 84 & 77 to Licenses DPR-21 & DPR-65, respectively
* Office of Nuclear Reactor Regulation, Director 82/05/28 3pp 13507, 298 24X Fiche 50-245, 82/05/28, 8206140101

--8206140113 Notice of issuance & availability of Amends 84 & 77 to Licenses DPR-21 & DPR-65, respectively.
CONNER, E L Operating Reactors Branch 3 82/05/28 2pp, 13507 301 24X Fiche 50-245, 82/05/28, 8206140101

8206100293 Forwards addl info requested by NRC 820316 & 19 ltrs re TMI Action Item II B 1, "RCB Vents."
COUNCIL, W O Connecticut Yankee Atomic Power Co, COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/02 CRUTCHFIELD, D Operating Reactors Branch 5 CLARK, R A Operating Reactors Branch 3 16pp 13491, 343 24X Fiche 50-000, 82/06/02, 8206100293

8206140047 Responds to Generic Ltr 81-14 re seismic qualification of auxiliary feedwater sys, per 820415 request, Auxiliary feedwater sys reanalyzed to include condensate storage tank & heat sink of main steam sys.
COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/04, CLARK, R A Operating Reactors Branch 3 4pp, 13487, 104 24X Fiche 50-336, 82/06/04, 8206140047

8206160368 Forwards response to Generic Ltr 82-10 requesting info re implementation dates for selected TMI action plan items in NUREG-0737
COUNCIL, W O Connecticut Yankee Atomic Power Co COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/04 EISENHUT, D O Division of Licensing 102pp 13512 073 24X Fiche 50-000, 82/06/04, 8206160368

8206180064 Confirms 820622 meeting w/util & BNHL in Berlin, CT to determine current industry practices to assist in developing long term regulatory policy re manpower & staffing & shift technical advisers position
CONNER, E L Operating Reactors Branch 3 82/06/04 COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13570 100 24X Fiche 50-336, 82/06/04, 8206180064

8206170234 Forwards supplemental info in response to Generic Ltr 82-05 re status of NUREG-0737, Items II B 2, "Plant Shielding," II B 3, "Post-Accident Sampling," II F 1, II F 1 2 & II F 1 6, "Effluent & Hydrogen Monitoring"
COUNCIL, W O, FEE, W F Connecticut Yankee Atomic Power Co COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/10 EISENHUT, D O Division of Licensing 16pp 13533 013 24X Fiche 50-000, 82/06/10, 8206170234

8206210281 Informs of merger of Hartford Electric Light Co into C Light & Power Co Amend to existing list of companies which hold facility licenses required
COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 EISENHUT, D O Division of Licensing 2pp 13559 043 24X Fiche 50-245, 82/06/11, 8206210281

8206210633 Application to amend Licenses DPR-65, DPR-61 & DPR-21, revising ETS to reflect organizational title changes & revising upper range of intake water temp for Haddam Neck
COUNCIL, W O Connecticut Yankee Atomic Power Co COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 CRUTCHFIELD, D Operating Reactors Branch 5 CLARK, R A Operating Reactors Branch 3 3pp 13561 074 24X Fiche 50-000, 82/06/11, 8206210633

--8206210638 Proposed revision to ETS Section 5 i, reflecting organizational title changes
* Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/30 4pp 13561 077 24X Fiche 50-000, 82/06/11, 8206210633

8206220454 Application for amend to Licenses DPR-21 & DPR-65, changing ETS 3 1 2 1 2, 3 1 2 1 3, 3 1 2 1 5, 3 1 2 1 6 & 3 1 2 1 9 to revise ecological monitoring studies
COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 CLARK, R A Operating Reactors Branch 3 CRUTCHFIELD, D Operating Reactors Branch 5 2pp 13578 108 24X Fiche 50-245, 82/06/11, 8206220454

--8206220472 Proposed changes to ETS 3 1 2 1 2, 3 1 2 1 3, 3 1 2 1 5, 3 1 2 1 6 & 3 1 2 1 9, revising ecological monitoring studies
* Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/30 5pp 13578 110 24X Fiche 50-245, 82/06/11, 8206220454

8206240279 Forwards "Startup Test Rept Cycle 5"
COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 HAYNES, R C Region 1, Office of Director 1p 13596 166 24X Fiche 50-336, 82/06/11, 8206240279

--8206240280 "Startup Test Rept Cycle 5"
* Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/31 16pp 13596 167 24X Fiche 50-336, 82/06/11, 8206240279

8206250338 Forwards Page 4 of Encl 2 inadvertently omitted from NRC 820331 ltr re independence of reactor protection sys.
CONNER, E L Operating Reactors Branch 3 82/06/11 COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 3pp, 13629 053 24X Fiche 50-336, 82/06/11, 8206250338

8206240294 Forwards request for addl info re adequacy of station electric distribution sys voltages Response requested within 60 days of receipt of ltr
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/15, COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 4pp 13597 031 24X Fiche 50-245, 82/06/15, 8206240294

8206250278 Application to amend License DPR-65, reducing design RCB flow rate for remainder of Cycle 5 only
COUNCIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/18 CLARK, R A Operating Reactors Branch 3 5pp, 13617 240 24X Fiche 50-336, 82/06/18, 8206250278

--8206250302 Proposed revisions to Tech Specs, reducing RCB flow rate for remainder of Cycle 5 operation only.
* Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/18 7pp 13617, 243 24X Fiche 50-336, 82/06/18, 8206250278

8206290015 Forwards safety evaluation re review of "Auxiliary Feedwater Sys Automatic Initiation & Flow Indication, Northeast Nuclear Energy Co. Millstone Unit 2," technical evaluation rept Sys comply w/NRC long-term safety requirements
CLARK, R. A. Operating Reactors Branch 3 82/06/18 COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13661 103 24X Fiche 50-336, 82/06/18, 8206290015

--8206290018 Safety evaluation supporting electrical instrumentation & control aspects of facility
* Operating Reactors Branch 3 82/06/18 3pp 13661 103 24X Fiche 50-336, 82/06/18, 8206290015

--82062900429 "Auxiliary Feedwater Sys Automatic Initiation & Flow Indication, Northeast Nuclear Energy Co. Millstone Unit 2," revised technical evaluation rept
KAUCHER, J. E. Franklin Institute/Franklin Research Center NRC-03-79-118 TER-C5257-274 R01 82/02/02 KENDALL, R. NRC - No Detailed Affiliation Given 19pp 13661 108 24X Fiche 50-336, 82/06/18, 8206290015

Q Inspection reports, IE Bulletins & correspondence

8206030116 Forwards IE Insp Repts 50-245/82-08 & 50-336/82-10 on 820419-23 No noncompliance noted
MARTIN, T. T. Division of Engineering & Technical Programs 82/03/12 COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13337 089 24X Fiche 50-245, 82/05/12, 8206030116

--8206030118 IE Insp Repts 50-245/82-08 & 50-336/82-10 on 820419-23 No noncompliance noted Major areas inspected fire protection/prevention program & completion of fire hazard analysis commitments & SER commitments
PACLING, R. J., BECKMAN, D. A. Division of Engineering & Technical Programs 82/05/05 7pp 13337 087 24X Fiche 50-245, 82/05/12, 8206030116

8206010658 Forwards request for addl info necessary to complete NRC review of licensee 820125 & 0309 responses to IE Bulletin 80-04, "Analysis of PWR Main Steam Line Break W/Continued Feedwater Addition" Response due in 45 days W/o encl
CLARK, R. A. Licensing Branch 3 82/05/20 COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13331 304 24X Fiche 50-336, 82/05/20, 8206010658

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEVOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/03/28 107pp 13426 075 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance, 82/05/28, 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants," Svc list encl
DEVOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206080208 Requests addl info re Items 1 & 3 of util 820301 ltr informing NRC of actions taken to improve emergency preparedness
SMITH, G. H. Division of Emergency Preparedness & Operational Support 82/06/02 COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13420 310 24X Fiche 50-245, 82/06/02, 8206080208

--8206080218 Responds to 12 deficiencies listed in NRC 820204 ltr re emergency preparedness appraisal Normal & emergency organization charts encl
COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/03/01 HAYNES, R. C. Region 1, Office of Director 18pp 13420 312 24X Fiche 50-245, 82/06/02, 8206080208.

--8206080224 Responds further to Item 4 of NRC 820204 ltr re emergency preparedness appraisal. Addl training of station emergency organization members completed
COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/04/30 HAYNES, R. C. Region 1, Office of Director 2pp 13420 341 24X Fiche 50-245, 82/06/02, 8206080208

8206150332 Forwards Cycle 5 refueling outage steam generator profilometry insp results, per util 820304 ltr. Results confirm integrity of steam generator tubes & supports & assure continued applicability of design basis analyses
COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/02 CLARK, R. A. Operating Reactors Branch 3, 27pp 13906 001. 24X Fiche 50-336, 82/06/02, 8206150332

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Svc list encl.
DEVOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206240370 Forwards IE Emergency Preparedness Appraisal Repts 50-245/82-01 & 50-336/82-01 on 820104-14, significant emergency preparedness findings & emergency preparedness improvement items
SMITH, G. H. Division of Emergency Preparedness & Operational Support, 82/06/11 COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 7pp 13602 281 24X Fiche 50-245, 82/06/11, 8206240370

--8206240375 IE Emergency Preparedness Appraisal Repts 50-245/82-01 & 50-336/82-01 on 820104-14 Areas inspected emergency organization, training, facilities & equipment, procedures for implementation & coordination of offsite agencies
KANTOR, F., CROCKER, H. W. Division of Emergency Preparedness & Operational Support 82/06/10 76pp 13602 291 24X Fiche 50-245, 82/06/11, 8206240370

8206290065 Forwards IE Insp Repts 50-245/82-09 & 50-336/82-02 on 820426-27 No noncompliance noted
SMITH, G. H. Division of Emergency Preparedness & Operational Support 82/06/14 COUNCIL, W. G. Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13634 342 24X Fiche 50-245, 82/06/14, 8206290065.

--8206290069 IE Insp Repts 50-245/82-09 & 50-336/82-02 on 820426-29 No noncompliance noted Major areas inspected chemical & radiochemical measurements program
KOTTAN, J. J., BORES, R. J. Region 1, Office of Director 82/06/11 8pp 13634 344. 24X Fiche 50-245, 82/06/14, 8206290065.

R Periodic operating reports & related correspondence

8206010299 Forwards monthly operating rept for Apr 1982
MRDCZKA, E. J. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/05 Office of Management and Program Analysis 1p 13301 139 24X Fiche 50-336, 82/05/05, 8206010299

--8206010300 Monthly operating rept for Apr 1982
PARILLO, J. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/05 7pp 13301 140 24X Fiche 50-336, 82/05/05, 8206010299

S Reportable occurrences, LERs & related correspondence

8206110149 Forwards LER 82-014/03L-0.
MRDCZKA, E. J. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/02 HAYNES, R. C. Region 1, Office of Director 1p. 13467 056. 24X Fiche 50-336, 82/06/02, 8206110149

--8206110195 LER 82-014/03L-0: on 820506, outer personnel airlock door failed zero leakage test Caused by door pinching gasket seal when attempts made to seal door tightly Gasket replaced & personnel instructed not to apply excessive force
STADNIQ, S. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/02 Region 1, Office of Director, 1p 13467 057 24X Fiche 50-336, 82/06/02, 8206110149

8206110056 RD 82-03 on 820304, anomalous levels of radioactivity observed in sample of oysters from within 500 ft of discharge. Caused by increase in activity discharged from Unit 2 steam generator blowdown due to leakage
MRDCZKA, E. J. Northeast Utilities 82/06/03 HAYNES, R. C. Region 1, Office of Director 3pp 13467 109 24X Fiche 50-245, 82/06/03, 8206110056

8206220554 RD 82-016 on 820608, w/plant at 100% power fire main break occurred at const site Both fire water storage tank levels decreased below Tech Spec limits Break isolated & fire water storage tanks restored
MRDCZKA, E. J. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/08 HAYNES, R. C. Region 1, Office of Director 1p. 13980 338. 24X Fiche 50-336, 82/06/08, 8206220554

8206210306 Forwards LER 82-015/03L-0
MRDCZKA, E. J. Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 HAYNES, R. C. Region 1, Office of Director, 1p. 13958 130. 24X Fiche 50-336, 82/06/11, 8206210306.

--B206210308 LER 82-015/03L-0 on 820513, reactor protection sys channel A low steam generator pressure bypass removal bistable card setpoint found to be out of spec. Caused by instrument setpoint drift. Bistable card setpoint will be replaced. DESLANDES, K Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 Region 1, Office of Director 1p 13558 131 24X Fiche 50-336, 82/06/11, B206210306

B206290164 Forwards LER 82-016/01T-0
KROCKA, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/18 HAYNES, R C Region 1, Office of Director 1p 13634, 356 24X Fiche 50-336, 82/06/18, B206290164

--B206290169 LER 82-016/01T-0 on 820607, 12-inch ductile cast iron cement lined underground fire main broke on const site, causing both fire protection storage tanks to fall below min requirement. Cause not determined. Break isolated & tanks refilled. STADNICK, S Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/18 Region 1, Office of Director 1p 13634 357 24X Fiche 50-336, 82/06/18, B206290164

B206290463 Forwards LER 82-017/03L-0
KROCKA, E J Northeast Utilities 82/06/18 HAYNES, R C Region 1, Office of Director 1p 13632 003 24X Fiche 50-336, 82/06/18, B206290463

--B206290468 LER 82-017/03L-0 on 820526, at 100% power, 1800 computer processing unit declared inoperable because of inability to write into display storage address register. Caused by failure of circuit card. Card replaced. CRISCIONE, J Northeast Utilities 82/06/18 Region 1, Office of Director 1p 13632 004 24X Fiche 50-336, 82/06/18, B206290463

DOCKET 50-338 NORTH ANNA POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B206020014 Addl response to FOIA request for six categories of documents re emergency preparedness. Documents listed in App A available in PDR.
FELTON, J M Division of Rules and Records 82/04/26 SHCLLY, S C Union of Concerned Scientists 2pp 13342 255 24X Fiche 50-000, 82/04/26, B206020014

--B206020057 Confirms telcon re malfunctions in early warning sys. Existing equipment will be upgraded to provide improved reliability or replaced w/more secure devices.
LEASBURG, R H Virginia Electric & Power Co 82/02/24
O'REILLY, J P Region 2, Office of Director 1p 13342 272 24X Fiche 50-000, 82/04/26, B206020014

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090007 Forwards first monthly rept re status of prompt notification sys implementation at facilities. Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08, DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454:167 24X Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 237 24X Fiche 50-000, 82/05/11, B206090002

B206070485 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support (82/05/12) LEASBURG, R H Virginia Electric & Power Co 1p 13375 014, 24X Fiche 50-000, 82/05/12, B206070485

B206160005 Responds to B20428 ltr re changes to facility security program. Changes acceptable.
ENOLE, L B Operating Reactors Branch 3, 82/06/03 LEASBURG, R H Virginia Electric & Power Co 2pp 13525:255 24X Fiche 50-338, 82/06/03, B206160005

O Adjudicatory correspondence

B205280249 Forwards ALAB-676 Documents furnished, assertedly containing proprietary info will be retained to assure availability to Commission. Once Commission either completes or declines review, documents will be returned to authoring companies.
SHOEMAKER, C J Atomic Safety and Licensing Board Panel 82/03/24
CHRISTMAN, J N Hutton & Williams 1p 13289 171 24X Fiche 50-338, 82/05/26, B205280249

B206010447 Decision ALAB-676, finding reasonable assurance that full power operation of steam turbines will not pose undue risk to public health & safety if insp procedures maintained & turbine discs subjected to ultrasonic insp per schedule.
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/03/26 46pp 13315 254 24X Fiche 50-338, 82/05/26, B206010447

O Advisory Committee on Reactor Safeguards reports & correspondence

B206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A. Documents listed in App B available in PDR. Confidential financial info deleted.
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B206280560 Notification of B01011 ACRS Safety Philosophy, Technology & Criteria Subcommittee meeting re Diablo Canyon seismic interaction study & North Anna LPI & RHIR sys.
SAVIO, R ACRS - Advisory Committee on Reactor Safeguards 80/10/01 ACRS - Advisory Committee on Reactor Safeguards 1p 13643 074 24X Fiche 50-000, 82/05/12, B206280071

P Operating license stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A. Documents listed in App B available in PDR. Confidential financial info deleted.
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking. Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided.
MEDEIROB, M S Reactor Systems Standards Branch 81/02/02
ARLOTTO, G A Division of Engineering Standards 20pp 13638, 102 24X Fiche 50-000, 82/05/12, B206280071

B206070762 Act visit to util ofcs on B20423 for discussions on selected topics of mutual interest w/various members of util corporate mgt staff. Meetings beneficial.
MARTIN, R D Region 2, Office of Director 82/05/17 LEASBURG, R H Virginia Electric & Power Co 1p 13389 322 24X Fiche 50-000, 82/05/17, B206070762

B206020323 Informs that commitment schedule for implementation of NUREG-0737 items identified in Generic Ltr 82-10 will be provided by B20630 Revision 3 to response to NUREG-0737 post-TMI requirements to be provided in mid-June 1982.
LEASBURG, R H Virginia Electric & Power Co 82/05/24 BENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D G Division of Licensing 2pp 13321 276 24X Fiche 50-000, 82/05/24, B206020323

B206040330 Submits response to NRC questions re VEP-FRD-33, "VEPCO Reactor Core Thermal-Hydraulic Analysis Using COBRA-IIIC/MIT Computer Code." Requests NRC comments by B20625.
LEASBURG, R H Virginia Electric & Power Co 82/05/27 BENTON, H R Office of Nuclear Reactor Regulation, Director EISENHUT, D G Division of Licensing 9pp 13384 043 24X Fiche 50-000, 82/05/27, B206040330

B206080338 Application for amend to Licenses NPF-4 & NPF-7 consisting of changes to Tech Specs for Unit 1 (NPF-4) & amend to Unit 2 QL (NPF-7).
LEASBURG, R H Virginia Electric & Power Co 82/06/04 BENTON, H R Office of Nuclear Reactor Regulation, Director CLARK, R A Operating Reactors Branch 3 3pp 13417 146 24X Fiche 50-338, 82/06/04, B206080338

--B206080341 Proposed change to Tech Spec 6.13 providing environ qualification of safety-related Class 1E electrical equipment no later than second refueling outage beginning after B20331 for both Units.
* Virginia Electric & Power Co 82/06/04 5pp 13417, 147, 24X Fiche 50-338, 82/06/04, B206080338

8206140035 Forwards complete responses to NRC questions re util 820226 General Design Criteria 17 submittal. Mods will be completed by second refueling outage after 820901
LEASBURG, R H Virginia Electric & Power Co 82/06/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 2pp 13484 314 24X
Fiche 50-338, 82/06/04, 8206140035

8206090077 Application for amend to Licenses NPF-4 & NPF-7 Changes allow operation w/RCS average temp of 582 B F as opposed to current temp of 580 3 F & will increase secondary side steam pressure, resulting in greater plant electrical output
LEASBURG, R H Virginia Electric & Power Co 82/06/08 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 2pp 13439 186 24X
Fiche 50-338, 82/06/08, 8206090077

--8206090086 "North Anna Units 1 & 2 582 B F RCS NSSS Safety Evaluation Summary"
* Westinghouse Electric Corp 81/11/30 23pp 13439 189 24X
Fiche 50-338, 82/06/08, 8206090077

--8206090072 "North Anna Units 1 & 2 582 B F RCS S&W/Balance-of-Plant Safety Evaluation Summary"
* Stone & Webster, Inc 82/04/30 8pp 13439 212 24X
Fiche 50-338, 82/06/08, 8206090077

--8206090077 Proposed Tech Spec pages allowing operation w/RCS average temp of 582 B F as opposed to current temp of 580 3 F
* Virginia Electric & Power Co 82/06/08 8pp 13439 220 24X
Fiche 50-338, 82/06/08, 8206090077

8206110100 Application for amend to Licenses NPF-4 & NPF-7, revising Tech Spec to clarify action statement for radioactivity monitoring leakage detection sys
LEASBURG, R H Virginia Electric & Power Co 82/06/08 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13465 239 24X
Fiche 50-338, 82/06/08, 8206110100

--8206110103 Proposed Tech Spec 3/4 4 & clarifying action statement for radioactivity monitoring detection sys
* Virginia Electric & Power Co 82/06/08 6pp 13465 262 24X
Fiche 50-338, 82/06/08, 8206110100

8206150154 Concurs w/Franklin Research Inst revised technical evaluation rept, "Override & Reset of Control Circuitry in Ventilation Purge Isolation & Other ESF Sys (B-24)" except Section 4 2 3 3, Criterion 3 re pushbutton actuated resets
LEASBURG, R H Virginia Electric & Power Co 82/06/08 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 4pp 13505 202 24X
Fiche: 50-338, 82/06/08, 8206150154

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York JONES, J A Carolina Power & Light Co MOOLEVER, E J Duquesne Light Co 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206300174 Application for amend to Licenses NPF-4 & NPF-7, consisting of suppl to 820316 proposed changes to Tech Specs re reorganization in nuclear operations dept
LEASBURG, R H Virginia Electric & Power Co 82/06/24 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13654 208 24X
Fiche 50-338, 82/06/24, 8206300174

--8206300175 Suppl to 820316 proposed changes to Tech Specs re reorganization in nuclear operations dept
* Virginia Electric & Power Co 82/06/24 15pp 13654 211 24X
Fiche 50-338, 82/06/24, 8206300174

G Inspection reports, IE Bulletins & correspondence

8206070618 Confirms 820507 arrangements for 820518-20 insp of RETRAN computer code activities re QA program implementation
DANCE, H C Division of Resident, Reactor Project & Engineering Programs 82/04/10 LEASBURG, R H Virginia Electric & Power Co
1p 13390 273 24X Fiche: 50-000, 82/04/10, 8206070618

8206070377 Forwards IE Insp Repts 50-338/82-12 & 50-339/82-12 on 820421-22 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/11 LEASBURG, R H Virginia Electric & Power Co 2pp 13363 126 24X
Fiche: 50-338, 82/05/11, 8206070377

--8206070386 IE Insp Repts 50-338/82-12 & 50-339/82-12 on 820421-22 No noncompliance noted Major areas inspected inservice insp data review & evaluation & review of steam generator eddy current insp results
ECONOMOS, N J HERDT, A R Region 2, Office of Director 82/05/10, 6pp 13363 128 24X Fiche 50-338, 82/05/11, 8206070377

8206040104 Forwards response re inservice insp program, per 820310 request items in Table B 90-2 can be eliminated from code relief request list
LEASBURG, R H Virginia Electric & Power Co 82/05/27 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 2pp 13344 353 24X
Fiche 50-338, 82/05/27, 8206040104

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206040224 Submits info re ability of three auxiliary feedwater pumps to remain operable for 30 minutes at runout flow condition Info submitted in response to NRC request for addl info re initial util response to IE Bulletin 80-04
LEASBURG, R H Virginia Electric & Power Co 82/05/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 2pp 13356 356 24X
Fiche 50-338, 82/05/28, 8206040224

8206100128 Forwards request for addl info re responses to IE Bulletin 80-11 on masonry walls. Info must be provided by 820715
CLARK, R A Operating Reactors Branch 3 82/05/28 LEASBURG, R H
Virginia Electric & Power Co 6pp 13471 039 24X
Fiche 50-338, 82/05/28, 8206100128

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206180023 Forwards notice granting relief from ASME Code Section XI, inservice insp requirements & evaluation of relief request
VARGA, S Operating Reactors Branch 1 82/06/07 LEASBURG, R H
Virginia Electric & Power Co 4pp 13970 013 24X
Fiche: 50-000, 82/06/07, 8206180023

--8206180028 Safety evaluation supporting relief request for inservice insp hydrostatic test requirements
* Operating Reactors Branch 1 82/06/07 2pp 13970 017 24X
Fiche 50-000, 82/06/07, 8206180023

--8206180035 Notice granting relief from ASME Code Section XI, inservice insp requirements.
VARGA, S A Operating Reactors Branch 1 82/06/07 2pp 13970 019 24X Fiche 50-000, 82/06/07, 8206180023

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl.
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220391 Forwards payment of insp fees at Unit 1 for Mar 1981-Mar 1982 & at Unit 2 for Apr 1981-Apr 1982 w/o encl.
LEASBURG, R H Virginia Electric & Power Co 82/06/17 DENTON, H R
Office of Nuclear Reactor Regulation, Director BARRY, L W Division of Accounting 1p 13582 008 24X Fiche 50-338, 82/06/17, 8206220391

R. Periodic operating reports & related correspondence

8206010554 Forwards monthly operating reports for Apr 1982
LEASBURG, R H Virginia Electric & Power Co 82/05/14 HALLER, N M
Office of Management and Program Analysis 1p 13314 027 24X
Fiche: 50-338, 82/05/14, 8206010554

--8206010562 Monthly operating reports for Apr 1982
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/14 8pp 13314 028 24X Fiche 50-338, 82/05/14, 8206010554

5 Reportable occurrences, LERs & related correspondence

8206010581 Forwards LER 82-020/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/03
O'REILLY, J P Region 2, Office of Director 1p 13314 130 24X
Fiche 50-338, 82/05/03, 8206010581

--8206010595 LER 82-020/03L-0 on 820408, containment gaseous & particulate monitors RMS-157-160 not properly sealed, allowing leakage into process stream. Caused by deterioration of canister cap seal. Cap seal replaced & alarm setpoint readjusted.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/03 Region
2, Office of Director 2pp 13314 131 24X Fiche 50-338, 82/05/03, 8206010595

8206010277 Forwards LER 82-027/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/19
O'REILLY, J P Region 2, Office of Director 1p 13307 116 24X
Fiche 50-338, 82/05/19, 8206010277

--8206010291 LER 82-027/03L-0 on 820426, during full power, pressurizer level channel L-439 was out of tolerance, high by 5% & removed from svc. Probably caused by failure of transmitter in containment channel will be repaired.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/19 Region
2, Office of Director 1p 13307 117 24X Fiche 50-338, 82/05/19, 8206010277

8206010649 Forwards LER 82-031/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/19
O'REILLY, J P Region 2, Office of Director 1p 13314 236 24X
Fiche 50-338, 82/05/19, 8206010649

--8206010660 LER 82-031/03L-0 on 820501 & 08, following reactor trip from 100% power, containment/average temp exceeded 105 F caused by low auxiliary steam pressure to chilled water sys equipment. Auxiliary steam pressure restored.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/19 Region
2, Office of Director 2pp 13314 237 24X Fiche 50-338, 82/05/19, 8206010649

8206010666 Forwards updated LER 82-017/03X-1
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/19
O'REILLY, J P Region 2, Office of Director 1p 13314 042 24X
Fiche 50-338, 82/05/19, 8206010666

--8206010671 Updated LER 82-017/03X-1 on 820408, during full power, charcoal sample lab analysis from process vent filter failed to meet testing criteria. Caused by natural depletion of charcoal. Redundant filter installed & charcoal replaced.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/19 Region
2, Office of Director 2pp 13314 043 24X Fiche 50-338, 82/05/19, 8206010666

8206080206 Ack receipt of 820415 ltr informing of 820114 health physics event
O'REILLY, J P Region 2, Office of Director 82/05/21
LEABURG, R H Virginia Electric & Power Co 1p 13420 226 24X
Fiche 50-338, 82/05/21, 8206080206

--8206080211 Forwards rept of 820114 event Rept withheld (ref 10CFR2 790)
LEABURG, R H Virginia Electric & Power Co 82/04/15
O'REILLY, J P Region 2, Office of Director 1p 13420 227, 24X
Fiche 50-338, 82/05/21, 8206080206

8206070425 Forwards LER 82-028/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/24
O'REILLY, J P Region 2, Office of Director 1p 13371 198 24X
Fiche 50-338, 82/05/24, 8206070425

--8206070427 LER 82-028/03L-0 on 820429, 30 & 0501, middle level corner support temp (TI-AH-111A-2) for A steam generator fell below 225 F. Caused by condensation from control rod drive mechanism shroud cooler due to secondary steam leakage.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/24 Region
2, Office of Director 3pp 13371 199 24X Fiche 50-338, 82/05/24, 8206070425

8206070670 Forwards LER 82-029/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/24
O'REILLY, J P Region 2, Office of Director 1p 13390 233 24X
Fiche 50-338, 82/05/24, 8206070670

--8206070678 LER 82-029/03L-0 on 820430, fire doors between Unit 2 control room chiller air handling rooms would not close & latch automatically. On 820505, fire door between ID emergency diesel generator room & turbine bldg would not latch.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/29 Region
2, Office of Director 3pp 13390 234 24X Fiche 50-338, 82/05/24, 8206070670

8206040247 PNO-II-82-058 on 820523, licensee reported that reactor overpressure protection sys was inoperable 820519-22 w/reactor in cold shutdown. RCS was in solid water condition on 820521-22. Sys not actuated during period.
JULIAN, C A, DANCE, H C Region 2, Office of Director 82/05/25
2pp 13359 267 24X Fiche 50-338, 82/05/25, 8206040247

8206110061 Forwards LER 82-030/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02
O'REILLY, J P Region 2, Office of Director 1p 13467 106 24X
Fiche 50-338, 82/06/02, 8206110061

--8206110065 LER 82-030/03L-0 on 820505, valves IDGV-FW-154A, B & C & TV-1894A, B & C found w/identical control circuits as reported in LER 82-010. For Unit 2 Design permits operator to open valves w/o resetting Phase A isolation signal.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02 Region
2, Office of Director 2pp 13467 107 24X Fiche 50-338, 82/06/02, 8206110061

8206210285 Forwards LER 82-032/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02
O'REILLY, J P Region 2, Office of Director 1p 13558 120 24X
Fiche 50-338, 82/06/02, 8206210285

--8206210290 LER 82-032/03L-0 on 820510 & 12, pressure in nitrogen supply tank A for pressurizer power operated relief valve (PORV) dropped below Tech Spec min. Caused by leakage in PORV nitrogen supply sys. Sys will be modified.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02 Region
2, Office of Director 2pp 13558 121 24X Fiche 50-338, 82/06/02, 8206210285

8206110147 Forwards LER 82-041/01T-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/04
O'REILLY, J P Region 2, Office of Director 1p 13466 358 24X
Fiche 50-338, 82/06/04, 8206110147

--8206110160 LER 82-041/01T-0 on 820519, nitrogen supply pressure to pressurizer power operated relief valve decreased causing valve to be declared inoperable. Caused by excessive nitrogen leakage due to nitrogen reservoir isolation valve closure.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/04 Region
2, Office of Director 4pp 13466 359 24X Fiche 50-338, 82/06/04, 8206110147

8206110166 Forwards updated LER 81-090/99X-1
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/04
O'REILLY, J P Region 2, Office of Director 1p 13467 003 24X
Fiche 50-338, 82/06/04, 8206110166

--8206110168 Updated LER 81-090/99X-1 on 811214, annunciators for 20 hertz & 25 hertz vertical axis channels of containment mat response spectrum recorder illuminated & could not be reset. Cause unknown. Unit to be replaced.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/04 Region
2, Office of Director 3pp 13467 004 24X Fiche 50-338, 82/06/04, 8206110166

8206170170 PNO-II-82-064 on 820606, during regular inservice insp licensee observed peening damage on primary side of tube ends in steam generators A & C. Damage being evaluated by licensee & Westinghouse.
JULIAN, C A, DANCE, H C Region 2, Office of Director 82/06/09
1p 13534 032 24X Fiche 50-338, 82/06/09, 8206170170

8206210311 Forwards LER 82-036/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/11
O'REILLY, J P Region 2, Office of Director 1p 13558 135 24X
Fiche 50-338, 82/06/11, 8206210311

--8206210312 LER 82-036/03L-0 on 820516, w/unit at 74% power, emergency diesel generator ID output breaker failed to close during periodic surveillance test. Caused by failure of undervoltage relay 27X. Relay replaced.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/11 Region
2, Office of Director 2pp 13558 136 24X Fiche 50-338, 82/06/11, 8206210311

8206210643 Forwards LER 82-037/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13561 090 24X
Fiche 50-338, 82/06/15, 8206210643

--8206210650 LER 82-037/03L-0 on 820514, containment internal air partial pressure exceeded Tech Spec limit. Caused by divert of condenser air ejectors exhaust to containment due to spike in radiation level. Internal air pressure reduced.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region
2, Office of Director 2pp 13561 091 24X Fiche 50-338, 82/06/15, 8206210643

8206240162 Forwards LER 82-039/03L-0

CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13599 278 24X
Fiche 50-338, 82/06/15, 8206240162

--8206240166 LER 82-039/03L-0 on 820517, steam flow channel IV flow indicator FI-1485 for steam generator 18 discovered reading offscale low Cause not determined Channel placed in trip condition, transmitter calibr & instrument loop checked
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region:
2, Office of Director 1p 13599 279 24X Fiche 50-338, 82/06/15, 8206240162

8206240295 Forwards LER 82-040/03L-0

CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13603 156 24X
Fiche 50-338, 82/06/15, 8206240295

--8206240337 LER 82-040/03L-0 on 820525, pressure in nitrogen reservoir for pressurizer power operated relief valve (PORV) PCV-1455C dropped below required min pressure Caused by leakage in PORV nitrogen supply sys Sys will be modified
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region:
2, Office of Director 3pp 13603 157 24X Fiche 50-338, 82/06/15, 8206240295

8206240306 Forwards LER 82-035/03L-0

CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13597 021 24X
Fiche 50-338, 82/06/15, 8206240306

--8206240307 LER 82-035/03L-0 on 820517, 2D fuel oil storage sys for emergency diesel generators found below Tech Spec limits Caused by slow flow rate from transfer line to day tank Filling rate to 2B tank increased
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region:
2, Office of Director 2pp 13597 022 24X Fiche 50-338, 82/06/15, 8206240306

8206240322 Forwards LER 82-033/03L-0

CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13596 187 24X
Fiche 50-338, 82/06/15, 8206240322

--8206240324 LER 82-033/03L-0 on 820525, w/unit in mode 5, fire door M80-1 between rod control room & outside found blocked open w/o fire watch Door blocked by air & electrical lines Blocks removed & door closed
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region:
2, Office of Director 1p 13596 188 24X Fiche 50-338, 82/06/15, 8206240322

8206240417 Forwards LER 82-038/03L-0

CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13601 347, 24X
Fiche 50-338, 82/06/15, 8206240417

--8206240421 LER 82-038/03L-0 on 820517 & 20, fire door 971-17 between 1J emergency diesel generator room & turbine bldg declared inoperable. Caused by sticking latch & loose adjustment set screw in closure mechanism. Latch lubricated
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region:
2, Office of Director 3pp, 13601 348 24X Fiche 50-338, 82/06/15, 8206240417

8206300070 PNO-II-82-064A on 820609, tube end damage reported below tube sheet on hot leg side of steam generators A & C w/peening damage over 75% of sheet area Evaluation continuing.
ECONOMOS, N, DANCE, H. C. Region 2, Office of Director 82/06/22
1p 13655:334, 24X Fiche 50-338, 82/06/22, 8206300070

DOCKET 50-339 NORTH ANNA POWER STATION, UNIT 2

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app. Financial info in Documents 3-34; 3-35 & 3-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C. H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 21pp.
13604:044 24X Fiche 50-000, 82/04/29, 8206230007,

--8102230492 Forwards requests for addl info re additions to recently review Q-lists Requests should be transmitted to applicants or licensees at earliest convenience.
NOONAN, V. S Assistant Director for Materials & Qualifications Engineering. 81/02/02. TEDESCO, R. L. Assistant Director for Licensing. 4pp 13605:207 24X Fiche 50-000, 82/04/29, 8206230007

F Security, medical, emergency & fire protection plans

8206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR
FELTON, J M Division of Rules and Records 82/04/26 SHOLLY, S. C
Union of Concerned Scientists 2pp 13342 255 24X
Fiche 50-000, 82/04/26, 8206020014.

--8206020057 Confirms telcon re malfunctions in early warning sys Existing equipment will be upgraded to provide improved reliability or replaced w/more secure devices
LEASBURG, R H Virginia Electric & Power Co 82/02/24
O'REILLY, J P Region 2, Office of Director 1p 13342 272 24X
Fiche 50-000, 82/04/26, 8206020014

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 ORINEB, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, 8206090002.

8206070485 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 LEASBURG, R H Virginia Electric & Power Co 1p 13375 014. 24X Fiche 50-000, 82/05/12, 8206070485

8206160005 Responds to 820428 ltr re changes to facility security program Changes acceptable
ENOLE, L B Operating Reactors Branch 3 82/06/03 LEASBURG, R H Virginia Electric & Power Co 2pp 13925 255 24X
Fiche 50-338, 82/06/03, 8206160005.

O Adjudicatory correspondence

8206010447 Decision ALAB-676, finding reasonable assurance that full power operation of steam turbines will not pose undue risk to public health & safety if insp procedures maintained & turbine discs subjected to ultrasonic insp per schedule
BHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/05/26, 46pp. 13315:254 24X Fiche 50-338, 82/05/26, 8206010447.

D Advisory Committee on Reactor Safeguards reports & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR. Confidential financial info deleted
FELTON, J M Division of Rules and Records. 82/05/12 MCMURRAY, C. H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 28pp.
13638 055. 24X Fiche 50-000, 82/05/12, 8206280071

--8206280560 Notification of 801011 ACRS Safety Philosophy, Technology & Criteria Subcommittee meeting re Diablo Canyon seismic interaction study & North Anna LPI & RHR sys.
BAVIG, R. ACRS - Advisory Committee on Reactor Safeguards. 80/10/01 ACRS - Advisory Committee on Reactor Safeguards. 1p 13643:074 24X Fiche 50-000, 82/05/12, 8206280071.

P Operating license stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A. Documents listed in App B available in PDR. Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12. MCMURRAY, C. H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 28pp.
13638 055. 24X Fiche 50-000, 82/05/12, 8206280071.

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
MEDERO, M S Reactor Systems Standards Branch 81/02/02
ARLOTT, D A Division of Engineering Standards 20pp 13638 102
24X Fiche 50-000, 82/05/12, 82060220071

8206020220 Forwards corrected Amend 25 to License NPF-7, safety evaluation & notice of issuance & availability Amend upgrades & adds 20 containment isolation valves to meet requirements of TMI Action Items II B 2 & II B 3
ENGLE, L B Operating Reactors Branch 3 82/05/17 LEASBURG, R H
Virginia Electric & Power Co 2pp 13334 276 24X
Fiche 50-339, 82/05/17, 8206020220

--8206020227 Corrected Amend 25 to License NPF-7, upgrading & adding 20 containment isolation valves to meet requirements of TMI Action Items II B 2 & II B 3 re post-accident shielding & sampling
CLARK, R A Operating Reactors Branch 3 82/05/17 16pp
13334 278 24X Fiche 50-339, 82/05/17, 8206020220

--8206020234 Safety evaluation supporting Amend 25 to License NPF-7
* Office of Nuclear Reactor Regulation, Director 82/05/17 3pp
13334 314 24X Fiche 50-339, 82/05/17, 8206020220

--8206020241 Notice of issuance & availability of Amend 25 to License NPF-7
CLARK, R A Operating Reactors Branch 3 82/05/17 2pp
13334 317 24X Fiche 50-339, 82/05/17, 8206020220

8206020286 Forwards Amend 25 to License NPF-7, safety evaluation & notice of issuance & availability Amend upgrades & adds 20 containment isolation valves to Table 3 & 1 to meet requirements of TMI Action Plan Items II B 2 & II B 3
ENGLE, L B Operating Reactors Branch 3 82/05/17 LEASBURG, R H
Virginia Electric & Power Co 3pp 13342 164 24X
Fiche 50-339, 82/05/17, 8206020286

--8206020288 Amend 25 to License NPF-7, revising Tech Specs to upgrade & add 20 containment isolation valves to Table 3 & 1 to meet requirements of TMI Action Plan Items II B 2 & II B 3
CLARK, R A Operating Reactors Branch 3 82/05/17 10pp.
13342: 167 24X Fiche 50-339, 82/05/17, 8206020286

8206070762 Ack visit to util ofcs on 820423 for discussions on selected topics of mutual interest w/ various members of util corporate mgt staff Meetings beneficial
MARTIN, R D Region 2, Office of Director 82/05/17. LEASBURG, R H
Virginia Electric & Power Co 1p 13389 322 24X
Fiche 50-000, 82/05/17, 8206070762

8206070144 Responds to 820907 submittal of revised core surveillance rept applicable to Cycle 2 operations Revision acceptable
CLARK, R A Operating Reactors Branch 3 82/05/19 LEASBURG, R H
Virginia Electric & Power Co 2pp 13427 013 24X
Fiche 50-339, 82/05/19, 8206070144.

8206020323 Informs that commitment schedule for implementation of NUREG-0737 items identified in Generic Ltr 82-10 will be provided by 820630 Revision 3 to response to NUREG-0737 post-TMI requirements to be provided in mid-June 1982
LEASBURG, R H Virginia Electric & Power Co 82/05/24 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13321 276
24X Fiche 50-000, 82/05/24, 8206020323

8206020339 Application for amend to License NPF-7 consisting of changes to License Condition 2 C(21)(d) completing mods to assure adequate access to vital areas & protection of safety equipment following accident resulting in degraded core
LEASBURG, R H Virginia Electric & Power Co 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director. CLARK, R A
Operating Reactors Branch 3 8pp 13321 279. 24X
Fiche 50-339, 82/05/26, 8206020339

8206040330 Submits response to NRC questions re VEP-FRD-33, "VEPCO Reactor Core Thermal-Hydraulic Analysis Using COBRA-IIIC/MIT Computer Code " Requests NRC comments by 820625
LEASBURG, R H Virginia Electric & Power Co 82/05/27 DENTON, H R
Office of Nuclear Reactor Regulation, Director. 9pp 13354 043
24X Fiche 50-000, 82/05/27, 8206040330

8206080061 Application for amend to License NPF-7 extending completion deadline for License Condition 2 C(21)(e) re reactor coolant & containment atmosphere sampling until 830101
LEASBURG, R H Virginia Electric & Power Co 82/06/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 7pp 13423, 306. 24X
Fiche. 50-339, 82/06/04, 8206080061

8206080338 Application for amend to Licenses NPF-4 & NPF-7 consisting of changes to Tech Specs for Unit 1 (NPF-4) & amend to Unit 2 OL (NPF-7)
LEASBURG, R H Virginia Electric & Power Co 82/06/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13417 146 24X
Fiche 50-338, 82/06/04, 8206080338

--8206080341 Proposed change to Tech Spec 6.13 providing environmental qualification of safety-related Class 1E electrical equipment no later than second refueling outage beginning after 820331 for both units
* Virginia Electric & Power Co 82/06/04 5pp 13417 149 24X
Fiche 50-338, 82/06/04, 8206080338

8206140035 Forwards complete responses to NRC questions re util 820226 General Design Criteria 17 submittal Mods will be completed by second refueling outage after 820701
LEASBURG, R H Virginia Electric & Power Co 82/06/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 5pp 13484 314 24X
Fiche 50-338, 82/06/04, 8206140035

8206090077 Application for amend to Licenses NPF-4 & NPF-7 Changes allow operation w/RCS average temp of 582.8 F as opposed to current temp of 580.3 F & will increase secondary side steam pressure, resulting in greater plant electrical output
LEASBURG, R H Virginia Electric & Power Co 82/06/08 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13439 186 24X
Fiche 50-338, 82/06/08, 8206090077

--8206090086 "North Anna Units 1 & 2 582.8 F RCS NSSS Safety Evaluation Summary "
* Westinghouse Electric Corp 81/11/30 23pp 13439 187 24X
Fiche 50-338, 82/06/08, 8206090077

--8206090092 "North Anna Units 1 & 2 582.8 F RCS S&W/Balance-of-Plant Safety Evaluation Summary "
* Stone & Webster, Inc 82/04/30 8pp 13439 212 24X
Fiche 50-338, 82/06/08, 8206090077

--8206090097 Proposed Tech Spec pages allowing operation w/RCS average temp of 582.8 F as opposed to current temp of 580.3 F
* Virginia Electric & Power Co 82/06/08 8pp 13439 220 24X
Fiche 50-338, 82/06/08, 8206090077

8206110100 Application for amend to Licenses NPF-4 & NPF-7, revising Tech Spec to clarify action statement for radioactivity monitoring leakage detection sys
LEASBURG, R H Virginia Electric & Power Co 82/06/08 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13465 257
24X Fiche 50-338, 82/06/08, 8206110100

--8206110103 Proposed Tech Spec 3/4.4 & clarifying action statement for radioactivity monitoring detection sys
* Virginia Electric & Power Co 82/06/08 6pp 13465 262 24X
Fiche 50-338, 82/06/08, 8206110100

8206150154 Concurs w/Franklin Research Inst revised technical evaluation rept, "Override & Reset of Control Circuitry in Ventilation Purge Isolation & Other ESF Sys (D-24)" except Section 4.2.3, Criterion 3 re pushbutton actuated resets.
LEASBURG, R H Virginia Electric & Power Co 82/06/08 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 4pp 13503 202 24X
Fiche 50-338, 82/06/08, 8206150154

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSBURG, A
Consolidated Edison Co of New York JONES, J A Carolina Power & Light Co MOGLEVER, E. J Duquesne Light Co 13pp 13537 349 24X
Fiche. 50-000, 82/06/09, 8206090153

8206170311 Application for amend to License NPF-7 changing completion dates for implementing license conditions re containment pressure, containment hydrogen concentration, containment radiation & noble gas effluent (ref NUREG-0737)
LEASBURG, R H Virginia Electric & Power Co 82/06/14 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 8pp 13931 240 24X
Fiche 50-339, 82/06/14, 8206170311

8206300174 Application for amend to Licenses NPF-4 & NPF-7, consisting of suppl to 820316 proposed changes to Tech Specs re reorganization in nuclear operations dept
LEASBURG, R H Virginia Electric & Power Co 82/06/24 DENTON, H R
Office of Nuclear Reactor Regulation, Director CLARK, R A
Operating Reactors Branch 3 3pp 13634, 208 24X
Fiche 50-338, 82/06/24, 8206300174.

--B206300175 Suppl to B20316 proposed changes to Tech Specs re reorganization in nuclear operations dept
* Virginia Electric & Power Co 82/06/24 15pp 13654 211 24X
Fiche 50-338, 82/06/24, B206300174

G Inspection reports, IE Bulletins & correspondence

B206070618 Confirms B20507 arrangements for B20518-20 insp of RETRAN computer code activities re GA program implementation
DANCE, H C Division of Project & Resident Programs 82/05/11
LEASBURG, R H Virginia Electric & Power Co 2pp 13363 126 24X
ip 13390 273 24X Fiche 50-000, 82/04/10, B206070618

B206070377 Forwards IE Insp Repts 50-338/82-12 & 50-339/82-12 on 820421-22 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/11
LEASBURG, R H Virginia Electric & Power Co 2pp 13363 126 24X
Fiche 50-338, 82/05/11, B206070377

--B206070386 IE Insp Repts 50-338/82-12 & 50-339/82-12 on 820421-22 No noncompliance noted Major areas inspected inservice insp data review & evaluation & review of steam generator eddy current insp results
ECONOMOS, N. HERDT, A R Region 2, Office of Director 82/05/10 6pp 13363 128 24X Fiche 50-338, 82/05/11, B206070377

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206040224 Submits info re ability of three auxiliary feedwater pumps to remain operable for 30 minutes at runout flow condition info submitted in response to NRC request for addl info re initial util response to IE Bulletin 80-04
LEASBURG, R H Virginia Electric & Power Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director CLARK, R A Operating Reactors Branch 3 2pp 13366, 356 24X
Fiche 50-338, 82/05/28, B206040224

B206100128 Forwards request for addl info re responses to IE Bulletin 80-11 on masonry walls info must be provided by B20719
CLARK, R A Operating Reactors Branch 3 82/05/28 LEASBURG, R H Virginia Electric & Power Co 6pp 13471 039 24X
Fiche 50-338, 82/05/28, B206100128

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 106pp, 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206180023 Forwards notice granting relief from ASME Code Section XI, inservice insp requirements & evaluation of relief request.
VARQA, S A Operating Reactors Branch 1 82/06/07 LEASBURG, R H Virginia Electric & Power Co 4pp 13570 013 24X
Fiche 50-000, 82/06/07, B206180023

--B206180028 Safety evaluation supporting relief request for inservice insp hydrostatic test requirements
* Operating Reactors Branch 1 82/06/07 2pp 13570 017 24X
Fiche 50-000, 82/06/07, B206180023,

--B206180035 Notice granting relief from ASME Code Section XI, inservice insp requirements
VARQA, S A Operating Reactors Branch 1 82/06/07 2pp 13570:019 24X Fiche 50-000, 82/06/07, B206180023

B204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche: 50-000, 82/06/11, B204210383.

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement. 82/06/11 120pp, 13675 189 24X
Fiche: 50-000, 82/06/11, B204210384

B206220391 Forwards payment of insp fees at Unit 1 for Mar 1981-Mar 1982 & at Unit 2 for Apr 1981-Apr 1982 w/o encl
LEASBURG, R H Virginia Electric & Power Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director BARRY, L W Division of Accounting 1p 13582 008 24X Fiche 50-338, 82/06/17, B206220391

R Periodic operating reports & related correspondence

B206010554 Forwards monthly operating repts for Apr 1982
LEASBURG, R H Virginia Electric & Power Co 82/05/14 HALLER, N M Office of Management and Program Analysis 1p 13314 027 24X
Fiche 50-338, 82/05/14, B206010554

--B206010562 Monthly operating repts for Apr 1982
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/14 8pp 13314 028 24X Fiche 50-338, 82/05/14, B206010554

S Reportable occurrences, LERs & related correspondence

B206080206 Ack receipt of B20415 ltr informing of B20114 health physics event
O'REILLY, J P Region 2, Office of Director 82/05/21
LEASBURG, R H Virginia Electric & Power Co 1p 13420, 226 24X
Fiche 50-338, 82/05/21, B206080206

--B206080211 Forwards rept of B20114 event Rept withheld (ref 10CFR2 790)
LEASBURG, R H Virginia Electric & Power Co 82/04/15
O'REILLY, J P Region 2, Office of Director 1p 13420 227, 24X
Fiche 50-338, 82/05/21, B206080206

B206070442 Forwards LER 82-020/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/24
O'REILLY, J P Region 2, Office of Director 1p 13374, 237 24X
Fiche 50-339, 82/05/24, B206070442

--B206070451 LER 82-020/03L-0 on B20425, during Mode 6, containment particulate & gaseous activity detectors removed from svc w/o securing containment purge & exhaust sys Caused by supervisor error Supervisor re-instructed.
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/24 Region 2, Office of Director 3pp 13374, 238 24X Fiche 50-339, 82/05/24, B206070442

B206070166 Forwards LER 82-018/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/05/26
O'REILLY, J P Region 2, Office of Director 1p 13368 302, 24X
Fiche 50-339, 82/05/26, B206070166

--B206070174 LER 82-018/03L-0 on B20427, emergency diesel generator returned to svc w/o residual voltage protection in control circuit of output breaker. Caused by interruption of Design Change 80-571 Timer reinstalled
CARTWRIGHT, W R Virginia Electric & Power Co. 82/05/26 Region 2, Office of Director 2pp, 13368 303 24X Fiche 50-339, 82/05/26, B206070166

B206110192 Forwards LER 82-019/03L-0.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02
O'REILLY, J P Region 2, Office of Director 1p 13484 357 24X
Fiche 50-339, 82/06/02, B206110192

--B206110198 LER 82-019/03L-0 on B20511, w/2H emergency diesel generator (EDG) inoperable, differential current protection relay found inoperable on 2J EDG Caused by de-energizing of differential current protection circuit for 2J diesel output breaker.
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02, Region 2, Office of Director 2pp 13484 358, 24X Fiche 50-339, 82/06/02, B206110192.

B206110173 Forwards updated LER 82-017/03X-1
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02
O'REILLY, J P Region 2, Office of Director 1p 13466 303, 24X
Fiche 50-339, 82/06/02, B206110173

--B206110187 Updated LER 82-017/03X-1 on B20413, number of containment isolation valves had unacceptable leak rate Caused by misaligned limit switches on svc water valves & seating surface degradation or fouling on other valves
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/02 Region 2, Office of Director 3pp, 13466 304 24X Fiche 50-339, 82/06/02, B206110173

B206110171 Forwards LER 82-021/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/04
O'REILLY, J P Region 2, Office of Director 1p 13466, 310, 24X
Fiche, 50-339, 82/06/04, B206110171

--B206110174 LER 82-021/03L-0 on B20506, operable borated water source boron concentration found lower than allowable. Caused by source being diluted by using approved jumper from boron recovery test tank, which was not borated
CARTWRIGHT, W R Virginia Electric & Power Co. 82/06/04 Region 2, Office of Director 2pp 13466, 311, 24X Fiche: 50-339, 82/06/04, B206110171

8206210488 Forwards LER 82-023/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/11
O'REILLY, J P Region 2, Office of Director 1p 13568 341 24X
Fiche 50-339, 82/06/11, 8206210488

--8206210496 LER 82-023/03L-0 on 820516 & 17, pressure in nitrogen
reservoir for pressurizer power operated relief valve
PCV-2455c dropped below Tech Spec limit Caused by nitrogen
leak in supply sys Bys will be modified
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/11 Region
O'REILLY, J P Region 2, Office of Director 2pp 13568 342 24X Fiche 50-339,
82/06/11, 8206210488

8206210599 Forwards LER 82-022/01T-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/11
O'REILLY, J P Region 2, Office of Director 1p 13563 215 24X
Fiche 50-339, 82/06/11, 8206210599

--8206210608 LER 82-022/01T-0 on 820528, while in Mode 4, both trains of
quench spray subsystem & recirculation spray sys inoperable
for 17 minutes Caused by misplacement of jumpers on Train A
output cabinet Jumpers removed Pumps placed on auto
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/11 Region
O'REILLY, J P Region 2, Office of Director 2pp 13563 215 24X Fiche 50-339,
82/06/11, 8206210599

8206240118 Forwards LER 82-026/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13599 263 24X
Fiche 50-339, 82/06/15, 8206240118

--8206240126 LER 82-026/03L-0 on 820520, RCS suction to RHR sys pumps lost
on three occasions Caused by erroneous RCS level indications
while draining RCS charging pump started to refill sys
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region
O'REILLY, J P Region 2, Office of Director 3pp 13599 264 24X Fiche 50-339,
82/06/15, 8206240118

8206240355 Forwards LER 82-028/03L-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15
O'REILLY, J P Region 2, Office of Director 1p 13603 012 24X
Fiche 50-339, 82/06/15, 8206240355

--8206240361 LER 82-028/03L-0 on 820529, power supply breaker inside
recirculation spray pump failed to operate during emergency
bus loss of power test Caused by misalignment of motor
protection circuit switch Switch readjusted
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/15 Region
O'REILLY, J P Region 2, Office of Director 2pp 13603 013 24X Fiche 50-339,
82/06/15, 8206240355

8206240062 Forwards LER 82-024/03X-0
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/17,
O'REILLY, J P Region 2, Office of Director 1p 13599, 256 24X
Fiche 50-339, 82/06/17, 8206240062

--8206240067 LER 82-024/03X-0 on 820518, w/RCS water solid, power operated
relief valve, PCV-2456, lifted twice when loop C cold leg stop
valve, MOV-2595, opened & reactor coolant pump, 2-RC-P-1C
started. Caused by thermal expansion of reactor coolant
CARTWRIGHT, W R Virginia Electric & Power Co 82/06/17 Region
O'REILLY, J P Region 2, Office of Director 3pp 13599 257 24X Fiche 50-339,
82/06/17, 8206240062

DOCKET 50-341 ENRICO FERMI ATOMIC POWER PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206020546 Summary of 820506 meeting w/util re initial markup of
NUREG-0473, "Radiological Effluent Tech Specs for BWRs"
Attendance list encl
KINTNER, L L Licensing Branch 1, 82/05/20 Licensing Branch 1
5pp 13339, 313 24X Fiche 50-341, 82/05/20, 8206020546

8206020370 Forwards "Evaluation of Site-Specific Earthquake Base Mat
Uplift Loads"
TAUBER, H Detroit Edison Co 82/05/26, TEDESCO, R L Assistant
Director for Licensing 1p 13320 250 24X Fiche 50-341, 82/05/26,
8206020370

--8206020376 "Evaluation of Site-Specific Earthquake Base Mat Uplift
Loads"
LEHNERT, R A., KOHRS, R H., WENNER, T J NUTECH (Nuclear Technology,
Inc.), DET-04-050 RO 82/05/04, 19pp 13320 251 24X
Fiche 50-341, 82/05/26, 8206020370.

8206070236 Comments on NRC 820323 ltr re "Completion of Fermi 2
Containment Analysis & Mods" Fatigue analysis was evaluated
using extended ASME Class 2 requirements Method used
provides sound engineering approach
TAUBER, H Detroit Edison Co 82/05/26 YOUNGBLOOD, B J Licensing
Branch 1 2pp 13371 029 24X Fiche 50-341, 82/05/26, 8206070236

8206080170 Submits revised schedule for submittal of addl info re Mark
I containment analyses, superseding schedule in NRC 820323
ltr, in response to util 820430 ltr Description of in-plant
tests re safety relief valve discharge requested by 820801
YOUNGBLOOD, B J Licensing Branch 1 82/05/26 TAUBER, H Detroit
Edison Co 3pp 13441 334 24X Fiche 50-341, 82/05/26, 8206080170

8206250076 Forwards Equipment Qualification Branch request for addl
info re TMI Action Plan Item II D 1 to justify util 811019
conclusion that operational adequacy of safety relief valves
& associated piping has been demonstrated by generic tests
YOUNGBLOOD, B J Licensing Branch 1 82/05/27 TAUBER, H Detroit
Edison Co 4pp 13628 304 24X Fiche 50-341, 82/05/27, 8206250076

8206100101 Confirms 820304 & 24 verbal info re redesign of control rod
drive penetration in biological shield
TAUBER, H Detroit Edison Co 82/06/01 KINTNER, L L Division of
Licensing 2pp 13449 213 24X Fiche 50-341, 82/06/01, 8206100101

8206110394 Notification of 820615 meeting w/util in Bethesda, MD to
discuss proposed changes to composition of safety &
performance engineering group
KINTNER, L L Licensing Branch 1 82/06/01 YOUNGBLOOD, B J
Licensing Branch 1 3pp 13490 305 24X Fiche 50-341, 82/06/01,
8206110394

8206150316 Forwards "Heavy Loads Handling Review - Control of Heavy
Loads Over or in Close Proximity to Irradiated Fuel or
Critical Safety Sys Components," per NRC 801222 request
Open items will be resolved per NUREG-0612 guidelines
TAUBER, H Detroit Edison Co 82/06/03 EISENHUT, D O Division of
Licensing 2pp 13502 001 24X Fiche 50-341, 82/06/03, 8206150316

--8206150320 "Heavy Loads Handling Review - Control of Heavy Loads Over
or in Close Proximity to Irradiated Fuel or Critical Safety
Sys Components"
* Detroit Edison Co 82/04/15 234pp 13502 003 24X
Fiche 50-341, 82/06/03, 8206150316

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Oinra Rept documents findings re cause of
event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153.

8206150036 Board notification notifying of drywell to wetwell vacuum
breakers which can be subj to air-clearing load resulting
from pool swell following postulated LOCA Components can
be overstressed by impact load.
TEDESCO, R L Assistant Director for Licensing, 82/06/10 Atomic
Safety and Licensing Board Panel 11pp 13523 118 24X
Fiche 50-000, 82/06/10, 8206150036

8206290174 Ack Commission withdrawal of recommendation for control rod
drive makeup flow design specified in NUREG-0619, Section
8.1, per NRC 820623 memo
CURTIS, N W Pennsylvania Power & Light Co 82/06/25 SCHWENCER, A
Licensing Branch 2, 1p 13631, 058 24X Fiche 50-000, 82/06/25,
8206290174

--8206290189 Forwards Auxiliary Sys Branch evaluation of BWR licensing
review group 820326 ltr re proposal for elimination of
control rod drive makeup flow test recommended in
NUREG-0619, Section 8.1, Proposal acceptable
RUBENSTEIN, L B Assistant Director for Core & Plant Systems,
82/06/23, TEDESCO, R L Assistant Director for Licensing, 1p,
13631 059, 24X Fiche 50-000, 82/06/23, 8206290174

--8206290201 Safety evaluation supporting BWR licensing review group
proposal for elimination of control rod drive makeup pump
flow test recommended in NUREG-0619, Section 8.1
Auxiliary Systems Branch 82/06/23 5pp 13631, 060, 24X
he 50-000, 82/06/23, 8206290174

E NRC Safety Evaluation Report (SER), suppils & correspondence

8206110177 Notification of 820617 meeting w/util in Troy, MI to discuss
status of items identified in SER & suppils,
KINTNER, L L Licensing Branch 1, 82/06/01 YOUNGBLOOD, B J
Licensing Branch 1 3pp, 13493 272, 24X Fiche 50-341, 82/06/01,
8206110177

F Security, medical, emergency & fire protection plans

8206140226 Board Notification 82-52 forwarding repts concerning evacuation of small community near facility during emergencies
TEDESCO, R L Assistant Director for Licensing 82/06/04 Atomic
Safety and Licensing Board Panel 3pp 13507 169 24X
Fiche 50-341, 82/06/04, 8206140226

--8206140230 Trip repl of 820428 visit to Monroe, MI re public meeting on state & local emergency plans
AXELSON, W L Division of Emergency Preparedness & Operational Support 82/05/11 HIND, J A Division of Emergency Preparedness & Operational Support 1p 13507 172 24X Fiche 50-341, 82/06/04, 8206140226

8206160396 Board Notification 82-56 informs of FEMA interim findings on state & local readiness for offsite radiological emergency preparedness & forwards Amend 42 to FSAR
TEDESCO, R L Assistant Director for Licensing 82/06/08 Atomic
Safety and Licensing Board Panel 5pp 13542 243 24X
Fiche 50-341, 82/06/08, 8206160396

G Adjudicatory correspondence

8206040248 Advises that no response will be filed to NRC 820924 proposed findings & conclusions of fact
VIGOT, H H LeBoeuf, Lamb, Leiby & MacRae 82/05/28
MILHOLLIN, G L, SCHINK, D R, MORRIS, P A Atomic Safety and Licensing Board Panel 1p 13355 266 24X Fiche 50-341, 82/05/28, 8206040248

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206170116 Forwards IE Insp Rept 50-341/82-06 on 820301-0430 No noncompliance noted
STREETER, J F Division of Project & Resident Programs 82/06/01
WELLS, D A Detroit Edison Co 2pp 13530 261 24X
Fiche 50-341, 82/06/01, 8206170116

--8206170121 IE Insp Rept 50-341/82-06 on 820301-0430, No noncompliance noted Major areas inspected licensee action on previous insp findings, OL issuance, systematic assessment of licensee performance, fuel load data meeting & preoperational test GA
LITTLE, B H, KONKLIN, J E Division of Project & Resident Programs 82/06/01 7pp 13530 263 24X Fiche 50-341, 82/06/01, 8206170116

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB, " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206240287 Forwards IE Insp Rept 50-341/82-09 on 820526-27 No noncompliance noted.
LITTLE, W S Division of Engineering & Technical Programs 82/06/11
WELLS, D A Detroit Edison Co 2pp 13597 048 24X
Fiche 50-341, 82/06/11, 8206240287

--8206240291 IE Insp Rept 50-341/82-09 on 820526-27 No noncompliance noted Major areas inspected preservice insp procedures, work activities, nondestructive exam personnel certifications & data & previous insp findings.
WARD, K D, DANIELSON, D H Region 3, Office of Director, 82/06/10
5pp 13597 080 24X Fiche 50-341, 82/06/11, 8206240287

8206250134 Notifies that 2-wk special team assessment of onsite const program will begin on 820621 Evaluation will include QA program interfaces & overviews, corrective action sys, design change control & electrical cable installation
KEPPLER, J O Region 3, Office of Director 82/06/21 TAUBER, H
Detroit Edison Co 2pp 13613 329 24X Fiche 50-341, 82/06/21, 8206250134

8206290283 Discusses use of flammable matl in Class IE switchgear, noted during IE insps Use of mounting bases may void IEEE-323 & IEEE-383 qualification because of flammable nature Licensee plans to justify use
NAIDU, K R Region 3, Office of Director 82/06/24 NORELIUS, C E
Division of Engineering & Technical Programs 2pp 13636 221 24X
Fiche 50-000, 82/06/24, 8206290283

S Reportable occurrences, LERs & related correspondence

8206040422 Final Part 21 rept re irregularities in control rod driveline (CRD) housing assemblies, initially reported 820126
Investigation results indicate that chips will not reach CRD w/thermal sleeve installed No safety impact anticipated
WELLS, D A Detroit Edison Co 82/05/10 KEPPLER, J O Region 3, Office of Director 2pp 13355 356 24X Fiche 50-341, 82/05/10, 8206040422

8206150259 Final Part 21 rept re rusting of threads in reactor vessel stud holes, originally reported on 820323 Reactor pressure vessel stud holes will be cleaned & used Minor pitting has no effect on safety function
WELLS, D A Detroit Edison Co 82/05/10 KEPPLER, J O Region 3, Office of Director 1p 13498 326 24X Fiche 50-341, 82/05/10, 8206150259

8206040141 Final Part 21 rept re overstressing of pipe support beam attachments where struts installed off vertical position & subj to bending movement, initially reported 801130
Field mods to supports completed per const schedule
WELLS, D A Detroit Edison Co 82/05/21 KEPPLER, J O Region 3, Office of Director 1p 13347 238 24X Fiche 50-341, 82/05/21, 8206040141

8206040277 Final Part 21 rept re thermal growth clearance for control rod driveline penetrations between biological shield & primary containment, initially reported 810528
Configuration of penetrations approved
WELLS, D A Detroit Edison Co 82/05/21 KEPPLER, J O Region 3, Office of Director 1p 13358 360 24X Fiche 50-341, 82/05/21, 8206040277

8206150333 Interim Part 21 rept re defects in Eberline Instrument Corp radiation monitoring equipment, initially reported on 820423 Ltr was received from NRC site resident inspector
Re Part 21 rept although rept from Eberline not received
WELLS, D A Detroit Edison Co 82/05/21 KEPPLER, J O Region 3, Office of Director 1p 13506 041 24X Fiche 50-341, 82/05/21, 8206150333

8206170302 Final deficiency rept re defective OE-I&BE welds, initially reported 801024 Defects noted in jet pump diffuser to adapter welds & safe-and mod welds Repair work completed.
WELLS, D A Detroit Edison Co 82/05/24 KEPPLER, J O Region 3, Office of Director 1p 13531 282 24X Fiche 50-341, 82/05/26, 8206170302

8206220543 Interim deficiency rept re pipe support strut swivel bearings, initially reported on 820514 Nine supports affected Addl investigation initiated Next rept will be submitted by 821008
WELLS, D A Detroit Edison Co 82/06/11 KEPPLER, J O Region 3, Office of Director 2pp 13578 206 24X Fiche 50-341, 82/06/11, 8206220543

DOCKET 50-344 TROJAN NUCLEAR PLANT

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
Debovoise & Liberman 3pp 13494 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given. 82/05/11 9pp.
13494 006 24X Fiche 50-000, 82/05/11, 8206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, D S Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
24X Fiche 50-000, 82/05/11, 8206090002

8206250145 Responds to 820430 ltr re changes to facility security plan
Changes consistent w/10CFR50 54(p)
CLARK, R A Operating Reactors Branch 3 82/06/16 WITHERS, B D
Portland General Electric Co ip 13629 007 24X
Fiche 50-344, 82/06/16, 8206250145

8206250170 Forwards Revision 2 to security force training &
qualification plan Revision withheld (ref 10CFR2 790)
WITHERS, B D Portland General Electric Co 82/06/17 CLARK, R A
Operating Reactors Branch 3 ip 13613 050 24X
Fiche 50-344, 82/06/17, 8206250170

8206220362 Ack receipt of 820408 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-344/82-10 Util
will conduct fire brigade retraining on recurring basis over
successive 2-yr periods
STERNBERG, D M Division of Resident, Reactor Project & Engineering
Programs 82/06/18 WITHERS, B D Portland General Electric Co
ip 13582.104 24X Fiche 50-344, 82/06/18, 8206220362

--8206220370 Responds to NRC 820521 ltr re violations noted in IE Insp
Rept 50-344/82-10 Corrective actions statement prohibiting
use of fire hoses for nonemergency purposes added to
Procedure PB-3-21 Fire brigade training will be conducted
WITHERS, B D Portland General Electric Co 82/06/08
ENGELKEN, R H Region 5, Office of Director 3pp 13582 105 24X
Fiche 50-344, 82/06/18, 8206220362

8206300320 Releases public version of charts listing results of
analysis of NUREG-0654 emergency response staffing criteria
by emergency function
FELTON, J M Division of Rules and Records 82/06/22 Document
Management Branch ip. 13678 278 24X Fiche 50-344, 82/06/22,
8206300320

--8206300327 Forwards public version of charts listing results of
analysis of NUREG-0654, Table 8-1, "Emergency Response
Staffing Criteria by Emergency Function," in response to
NRC 820407 request Facility still in shutdown condition
WITHERS, B D Portland General Electric Co 82/06/11 CLARK, R A
Operating Reactors Branch 3 4pp 13678 279 24X
Fiche 50-344, 82/06/22, 8206300320

J Insurance & indemnity information

8206220016 Forwards Endorsement 47 to MAELU Policy MF-86 & Endorsement
53 to NELA Policy NF-225
JOHANSEN, F Portland General Electric Co 82/06/15, SALTZMAN, J.
Office of State Programs, Director 3pp 13588.196 24X
Fiche 50-344, 82/06/15, 8206220016

P. Operating license stage documents & correspondence

8206020223 Forwards Amend 73 to License NPF-1, safety evaluation &
notice of issuance & availability Amend revises surveillance
requirements for pressurizer power-operated relief valves.
TRAMMELL, C M Operating Reactors Branch 3, 82/05/17 WITHERS, B D
Portland General Electric Co 3pp 13341 288 24X
Fiche 50-344, 82/05/12, 8206020223

--8206020226 Amend 73 to License NPF-1, revising surveillance requirements
for pressurizer power-operated relief valves
CLARK, R A Operating Reactors Branch 3, 82/05/12 4pp
13341 291. 24X Fiche 50-344, 82/05/12, 8206020223

--8206020230 Safety evaluation supporting Amend 73 to License NPF-1
* Office of Nuclear Reactor Regulation, Director. 82/05/12. 3pp
13341.295 24X Fiche 50-344, 82/05/12, 8206020223

--8206020233 Notice of issuance & availability of Amend 73 to License
NPF-1.
CLARK, R A Operating Reactors Branch 3, 82/05/12. 2pp.
13341.298. 24X Fiche 50-344, 82/05/12, 8206020223

8206230293 Requests that util continue to apply interim operating
restrictions until Westinghouse 820120 rept reviewed, per
util 820430 ltr re intent to return to unrestricted
automatic rod control commencing w/startup for fuel Cycle 5
CLARK, R A Operating Reactors Branch 3 82/06/08 WITHERS, B D
Portland General Electric Co 2pp 13594 331 24X
Fiche 50-344, 82/06/08, 8206230293

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Ginna Rept documents findings re cause of
event H/A encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co. of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206180011 Forwards Amend 74 to License NPF-1 & notice of issuance &
availability Amend deletes certain Tech Spec requirements
for pump & valve testing now covered under 10CFR50 55a
CLARK, R A Operating Reactors Branch 3 82/06/10 WITHERS, B D
Portland General Electric Co 4pp 13570 040 24X
Fiche 50-344, 82/06/10, 8206180011

--8206180014 Amend 74 to License NPF-1, deleting certain Tech Spec
requirements for pump & valve testing now covered under
10CFR50 55a
CLARK, R A Operating Reactors Branch 3 82/06/10 32pp
13570 045 24X Fiche 50-344, 82/06/10, 8206180011

--8206180019 Notice of issuance & availability of Amend 74 to License
NPF-1
TRAMMELL, C M Operating Reactors Branch 3 82/06/10 2pp
13570 077 24X Fiche 50-344, 82/06/10, 8206180011

8206160209 Forwards addl info re implementation schedules for
NUREG-0737 items, in response to Generic Ltr 82-10 items
include I A 1 3 I.1 A 1 3 2, I C 1, II D 1 2, II D 1 3,
II K 3 30, II K 3 31, III A 1 2, III A 2 2 & III D 3 4.
WITHERS, B D Portland General Electric Co 82/06/11 EISENHUT, D G
Division of Licensing 5pp 13522 008 24X Fiche 50-344, 82/06/11,
8206160209

8206210997 Submits supplemental check for Class III license fee for
Amend 72 to License NPF-1, in response to NRC 820519 ltr
LENTSCH, J H Portland General Electric Co 82/06/14 DIOOS, R M
License Fee Management Branch ip 13564 068 24X
Fiche 50-344, 82/06/14, 8206210997

8206250116 Approves 81128 response to resolve NUREG-0737, item
II K 3 25 re maint of reactor coolant pump seal integrity
during loss of offsite power
CLARK, R A Operating Reactors Branch 3 82/06/15 WITHERS, B D
Portland General Electric Co 2pp 13628 322 24X
Fiche 50-344, 82/06/15, 8206250116

8206250132 Forwards request for addl info re TH1 Action Item II K 3 17
on ECCB outages
CLARK, R A Operating Reactors Branch 3 82/06/17 WITHERS, B D
Portland General Electric Co 7pp 13629 008 24X
Fiche 50-344, 82/06/17, 8206250132

8206240406 Forwards Westinghouse evaluation of use of fuel assemblies
containing stainless steel fuel rod replacements Stainless
steel rods will not have significant impact on Cycle 5 core
Prompt approval of License Change Application 88 requested
WITHERS, B D Portland General Electric Co 82/06/18 CLARK, R A
Operating Reactors Branch 3 6pp 13603 074. 24X
Fiche 50-344, 82/06/18, 8206240406

8206290203 Forwards revision to design info questionnaires re fuel pin
exchange process conducted at facility
BROEHL, D J Portland General Electric Co 82/06/22 EISENHUT, D G
Division of Licensing 3pp 13635.351 24X Fiche 50-344, 82/06/22,
8206290203

8206290393 Forwards final response to 810508 request for addl info re
evaluation criteria for masonry walls Items 6-10 addressed.
WITHERS, B D Portland General Electric Co 82/06/24 CLARK, R A
Operating Reactors Branch 3 9pp 13634.251 24X
Fiche 50-344, 82/06/24, 8206290393

Q Inspection reports, IE Bulletins & correspondence

8206080264 Forwards IE Insp Rept 50-344/82-15 on 820419-23 No
noncompliance noted.
BOOK, H E Region 5, Office of Director. 82/05/21 WITHERS, B D
Portland General Electric Co ip 13420 056 24X
Fiche 50-344, 82/05/21, 8206080264

--8206080287 IE Insp Rept 50-344/82-19 on 820419-23 No noncompliance noted Major areas inspected radiation protection program, personnel monitoring, instrument calibrs, surveys, posting & labeling, training & licensee actions on previous insp
CULLIS, M., WENSLAWSKI, F. A., BOOK, H. E. Region 5, Office of Director 82/05/21 1pp 13420 057 24X Fiche 50-344, 82/05/21, 8206080284

8206080381 Forwards IE Insp Rept 50-344/82-10 on 820330-0402 & 14-16 & notice of violation
STERNBERG, D. M. Region 5, Office of Director 82/05/21
WITHERS, B. D. Portland General Electric Co 2pp 13416 004 24X Fiche 50-344, 82/05/21, 8206080381

--8206080387 Notice of violation from insp on 820330-0402 & 14-16
STERNBERG, D. M. Region 5, Office of Director 82/05/21 1p 13416 006 24X Fiche 50-344, 82/05/21, 8206080381

--8206080394 IE Insp Rept 50-344/82-10 on 820330-0402 & 14-16
Noncompliance noted use of fire hoses for nonemergency purposes not incorporated into facility procedures
JOHNSON, P. H., ZWETZIG, G. B. Region 5, Office of Director 82/05/20 8pp 13416 007 24X Fiche 50-344, 82/05/21, 8206080381

8206040121 Forwards IE Safeguards Insp Rept 50-344/82-11 on 820428-29
No noncompliance noted
NORDERHAUQ, L. R. Division of Radiological Safety & Safeguards Program 82/05/26 WITHERS, B. D. Portland General Electric Co 2pp. 13345 352 24X Fiche 50-344, 82/05/26, 8206040121

--8206040131 IE Safeguards Insp Rept 50-344/82-11 on 820428-29 No noncompliance noted. Major areas inspected ad hoc IAEA insp to audit licensee records & repts & svc surveillance cameras Details withheld (ref 10CFR2 790 & 10CFR73 21).
NELSON, G. B., NORDERHAUQ, L. R. Division of Radiological Safety & Safeguards Program 82/05/24 1p 13345 354 24X Fiche 50-344, 82/05/26, 8206040121

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426.095 24X Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp. 13440 264. 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche: 50-000, 82/06/02, 8204210380

8206140284 Discusses IE 820316-0430 insp of circumstances associated w/ inoperability of emergency diesel generators during 811108-12, 1201-820104 & forwards notice of violation & proposed imposition of civil penalty
ENGELKEN, R. H. Region 5, Office of Director. 82/06/02 WITHERS, B. D. Portland General Electric Co 3pp 13507.206. 24X Fiche 50-344, 82/06/02, 8206140284

--8206140292 Notice of violation & proposed imposition of civil penalty in amount of \$60,000 for failure to complete design change to correct deficiency in May 1977 re train B emergency diesel generator
ENGELKEN, R. H. Region 5, Office of Director. 82/06/02. 4pp. 13507.209 24X Fiche: 50-344, 82/06/02, 8206140284

8206220321 Forwards IE Insp Rept 50-344/82-16 on 820503-07 No noncompliance noted
BISHOP, T. W. Division of Resident, Reactor Project & Engineering Programs 82/06/02 WITHERS, B. D. Portland General Electric Co 2pp. 13571.001 24X Fiche 50-344, 82/06/02, 8206220321.

--8206220326 IE Insp Rept 50-344/82-16 on 820503-07 No noncompliance noted Major areas inspected, inservice insp activities & previously identified followup items
WAGNER, W. J., ECKHARDT, J. H. Division of Resident, Reactor Project & Engineering Programs. 82/06/01 5pp. 13571.003 24X Fiche. 50-344, 82/06/02, 8206220321.

8206220135 Forwards IE Insp Rept 50-344/82-12 on 820316-0430 Enforcement action to be subj of separate correspondence
STERNBERG, D. M. Region 5, Office of Director 82/06/04.
WITHERS, B. D. Portland General Electric Co. 1p 13571 354 24X Fiche 50-344, 82/06/04, 8206220135

--8206220139 IE Insp Rept 50-344/82-12 on 820316-0430 Noncompliance noted emergency diesel inoperability.
MALHROS, M. H., ZWETZIG, G. B. Region 5, Office of Director 82/05/10 6pp. 13571 355 24X Fiche 50-344, 82/06/04, 8206220135

8206150363 Forwards IE Enforcement Conference Rept 50-344/82-19 on 820507
STERNBERG, D. M. Division of Resident, Reactor Project & Engineering Programs 82/06/08 WITHERS, B. D. Portland General Electric Co 1p 13505 268 24X Fiche 50-344, 82/06/08, 8206150363

--8206150367 IE Enforcement Conference Rept 50-344/82-19 on 820507 Major areas discussed findings of 820316-0430 special insp, significance of violation identified, new NRC enforcement policy & util remarks
JOHNSON, P. H., ZWETZIG, G. B. Division of Resident, Reactor Project & Engineering Programs 82/06/08 3pp 13505 269 24X Fiche 50-344, 82/06/08, 8206150363

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/06/11. 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/11 120pp 13675 189 24X Fiche: 50-000, 82/06/11, 8204210384.

8206280308 Forwards IE Insp Rept 50-344/82-18 on 820419-0528. No noncompliance noted
STERNBERG, D. M. Division of Resident, Reactor Project & Engineering Programs 82/06/11 WITHERS, B. D. Portland General Electric Co 2pp. 13623.354 24X Fiche 50-344, 82/06/11, 8206280308

--8206280311 IE Insp Rept 50-344/82-18 on 820419-0528 No noncompliance noted Major areas inspected, surveillance testing, maint, refueling activities, security & Followup on LERs
MALHROS, M. H., ZWETZIG, G. B. Division of Resident, Reactor Project & Engineering Programs 82/06/09 6pp 13623 356. 24X Fiche 50-344, 82/06/11, 8206280308.

8206220362 Ack receipt of 820608 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-344/82-10. Util will conduct fire brigade retraining on recurring basis over successive 2-yr periods
STERNBERG, D. M. - Division of Resident, Reactor Project & Engineering Programs. 82/06/18 WITHERS, B. D. Portland General Electric Co. 1p 13582 104 24X Fiche 50-344, 82/06/18, 8206220362.

--8206220370 Responds to NRC 820521 ltr re violations noted in IE Insp Rept 50-344/82-10 Corrective actions, statement prohibiting use of fire hoses for nonemergency purposes added to Procedure PB-3-21. Fire brigade training will be conducted
WITHERS, B. D. Portland General Electric Co. 82/06/08 ENGELKEN, R. H. Region 5, Office of Director. 3pp. 13582.105. 24X Fiche: 50-344, 82/06/18, 8206220362

8206280027 Responds to 820205 request for relief from certain ASME Code Section XI requirements Relief granted until 860520 Forwards safety evaluation & notice of granting of relief
CLARK, R. A. Operating Reactors Branch 3 82/06/18. WITHERS, B. D. Portland General Electric Co 3pp 13630 328. 24X Fiche: 50-344, 82/06/18, 8206280027

--8206280031 Safety evaluation granting relief from ASME Code Section XI visual exam requirement for five specific Class 3 components
* Materials Engineering Branch 82/06/18 5pp. 13630.331. 24X Fiche 50-344, 82/06/18, 8206280027

--8206280036 Notice of granting of relief from ASME Code Section XI inservice insp requirements.
TRAHMLER, C. M. Operating Reactors Branch 3. 82/06/18. 2pp 13630.336. 24X Fiche 50-344, 82/06/18, 8206280027

R Periodic operating reports & related correspondence

8206010588 Forwards monthly operating rept for Apr 1982
YUNDT, C. P. Portland General Electric Co 82/05/10 0pp Management and Program Analysis 1p 13314.009 24X Fiche: 50-344, 82/05/10, 8206010588

--8206010593 Monthly operating rept for Apr 1982
KENT, G. J. Portland General Electric Co 82/05/07. 5pp 13314.010 24X Fiche. 50-344, 82/05/10, 8206010588

S Reportable occurrences, LERs & related correspondence

B206040003 EN-82-017 notice of violation & notice of proposed imposition of civil penalty in amount of \$50,000 re inoperable required emergency diesel will be issued on or about 8/20/83
BARBER, G. LIEBERMAN, J Region 5, Office of Director 82/05/28
1p 13448 362 24X Fiche 50-344, 82/05/28, B206040003

B206080249 Forwards LER 82-007/01T-0 Detailed event analysis encl
YUNDT, C P, STEELE, R L Portland General Electric Co 82/05/28
ENQUELKEN, R H Region 5, Office of Director 3pp 13419 036 24X
Fiche 50-344, 82/05/28, B206080249

--B206080254 LER 82-007/01T-0 on 820514, during review of revised containment DBA analysis, nonconservative spray modeling error discovered. Caused by underprediction of peak containment operating pressure. New pressure limit set. YOSHIMURA, Q M Portland General Electric Co 82/05/28 Region 5, Office of Director 1p 13419 037 24X Fiche 50-344, 82/05/28, B206080249

B206220503 PNO-U-82-028 on 820617, remote video exam of metal pieces found in bottom of reactor vessel indicated that pieces are probably from thermal sleeves. Thermal sleeves not required per discussions w/Westinghouse
ZMETZLO, O Region 5, Office of Director 82/06/17 1p 13581 089
24X Fiche 50-344, 82/06/17, B206220503

DOCKET 50-346 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 1

F Security, medical, emergency & fire protection plans

B205110633 Forwards info re protection program, identified as result of B20323 meeting w/Bechtel & NRC. Info includes clarification of NRC Generic Ltr 81-12 re backup svc water. Two oversize drawings encl. Aperture cards are available in PDR
CROUSE, R P Toledo Edison Co 82/04/29 STOLZ, J F Operating Reactors Branch 4 43pp 13023 106 24X Fiche 50-346, 82/04/29, B205110633

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Delevoisse & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090011 List of facilities completing emergency preparedness activities by 8/10/81
* NRC - No Detailed Affiliation Given 82/05/11 9pp
13454 006 24X Fiche 50-000, 82/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C, J Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

--B203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 8/20/81 deadline. Thirteen licensees may not meet deadline
DIRCKS, W, J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, 82/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O, S Division of Technical Inspection 82/01/05 GRIMES, B K Division of Emergency Preparedness 8pp 13454 174 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status report re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 8/20/81
HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B K Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, B206090002

B206040332 Forwards request for exemption from 10CFR73 implementation schedule. Request withheld (ref 10CFR2 790)
CROUSE, R P Toledo Edison Co 82/05/21 STOLZ, J F Operating Reactors Branch 4 1p 13354 042 24X Fiche 50-346, 82/05/21, B206040332

B206080240 Forwards Revision 18 to industrial security plan. Revision withheld (ref 10CFR73 21)
CROUSE, R P Toledo Edison Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13420 225 24X
Fiche 50-346, 82/05/28, B206080240

B206080485 Forwards safety evaluation of util requested mods to comply w/10CFR50 App R Sections III O, III J & III D re alternate svc water capability. Proposed mods acceptable
STOLZ, J F Operating Reactors Branch 4 82/06/02 CROUSE, R P Toledo Edison Co 2pp 13440 069 24X Fiche 50-346, 82/06/02, B206080485

--B206080486 Safety evaluation supporting requested mods to 10CFR50 & 10CFR50 4B App R
* Office of Nuclear Reactor Regulation, Director 82/06/02 2pp
13440 071 24X Fiche 50-346, 82/06/02, B206080485

B206300104 Releases public version of revision to emergency plan administrative procedure
FELTON, J M Division of Rules and Records 82/06/22 Document Management Branch 1p 13684 259 24X Fiche 50-346, 82/06/22, B206300104

--B206300107 Forwards public version of Revision 12 to Emergency Plan Administrative Procedure AD 1827 10, "Emergency Offsite Dose Estimates"
* Toledo Edison Co 82/06/09 NRC - No Detailed Affiliation Given 1p 13684 269 24X Fiche 50-346, 82/06/22, B206300104

--B206300110 Public version of Revision 12 to Emergency Plan Administrative Procedure AD 1827 10, "Emergency Offsite Dose Estimates" Revision Index encl
DOVEL, C, GREEN, W, BRIDEN, D W Toledo Edison Co 82/06/04 27pp 13684 291 24X Fiche 50-346, 82/06/22, B206300104

P Operating license stage documents & correspondence

B204300003 Responds to FOIA request for five categories of documents re Sept 1979 rept, "Recommendations of TMI-2 IE Investigation Team". Approx 170 pages of matl being placed in PDR
FELTON, J M Division of Rules and Records 82/04/02 WEISS, E R Union of Concerned Scientists 1p 12920 032 24X
Fiche 50-000, 82/04/02, B204300003

--B204300058 Discusses NRC concerns re 790112 reactor trip at facility. Concerns are under active review & no addl specific actions are planned. Commands NRC diligence in reviewing plant operating events
JORDAN, E L Division of Reactor Operations Inspections 80/03/12 HUNTER, D R Region 3, Chicago, Office of the Director 1p 02539 341 24X Fiche 50-000, 82/04/02, B204300003

B206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A. Documents listed in App B available in PDR. Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMurray, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates 801222 memo re decisions for degraded cooling rulemaking. Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided
MEDEIRO, M S Reactor Systems Standards Branch 81/02/02 ARLOTTO, O A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, B206280071

--B204270131 Forwards safety evaluation re NUREG-0737, TMI Action Item II K.2.9, failure mode effects analysis on integrated control sys. Design meets all current regulatory requirements. Item considered closed
BPEIS, T P Assistant Director for Reactor Safety 82/03/30 NOVAK, T Assistant Director for Operating Reactors 7pp 13639 056 24X Fiche 50-000, 82/05/12, B206280071

B206080438 Notifies of forthcoming site visits to selected utility plants to assist in Div of Human Factors Safety review of certain industry practices re manpower & staffing being conducted under contract w/BNL
STOLZ, J F Operating Reactors Branch 4 82/05/24 CROUSE, R P Toledo Edison Co 3pp 13441 011 24X Fiche 50-346, 82/05/24, B206080438

8206070090 Forwards application for amend to License NPF-3 re reactor protection sys trip setpoints contained in Cycle 3 reload
rept
CROUSE, R P Toledo Edison Co 82/06/01 STOLZ, J F Operating
Reactors Branch 4 1p 13374 159 24X Fiche 50-346, 82/06/01,
8206070090

--8206070490 Application for amend to License NPF-3, revising reactor protection sys trip setpoints
CROUSE, R P Toledo Edison Co 82/06/01 3pp 13374 159 24X
Fiche 50-346, 82/06/01, 8206070090

--8206070492 Tech Specs, App A, reflecting changes contained in Cycle 3 reload rept
* Toledo Edison Co 82/06/01 6pp 13374 162 24X
Fiche 50-346, 82/06/01, 8206070090

8206080337 Forwards revised response to 820216 request for addl info re adequacy of station electrical distribution sys voltage
CROUSE, R P Toledo Edison Co 82/06/03 STOLZ, J F Operating
Reactors Branch 4 12pp 13416 232 24X Fiche 50-346, 82/06/03,
8206080337

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURI, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206180132 Forwards revised response to util 820508 submittal re NRC 820317 Generic Ltr 82-05 on NUREG-0737, Items 1 A 3, 1, 1, 1 B 2, 1, 1 B 3, 1, 1 B 4, 1, 1 E 1, 2, 1, 1 E 4, 2, 1, 1 F 1 & 1, 1 K 2, 1, 0
Response reflects scheduler changes
CROUSE, R P Toledo Edison Co 82/06/10 STOLZ, J F Operating
Reactors Branch 4 7pp 13552 009 24X Fiche 50-346, 82/06/10,
8206180132

8206230123 Notifies that seismic & environ qualification summary rept for anticipatory reactor trip sys complete & will be submitted by 820709
CROUSE, R P Toledo Edison Co 82/06/15 STOLZ, J F Operating
Reactors Branch 4 1p 13591 044 24X Fiche 50-346, 82/06/15,
8206230123

8206250375 Notification of 820720 meeting w/B&W owners group in Bethesda, MD to discuss small break model verification program.
VISSINO, D S Operating Reactors Branch 4 82/06/17, STOLZ, J F
Operating Reactors Branch 4 2pp 13630 063 24X
Fiche 50-000, 82/06/17, 8206250375

8206290383 Forwards application for amend to License NPF-3, revising Tech Specs to reflect proposed changes re reactor protection sys response time omitted in Cycle 3 reload rept, BAW-1707
CROUSE, R P Toledo Edison Co 82/06/21 STOLZ, J F Operating
Reactors Branch 4 4pp 13634 144 24X Fiche 50-346, 82/06/21,
8206290383

--8206290390 Application to amend License NPF-3, revising Tech Specs to reflect proposed changes re reactor protection sys response time omitted in Cycle 3 reload rept, BAW-1707, Feb 1982
CROUSE, R P Toledo Edison Co 82/06/21 2pp 13634 145 24X
Fiche 50-346, 82/06/21, 8206290383

--8206290392 Proposed Tech Spec Table 3.3.2 re reactor protection instrumentation response times
* Toledo Edison Co 82/06/21 1p 13634 147 24X
Fiche 50-346, 82/06/21, 8206290383

8206300129 Forwards application to amend License NPF-3, changing Tech Spec Table 3.3.2 re reactor protection sys instrumentation response times Table inadvertently omitted from 820305 application to amend OL re Cycle 3 reload
CROUSE, R P Toledo Edison Co 82/06/21 STOLZ, J F Operating
Reactors Branch 4 1p 13633 001 24X Fiche 50-346, 82/06/21,
8206300129

--8206300132 Application to amend License NPF-3, changing Tech Spec Table 3.3.2 re reactor protection sys instrumentation response times Table inadvertently omitted from 820305 application to amend OL
CROUSE, R P Toledo Edison Co 82/06/21 2pp 13633 002 24X
Fiche 50-346, 82/06/21, 8206300129

--8206300136 Proposed Tech Spec Table 3.3.2 re reactor protection sys instrumentation response times
* Toledo Edison Co 82/06/21 1p 13633 004 24X
Fiche 50-346, 82/06/21, 8206300129

8206290083 Requests addl info re auxiliary feedwater header repair, reported in LER 82-019, Revision 1 Info needed 10 days prior to scheduled restart
NOVAK, T M Assistant Director for Operating Reactors 82/06/23
CROUSE, R P Toledo Edison Co 4pp 13661 291 24X
Fiche 50-346, 82/06/23, 8206290083

G Inspection reports, IE Bulletins & correspondence

8206020035 Forwards IE Insp Rept 50-346/B2-14 on 820419, 20 & 23 No noncompliance noted
LITTLE, W B Region 3, Office of Director 82/05/19 CROUSE, R P
Toledo Edison Co 2pp 13320 382 24X Fiche 50-346, 82/05/19,
8206020035

--8206020037 IE Insp Rept 50-346/B2-14 on 820419, 20 & 23 No noncompliance noted Major areas inspected damage to auxiliary feedwater headers inside A & B steam generators
WARD, K D, DANIELSON, D H Region 3, Office of Director 82/05/10
6pp 13320, 354 24X Fiche 50-346, 82/05/19, 8206020035

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440:264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 100pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206210356 Ack receipt of 820503 & 0602 ltrs informing of steps taken to correct violations noted in IE Insp Rept 50-346/B2-02
SPEBBARD, R L Division of Project & Resident Programs 82/06/15,
CROUSE, R P Toledo Edison Co 1p 13559 078 24X
Fiche 50-346, 82/06/15, 8206210356

--8206210363 Responds to NRC 820408 ltr re violations noted in IE Insp Rept 50-346/B2-02 Corrective actions procedure mod completed B11222 & containment isolation check valves CV 123, BA 502, IA 501 & NN 58 tested Valve CV 124 will be tested
CROUSE, R P Toledo Edison Co 82/06/02 SPEBBARD, R L Division of Project & Resident Programs 1p 13559 076 24X
Fiche 50-346, 82/06/15, 8206210356

--8206210368 Responds to NRC 820408 ltr re violations noted in IE Insp Rept 50-346/B2-02 Corrective actions procedure mod completed B11222 & personnel counseled re minimizing delays in revision process.
CROUSE, R P Toledo Edison Co 82/05/03 SPEBBARD, R L Division of Project & Resident Programs 2pp 13559 077 24X
Fiche 50-346, 82/06/15, 8206210356

8206290206 Forwards IE Insp Rept 50-346/B2-15 on 820503-14 & notice of violation
LITTLE, W B Division of Engineering & Technical Programs 82/06/15
CROUSE, R P Toledo Edison Co 2pp 13633:334 24X
Fiche 50-346, 82/06/15, 8206290206

--8206290209 Notice of violation from insp on 820503-14
LITTLE, W B Division of Engineering & Technical Programs 82/06/15 1p 13633 336 24X Fiche 50-346, 82/06/15, 8206290206

--8206290215 IE Insp Rept 50-346/B2-15 on 820503-14 Noncompliance noted: failure to perform periodic calibrations of rotameters & hydrometers used to measure surveillance test parameters important to safety
CONNAUGHTON, K J SHAFFER, W D Region 3, Office of Director 82/06/14 6pp 13635 357 24X Fiche 50-346, 82/06/15, 8206290206

8206220357 Forwards addl info partially discussed at 820527 meeting in Gaithersburg, MD in response to JE Bulletin 80-11, "Masonry Wall Design," per NRC 820308 ltr
 CROUSE, R P Toledo Edison Co 82/06/16 STOLZ, J F Operating Reactors Branch 4 16pp 13982 108 24X Fiche 50-346, 82/06/16, 8206220357

8206250264 Forwards revision to inservice insp program Requests relief from performance of Class 2 hydrostatic testing of auxiliary feedwater header replacement sys Three oversize drawings encl Aperture cards are available in PDR
 CROUSE, R P Toledo Edison Co 82/06/22 STOLZ, J F Operating Reactors Branch 4 8pp 13613 007 24X Fiche 50-346, 82/06/22, 8206250264

R Periodic operating reports & related correspondence

8206010385 Forwards monthly operating rept for Apr 1982
 MURRAY, T D Toledo Edison Co 82/05/07 HALLER, N Office of Management and Program Analysis 1p 17311.326 24X Fiche 50-346, 82/05/07, 8206010385

--8206010388 Monthly operating rept for Apr 1982
 SARBOUR, B Toledo Edison Co 82/05/07 8pp 13311 337 24X Fiche 50-346, 82/05/07, 8206010388

S Reportable occurrences, LERs & related correspondence

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plane pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, 8206150016

--8206150037 PNO-III-82-001 on 820104, one siren for early warning sys inadvertently activated Caused by lightning storm Siren deactivated
 MCGREGOR, L., STREETER, J., SPESSARD, L. Region 3, Chicago, Office of the Director (81/03/01) 82/01/04 1p 13324 021 24X Fiche 50-346, 82/04/21, 8206150037

8206020309 Forwards LER 82-019/O1X-1.
 MURRAY, T D Toledo Edison Co 82/05/24 KEPLER, J O. Region 3, Office of Director 1p 13321 349 24X Fiche 50-346, 82/05/24, 8206020309.

--8206020310 LER 82-019/O1X-1: on 820419, during steam generator addy current insp, some generator tubes adjacent to auxiliary feedwater header showed potential interaction w/header support sys. Caused by collapse of steam bubble in header
 BATCH, S Toledo Edison Co 82/05/24 Region 3, Office of Director 7pp 13321 350 24X Fiche 50-346, 82/05/24, 8206020309

8206070551 Forwards LER 82-019/O1X-1.
 MURRAY, T D Toledo Edison Co 82/05/28 KEPLER, J O. Region 3, Office of Director 1p 13390 171 24X Fiche 50-346, 82/05/28, 8206070551

8206100144 Forwards LER 82-021/O3L-0.
 MURRAY, T D Toledo Edison Co 82/06/03 KEPLER, J O. Region 3, Office of Director 1p 13445 236 24X Fiche 50-346, 82/06/03, 8206100144

--8206100148 LER 82-021/O3L-0 on 820505, source range audible indicator signal lead found disconnected, Lead disconnected during test earlier in day & reconnection not verified Caused by procedure deficiency Procedure rewritten
 SWARTZ, J Toledo Edison Co 82/06/03 Region 3, Office of Director 2pp 13445 237, 24X Fiche 50-346, 82/06/03, 8206100144

8206130176 PNO-III-02-053 on 820604, check valves in three of four pressure injection lines were stuck closed On 820602 & 08, check valve test revealed three Velan 2-1/2-inch stop check valves remained closed when differential pressure applied.
 ROGERB, W., REYES, L., STREETER, J. Region 3, Office of Director, 82/06/09, 1p 13503 349, 24X Fiche 50-346, 82/06/09, 8206130176.

8206220193 Forwards LER 82-022/O3L-0.
 MURRAY, T D Toledo Edison Co 82/06/11 KEPLER, J O. Region 3, Office of Director 1p 13572 357, 24X Fiche 50-346, 82/06/11, 8206220193

--8206220200 LER 82-022/O3L-0 on 820512, fire barrier Door 302, forming part of negative pressure boundary for spent fuel pool area, found propped open Caused by personnel error Personnel instructed re importance of obeying signs
 HOLFE, R. Toledo Edison Co 82/06/11, Region 3, Office of Director 2pp 13572:358 24X Fiche 50-346, 82/06/11, 8206220193

8206240334 Forwards LER 82-023/O1T-0
 MURRAY, T D Toledo Edison Co 82/06/18 KEPLER, J O. Region 3, Office of Director 1p 13603 175 24X Fiche 50-346, 82/06/18, 8206240334

--8206240336 LER 82-023/O1T-0 on 820604, during RCS refilling, excessive differential pressure occurred across check valves in high pressure injection line Cause under investigation Testing, insp & analysis continuing
 BATCH, S Toledo Edison Co 82/06/18 Region 3, Office of Director 3pp 13603 176 24X Fiche 50-346, 82/06/18, 8206240334

8206290374 Forwards LER 82-024/O3L-0 Detailed event analysis encl
 MURRAY, T D Toledo Edison Co 82/06/21 KEPLER, J O. Region 3, Office of Director 3pp 13634 112 24X Fiche 50-346, 82/06/21, 8206290374

--8206290379 LER 82-024/O3L-0 on 820522, discharge valve MU 340 from beric acid pump 1-1 found in closed position Caused by personnel error Operators counseled & maint for check valves reviewed
 KOCIS, B Toledo Edison Co 82/06/21 Region 3, Office of Director 1p 13634 115 24X Fiche 50-346, 82/06/21, 8206290374

DOCKET 50-346 JOSEPH M FARLEY NUCLEAR PLANT, UNIT 1

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, W S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
 * NRC - No Detailed Affiliation Given 82/05/11 9pp 13454 006 24X Fiche 50-000, 82/05/11, 8206090002.

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgmt attention & clarification
 O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167, 24X Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
 STORR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B. M. Division of Emergency Preparedness 3pp 13454 237, 24X Fiche 50-000, 82/05/11, 8206090002

8206070271 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency, W/o encl.
 STORR, J P Division of Emergency Preparedness & Operational Support 82/05/12 McDONALD, R P Alabama Power Co 1p 13368 326 24X Fiche 50-346, 82/05/12, 8206070271.

8206020198 Releases public version of addition to emergency plan implementing procedure
 FELTON, J M Division of Rules and Records, 82/05/25, Document Management Branch 1p 13340 185 24X Fiche 50-346, 82/05/25, 8206020198

--8206020204 Forwards public version of addition to Emergency Plan implementing Procedure EIP-B, consisting of list of telephone numbers of technical support ctr on-call personnel & of on-call expertise for addressing abnormal situation.
 HUDSPETH, J B Alabama Power Co 82/05/11 NRC - No Detailed Affiliation Given 1p 13340 186, 24X Fiche 50-346, 82/05/25, 8206020198

--8206020216 Public version of addition to Emergency Plan implementing Procedure EIP-B, consisting of list of telephone numbers of technical support ctr on-call personnel & of on-call expertise for addressing abnormal situation
 HAIRSTON, W O Alabama Power Co 82/05/03 3pp 13340 187 24X Fiche 50-346, 82/05/25, 8206020198.

8206030062 Releases public version of revised emergency plan implementing procedure
 FELTON, J M. Division of Rules and Records, 82/05/25, Document Management Branch, 1p 13362 183, 24X Fiche 50-346, 82/05/25, 8206030062

--8206030067 Forwards public version of Revision 3 to Emergency Plan Implementing Procedure FNP-O-EIP-026, "Offsite Notification " Receipt form encl
 * Alabama Power Co 82/04/22 NRC - No Detailed Affiliation
 Given 1p 13362 184 24X Fiche 50-348,82/05/25,8206030062

--8206030071 Public version of Revision 3 to Emergency Plan Implementing Procedure FNP-O-EIP-026, "Offsite Notification "
 HUNT, W S Alabama Power Co 82/04/20 28pp 13362 185 24X
 Fiche 50-348,82/05/25,8206030062

8206240381 Requests exemptions from 10CFR50.4B & 10CFR50. App R re previous commitments to complete fire protection mods, forced outages & present containment fire protection measures, per util 810319, 0423, 820128 & 0420 ltrs Detailed request encl
 CLAYTON, F L Alabama Power Co 82/06/18 VARGA, S A Office of Nuclear Reactor Regulation, Director 11pp 13603 194 24X
 Fiche 50-348,82/06/18,8206240381

8206240424 Releases public version of licensee internal memo transmitting list of on-call telephone numbers
 FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13619 178 24X Fiche 50-348,82/06/18, 8206240424

--8206240427 Forwards public version of internal memo transmitting list of on-call telephone numbers to be attached to Procedure FNP0E1PB
 HUBSPETH, J B Alabama Power Co 82/05/18 NRC - No Detailed Affiliation Given 3pp 13619 179 24X Fiche 50-348,82/06/18, 8206240424

J Insurance & indemnity information

8206230010 Forwards Endorsements 44 & 36 to ANI Policy NF-238 & MAELU Policy MF-93, respectively
 FIELDER, J. Marsh & McLennan, Inc , M & M Nuclear Consultants, Inc Div 82/06/14, SALTZMAN, J Antitrust & Economic analysis Branch (Utility Finance) 3pp 13588 201 24X Fiche 50-348,82/06/14, 8206230010

P Operating license stage documents & correspondence

8206040247 Submits info re reactor vessel head & core upper internals lifting devices for updated Sections 2.1.5.C & 2.1.8.C of NUREG-0612
 CLAYTON, F L Alabama Power Co 82/06/01 EISENHUT, D G Division of Licensing 2pp 13398 039 24X Fiche 50-348,82/06/01, 8206040247

8206080326 Forwards info re status of NUREG-0737 items requested in NRC 820503 Generic Ltr 82-10, including items I, A 1 3 1 re overtime limit, I A 1 3 2 re min shift crew, I C 1 re revised emergency procedures & III A 2 2 re meteorological data.
 CLAYTON, F L Alabama Power Co 82/06/04 EISENHUT, D G Division of Licensing 7pp 13420 032 24X Fiche 50-348,82/06/04, 8206080326

8206110279 Forwards addl info documenting compliance w/NUREG-0737, Item II.E 1.2, "Auxiliary Feedwater Bys Automatic Initiation & Flow Indication " Submittal documents 820603 conversation w/E Reeves clarifying util 820416 ltr
 CLAYTON, F L Alabama Power Co. 82/06/04 VARGA, S.A Office of Nuclear Reactor Regulation, Director 11pp. 13466:208 24X
 Fiche: 50-348,82/06/04,8206110279

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event. W/o encl
 EISENHUT, D. G. Division of Licensing 82/06/09. HAUSPURG, A Consolidated Edison Co of New York YAO, E Public Service Co. of New Mexico. DIETCH, R Southern California Edison Co 13pp 13587.349 24X Fiche 50-000,82/06/09,8206090153

8206250139 Forwards Westinghouse "Fuel Mgt to Reduce Neutron Flux " Rept demonstrates that use of dummy fuel assemblies appears to offer little or no fluence reduction advantage W/o encl.
 KINGBLEY, G D Alabama Power Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp. 13616 299. 24X
 Fiche: 50-348,82/06/16,8206250139

Q Inspection reports, IE Bulletins & correspondence

8206070823 Forwards IE Insp Repts 50-348/82-12 & 50-364/82-11 on 820422 No noncompliance noted.
 LEWIS, R C. Division of Project & Resident Programs, 82/05/14 McDONALD, R. P Alabama Power Co 2pp 13389 143. 24X
 Fiche: 50-348,82/05/14,8206070823

--8206070831 IE Insp Repts 50-348/82-12 & 50-364/82-11 on 820422 No noncompliance noted Major areas inspected interface between licensee organization & responding region organization at emergency response facilities
 TAYLOR, P A , JENKINS, G R Division of Emergency Preparedness & Operational Support. 82/05/12 4pp 13389 145 24X
 Fiche: 50-348,82/05/14,8206070823

8206070245 Forwards updated response to IE Bulletin 79-15 re river water pump bearing failure & installation of Bullectron water treater in svc water pump tube & cooling water supply lines Water treater installed & in operation
 CLAYTON, F L Alabama Power Co 82/05/19 O'REILLY, J P, Region 2, Office of Director 2pp 13370 352 24X Fiche 50-348,82/05/19, 8206070245

8206070345 Ack receipt of 820515 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-348/81-31 & 50-364/81-34
 LEWIS, R C Division of Project & Resident Programs 82/05/27 McDONALD, R P Alabama Power Co. 1p 13363:046 24X
 Fiche 50-348,82/05/27,8206070345

--8206070349 Responds to NRC 820415 ltr re violations noted in IE Insp Repts 50-348/81-31 & 50-364/81-34 Corrective actions manual isolation valve immediately opened & locked open & position verification checks made of other valves
 CLAYTON, F. L. Alabama Power Co. 82/05/15. LEWIS, R C, Region 2, Office of Director 3pp 13363 047 24X Fiche 50-348,82/05/27, 8206070345

--8206070352 Forwards IE Insp Repts 50-348/81-31 & 50-364/81-34 on 811226-820104 & notice of violation.
 LEWIS, R C Region 2, Office of Director 82/04/15 McDONALD, R P Alabama Power Co 2pp 13363 050. 24X Fiche 50-348,82/05/27, 8206070345

--8206070355 Notice of violation from insp on 811226-820104.
 * Division of Project & Resident Programs 82/04/15 1p. 13363 052 24X Fiche 50-348,82/05/27,8206070345

--8206070361 IE Insp Repts 50-348/81-31 & 50-364/81-34 on 811226-820104 Noncompliance noted manual isolation valve from spray additive tank locked in closed position, disabling spray additive sys
 PEBBLES, T A , BROWNLEE, V L Division of Project & Resident Programs 82/04/12 5pp 13363.053 24X Fiche 50-348,82/05/27, 8206070345.

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 093 24X
 Fiche 50-000,82/05/28,8202040147,

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28 103pp 13440 264 24X Fiche 50-000,82/05/28,8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02. 108pp. 13527.150 24X
 Fiche 50-000,82/06/02,8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13475.258. 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl.
 DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp. 13675 189 24X
 Fiche: 50-000,82/06/11,8204210384.

R Periodic operating reports & related correspondence

8206140124 Forwards monthly operating rept for May 1982.
 CLAYTON, F. L Alabama Power Co. 82/06/08. Office of Management and Program Analysis, 1p 13483 302 24X Fiche 50-348,82/06/08, 8206140124.

--8206140127 Monthly operating rept for May 1982.
 HAIRTON, W O Alabama Power Co 82/06/03 12pp. 13483 303. 24X
 Fiche: 50-348,82/06/08,8206140124.

3 Reportable occurrences, LERs & related correspondence

3206010208 Forwards LER 82-016/03L-0

CLAYTON, F L Alabama Power Co 82/04/29 Region 2, Office of
Director 1p 13307 159 24X Fiche 50-348, 82/04/29, 8206010208

--8206010210 LER 82-016/03L-0 on 820403, pressurizer level indicator L1-4597 on hot shutdown panel declared inoperable Caused by faulty transmitter amplifier card Card replaced & instrumentation channel returned to svc
HAIRSTON, W O Alabama Power Co 82/04/29 Region 2, Office of
Director 1p 13307 160 24X Fiche 50-348, 82/04/29, 8206010208

3206010618 Forwards LER 82-018/03L-0

CLAYTON, F L Alabama Power Co 82/05/10 Region 2, Office of
Director 1p 13314 108 24X Fiche 50-348, 82/05/10, 8206010618

--8206010625 LER 82-018/03L-0 on 820417, motor driven auxiliary feedwater pump flow control valve 3227A failed to open past 75% position Valve position limited due to valve packing adjusted
HAIRSTON, W O Alabama Power Co 82/05/10 Region 2, Office of
Director 1p 13314 109 24X Fiche 50-348, 82/05/10, 8206010618

3206010607 Forwards LER 82-021/01T-0

CLAYTON, F L Alabama Power Co 82/05/24 Region 2, Office of
Director 1p 13314 240 24X Fiche 50-348, 82/05/24, 8206010607

--8206010620 LER 82-021/01T-0 on 820510, while conducting shift turnover & main control board walkdown, both containment spray suction valves from reactor water storage tank were closed Caused by operator error Valves opened
HAIRSTON, W O Alabama Power Co 82/05/24 Region 2, Office of
Director 2pp 13314 241 24X Fiche 50-348, 82/05/24, 8206010607

8206070119 Forwards LERs 82-020/03L-0, 82-021/03L-0 & 82-022/03L-0

CLAYTON, F L Alabama Power Co 82/05/27 Region 2, Office of
Director 1p 13368 335 24X Fiche 50-348, 82/05/27, 8206070119

--8206070123 LER 82-020/03L-0 on 820503, diesel generator 1B declared inoperable due to broken fuel oil pipe nipple Nipple cracked when tightened as result of previous leak. New nipple & bushing installed
HAIRSTON, W O Alabama Power Co 82/05/27 Region 2, Office of
Director 1p 13368 336 24X Fiche 50-348, 82/05/27, 8206070119

--8206070126 LER 82-021/03L-0 on 820428, 2A recombiner oxygen outlet analyzer declared inoperable when 82 oxygen fuel cell failed. Cause not stated Fuel cell replaced.
HAIRSTON, W O Alabama Power Co 82/05/27 Region 2, Office of
Director 1p 13368 337 24X Fiche 50-348, 82/05/27, 8206070119

--8206070131 LER 82-022/03L-0 on 820505, containment isolation valve CCM-HDV-3052 declared inoperable Valve position indication lights not illuminated. Caused by blown fuse in ac control circuit Fuse replaced.
HAIRSTON, W O Alabama Power Co 82/05/27 Region 2, Office of
Director 1p 13368 338 24X Fiche 50-348, 82/05/27, 8206070119

8206110165 Forwards LERs 82-019/03L-0, 82-023/03L-0, 82-024/03L-0 & 82-020/03L-0

CLAYTON, F L Alabama Power Co 82/06/02 Region 2, Office of
Director 1p 13466 317 24X Fiche 50-348, 82/06/02, 8206110165

--8206110167 LER 82-019/03L-0 on 820508, exhaust fan failed to start, rendering B train penetration room filtration sys inoperable Caused by worn fan belts which slipped off pulleys Belts replaced
HAIRSTON, W O Alabama Power Co 82/06/02 Region 2, Office of
Director 1p 13466 318 24X Fiche 50-348, 82/06/02, 8206110165

--8206110172 LER 82-023/03L-0 on 820507 & 08, A train chlorine detector declared inoperable when tape drive failed & erroneous indication received, respectively. Caused by faulty gear drive motor assembly & improper loading of detector tape
HAIRSTON, W O Alabama Power Co 82/06/02 Region 2, Office of
Director 2pp 13466 319 24X Fiche 50-348, 82/06/02, 8206110165

--8206110175 LER 82-024/03L-0 on 820510, A penetration room filtration sys declared inoperable when recirculation damper PRF-HV-3361B determined inoperable. Caused by control circuit power fuse blowing while electricians checked valve limit switches
HAIRSTON, W O Alabama Power Co 82/06/02 Region 2, Office of
Director 1p 13466 321 24X Fiche 50-348, 82/06/02, 8206110165

--8206110180 LER 82-020/03L-0 on 820504, snubber RMS-R-530 declared inoperable since reservoir devoid of fluid. Caused by fluid leak on improperly installed O rings O rings replaced & snubber declared operable.
HAIRSTON, W O Alabama Power Co 82/06/02 Region 2, Office of
Director 1p 13466 322 24X Fiche 50-348, 82/06/02, 8206110165

8206210464 RO on 820609, certain A & B train svc water cooling valves associated w/charging pump 2B mislabeled Valves correctly relabeled upon discovery Investigation underway
HAIRSTON, W O Alabama Power Co 82/06/10 O'REILLY, J P Region 2,
Office of Director 1p 13570 356 24X Fiche 50-348, 82/06/10, 8206210464

8206210152 Forwards LERs 82-023/03L-0, 82-018/03L-0 & 82-022/03L-0
CLAYTON, F L Alabama Power Co 82/06/11 Region 2, Office of
Director 1p 13560 078 24X Fiche 50-348, 82/06/11, 8206210152

--8206210157 LER 82-025/03L-0 on 820519, "A" train chlorine detector declared inoperable when alarm sounded & would not reset Caused by faulty photocell light bulbs Bulbs replaced & detector returned to svc
HAIRSTON, W O Alabama Power Co 82/06/11 Region 2, Office of
Director 1p 13560 079 24X Fiche 50-348, 82/06/11, 8206210157

--8206210166 LER 82-022/03L-0 on 820519, during performance of FWP-2-STP-4 7, charging pump 2A would not start Caused by failure of breaker DF06 to close due to misaligned microswitch arm Arm repaired
HAIRSTON, W O Alabama Power Co 82/06/11 Region 2, Office of
Director 1p 13560 080 24X Fiche 50-348, 82/06/11, 8206210157

--8206210179 LER 82-018/03L-0 on 820601, turbine driven auxiliary feedwater pump tripped Caused by inadvertent actuation of overspeed trip mechanism during insp of pump trip linkage Trip throttle valve reopened
HAIRSTON, W O Alabama Power Co 82/06/11 Region 2, Office of
Director 1p 13560 081 24X Fiche 50-348, 82/06/11, 8206210152

8206300116 Forwards LER 82-026/03L-0

CLAYTON, F L Alabama Power Co 82/06/21 Region 2, Office of
Director 1p 13659 309 24X Fiche 50-348, 82/06/21, 8206300116

--8206300159 LER 82-026/03L-0 on 820522, diesel generator 1-2A declared inoperable when essential engine protection auxiliary relay 06A tripped during relay test block installation on control panel Caused by personnel error Personnel to be instructed.
HAIRSTON, W O Alabama Power Co 82/06/21 Region 2, Office of
Director 1p 13655 310 24X Fiche 50-348, 82/06/21, 8206300116

DOCKET 50-352 LIMERICK GENERATING STATION, UNIT 1

A Application/construction stage documents & correspondence

8206020062 Addl response to FOIA request for all documents re probabilistic risk assessment for facilities Forwards
CS Woodhead 800530 memo to ES Christenbury
FELTON, J M Division of Rules and Records 81/11/06 DORSEY, J A
Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06, 8206020062

--8206020075 Discusses 800527 meeting re possible legal &/or public perception consequences to NRC plan for risk assessment of sites near high population areas Interim revision of 10CFR100 should be issued pending proposed rule
WOODHEAD, C P Office of the Executive Legal Director 80/05/30
CHRISTENBURY, E Office of the Executive Legal Director 2pp
13339 213 24X Fiche 50-000, 81/11/06, 8206020062

8205050100 Forwards Amend 32 to license applications, including Revision 4 to PSAR (filed in PDR Category K) Certificate of BvC encl
BRADLEY, E J Philadelphia Electric Co 82/05/04 BENTON, H R
Office of Nuclear Reactor Regulation, Director 5pp 13030 314
24X Fiche 50-352, 82/05/04, 8205050100

--8205050107 Amend 32 to license applications for facilities
BAUER, E O, BRADLEY, E J Philadelphia Electric Co 82/05/04,
3pp 13030 319 24X Fiche 50-352, 82/05/04, 8205050100

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted.
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, L H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp,
13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8203310375 Forwards request for addl info & clarification re facility probabilistic risk assessment. Combined 820415 & 16 meeting & site visit suggested.
THADANI, A C Reliability & Risk Assessment Branch 82/03/19
SCHNEIDER, A Licensing Branch 2 25pp 13640 086 24X
Fiche 50-000, 82/05/12, 8206280071

8206020592 Forwards requests for addl info re initial facility test program described in Chapter 14 of FSAR Encl request was prepared prior to receipt of Revision 3 to FSAR Response date should be submitted within 7 days
SCHWENCER, A Licensing Branch 2 82/05/19 BAUER, E O
Philadelphia Electric Co 33pp 13339 037 24X
Fiche 50-352, 82/05/19, 8206020592

8206070760 Forwards proprietary version of: "INCOR Inputs & Calculational Inputs (for RACAP) " JF Quirk affidavit encl Rept withheld (per 10CFR2 790)
BRADLEY, E J Philadelphia Electric Co 82/06/04 DENTON, H R
Office of Nuclear Reactor Regulation, Director 8pp 13389 279
24X Fiche 50-352, 82/06/04, 8206070760

8206100425 Requests addl info re spent fuel pool design to complete review of FSAR Revision 5
SCHWENCER, A Licensing Branch 2 82/06/04 BAUER, E O
Philadelphia Electric Co 3pp 13438 356 24X
Fiche 50-352, 82/06/04, 8206100425

8206240442 Notification of 820624-25 meeting w/util in Pottstown, PA to discuss probabilistic risk assessment & applicant responses to NRC 820323 info request
ABELSON, H Licensing Branch 2 82/06/09 SCHWENCER, A Licensing Branch 2 4pp 13619 350 24X Fiche 50-352, 82/06/09, 8206240442

8206150275 Forwards, "Probabilistic Risk Assessment Quantification of Event Tree Functions," in response to Question 3 01 of 820318 request for addl info Rept withheld (ref 10CFR2 790)
BRADLEY, E J Philadelphia Electric Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director 8pp 13503 032
24X Fiche 50-352, 82/06/11, 8206150275

8206150348 Forwards Revision 4, "Probabilistic Risk Assessment for Limerick Generating Station" W/o encl
BRADLEY, E J Philadelphia Electric Co 82/06/11 TEDESCO, R L
Assistant Director for Licensing 2pp 13503 324 24X
Fiche 50-352, 82/06/11, 8206150348

8206220228 Advises that FSAR Table 3 2-1 revised, per Power Sys Branch 820225 request Offsite power sys unimportant to safety because failure of sys cannot adversely affect operation of safety-related Class 1E ac distribution sys & equipment
KEMPER, J S Philadelphia Electric Co 82/06/15 SCHWENCER, A
Licensing Branch 2 3pp 13571 309 24X Fiche 50-352, 82/06/15, 8206220228

8206220180 Advises that previously reported Oct 1984 const completion date is consistent w/ongoing const effort, in response to NRC E10811 request for quarterly updates
BRADLEY, E J Philadelphia Electric Co 82/06/18 EISENHUT, D O
Division of Licensing, 2pp 13572 064 24X Fiche 50-352, 82/06/18, 8206220180

8206290364 Advises that util will respond to NRC questions via FSAR revision in Sept 1982, per 820520 request.
BRADLEY, E J Philadelphia Electric Co 82/06/23 SCHWENCER, A
Licensing Branch 2 2pp 13632 351 24X Fiche 50-352, 82/06/23, 8206290364

8206150088 "Probabilistic Risk Assessment," Revision 4.
* Philadelphia Electric Co 82/06/30 75pp 13501 129 24X
Fiche 50-352, 82/06/30, 8206150088

F Security, medical, emergency & fire protection plans

8206010529 Advises that response to 820507 request for addl info will be made via revision to guard training & qualification plan in Aug 1982
BRADLEY, E J Philadelphia Electric Co. 82/05/26 SCHWENCER, A
Licensing Branch 2 2pp 13311 349 24X Fiche 50-352, 82/05/26, 8206010529

G. Adjudicatory correspondence

8206040011 Special prehearing conference order re 820106-08 conference ruling on petitions to intervene & admissibility of proposed contentions
BRENNER, L, COLE, R F, MORRIS, P A Atomic Safety and Licensing Board Panel 82/06/01 160pp 13349 216, 24X Fiche 50-352, 82/06/01, 8206040011.

8206080145 Responds to 820517 ltr expressing concern re scope of EIB Conclusion that NRC accepts environ rept as containing all necessary info to evaluate impacts of station operation invalid. NRC requests for addl info should be reviewed.
LEWIS, S H Hearing Branch 2, 82/06/02 SUGARMAN, R J Sugarmann, R J, 2pp. 13423 313, 24X Fiche 50-352, 82/06/02, 8206080145

8206080149 Responds to 820517 ltr re IE Info Notice 82-13 on OE type HRA relays No written response required unless licensee determines problem affects facility Util has not yet completed review
LEWIS, S H Hearing Branch 2 82/06/04 LEWIS, M I Lewis, M 2pp 13423 357 24X Fiche 50-352, 82/06/04, 8206080149

8206090052 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 BRENNER, L J Atomic Safety and Licensing Board Panel 1p 13439 228 24X
Fiche 50-352, 82/06/04, 8206090052

--8206090054 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners. 82/06/04 COLE, R F Atomic Safety and Licensing Board Panel 1p 13439 229 24X
Fiche 50-352, 82/06/04, 8206090052

--8206090056 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts.
LAVERY, J H Commissioners 82/06/04 MORRIS, P A Atomic Safety and Licensing Board Panel 1p 13439 230 24X
Fiche 50-352, 82/06/04, 8206090052

--8206090060 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 LEWIS, S H Hearing Branch 2 1p 13439 231, 24X Fiche 50-352, 82/06/04, 8206090052

--8206090062 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 BRUDAKER, R Pennsylvania, State of 1p 13439 232 24X Fiche 50-352, 82/06/04, 8206090052

--8206090064 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 JOHNBRUD, J H Environmental Coalition on Nuclear Power 1p. 13439 233 24X
Fiche 50-352, 82/06/04, 8206090052

--8206090065 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners. 82/06/04 WHITE, J. White, J 1p 13439 234 24X Fiche 50-352, 82/06/04, 8206090052

--8206090067 Advises of Commissioner Roberts plans to visit site. No substantive matters will be discussed Rept on visit will be served on parties. Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 ANTHONY, R L Anthony, R L 1p. 13439 235 24X Fiche 50-352, 82/06/04, 8206090052.

--8206090070 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed. Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners. 82/06/04 Pennsylvania, State of. 1p 13439 236. 24X Fiche 50-352, 82/06/04, 8206090052.

--8206090071 Advises of Commissioner Roberts plans to visit site. No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 GERUSKY, T. Pennsylvania, State of 1p. 13439 237. 24X Fiche 50-352, 82/06/04, 8206090052

--8206090074 Advises of Commissioner Roberts plans to visit site. No substantive matters will be discussed Rept on visit will be served on parties. Util will not allow intervenors to accompany Commissioner Roberts.
LAVERY, J H Commissioners. 82/06/04 ADLER, R W Pennsylvania, State of 1p 13439 238 24X Fiche 50-352, 82/06/04, 8206090052.

--8206090079 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed. Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners. 82/06/04 BRONSTEIN, D B. Bronstein, D B 1p. 13439 239 24X Fiche 50-352, 82/06/04, 8206090052.

--B206090080 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 NOOE, A J Keystone Alliance 1p 13439 240 24X Fiche 50-352, 82/06/04, B206090082

--B206090091 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 DORSEY, J A Limerick Ecology Action 1p 13439 241 24X Fiche 50-352, 82/06/04, B206090092

--B206090084 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 LEWIS, M I Lewis, M 1p 13439 242 24X Fiche 50-352, 82/06/04, B206090082

--B206090095 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 ROMANO, F Romano, F 1p 13439 243 24X Fiche 50-352, 82/06/04, B206090092

--B206090099 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 HERSHEY, S P Community Legal Services, Inc 1p 13439 244 24X Fiche 50-352, 82/06/04, B206090092

--B206090102 Advises of Commissioner Roberts plans to visit site. No substantive matters will be discussed Rept on visit will be served on parties. Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 BAUER, E O Philadelphia Electric Co 1p, 13439 245 24X Fiche 50-352, 82/06/04, B206090092

--B206090106 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 CONNER, T B Conner & Wetterhahn 1p 13439 246 24X Fiche 50-352, 82/06/04, B206090092

B206170203 Request for reconsideration of denial of contention on electromagnetic pulse or, alternatively, request for certification to Commission Informal discovery should be allowed on Contention IV-2 Certificate of Svc encl
LEWIS, M I Lewis, M 1p Atomic Safety and Licensing Board Panel 5pp 13534 357. 24X Fiche: 50-352, 82/06/11, B206170203

B206210419 Joint petition for leave to file fuel cycle contention based on new info Decision of B20427 in NRDC vs NRC raises question about validity of Table B-3 rule Certificate of Svc encl
JOHNSRUD, J H Environmental Coalition on Nuclear Power. ELIOTT, C W Limerick Ecology Action 82/06/16 Atomic Safety and Licensing Board Panel 8pp 13568 108. 24X Fiche 50-352, 82/06/16, B206210419

B206230210 Request for reconsideration of B20601 special prehearing conference order denying contentions Misinterpretation, technicalities & typographical errors caused misunderstanding. Proof of svc encl
ROMANO, F R Air and Water Pollution Patrol 82/06/16 Atomic Safety and Licensing Board Panel 3pp 13586 288 24X Fiche: 50-352, 82/06/16, B206230210

B206210282 Objections to ABLB B20601 special prehearing conference order, ABLB lacks jurisdiction to stay const of Point Pleasant Pumping Station or Bradshaw Reservoir. Certificate of Svc encl Related correspondence
CONNER, T B Philadelphia Electric Co CONNER, T B Conner & Wetterhahn 82/06/17 Atomic Safety and Licensing Board Panel 80pp. 13598. 301 24X Fiche: 50-352, 82/06/17, B206210282.

B206240198 Requests clarification of ABLB B20601 special prehearing conference order admitting large number of contentions w/ direction for future spec Board should not be used should not be used

B206240173 Request for reconsideration of aspects of B20601 prehearing order DE River Basin Commission decision should not be regarded as binding re environ effects of taking water from DE River Certificate of Svc encl
SUGARMAN, R J Del-Aware Unlimited, Inc SUGARMAN, R J Sugarmen, R J 82/06/21 Atomic Safety and Licensing Board Panel 50pp 13600 067 24X Fiche 50-352, 82/06/21, B206240173

B206280271 Forwards RA Flowers original executed affidavit to applicant B20617 objections to special prehearing conference
CONNER, T B Conner & Wetterhahn CONNER, T B Philadelphia Electric Co 82/06/24 Office of the Secretary of the Commission 1p 13623 331 24X Fiche 50-352, 82/06/24, B206280271

--B206280278 Affidavit of RA Flowers re proposed mods to Neshaminy Creek Watershed Const Plan
FLOWERS, R A Neshaminy, PA 82/06/16 2pp 13623 352 24X Fiche 50-352, 82/06/24, B206280271

K Utility Final Safety Analysis Report (FSAR) & amends

B205050100 Forwards Amend 32 to license applications, including Revision 4 to FSAR Certificate of Svc encl
BRADLEY, E J Philadelphia Electric Co 82/05/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13030 314 24X Fiche 50-352, 82/05/04, B205050100

--B205110161 Revision 4 to FSAR
* Philadelphia Electric Co 82/05/31 202pp 13030 322 24X Fiche 50-352, 82/05/04, B205050100

B206020372 Forwards affidavit of svc re distribution of FSAR, Revision 5 per DO Eisenhut 810706 ltr
BRADLEY, E J Philadelphia Electric Co 82/05/24 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13320 247. 24X Fiche 50-352, 82/05/24, B206020372

B206220343 Forwards affidavit of svc re distribution of Revision 6 to FSAR, per NRC 810706 ltr
BRADLEY, E J Philadelphia Electric Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13582-078 24X Fiche 50-352, 82/06/11, B206220343

Q Inspection reports, IE Bulletins & correspondence

B206030184 Forwards IE Insp Rept 50-352/82-06 on B20315-0423 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/12 KEMPER, J B Philadelphia Electric Co 2pp 13338 001. 24X Fiche 50-352, 82/05/12, B206030184

--B206030185 IE Insp Rept 50-352/82-06 on B20315-0423 No noncompliance noted Major areas inspected nondestructive exams of selected welds & base matl, review of licensee contractor procedures, vendor matl certification & fabrication records
MCBREARY, R A, DURR, J P, EBNETER, S D Division of Engineering & Technical Programs 82/05/10 9pp 13338 003 24X Fiche 50-352, 82/05/12, B206030184

B206030153 Ack receipt of B20506 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-05 & 50-353/82-04
STAROSTECKI, R, Division of Project & Resident Programs 82/05/24 KEMPER, J B Philadelphia Electric Co 1p 13337 344 24X Fiche 50-352, 82/05/24, B206030153

--B206030155 Responds to NRC B20406 ltr re violations noted in IE Insp Repts 50-352/82-05 & 50-353/82-04 Corrective actions personnel instructed not to use engineering memo to make design changes & training sessions held
KEMPER, J B Philadelphia Electric Co 82/05/06 HAYNES, R C Region 1, Office of Director 5pp 13337 345 24X Fiche 50-352, 82/05/24, B206030153

B206030168 Forwards Page 9 of IE Insp Repts 50-352/81-17 & 50-353/81-15, inadvertently omitted from previous transmittal
STAROSTECKI, R Division of Project & Resident Programs 82/05/24 KEMPER, J B Philadelphia Electric Co, 1p. 13337 342 24X Fiche 50-352, 82/05/24, B206030168

--B206030169 Page 9 of IE Insp Repts 50-352/81-17 & 50-353/81-15, inadvertently omitted from previous transmittal
* Division of Project & Resident Programs 82/02/04 1p 13337 343 24X Fiche: 50-352, 82/05/24, B206030168

B206030278 Ack receipt of B20414 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03
STAROSTECKI, R Division of Project & Resident Programs 82/05/24
KEMPER, J S Philadelphia Electric Co 1p 13340 204 24X
Fiche 50-352, 82/05/24, B206030278

--B206030281 Responds to NRC B20315 ltr re violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03 Corrective actions implemented red lining design change procedure in other areas of plant & control procedure revised by subcontractor
KEMPER, J S Philadelphia Electric Co 82/04/14 HAYNES, R C Region 1, Office of Director App 13340 205 24X
Fiche 50-352, 82/05/24, B206030278

B206100145 Forwards IE Insp Repts 50-352/82-08 & 50-353/82-06 on B20426-0513 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/05/27
KEMPER, J S Philadelphia Electric Co 2pp 13445 229 24X
Fiche 50-352, 82/05/27, B206100145

--B206100149 IE Insp Repts 50-352/82-08 & 50-353/82-06 on B20426-0513 No noncompliance noted Major areas inspected pipe welding, per IE Circular 79-10 & spray pond civil activities
DURR, J P., VARELA, A A, GRAY, E H Division of Project & Resident Programs 82/05/26 5pp 13445 231 24X Fiche 50-352, 82/05/27, B206100145

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13424 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206040317 Ack receipt of B20521 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03
STAROSTECKI, R Division of Project & Resident Programs 82/05/28
KEMPER, J S Philadelphia Electric Co 1p 13355 263 24X
Fiche 50-352, 82/05/28, B206040317

--B206040322 Updates B20414 response to NRC B20315 ltr re violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03 Corrective actions modified procedure re safety-related large pipe hanger installations to be implemented by B20615
KEMPER, J S Philadelphia Electric Co 82/05/21 HAYNES, R C Region 1, Office of Director 2pp 13355 264, 24X
Fiche 50-352, 82/05/28, B206040317

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380.

B206100154 Ack receipt of B20526 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-07 & 50-353/82-05
STAROSTECKI, R Division of Project & Resident Programs 82/06/04
KEMPER, J S Philadelphia Electric Co 1p, 13445, 242 24X
Fiche 50-352, 82/06/04, B206100154.

--B206100167 Responds to NRC B20426 ltr re violations noted in IE Insp Repts 50-352/82-07 & 50-353/82-05 Corrective actions four installed turbine stop & control valve scram bypass pressure transmitters adequately protected
KEMPER, J S Philadelphia Electric Co 82/05/26 HAYNES, R C Region 1, Office of Director 3pp 13445 243 24X
Fiche 50-352, 82/06/04, B206100154

B206150164 Ack receipt of B20528 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/81-17 & 50-353/81-15
STAROSTECKI, R Division of Project & Resident Programs 82/06/07
KEMPER, J S Philadelphia Electric Co 1p 13498 327 24X
Fiche 50-352, 82/06/07, B206150164

--B206150172 Responds to NRC B20204 ltr re violations noted in IE Insp Repts 50-352/81-17 & 50-353/81-15 Corrective actions sample of 125 TX Pipe Bending Co pipe supports to be inspected
KEMPER, J S Philadelphia Electric Co 82/05/28, HAYNES, R C Region 1, Office of Director, 2pp 13498 328, 24X
Fiche 50-352, 82/06/07, B206150164

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384.

S Reportable occurrences, LERs & related correspondence

B206230201 Final Significant Deficiency Rept 62 re overstressed box beam connections at containment wall & bioshield Design changes for box beam & column connections at elevation 296 ft will be issued by B20813
DEVOUNG, R C Philadelphia Electric Co 82/06/10 HAYNES, R C Region 1, Office of Director 2pp 13586 015 24X Fiche 50-352, 82/06/10, B206230201

B206230116 Part 21 rept re back pressure steam isolation dampers supplied by American Warming & Ventilating Inc Corrective action re wiring deficiencies completed
BLON, D E American Warming & Ventilating, Inc 82/06/17, Director's Office, Office of Inspection and Enforcement 1p 13591:052 24X Fiche 50-352, 82/06/17, B206230116

DOCKET 50-353 LIMERICK GENERATING STATION, UNIT 2

A Application/construction stage documents & correspondence

B20620062 Addl response to FOIA request for all documents re probabilistic risk assessment for facilities Forwards
CS Woodhead B00930 memo to ES Christenbury,
FELTON, J M Division of Rules and Records 81/11/06 DORSEY, J A Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06, B20620062

--B20620075 Discusses B00527 meeting re possible legal &/or public perception consequences to NRC plan for risk assessment of sites near high population areas. Interim revision of 10CFR100 should be issued pending proposed rule
WOODHEAD, C P Office of the Executive Legal Director, 80/05/30
CHRISTENBURY, E. Office of the Executive Legal Director 2pp, 13339:213 24X Fiche 50-000, 81/11/06, B20620062.

B205050100 Forwards Amend 32 to license applications, including Revision 4 to FSAR (filed in PDR Category K) Certificate of Svc encl
BRADLEY, E J Philadelphia Electric Co 82/03/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13030:314, 24X Fiche 50-352, 82/03/04, B205050100

--B205050107 Amend 32 to license applications for facilities
BAUER, E O, BRADLEY, E J Philadelphia Electric Co 82/03/04 3pp 13030:319 24X Fiche 50-352, 82/03/04, B205050100

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M. Division of Rules and Records, 82/03/12, MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp, 13639 055 24X Fiche 50-000, 82/03/12, B206280071

--B203310375 Forwards request for addl info & clarification re facility probabilistic risk assessment. Combined B20415 & 16 meeting & site visit suggested.
THADANI, A. C. Reliability & Risk Assessment Branch 82/03/19, SCHWENCER, A, Licensing Branch 2 25pp 13640:086 24X
Fiche 50-000, 82/03/12, B206280071

B206020592 Forwards requests for addl info re initial facility test program described in Chapter 14 of FSAR. Encl request was prepared prior to receipt of Revision 3 to FSAR Response date should be submitted within 7 days
SCHWENCER, A, Licensing Branch 2, 82/03/19 BAUER, E O, Philadelphia Electric Co 33pp 13339:037 24X
Fiche 50-352, 82/03/19, B206020592

B206070760 Forwards proprietary version of, "INCOR Inputs & Computational Inputs (for RACAP)." JF Guirk affidavit encl Rept withheld (per 10CFR2 790)
BRADLEY, E J, Philadelphia Electric Co 82/06/04, DENTON, H R, Office of Nuclear Reactor Regulation, Director, 8pp 13389:279 24X Fiche 50-352, 82/06/04, B206070760

B206100425 Requests addl info re spent fuel pool design to complete review of FSAR Revision 5
SCHWENGER, A Licensing Branch 2 82/06/04 BAUER, E O
Philadelphia Electric Co 3pp 13458 336 24X
Fiche 50-352, 82/06/04, B206100425

B206300372 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since B00101 Forwards documents listed in app
FELTON, J M Division of Rules and Records 82/06/07 001, K
Critical Mass Energy Project 2pp 13678 215 24X
Fiche 50-000, 82/06/07, B206300372

--B206300407 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K Office of the Executive Director for Operations
82/03/17 AHEARNE, J Commissioners 2pp 13678 237 24X
Fiche 50-000, 82/06/07, B206300392

B206240442 Notification of B20624-25 meeting w/util in Pottstown, PA to discuss probabilistic risk assessment & applicant responses to NRC B20323 info request
ABELSON, M Licensing Branch 2 82/06/07 SCHWENGER, A Licensing Branch 2 4pp 13619 330 24X Fiche 50-352, 82/06/07, B206240442

B206150295 Forwards, "Probabilistic Risk Assessment Quantification of Event Tree Functions," in response to Question 3 01 of B20318 request for addl info Rept withheld (ref 10CFR2 790)
BRADLEY, E J Philadelphia Electric Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp 13503 032 24X Fiche 50-352, 82/06/11, B206150295

B206150348 Forwards Revision 4, "Probabilistic Risk Assessment for Limerick Generating Station" w/o encl
BRADLEY, E J Philadelphia Electric Co 82/06/11 TEDESCO, R L Assistant Director for Licensing 2pp 13505 324 24X
Fiche 50-352, 82/06/11, B206150348

B206220228 Advises that FSAR Table 3 2-1 revised, per Power Sys Branch B20228 request Offsite power sys unimportant to safety because failure of sys cannot adversely affect operation of safety-related Class 1E ac distribution sys & equipment
KEMPER, J S Philadelphia Electric Co 82/06/15 SCHWENGER, A Licensing Branch 2 3pp 13571 309 24X Fiche 50-352, 82/06/15, B206220228

B206290364 Advises that util will respond to NRC questions via FSAR revision in Sept 1982, per B20520 request
BRADLEY, E J Philadelphia Electric Co 82/06/23, SCHWENGER, A Licensing Branch 2 2pp 13632 331 24X Fiche 50-352, 82/06/23, B206290364

B206150088 "Probabilistic Risk Assessment," Revision 4
* Philadelphia Electric Co 82/06/30 75pp 13501 129 24X
Fiche 50-352, 82/06/30, B206150088

F. Security, medical, emergency & fire protection plans

B206010529 Advises that response to B20507 request for addl info will be made via revision to guard training & qualification plan in Aug 1982
BRADLEY, E J Philadelphia Electric Co. 82/03/26, SCHWENGER, A Licensing Branch 2, 2pp 13311-1349 24X Fiche 50-352, 82/03/26, B206010529

G. Adjudicatory correspondence

B206040011 Special prehearing conference order re B20106-08 conference ruling on petitions to intervene & admissibility of proposed contentions
BRENNER, L., COLE, R. F., MORRIS, P. A Atomic Safety and Licensing Board Panel. 82/06/01 160pp. 13349 216 24X Fiche 50-352, 82/06/01, B206040011.

B206080145 Responds to B20517 ltr expressing concern re scope of EIS Conclusion that NRC accepts environ rept as containing all necessary info to evaluate impacts of station operation
invalid NRC requests for addl info should be reviewed
LEWIS, B H Hearing Branch 2. 82/06/02 SUGARMAN, R J Sugarman, R J 2pp 13423 315 24X Fiche 50-352, 82/06/02, B206080145

B206080149 Responds to B20517 ltr re 1E Info Notice B2-13 on GE type HFA relays No written response required unless licensee determines problem affects facility. Util has not yet completed review
LEWIS, B H Hearing Branch 2. 82/06/04 LEWIS, M I. Lewis, M 2pp 13423 357. 24X Fiche 50-352, 82/06/04, B206080149

B206090052 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 BRENNER, L J Atomic Safety and Licensing Board Panel 1p 13439 228 24X
Fiche 50-352, 82/06/04, B206090052

--B206090054 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 COLE, R F Atomic Safety and Licensing Board Panel 1p 13439 229 24X
Fiche 50-352, 82/06/04, B206090052

--B206090056 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 MORRIS, P A Atomic Safety and Licensing Board Panel 1p 13439 230 24X
Fiche 50-352, 82/06/04, B206090052

--B206090060 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 LEWIS, S H Hearing Branch 2 1p 13439 231 24X Fiche 50-352, 82/06/04, B206090052

--B206090062 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 BRUBAKER, R Pennsylvania, State of 1p 13439 232 24X Fiche 50-352, 82/06/04, B206090052

--B206090064 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 JOHNSRUD, J H Environmental Coalition on Nuclear Power 1p 13439 233 24X Fiche 50-352, 82/06/04, B206090052

--B206090065 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 WHITE, J White, J 1p 13439 234 24X Fiche 50-352, 82/06/04, B206090052

--B206090067 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 ANTHONY, R L Anthony, R L 1p 13439 235 24X Fiche 50-352, 82/06/04, B206090052

--B206090070 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 Pennsylvania, State of 1p 13439 236 24X Fiche 50-352, 82/06/04, B206090052

--B206090071 Advises of Commissioner Roberts plans to visit site. No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 GERUSKY, T Pennsylvania, State of 1p 13439 237 24X Fiche 50-352, 82/06/04, B206090052

--B206090074 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 ADLER, R W Pennsylvania, State of 1p 13439 238 24X Fiche 50-352, 82/06/04, B206090052

--B206090079 Advises of Commissioner Roberts plans to visit site. No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 BRONSTEIN, D S Bronstein, D S 1p 13439 239 24X Fiche 50-352, 82/06/04, B206090052

--B206090080 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERTY, J H Commissioners 82/06/04 NOORE, A J Keystone Alliance 1p 13439 240 24X Fiche 50-352, 82/06/04, B206090052.

--B206090081 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 DORSEY, J A Limerick Ecology Action 1p 13439 241 24X Fiche 50-352, 82/06/04, B206090052

--B206090084 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 LEWIS, M I Lewis, M 1p 13439 242 24X Fiche 50-352, 82/06/04, B206090052

--B206090095 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 ROMANO, F Romano, F 1p 13439 243 24X Fiche 50-352, 82/06/04, B206090052

--B206090099 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 HERSHEY, B P Community Legal Services, Inc 1p 13439 244 24X Fiche 50-352, 82/06/04, B206090052

--B206090102 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 BAUER, E G Philadelphia Electric Co 1p 13439 245 24X Fiche 50-352, 82/06/04, B206090052

--B206090106 Advises of Commissioner Roberts plans to visit site No substantive matters will be discussed Rept on visit will be served on parties Util will not allow intervenors to accompany Commissioner Roberts
LAVERY, J H Commissioners 82/06/04 CONNER, T B Conner & Wetterhahn CONNER, T B Philadelphia Electric Co 1p 13439 246 24X Fiche 50-352, 82/06/04, B206090052

B206170203 Request for reconsideration of denial of contention on electromagnetic pulse or alternatively, request for certification to Commission Informal discovery should be allowed on Contention IV-2 Certificate of Svc encl
LEWIS, M I Lewis, M 82/06/11 Atomic Safety and Licensing Board Panel 5pp, 13334 357 24X Fiche 50-352, 82/06/11, B206170203

B206210419 Joint petition for leave to file fuel cycle contention based on new info Decision of B20427 in NRDC vs NRC raises question about validity of Table B-3 rule Certificate of Svc encl
JOHNSRUD, J H Environmental Coalition on Nuclear Power ELLIOTT, C W Limerick Ecology Action 82/06/16 Atomic Safety and Licensing Board Panel 8pp 13568 108 24X Fiche 50-352, 82/06/16, B206210419

B206230210 Request for reconsideration of B20601 special prehearing conference order denying contentions Misinterpretation, technicalities & typographical errors caused misunderstanding Proof of svc encl
ROMANO, F R Air and Water Pollution Patrol 82/06/16 Atomic Safety and Licensing Board Panel 3pp 13586 288 24X Fiche 50-352, 82/06/16, B206230210

B206210282 Objections to ASLB B20601 special prehearing conference order ASLB lacks jurisdiction to stay const of Point Pleasant Pumping Station or Bradshaw Reservoir Certificate of Bvc encl Related correspondence
CONNER, T B Philadelphia Electric Co CONNER, T B Conner & Wetterhahn 82/06/17 Atomic Safety and Licensing Board Panel 80pp 13596 301 24X Fiche 50-352, 82/06/17, B206210282

B206240198 Requests clarification of ASLB B20601 special prehearing conference order admitting large number of contentions w/ direction for future spec Board should set time limits & should outline procedure for spec Certificate of Bvc encl
DORSEY, J A Limerick Ecology Action DORSEY, J A Dorsey, J A 82/06/17 Atomic Safety and Licensing Board Panel 5pp 13599 085 24X Fiche 50-352, 82/06/17, B206240198

B206240173 Request for reconsideration of aspects of B20601 prehearing order DE River Basin Commission decision should not be regarded as binding re environ effects of taking water from DE River Certificate of Bvc encl
SUGARMAN, R J Del-Aware Unlimited, Inc SUGARMAN, R J Sugarman, R J 82/06/21 Atomic Safety and Licensing Board Panel 50pp, 13600 067 24X Fiche: 50-352, 82/06/21, B206240173

B206280271 Forwards RA Flowers original executed affidavit to applicant B20617 objections to special prehearing conference
CONNER, T B Conner & Wetterhahn CONNER, T B Philadelphia Electric Co 82/06/24 Office of the Secretary of the Commission 1p 13623 391 24X Fiche 50-352, 82/06/24, B206280271

--B206280278 Affidavit of RA Flowers re proposed mods to Neshaminy Creek Watershed Const Plan
FLOWERS, R A Neshaminy, PA 82/06/16 2pp 13623 352 24X Fiche 50-352, 82/06/24, B206280271

K Utility Final Safety Analysis Report (FSAR) & amends

B205050100 Forwards Amend 32 to license applications, including Revision 4 to FSAR Certificate of Svc encl
BRADLEY, E J Philadelphia Electric Co 82/05/04 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13030 314 24X Fiche 50-352, 82/05/04, B205050100

--B205110161 Revision 4 to FSAR
* Philadelphia Electric Co 82/05/31 202pp 13030 322 24X Fiche 50-352, 82/05/04, B205050100

B206020372 Forwards affidavit of svc re distribution of FSAR, Revision 5 per DG Eisenhower B10706 ltr
BRADLEY, E J Philadelphia Electric Co 82/05/24 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13320 247 24X Fiche 50-352, 82/05/24, B206020372

B206220343 Forwards affidavit of svc re distribution of Revision 4 to FSAR, per NRC B10706 ltr
BRADLEY, E J Philadelphia Electric Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13582 078 24X Fiche 50-352, 82/06/11, B206220343

0 Inspection reports, IE Bulletins & correspondence

B206030193 Ack receipt of B20506 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-05 & 50-353/82-04
STAROSTECKI, R Division of Project & Resident Programs 82/05/24 KEMPER, J B Philadelphia Electric Co 1p 13337 344 24X Fiche 50-352, 82/05/24, B206030193

--B206030195 Responds to NRC B20406 ltr re violations noted in IE Insp Repts 50-352/82-05 & 50-353/82-04 Corrective actions: personnel instructed not to use engineering memo to make design changes & training sessions held
KEMPER, J B Philadelphia Electric Co 82/05/06 HAYNES, R C Region I, Office of Director 3pp 13337 345 24X Fiche 50-352, 82/05/24, B206030193

B206030168 Forwards Page 9 of IE Insp Repts 50-352/81-17 & 50-353/81-15, inadvertently omitted from previous transmittal
STAROSTECKI, R Division of Project & Resident Programs 82/05/24 KEMPER, J B Philadelphia Electric Co 1p 13337 342 24X Fiche 50-352, 82/05/24, B206030168

--B206030169 Page 9 of IE Insp Repts 50-352/81-17 & 50-353/81-15, inadvertently omitted from previous transmittal
* Division of Project & Resident Programs 82/02/04 1p 13337 343 24X Fiche 50-352, 82/05/24, B206030168

B206030278 Ack receipt of B20414 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03
STAROSTECKI, R Division of Project & Resident Programs 82/05/24 KEMPER, J B Philadelphia Electric Co 1p 13340 204 24X Fiche: 50-352, 82/05/24, B206030278

--B206030281 Responds to NRC B20315 ltr re violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03 Corrective actions: implemented red lining design change procedure in other areas of plant & control procedures revised by subcontractor
KEMPER, J B Philadelphia Electric Co 82/04/14 HAYNES, R C Region I, Office of Director 4pp 13340 203 24X Fiche 50-352, 82/05/24, B206030278

B206100145 Forwards IE Insp Repts 50-352/82-08 & 50-353/82-06 on B20426-0513 No noncompliance noted.
STAROSTECKI, R Division of Project & Resident Programs 82/05/27 KEMPER, J B Philadelphia Electric Co 2pp 13443 229 24X Fiche 50-352, 82/05/27, B206100145

--B206100145 IE Insp Repts 50-352/82-08 & 50-353/82-06 on B20426-0513 No noncompliance noted Major areas inspected, pipe welding, per IE Circular 79-10 & spray pond civil activities.
DURR, J P VARELA, A A ORAY, E H Division of Project & Resident Programs 82/05/26 5pp 13443 231 24X Fiche 50-352, 82/05/27, B206100145

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206040317 Ack receipt of 820521 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03
STAROSTECKI, R Division of Project & Resident Programs 82/05/28
KEMPER, J S Philadelphia Electric Co 1p 13355 263 24X
Fiche: 50-352, 82/05/28, 8206040317

--8206040322 Updates 820414 response to NRC 820315 ltr re violations noted in IE Insp Repts 50-352/82-04 & 50-353/82-03
Corrective actions modified procedure re safety-related large pipe hanger installations to be implemented by 820615
KEMPER, J S Philadelphia Electric Co 82/05/21 HAYNES, R C Region 1, Office of Director 2pp. 13355.264 24X
Fiche 50-352, 82/05/28, 8206040317

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206100154 Ack receipt of 820526 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/82-07 & 50-353/82-05
STAROSTECKI, R Division of Project & Resident Programs 82/06/04
KEMPER, J S Philadelphia Electric Co 1p 13445 242 24X
Fiche: 50-352, 82/06/04, 8206100154

--8206100167 Responds to NRC 820426 ltr re violations noted in IE Insp Repts 50-352/82-07 & 50-353/82-05 Corrective actions four installed transfer stop & control valve scram bypass pressure transmitters adequately protected.
KEMPER, J S Philadelphia Electric Co 82/05/26 HAYNES, R C Region 1, Office of Director 3pp. 13445 243 24X
Fiche 50-352, 82/06/04, 8206100154

8206150164 Ack receipt of 820528 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-352/81-17 & 50-353/81-15
STAROSTECKI, R Division of Project & Resident Programs 82/06/07.
KEMPER, J S Philadelphia Electric Co 1p. 13498 327 24X
Fiche: 50-352, 82/06/07, 8206150164

--8206150172 Responds to NRC 820204 ltr re violations noted in IE Insp Repts 50-352/81-17 & 50-353/81-15. Corrective actions. sample of 125 TX Pipe Bending Co pipe supports to be inspected
KEMPER, J S Philadelphia Electric Co 82/05/28 HAYNES, R C Region 1, Office of Director 2pp. 13498 328 24X
Fiche 50-352, 82/06/07, 8206150164

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp. 13675 189. 24X
Fiche 50-000, 82/06/11, 8204210384

B Reportable occurrences, LERs & related correspondence

8206230201 Final Significant Deficiency Rept 62 re overstressed box beam connections at containment wall & bioshield Design changes for box beam & column connections at elevation 296 ft will be issued by 820813
BOYER, V B. Philadelphia Electric Co. 82/06/10 HAYNES, R C Region 1, Office of Director 2pp 13586 015 24X Fiche 50-352, 82/06/10, 8206230201.

DOCKET 50-354 HOPE CREEK NUCLEAR STATION, UNIT 1

Q Inspection reports, IE Bulletins & correspondence

8206040321 Forwards IE Insp Rept 50-354/82-05 on 820405-0502 & notice of violation
STAROSTECKI, R Division of Project & Resident Programs 82/05/13
MARTIN, T J Public Service Electric & Gas Co of New Jersey 2pp 13350 090 24X Fiche 50-354, 82/05/13, 8206040321

--8206040323 Notice of violation from insp on 820405-0502
STAROSTECKI, R Division of Project & Resident Programs 82/05/13 2pp 13350 092 24X Fiche 50-354, 82/05/13, 8206040321

--8206040325 IE Insp Rept 50-354/82-05 on 820405-0502 Noncompliance noted failure to implement effective measures to indicate status of insps performed on ductwork & installation of ductwork supports different from approved design drawings
BATEMAN, W H, TRIPP, L E Division of Project & Resident Programs 82/05/10 7pp 13350 094 24X Fiche 50-354, 82/05/13, 8206040321

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206150162 Ack receipt of 820526 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-354/82-04 & 50-355/82-03
STAROSTECKI, R Division of Project & Resident Programs 82/06/07
MARTIN, T J Public Service Electric & Gas Co of New Jersey 1p 13495 355 24X Fiche 50-354, 82/06/07, 8206150162

--8206150166 Responds to NRC 820420 ltr re violations noted in IE Insp Repts 50-354/82-04 & 50-355/82-03 Corrective actions personnel reinstructed re tack welding penetration w/ proper filler metal documentation
MARTIN, T J Public Service Electric & Gas Co of New Jersey 82/05/26 HAYNES, R C Region 1, Office of Director 3pp 13495 356 24X Fiche 50-354, 82/06/07, 8206150162

8206240204 Forwards IE Insp Rept 50-354/82-06 on 820503-31 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/06/10
MARTIN, T J Public Service Electric & Gas Co of New Jersey 2pp 13599 046 24X Fiche 50-354, 82/06/10, 8206240204

--8206240213 IE Insp Rept 50-354/82-06 on 820503-31 No noncompliance noted Major areas inspected: svc water intake structure foundation const, structural steel erection & pipe & hanger installation
BATEMAN, W H, VARELA, A A, TRIPP, L E Division of Project & Resident Programs 82/06/07 13pp 13599 048 24X
Fiche 50-354, 82/06/10, 8206240204

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

R. Periodic operating reports & related correspondence

8206220411 Submits monthly status completion rept for Apr 1982
Scheduled commercial operation date for Unit 1 remains Dec 1986 Unit 2 const abandoned Dec 1981 Const progress approx 48% complete
ANDRIEU, P R H Public Service Electric & Gas Co of New Jersey 12/06/09 TRIPP, L E. Division of Project & Resident Programs 1p 3577 168 24X Fiche 50-354, 82/06/09, 8206220411

S Reportable occurrences, LERs & related correspondence

B205010384 Significant const deficiency rept re varglass wire ties, initially reported B10717 Use of varglass cable ties limited to motor control ctrs supplied by GE Cable ties will be replaced to preclude tie wrap slippage & unravelling
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/05/21 HAYNES, R C Region 1, Office of Director 1p
 13311 348 24X Fiche 50-354, B2/05/21, B206010384

B206280504 Interim deficiency rept re diesel generator bolt torquing, initially reported on B20514 Verification of requisite torque valves on generator S/N 700510R1 pending availability of manufacturer representatives
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/06/10 HAYNES, R C Region 1, Office of Director 2pp
 13626 276 24X Fiche 50-354, B2/06/10, B206280504

B206280281 Final deficiency rept re auxiliary bldg seismic analysis Results of Oct 1981 auxiliary bldg seismic analysis inconsistent w/1975 analysis Caused by methodological difference Revised spectra curves to be used for equipment
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/06/11 HAYNES, R C Region 1, Office of Director 3pp
 13624 091 24X Fiche 50-354, B2/06/11, B206280281

V Operator Examinations

B206240343 Submits info re senior reactor operator license certification program for plant manager Program will begin approx Sept 1982 RS Salvesen resume encl
 DOUGLAS, R P Public Service Electric & Gas Co of New Jersey
 B2/06/16 SCHWENGER, A Licensing Branch 2 5pp 13603 163 24X
 Fiche 50-354, B2/06/16, B206240343

DOCKET 50-355 HQPE CREEK NUCLEAR STATION, UNIT 2

Q Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, B2/05/28, B202040147

B204210378 IE Info Notice B2-14, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, B2/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, B2/06/02, B204210380

B206150162 Ack receipt of B20526 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-354/B2-04 & 50-355/B2-03
 STAROSTECKI, R Division of Project & Resident Programs 82/06/07
 MARTIN, T J Public Service Electric & Gas Co of New Jersey 1p
 13495 335 24X Fiche 50-354, B2/06/07, B206150162

--B206150166 Responds to NRC B20420 ltr re violations noted in IE Insp Repts 50-354/B2-04 & 50-355/B2-03 Corrective actions personnel instructed re tack welding penetration w/proper filler metal documentation
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/05/26 HAYNES, R C Region 1, Office of Director 3pp
 13495 336 24X Fiche 50-354, B2/06/07, B206150162

B204210383 IE Info Notice B2-17, "Overpressurization of RCG, " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, B2/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, B2/06/11, B204210384

S Reportable occurrences, LERs & related correspondence

B206010384 Significant const deficiency rept re varglass wire ties, initially reported B10717 Use of varglass cable ties limited to motor control ctrs supplied by GE Cable ties will be replaced to preclude tie wrap slippage & unravelling
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/05/21 HAYNES, R C Region 1, Office of Director 1p
 13311 348 24X Fiche 50-354, B2/05/21, B206010384

B206280504 Interim deficiency rept re diesel generator bolt torquing, initially reported on B20514 Verification of requisite torque valves on generator S/N 700510R1 pending availability of manufacturer representatives
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/06/10 HAYNES, R C Region 1, Office of Director 2pp
 13626 276 24X Fiche 50-354, B2/06/10, B206280504

B206280281 Final deficiency rept re auxiliary bldg seismic analysis Results of Oct 1981 auxiliary bldg seismic analysis inconsistent w/1975 analysis Caused by methodological difference Revised spectra curves to be used for equipment
 MARTIN, T J Public Service Electric & Gas Co of New Jersey
 B2/06/11 HAYNES, R C Region 1, Office of Director 3pp
 13624 091 24X Fiche 50-354, B2/06/11, B206280281

DOCKET 50-358 WILLIAM H ZIMMER NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp, 13639 055 24X Fiche 50-000, B2/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided.
 MEDEIROB, M S Reactor Systems Standards Branch 81/02/02
 ARLOTT, O A Division of Engineering Standards 20pp, 13638 102 24X Fiche 50-000, B2/05/12, B206280071

B206020466 Application for Amend 13b to application for DL, consisting of Revision B4 to FSAR
 BORGMANN, E A Cincinnati Gas & Electric Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13325, 097 24X Fiche 50-358, B2/05/28, B206020466

B206040153 Submits info re fast scram hydrodynamic loads on control rod drive sys, in response to B20407 request info will be added to FSAR in Revision B5 scheduled for late June 1982.
 BORGMANN, E A Cincinnati Gas & Electric Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp, 13344, 322 24X Fiche 50-358, B2/05/28, B206040153

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event. W/o encl
 EISENHUT, D G Division of Licensing 82/06/09 HAUSPURO, A Consolidated Edison Co of New York 13pp 13557, 347 24X Fiche 50-000, B2/06/09, B206090153

B206150036 Board notification notifying of drywell to wetwell vacuum breakers which can be subj to air-clearing load resulting from pool swell following postulated LOCA. Components can be overstressed by impact load
 TEDESCO, R L Assistant Director for Licensing 82/06/10 Atomic Safety and Licensing Board Panel 11pp 13523, 118 24X Fiche 50-000, B2/06/10, B206150036

B206180308 Forwards memo re site visit w/pictures of const deficiencies Problems rooted in lack of mgt attention to QA program Increase in number of inspectors recommended if QA negligence increases.
 ARBOTT, E Commissioners 82/06/10 OILINSKY, V, Commissioners 1p 13547 335 24X Fiche 50-358, B2/06/10, B206180308

--B206180315 Discusses B20426-27 site visit & const deficiencies in electrical bays, LPCI, secondary containment, control room, cable spreading room & battery room Photographs encl
 ARBOTT, E Commissioners 82/06/09 Commissioners 34PP, 13547 336 24X Fiche 50-358, B2/06/10, B206180308

8206220134 Staff requirements memo re 820607 briefing on status of Zimmer investigation DOJ 820602 ltr not released to public
CHILK, S J Office of the Secretary of the Commission 82/06/15
DIRKS, W J Office of the Executive Director for Operations 1p
13591 282 24X Fiche 50-358, 82/06/15, 8206220134

8206270174 Ack Commission withdrawal of recommendation for control rod drive makeup flow design specified in NUREG-0619, Section B 1, per NRC 820623 memo
CURTIS, N W Pennsylvania Power & Light Co 82/06/25 SCHWENGER, A
Licensing Branch 2 1p 13631 058 24X Fiche 50-000, 82/06/25, 8206270174

--8206290189 Forwards Auxiliary Sys Branch evaluation of BWR licensing review group 820326 ltr re proposal for elimination of control rod drive makeup flow test recommended in NUREG-0619, Section B 1 Proposal acceptable
RUBENSTEIN, L S Assistant Director for Core & Plant Systems 82/06/23
TEDESCO, R L Assistant Director for Licensing 1p 13631 059 24X Fiche 50-000, 82/06/25, 8206290174

--8206290201 Safety evaluation supporting BWR licensing review group proposal for elimination of control rod drive makeup pump flow test recommended in NUREG-0619, Section B 1
* Auxiliary Systems Branch 82/06/23 5pp 13631 060 24X Fiche 50-000, 82/06/25, 8206290174

E NRC Safety Evaluation Report (SER), supplis & correspondence

8206080220 Responds to SER Suppl 2 (NUREG-0528) Section 1 B, "Summary of Outstanding Issues" re containment leakage testing, per 81117 ltr ECCS injection line isolation valves will be air tested by pressuring bonnets of valves
BORGSMANN, E A Cincinnati Gas & Electric Co 82/06/02 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13421 350 24X Fiche 50-358, 82/06/02, 8206080220

F Security, medical, emergency & fire protection plans

8206090002 Responds to FDIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees
PAPERIELLO, C J Emergency Preparedness & Program Support Branch, 81/12/01
RAMOS, S L Emergency Preparedness & Program Support Branch 4pp. 13454 128 24X Fiche 50-000, 82/05/11, 8206090002

--8203110477 Forwards update on prompt notification & warning sys for Region 3 licensees, FEMA estimates approx 65% of reviews of proposed sys now complete
HIND, J A Division of Emergency Preparedness & Operational Support, 82/01/05, GRIMES, B K Division of Emergency Preparedness 4pp. 13454 133 24X Fiche 50-000, 82/05/11, 8206090002

8206180183 Forwards "Full-Scale Exercise, 81118 Final Rept" & "Rept on 81118 Accident Response Exercise for WH Zimmer Nuclear Power Station"
KRIMM, R W Federal Emergency Management Agency, 82/05/26
GRIMES, B Division of Emergency Preparedness 3pp. 13552 266 24X Fiche 50-358, 82/05/26, 8206180183

--8206180186 "Full-Scale Exercise, 81118 Final Rept"
* Federal Emergency Management Agency, 82/05/31 32pp.
13552 269 24X Fiche 50-358, 82/05/26, 8206180183.

--8206180189 "Rept on 81118 Accident Response Exercise for WH Zimmer Nuclear Power Station"
* Kentucky, State of 82/02/01 44pp. 13552 301 24X Fiche 50-358, 82/05/26, 8206180183

G Adjudicatory correspondence

8206070603 Answer opposing Miami Valley Power Project 820518 motion for leave to file new contentions Project failed to demonstrate existence of significant health or safety issue to justify reopening proceeding, Certificate of SVC encl
CONNER, T B Cincinnati Gas & Electric Co CONNER, T B Conner & Wetterhahn, 82/06/02 Atomic Safety and Licensing Board Panel, 70pp 13373 096, 24X Fiche 50-358, 82/06/02, 8206070603

--8206070608 Forwards complete response to notice of violation & proposed imposition of civil penalties re IE Insp Rept 50-358/81-13
DICKHOFER, W H Cincinnati Gas & Electric Co 82/02/26
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 2pp 13373 166 24X Fiche 50-358, 82/06/02, 8206070603

8206090091 Motion for extension of time until 820611 to reply to Miami Valley Power Project motion for leave to file addl contentions Factual allegations in motion necessitated technical assessment Granted by ASLB on 820607
BARTH, C A Hearing Branch 1 82/06/04 Atomic Safety and Licensing Board Panel 2pp 13438 339 24X Fiche 50-358, 82/06/04, 8206090091

8206180308 Forwards memo re site visit w/pictures of const deficiencies Problems rooted in lack of mgt attention to QA program Increase in number of inspectors recommended if QA negligence increases
ABBOTT, E Commissioners 82/06/10 GILINSKY, V Commissioners 1p 13547 335 24X Fiche 50-358, 82/06/10, 8206180308

--8206180315 Discusses 820426-27 site visit & const deficiencies in electrical bays, LPC1, secondary containment, control room, cable spreading room & battery room Photographs encl
ABBOTT, E Commissioners 82/06/09 Commissioners 34PP 13547 336 24X Fiche 50-358, 82/06/10, 8206180308

8206170137 Response supporting Miami Valley Power Project 820518 motion for admission of eight proposed new contentions re QA activities during const & technical competence of util Notice of appearance & Certificate of SVC encl
TREBY, S A Hearing Branch 1 82/06/11 Atomic Safety and Licensing Board Panel 9pp 13530 209 24X Fiche 50-358, 82/06/11, 8206170137

8206240159 Responds to 820603 ltr re Commissioner Gilinsky technical assistant 820427 visit to facility Assistant had no meetings or discussions w/designated persons nor w/parties other than NRC & util Trip rept served on all parties
HALSCH, M O Office of the General Counsel, 82/06/18 CONNER, T B Conner & Wetterhahn CONNER, T B Cincinnati Gas & Electric Co 1p 13599 275 24X Fiche 50-358, 82/06/18, 8206240159

--8206240163 Requests either util ofc or vice-president & general counsel or counsel ofc be notified of future visits by Commissioners, members of immediate staff or advisors
CONNER, T B Conner & Wetterhahn CONNER, T B Cincinnati Gas & Electric Co 82/06/03 BICKWIT, L Office of the General Counsel 2pp 13599 276 24X Fiche 50-358, 82/06/18, 8206240159

8206240395 Memorandum & Order LBP-82-47 denying Zimmer Area Citizens motion for stay of proceeding, for protective order & atty fees & expenses Request for stay & protective order moot Request for fees beyond ASLB jurisdiction
FRYE, J H Atomic Safety and Licensing Board Panel 82/06/21 Zimmer Area Citizens - Zimmer Area Citizens of KY 16pp 13603 081 24X Fiche 50-358, 82/06/21, 8206240395

8206240420 Initial Decision LBP-82-48 specifying license conditions for authorization of 3X power operation Findings of fact & conclusions of law listed Jurisdiction retained to rule on Miami Valley Power Project motion to admit new contentions
HOOPER, F F, LIVINGSTON, M B, FRYE, J H Atomic Safety and Licensing Board Panel 82/06/21 178pp 13601 168 24X Fiche 50-358, 82/06/21, 8206240420

H General correspondence

8206280195 Requests NRC investigate facility further before granting license Assurance requested re safety, evacuation & info dissemination to public
SANER, D, SANER, A, SCHARFENBERGER Affiliation Unknown 82/05/30 FRYE, J H Atomic Safety and Licensing Board Panel 2pp 13624 227 24X Fiche 50-358, 82/05/20, 8206280195

K Utility Final Safety Analysis Report (FSAR) & amends

8206020466 Application for Amend 136 to application for OL, consisting of Revision 84 to FSAR
BORGSMANN, E A Cincinnati Gas & Electric Co, 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13325 097 24X Fiche 50-358, 82/05/28, 8206020466.

--8206020469 Revision 84 to FSAR
* Cincinnati Gas & Electric Co, 82/05/31 114pp 13325 099 24X Fiche 50-358, 82/05/28, 8206020466.

8206080119 Forwards Certificate of Svc of Amend 136 submitted as
Revision 84 to FSAR
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/03 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13423 351
24X Fiche 50-358, 82/06/03, 8206080119

P Operating license stage documents & correspondence

8206250141 Confirms plans to conduct systematic assessment of licensee
performance meeting on 820629 in Cincinnati, OH to
discuss SALP rept for Oct 1980-Mar 1982
KEPPLER, J O Region 3, Office of Director 82/06/21 BORGMANN, E A
Cincinnati Gas & Electric Co 1p 13616 298 24X
Fiche 50-358, 82/06/21, 8206250141

Q Inspection reports, IE Bulletins & correspondence

8206100109 Requests meeting to discuss activities since 811124 notice
of violation. Many positive actions taken but cloud of
uncertainty still appears to surround plant activities.
DICKHONER, W H Cincinnati Gas & Electric Co 82/05/20
FALLADINO, N J Commissioners 2pp 13449 163 24X
Fiche 50-358, 82/05/20, 8206100109

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13327 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206070603 Answer opposing Miami Valley Power Project 820518 motion for
leave to file new contentions. Project failed to demonstrate
existence of significant health or safety issue to justify
reopening proceeding. Certificate of Svc encl
CONNOR, T B Cincinnati Gas & Electric Co CONNER, T B Conner &
Wetterhahn 82/06/02 Atomic Safety and Licensing Board Panel,
70pp, 13373 096 24X Fiche 50-358, 82/06/02, 8206070603

--8206070608 Forwards complete response to notice of violation & proposed
imposition of civil penalties re IE Insp Rept 50-358/81-13
DICKHONER, W H Cincinnati Gas & Electric Co 82/02/26,
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 2pp 13373 166 24X Fiche 50-358, 82/06/02,
8206070603

8206070791 Ack receipt of 820223, 0427 & 811222 ltrs informing NRC of
steps taken to correct violations noted in IE Insp Rept
50-358/81-27 Addl info requested
NOELIUS, C E Division of Engineering & Technical Programs
82/06/02 BORGMANN, E A Cincinnati Gas & Electric Co 3pp
13389 218 24X Fiche 50-358, 82/06/02, 8206070791

--8206070796 Responds to NRC 820122 ltr re violations noted in IE Insp
Rept 50-358/81-27 Corrects 820223 response re weld HP 43
Weld was circumferential butt, not fillet weld as initially
reported
BORGMANN, E A Cincinnati Gas & Electric Co 82/04/27
KEPPLER, J O Region 3, Office of Director 2pp 13389 221 24X
Fiche 50-358, 82/06/02, 8206070791

--8206070806 Responds to NRC 820122 ltr re violations noted in IE Insp
Rept 50-358/81-27 Corrective actions: welds inspected for
compliance w/ASME code requirements. Welds 1P-31 & HP-8
ground down to preserve insip program requirements
BORGMANN, E A Cincinnati Gas & Electric Co 82/02/23,
KEPPLER, J O Region 3, Office of Director 8pp 13389 223 24X
Fiche 50-358, 82/06/02, 8206070791

--8206070815 Responds to questions NRC raised during 811123 independent
verification program. Corrective actions weld LP-K-114 ground
& liquid penetration inspected
SAGER, H R Cincinnati Gas & Electric Co 81/12/22 DANIELSON,
Region 3, Office of Director 8pp 13389 231 24X
Fiche 50-358, 82/06/02, 8206070791

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp, 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8205280306 Interim Part 21 rept re Item M-40 concerning 2,400 ft of
small bore piping w/possibly indeterminate heat treatment,
initially reported on 820422 Heating process for piping in
Rept E-4337 being investigated. Next rept due by 820715
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/19 KEPPLER, J O
Region 3, Office of Director 2pp 13284 025 24X
Fiche 50-358, 82/05/19, 8205280306

8206040125 Interim Part 21 rept re lack of qualification of welders
per ASME Section IX, 1971-73 winter addenda (Item M-34)
Discrepancies in interpretation & records of radiographs
identified. Investigation continuing. Final rept by 820731
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/20 KEPPLER, J O
Region 3, Office of Director 2pp 13347 291 24X
Fiche 50-358, 82/05/20, 8206040125

8206070390 Final deficiency rept re possible overpressure of piping,
initially reported on 820430 RHR sys piping between inboard
isolation valve 1E12F007 & outboard isolation valve 1E12F008
may be exposed to elevated temp. Mod to be complete 821231.
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/25 KEPPLER, J O
Region 3, Office of Director 2pp 13371 293 24X
Fiche 50-358, 82/05/25, 8206070390

8206070438 Interim deficiency rept re stamping of ASME fittings as
normal w/o vendor authorization. All fittings stamped by
Kaiser quarantined under Nonconformance Rept E-4016. Final
rept by 820715
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/25 KEPPLER, J O
Region 3, Office of Director 2pp, 13374 202 24X
Fiche 50-358, 82/05/25, 8206070438

8206070498 Interim deficiency rept re lamination in 3x3 1/2-angle iron
Purchase order review revealed that only 240 ft of matl
reviewed. Matl now located & under control of nonconformance
repts. Final rept due 820731. Reported per Part 21
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/25 KEPPLER, J O
Region 3, Office of Director, 2pp 13374 321, 24X
Fiche 50-358, 82/05/25, 8206070498

8206080245 Followup rept re commitment dates for submitting deficiency
repts. Initially reported 820520. Final rept will be submitted
after quality confirmation program is completed
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/26 KEPPLER, J O
Region 3, Office of Director 2pp 13419 086 24X
Fiche 50-358, 82/05/26, 8206080245

8206080321 Interim deficiency rept re lack of cable tray hanger insp.
Proper assessment of welds for compliance w/insp
requirements scheduled by 820624. Next rept provided by
820630
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/26 KEPPLER, J O
Region 3, Office of Director 2pp 13420 077 24X
Fiche 50-358, 82/05/26, 8206080321

8206170187 Interim Part 21 rept re possible indeterminate welder
qualifications. Documentation review of welder qualification
records revealed discrepancies re use of liquid paper.
Completion of investigation expected by 821231.
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/27 KEPPLER, J O
Region 3, Office of Director 2pp, 13534 308 24X
Fiche 50-358, 82/05/27, 8206170187

8206040351 PNO-111-82-051 on 820528, applicant informed of plans to
suspend const work pending investigation of 820527
incident in which three GC inspectors were doused w/water.
Cause of incident being investigated
CHRISTIANSON, F, HUNTER, D, STREETER, J Region 3, Office of
Director 82/05/28 1p 13350 362 24X Fiche 50-358, 82/05/28,
8206040351

8206130220 Interim deficiency rept re improper filler matl in reactor
recirculation sys welds. Investigation continuing. Final rept
expected by 820731.
BORGMANN, E A Cincinnati Gas & Electric Co 82/05/28 KEPPLER, J O
Region 3, Office of Director, 2pp 13505 010 24X
Fiche 50-358, 82/05/28, 8206130220

8206080239 PNO-111-82-050 on 820601, GC inspector killed in traffic
accident. No evidence suggests any connection between traffic
accident & 820527 incident in which three facility GC
inspectors were doused w/water.
SCHWEIBINZ, E, HUNTER, D, STREETER, J Region 3, Office of Director,
82/06/02 1p 13422 015 24X Fiche 50-358, 82/06/02, 8206080239

8206170334 Interim deficiency rept re lack of QA program for RC1 control rod drive hangers, initially reported on 820510 Evaluation underway to determine corrective action to be taken Next rept will be submitted by 820731
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/02 KEPPLER, J G
Region 3, Office of Director 2pp 13531 151 24X
Fiche 50-358, 82/06/02, 8206170334

8206170132 Interim Part 21 rept re weld & radiographic quality of sacrificial shield monorail & vent stack welds, initially reported 820510 HJ Kaiser Co to perform complete review Final rept will be submitted by 821231
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/03 KEPPLER, J G
Region 3, Office of Director 2pp 13530 227 24X
Fiche 50-358, 82/06/03, 8206170132

8206170279 Interim Part 21 rept re Anchor-Darling valves w/ anti-rotational devices Nonconformance rept generated re potential operational failure in event of set screw loosening Next rept will be provided by 820710
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/04 KEPPLER, J G
Region 3, Office of Director 1p 13529 239 24X
Fiche 50-358, 82/06/04, 8206170279

8206170373 Interim Part 21 rept re defects in HVAC turning vanes Problem under engineering review Next rept by 820703
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/04 KEPPLER, J G
Region 3, Office of Director 2pp 13531 105 24X
Fiche 50-358, 82/06/04, 8206170373

8206170286 Final deficiency rept re preheat requirements for deletion of post-weld heat treating (Item H-43), per 1971 Edition of ASME code, Section III, Paragraph NB-4620 Deficiency determined not reportable
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/08 KEPPLER, J G
Region 3, Office of Director 2pp 13529 205 24X
Fiche 50-358, 82/06/08, 8206170286

8206170349 Interim deficiency rept re Item E-19 on inadequate AE translation of applicable electrical separation criteria into appropriate installation specs &/or drawings Design basis to be retranslated by 820806 Next rept due by 820816
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/11 KEPPLER, J G
Region 3, Office of Director 2pp 13531 327 24X
Fiche 50-358, 82/06/11, 8206170349

8206210186 Interim deficiency rept re HJ Kaiser Co internal investigation of programmatic deficiencies related to procurement, initially reported 820514 Majority of deficiencies addressed in quality confirmation program.
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/14 KEPPLER, J G
Region 3, Office of Director 2pp 13540 112 24X
Fiche 50-358, 82/06/14, 8206210186

8206290330 Interim deficiency rept per Item H-50 re welds w/inadequate surface preparation for radiographic test Request for mgt corrective action issued Resolution expected to be available by 820720
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/14 KEPPLER, J G
Region 3, Office of Director 2pp 13632 337 24X
Fiche 50-358, 82/06/14, 8206290330

8206290365 Interim deficiency rept re lack of QC insp of ASME work. All QA attributes pertaining to specific application may not have been investigated. Investigation continuing. Next rept will be submitted by 820731
BORGMANN, E A Cincinnati Gas & Electric Co 82/06/15 KEPPLER, J G
Region 3, Office of Director 1p 13632 350 24X
Fiche 50-358, 82/06/15, 8206290365

T Hearing transcripts on non-antitrust matters

8206090039 Unofficial transcript of Commission 820607 public meeting in Washington, DC re status of investigation Pp 1-76
Supporting documentation encl
* Commissioners 82/06/07 94pp, 13436:184 24X
Fiche 50-358, 82/06/07, 8206090039

U Congressional/Executive Correspondence

DOCKET 50-361 SAN ONOFRE NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, I H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--8102090379 Forwards summary of seismic sys interaction program review status Program set up to insure that nonseismic Category 1 sys will not interact adversely w/seismic Category 1 sys as result of seismic event
RUBENSTEIN, L S Assistant Director for Core & Containment Systems 81/01/23 TEDESCO, R L Assistant Director for Licensing 2pp
13607 119 24X Fiche 50-000, 82/04/29, 8206230007

--8104220460 Forwards evaluation of seismic sys interaction program for facilities Program is acceptable w/no outstanding issues
RUBENSTEIN, L S Assistant Director for Core & Containment Systems 81/04/07 TEDESCO, R L Assistant Director for Licensing 10pp
13607 052 24X Fiche 50-000, 82/04/29, 8206230007

--8105040572 Forwards draft of supplemental SER Response should be submitted by 810504 w/o encl
ROOD, H Licensing Branch 3 81/04/28 NRC - No Detailed Affiliation Given 1p 13607 062 24X Fiche 50-000, 82/04/29, 8206230007

--8206230261 Proposed agenda for 810303-05 onsite audit of facilities re sys interaction program Related info encl
* NRC - No Detailed Affiliation Given 81/03/03 NRC - No Detailed Affiliation Given 5pp 13607 074 24X
Fiche 50-000, 82/04/29, 8206230007

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, I H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 035 24X Fiche 50-000, 82/05/12, 8206280071

--7911190288 Repts that licensee considers pressurizer pressure & level control sys not safety-related sys & not subj to QA program requirements of 10CFR50, App B Recommends all such sys subj to 10CFR50, App A requirements also be subj to those of AppB
JOHNSON, A D Region 3, San Francisco, Office of the Director 79/08/29 CREWS, J L Region 3, San Francisco, Reactor Operations Nuclear Support Branch 3pp 13697 399 24X
Fiche 50-000, 82/05/12, 8206280071

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 7pp.
13454 006 24X Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly updates of status of implementation of prompt notification sys
SPENCER, G B Division of Technical Inspection 82/01/05 GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
24X Fiche 50-000, 82/05/11, 8206090002

8206010685 Amend 11 to "Fire Hazards Analysis"
DIETCH, R Southern California Edison Co 82/05/20 DENTON, H R
Office of Nuclear Reactor Regulation, Director 6pp 13310 030
24X Fiche 50-361, 82/05/20, 8206010685

--8206010697 Amend 11 to "Fire Hazards Analysis"
* Southern California Edison Co * San Diego Gas & Electric Co 82/04/30 35pp 13310 259 24X Fiche 50-361, 82/05/20, 8206010685

8206040393 Forwards correspondence re addl info on FEMA findings on emergency planning
BASKIN, K P Southern California Edison Co 82/05/20 MIRALTA, F
Licensing Branch 3 2pp 13353 001, 24X Fiche 50-361, 82/05/20, 8206040393

--8206040400 Forwards description of exercise scenario, anticipated licensee & offsite agency actions Addl correspondence & emergency plan info encl
BASKIN, K P Southern California Edison Co 82/03/02
ENGELKEN, R H Region 5, Office of Director 500pp 13353 007
24X Fiche 50-361, 82/05/20, 8206040395

8206020433 Forwards "Acoustical Test of Prompt Alerting Sys for San Onofre Nuclear Generating Station"
BASKIN, K P Southern California Edison Co 82/05/28 MIRAOLIA, F
Licensing Branch 3 2pp 13326 162 24X Fiche 50-206, 82/05/28, 8206020433

--8206020437 "Acoustical Test of Prompt Alerting Sys for San Onofre Nuclear Generating Station"
* Wyle Laboratories 82/05/31 29pp 13326 164 24X
Fiche 50-206, 82/05/28, 8206020433

8206080210 Advises that problems w/five public alert sys sirens have been corrected & siren operability was confirmed by growl testing from control ctrs by 820928
BASKIN, J P Southern California Edison Co 82/06/04 MIRAOLIA, F
Licensing Branch 3 1p 13420 343 24X Fiche 50-206, 82/06/04, 8206080210

8206080309 Forwards status & schedule for implementing NUREG-0737 items, in response to NRC 820505 Generic Ltr 82-10
BASKIN, K P Southern California Edison Co 82/06/04 MIRAOLIA, F
Licensing Branch 3 3pp 13420 071 24X Fiche 50-361, 82/06/04, 8206080309

8206220217 Forwards IE Insp Rept 50-361/82-18 on 820413-16, No noncompliance noted
BOOK, H E Region 5, Office of Director 82/06/04 PAPAY, L T
Southern California Edison Co 2pp 13571 319 24X
Fiche 50-361, 82/06/04, 8206220217

--8206220223 IE Insp Rept 50-361/82-18 on 820413-16 No noncompliance noted Major areas inspected emergency plan exercise & associated critique
FISH, R F, KUNHIRO, D M, SCOWN, K Region 5, Office of Director 82/06/03 6pp 13571 321 24X Fiche 50-361, 82/06/04, 8206220217

8206100281 Comments on adequacy of existing public notification sys in San Clemente, CA per ASLB 820514 order Addition of NOAA type or cablevision override sys is redundant & unnecessary No items raised by San Clemente deserve ASLB involvement.
PIGOTT, D R Southern California Edison Co PIGOTT, D R Orrick, Herrington & Butcliffe 82/06/07 10pp 13449 228 24X
Fiche 50-361, 82/06/07, 8206100281

--8206100286 Affidavit of TJ DuBois supporting applicant comments on adequacy of existing public notification sys in San Clemente, CA One oversize map encl Aperture card available in PDR Certificate of Svc encl
DUBOIS, T J Southern California Edison Co 82/06/04 11pp 13449 238 24X Fiche 50-361, 82/06/07, 8206100281

--8206100289 "Performance Test Rept, Prompt Alerting Sys for San Onofre Nuclear Generating Station" One oversize map encl Aperture card available in PDR
* Wyle Laboratories 82/03/31, 100pp 13449, 250, 24X
Fiche 50-361, 82/06/07, 8206100281

8206220582 Forwards IE Safeguards Insp Rept 50-361/82-21 on 820601-04 No noncompliance noted
NORDERHAUG, L R Division of Radiological Safety & Safeguards Program 82/06/17 PAPAY, L T Southern California Edison Co 2pp 13582, 170 24X Fiche 50-361, 82/06/17, 8206220582

--8206220584 IE Safeguards Insp Rept 50-361/82-21 on 820601-04 No noncompliance noted Major areas inspected security organization-personnel, security sys power supply & assessment aids Details withheld (ref 10CFR73.21)
MORTENSEN, W P, SCHWAN, C A, SCHUSTER, M D Division of Radiological Safety & Safeguards Program 82/06/16 2pp 13582, 172, 24X Fiche 50-361, 82/06/17, 8206220582

0 Adjudicatory correspondence

8206010328 Order extending time for any party to appeal any part of initial decision until 10 days from ASLB 820525 order correcting inadvertently drafted condition in 820514 initial decision
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/05/26 1p, 13300 123, 24X Fiche 50-361, 82/05/26, 8206010328

8206040042 Response opposing intervenor Carstens 820511 request for stay of low power license & appeal from ASLB denial Fuel loading complete & low power tests underway Stay would seriously interrupt program Certificate of Svc encl
PIGOTT, D R Southern California Edison Co PIGOTT, D R San Diego Gas & Electric Co PIGOTT, D R Orrick, Herrington & Butcliffe 82/05/26 Commissioners 14pp 13350 064 24X
Fiche 50-361, 82/05/26, 8206040042

8206040264 Answer opposing Carstens 820511 application for stay of low power license Balancing of 10CFR2.788(e) factors does not weigh in favor of intervenor Certificate of Svc encl
CHANDLER, L J Hearing Branch 2 82/05/26 Commissioners 14pp 13354 349 24X Fiche 50-361, 82/05/26, 8206040264

8206040013 Order granting applicant request during 820527 telcon for extension until 820608 to file comments on siren coverage in San Clemente
KELLEY, J L Atomic Safety and Licensing Board Panel 82/05/27 Southern California Edison Co 2pp 13350 088 24X
Fiche 50-361, 82/05/27, 8206040013

8206070555 Notice of appeal of ASLB 820314 initial decision
MCCLUNG, C E GUARD MCCLUNG, C E Carstens, A B MCCLUNG, C E Flemming, Anderson, McClung & Finch 82/06/01 1p 13373 047 24X
Fiche 50-361, 82/06/01, 8206070555

--8206070562 Application for stay of full power license pending appellate decision Use of post-license conditions is in error Certificate of Svc encl
MCCLUNG, C E GUARD MCCLUNG, C E Carstens, A B MCCLUNG, C E Flemming, Anderson, McClung & Finch 82/06/01 Atomic Safety and Licensing Appeal Panel 18pp, 13373 048, 24X
Fiche 50-361, 82/06/01, 8206070555

8206100114 Withdrawal of applicant 820521 comments on ASLB 820514 initial decision Comments rendered moot by ASLB 820525 order making clarifying changes in initial decision.
Certificate of Svc encl.
PIGOTT, D R Southern California Edison Co, PIGOTT, D R Orrick, Herrington & Butcliffe 82/06/04 Commissioners, App. 13449 142 24X Fiche 50-361, 82/06/04, 8206100114

8206100281 Comments on adequacy of existing public notification sys in San Clemente, CA per ASLB 820514 order Addition of NOAA type or cablevision override sys is redundant & unnecessary No items raised by San Clemente deserve ASLB involvement.
PIGOTT, D R Southern California Edison Co PIGOTT, D R Orrick, Herrington & Butcliffe 82/06/07 10pp 13449 228 24X
Fiche 50-361, 82/06/07, 8206100281

--8206100286 Affidavit of TJ DuBois supporting applicant comments on adequacy of existing public notification sys in San Clemente, CA One oversize map encl Aperture card available in PDR Certificate of Svc encl
DUBOIS, T J Southern California Edison Co 82/06/04 11pp 13449, 238, 24X Fiche 50-361, 82/06/07, 8206100281

--8206100289 "Performance Test Rept, Prompt Alerting Sys for San Onofre Nuclear Generating Station" One oversize map encl Aperture card available in PDR
* Wyle Laboratories 82/03/31, 100pp 13449, 230, 24X
Fiche 50-361, 82/06/07, 8206100281

8206100277 Order extending time for Commission to review ALAB-673 until 820624
CHILK, B J Office of the Secretary of the Commission 82/06/09 Commissioners 1p 13451 327 24X Fiche 50-361, 82/06/09, 8206100277

8206100053 Informs that NRC unable to file response to ASLB 820514 order re siren coverage in San Clemente by 820608, due to delays in transmittal of KW Nauman affidavit Response being hand & express delivered to ASLB.
CHANDLER, L J Hearing Branch 2 82/06/09 KELLEY, J L Atomic Safety and Licensing Board Panel 2pp 13463 233 24X
Fiche 50-361, 82/06/09, 8206100053

8206170082 Order scheduling 820525 oral argument in Bethesda, MD on GUARD & Carstens application for stay of full power license Parties to notify ASLB secretary of person who will present argument by 820621.
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/10 Office of the Executive Legal Director 2pp, 13330 079 24X
Fiche 50-361, 82/06/10, 8206170082

8206180348 Memorandum & order terminating jurisdiction previously retained in 820514 order, GUARD request to reopen record on adequacy of siren warning sys denied. Present record supports finding of reasonable assurance re siren sys
KELLEY, J L, HAND, C H, JOHNSTON, E B Atomic Safety and Licensing Board Panel 82/06/16 GUARD 10pp 13455 167, 24X
Fiche 50-361, 82/06/16, 8206180348

1206210435 Response opposing intervenor B20601 application for stay of full power license No requirements for stay met Initial decision correctly decided & intervenors will not prevail on merits Certificate of Svc encl
RODIN, E R Southern California Edison Co 82/06/16 Atomic Safety and Licensing Board Panel 14pp 13567 184 24X Fiche 50-361, 82/06/16, B206210435

1206220074 Response opposing GUARD & Carstens B20601 application for stay of full power license Intervenor failed to show ASLB erred & that intervenors likely to prevail on merits No irreparable injury shown
CHANDLER, L J Hearing Branch 2 82/06/16 Atomic Safety and Licensing Appeal Panel 12pp 13573 013 24X Fiche 50-361, 82/06/16, B206220074

-B206220077 Affidavit of DB Matthews Emergency exercise of B20415 does not establish that inadequacy exists re util ability to provide prompt public alert & initial notification or to accomplish evacuation Certificate of Svc encl
MATTHEWS, D B Section B (Pre B20201) 82/06/16 45pp 13573.025 24X Fiche 50-361, 82/06/16, B206220074

1206240249 Requests consideration of intervenor request that no low power operation be permitted until all matters on appeal resolved
BROWN, E O California, State of 82/06/16 PALLADINO, N J Commissioners 2pp 13598 337 24X Fiche 50-361, 82/06/16, B206240249

1206230073 Forwards info util submitted w/820520 ltr to satisfy some conditions requiring NRC confirmation imposed by ASLB B20514 Initial decision
CHANDLER, L J Hearing Branch 2 82/06/18 KELLEY, J L, JOHNSON, E B., HAND, C H Atomic Safety and Licensing Board Panel. 25pp 13587 208 24X Fiche 50-361, 82/06/18, B206230073

1206250110 Notifies that LJ Chandler will present oral argument on behalf of NRC pursuant to ASLAB 820610 order.
CHANDLER, L J Hearings Division 82/06/21 SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 1p 13626 357 24X Fiche 50-361, 82/06/21, B206250110

1206300227 Supports consideration of Governor Brown request to consider all possible deficiencies in emergency plans, including lack of adequate telephone svc for San Clemente, CA
ROBERTS, W B. San Clemente, CA. 82/06/21 NRC - No Detailed Affiliation Given 2pp 13694 274. 24X Fiche 50-361, 82/06/21, B206300227

1206240382 Advises that ASLAB does not communicate w/witnesses. Matters raised in B20618 ltr should be disclosed to counsel for whom testimony given
SHOEMAKER, C J. Atomic Safety and Licensing Appeal Panel 82/06/22 STONE, J P California, State of 1p 13603 147 24X Fiche 50-361, 82/06/22, B206240382

--B206240384 Advises of possible misunderstanding on answer at hearings re state parks rescue boat moored at Dana Point Harbor Parks responsibility extends to protection of state park visitors Parks also willing to notify personnel in immediate area
STONE, J P California, State of 82/06/18 SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel. 2pp 13603 148 24X Fiche 50-361, 82/06/22, B206240382

4 General correspondence

1206080120 Informs that LPDR relocated to San Clemente Branch Library, San Clemente, CA
CHANDLER, L J Hearing Branch 2. 82/06/04 WHARTON, R. J. Wharton, R. J. GALLAGHER, P M Gallagher, P M MCCLUNG, C E Fleming, Anderson, McClung & Finch 2pp 13423 349. 24X Fiche 50-361, 82/06/04, B206080120

4 Utility Final Safety Analysis Report (FSAR) & amendments

1206010685 Forwards Amend 29 to FSAR & Amend 11 to "Fire Hazards Analysis." (filed in PDR Category F)
DIETCH, R Southern California Edison Co 82/05/20 DENTON, H R. Office of Nuclear Reactor Regulation, Director 6pp 13310 030. 24X Fiche 50-361, 82/05/20, B206010685

--B206010691 Amend 29 to FSAR Nine oversize Figures encl Aperture cards are available in PDR
* Southern California Edison Co * San Diego Gas & Electric Co 82/04/30 230pp 13310.036. 24X Fiche 50-361, 82/05/20, B206010685

0 Advisory Committee on Reactor Safeguards reports & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B206280548 Notification of B10218 meeting of ACRS San Onofre 2 & 3 Subcommittee as part of review for OL in Washington, DC Project status rept encl
BESSETTE, D E ACRS - Advisory Committee on Reactor Safeguards 81/02/10 BENDER, M., MATHIS, W M., WARD, D A ACRS - Advisory Committee on Reactor Safeguards 7pp 13643 047 24X Fiche 50-000, 82/05/12, B206280071

--B206280549 Notification of B10311 meeting of ACRS Subcommittee on San Onofre 2 & 3 in Washington, DC to continue OL review Tentative agenda encl
BESSETTE, D E ACRS - Advisory Committee on Reactor Safeguards 81/02/26. BENDER, M., MATHIS, W., OKRENT, D ACRS - Advisory Committee on Reactor Safeguards 8pp 13643 056. 24X Fiche 50-000, 82/05/12, B206280071

--B206280553 Forwards tentative agenda for B10311 meeting of ACRS Subcommittee on San Onofre 2 & 3
BESSETTE, D E ACRS - Advisory Committee on Reactor Safeguards 81/02/27 ZECH, G NRC - No Detailed Affiliation Given 7pp 13643 064. 24X Fiche 50-000, 82/05/12, B206280071

P Operating license stage documents & correspondence

B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app. Financial info in Documents 3-54, 3-55 & 3-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, 82/04/29, B206230007

--B206230259 Marked-up "Evaluation of Southern CA Edison Co Seismic By: Interaction Program for San Onofre Nuclear Generating Station, Units 2 & 3"
* NRC - No Detailed Affiliation Given 81/03/05 5pp 13607 066 24X Fiche 50-000, 82/04/29, B206230007

B206100237 Forwards requests for NRC approval to revise proposed changes to Tech Spec 3 3 2, Table 3 3-5 re response time testing for auxiliary feedwater train Formal amend application will be submitted by B20531
BASKIN, K P Southern California Edison Co 82/05/20 MIRAOLIA, F. Licensing Branch 3 2pp 13493 331 24X Fiche 50-361, 82/05/20, B206100237

--B206100240 Proposed Tech Specs Changes NPF-10-19 clarifying response time testing re auxiliary feedwater train identified in Table 3 3-5
* Southern California Edison Co 82/05/20 4pp 13493.333 24X Fiche 50-361, 82/05/20, B206100237

B206090251 Confirms B20520 telcon authorization for Tech Spec changes requested in util B20519 & 20 ltrs License amend, safety evaluation & FR notice forthcoming
TEDESCO, R L Assistant Director for Licensing 82/05/21 DIETCH, R Southern California Edison Co COTTON, Q D San Diego Gas & Electric Co 3pp 13456 147 24X Fiche 50-361, 82/05/21, B206090251

B206020585 Forwards request for addl info re waste solidification process control program to complete review
MIRAOLIA, F J Licensing Branch 3 82/05/26 DIETCH, R Southern California Edison Co COTTON, Q D., BERNATH, L San Diego Gas & Electric Co 5pp 13339 010 24X Fiche 50-361, 82/05/26, B206020585

B206020587 Authorizes amend to License NPF-10, changing Tech Spec 3 3 2 Table 3 3-3 Items 2 a(3), 3 a(4) & Note 4.
TEDESCO, R L Assistant Director for Licensing 82/05/26. DIETCH, R Southern California Edison Co COTTON, Q D., BERNATH, L San Diego Gas & Electric Co. 4pp 13339 015 24X Fiche 50-361, 82/05/26, B206020587.

B206080001 Summary of B20524 meeting w/util & Cities of Riverside & Anaheim, CA re auxiliary feedwater pump motor bearing environ qualification Relief requested from license condition while problem w/bearings evaluated & corrected
RODD, H Licensing Branch 3 82/05/28 Licensing Branch 3. 4pp 13441 093 24X Fiche 50-361, 82/05/28, B206080001

8206080173 Summary of 820920 meeting w/utila & Cities of Anaheim & Riverside, CA in Bethesda, MD re natural circulation tests to be conducted during startup Viewgraphs encl
 R00B, H Licensing Branch 3 82/05/28 Licensing Branch 3 4pp
 13442 060 24X Fiche 50-361, 82/05/28, 8206080173

8206070221 Forwards Amend Application 4 to License NPF-10 consisting of proposed changes to Tech Specs to facilitate entry into operational Mode 3
 DIETCH, R Southern California Edison Co 82/06/02 DENTON, H R
 Office of Nuclear Reactor Regulation, Director 4pp 13468:070
 24X Fiche 50-361, 82/06/02, 8206070221

--8206070226 Amend Application 4 to License NPF-10 consisting of proposed changes to Tech Spec 3/4 3 2, ESF actuation sys instrumentation
 * Southern California Edison Co 82/06/02 10pp 13468 077
 24X Fiche 50-361, 82/06/02, 8206070221

--8206070230 Proposed changes to Tech Spec 3/4 3 2, ESF actuation sys instrumentation
 * Southern California Edison Co 82/06/02 3pp 13468:087 24X
 Fiche 50-361, 82/06/02, 8206070221

8206070699 Forwards responses to Effluent Treatment Sys Branch questions on process control program for Chem Nuclear cement solidification sys
 BASKIN, K P Southern California Edison Co 82/06/03 MIRAOLIA, F
 Licensing Branch 3 12pp 13390 144 24X Fiche 50-361, 82/06/03, 8206070699

8206080309 Forwards status & schedule for implementing NUREG-0737 items in response to NRC 820505 Generic Ltr 82-10
 BASKIN, K P Southern California Edison Co 82/06/04, MIRAOLIA, F
 Licensing Branch 3 3pp 13420 071 24X Fiche 50-361, 82/06/04, 8206080309

8206080393 Forwards affidavit certifying svc of Amend Application 4 to License NPF-10
 MEDFORD, M D Southern California Edison Co 82/06/04 MIRAOLIA, F
 Licensing Branch 3 4pp 13417 130 24X Fiche 50-361, 82/06/04, 8206080393

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olmstead documents findings re cause of event W/o encl
 EISENHUT, D O Division of Licensing 82/06/09 HAUSPURI, A
 Consolidated Edison Co of New York 13pp 13557 349 24X
 Fiche 50-000, 82/06/09, 8206090153

8206140005 Informs that BNUPPS final rept re environ qualification of OEMS transmitters will not be issued until 820101 No anomalies reported in preliminary test results Present installed level transmitters qualified to IEEE 323-1971 std
 BASKIN, K P Southern California Edison Co 82/06/09 MIRAOLIA, F J
 Licensing Branch 3 1p 13487 067 24X Fiche 50-361, 82/06/09, 8206140005

8206140006 Requests permission to operate auxiliary feedwater pump w/ babbit bearings in motors until 820730 Time needed to allow completion of bearing failure evaluation & corrective action determination, Probability of high energy line break small
 BASKIN, K P Southern California Edison Co 82/06/10 MIRAOLIA, F
 Licensing Branch 3 3pp 13487 064 24X Fiche 50-361, 82/06/10, 8206140006

8206180310 Forwards Revision 1 to inservice insp & testing program per 820317 commitment Responses to action items identified at 820316-17 meeting included Sections 1, B, 5, 2, 3, 5, 4, 2 & 6 & FSAR questions will be upgraded in Amend 29
 BASKIN, K P Southern California Edison Co 82/06/16 MIRAOLIA, F
 Licensing Branch 3 1p 13547:278 24X Fiche 50-361, 82/06/16, 8206180310

--8206180311 Inservice testing program plan, Revision 1.
 * Southern California Edison Co 82/06/16 87pp 13547:279
 24X Fiche 50-361, 82/06/16, 8206180310

8206250290 Forwards changes to FSAR to note elimination of N-1 control rod test Mods will be formally submitted in upcoming FSAR amend
 BASKIN, K P Southern California Edison Co 82/06/23 MIRAOLIA, F
 Licensing Branch 3 3pp 13613 046 24X Fiche 50-361, 82/06/23, 8206250290

Q Inspection reports, IE Bulletins & correspondence

8206010668 Ack receipt of 820518 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-361/82-15 & 50-362/82-05.
 STERNBERG, D M Region 5, Office of Director 82/05/25 PAPAY, L T
 Southern California Edison Co 1p 13313 318 24X
 Fiche 50-361, 82/05/25, 8206010668

--8206010682 Responds to NRC 820423 ltr re violations noted in IE Insp Repts 50-361/82-15 & 50-362/82-05. Corrective actions briefing & tool demonstration conducted for personnel responsible for performing coupling operation
 PAPAY, L T Southern California Edison Co 82/05/18
 ENOELKEN, R H Region 5, Office of Director 4pp 13313 319 24X
 Fiche 50-361, 82/05/25, 8206010668

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440:264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8206220217 Forwards IE Insp Rept 50-361/82-18 on 820413-16 No noncompliance noted.
 BOON, H E Region 5, Office of Director 82/06/04 PAPAY, L T
 Southern California Edison Co 2pp 13571 319 24X
 Fiche 50-361, 82/06/04, 8206220217

--8206220223 IE Insp Rept 50-361/82-18 on 820413-16 No noncompliance noted Major areas inspected, emergency plan exercise & associated critiques.
 FISH, R F, KUNHIRO, D M, BOON, H E Region 5, Office of Director 82/06/03 6pp 13571 321 24X Fiche 50-361, 82/06/04, 8206220217

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

8206180216 Ack receipt of 820603 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-361/82-12
 STERNBERG, D M Division of Resident, Reactor Project & Engineering Programs 82/06/11 PAPAY, L T Southern California Edison Co 1p 13554 293 24X Fiche 50-361, 82/06/11, 8206180216

--8206180224 Responds to NRC 820507 ltr re violations noted in IE Insp Rept 50-361/82-12 Corrective actions, salt water cooling pumps 2P114 & 2P307 restored to original configuration by removing temporary electrical jumpers.
 PAPAY, L T Southern California Edison Co 82/06/03
 ENOELKEN, R H Region 5, Office of Director 5pp 13554:294 24X
 Fiche 50-361, 82/06/11, 8206180216

8206180310 Forwards Revision 1 to inservice insp & testing program per 820317 commitment Responses to action items identified at 820316-17 meeting included Sections 1, B, 5, 2, 3, 5, 4, 2 & 6 & FSAR questions will be upgraded in Amend 29
 BASKIN, K P Southern California Edison Co 82/06/16 MIRAOLIA, F
 Licensing Branch 3 1p 13547:278 24X Fiche 50-361, 82/06/16, 8206180310

8206220582 Forwards IE Safeguards Insp Rept 50-361/82-21 on 820601-04. No noncompliance noted
 NORDEHAUG, L R Division of Radiological Safety & Safeguards Program 82/06/17 PAPAY, L T Southern California Edison Co 2pp 13592 170 24X Fiche 50-361, 82/06/17, 8206220582

--8206220584 IE Safeguards Insp Rept 50-361/82-21 on 820601-04 No noncompliance noted Major areas inspected: security organization-personnel, security sys power supply & assessment aids. Details withheld (ref IOCFR73 21).
 MORTENSEN, W P, SCHWAN, C A, SCHUSTER, M D Division of Radiological Safety & Safeguards Program 82/06/16 2pp 13592 172 24X Fiche 50-361, 82/06/17, 8206220582

R Periodic operating reports & related correspondence

8206010602 Forwards monthly operating rept for Apr 1982
RAY, H B Southern California Edison Co 82/05/14 Office of
Management and Program Analysis 1p 13313 358 24X
Fiche 50-361, 82/05/14, 8206010602

--8206010611 Monthly operating rept for Apr 1982
HANAFORD, T D Southern California Edison Co 82/05/03 5pp
13313 359 24X Fiche 50-361, 82/05/14, 8206010602

S Reportable occurrences, LERs & related correspondence

8206020411 RO 82-17 on 820518, startup testing results relied on as
having demonstrated acceptable ESF activation sys response
time when tests results had not been reviewed to determine
that response time within acceptable criteria
RAY, H B Southern California Edison Co 82/05/20 ENGELKEN, R H
Region 5, Office of Director 2pp 13325 318 24X
Fiche 50-361, 82/05/20, 8206020411

8206010375 Forwards LER 82-012/03L-C Detailed event analysis submitted
RAY, H B Southern California Edison Co 82/05/24 ENGELKEN, R H
Region 5, Office of Director 2pp 13301 309 24X
Fiche 50-361, 82/05/24, 8206010375

--8206010377 LER 82-012/03L-O on 820424, heater in train B of control
room emergency air cleanup sys cycled on & off Caused by
erratic functioning of flow control switch & pilot tube
Switch replaced & pilot tube reoriented
RAY, H B Southern California Edison Co 82/05/24 Region 5,
Office of Director 1p 13301 311 24X Fiche 50-361, 82/05/24,
8206010375

8206070315 Forwards LER 82-013/01I-O Detailed event analysis submitted
RAY, H B Southern California Edison Co 82/05/28 ENGELKEN, R H
Region 5, Office of Director 2pp 13363 018 24X
Fiche 50-361, 82/05/28, 8206070315

--8206070325 LER 82-013/01I-O on 820428, RCS water inventory test
indicated total leakage rate in excess of 1 gpm Caused by
concurrent testing of valves Surveillance procedure
8023-3-3 37 will be improved
RAY, H B Southern California Edison Co 82/05/28 Region 5,
Office of Director 1p 13363 020 24X Fiche 50-361, 82/05/28,
8206070315

8206090030 Forwards LER 82-016/01L-O Detailed event analysis submitted
RAY, H B Southern California Edison Co 82/06/01 ENGELKEN, R H
Region 5, Office of Director 2pp 13435 028 24X
Fiche 50-361, 82/06/01, 8206090030

--8206090035 LER 82-016/01L-O on 820516, during Mode 4 operation, two
inverters to vital buses de-energized simultaneously.
Followup rept will be provided by 820615
RAY, H B Southern California Edison Co 82/06/01 Region 5,
Office of Director 1p 13435 030 24X Fiche 50-361, 82/06/01,
8206090030

8206100266 Forwards LER 82-017/01T-O Detailed event analysis
submitted
RAY, H B Southern California Edison Co 82/06/02 ENGELKEN, R H
Region 5, Office of Director 2pp 13458 240 24X
Fiche 50-361, 82/06/02, 8206100266

--8206100269 LER 82-017/01T-O on 820519, startup test results of EBF
response times not completely reviewed to assure compliance
w/Tech Specs, Caused by improper review of response time
data Verification test performed
RAY, H B Southern California Edison Co 82/06/02 Region 5,
Office of Director 1p 13458 242 24X Fiche 50-361, 82/06/02,
8206100266

8206210236 RO on 820507, during operational Mode 5, shutdown cooling sys
relief valve opened to mitigate RCS pressure transient
Caused by manual stopping of low pressure safety injection
pump Operating procedures will be amended
RAY, H B Southern California Edison Co 82/06/07 ENGELKEN, R H
Region 5, Office of Director 2pp 13559 057 24X
Fiche 50-361, 82/06/07, 8206210236

8206210303 RO 82-014 on 820604, addl inoperable fire barrier
penetration seals w/inadequate compensatory measures
reported by contractor to util Mastic coating seals
installed where refractory blankets butt against barriers
RAY, H B Southern California Edison Co 82/06/07 ENGELKEN, R H
Region 5, Office of Director 2pp 13559 165 24X
Fiche 50-361, 82/06/07, 8206210303

8206210340 RO 82-21 on 820609, review of Nonconformance Rept 8023-P-230
identified const error Override relay contacts associated
w/auxiliary feedwater pump motor installed normally open
Caused by incorrect wiring diagram
RAY, H B Southern California Edison Co 82/06/10 ENGELKEN, R H
Region 5, Office of Director 2pp 13558 226 24X
Fiche 50-361, 82/06/10, 8206210340

8206210347 RO 82-20 on 820604, required demonstration of personnel air
lock operability not performed within required surveillance
interval Caused by miscalculation of allowable time
interval
RAY, H B Southern California Edison Co 82/06/10 ENGELKEN, R H
Region 5, Office of Director 2pp 13559 160 24X
Fiche 50-361, 82/06/10, 8206210347

8206210637 RO 82-022 on 820609, control room computerized CRT for fire
protection became inoperable Fire protection of
safety-related equipment not compromised LER will be
forwarded w/14-day followup rept by 820623
RAY, H B Southern California Edison Co 82/06/10 ENGELKEN, R H
Region 5, Office of Director 1p 13561 095 24X
Fiche 50-361, 82/06/10, 8206210637

8206210164 Forwards LER 82-014/01T-O Detailed event analysis submitted
RAY, H B Southern California Edison Co 82/06/11 ENGELKEN, R H
Region 5, Office of Director 4pp 13560 087 24X
Fiche 50-361, 82/06/11, 8206210164

--8206210168 LER 82-014/01T-O on 820604, insp revealed number of
refractory blanket to fire barrier joint seals did not have
mastic coating applied Caused by incomplete installation &
inadequate installation insp.
RAY, H B Southern California Edison Co 82/06/11 Region 5,
Office of Director 1p 13560 091 24X Fiche 50-361, 82/06/11,
8206210164

8206220132 PNO-V-82-027 on 820615, minor earthquake occurred at site No
seismic instrumentation triggered & no damage or injuries
observed "Unusual Event" declared & reported to
headquarters duty officer
KIRSCH, D, ZWETZIO, O Region 5, Office of Director 82/06/16 1p
13571 347 24X Fiche 50-361, 82/06/16, 8206220132

8206220509 PNO-V-82-029 on 820617, licensee observed failure of weld
attaching vent valve to 1-inch line approx 8 inches from
previously failed weld. Weld will be repaired during Mode 5
period Investigation continuing
YOUNG, T, KIRSCH, D Region 5, Office of Director 82/06/18 1p
13581 137 24X Fiche 50-361, 82/06/18, 8206220509

T Hearing transcripts on non-antitrust matters

8206290255 Transcript of 820625 OL hearing in Bethesda, MD Pp 1-84
* Atomic Safety and Licensing Board Panel 82/06/25 84pp
13636 001 24X Fiche 50-361, 82/06/25, 8206290255

DOCKET 50-362 SAN ONOFRE NUCLEAR STATION, UNIT 3

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of
documents. Forwards documents listed in app Financial Info in
Documents 3-34, 3-35 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C H
Kirkpatrick, Cockhart, Hill, Christopher & Phillips 21pp.
13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--8102090379 Forwards summary of seismic sys interaction program review
status. Program set up to insure that nonseismic Category 1
sys will not interact adversely w/seismic Category 1 sys as
result of seismic event.
RUBENSTEIN, L S Assistant Director for Core & Containment Systems
81/01/23 TEDESCO, R L Assistant Director for Licensing 2pp
13607 119 24X Fiche 50-000, 82/04/29, 8206230007

--8104220460 Forwards evaluation of seismic sys interaction program for
facilities. Program is acceptable w/no outstanding issues
RUBENSTEIN, L S Assistant Director for Core & Containment Systems
81/04/07 TEDESCO, R L Assistant Director for Licensing 10pp
13607 032 24X Fiche 50-000, 82/04/29, 8206230007

--8105040572 Forwards draft of supplemental SER Response should be
submitted by 810504 w/o encl
RODOLPH, H Licensing Branch 3, 81/04/28 NRC - No Detailed
Affiliation Given 1p 13607 062 24X Fiche 50-000, 82/04/29,
8206230007

--B206230297 Marked-up "Evaluation of Southern CA Edison Co Seismic Sys Interaction Program for San Onofre Nuclear Generating Station, Units 2 & 3"
 * NRC - No Detailed Affiliation Given 81/03/05 5pp
 13607 066 24X Fiche 50-000, 82/04/29, B206230007

--B206230261 Proposed agenda for B10303-05 onsite audit of facilities re sys interaction program Related info encl
 * NRC - No Detailed Affiliation Given 81/03/05 NRC - No
 Detailed Affiliation Given 5pp 13607 094 24X
 Fiche 50-000, 82/04/29, B206230007

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted

FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M
 Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
 13638 055 24X Fiche 50-000, 82/05/12, B206280071

--791190288 Repts that licensee considers pressurizer pressure & level control sys not safety-related sys & not subj to QA program requirements of 10CFR50, App B Recommends all such sys subj to 10CFR50, App A requirements also be subj to those of AppB
 JOHNSON, A D Region 5, San Francisco, Office of the Director
 79/08/29 CREWS, J L Region 5, San Francisco, Reactor Operations
 Nuclear Support Branch 3pp 13697 359 24X
 Fiche 50-000, 82/05/12, B206280071

B206070697 Forwards responses to Effluent Treatment Sys Branch questions on process control program for Chem Nuclear cement solidification sys
 BASKIN, K P Southern California Edison Co 82/06/03 MIRAOLIA, F
 Licensing Branch 3 12pp 13390 144 24X Fiche 50-361, 82/06/03, B206070697

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents Findings re cause of event W/o encl.
 EISENHUT, D G. Division of Licensing 82/06/09 HAUSPURG, A
 Consolidated Edison Co of New York 13pp 13557 349 24X
 Fiche: 50-000, 82/06/09, B206090153

B206140005 Informs that SNUPPS final rept re environ qualification of GEMS transmitters will not be issued until B30101 No anomalies reported in preliminary test results Present installed level transmitters qualified to IEEE 323-1971 std
 BASKIN, K P. Southern California Edison Co 82/06/09 MIRAOLIA, F J
 Licensing Branch 3 1p 13487 067 24X Fiche 50-361, 82/06/09, B206140005

B206140006 Requests permission to operate auxiliary feedwater pump w/ babbit bearings in motors until 820730 Time needed to allow completion of bearing failure evaluation & corrective action determination Probability of high energy line break small
 BASKIN, K P. Southern California Edison Co 82/06/10, MIRAOLIA, F
 Licensing Branch 3 3pp 13487 064 24X Fiche 50-361, 82/06/10, B206140006

B206250290 Forwards changes to FSAR to note elimination of N-1 control rod test Mods will be formally submitted in upcoming FSAR amend
 BASKIN, K P Southern California Edison Co 82/06/23, MIRAOLIA, F
 Licensing Branch 3 3pp 13613 046 24X Fiche 50-361, 82/06/23, B206250290

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J M. Division of Rules and Records 82/05/11 REYNOLDS, N S.
 Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090011 List of facilities completing emergency preparedness activities by B10701
 * NRC - No Detailed Affiliation Given 82/05/11. 9pp.
 13454 006. 24X Fiche 50-000, 82/05/11, B206090002.

--B203110481 Submits monthly update of status of implementation of prompt notification sys
 SPENCER, G. S. Division of Technical Inspection 82/01/05
 ORINE, B K Division of Emergency Preparedness 5pp 13454 176
 24X Fiche 50-000, 82/05/11, B206090002

B206010685 Amend 11 to "Fire Hazards Analysis."
 DICTCH, R Southern California Edison Co 82/05/20 DENTON, H R.
 Office of Nuclear Reactor Regulation, Director. 6pp 13310 030.
 24X Fiche: 50-361, 82/05/20, B206010685

--B206010697 Amend 11 to "Fire Hazards Analysis "
 * Southern California Edison Co * San Diego Gas & Electric Co
 82/04/30 35pp 13310 259 24X Fiche 50-361, 82/05/20, B206010685

B206040395 Forwards correspondence re addl info on FEMA findings on emergency planning
 BASKIN, K P Southern California Edison Co 82/05/20 MIRAOLIA, F
 Licensing Branch 3 2pp 13353 001 24X Fiche 50-361, 82/05/20, B206040395

B206020433 Forwards "Acoustical Test of Prompt Alerting Sys for San Onofre Nuclear Generating Station "
 BASKIN, K P Southern California Edison Co 82/05/28 MIRAOLIA, F.
 Licensing Branch 3 2pp 13326 162 24X Fiche 50-206, 82/05/28, B206020433

--B206020437 "Acoustical Test of Prompt Alerting Sys for San Onofre Nuclear Generating Station."
 * Wyle Laboratories 82/05/31 29pp 13326 164 24X
 Fiche 50-206, 82/05/28, B206020433

B206080210 Advises that problems w/ five public alert sys sirens have been corrected & siren operability was confirmed by growl testing from control ctrs by B20528
 BASKIN, J P Southern California Edison Co 82/06/04 MIRAOLIA, F
 Licensing Branch 3. 1p 13420 343 24X Fiche 50-206, 82/06/04, B206080210

B206100281 Comments on adequacy of existing public notification sys in San Clemente, CA per ASLB B20514 order Addition of NOAA type or cablevision override sys is redundant & unnecessary No items raised by San Clemente deserve ASLB involvement
 PIOTT, D R Southern California Edison Co. 82/06/07 10pp
 13449 228 24X Fiche 50-361, 82/06/07, B206100281

--B206100286 Affidavit of T J DuBois supporting applicant comments on adequacy of existing public notification sys in San Clemente, CA One oversize map encl Aperture card available in PDR Certificate of Svc encl
 DUBOIS, T J Southern California Edison Co 82/06/04 11pp
 13449 238 24X Fiche 50-361, 82/06/07, B206100281

--B206100289 "Performance Test Rept, Prompt Alerting Sys for San Onofre Nuclear Generating Station " One oversize map encl Aperture card available in PDR
 * Wyle Laboratories 82/03/31 100pp. 13449 250 24X
 Fiche 50-361, 82/06/07, B206100281

0 Adjudicatory correspondence

B206010328 Order extending time for any party to appeal any part of initial decision until 10 days from ASLB B20525 order correcting inadvertently drafted condition in B20514 initial decision
 SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel. 82/05/26
 1p 13300 123. 24X Fiche 50-361, 82/05/26, B206010328

B206040042 Response opposing intervenor Carstens B20511 request for stay of low power license & appeal from ASLB denial Fuel loading complete & low power tests underway. Stay would seriously interrupt program. Certificate of Svc encl
 PIOTT, D R. Southern California Edison Co PIOTT, D R San Diego Gas & Electric Co PIOTT, D R. Orrick, Herrington & Sutcliffe.
 82/05/26. Commissioners 14pp 13350 064 24X
 Fiche 50-361, 82/05/26, B206040042.

B206040264 Answer opposing Carstens B20511 application for stay of low power license. Balancing of 10CFR 78B(e) factors does not weigh in favor of intervenor. Certificate of Svc encl
 CHANDLER, L J Hearing Branch 2 82/05/26 Commissioners 14pp
 13354 349 24X Fiche 50-361, 82/05/26, B206040264.

B206040013 Order granting applicant request during B20527 telcon for extension until B20608 to file comments on siren coverage in San Clemente
 KELLEY, J L Atomic Safety and Licensing Board Panel. 82/05/27
 Southern California Edison Co 2pp 13350 088 24X
 Fiche 50-361, 82/05/27, B206040013

B206070855 Notice of appeal of ASLB B20514 initial decision
 MCCLUNG, C E GUARD MCCLUNG, C E Carstens, A B MCCLUNG, C E
 Flemming, Anderson, McClung & Finch 82/06/01 1p. 13373 047. 24X
 Fiche: 50-361, 82/06/01, B206070855

--B206070562 Application for stay of full power license pending appellate decision. Use of post-license conditions is in error. Certificate of Svc encl
 MCCLUNG, C E GUARD MCCLUNG, C E Carstens, A B MCCLUNG, C E.
 Flemming, Anderson, McClung & Finch 82/06/01 Atomic Safety
 and Licensing Appeal Panel 18pp 13373 048 24X
 Fiche 50-361, 82/06/01, B206070855

8206100114 Withdrawal of applicant 820521 comments on ASLB 820514 initial decision Comments rendered moot by ASLB 820525 order making clarifying changes in initial decision Certificate of Bvc encl
 PIQOTT, D R Southern California Edison Co PIQOTT, D R Orrick, Herrington & Sutcliffe 82/06/04 Commissioners 4pp 13449 142 24X Fiche 50-361, 82/06/04, 8206100114

8206100281 Comments on adequacy of existing public notification sys in San Clemente, CA per ASLB 820514 order Addition of NOAA type or cablevision override sys is redundant & unnecessary No items raised by San Clemente deserve ASLB involvement
 PIQOTT, D R Southern California Edison Co PIQOTT, D R Orrick, Herrington & Sutcliffe 82/06/07 10pp 13449 228 24X Fiche 50-361, 82/06/07, 8206100281

--8206100286 Affidavit of T J DuBois supporting applicant comments on adequacy of existing public notification sys in San Clemente, CA One oversize map encl Aperture card available in PDR Certificate of Bvc encl
 DUBOIS, T J Southern California Edison Co 82/06/04 11pp 13449 238 24X Fiche 50-361, 82/06/07, 8206100286

8206100297 Order extending time for Commission to review ALAS-673 until 820624
 CHILK, S J Office of the Secretary of the Commission 82/06/09 Commissioners. 1p. 13451 327 24X Fiche 50-361, 82/06/09, 8206100297

8206110053 Informs that NRC unable to file response to ASLB 820514 order re siren coverage in San Clemente by 820608, due to delays in transmittal of KH Nauman affidavit Response being hand & express delivered to ASLB
 CHANDLER, L J Hearing Branch 2 82/06/09 KELLEY, J L Atomic Safety and Licensing Board Panel 2pp 13465 233 24X Fiche 50-361, 82/06/09, 8206110053

8206170082 Order scheduling 820525 oral argument in Bethesda, MD on GUARD & Carstens application for stay of full power license. Parties to notify ASLB secretary of person who will present argument by 820621
 SHDEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/10 Office of the Executive Legal Director 2pp 13530 079 24X Fiche 50-361, 82/06/10, 8206170082

8206180348 Memorandum & order terminating jurisdiction previously retained in 820514 order GUARD request to reopen record on adequacy of siren warning sys denied Present record supports finding of reasonable assurance re siren sys
 KELLEY, J L, HAND, C H, JOHNSTON, E B Atomic Safety and Licensing Board Panel 82/06/16 GUARD 10pp 13545 167 24X Fiche 50-361, 82/06/16, 8206180348

8206210435 Response opposing intervenor 820601 application for stay of full power license. No requirements for stay met Initial decision correctly decided & intervenors will not prevail on merits Certificate of Bvc encl
 ROQIN, E R Southern California Edison Co 82/06/16 Atomic Safety and Licensing Board Panel 14pp. 13567 184 24X Fiche 50-361, 82/06/16, 8206210435.

8206220074 Response opposing GUARD & Carstens 820601 application for stay of full power license Intervenor failed to show ASLB error & that intervenors likely to prevail on merits No irreparable injury shown
 CHANDLER, L J Hearing Branch 2 82/06/16 Atomic Safety and Licensing Appeal Panel 12pp 13573 013. 24X Fiche 50-361, 82/06/16, 8206220074

--8206220077 Affidavit of DB Matthews, Emergency exercise of 820415 does not establish that inadequacy exists re util ability to provide prompt public alert & initial notification or to accomplish evacuation Certificate of Bvc encl
 MATTHEWS, D B Section B (Pre 820201). 82/06/16 45pp 13573 025. 24X Fiche 50-361, 82/06/16, 8206220074.

8206230073 Forwards info util submitted w/820520 ltr to satisfy some conditions requiring NRC confirmation imposed by ASLB
 820514 initial decision
 CHANDLER, L J, Hearing Branch 2 82/06/18. KELLEY, J L, JOHNSTON, E B, HAND, C H Atomic Safety and Licensing Board Panel 230pp, 13587 208. 24X Fiche 50-361, 82/06/18, 8206230073.

8206250110 Notifies that L J Chandler will present oral argument on behalf of NRC pursuant to ASLB 820610 order.
 CHANDLER, L J, Hearings Division. 82/06/21 SHDEMAKER, C J, Atomic Safety and Licensing Appeal Panel 1p. 13626 337 24X Fiche 50-361, 82/06/21, 8206250110.

8206300227 Supports consideration of Governor Brown request to consider all possible deficiencies in emergency plans, including lack of adequate telephone svc for San Clemente, CA
 ROBERTS, W B San Clemente, CA 82/06/21 NRC - No Detailed Affiliation Given 2pp 13654 274 24X Fiche 50-361, 82/06/21, 8206300227

8206240382 Advises that ASLB does not communicate w/witnesses Matters raised in 820618 ltr should be disclosed to counsel for whom testimony given
 SHDEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/22 STONE, J P California, State of 1p 13603 147 24X Fiche 50-361, 82/06/22, 8206240382

--8206240384 Advises of possible misunderstanding on answer at hearings re state park rescue boat moored at Dana Point Harbor Parks responsibility extends to protection of state park visitors Parks also willing to notify personnel in immediate area
 STONE, J P California, State of 82/06/18 SHDEMAKER, C J Atomic Safety and Licensing Appeal Panel 2pp 13603 148 24X Fiche 50-361, 82/06/22, 8206240382

H General correspondence

8206080120 Informs that LPDR relocated to San Clemente Branch Library, San Clemente, CA
 CHANDLER, L J Hearing Branch 2 82/06/04 WHARTON, R J Wharton, R J GALLAGHER, P M Gallagher, P M MCCLUNG, C E Flemming, Anderson, McClung & Finch 2pp 13423 349 24X Fiche 50-361, 82/06/04, 8206080120

X Utility Final Safety Analysis Report (FSAR) & amends

8206010685 Forwards Amend 29 to FSAR & Amend 11 to "Fire Hazards Analysis," (filed in PDR Category F)
 DIETCH, R Southern California Edison Co 82/05/20 DENTON, H R Office of Nuclear Reactor Regulation, Director 6pp 13310 030 24X Fiche 50-361, 82/05/20, 8206010685.

--8206010691 Amend 29 to FSAR Nine oversize figures encl Aperture cards are available in PDR.
 * Southern California Edison Co * San Diego Gas & Electric Co 82/04/30 230pp 13310 036 24X Fiche 50-361, 82/05/20, 8206010685

O Advisory Committee on Reactor Safeguards reports & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8206280548 Notification of 810218 meeting of ACRS San Onofre 2 & 3 Subcommittee as part of review for OL in Washington, DC Project status rept encl
 BESSETTE, D E ACRS - Advisory Committee on Reactor Safeguards 81/02/10 BENDER, M, MATHIS, W M, WARD, D A ACRS - Advisory Committee on Reactor Safeguards 9pp 13643 047 24X Fiche 50-000, 82/05/12, 8206280071

--8206280549 Notification of 810311 meeting of ACRS Subcommittee on San Onofre 2 & 3 in Washington, DC to continue OL review. Tentative agenda encl
 BESSETTE, D E ACRS - Advisory Committee on Reactor Safeguards 81/02/26 BENDER, M, MATHIS, W, OKRENT, D ACRS - Advisory Committee on Reactor Safeguards 8pp 13643 056 24X Fiche 50-000, 82/05/12, 8206280071

--8206280593 Forwards tentative agenda for 810311 meeting of ACRS Subcommittee on San Onofre 2 & 3
 BESSETTE, D E ACRS - Advisory Committee on Reactor Safeguards 81/02/27 ZECH, O NRC - No Detailed Affiliation Given 7pp 13643 064 24X Fiche 50-000, 82/05/12, 8206280071

Q Inspection reports, IE Bulletins & correspondence

8206020424 Forwards IE Insp Rept 50-362/82-06 on 820331-0405 No noncompliance noted.
 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/05/11 PAPAY, L T Southern California Edison Co 2pp 13326 246 24X Fiche 50-362, 82/05/11, 8206020424

--8206020431 IE Insp Rept 50-362/82-06 on 820331-0405 No noncompliance noted. Major areas inspected: preoperational containment integrated leak rate test
 B'ANGEL, D A, CANTER, H, ECKHARDT, J H. Division of Resident, Reactor Project & Engineering Programs. 82/05/07 5pp 13325 248 24X Fiche 50-362, 82/05/11, 8206020424

B206080304 Forwards IE Insp Rept 50-362/82-08 on B20419-23 No noncompliance noted
B3SHQP,T W Division of Resident, Reactor Project & Engineering Programs 82/05/21 PAPAY,L T Southern California Edison Co 2pp 13420 048 24X Fiche 50-362,82/05/21,B206080304

--B206080308 IE Insp Rept 50-362/82-08 on B20419-23 No noncompliance noted Major areas inspected const of safety-related components & structures,allegation re alteration of DISCO fire seal formula & valve overpressure protection
WAGNER,W J , HERNANDEZ,O , ECKHARDT,J H Division of Resident, Reactor Project & Engineering Programs 82/05/20 6pp 13420.050 24X Fiche 50-362,82/05/21,B206080304

B206010668 Ack receipt of B20518 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-361/82-15 & 50-362/82-05
STERNBERG,D M Region 5, Office of Director 82/05/25 PAPAY,L T Southern California Edison Co 1p 13313 318 24X Fiche 50-361,82/05/25,B206010668

--B206010682 Responds to NRC B20423 ltr re violations noted in IE Insp Repts 50-361/82-15 & 50-362/82-05 Corrective actions briefing & tool demonstration conducted for personnel responsible for performing coupling operation
PAPAY,L T Southern California Edison Co 82/05/18 ENGELKEN,R H Region 5, Office of Director App 13313 319, 24X Fiche 50-361,82/05/25,B206010668

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG,R C. Director's Office, Office of Inspection and Enforcement. 82/05/28 107pp 13426 095 24X Fiche 50-000,82/05/28,B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN,E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000,82/05/28,B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of FWR Plants " Svc list encl
DEYOUNG,R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000,82/06/02,B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN,E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000,82/06/11,B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG,R C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000,82/06/11,B204210384

S Reportable occurrences, LERs & related correspondence

B206220132 PND-V-82-027 on B20615,minor earthquake occurred at site No seismic instrumentation triggered & no damage or injuries observed "Unusual Event" declared & reported to headquarters duty officer
KIRSCH,D , ZWETZIO,G Region 5, Office of Director. 82/06/16 1p. 13571 347 24X Fiche 50-361,82/06/16,B206220132

T Hearing transcripts on non-antitrust matters

B206290235 Transcript of B20625 OL hearing in Bethesda,MD Pp 1-84
* Atomic Safety and Licensing Board Panel 82/06/25 84pp. 13636 001 24X Fiche 50-361,82/06/25,B206290235

DOCKET 50-364 JOSEPH M. FARLEY NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial Info in Documents 3-54,3-55 & 3-11 deleted.
FELTON,J M Division of Rules and Records 82/04/29 MCMURRAY,C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 21pp 13604 044 24X Fiche 50-000,82/04/29,B206230007,

--B102230492 Forwards requests for addl info re additions to recently review Q-lists.Requests should be transmitted to applicants or licensees at earliest convenience
MOQHAN,V B Assistant Director for Materials & Qualifications Engineering. 81/02/02 TEDESCO,R L Assistant Director for Licensing. App 13605 207, 24X Fiche 50-000,82/04/29,B206230007.

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON,J M Division of Rules and Records 82/05/11 REVNOLDB,N S Debevoise & Liberman 3pp. 13454 003 24X Fiche 50-000,82/05/11,B206090002

--B206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 7pp 13454 006 24X Fiche 50-000,82/05/11,B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY,J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG,R C Director's Office, Office of Inspection and Enforcement App. 13454 167 24X Fiche 50-000,82/05/11,B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
FELTON,J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES,B K Division of Emergency Preparedness 3pp. 13434 239 24X Fiche 50-000,82/05/11,B206090002

B206070271 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0843, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl
STOHR,J P Division of Emergency Preparedness & Operational Support 82/05/12 McDONALD,R P Alabama Power Co 1p. 13368 326 24X Fiche 50-348,82/05/12,B206070271.

B206020198 Releases public version of addition to emergency plan implementing procedure
FELTON,J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13340 185 24X Fiche 50-348,82/05/25,B206020198.

--B206020204 Forwards public version of addition to Emergency Plan Implementing Procedure EIP-B,consisting of list of telephone numbers of technical support ctr on-call personnel & of on-call expertise for addressing abnormal situation.
HUDEPETH,J B Alabama Power Co 82/05/11 NRC - No Detailed Affiliation Given 1p 13340 186 24X Fiche 50-348,82/05/25,B206020198

--B206020216 Public version of addition to Emergency Plan Implementing Procedure EIP-B,consisting of list of telephone numbers of technical support ctr on-call personnel & of on-call expertise for addressing abnormal situation
HAIRSTON,W G Alabama Power Co. 82/05/03 3pp 13340 187 24X Fiche 50-348,82/05/25,B206020198

B206030062 Releases public version of revised emergency plan implementing procedure
FELTON,J M Division of Rules and Records 82/05/25 Document Management Branch. 1p 13362. 183, 24X Fiche 50-348,82/05/25,B206030062

--B206030067 Forwards public version of Revision 3 to Emergency Plan Implementing Procedure FNP-O-EIP-026, "Offsite Notification." Receipt form encl.
* Alabama Power Co 82/04/22 NRC - No Detailed Affiliation Given 1p 13362 184 24X Fiche 50-348,82/05/25,B206030062.

--B206030071 Public version of Revision 3 to Emergency Plan Implementing Procedure FNP-O-EIP-026, "Offsite Notification "
HUNT,W B Alabama Power Co. 82/04/20 28pp 13362 185 24X Fiche 50-348,82/05/25,B206030062

B206240381 Requests exemptions from 10CFR50.48 & 10CFR50,App R re previous commitments to complete fire protection mods,forced outages & present containment fire protection measures,per util B10319,0623,B2012B & 0420 ltrs Detailed request encl.
CLAYTON,F L Alabama Power Co 82/06/18 VARDA,S A Office of Nuclear Reactor Regulation, Director 11pp. 13603 194 24X Fiche 50-348,82/06/18,B206240381

B206240424 Releases public version of licensee internal memo transmitting list of on-call telephone numbers
FELTON,J M Division of Rules and Records. 82/06/18 Document Management Branch 1p. 13619 178, 24X Fiche 50-348,82/06/18,B206240424

--8206240427 Forwards public version of internal memo transmitting list of on-call telephone numbers to be attached to Procedure FNP0E1PB
HUNDSPETH, J. B. Alabama Power Co 82/05/18 NRC - No Detailed Affiliation Given 3pp 13619 179 24X Fiche 50-348, 82/06/18, 8206240424

J Insurance & indemnity information

8206230010 Forwards Endorsements 44 & 36 to ANI Policy NF-238 & MAELU Policy MF-93, respectively
FIELDER, J. Marsh & McLennan, Inc. & M & M Nuclear Consultants, Inc. Div 82/06/14 SALTZMAN, J. Antitrust & Economic Analysis Branch (Utility Finance) 3pp 13988 201 24X Fiche 50-348, 82/06/14, 8206230010

P Operating license stage documents & correspondence

8206040249 Submits info re reactor vessel head & core upper internals lifting devices for updated Sections 2.1.5.C & 2.1.B.C of NUREG-0612
CLAYTON, F. L. Alabama Power Co 82/06/01 EISENHUT, D. O. Division of Licensing. 2pp 13358 039 24X Fiche 50-348, 82/06/01, 8206040249

8206080326 Forwards info re status of NUREG-0737 items requested in NRC 820509 Generic Ltr 82-10, including Items 1 A 1 3 1 re overtime limit, 1 A 1 3 2 re min shift crew, 1 C 1 re revised emergency procedures & 1 I 2 2 re meteorological data
CLAYTON, F. L. Alabama Power Co 82/06/04 EISENHUT, D. O. Division of Licensing 7pp 13420 032 24X Fiche 50-348, 82/06/04, 8206080326

8206110279 Forwards addl info documenting compliance w/NUREG-0737, Item II E 1 2, "Auxiliary Feedwater Sys Automatic Initiation & Flow Indication" Submittal documents 820603 conversation w/E Reeves clarifying until 820416 ltr
CLAYTON, F. L. Alabama Power Co 82/06/04 VARQA, S. A. Office of Nuclear Reactor Regulation, Director 11pp 13466 208 24X Fiche 50-348, 82/06/04, 8206110279

8206090153 Generic Ltr 82-11 to all LWR reactor plant licenses & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl.
EISENHUT, D. O. Division of Licensing. 82/06/09 HAUSFURQ, A. Consolidated Edison Co. of New York THOMAS, J. E. San Diego Gas & Electric Co. CRANE, P. A. Pacific Gas & Electric Co 13pp 13357 349. 24X Fiche 50-000, 82/06/09, 8206090153

8206250139 Forwards Westinghouse "Fuel Mgt to Reduce Neutron Flux" Rept demonstrates that use of dummy fuel assemblies appears to offer little or no fluence reduction advantage W/O encl
KINGSLEY, O. D. Alabama Power Co 82/06/16 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 2pp 13616, 299 24X Fiche 50-348, 82/06/16, 8206250139

8206290141 Forwards addl qualification info for TMI action plan equipment, to be inserted in App 6 to until response to NUREG-0588 & IE Bulletin 79-018 re environ qualification of safety-related equipment Response to 820326 ltr completed.
CLAYTON, F. L. Alabama Power Co 82/06/23 VARQA, S. A. Office of Nuclear Reactor Regulation, Director. 61pp 13637 034 24X Fiche 50-364, 82/06/23, 8206290141

Q Inspection reports, IE Bulletins & correspondence

8206070823 Forwards IE Insp Repts 50-348/82-12 & 50-364/82-11 on 820422 No noncompliance noted
LEWIS, R. C. Division of Project & Resident Programs 82/05/14 McDONALD, R. P. Alabama Power Co 2pp 13389 143 24X Fiche 50-348, 82/05/14, 8206070823

--8206070831 IE Insp Repts 50-348/82-12 & 50-364/82-11 on 820422 No noncompliance noted Major areas inspected interface between licensee organization & responding region organization at emergency response facilities
TAYLOR, P. A., JENKINS, O. R. Division of Emergency Preparedness & Operational Support 82/05/12 4pp. 13389 145. 24X Fiche 50-348, 82/05/14, 8206070823

8206070245 Forwards updated response to IE Bulletin 79-15 re river water pump bearing failure & installation of Sulfuric acid water treater in svc water pump lube & cooling water supply lines Water treater installed & in operation
CLAYTON, F. L. Alabama Power Co 82/05/17 O'REILLY, J. P. Region 2, Office of Director 2pp 13370, 352 24X Fiche 50-348, 82/05/17, 8206070245

8206070345 Ack receipt of 820515 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-348/81-31 & 50-364/81-34
LEWIS, R. C. Division of Project & Resident Programs 82/05/27 McDONALD, R. P. Alabama Power Co 1p 13363 046 24X Fiche 50-348, 82/05/27, 8206070345

--8206070349 Responds to NRC 820415 ltr re violations noted in IE Insp Repts 50-348/81-31 & 50-364/81-34 Corrective actions manual isolation valve immediately opened & locked open & position verification checks made of other valves
CLAYTON, F. L. Alabama Power Co 82/05/15 LEWIS, R. C. Region 2, Office of Director 3pp 13363 047 24X Fiche 50-348, 82/05/27, 8206070349

--8206070352 Forwards IE Insp Repts 50-348/81-31 & 50-364/81-34 on 811226-820104 & notice of violation
LEWIS, R. C. Region 2, Office of Director 82/04/15 McDONALD, R. P. Alabama Power Co 2pp 13363 050 24X Fiche 50-348, 82/05/27, 8206070345

--8206070355 Notice of violation from insp on 811226-820104 & Division of Project & Resident Programs 82/04/15 1p 13363 052 24X Fiche 50-348, 82/05/27, 8206070345

--8206070361 IE Insp Repts 50-348/81-31 & 50-364/81-34 on 811226-820104 Noncompliance noted manual isolation valve from spray additive tank locked in closed position, disabling spray additive sys
PEBBLES, T. A., BROWNLEE, V. L. Division of Project & Resident Programs 82/04/12 5pp 13363 053 24X Fiche 50-348, 82/05/27, 8206070345

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 093 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13679 189 24X Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206140055 Forwards monthly operating rept for May 1982
CLAYTON, F. L. Alabama Power Co 82/06/08 Office of Management and Program Analysis 2pp 13484 300 24X Fiche 50-364, 82/06/08, 8206140055

--8206140056 Monthly operating rept for May 1982
HAIRSTON, W. O. Alabama Power Co 82/06/03 11pp 13484 302 24X Fiche 50-364, 82/06/08, 8206140055

S Reportable occurrences, LERs & related correspondence

8206010597 Forwards LER 82-016/03L-0
CLAYTON, F. L. Alabama Power Co 82/04/28 Region 2, Office of Director. 1p. 13313 316 24X Fiche 50-364, 82/04/28, 8206010597

--8206010603 LER 82-016/03L-0 on 820330, pressurizer pressure fell below Tech Spec limit. Caused by personnel error in utilizing large borations during xenon transients Personnel counseled.
HAIRSTON, W. O. Alabama Power Co. 82/04/28. Region 2, Office of Director. 1p 13313 317 24X Fiche 50-364, 82/04/28, 8206010597

8206070084 Forwards LERs 82-017/03L-0 & 82-019/03L-0
CLAYTON, F. L. Alabama Power Co 82/05/27. Region 2, Office of Director 1p 13368 238 24X Fiche 50-364, 82/05/27, 8206070084

--B206070087 LER 82-017/03L-0 on 820427, during full length control rod operability test, FNP-2-BTP-3 O group 1 & control banks A, group 1 & B, group 1 control rods declared inoperable Caused by faulty slave cyclor counter card Card replaced
HAIRSTON, W O Alabama Power Co 82/05/27 Region 2, Office of Director 2pp 13368 239 24X Fiche 50-364, 82/05/27, B206070084

--B206070091 LER 82-019/03L-0 on 820430, pressurizer pressure fall below Tech Spec limit Caused by transient in pressurizer pressure transmitter PT-444 opening spray valve Pressure restored
HAIRSTON, W O Alabama Power Co 82/05/27 Region 2, Office of Director 1p 13368 241 24X Fiche 50-364, 82/05/27, B206070084

B206070119 Forwards LERs 82-020/03L-0, 82-021/03L-0 & 82-022/03L-0
CLAYTON, F L Alabama Power Co 82/05/27 Region 2, Office of Director 1p 13368 335 24X Fiche 50-348, 82/05/27, B206070119

--B206070126 LER 82-021/03L-0 on 820428, 2A recombiner oxygen outlet analyzer declared inoperable when 82 oxygen fuel cell failed Cause not stated Fuel cell replaced
HAIRSTON, W O Alabama Power Co 82/05/27 Region 2, Office of Director 1p 13368 337 24X Fiche 50-348, 82/05/27, B206070119

B206110165 Forwards LERs 82-019/03L-0, 82-023/03L-0, 82-024/03L-0 & 82-020/03L-0
CLAYTON, F L Alabama Power Co 82/06/02 Region 2, Office of Director 1p 13466 317 24X Fiche 50-348, 82/06/02, B206110165

--B206110180 LER 82-020/03L-0 on 820504, snubber 2MB-R-530 declared inoperable since reservoir devoid of fluid Caused by fluid leak on improperly installed O rings O rings replaced & snubber declared operable
HAIRSTON, W O Alabama Power Co 82/06/02 Region 2, Office of Director 1p 13466 322 24X Fiche 50-348, 82/06/02, B206110165

B206210464 RO on 820609, certain A & B train svc water cooling valves associated w/charging pump 2B mislabeled Valves correctly relabeled upon discovery Investigation underway
HAIRSTON, W O Alabama Power Co 82/06/10 O'REILLY, J P Region 2, Office of Director 1p 13570 356 24X Fiche 50-348, 82/06/10, B206210464

B206210152 Forwards LERs 82-025/03L-0, 82-018/03L-0 & 82-022/03L-0
CLAYTON, F L Alabama Power Co 82/06/11 Region 2, Office of Director 1p 13360 078 24X Fiche 50-348, 82/06/11, B206210152

--B206210166 LER 82-022/03L-0 on 820519, during performance of FNP-2-BTP-4 7, charging pump 2A would not start Caused by failure of breaker DFO6 to close due to misaligned microswitch arm Arm repaired
HAIRSTON, W O Alabama Power Co 82/06/11 Region 2, Office of Director 1p 13560 080 24X Fiche 50-348, 82/06/11, B206210152

--B206210179 LER 82-018/03L-0 on 820601, turbine driven auxiliary feedwater pump tripped Caused by inadvertent actuation of overspeed trip mechanism during insp of pump trip linkage Trip throttle valve reopened.
HAIRSTON, W O Alabama Power Co 82/06/11 Region 2, Office of Director 1p 13560 081 24X Fiche 50-348, 82/06/11, B206210152.

DOCKET 50-366 EDWIN I HATCH NUCLEAR PLANT, UNIT 2

F Security, medical, emergency & fire protection plans

B206020014 Addl response to FOIA request for six categories of documents re emergency preparedness Documents listed in App A available in PDR
FELTON, J M Division of Rules and Records 82/04/26 SHOLLY, B C Union of Concerned Scientists 2pp 13342 255 24X Fiche 50-000, 82/04/26, B206020014

--B206020046 Discusses operability of public notification sys at facilities Required contingency actions by licensee in event of sys failure should be considered
ROGERS, R F Region 2, Office of Director 82/02/12 BROWNLEE, V L Region 2, Office of Director 1p 13342 270 24X Fiche: 50-000, 82/04/26, B206020014

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche: 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities. Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01). 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement App 13454 167 24X Fiche: 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, B206090002

B206070478 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0849, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 KELLY, R J Georgia Power Co 1p 13375 011, 24X Fiche 50-000, 82/05/12, B206070478

B206070517 Confirms B20511 arrangements for B20517 meeting w/util in Region 2 ofcs to discuss security performance at facility
O'REILLY, J P Region 2, Office of Director 82/05/13, KELLY, R J Georgia Power Co 2pp 13374 253 24X Fiche 50-321, 82/05/13, B206070517.

B206020072 Releases public version of emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch. 1p 13332 249 24X Fiche 50-321, 82/05/25, B206020072

--B206020077 Forwards public version of Emergency Plan Implementing Procedure HNP-B033, "Quantitative Fit Testing " Receipt form encl
SEWELL, E C Georgia Power Co 82/05/13 Office of Nuclear Reactor Regulation, Director 1p 13332 250 24X Fiche 50-321, 82/05/25, B206020072

--B206020081 Public version of Emergency Plan Implementing Procedure HNP-B033, "Quantitative Fit Testing " Receipt form encl
ROGERS, W H, NIX, H Georgia Power Co 82/05/10 16pp 13332 251 24X Fiche 50-321, 82/05/25, B206020072

B206020180 Releases public version of emergency plan implementing procedure.
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13340 166 24X Fiche 50-321, 82/05/25, B206020180

--B206020184 Forwards public version of Emergency Plan Implementing Procedure HNP-B152, "Instrument Calibr Intervals " Receipt form encl.
* Georgia Power Co, 82/05/17 Office of Nuclear Reactor Regulation, Director. 1p 13340 167 24X Fiche: 50-321, 82/05/25, B206020180.

--B206020187 Public version of Emergency Plan Implementing Procedure HNP-B152, "Instrument Calibr Intervals " Receipt form encl.
ROGERS, W H, GREVE, T. Georgia Power Co 82/05/23, 3pp 13340 168 24X Fiche 50-321, 82/05/25, B206020180

B206080471 Releases public version of revised emergency plan implementing procedure
FELTON, J M Division of Rules and Records 82/05/28 Document Management Branch 1p 13440 044 24X Fiche 50-321, 82/05/28, B206080471.

8206110218 Forwards revision of 820503 Tech Spec change request re removal of drywell recirculation pump fire suppression sprinkler sys from svc Revision does not affect License Amend 29
BECKHAM, J T Georgia Power Co 82/06/03 Office of Nuclear Reactor Regulation, Director 2pp 13459 255 24X
Fiche 50-366, 82/06/03, 8206110218

8206140259 Releases public version of revision to plant site survey procedure
FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13508 037 24X Fiche 50-321, 82/06/08, 8206140259

--8206140263 Forwards public version of Revision 2 to Procedure HNP-8079, "Plant Site Survey" Receipt form encl
SORRELL, E C Georgia Power Co 82/05/23 Office of Nuclear Reactor Regulation, Director 1p 13508 038 24X
Fiche 50-321, 82/06/08, 8206140259

--8206140269 Public version of Revision 2 to Procedure HNP-8029, "Plant Site Survey"
* Georgia Power Co 82/03/24 7pp 13508 039 24X
Fiche 50-321, 82/06/08, 8206140259

8206140319 Releases public version of revised pages to emergency plan
FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13509 037 24X Fiche 50-321, 82/06/08, 8206140319

--8206140323 Forwards public version of Pages K-1, "Radiological Exposure Control" & P-1, "Responsibility for Planning Effort," to emergency plan for Units 1 & 2
SERRELL, E C Georgia Power Co. 82/05/24 Office of Nuclear Reactor Regulation, Director 2pp 13509 038 24X
Fiche 50-321, 82/06/08, 8206140319

--8206140325 Public version of Pages K-1, "Radiological Exposure Control" & P-1, "Responsibility for Planning Effort," to emergency plan for Units 1 & 2
* Georgia Power Co 82/05/31 2pp 13509 040 24X
Fiche 50-321, 82/06/08, 8206140319

I Financial information

8206030239 Files guarantee of payment of deferred premiums for part ownership in Unit 1 Cash flow statements for actual FY81 taken from certified audit & projected figures for FY82 & approved budget
HEADRICK, T B Dalton, GA 82/05/27 BALTZMAN, J Antitrust & Economic Analysis Branch (Utility Finance), 3pp. 13397, 227 24X
Fiche 50-321, 82/05/27, 8206030239.

P. Operating license stage documents & correspondence

8206110370 Notices of procedural change re inservice testing of RHR sys LPCI check valves 1(2)E11-FO50 A & B Flow rate will be documented each cold shutdown in lieu of "test switch" method
BECKHAM, J T Georgia Power Co 82/04/30 Office of Nuclear Reactor Regulation, Director 1p 13027 267 24X
Fiche 50-321, 82/04/30, 8206110370

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 28pp. 13638, 055 24X Fiche 50-000, 82/05/12, 8206280071

8206010207 Summarizes findings & expands justification for concluding no safety concerns exist re control of heavy loads. Complete review of overhead handling sys performed No further review of design bases for load handling sys required.
BECKHAM, J T Georgia Power Co. 82/05/24 Office of Nuclear Reactor Regulation, Director 11pp. 13313 281 24X
Fiche: 50-321, 82/05/24, 8206010207

8206110258 Forwards Class III license fee as requested in NRC 820514 ltr for issuance of Amend 27 to License NFF-5 re degraded grid voltage. W/o encl.
BECKHAM, J T Georgia Power Co 82/06/01 Office of Nuclear Reactor Regulation, Director 1p 13466 287. 24X
Fiche 50-366, 82/06/01, 8206110258

8206110218 Forwards revision of 820503 Tech Spec change request re removal of drywell recirculation pump fire suppression sprinkler sys from svc Revision does not affect License Amend 29
BECKHAM, J T Georgia Power Co 82/06/03 Office of Nuclear Reactor Regulation, Director 2pp 13459 255 24X
Fiche 50-366, 82/06/03, 8206110218

8206110336 Forwards response to 820503 Generic Ltr 82-10 re post-TMI requirement implementation schedule, per NUREG-0737
BECKHAM, J T Georgia Power Co 82/06/04 Office of Nuclear Reactor Regulation, Director 5pp 13467 087 24X
Fiche 50-321, 82/06/04, 8206110336

8206140256 Forwards Franklin Research Ctr requests for addl info re equipment environ qualification program Response requested within 30 days
STOLZ, J F Operating Reactors Branch 4 82/06/07 BECKHAM, J T Georgia Power Co 16pp 13507 077 24X Fiche 50-321, 82/06/07, 8206140256

8206170376 Forwards NUREG-0737 post-TMI requirements implementation schedule revision & explanation in response to Generic Ltr 82-05 & 820526 request Info supersedes 820420 ltr
WIDNER, W A Georgia Power Co 82/06/07 Office of Nuclear Reactor Regulation, Director 11pp 13531 094 24X
Fiche 50-321, 82/06/07, 8206170376

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York MAURIN, L V Louisiana Power & Light Co CAVANAUGH, W Arkansas Power & Light Co 13pp 13537 349 24X Fiche 50-000, 82/06/09, 8206090153

8206170365 Revises implementation completion date to Sept 1983 for NUREG-0737, Item II K 3 22 re automation of reactor core isolation cooling suction transfer
WIDNER, W A Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 2pp 13531 088 24X
Fiche 50-321, 82/06/11, 8206170365

8206210330 Application to Amend Licenses DPR-57 & NPF-5 increasing min shift crew composition requirements as shown in Table 6 2-1 & required by NUREG-0737
WIDNER, W A Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 2pp 13559 154 24X
Fiche 50-321, 82/06/11, 8206210330

--8206210336 Proposed changes to Tech Specs increasing min shift crew composition requirements
* Georgia Power Co 82/06/11 4pp 13559 156 24X
Fiche 50-321, 82/06/11, 8206210330

8206250385 Forwards safety evaluation concurring w/licenses 801231 response to NUREG-0737, Item II K 3 21 re restart of LPCS & LPCI sys based on BWR owners group position Logic mods not warranted.
STOLZ, J F. Operating Reactors Branch 4 82/06/16 BECKHAM, J T. Georgia Power Co 5pp 13630 080 24X Fiche: 50-321, 82/06/16, 8206250386

Q Inspection reports, IE Bulletins & correspondence

8206070648 Forwards IE Insp Repts 50-321/82-14 & 50-366/82-14 on 820321-0420 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/14 KELLY, R J Georgia Power Co 2pp 13390 094 24X
Fiche 50-321, 82/05/14, 8206070648

--8206070657 IE Insp Repts 50-321/82-14 & 50-366/82-14 on 820321-0420 No noncompliance noted Major areas inspected. Tech Spec compliance, housekeeping, operator performance, overall plant operations, QA practices & station & corporate mgt practices.
ROGERS, R F, BROWNLEE, V. L. Division of Project & Resident Programs 82/05/14 3pp 13390 096 24X Fiche 50-321, 82/05/14, 8206070658

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28, 107pp 13426 095 24X
Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp. 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

B206220442 Forwards IE Insp Repts 50-321/82-13 & 50-366/82-13 on B2042B-0504 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/28
KELLY, R J Georgia Power Co 2pp 13578 182 24X
Fiche 50-321, 82/05/28, B206220442

--B206220446 IE Insp Repts 50-321/82-13 & 50-366/82-13 on B2042B-0504 No noncompliance noted Major areas inspected witnessing preparation & performance of containment integrated leak rate test & review of test results
WHITENER, H L, JAFE, F Division of Engineering & Technical Programs 82/05/26 5pp 13378 184 24X Fiche 50-321, 82/05/28, B206220442

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 10pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206140064 Submits addl info requested in NRC B10504 ltr re B10901 response to Generic Ltr B1-01, "Qualification of Insp, Exam, Testing & Audit Personnel " Commits to conform w/Positions C 5.6, 7, 8 & 10 of Reg Guide 1.5B, Revision 1
WIDNER, W A Georgia Power Co 82/06/07 Office of Nuclear Reactor Regulation, Director 1p 13484 259 24X
Fiche 50-321, 82/06/07, B206140064

B206220350 Ack receipt of B20521 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-321/82-11 & 50-366/82-11
DANCE, H C Division of Project & Resident Programs 82/06/09
KELLY, R J Georgia Power Co 1p 13581 204 24X
Fiche 50-321, 82/06/09, B206220350

--B206220356 Responds to NRC B20421 ltr re violations noted in IE Insp Repts 50-321/82-11 & 50-366/82-11 Corrective actions, personnel notified of mgt position on misuse of pocket dosimeters
HEAD, G F Georgia Power Co 82/05/21 O'REILLY, J P Region 2, Office of Director 2pp 13581 205 24X Fiche 50-321, 82/06/09, B206220350

--B206220361 Forwards IE Insp Repts 50-321/82-11 & 50-366/82-11 on B20329-0402 & notice of violation
DANCE, H C Division of Project & Resident Programs 82/04/21
KELLY, R J Georgia Power Co 2pp 13581 207 24X
Fiche 50-321, 82/06/09, B206220350

--B206220367 Notice of violation from insp on B20329-0402
* Division of Project & Resident Programs 82/04/21 1p 13581 209 24X Fiche 50-321, 82/06/09, B206220350

--B206220372 IE Insp Repts 50-321/82-11 & 50-366/82-11 on B20329-0402 Noncompliance noted radiation protection procedures not established, maintained & implemented re personnel dosimetry
FRANKLIN, L A, BARR, K P Division of Engineering & Technical Programs 82/04/16 6pp 13581 210 24X Fiche 50-321, 82/06/09, B206220350

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 10pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl
DEVOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 12pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

B206170260 Forwards response to NRC B20312 & 0416 requests for addl info re relief requests for inservice insp programs Diagram of RHR heat exchangers encl
WIDNER, W A Georgia Power Co 82/06/11 Office of Nuclear Reactor Regulation, Director 10pp 13333 168 24X
Fiche 50-321, 82/06/11, B206170260

R Periodic operating reports & related correspondence

B206150110 Forwards monthly operating repts for May 1982
NIX, H C Georgia Power Co 82/06/08 Director's Office, Office of Inspection and Enforcement 1p 13501 316 24X
Fiche 50-321, 82/06/08, B206150110

--B206150111 Monthly operating repts for May 1982
GILBRETH, T Georgia Power Co 82/06/10 10pp 13501 317 24X
Fiche 50-321, 82/06/08, B206150110

S Reportable occurrences, LERs & related correspondence

B206010233 Forwards updated LER B1-104/03L-1
MANRY, M Georgia Power Co 82/02/25 O'REILLY, J P Region 2, Office of Director 1p 13307 107 24X Fiche 50-366, 82/02/25, B206010233

--B206010239 Updated LER B1-104/03L-1 on B11028 & 1112, w/unit at steady state 99% power, discovered rigid restraint on HPCI pump discharge line broken & bent Caused by dynamic load associated w/water hammer Supports repaired
COGGIN, C L Georgia Power Co 82/02/25 Region 2, Office of Director 3pp 13307 108 24X Fiche 50-366, 82/02/25, B206010233

B206010356 Forwards updated LER B2-008/03L-1
MANRY, M Georgia Power Co 82/02/25 O'REILLY, J P Region 2, Office of Director 1p 13301 344 24X Fiche 50-366, 82/02/25, B206010356

--B206010359 Updated LER B2-008/03L-1: on B20126, 115 control rod driveline accumulator low pressure alarm switches found out of Tech Spec limits Caused by setpoint drift Switches calibr
NIX, R T Georgia Power Co 82/02/25 Region 2, Office of Director 2pp 13301 345 24X Fiche 50-366, 82/02/25, B206010356

B206010633 Forwards LER B2-015/03L-0
MANRY, M Georgia Power Co 82/02/25 O'REILLY, J P Region 2, Office of Director 1p 13314 346 24X Fiche 50-366, 82/02/25, B206010633

--B206010642 LER B2-015/03L-0 on B20205, while performing MSIV trip test per HNP-2-3111, outboard MSIVs B2B1-F028B & D closed faster than allowed by Tech Specs Caused by setpoint drift on needle valve controlling MSIV closing speed
COGGIN, C L Georgia Power Co 82/02/25 Region 2, Office of Director 2pp 13314 347 24X Fiche 50-366, 82/02/25, B206010633

B206210394 RO on B20513, error discovered in OBYN transient code which could result in .01 nonconservatism in Cycle 3 limiting condition for operation for max critical power ratio Caused by incorrect programming in axial distribution calculation
NIX, H C, CURTIS, S Georgia Power Co 82/05/13 O'REILLY, J P Region 2, Office of Director 2pp 13583 109 24X
Fiche 50-366, 82/05/13, B206210394

B206010434 Forwards LER B2-035/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13314 296 24X Fiche 50-366, 82/05/20, B206010434

--B206010438 LER B2-035/03L-0 on B20421, after maint of RHR suction valve 2E11-F004B, cloth bootie left in valve body caused local leak rate test failure Caused by lack of clarity in housekeeping Procedure HNP-6925
NIX, R T Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13314 297 24X Fiche 50-366, 82/05/20, B206010434

B206010571 Forwards LER B2-037/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13314 095 24X Fiche 50-366, 82/05/20, B206010571

--B206010578 LER B2-037/03L-0: on B20422, insp of RHR sys mechanical snubbers revealed disconnected PSA-10 snubbers, 2E11-RHR-R351A & B at RHR Loop A injection line inside drywell Caused by preparation for insulation, snubbers reconnected
NIX, R T Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13314 096 24X Fiche 50-366, 82/05/20, B206010571

B206070059 Forwards LER B2-040/01T-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 1336B 205 24X Fiche 50-366, 82/05/20, B206070059

--B206070064 LER B2-040/01T-0 on B20513, plant notified by OE of programming error in OBYN transient analysis code which could result in increase of 0.01 in Cycle 3 of OLMPR Axial power distribution calculation incorrectly programmed.
SUNNER, H L Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 1336B 206 24X Fiche 50-366, 82/05/20, B206070059

B206070422 Forwards LER B2-044/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13374 209 24X Fiche 50-366, 82/05/20, B206070422

DOCKETED ITEMS

--B206070432 LER 82-044/03L-0 on 820428, during refueling, RHR svc water pump 2E11-C001C failed to meet rated flow requirements. Caused by foreign debris caught in pump. Pump disassembled, cleaned, rebuilt & successfully retested per HNP-2-3167.
NIX, R T Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13374 210 24X Fiche 50-366, 82/05/20, B206070422

B206070439 Forwards LER 82-038/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13374 199 24X Fiche 50-366, 82/05/20, B206070439

--B206070447 LER 82-038/03L-0 on 820422, relay logic between PC18 R/F & reactor bldg high radiation override switches found reversed during HNP-2-3260. Caused by erroneously assigned name plates for individual switches DCR 82-59 implemented.
SUMNER, H L Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13374 200 24X Fiche 50-366, 82/05/20, B206070439

B206070537 Forwards LER 82-043/03L-0
NIX, H C Georgia Power Co 82/05/20 O'REILLY, J P Region 2, Office of Director 1p 13372 185 24X Fiche 50-366, 82/05/20, B206070537.

--B206070546 LER 82-043/03L-0 on 820428, during refueling & performance of HNP-2-3307, HPCI steam line differential pressure switch 2E41-N004 actuated high. Caused by setpoint drift. Switch recalibr per HNP-2-3202 & returned to svc.
NIX, R T Georgia Power Co 82/05/20 Region 2, Office of Director 2pp 13372 187 24X Fiche 50-366, 82/05/20, B206070537

B206070109 Forwards LER 82-048/03L-0
NIX, H C Georgia Power Co 82/05/25 O'REILLY, J P Region 2, Office of Director 1p 13370 322 24X Fiche 50-366, 82/05/25, B206070109

--B206070117 LER 82-048/03L-0 on 820506, core spray sys & LPCI sys discovered inoperable. Caused by personnel error. LPCI & core spray loops aligned to torus w/torus inoperable due to inoperable level instrumentation.
BAXLEY, S X Georgia Power Co 82/05/25 Region 2, Office of Director 2pp 13370 323 24X Fiche 50-366, 82/05/25, B206070109

B206070408 Forwards LER 82-042/03L-0
NIX, H C Georgia Power Co 82/05/25 O'REILLY, J P Region 2, Office of Director 1p 13371 192 24X Fiche 50-366, 82/05/25, B206070408

--B206070410 LER 82-042/03L-0 on 820427, RHR & RHR svc water flow indicator for loop A found inoperable. Caused by loose spring clips on fuse block energizing loop. Spring clips tightened & flow indicators returned to svc.
SUMNER, H L Georgia Power Co 82/05/25 Region 2, Office of Director 2pp 13371 193 24X Fiche 50-366, 82/05/25, B206070408

B206070209 Forwards LER 82-045/03L-0.
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13369 005 24X Fiche 50-366, 82/05/27, B206070209.

--B206070216 LER 82-045/03L-0 on 820427, w/reactor shut down for torus mod & refueling outage, reactor water conductivity observed to be greater than Tech Spec limit. Cause of sudden spike of conductivity unknown. RHCU B taken out of svc.
ROGERS, W H Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13369 006 24X Fiche 50-366, 82/05/27, B206070209

B206070316 Forwards LER 82-050/03L-0.
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13363 007 24X Fiche 50-366, 82/05/27, B206070316

--B206070332 LER 82-050/03L-0 on 820508, while performing sys test of RHR sys, low pressure coolant injection time delay relay 2E11-K125A failed to operate. Cause not found. Relay coil replaced.
NIX, R T Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13363 008 24X Fiche 50-366, 82/05/27, B206070316

B206110194 Forwards LER 82-046/03L-0
NIX, H C Georgia Power Co 82/05/27 O'REILLY, J P Region 2, Office of Director 1p 13467 023 24X Fiche 50-366, 82/05/27, B206110194

--B206110197 LER 82-046/03L-0 on 820510, during refueling, reactor bldg vent radiation monitor indicator & trip unit 2D11-K609D failed upscale. Caused by failure of dc amplifier board, 127B3601 due to current surge.
NIX, R T Georgia Power Co 82/05/27 Region 2, Office of Director 2pp 13467 026 24X Fiche 50-366, 82/05/27, B206110194

B206210558 Forwards LER 82-047/03L-0
NIX, H C Georgia Power Co 82/06/01 O'REILLY, J P Region 2, Office of Director 1p 13563 346 24X Fiche 50-366, 82/06/01, B206210558

--B206210629 LER 82-047/03L-0 on 820505, remote radiation meter relay, 2D11-N079, found not tripping on adjustable setpoint, but at approx 5% of scale high. Caused by instrument drift. Indicator recalibr.
NIX, R T Georgia Power Co 82/06/01 Region 2, Office of Director 2pp 13563 347 24X Fiche 50-366, 82/06/01, B206210558

B206110191 Forwards LER 82-049/01T-0
NIX, H C Georgia Power Co 82/06/02 O'REILLY, J P Region 2, Office of Director 1p 13467 036 24X Fiche 50-366, 82/06/02, B206110191

--B206110193 LER 82-049/01T-0 on 820520, four sliding links in panels 2D11-P617 & P618 found open, thus negating all autostart capability of A & B RHR-LPCI pumps. Cause unknown. Links closed. Backup sys operable. Considered isolated event.
SUMNER, H L Georgia Power Co 82/06/02 Region 2, Office of Director 2pp 13467 037 24X Fiche 50-366, 82/06/02, B206110191

B206110204 Forwards LER 82-041/03L-0
NIX, H C Georgia Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 1p 13467 039 24X Fiche 50-366, 82/06/03, B206110204

--B206110207 LER 82-041/03L-0 on 820516, during cold shutdown, pipe clamp found removed from core spray B loop test line to torus. Clamp hold pipe restraint 2E21-CS-R106 in place. Caused by personnel error. Clamp reinstalled.
NIX, R T Georgia Power Co 82/06/03 Region 2, Office of Director 2pp 13467 040 24X Fiche 50-366, 82/06/03, B206110204

B206210192 RD on 820426, during calibr of seismic instrumentation, triaxial seismic switch 2L51-N022 found inoperable. Switch damaged during recent refueling outage & torus mod outage. Switch returned to vendor for repair.
NIX, H C Georgia Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 2pp 13560 104 24X Fiche 50-366, 82/06/03, B206210192

B206210248 Forwards LER 82-054/03L-0
NIX, H C Georgia Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 1p 13559 104 24X Fiche 50-366, 82/06/03, B206210248

--B206210254 LER 82-054/03L-0 on 820509, during surveillance procedure HNP-2-3831, nonessential loads on 2C 600-volt emergency bus did not load shed. Caused by inoperative manual operating contact switch on normal supply breaker. Switch repaired.
SUMNER, H L Georgia Power Co 82/06/03 Region 2, Office of Director 2pp 13559 105 24X Fiche 50-366, 82/06/03, B206210248

B206210487 Forwards LER 82-053/03L-0
NIX, H C Georgia Power Co 82/06/04 O'REILLY, J P Region 2, Office of Director 1p 13570 337 24X Fiche 50-366, 82/06/04, B206210487

--B206210494 LER 82-053/03L-0 on 820508, personnel performing logic sys functional test failed to obtain shift foreman signature. Caused by personnel misinterpreting procedural controls applicable to temporary procedure changes.
SUMNER, H L Georgia Power Co 82/06/04 Region 2, Office of Director 2pp 13570 338 24X Fiche 50-366, 82/06/04, B206210487

B206210407 Forwards LER 82-055/03L-0
NIX, H C Georgia Power Co 82/06/08 O'REILLY, J P Region 2, Office of Director 1p 13568 331 24X Fiche 50-366, 82/06/08, B206210407

--B206210413 LER 82-055/03L-0 on 820524, w/unit in startup mode, performance observation of HNP-2-3604 & HNP-2-3223 found omission of hi hydrogen alarm setpoint verification. Caused by personnel error. Revised procedures expected by 820623.
NIX, R T Georgia Power Co 82/06/08 Region 2, Office of Director 2pp 13568 332 24X Fiche 50-366, 82/06/08, B206210407

B206240151 Forwards LER 82-052/03L-0.
NIX, H C Georgia Power Co 82/06/15 O'REILLY, J P Region 2, Office of Director 1p 13599 334 24X Fiche 50-366, 82/06/15, B206240151.

--B206240153 LER 82-052/03L-0 on 820525, during startup from refueling & performance of safety relief valve operability tests, solenoids of valves 2E11-A & 2E11-B changed. Caused by personnel error.
NIX, R T Georgia Power Co 82/06/15 Region 2, Office of Director 2pp 13599 334 24X Fiche 50-366, 82/06/15, B206240151

DOCKETED ITEMS

283

B206240241 Forwards LER B2-057/03L-0
NIX, H C Georgia Power Co 82/06/15 O'REILLY, J P Region 2,
Office of Director 1p 13597 294 24X Fiche 50-366, 82/06/15,
B206240241

--B206090148 Affidavit of RL Grahm re reasonable & customary charges of
attys
GRAHAM, R L Businessmen for the Public Interest 82/06/03 6pp.
13439 089 24X Fiche 50-367, 82/06/04, B206090144

--B206240245 LER B2-057/03L-0 on B20527, containment hydrogen peroxide
analyzer found inoperable Caused by component failure
Analyzer internal sampling flow components failed to
maintain correct flow Sample pump repaired
NIX, R T Georgia Power Co 82/06/15 Region 2, Office of
Director 2pp 13597 295 24X Fiche 50-366, 82/06/15, B206240241

--B206090150 Memorandum of law supporting application for award of fees
& expenses under Equal Access to Justice Act Proceedings
pending on effective date of act, party prevailed & amount of
fees & expenses compensable Certificate of Svc encl
VOLLEN, R J Businessmen for the Public Interest 82/06/04
Atomic Safety and Licensing Board Panel 13pp 13439 095 24X
Fiche 50-367, 82/06/04, B206090144

B206300158 Forwards LER B2-058/03L-0
NIX, H C Georgia Power Co 82/06/17 O'REILLY, J P Region 2,
Office of Director 1p 13654 262 24X Fiche 50-366, 82/06/17,
B206300158

B206180249 Memorandum supporting Business & Prof People for Public
Interest application for award of atty fees & expenses
GRABOWSKI, A M, GRABOWSKI, O V Affiliation Unknown 82/06/07 1p
13551 276 24X Fiche 50-367, 82/06/07, B206180249

--B206300164 LER B2-058/03L-0 on B20531, during full power operation, HPCI
sys determined to be inoperable Caused by component failure
due to fouled contacts on HPCI turbine exhaust pressure
switch 2E41-N0178D Switch repaired & recalibr
NIX, R T Georgia Power Co 82/06/17 Region 2, Office of
Director 2pp 13654 263 24X Fiche 50-366, 82/06/17, B206300158

B206220082 Advises that NRC will file no response to Business & Prof
People for Public Interest B20604 application for award of
fees until Commission Secretary renders advice on
procedure to be followed & schedule established
LEWIS, S H Hearing Branch 2 82/06/18 GROSSMAN, H, LEEDS, J V.,
HOLTON, R L Atomic Safety and Licensing Board Panel 2pp
13573 096 24X Fiche: 50-367, 82/06/18, B206220082

B206300123 Forwards updated LER B2-022/03X-1
NIX, H C Georgia Power Co 82/06/18 O'REILLY, J P Region 2,
Office of Director 1p 13656 297 24X Fiche 50-366, 82/06/18,
B206300123

B206280079 Notice of ASLB reconstitution H Grossman, chairman &
K McColom & RL Holton, members
COTTER, D P Atomic Safety and Licensing Board Panel 82/06/18
2pp 13624 242 24X Fiche 50-367, 82/06/18, B206280079

--B206300126 Updated LER B2-022/03X-1 on B20223, during refueling/torus
rod outage, various containment isolation valves exhibited
excessive leakage Valves repaired
SUMMER, H L Georgia Power Co 82/06/18 Region 2, Office of
Director 5pp 13656 298 24X Fiche 50-366, 82/06/18, B206300123

R Periodic operating reports & related correspondence

DOCKET 50-367 BAILLY GENERATING STATION

A Application/construction stage documents & correspondence

B206040219 Forwards quarterly progress rept re site restoration plan,
per B20506 order
SHORR, E M Northern Indiana Public Service Co 82/06/01
BENTON, H R Office of Nuclear Reactor Regulation, Director 11pp
13360 016 24X Fiche 50-367, 82/06/01, B206040219

DOCKET 50-368 ARKANSAS NUCLEAR ONE, UNIT 2

F Security, medical, emergency & fire protection plans

B206020062 Addl response to FOIA request for all documents re
probabilistic risk assessment for facilities Forwards
CB Woodhead B00530 memo to ES Christenbury
FELTON, J M Division of Rules and Records 81/11/06 DORSEY, J A
Affiliation Unknown 1p 13339 212 24X Fiche 50-000, 81/11/06,
B206020062

B206070259 Concurs w/interim solution to meeting requirements of
industrial security plan until security sys upgraded Details
withheld (ref 10CFR73 21)
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/04/19 MARSHALL, J R Arkansas Power & Light Co 1p
13366 342 24X Fiche 50-313, 82/04/19, B206070259

--B206020075 Discusses B00527 meeting re possible legal &/or public
perception consequences to NRC plan for risk assessment of
sites near high population areas Interim revision of
10CFR100 should be issued pending proposed rule
WOODHEAD, C P Office of the Executive Legal Director 80/05/20
CHRISTENBURY, E Office of the Executive Legal Director 2pp
13339 213 24X Fiche 50-000, 81/11/06, B206020062

B206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, J
Debevoise & Liberman 3pp 13454-003 24X Fiche 50-000, 82/05/11,
B206090002

B206090044 Forwards util rept on site restoration plan as of B20601
SHORR, E M Northern Indiana Public Service Co 82/06/01
BENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13436 262 24X Fiche 50-367, 82/06/01, B206090044

--B206090011 List of facilities completing emergency preparedness
activities by B10701.
* NRC - No Detailed Affiliation Given 82/05/11 9pp
13454 006 24X Fiche 50-000, 82/05/11, B206090002

--B206090046 "Northern IN Public Svc Co Rept on Progress of Bailly N-1
Site Restoration Plan, B20601"
* Northern Indiana Public Service Co 82/06/01 9pp 13436 284
24X Fiche 50-367, 82/06/01, B206090044

--B203110478 Submits update of status of implementation of prompt
notification sys Regional FEMA ofcs have indicated reviews/
tests of sys have not been conducted
COLLINS, J T Region 4, Dallas, Office of the Director (81/03/01)
82/01/04 DEYOUNG, R C Director's Office, Office of Inspection
and Enforcement 1p 13454 175 24X Fiche 50-000, 82/05/11,
B206090002

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Ginna Rept documents findings re cause of
event, w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURI, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, B206090153

--B206090174 Advises of licensee compliance w/B20201 deadline for prom
notification sys
COLLINS, J T Region 4, Office of Director 82/02/09 GRIMES, H K
Division of Emergency Preparedness 1p 13454 248 24X
Fiche 50-000, 82/05/11, B206090002

G Adjudicatory correspondence

B206090144 Application for award of fees & expenses under Equal Access
to Justice Act Fees requested for svcs re proceedings on
proposed amend to CP to extend completion date & proposed
amend to allow foundation of short pillings
VOLLEN, R J, WHITCHER, J M Businessmen for the Public Interest
82/06/04 Atomic Safety and Licensing Board Panel 5pp
13439 054 24X Fiche 50-367, 82/06/04, B206090144

B206100216 Requests that util position re use of post-accident samplir
sys in emergency be reconsidered in light of discovery that
manual block valves could not be opened safely Response
required within 10 days
COLLINS, J T Region 4, Office of Director 82/06/04 CAVANAUGH, W
Arkansas Power & Light Co 2pp 13458 213 24X
Fiche 50-313, 82/06/04, B206100216

--B206090145 Affidavit of RJ Vollen re costs & legal svcs provided
VOLLEN, R J Businessmen for the Public Interest 82/06/04 13pp
13439 059 24X Fiche 50-367, 82/06/04, B206090144

--B206090147 Affidavit of JM Vollen re costs & legal svcs provided
WHITCHER, J M Businessmen for the Public Interest 82/06/04
13pp 13439 074 24X Fiche 50-367, 82/06/04, B206090144

DOCKETED ITEMS

8206110238 Informs of recent developments affecting commitments to comply w/NUREG-0737, Item III A 1 2, "Upgrade of Emergency Support Facilities," by 820701 Implementation contingent upon completion of negotiations w/union, to resume 820719 MARSHALL, J R Arkansas Power & Light Co 82/06/07 EISENHUT, D O Division of Licensing 2pp 13465 277 24X Fiche 50-313, 82/06/07, 8206110238

8206150163 Act receipt of 820512 ltr, Amend 4 to emergency plan & Amend 1 to nuclear contingency plan & procedures COLLINS, J T Region 4, Office of Director 82/06/11 CAVANAUGH, W Arkansas Power & Light Co 1p 13497.357 24X Fiche 50-313, 82/06/11, 8206150163

--8206150167 Forwards Amend 4 to emergency plan & Amend 1 to nuclear contingency plan & procedures w/o encl CAVANAUGH, W Arkansas Power & Light Co 82/05/12 COLLINS, J T Region 4, Office of Director 3pp 13497 358 24X Fiche 50-313, 82/06/11, 8206150163

8206220189 Forwards IE Safeguards Insp Repts 50-313/82-16 & 50-368/82-13 on 820426-27 No noncompliance noted Repts withheld (ref 10CFR2 790 & 10CFR73 211). SEIDLE, W C Region 4, Office of Director 82/05/11 CAVANAUGH, W Arkansas Power & Light Co 2pp 13574 065 24X Fiche 50-313, 82/06/11, 8206220189

8206160330 Releases public version of revised emergency plan & implementing procedures FELTON, J M Division of Rules and Records 82/06/14 Document Management Branch 1p 13538 327 24X Fiche 50-313, 82/06/14, 8206160330

--8206160333 Forwards public version of Amend 4 to emergency plan & Amend 1 to nuclear contingency plan & procedures Plans meet 10CFR50 47 & App E requirements Privacy info deleted w/o Amend 4 to emergency plan CAVANAUGH, W Arkansas Power & Light Co 82/05/12 COLLINS, J T Region 4, Office of Director 3pp 13538 328 24X Fiche 50-313, 82/06/14, 8206160330

--8206160335 Public version of Amend 1 to nuclear contingency plan & procedures * Arkansas Power & Light Co 82/05/03 115pp 13538 331. 24X Fiche 50-313, 82/06/14, 8206160330

--8206160338 Public version of communication equipment manual * Arkansas Power & Light Co 81/10/01. 142pp 13539 085. 24X Fiche 50-313, 82/06/14, 8206160330

8206300333 Releases public version of permanent changes to emergency plan implementing procedures FELTON, J M Division of Rules and Records. 82/06/22. Document Management Branch 1p 13661 347 24X Fiche 50-313, 82/06/22, 8206300333

--8206300340 Forwards public version of permanent changes to Emergency Plan Implementing Procedures 1903 30 re plant evacuation, 1903 31 re exclusion area evacuation & 1903 32 re area evacuation * Arkansas Power & Light Co 82/06/11. NRC - No Detailed Affiliation Given 1p 13661 348 24X Fiche 50-313, 82/06/22, 8206300333

--8206300345 Public version of Permanent Change 2 to Emergency Plan Implementing Procedure 1903 30, "Plant Evacuation," Permanent Change 2 to 1903 31, "Exclusion Area Evacuation" & Permanent Change 1 to 1903 32, "Area Evacuation" * Arkansas Power & Light Co. 82/06/11 6pp 13661 349. 24X Fiche 50-313, 82/06/22, 8206300333

P Operating license stage documents & correspondence

8205190435 Forwards safety & technical evaluation of adequacy of station electric distribution sys voltages Results of Unit 1 verification tests will be valid for Unit 2 due to close similarity of design & loading distribution sys CLARK, R A Operating Reactors Branch 3 82/05/05 CAVANAUGH, W Arkansas Power & Light Co 2pp 13329 195. 24X Fiche 50-368, 82/05/05, 8205190435.

--8206010104 Safety evaluation re adequacy of station electric distribution sys voltages Design acceptable * Division of Licensing. 82/05/05. App 13329.197 24X Fiche 50-368, 82/05/05, 8205190435

--8205140372 "Technical Evaluation of Adequacy of Station Electric Distribution Sys Voltages for AR Nuclear One, Unit 2" SELAN, J C Lawrence Livermore Laboratory. FIN A-0250 UCID-19127 82/03/10 NRC - No Detailed Affiliation Given 8pp 13329 203 24X Fiche 50-368, 82/05/05, 8205190435

8206080182 Forwards Amend 32 to License NPF-6, safety evaluation & notice of issuance & availability Amend revises power distribution limits re DNBR margin MARTIN, R E Operating Reactors Branch 3 82/05/25 CAVANAUGH, W Arkansas Power & Light Co 3pp 13442 023 24X Fiche 50-368, 82/05/25, 8206080182

--8206080184 Amend 32 to License NPF-6, revising power distribution limits re DNBR margin CLARK, R A Operating Reactors Branch 3 82/05/25 7pp 13442 026 24X Fiche 50-368, 82/05/25, 8206080182

--8206080187 Safety evaluation supporting Amend 32 to License NPF-6 * Office of Nuclear Reactor Regulation, Director 82/05/25 13pp 13442 033 24X Fiche 50-368, 82/05/25, 8206080182

--8206080189 Notice of issuance & availability of Amend 32 to License NPF-6 CLARK, R A Operating Reactors Branch 3 82/05/25 2pp 13442 046 24X Fiche 50-368, 82/05/25, 8206080182

8206020328 Forwards addl info re seismic qualification of emergency feedwater sys per NRC 820429 request MARSHALL, J R Arkansas Power & Light Co 82/05/27 CLARK, R A Operating Reactors Branch 3 2pp 13322 231 24X Fiche 50-368, 82/05/27, 8206020328

8206020371 Application for amend to Licenses DPR-51 & NPF-6 consisting of proposed changes to Tech Specs 4 0 3 & 4 0 modifying language to reflect current C-E STS CAVANAUGH, W Arkansas Power & Light Co 82/05/28 CLARK, R A Operating Reactors Branch 3 STOLZ, J F Operating Reactors Branch 4 3pp 13326 290 24X Fiche 50-313, 82/05/28, 8206020371

--8206020418 Proposed Tech Specs changes modifying language of Section 4 0 3 & 4 0 to reflect current language in C-E STS * Arkansas Power & Light Co 82/05/28 4pp 13326 293 24X Fiche 50-313, 82/05/28, 8206020371

8206160124 Responds to 820504 ltr re purge valve sealing & leakage testing Purge valve position light checked once during each 8-h shift to verify valve closure, per TMI Action Item II E 4.2 No further action will be taken MARSHALL, J R Arkansas Power & Light Co 82/06/07 CLARK, R A Operating Reactors Branch 3 STOLZ, J F Operating Reactors Branch 4 2pp 13514 352 24X Fiche 50-313, 82/06/07, 8206160124

8206090133 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl EISENHUT, D O Division of Licensing 82/06/09 HAUSFURG, A Consolidated Edison Co of New York VANDEWALLE, D J Consumers Power Co ROOT, L D Iowa Electric Light & Power Co 13pp 13557:349 24X Fiche 50-000, 82/06/09, 8206090133

8206160139 Informs that addl info required for review of proposed changes to seismic monitoring instrumentation Tech Spec surveillance requirements scheduled for submittal by 820719 MARSHALL, J R Arkansas Power & Light Co 82/06/10 CLARK, R A Operating Reactors Branch 3 1p 13517 355 24X Fiche 50-368, 82/06/10, 8206160139

8206210058 Requests addl remittance for 820528 application for proposed Tech Spec changes Class III fee has been determined to be more appropriate than Class II fee since review will involve consideration of single safety issue MILLER, W D License Fee Management Branch 82/06/11 CAVANAUGH, W Arkansas Power & Light Co 1p 13583 066 24X Fiche 50-313, 82/06/11, 8206210058

8206250341 Forwards Page 4 to Encl 2 of 820331 ltr re independence of reactor protection sys Page inadvertently omitted TRAMMELL, C H Operating Reactors Branch 3 82/06/11 CAVANAUGH, W Arkansas Power & Light Co 3pp 13629.203 24X Fiche 50-368, 82/06/11, 8206250341

8206220506 Notifies that response to Generic Ltr 82-10 re status of NUREG-0737 items will be delayed until 820701 MARSHALL, J R Arkansas Power & Light Co 82/06/15 EISENHUT, D O Division of Licensing 1p 13581 178 24X Fiche 50-313, 82/06/15, 8206220506

8206290081 Responds to 820609 request for comments re proposal for resolving pressurized thermal shock issue Disagrees w/basic assumptions & urgency for imposing inflexible regulations that do not consider all parameters in issue MARSHALL, J R Arkansas Power & Light Co 82/06/21 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13634 333 24X Fiche 50-313, 82/06/21, 8206290081

Q Inspection reports, IE Bulletins & correspondence

8206280180 Forwards IE Insp Repts 50-313/82-07 & 50-368/82-06 on 820401-30 No noncompliance noted
SEIDLE, W C Division of Resident, Reactor Project & Engineering Programs 82/05/19 CAVANAUGH, W Arkansas Power & Light Co 2pp 13624 144 24X Fiche 50-313, 82/05/19, 8206280180

--8206280190 IE Insp Repts 50-313/82-07 & 50-368/82-06 on 820401-30 No noncompliance noted Major areas inspected operational safety verification, surveillance, maint, followup on TMI action plan items & steam generator blowdown pipe leak
JOHNSON, W S, CALLAN, L J, HALL, R E Division of Resident, Reactor Project & Engineering Programs 82/05/07 10pp 13624 146 24X Fiche 50-313, 82/05/19, 8206280180

8206010371 Forwards IE Insp Repts 50-313/82-09 & 50-368/82-07 on 820426-28 No noncompliance noted
SEIDLE, W C Division of Resident, Reactor Project & Engineering Programs 82/05/25 CAVANAUGH, W Arkansas Power & Light Co 2pp 13301 316 24X Fiche 50-313, 82/05/25, 8206010371

--8206010373 IE Insp Repts 50-313/82-09 & 50-368/82-07 on 820426-28 No noncompliance noted Major areas inspected environ protection programs including audits, radiological & nonradiological environ monitoring & QA control of analytical measurements
WILBORN, L, HOLLEY, W L, MURRAY, B Division of Resident, Reactor Project & Engineering Programs 82/05/14 10pp 13301 318 24X Fiche 50-313, 82/05/25, 8206010371

8206010441 Notices of mods to notice of violation requirements re submission of responses under oath or affirmation Notice of violation will indicate where sworn responses must be submitted
SEIDLE, W C Region 4, Office of Director 82/05/26 CAVANAUGH, W Arkansas Power & Light Co 2pp 13314 277 24X Fiche 50-313, 82/05/26, 8206010441

8206040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
BEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8206040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
BEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 130, 24X Fiche 50-000, 82/06/02, 8204210380

8206080251 Forwards final fuel insp results & conclusions Info suppls CEN-164A-P sent 810922 Requests that portions of rept be classified as proprietary (ref 10CFR2 790)
MARSHALL, J R Arkansas Power & Light Co 82/06/02 CLARK, R A Operating Reactors Branch 3 1p 13420 214 24X Fiche 50-368, 82/06/02, 8206080251

--8206080255 Affidavit re 820528 refuel outage exam results Info to be withheld re operating characteristics of C-E fuel & test data or similar data concerning process, method or component
SCHERER, A E Division of Licensing, 82/05/27, 4pp 13420 215 24X Fiche 50-368, 82/06/02, 8206080251

--8206080258 Nonproprietary "ANO-2 Cycle 1 Refueling Outage Fuel Exam Results " * Combustion Engineering, Inc 81/06/02 4pp 13420-219 24X Fiche 50-368, 82/06/02, 8206080251

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp, 13675 258, 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl.
BEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

8206220189 Forwards IE Safeguards Insp Repts 50-313/82-16 & 50-368/82-13 on 820426-27 No noncompliance noted Repts withheld (ref 10CFR2 790 & 10CFR73 21)
SEIDLE, W C Region 4, Office of Director, 82/06/11 CAVANAUGH, W Arkansas Power & Light Co 2pp 13574 065 24X Fiche 50-313, 82/06/11, 8206220189

R Periodic operating reports & related correspondence

8206010255 Forwards monthly operating rept for Apr 1982
MARSHALL, J R Arkansas Power & Light Co 82/05/12 Office of Management and Program Analysis 1p 13307 045 24X Fiche 50-368, 82/05/12, 8206010255

--8206010257 Monthly operating rept for Apr 1982
BRAMLETT, L S Arkansas Power & Light Co 82/05/12 6pp 13307 046 24X Fiche 50-368, 82/05/12, 8206010255

8206010614 Forwards corrected pages to "Effluent & Waste Disposal Annual Rept for 1980," in response to NRC 820423 request
MARSHALL, J R Arkansas Power & Light Co 82/05/14 BEEBE, M R Office of Management and Program Analysis 1p 13314 251 24X Fiche 50-313, 82/05/14, 8206010614

--8206010619 Corrected pages to "Effluent & Waste Disposal Annual Rept for 1980 " * Arkansas Power & Light Co 82/05/14 21pp 13314 252 24X Fiche 50-313, 82/05/14, 8206010614

--8206010643 Requests comments, changes & addl info re encl "Effluent & Waste Disposal Annual Rept for 1980," by 820521 W/o encl
HARTFIELD, R A Office of Management and Program Analysis 82/04/23 CAVANAUGH, W Arkansas Power & Light Co 1p 13314 273 24X Fiche 50-313, 82/05/14, 8206010614

S Reportable occurrences, LERs & related correspondence

8204300003 Responds to FOIA request for five categories of documents re Sept 1979 rept, "Recommendations of TMI-2 IE Investigation Team " Approx 170 pages of mat'l being placed in PDR
FELTON, J M Division of Rules and Records 82/04/02 WEISS, E R Union of Concerned Scientists 1p 12920 032 24X Fiche 50-000, 82/04/02, 8204300003

--8204300258 Discusses B00129 overcooling transient Generic & plant-specific sys used for control purposes, such as preventing opening of core safety valves, should be reviewed re need for mechanism to prevent malfunctioning of control sys
HUNTER, B R Region 3, Chicago, Office of the Director 80/03/19 JORDAN, E L Division of Reactor Operations Inspections 3pp 12920 172 24X Fiche 50-000, 82/04/02, 8204300003

8206100115 Forwards LER 82-015/03L-0
MARSHALL, J R Arkansas Power & Light Co 82/05/26 SEIDLE, W C Division of Resident, Reactor Project & Engineering Programs 1p 13449 139 24X Fiche 50-368, 82/05/26, 8206100115

--8206100119 LER 82-015/03L-0 on 820428, discharge control valve 2CV-1036 from emergency feedwater pump B (2P-7B) to steam generator B (2E-24B) failed to close Cause not determined Valve manually tripped, recycled & returned to svc
ROGERS, P Arkansas Power & Light Co 82/05/26 Region 4, Office of Director, 2pp, 13449 140 24X Fiche 50-368, 82/05/26, 8206100115

8206110197 Forwards LER 82-011/99X-0
MARSHALL, J R Arkansas Power & Light Co 82/05/26 SEIDLE, W C Division of Resident, Reactor Project & Engineering Programs 1p, 13466 343 24X Fiche 50-368, 82/05/26, 8206110197

--8206110201 LER 82-011/99X-0 on 820415, at 100% full power, leak found inside containment in B steam generator blowdown line between valve 2CV-1045 & containment penetration 2P-64 Caused by erosion due to steam/water impingement on piping.
ROGERS, P Arkansas Power & Light Co 82/05/26 Region 4, Office of Director, 2pp 13466 344 24X Fiche 50-368, 82/05/26, 8206110197

8206070139 Forwards LER 82-016/03L-0
MARSHALL, J R Arkansas Power & Light Co 82/05/27 SEIDLE, W C Region 4, Office of Director 1p 13371 022 24X Fiche 50-368, 82/05/27, 8206070139

--8206070143 LER 82-016/03L-0 on 820505, electrolyte levels of battery cells in 2D-12 found above max Tech Spec levels Caused by over charging battery to raise cell voltages Electrolyte removed from cells
ROGERS, P Arkansas Power & Light Co 82/05/27 Region 4, Office of Director 1p 13371 023 24X Fiche 50-368, 82/05/27, 8206070139

8206150177 Forwards LER 82-017/03L-0
MARSHALL, J R Arkansas Power & Light Co 82/05/28 SEIDLE, W C Division of Resident, Reactor Project & Engineering Programs 1p, 13503 346 24X Fiche 50-368, 82/05/28, 8206150177

DOCKETED ITEMS

--B206150177 LER 82-017/03L-O 820505, while in Mode 3, increased leak rate noted in pressure sensing line for RCS middle seal. Caused by crack of undetermined origin in weld on first elbow downstream of reactor coolant pump seal flange.
ROGERS, P. Arkansas Power & Light Co 82/05/28 Region 4.
Office of Director 2pp 13503 347 24X Fiche 50-368, 82/05/28.
B206150177

B206080310 PNO-IV-82-023 on B20603, controlled shutdown initiated due to detection of leak atop pressurizer. Licensee plans to go cold to shutdown to effect repair. Outage of 2 days currently anticipated.
SEIDLE, W. C., JOHNSON, W. D., HALL, R. E. Region 4, Office of Director
82/06/03 1p 13420 007 24X Fiche 50-368, 82/06/03, B206080310

DOCKET 50-369 WILLIAM B. MCQUIRE NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D. O. Division of Licensing 82/06/09. HAUSPUG, A.
Consolidated Edison Co. of New York HULLER, G. E. Illinois Power Co.
CAPONE, D. W. Union Electric Co 13pp 13357 349 24X
Fiche 50-000, 82/06/09, B206090153

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
FELTON, J. M. Division of Rules and Records 82/05/11 REYNOLDS, N. S.
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11.
B206090002

--B206090011 List of facilities completing emergency preparedness activities by B10701.
* NRC - No Detailed Affiliation Given 82/05/11 9pp
13454 006 24X Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J. P. Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies identified in initial testing of prompt notification sys. Facility test info encl.
STOHR, J. P. Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B. K. Division of Emergency Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11, B206090002

B206070466 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J. P. Division of Emergency Preparedness & Operational Support 82/05/12 PARKER, W. D. Duke Power Co 1p 13374 214 24X
Fiche 50-000, 82/05/12, B206070466

B206040207 Forwards Revision 13 to security plan. Revision withheld (ref 10CFR73.21).
PARKER, W. D. Duke Power Co 82/05/20 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 1p 13359 117, 24X
Fiche 50-369, 82/05/20, B206040207

B206020034 Releases public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures.
FELTON, J. M. Division of Rules and Records 82/05/25, Document Management Branch 1p 13338 061 24X Fiche 50-000, 82/05/25, B206020034

--B206020041 Forwards public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures.
PARKER, W. D. Duke Power Co 82/05/07, DENTON, H. R. Office of Nuclear Reactor Regulation, Director 3pp 13338 062 24X
Fiche 50-000, 82/05/25, B206020034

--B206020047 Public version of Revision 4 to crisis mgt plan One oversize brochure encl. Aperture cards available in PDR.
* Duke Power Co 82/04/15 80pp 13338.065 24X
Fiche 50-000, 82/05/25, B206020034

--B206020058 Public version of revised crisis mgt plan implementing plans/procedures, including Procedures 5.3.1 re recovery manager & immediate staff group plan, 5.3.7 re technical support group & 5.3.16 re quarterly inventory.
* Duke Power Co 82/04/30 150pp 13338 145 24X
Fiche 50-000, 82/05/25, B206020034

--B206020063 Public version of revised emergency plan implementing procedures, consisting of Station Directives 2.5.1 re emergency response training program & 3.8.2 re station emergency organization.
* Duke Power Co 82/05/05 23pp 13338 342 24X
Fiche 50-000, 82/05/25, B206020034

B206160366 Releases public version of revised emergency plan implementing procedures.
FELTON, J. M. Division of Rules and Records 82/06/16 Document Management Branch 1p 13542 080 24X Fiche 50-369, 82/06/16, B206160366

--B206160377 Forwards public version of revised emergency plan implementing procedures, including Station Directive 3.7.3, "Bomb Threat/Bomb Search Plan" & Procedures PT/O/A/4600/06, "Exercises & Drills" & EP/O/A/5000/08, "General Emergency".
PARKER, W. D. Duke Power Co 82/05/28 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 2pp 13542 081 24X
Fiche 50-369, 82/06/16, B206160366

--B206160387 Public version of revised emergency plan implementing procedures, including Station Directive 3.7.3, "Bomb Threat/Bomb Search Plan" & Procedures PT/O/A/4600/06, "Exercises & Drills" & EP/O/A/5000/08, "General Emergency".
* Duke Power Co 82/05/18 125pp 13542 083 24X
Fiche 50-369, 82/06/16, B206160366

G Adjudicatory correspondence

B206020094 Responds to FOIA request for studies or documents re susceptibility of BWR pressure vessels to pressurized thermal shock phenomenon identified in PWRs. Forwards documents listed in App A.
FELTON, J. M. Division of Rules and Records 82/02/22 HIATT, S. L. Affiliation Unknown 3pp 13333 321 24X Fiche 50-369, 82/02/22, B206020094

--B206020106 Order authorizing issuance of full power, full term license to DPC, conforming to terms of B10609 draft license. Related info encl.
CHILK, S. J. Office of the Secretary of the Commission 81/06/24 HENDRIE, J. M., OILINSKY, V., BRADFORD, P. A. Commissioners 13pp 13333-327 24X Fiche 50-369, 82/02/22, B206020094

B206170078 Order extending time until B20617 for Commission to decide whether to review ALAB-669.
CHILK, S. J. Office of the Secretary of the Commission 82/06/10 Commissioners 1p 13529 358 24X Fiche 50-369, 82/06/10, B206170078

B206210268 Order extending time until B20624 for Commission to determine whether to review ALAB-669.
CHILK, S. J. Office of the Secretary of the Commission 82/06/17 Commissioners 1p 13599 073 24X Fiche 50-369, 82/06/17, B206210268

B206280220 Order extending time until B20701 for Commission to review ALAB-669.
CHILK, S. J. Office of the Secretary of the Commission 82/06/24 Commissioners 1p 13624 170 24X Fiche 50-369, 82/06/24, B206280220

P Operating license stage documents & correspondence

B206020089 FOIA request for studies or documents re susceptibility of BWR pressure vessels to pressurized thermal shock phenomenon identified in PWRs. Commission B10629 decision, secy & nureg totaling 13 documents.
HIATT, S. L. Affiliation Unknown 81/12/22 Office of Administration 2pp 13333-319 24X Fiche 50-369, 81/12/22, B206020089

B206020094 Responds to FOIA request for studies or documents re susceptibility of BWR pressure vessels to pressurized thermal shock phenomenon identified in PWRs. Forwards documents listed in App A.
FELTON, J. M. Division of Rules and Records 82/02/22 HIATT, S. L. Affiliation Unknown 3pp 13333 321 24X Fiche 50-369, 82/02/22, B206020094

DOCKETED ITEMS

20

8206070585 Forwards response to Section 2 I-3 of NRC 801222 generic ltr re NUREG-0612, control of heavy loads Two oversize drawings encl. Aperture cards are available in PDR
PARKER, W O Duke Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAM, E O Licensing Branch 4 124pp 13372 068 24X Fiche 50-369, 82/06/04, 8206070585

8206080373 Forwards response to Generic Ltr 82-10 re NUREG-0737 items scheduled after 820301
PARKER, W O Duke Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAM, E O Licensing Branch 4 4pp 13416 017 24X Fiche 50-369, 82/06/04, 8206080373

8206150345 Application for amend to License NPF-9 consisting of 72-h exemption from Tech Specs allowing operation at full power while repairing RHR HX seismic supports
THIES, A C Duke Power Co 82/06/09 ADENSAM, E O Licensing Branch 4 3pp 13503 274 24X Fiche 50-369, 82/06/09, 8206150345

--8206150349 Proposed Tech Specs allowing 72-h operation at full power while repairing RHR HX seismic supports
* Duke Power Co 82/06/09 1p 13503 277 24X Fiche 50-369, 82/06/09, 8206150349

8206160138 Confirms 820609 telcon authorization of amend to License NPF-9, allowing inoperability of RHR exchangers seismic support sys from 820609-12 Amend, safety evaluation & FR notice forthcoming
TEDESCO, R L Assistant Director for Licensing 82/06/10 PARKER, W O Duke Power Co 2pp 13338 181 24X Fiche 50-369, 82/06/10, 8206160138

8206220381 Forwards updated responses to "Duke Power Co, McGuire Nuclear Station, Response to TMI Concerns " Revision responds to specific implementation of various action plan/NUREG-0737 items for Unit 2
PARKER, W O Duke Power Co 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAM, E O Licensing Branch 4 29pp 13581 338 24X Fiche 50-369, 82/06/18, 8206220381

8206250364 Approves until 820430 request for withholding "McGuire 75% Power Level Steam Generator Tube Wear Estimates," per 10CFR2 790
ADENSAM, E O Licensing Branch 4 82/06/22 PARKER, W O Duke Power Co 2pp 13630 051 24X Fiche 50-369, 82/06/22, 8206250364

8206300355 Forwards documents in response to NRC 820125 & 0325 requests for addl info re NUREG-0988 Info includes proprietary rept ER-252, "Electrical Penetrations," & "Low Voltage Power & Control (Types B, C, D, E, F & G) " W/O encls
PARKER, W O Duke Power Co 82/06/22 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAM, E O Licensing Branch 4 2pp 13456 326 24X Fiche 50-369, 82/06/22, 8206300355

Q Inspection reports, IE Bulletins & correspondence

8206070491 Forwards IE Insp Repts 50-369/82-12 & 50-370/82-09 on 820324-0416 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/10, PARKER, W O Duke Power Co 2pp 13374 245 24X Fiche 50-369, 82/05/10, 8206070491

--8206070497 IE Insp Repts 50-369/82-12 & 50-370/82-09 on 820324-0416 No noncompliance noted Major areas inspected operational safety, maint, surveillance, significant event followup & inspector followup items
BEMIS, P R, HOPKINS, P C, BRYANT, J C Division of Project & Resident Programs 82/05/07 6pp 13374, 247 24X Fiche 50-369, 82/05/10, 8206070491

8206070751 Ack receipt of IE Insp Rept 50-369/82-10 No proprietary info
PARKER, W O Duke Power Co 82/05/14 O'REILLY, J P Region 2, Office of Director 1p 13387 078 24X Fiche 50-369, 82/05/14, 8206070751

8206070288 Forwards Revision 5 to response to IE Bulletin 79-02 Changes limited to anchor bolt safety factor analysis Revised pages should be inserted in 801208 submittal
PARKER, W O Duke Power Co 82/05/21 O'REILLY, J P Region 2, Office of Director 19pp 13368 248 24X Fiche 50-369, 82/05/21, 8206070288

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp, 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206070819 Ack receipt of 820506 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-369/82-09
LEWIS, R C Division of Project & Resident Programs 82/05/28 PARKER, W O Duke Power Co 1p 13389 125 24X Fiche 50-369, 82/05/28, 8206070819

--8206070827 Forwards response to NRC 820406 ltr re violations noted in IE Insp Rept 50-369/82-09 Corrective actions dynamic rod drop test will be rerun to verify wastehouse predictions that at least three of four channels will trip
PARKER, W O Duke Power Co 82/05/06 O'REILLY, J P Region 2, Office of Director 3pp 13387 124 24X Fiche 50-369, 82/05/28, 8206070819

--8206070837 Forwards IE Insp Rept 50-369/82-09 on 820308-12 & notice of violation
LEWIS, R C Division of Project & Resident Programs 82/04/06 PARKER, W O Duke Power Co 2pp 13389 129 24X Fiche 50-369, 82/05/28, 8206070819

--8206070840 Notice of violation from insp on 820308-12
* Division of Project & Resident Programs 82/04/06 1p 13389 131 24X Fiche 50-369, 82/05/28, 8206070819

---8206070849 IE Insp Rept 50-369/82-09 on 820308 Noncompliance noted dynamic rod drop test procedure TP/1A/2150/08 changed in nonconservative manner w/o approval
BURNETT, P T, JAPE, F Division of Engineering & Technical Programs 82/04/01 App. 13389 132 24X Fiche, 50-369, 82/05/28, 8206070819

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150. 24X Fiche 50-000, 82/06/02, 8204210380

8206220333 Ack receipt of IE Insp Repts 50-369/82-13 & 50-370/82-07. No proprietary info
PARKER, W O Duke Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 1p 13581 273 24X Fiche 50-369, 82/06/03, 8206220333

8206170084 Ack receipt of IE insp rept on 820325-0401 No proprietary info Technical errors noted in insp rept submitted.
PARKER, W O Duke Power Co 82/06/09 DEYOUNG, R C, HEISHMAN, R F, Director's Office, Office of Inspection and Enforcement 2pp, 13529, 355 24X Fiche 50-369, 82/06/09, 8206170084

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat by Workers," Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

R. Periodic operating reports & related correspondence

8206210201 Forwards monthly operating rept for May 1982.
PARKER, W O Duke Power Co 82/06/15 Director's Office, Office of Inspection and Enforcement 1p 13564 300 24X Fiche 50-369, 82/06/15, 8206210201

--8206210204 Monthly operating rept for May 1982
REAVIS, J A Duke Power Co 82/06/15, 6pp. 13564, 301, 24X Fiche 50-369, 82/06/15, 8206210201

8206220149 Forwards facility operating experience rept for Jan 1981-Jan 1982, including info provided by Region 2
BIRKEL, R Licensing Branch 4 82/06/18 ADENSAM, E O, Licensing Branch 4. 5pp 13591 297. 24X Fiche 50-369, 82/06/18, 8206220149

S Reportable occurrences, LERs & related correspondence

8206010223 Forwards LER 82-026/03L-0.
PARKER, W O Duke Power Co 82/04/23 O'REILLY, J P, Region 2, Office of Director 1p 13300 076 24X Fiche, 50-369, 82/04/23, 8206010223

--8206010228 LER 82-026/03L-0, on 820326, while in mode I, EMF monitors 31 & 37 declared inoperable due to loss of alarm received in control room, caused by failed air pump due to worn pump vanes. New vanes installed & pump returned to svc.
NARDOCI, P B Duke Power Co 82/04/23 Region 2, Office of Director 1p 13300 077 24X Fiche 50-369, 82/04/23, 8206010223

DOCKETED ITEMS

8206010675 RO 369/82-27 on 820326, accident monitoring instrumentation channels listed in Table 3 3-10 inoperable Complete rept will be submitted by 820510
PARKER, W O Duke Power Co 82/04/23 O'REILLY, J P Region 2, Office of Director 1p 13314 243 24X Fiche 50-369, 82/04/23, 8206010675

8206010172 Forwards LER 82-032/03L-0
PARKER, W O Duke Power Co 82/05/14 O'REILLY, J P Region 2, Office of Director 1p 13307 207 24X Fiche 50-369, 82/05/14, 8206010172

--8206010178 LER 82-032/03L-0 on 820415, snubber restored to operability after being removed on 820408 w/o being declared inoperable Caused by lack of administrative controls allowing rescheduling of work request w/unreviewed job changes
NARDOLCI, P B Duke Power Co 82/05/14 Region 2, Office of Director 1p 13307 208 24X Fiche 50-369, 82/05/14, 8206010172

8206070333 RO 369/82-33 on 820424, RCS lowest operating loop temp fell below Tech Spec limits Investigation in progress Next rept by 820604
PARKER, W O Duke Power Co 82/05/24 O'REILLY, J P Region 2, Office of Director 1p 13363 072 24X Fiche 50-369, 82/05/24, 8206070333

8206070310 Forwards LER 82-034/03L-0
PARKER, J P Duke Power Co 82/05/25 O'REILLY, J P Region 2, Office of Director 1p 13363 042 24X Fiche 50-369, 82/05/25, 8206070310

--8206070322 LER 82-034/03L-0 on 820425 & 26, diesel generator Halon fire protection sys declared inoperable due to loss of nitrogen pressure Caused by metal burr on Halon sys nitrogen cylinder connector Burr removed & threads cleaned
NARDOLCI, P B Duke Power Co 82/05/25 Region 2, Office of Director 1p 13363 043 24X Fiche 50-369, 82/05/26, 8206070310

8206210059 Forwards LER 82-033/03L-0
PARKER, W O Duke Power Co. 82/06/04 O'REILLY, J P Region 2, Office of Director 1p 13560 031 24X Fiche 50-369, 82/06/04, 8206210059

--8206210063 LER 82-033/03L-0 on 820424, during power escalation after startup, reactor coolant loop temp dipped below Tech Spec min No cause identified, Temp average restored within 3 minutes
NARDOLCI, P B Duke Power Co 82/06/04 Region 2, Office of Director 1p 13560 032 24X Fiche 50-369, 82/06/04, 8206210059

8206300247 Forwards LER 82-035/03L-0
PARKER, W O Duke Power Co. 82/06/16 O'REILLY, J P Region 2, Office of Director 1p 13653 323, 24X Fiche 50-369, 82/06/16, 8206300247

--8206300253 LER 82-035/03L-0 on 820517, in mode 1, containment ventilation unit condensate drain tank composite sampler declared inoperable due to loss of continuous sampling capacity Caused by improper adjustment of pressure regulator valve
NARDOLCI, P B Duke Power Co 82/06/16 Region 2, Office of Director 1p 13653 324 24X Fiche 50-369, 82/06/16, 8206300247

8206300240 Forwards LER 82-036/03L-0
PARKER, W O Duke Power Co 82/06/18 O'REILLY, J P Region 2, Office of Director 1p 13653 330 24X Fiche 50-369, 82/06/18, 8206300240

--8206300245 LER 82-036/03L-0 on 820521, during diesel generator load sequencer 1B test, one timer failed to pick up load within allowable tolerance Caused by instrument drift Timer recalibr & test completed satisfactorily
NARDOLCI, P B Duke Power Co. 82/06/18 Region 2, Office of Director 1p 13653 331 24X Fiche 50-369, 82/06/18, 8206300240

DOCKET 50-370 WILLIAM B MCQUIRE NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206020089 FOIA request for studies or documents re susceptibility of BWR pressure vessels to pressurized thermal shock phenomenon identified in PWRs, Commission 810629 decision, secys & nuregs totaling 13 documents
HIATT, S L. Affiliation Unknown. 81/12/22 Office of Administration 2pp 13333 319 24X Fiche 50-369, 81/12/22, 8206020089

8206020094 Responds to FOIA request for studies or documents re susceptibility of BWR pressure vessels to pressurized thermal shock phenomenon identified in PWRs Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/02/22 HIATT, S L Affiliation Unknown 3pp 13333 321 24X Fiche 50-369, 82/02/22, 8206020094

8206070585 Forwards response to Section 2 1-3 of NRC 801222 generic Ltr re NUREG-0512, control of heavy loads Two oversite drawings encl Aperture cards are available in PDR
PARKER, W O Duke Power Co 82/06/04 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAH, E O Licensing Branch 4 124pp 13372 068 24X Fiche 50-369, 82/06/04, 8206070585

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPARD, A Consolidated Edison Co. of New York WALLER, O E Illinois Power Co CAPONE, D W Union Electric Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206220381 Forwards updated responses to "Duke Power Co, McQuire Nuclear Station, Response to TMI Concerns" Revision responds to specific implementation of various action plan/NUREG-0737 items for Unit 2
PARKER, W O Duke Power Co 82/06/18 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAH, E O Licensing Branch 4 29pp 13581 338 24X Fiche 50-369, 82/06/18, 8206220381

8206300355 Forwards documents in response to NRC 820125 & 0325 requests for addl info re NUREG-0588 Info includes proprietary rept ER-252, "Electrical Penetrations," & "Low Voltage Power & Control (Types B, C, D, E, F & G)" W/o encls
PARKER, W O Duke Power Co 82/06/22 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAH, E O Licensing Branch 4 2pp 13656 326 24X Fiche 50-369, 82/06/22, 8206300355

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N D Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 9pp 13454 006 24X Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director 81/03/01 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys Facility test info encl
STORR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 3pp 13454 237 24X Fiche 50-000, 82/05/11, 8206090002

8206070466 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl
STORR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PARKER, W O Duke Power Co 1p 13374 214 24X Fiche 50-000, 82/05/12, 8206070466

8206040207 Forwards Revision 13 to security plan Revision withheld (ref 10CFR73 21)
PARKER, W O Duke Power Co 82/05/20 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13359 117 24X Fiche 50-369, 82/05/20, 8206040207

8206020034 Releases public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McQuire emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13339 061 24X Fiche 50-000, 82/05/25, 8206020034

DOCKETED ITEMS

269

--B206020041 Forwards public version of crisis mgt plan, revised crisis mgt plan implementing plans/procedures & revised McGuire emergency plan implementing procedures
PARKER, W O Duke Power Co 82/05/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13338 062 24X
Fiche 50-000, 82/05/25, 8206020034

--B206020047 Public version of Revision 4 to crisis mgt plan One oversize brochure encl Aperture cards available in PDR
* Duke Power Co 82/04/15 80pp 13338 065 24X
Fiche 50-000, 82/05/25, 8206020034

--B206020058 Public version of revised crisis mgt plan implementing plans/procedures, including Procedures 5 3 1 re recovery manager & immediate staff group plan, 5 3 7 re technical support group & 5 3 16 re quarterly inventory
* Duke Power Co 82/04/30 150pp 13338 145 24X
Fiche 50-000, 82/05/25, 8206020034

--B206020063 Public version of revised emergency plan implementing procedures, consisting of Station Directives 2 5 1 re emergency response training program & 3 8 2 re station emergency organization
* Duke Power Co. 82/05/05 23pp 13338 342 24X
Fiche 50-000, 82/05/25, 8206020034

B206160366 Releases public version of revised emergency plan implementing procedures
FELTON, J M Division of Rules and Records 82/06/16 Document Management Branch 1p 13942 080 24X Fiche 50-369, 82/06/16, 8206160366

--B206160377 Forwards public version of revised emergency plan implementing procedures, including Station Directive 3 7 3, "Bomb Threat/Bomb Search Plan" & Procedures PT/O/A/4600/06, "Exercises & Drills" & EP/O/A/5000/08, "General Emergency"
PARKER, W O Duke Power Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13942 081 24X
Fiche 50-369, 82/06/16, 8206160366

--B206160387 Public version of revised emergency plan implementing procedures, including Station Directive 3 7 3, "Bomb Threat/Bomb Search Plan" & Procedures PT/O/A/4600/06, "Exercises & Drills" & EP/O/A/5000/08, "General Emergency"
* Duke Power Co 82/05/18 125pp 13942 083 24X
Fiche 50-369, 82/06/16, 8206160366

O Adjudicatory correspondence

B206020094 Responds to FOIA request for studies or documents re susceptibility of BHR pressure vessels to pressurized thermal shock phenomenon identified in PWRs Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/02/22, HIATT, S L Affiliation Unknown 3pp 13333 321 24X Fiche 50-369, 82/02/22, 8206020094

--B206020106 Order authorizing issuance of full power, full term license to DFC, conforming to terms of 810609 draft license Related info encl
CHILK, S J Office of the Secretary of the Commission. 81/06/29, HENDRIE, J M, GILINSKY, V, BRADFORD, P A. Commissioners 13pp 13333 327 24X Fiche 50-369, 82/02/22, 8206020094

B206170078 Order extending time until 820617 for Commission to decide whether to review ALAB-669
CHILK, S J Office of the Secretary of the Commission 82/06/10 Commissioners 1p 13529 358 24X Fiche 50-369, 82/06/10, 8206170078

B206210268 Order extending time until 820624 for Commission to determine whether to review ALAB-669.
CHILK, S J Office of the Secretary of the Commission 82/06/17 Commissioners 1p 13539 073 24X Fiche 50-369, 82/06/17, 8206210268

B206280220 Order extending time until 820701 for Commission to review ALAB-669.
CHILK, S J Office of the Secretary of the Commission 82/06/24 Commissioners 1p 13624 170 24X Fiche 50-369, 82/06/24, 8206280220

O Inspection reports, IE Bulletins & correspondence

B206070491 Forwards IE Insp Repts 50-369/82-12 & 50-370/82-09 on 820324-0416, No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/10, PARKER, W O, Duke Power Co 2pp 13374, 243. 24X
Fiche 50-369, 82/05/10, 8206070491

--B206070497 IE Insp Repts 50-369/82-12 & 50-370/82-09 on 820324-0416 No noncompliance noted Major areas inspected operational safety, maint, surveillance, significant event followup & inspector followup items
BEHIS, P R, HOPKINS, P C, BRYANT, J C Division of Project & Resident Programs 82/05/07 6pp 13374 247 24X
Fiche 50-369, 82/05/10, 8206070491

B206070744 Ack receipt of IE Insp Rept 50-370/82-06 No proprietary info
PARKER, W O Duke Power Co 82/05/12 O'REILLY, J P Region 2, Office of Director 1 13389 152 24X Fiche 50-370, 82/05/12, 8206070744

B206070288 Forwards Revision 5 to response to IE Bulletin 79-02 Changes limited to anchor bolt safety factor analysis Revised pages should be inserted in 801208 submittal
PARKER, W O Duke Power Co 82/05/21 O'REILLY, J P Region 2, Office of Director 19pp, 13368 248 24X Fiche 50-369, 82/05/21, 8206070288

B206070798 Ack receipt of IE Insp Rept 50-370/82-05 No proprietary info
PARKER, W O Duke Power Co. 82/05/27 O'REILLY, J P Region 2, Office of Director, 1p 13387 357 24X Fiche 50-370, 82/05/27, 8206070798

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

B206220333 Ack receipt of IE Insp Repts 50-369/82-13 & 50-370/82-07 No proprietary info
PARKER, W O Duke Power Co 82/06/03 O'REILLY, J P Region 2, Office of Director 1p 13581 273 24X Fiche 50-369, 82/06/03, 8206220333

B206170084 Ack receipt of IE insp rept on 820325-0401 No proprietary info Technical errors noted in insp rept submitted.
PARKER, W O Duke Power Co 82/06/09 DEYOUNG, R C, HEISHMAN, R F Director's Office, Office of Inspection and Enforcement 2pp, 13529, 355. 24X Fiche 50-369, 82/06/09, 8206170084

B204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11, 106pp 13673 258. 24X Fiche 50-000, 82/06/11, 8204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-371 TECHNICAL UNIV OF MUNICH RESEARCH REACTOR

C Utility Environmental Report (ER), amends & correspondence

B206020259 Informs of approval of 820317 exemption requests re receipt measurements & limits of errors on shipments
EVANS, L J Fuel Facility Safeguards Licensing Branch. 82/04/15 KIRK, W F United Nuclear Corp. App. 13334 290 24X
Fiche: 50-371, 82/04/15, 8206020259

DOCKET 50-373 LABALLE COUNTY STATION, UNIT 1

A Application/construction stage documents & correspondence

B206070203 FOIA request for documents re const of facilities.
KODNER, J L Tuttt & Kodner. 82/03/30 Division of Rules and Records 3pp 13425 001 24X Fiche 50-373, 82/03/30, 8206070203

B206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app Financial info in Documents 3-54,3-55 & 3-11 deleted.
 FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M
 Kirkpatrick, Lockhart, Hall, Christopher & Phillips 21pp
 13604 044 24X Fiche 50-000, 82/04/29, B206230007

--B102230492 Forwards requests for addl info re additions to recently review Q-lists. Requests should be transmitted to applicants or licensees at earliest convenience.
 NOONAN, V S Assistant Director for Materials & Qualifications
 Engineering 81/02/02 TEDESCO, R L Assistant Director for
 Licensing 4pp 13605 207 24X Fiche 50-000, 82/04/29, B206230007

B206070211 Responds to FOIA request for documents re const of plants. Forwards documents listed in App A info partially withheld (ref FOIA Exemption 7).
 FELTON, J M Division of Rules and Records 82/05/11 KODNER, J L
 Tutt & Kodner 5pp 13425 004 24X Fiche 50-373, 82/05/11, B206070211.

--B206070222 Submits investigation plan & schedule re OAD findings disclosed during review of Region 3 insp & const activities at facility & statements taken from site const personnel. Confidential info deleted.
 HEISHMAN, R F Region 3, Chicago, Reactor Construction & Engineering Support Branch 78/02/02 NORELIUS, C E Region 3, Chicago, Office of the Director 18pp, 13425 009 24X Fiche 50-373, 82/05/11, B206070211

--B206070228 Discusses allegations re design & welding of electrical cable tray supports within containment, per telcon w/ HP Foley Co electrician.
 HAYES, D W Region 3, Chicago, Office of the Director 78/01/31 HEISHMAN, R F Region 3, Chicago, Office of the Director 1p 13425-027 24X Fiche 50-373, 82/05/11, B206070211

--B203230211 Expresses concern re drilling of holes through rebar to install electrical equipment.
 GOODIE, J S Illinois, State of 82/03/18 BURNIA, A Office of Nuclear Reactor Regulation, Director 2pp 13425 028 24X Fiche: 50-373, 82/05/11, B206070211

--B206070235 Forwards memos re allegations concerning core drilling through rebar. Incident transferred due to high priority & availability of investigators, per B20322 discussions. Assistance request form encl.
 WARNICK, R F Region 3, Office of Director 82/03/25 NORELIUS, C E Division of Engineering & Technical Programs 2pp 13425 030 24X Fiche 50-373, 82/05/11, B206070211

--B206070239 Summarizes B20306 & 08 telcons w/J Goodie of IL Atty General ofc re allegations concerning core drilling through rebar in reactor & offgas bldg at facility. Problem seems to be generic to plant.
 FOSTER, J E Region 3, Office of Director 82/03/13 Region 3, Office of Director 2pp 13425-032 24X Fiche 50-373, 82/05/11, B206070211

--B206070242 Summarizes B20126 telcon w/D Longene of Channel 5 TV re allegations concerning const & installation of conduit & radiation monitors in offgas bldg at facility.
 WARNICK, R F Region 3, Chicago, Office of the Director (81/03/01), 82/01/28, Region 3, Chicago, Office of the Director (81/03/01), 2pp 13425 034 24X Fiche 50-373, 82/05/11, B206070211

--B206070246 Summarizes B20204 telcon w/D Longene of Channel 5 TV re allegations concerning installation of conduit & radiation monitors in offgas bldg. Info may be related to TV-5 story aired on B20204.
 FOSTER, J E Region 3, Office of Director 82/02/10 Region 3, Office of Director 2pp 13425 035, 24X Fiche 50-373, 82/05/11, B206070211

--B206070256 Offgas bldg roof rept.
 SHAHLIN, D NRC - No Detailed Affiliation Given 82/03/29, 2pp, 13425:038 24X Fiche: 50-373, 82/05/11, B206070211

--B206070258 Discusses B20326 contact w/J Goodie of IL Atty General's Ofc re State of IL petition resulting from allegation concerning facilities.
 FOSTER, J E Region 3, Office of Director, 82/03/31 Region 3, Office of Director 1p 13425 043 24X Fiche 50-373, 82/05/11, B206070211

--B206070266 Specs for concrete expansion anchor work.
 * Sargent & Lundy, Inc 76/09/23 400pp, 13425 121 24X Fiche: 50-373, 82/05/11, B206070211.

--B206070272 Forwards request to institute show cause proceeding & for other relief.
 GOODIE, J S Illinois, State of, 82/03/24 Docketing & Services Branch 1p 13425 326 24X Fiche: 50-373, 82/05/11, B206070211.

--B206070275 Request to institute show cause proceeding & for other relief to immediately suspend consideration of util request for fuel loading & low power testing in light of newly discovered safety issues.
 FAHNER, T C Illinois, State of 82/03/24 Commissioners 28pp 13425 327 24X Fiche 50-373, 82/05/11, B206070211

F Security, medical, emergency & fire protection plans

B206040256 Advises that emergency preparedness exercise has been rescheduled to Apr 1982.
 SAROENT, C E Commonwealth Edison Co 82/01/18 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13358 034 24X Fiche 50-373, 82/01/18, B206040256

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A. Documents also available in PDR.
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G Dabovise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090011 List of facilities completing emergency preparedness activities by B10701.
 * NRC - No Detailed Affiliation Given 82/05/11 7pp 13454 006 24X Fiche 50-000, 82/05/11, B206090002

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees.
 PAPERIELLO, C J Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, S L Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees. FEMA estimates approx 63% of reviews of proposed sys now complete.
 HIND, J A Division of Emergency Preparedness & Operational Support 82/01/05 GRIMES, B K Division of Emergency Preparedness 4pp 13454 133 24X Fiche 50-000, 82/05/11, B206090002

B206020124 Releases public version of revised LZF procedures.
 FELTON, J M Division of Rules and Records 82/05/25 Document Management Branch 1p 13333 129 24X Fiche 50-373, 82/05/25, B206020124

--B206020138 Forwards public version of revised LZF procedures, including Procedures LZF 1330-25 re sampling of reactor coolant at high radiation sample sys & LZF 1330-26 re sampling of containment air at high radiation sampling sys.
 HOLYAK, R H Commonwealth Edison Co 82/04/01 Office of Nuclear Reactor Regulation, Director 1p 13333 130, 24X Fiche: 50-373, 82/05/25, B206020124

--B206020191 Public version of revised LZF procedures, including Procedures LZF 1330-25 re sampling of reactor coolant at high radiation sample sys & LZF 1330-26 re sampling of containment air at high radiation sampling sys. Index encl.
 * Commonwealth Edison Co 82/03/19, 86pp 13333 131 24X Fiche 50-373, 82/05/25, B206020124

B206180266 Forwards post-exercise evaluation conducted B01204. State of IL successfully protected public 5 wks prior to exercise. State & county demonstrated improved capability to protect public health & safety in nuclear accident on B10930.
 KRITTM, R H Federal Emergency Management Agency 82/05/26 GRIMES, B Division of Emergency Preparedness 1p 13545 290 24X Fiche: 50-373, 82/05/26, B206180266

B206070173 Releases public version of 10CFR50.59 format for safety evaluation of revised LZF test/procedure.
 FELTON, J M Division of Rules and Records, 82/05/27 Document Management Branch 1p, 13427 225 24X Fiche 50-373, 82/05/27, B206070173

--B206070181 Public version of 10CFR50.59 format for safety evaluation of Revision 4 to Test/Procedure LZF 1320-1, "Augmentation of Plant Staffing".
 BRYANT, L Commonwealth Edison Co, 82/05/17 2pp 13427 226 24X Fiche 50-373, 82/05/27, B206070173

B206070218 Releases public version of revised LZF procedures.
 FELTON, J M Division of Rules and Records 82/05/27, Document Management Branch 1p 13427 152 24X Fiche: 50-373, 82/05/27, B206070218

- B206070225 Forwards public version of revised LZF procedures, including Procedures LZF 1330-21 re determination of reactor coolant chloride concentration at high radiation sampling sys Receipt form encl HOLYOAK, R H Commonwealth Edison Co 82/05/13 Office of Nuclear Reactor Regulation, Director 1p 13427 153 24X Fiche 50-373, 82/05/27, B206070218
- B206070229 Public version of revised LZF procedures, including Procedure LZF 1330-21 re determination of reactor coolant chloride concentration at high radiation sampling sys Revised index encl * Commonwealth Edison Co 82/05/07 57pp 13427 154 24X Fiche 50-373, 82/05/27, B206070218
- B206070232 Releases public version of revised emergency plan LZF procedure FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p 13427 264 24X Fiche 50-373, 82/05/27, B206070232
- B206070238 Forwards public version of Revision 3 to Emergency Plan LZF Procedure LZF 1320-1, "Augmentation of Plant Staffing " Receipt form encl HOLYOAK, R H Commonwealth Edison Co. 82/05/05 Office of Nuclear Reactor Regulation, Director 1p 13427 265 24X Fiche 50-373, 82/05/27, B206070232
- B206070241 Public version of Revision 3 to Emergency Plan LZF Procedure LZF 1320-1, "Augmentation of Plant Staffing " Revised index encl * Commonwealth Edison Co 82/04/01 18pp 13427 266 24X Fiche 50-373, 82/05/27, B206070232
- B206080022 Releases public version of 10CFR50 59 format for safety evaluation of revised LZF procedures FELTON, J M Division of Rules and Records 82/05/27 Document Management Branch 1p 13441 028 24X Fiche 50-373, 82/05/27, B206080022
- B206080024 Public version of 10CFR50 59 format for safety evaluation of revised LZF procedures, including Procedures LZF 1330-21 re determination of reactor coolant chloride concentration at high radiation sampling sys KNOLL, P, MARSHALL, J Commonwealth Edison Co 82/05/07 8pp 13441 029 24X Fiche 50-373, 82/05/27, B206080022
- B206070809 Informs that deficiencies identified during initial testing of prompt public notification sys for facilities documented in util B20216 ltr have been corrected prior to B20601, DELGEORGE, L O Commonwealth Edison Co 82/05/28 KCPPLER, J, O Region 3, Office of Director 2pp 13389 115 24X Fiche 50-000, 82/05/28, B206070809
- B206140060 Discusses status of proposed formal submission of IL state plan for radiological accidents Deficiencies corrected on B20414 Protective measures will be applied offsite in event of radiological emergency Formal approval expected. KRIMM, R W Federal Emergency Management Agency 82/06/01 GRINES, B Division of Emergency Preparedness, 1p. 13484 275. 24X Fiche. 50-373, 82/06/01, B206140060
- B206180213 Approves State of IL & local plans Plans & preparedness for offsite protection adequate to protect public health & safety subj to FEMA verification of adequacy of alerting & notification sys. THOMAS, L M Federal Emergency Management Agency 82/06/04 DIRCKS, W J Office of the Executive Director for Operations 1p 13554 318 24X Fiche 50-373, 82/06/04, B206180213
- B206140296 Releases public version of revision to LZF test procedure FELTON, J M Division of Rules and Records 82/06/08 Document Management Branch 1p 13509 049 24X Fiche 50-373, 82/06/08, B206140296
- B206140300 Forwards public version of LZF-1200-2, Revision 1, "Classification of Noble Gas Release " Safety evaluation format & check list encl * Commonwealth Edison Co. 82/05/24, NRC - No Detailed Affiliation Given 3pp 13509 050 24X Fiche 50-373, 82/06/08, B206140296
- B206140304 Public version of LZF-1200-2, Revision 1, "Classification of Noble Gas Release." Revised index encl. * Commonwealth Edison Co. 82/05/06 5pp 13509 053 24X Fiche 50-373, 82/06/08, B206140296
- B206170201 Tech Spec Change Request NPF-11/82-5 amending License NPF-11 to revise fire detector tables re addl detectors installed per installation of general sprinkler sys SCHROEDER, C W Commonwealth Edison Co 82/06/14 SCHWENCER, A Licensing Branch 2 4pp 13535 167 24X Fiche 50-373, 82/06/14, B206170201.
- B206170205 Proposed Tech Spec changes re fire detector tables reflecting addl detectors * Commonwealth Edison Co 82/06/14 15pp 13535 171. 24X Fiche 50-373, 82/06/14, B206170201
- B206170350 Forwards Revision 12 to physical security plan Revision withheld (ref 10CFR73 21) DELGEORGE, L O Commonwealth Edison Co 82/06/16 DENTON, H Office of Nuclear Reactor Regulation, Director 1p 13531 303 24X Fiche 50-373, 82/06/16, B206170350
- B206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to 0A program for meteorological monitoring programs SCHROEDER, C W Commonwealth Edison Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13600 319 24X Fiche 50-000, 82/06/16, B206240332.
- B206230021 Releases public version of generating stations emergency plan telephone directory FELTON, J M Division of Rules and Records 82/06/17, Document Management Branch 1p 13594 073. 24X Fiche 50-000, 82/06/17, B206230021
- B206230032 Forwards public version of generating stations emergency plan telephone directory MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC - No Detailed Affiliation Given 1p 13594 074 24X Fiche 50-000, 82/06/17, B206230021.
- B206230037 Public version of generating stations emergency plan telephone directory * Commonwealth Edison Co 82/05/28 40pp 13594 076. 24X Fiche 50-000, 82/06/17, B206230021.
- B206240032 Releases public version of generating stations emergency plan telephone directory FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13617 336. 24X Fiche. 50-000, 82/06/18, B206240032
- B206240049 Public version of generating stations emergency plan telephone directory * Commonwealth Edison Co 82/05/28 41pp 13617 337 24X Fiche. 50-000, 82/06/18, B206240032
- B206280674 Releases public version of LZF procedures manual offsite notification forms FELTON, J M Division of Rules and Records 82/06/22 Document Management Branch 1p 13630 189. 24X Fiche 50-373, 82/06/22, B206280674
- B206280679 Forwards public version of LZF procedures manual offsite notification forms that have not been signed & returned Return of signed forms requested. * Commonwealth Edison Co 82/06/14 NRC - No Detailed Affiliation Given 2pp 13630 190 24X Fiche 50-373, 82/06/22, B206280674
- B206300112 Releases public version of revised generating station emergency plan environ director emergency plan implementing procedures FELTON, J M Division of Rules and Records 82/06/23 Document Management Branch. 1p 13695 001. 24X Fiche 50-000, 82/06/23, B206300112
- B206300121 Forwards public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data CICHY, O. Commonwealth Edison Co 82/06/08 Director's Office, Office of Inspection and Enforcement 2pp 13695 002. 24X Fiche 50-000, 82/06/23, B206300112
- B206300125 Public version of revised generating station emergency plan environ director emergency plan implementing procedures, including Revision 2 to Procedure ED-3 re demand polling of meteorological data LITERSKI, L. A Commonwealth Edison Co 82/06/02, 11pp 13695 004 24X Fiche 50-000, 82/06/23, B206300112
- 0 Adjudicatory correspondence
- B206170091 Order extending time until B20623 for Commission to decide whether to review Director of NRR partial denial of IL Friends of the Earth & B Rorem B20428 10CFR2, 206 request for action CHILK, B J Office of the Secretary of the Commission 82/06/14 Commissioners 1p. 13530 132 24X Fiche 50-373, 82/06/14, B206170091

3206280191 Informs that time for Commission to review Director's partial denial of 10CFR2.206 petition expired Commission declined review Decision became final agency action on 8/20/83
CHILK, B. J. Office of the Secretary of the Commission 82/06/25
ROREH, B. L. Friends of the Earth 1p 13624 206 24X
Fiche 50-373, 82/06/25, 8206280191

1 Insurance & indemnity information

3206250268 Forwards Endorsement 21 to NELIA Policy NF-253 & Endorsement 7 to MAELU Policy NF-104
OSTER, J. Commonwealth Edison Co 82/06/21 SALTZMAN, J. Office of State Programs, Director 3pp 13613 182 24X
Fiche 50-373, 82/06/21, 8206250268

2 Operating license stage documents & correspondence

3206070211 Responds to FOIA request for documents re const of plants Forwards documents listed in App A Info partially withheld (ref FOIA Exemption 7)
FELTON, J. M. Division of Rules and Records 82/05/11 KODNER, J. L. Tuttt & Kodner 5pp. 13425 004 24X Fiche 50-373, 82/05/11, 8206070211

--8206070263 Partial chronology re allegation concerning core drilling through rebar in reactor & offgas bldgs at facility Related info encl
* NRC - No Detailed Affiliation Given 82/05/11 72pp
13425 044. 24X Fiche 50-373, 82/05/11, 8206070211

3206010527 Forwards Sargent & Lundy responses to Teledyne open items & error deviation repts for facility independent design review. None of corrective actions required. Field changes
SHELTON, B. R. Commonwealth Edison Co 82/05/20 DELGEORGE, L. O. Commonwealth Edison Co 16pp 13314 300 24X Fiche 50-373, 82/05/20, 8206010527

3206290540 FOIA request for documents re creation, storage & disposal of radwastes at facilities
MCCULLOUGH, E. R. McCullough, E. R. 82/05/20 Division of Rules and Records 2pp 13658 299 24X Fiche 50-373, 82/05/20, 8206290540

3206020031 Agrees w/utill interpretation of Tech Spec re reporting requirements when special repts indicated in action statements
SCHWENCER, A. Licensing Branch 2. 82/05/21. DELGEORGE, L. O. Commonwealth Edison Co 4pp 13333 056 24X Fiche 50-373, 82/05/21, 8206020031

3206020459 Forwards Sargent & Lundy final supplemental responses to Teledyne Open Item Repts 21, 23 & 24 & Error/Deviation Repts 11 & 17 for LaSalle Independent Design Review.
SCHROEDER, C. W. Commonwealth Edison Co. 82/05/28 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 15pp. 13326 307 24X Fiche: 50-373, 82/05/28, 8206020459

3206040316 Forwards Final Rept TR-5539-2, "Independent Design Review, LaSalle County Nuclear Station 1"
SCHROEDER, C. W. Commonwealth Edison Co. 82/06/01 DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 2pp 13356 001. 24X Fiche: 50-373, 82/06/01, 8206040316

--8206040319 "Independent Design Review, LaSalle County Nuclear Station, Unit 1," final rept.
FLAHERTY, J. A. Teledyne Engineering Services. TR-5539-2 82/05/28 300pp 13356:003 24X Fiche 50-373, 82/06/01, 8206040316

3206070291 Summarizes 820520 presentation in Bethesda, MD re drywell/petwell vacuum breakers adequacy during pool swell, per NRC 820521 telcon request
SCHROEDER, C. W. Commonwealth Edison Co 82/06/01. SCHWENCER, A. Licensing Branch 2 5pp 13372 008 24X Fiche: 50-373, 82/06/01, 8206070291.

3206070456 Application for immediate amend to License NPF-11, revising special test exception for confirmatory flow induced vibration test to allow test performance w/B LPCI loop isolated
SCHROEDER, C. W. Commonwealth Edison Co 82/06/01 SCHWENCER, A. Licensing Branch 2. 2pp 13374 222. 24X Fiche. 50-373, 82/06/01, 8206070456

--8206070462 Tech Spec Page 3/4 10-7 revising special test exception for confirmatory flow induced vibration test to allow test performance w/B LPCI loop isolated.
* Commonwealth Edison Co. 82/06/01 1p. 13374:224 24X Fiche 50-373, 82/06/01, 8206070456

8206070284 Requests approval for change in acceptance criteria re reactor core isolation cooling sys startup test Marked-up FSAR Table 14 2-112 encl
SCHROEDER, C. W. Commonwealth Edison Co 82/06/02 SCHWENCER, A. Licensing Branch 2 5pp 13368 243 24X Fiche 50-373, 82/06/02, 8206070284

8206100214 Forwards requested info re implementation status of NUREG-0737 items per Generic Ltr 82-10
SWARTZ, E. D. Commonwealth Edison Co 82/06/04 EISENHUT, D. G. Division of Licensing 20pp 13453 214 24X Fiche 50-000, 82/06/04, 8206100214

8206110311 Application to amend License NPF-11, revising list of safety related snubbers in Tech Specs to include snubbers on lines of 3-inch diameter or less
SCHROEDER, C. W. Commonwealth Edison Co 82/06/07 SCHWENCER, A. Licensing Branch 2 2pp 13466 177 24X Fiche 50-373, 82/06/07, 8206110311

--8206110312 Revised Tech Spec Table 3 7 9-2 re safety-related mechanical snubbers
* Commonwealth Edison Co 82/06/07 20pp 13466 179 24X Fiche 50-373, 82/06/07, 8206110311

8206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A
SWARTZ, E. D. Commonwealth Edison Co 82/06/07 HAASS, W. P. Quality Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept"
* Commonwealth Edison Co CE-1-A R21 ERR 82/06/06 20pp 13522 028 24X Fiche 50-000, 82/06/07, 8206160222

8206170359 Forwards proposed electrical separation test configuration to demonstrate faults induced in nonsafety-related cables will not cause failure of adjacent safety-related cables for review
SCHROEDER, C. W. Commonwealth Edison Co 82/06/07 SCHWENCER, A. Licensing Branch 2 6pp 13531 304 24X Fiche 50-373, 82/06/07, 8206170359

8206290548 Confirms telephone authorization that License NPF-11 is amended by making changes to Tech Spec 3/4 10 7 License amend, safety evaluation & FR notice will be sent upon completion
TEDESCO, R. L. Assistant Director for Licensing 82/06/07 DELGEORGE, L. O. Commonwealth Edison Co 3pp 13658 239 24X Fiche 50-373, 82/06/07, 8206290548

8206170253 Submits addl info substantiating util request that Ols be issued for 40 yrs. in response to 820609 & 10 conversations w/NRC
STIEDE, W. L. Commonwealth Edison Co 82/06/10 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 3pp 13534 029. 24X Fiche 50-373, 82/06/10, 8206170253.

8206170235 Submits corrected text to 820601 ltr re butterfly valves that provide upstream & downstream isolation capability for vacuum breakers. Ltr incorrectly stated valves manually actuated from control room.
SCHROEDER, C. W. Commonwealth Edison Co 82/06/11 SCHWENCER, A. Licensing Branch 2 5pp 13534 317 24X Fiche: 50-373, 82/06/11, 8206170235

8206170201 Tech Spec Change Request NPF-11/82-5 amending License NPF-11 to revise fire detector tables re addl detectors installed per installation of general sprinkler sys
SCHROEDER, C. W. Commonwealth Edison Co 82/06/14 SCHWENCER, A. Licensing Branch 2 4pp 13535 167 24X Fiche 50-373, 82/06/14, 8206170201

--8206170205 Proposed Tech Spec changes re fire detector tables reflecting addl detectors
* Commonwealth Edison Co 82/06/14 15pp 13535 171 24X Fiche 50-373, 82/06/14, 8206170201

8206220624 Approves 820602 request to change acceptance criteria for reactor core isolation cooling sys startup test Change would make acceptance criteria more conservative
SCHWENCER, A. Licensing Branch 2. 82/06/17 DELGEORGE, L. O. Commonwealth Edison Co 3pp 13591 172 24X Fiche 50-373, 82/06/17, 8206220624

8206240268 Forwards "Safety Relief Valve/LOCA Hydrodynamic Loads Revised Design Basis Summary Rept"
SCHROEDER, C. W. Commonwealth Edison Co 82/06/17 SCHWENCER, A. Licensing Branch 2. 1p 13596 070 24X Fiche 50-373, 82/06/17, 8206240268

--8206240273 "Safety Relief Valve/LQCA Hydrodynamic Loads Revised Design Basis Summary Rept"
 * Sargent & Lundy, Inc 8L-3876 81/10/01 200pp 13596 071
 24X Fiche 50-373, 82/06/17, 8206240268

8206290162 Lists LER review group findings & recommendations re personnel or procedural error LERs Mgt programs being implemented to correct problems explained
 HOLYOAK, R H Commonwealth Edison Co 82/06/17 KEPLER, J O
 Region 3, Office of Director 4pp 13634 398 24X
 Fiche 50-373, 82/06/17, 8206290162

8206240191 Forwards addendum to "Independent Design Review, La Salle County Nuclear Station Unit 1," final rept Distribution list submitted
 FLAHERTY, J A Teledyne Engineering Services 82/06/18
 SHELTON, B R Commonwealth Edison Co 3pp 13999 098 24X
 Fiche 50-373, 82/06/18, 8206240191

--8206240195 Addendum to "Independent Design Review, La Salle County Nuclear Station Unit 1," final rept.
 * Teledyne Engineering Services TR-5539-2 ADD 82/06/18 21pp
 13599 101 24X Fiche 50-373, 82/06/18, 8206240191

8206290544 Responds to FOIA request for documents re creation, storage & disposal of radwastes at facilities Forwards excerpt from NUREG/CR-2704
 FELTON, J M Division of Rules and Records 82/06/18
 MCCULLOUGH, E R McCullough, E R 1p 13658 301 24X
 Fiche 50-373, 82/06/18, 8206290544

--8206290550 "Projections for Loss of Reactor Storage Pool Full-Core Reserve (FCR) Capacity" Related excerpt encl
 * NRC - No Detailed Affiliation Given 82/06/18 19pp.
 13658, 302 24X Fiche 50-373, 82/06/18, 8206290544

8206240433 Confirms that licensee has completed actions re items noted in License Conditions 2 C (25)(b), 2 C (30)(b), 2 C (30)(h) & Attachment 1 to License NPF-11 Mode 2 operations to initial criticality & zero power physics testing allowed
 KEPLER, J O, Region 3, Office of Director 82/06/19, REED, C.
 Commonwealth Edison Co 1p, 13603, 110 24X Fiche 50-373, 82/06/19, 8206240433

8206290136 Advises that completion date for qualification testing of safety-related electrical equipment rescheduled for 831231. Delay due to unavailability of test specimens & vendor matl traceability info
 SHARTZ, E D. Commonwealth Edison Co 82/06/24, EISENHUT, D O
 Division of Licensing 2pp 13635 311 24X Fiche 50-373, 82/06/24, 8206290136

Q Inspection reports, IE Bulletins & correspondence

8206020443 Forwards IE Insp Rept 50-373/82-26 on 820419-0507 & notice of violation
 SPESSARD, R L Division of Project & Resident Programs 82/05/21
 REED, C Commonwealth Edison Co 2pp 13325 355 24X
 Fiche 50-373, 82/05/21, 8206020443

--8206020451 Notice of violation from insp on 820419-0507
 SPESSARD, R L, Region 3, Office of Director 82/05/21 1p
 13325 357 24X Fiche 50-373, 82/05/21, 8206020443

--8206020458 IE Insp Rept 50-373/82-26 on 820419-0507. No noncompliance noted. Failure to follow procedure for installing secondary containment seals.
 REYES, L A, OULDEMOND, W O, LANKSBURY, R D Division of Project & Resident Programs 82/05/21 4pp 13325, 358 24X
 Fiche 50-373, 82/05/21, 8206020443

8202040147 IE Info Notice 82-15, "Notification of NRC" Bvc list encl.
 DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 093, 24X
 Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPC1/RCIC High Steam Flow Setpoints" Bvc list encl.
 JORDAN, E L, Division of Engineering & Quality Assurance, 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Bvc list encl
 DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement, 82/06/02 108pp 13827 150 24X
 Fiche: 50-000, 82/06/02, 8204210380

8206070808 Ack receipt of 820513 ltr informing NRC of step taken to correct violations noted in IE Insp Rept 50-373/82-11
 NORELIOUS, C E Division of Engineering & Technical Programs 82/06/02 REED, C Commonwealth Edison Co 1p 13389 188 24X
 Fiche: 50-373, 82/06/02, 8206070808

--8206070816 Responds to NRC 820413 ltr re violations noted in IE Insp Rept 50-373/82-11 Corrective actions site-specific guidelines added to test procedures manual
 DELOERGE, L O Commonwealth Edison Co 82/05/13 KEPLER, J O
 Region 3, Office of Director, 5pp 13389 189 24X
 Fiche 50-373, 82/06/02, 8206070808

8206150161 Confirms 820607 discussion wherein 820611 meeting scheduled in Region 3 ofcs to discuss LERs & security program item of noncompliance
 KEPLER, J O, Region 3, Office of Director 82/06/08 REED, C
 Commonwealth Edison Co 1p 13505 150 24X Fiche 50-373, 82/06/08, 8206150161

8206280569 Forwards IE Investigation Rept 50-373/82-08 on 820111-14 & 18 No noncompliance noted
 NORELIOUS, C E Division of Emergency Preparedness & Operational Support 82/06/08 REED, C Commonwealth Edison Co 2pp
 13625 262 24X Fiche: 50-373, 82/06/08, 8206280569

--8206280577 IE Investigation Rept 50-373/82-08 on 820111-14 & 18 No noncompliance noted Major areas investigated, allegations re guard supervisor arriving for work at const site in inebriated condition
 CHRISTOFFER, O, STAPLETON, B W, CREED, J R Division of Emergency Preparedness & Operational Support 82/05/27 8pp 13625 264
 24X Fiche 50-373, 82/06/08, 8206280569

8206290303 Forwards IE Insp Rept 50-373/82-25 on 820419-0521 & notice of violation
 LITTLE, W S Division of Engineering & Technical Programs 82/06/09
 REED, C Commonwealth Edison Co 2pp 13636 244 24X
 Fiche: 50-373, 82/06/09, 8206290303

--8206290309 Notice of violation from insp on 820419-0521.
 LITTLE, W S Division of Engineering & Technical Programs 82/06/09 1p 13636 246 24X Fiche: 50-373, 82/06/09, 8206290303

--8206290318 IE Insp Rept 50-373/82-25 on 820419-0521. Noncompliance noted Failure to follow procedures re control switches left on auto, causing valves to open & release approx 83 gallons out of primary containment Response time extended.
 MAURA, F, LANKSBURY, R, ROBINSON, D Region 3, Office of Director 82/06/09 6pp, 13636 247, 24X Fiche 50-373, 82/06/09, 8206290303

8204210383 IE Info Notice 82-17, "Overpressurization of RCB" Bvc list encl
 JORDAN, E L Division of Engineering & Quality Assurance, 82/06/11 106pp, 13675 258 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers" Bvc list encl.
 DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/06/11, 120pp 13675, 189, 24X
 Fiche 50-000, 82/06/11, 8204210384

8206210585 Ack receipt of 820428 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-373/82-10 All measurements taken during testing must be done using calibr equipment Util actions to be taken listed
 LITTLE, W S, Region 3, Office of Director 82/06/16 REED, C.
 Commonwealth Edison Co 2pp, 13564 293 24X Fiche 50-373, 82/06/16, 8206210585

--8206210596 Responds to NRC 820331 ltr re violations noted in IE Insp Rept 50-373/82-10 Disputes violation isolation valves closed within required time frame Use of noncalibr stopwatches is widespread industry practice.
 DELOERGE, L O Commonwealth Edison Co 82/04/28, KEPLER, J O, Region 3, Office of Director, 5pp 13564 295 24X
 Fiche 50-373, 82/06/16, 8206210585

8206240314 Forwards correction to IE Insp Rept 50-373/81-30, Corrected page should replace original page.
 SPESSARD, R L Division of Project & Resident Programs 82/06/18, REED, C Commonwealth Edison Co 1p, 13596 203, 24X
 Fiche: 50-373, 82/06/18, 8206240314

--8206240316 Corrected Page 16 to IE Insp Rept 50-373/81-30.
 * Region 3, Chicago, Office of the Director (81/03/01), 82/06/18, 1p 13596 204, 24X Fiche: 50-373, 82/06/18, 8206240314

DOCKETED ITEMS

R Periodic operating reports & related correspondence

8206010467 Forwards "Incidence of Fog/Rime Ice Formation First Quarter 1982," summary of observations in vicinity of cooling pond
SCHROEDER, C W Commonwealth Edison Co 82/05/21 SCHWENCER, A
Licensing Branch 2 1p 13314 103 24X Fiche 50-373, 82/05/21, 8206010467

--8206010475 "Incidence of Fog/Rime Ice Formation First Quarter 1982 "
* Commonwealth Edison Co 82/05/21 App 13314 104 24X
Fiche 50-373, 82/05/21, 8206010467

B Reportable occurrences, LERs & related correspondence

8206070788 Forwards LER 82-004/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/05/05 KEPPLER, J O
Region 3, Office of Director 1p 13389 256 24X
Fiche 50-373, 82/05/05, 8206070788

--8206070799 LER 82-004/03L-0 on 820422, sealing tubing under reactor bldg
trackway doors found partially pulled out Cause
undetermined Tubing replaced Doors locked closed w/shift
engineer maintaining control over key
* Commonwealth Edison Co 82/05/05 Region 3, Office of
Director 3pp 13389 257 24X Fiche 50-373, 82/05/05, 8206070788

8206020521 Forwards LER 82-012/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/05/17 KEPPLER, J O
Region 3, Office of Director 1p 13324 340 24X
Fiche 50-373, 82/05/17, 8206020521

--8206020529 LER 82-012/03L-0 on 820505, RHR shutdown cooling section line
high flow differential pressure switch indicated negative
pressure during pump startup in shutdown cooling mode Caused
by instruments being replaced during preoperational testing
* Commonwealth Edison Co 82/05/17 Region 3, Office of
Director 2pp 13324 341 24X Fiche 50-373, 82/05/17, 8206020521

8206040251 Forwards LER 82-015/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/05/18 KEPPLER, J O
Region 3, Office of Director 1p 13358 036 24X
Fiche 50-373, 82/05/18, 8206040251

--8206040253 LER 82-015/03L-0 on 820417, fire doors were not inspected
daily or Weekly as required by LSF 172 per Tech Spec. Caused
by security personnel inadvertently deleting insp Daily &
weekly fire door insp immediately established
MEYER, T Commonwealth Edison Co 82/05/18 Region 3, Office of
Director 2pp 13358 037 24X Fiche 50-373, 82/05/18, 8206040251

8206040088 Forwards LER 82-017/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/05/21, KEPPLER, J O
Region 3, Office of Director 1p 13350 055 24X
Fiche 50-373, 82/05/21, 8206040088

--8206040092 LER 82-017/03L-0 on 820425, during performance of instrument
surveillance LIS-FC-05, standby gas treatment suction valves
1(2)V0001 did not open Caused by four lifted leads
preventing opening of suction valves Leads reterminated
DAHRON, J Commonwealth Edison Co 82/05/21, Region 3, Office
of Director App 13350 056, 24X Fiche 50-373, 82/05/21,
8206040088

206020539 RO on 820517, 1-h fire patrols were not implemented for fire
doors separating Units 1 & 2 Caused by failure to establish
formal action statement for maint of interim secondary
containment Hourly patrol initiated
HOLYOAK, R H Commonwealth Edison Co 82/05/24 KEPPLER, J O
Region 3, Office of Director 7pp 13324 301 24X
Fiche 50-373, 82/05/24, 8206020539

106070731 Forwards LER 82-018/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/05/24 KEPPLER, J O
Region 3, Office of Director, 1p 13389 172 24X
Fiche 50-373, 82/05/24, 8206070731

8206070746 LER 82-018/03L-0 on 820504, ultraviolet fire detectors to
reFuel floor de-energized to prevent damage while completing
welding on reactor side. Welding completed & fire detectors
back in svc on 820514
KAY, D L Commonwealth Edison Co 82/05/24, Region 3, Office of
Director 2pp 13389 173 24X Fiche 50-373, 82/05/24, 8206070731

82070744 RO 01-01-82-42 on 820510, 37, 915 gallons w/total suspended
solids of 15 mg/l discharged to lake, exceeding NPDES permit
limits. Probably caused by large amounts of paint chippings,
rust & resin beads being flushed into floor drains
HOLYOAK, R H Commonwealth Edison Co 82/05/24, KEPPLER, J O
Region 3, Office of Director 3pp 13389 319, 24X
Fiche 50-373, 82/05/24, 8206070744

8206070722 Forwards NPDES Deviation Notification 1-1-82-44
HOLYOAK, R H Commonwealth Edison Co 82/05/25 KEPPLER, J O
Region 3, Office of Director 1p 13390 179 24X
Fiche 50-373, 82/05/25, 8206070722

--8206070740 NPDES deviation notification on 820514, excessive amounts of
water discovered flowing through north run off ditch into
cooling pond Caused by lack of check valve in vacuum breaker
standpipe Valve replaced Related info encl
HOLYOAK, R H Commonwealth Edison Co 82/05/25 App 13390 180
24X Fiche 50-373, 82/05/25, 8206070722

8206070774 Forwards LER 82-014/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/05/25 KEPPLER, J O
Region 3, Office of Director 1p 13389 185 24X
Fiche 50-373, 82/05/25, 8206070774

--8206070779 LER 82-014/03L-0 on 820501, station stack flow recorder
reading low Caused by flow transmitter failure Validyne P232
flow transmitter replaced
* Commonwealth Edison Co 82/05/21 Region 3, Office of
Director 2pp 13389 186 24X Fiche 50-373, 82/05/25, 8206070774

8206170266 RO 82-40 on 820514, low vol wastewater treatment facility
effluent pH exceeded limit & effluent composite contained
17 mg total suspended solids Caused by M U D acid sump
820512 overflow during regeneration of train B
HOLYOAK, R H Commonwealth Edison Co 82/05/26 KEPPLER, J O
Region 3, Office of Director 5pp 13531 347 24X
Fiche 50-373, 82/05/26, 8206170266

8206170199 Forwards LER 82-021/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/02 KEPPLER, J O
Region 3, Office of Director 1p 13535 039 24X
Fiche 50-373, 82/06/02, 8206170199

--8206170204 LER 82-021/03L-0 on 820515, outside air radiation monitor
2D18-K751A failed high Caused by rain water seeping into
circuitry around conduit junction boxes or metal to metal
interfaces Detectors will be sealed
DAHERON, J M Commonwealth Edison Co 82/06/02, Region 3,
Office of Director 2pp 13535 040 24X Fiche 50-373, 82/06/02,
8206170199

8206170216 Forwards LER 82-024/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/02 KEPPLER, J O
Region 3, Office of Director 1p 13535 164 24X
Fiche 50-373, 82/06/02, 8206170216

--8206170225 LER 82-024/03L-0 on 820526, fuel oil found leaking from
flange on flexible fuel line connecting day tank to diesel
fire pump OA Caused by broken flexible fuel line Temporary
copper tube fuel line installed & pump tested
KOCER, J Commonwealth Edison Co 82/06/02 Region 3, Office of
Director 2pp 13535 165 24X Fiche 50-373, 82/06/02, 8206170216

8206170345 Forwards LER 82-019/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/02, KEPPLER, J O
Region 3, Office of Director 1p 13531 316, 24X
Fiche 50-373, 82/06/02, 8206170345

--8206170352 LER 82-019/03L-0 on 820519, LPCS injection valve permissive
switch 1E21-N006 found piped incorrectly Caused by line
reversal on mechanical drawing Piping error will be
corrected Drawing change requested
DAHRON, J M Commonwealth Edison Co 82/06/02 Region 3, Office
of Director 3pp 13531 317 24X Fiche 50-373, 82/06/02,
8206170345

8206170358 Forwards LER 82-026/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/02 KEPPLER, J O
Region 3, Office of Director 1p 13531 123 24X
Fiche 50-373, 82/06/02, 8206170358

--8206170366 LER 82-026/03L-0 on 820516 & 17, valves IRE024 & IRE025
opened when drywell equipment sump pump rate started &
pumped down sump. Caused by control switches inadvertently
left in auto position Switches returned to closed position
* Commonwealth Edison Co 82/06/02 Region 3, Office of
Director 2pp 13531 124 24X Fiche 50-373, 82/06/02, 8206170358

8206170148 Forwards LER 82-020/03L-0 Detailed event analysis encl
HOLYOAK, R H Commonwealth Edison Co 82/06/08 KEPPLER, J O
Region 3, Office of Director 2pp 13534 271 24X
Fiche 50-373, 82/06/08, 8206170148

--8206170193 LER 82-020/03L-0 on 820512, while performing LOS-FP-W2.OA diesel tripped after running 2 mins Caused by operator shorting out starter w/engine oil dipstick during test Control circuit repaired
FLUTALA, J J Commonwealth Edison Co 82/06/08 Region 3, Office of Director 1p 13534 273 24X Fiche 50-373, 82/06/08, 8206170148

8206170338 ROs 82-65 & 82-66 on 820526, effluent iron concentration of regenerative wastes solution discharge tank & wastewater treatment facility exceeded NPDES permit limit Caused by failure of peroxide injection pump & low pH
HOLYOAK, R H Commonwealth Edison Co 82/06/08 KEPPLER, J O Region 3, Office of Director 8pp 13531 019 24X Fiche 50-373, 82/06/08, 8206170338

8206170285 Interim Part 21 rept re possible discrepancy in fire damper closure in dampers 18 inches wide & narrower Insp of encl list of fire dampers initiated American Warming & Ventilation Inc 820602 ltr encl
SKATES, M L Zack Co 82/06/09 KEPPLER, J O Region 3, Office of Director 5pp 13529 200 24X Fiche 50-373, 82/06/09, 8206170285

8206170172 Forwards LER 82-031/01T-0
HOLYOAK, R H Commonwealth Edison Co 82/06/10 KEPPLER, J O Region 3, Office of Director 1p 13534 222 24X Fiche 50-373, 82/06/10, 8206170172

--8206170177 LER 82-031/01T-0 on 820528, while performing turbine stop valve test, lead accidentally grounded, tripping reactor protection sys bus A Isolation dampers would not close Caused by override of damper trip signals
DAMRON, J M Commonwealth Edison Co 82/06/10 Region 3, Office of Director 3pp 13534 223 24X Fiche 50-373, 82/06/10, 8206170172

8206170242 Forwards LER 82-022/03L-0 Detailed event analysis encl
HOLYOAK, R H Commonwealth Edison Co 82/06/10 KEPPLER, J O Region 3, Office of Director 2pp 13533 187 24X Fiche 50-373, 82/06/10, 8206170242

--8206170247 LER 82-022/03L-0 on 820523, emergency makeup train heater temp switch for control room HVAC tripped Caused by inadvertent closure of tornado damper which blocked all suction to train thus raising temp & tripping switch
DAMRON, J M Commonwealth Edison Co 82/06/10 Region 3, Office of Director 1p 13533 189 24X Fiche 50-373, 82/06/10, 8206170242

8206220296 Forwards LER 82-032/03L-0 Detailed event analysis encl
HOLYOAK, R H Commonwealth Edison Co 82/06/11 KEPPLER, J O Region 3, Office of Director 2pp 13573 270 24X Fiche 50-373, 82/06/11, 8206220296

--8206220301 LER 82-032/03L-0 on 820517, upon completion of main stack & standby gas treatment wide range radiation gas monitor source check, low range monitor failed to return to normal Caused by failure in photomultiplier tube
KAY, D Commonwealth Edison Co 82/06/11 Region 3, Office of Director 1p 13573 272 24X Fiche 50-373, 82/06/11, 8206220296

8206290417 Forwards LER 82-028/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/11 KEPPLER, J O Region 3, Office of Director, 1p 13634 132 24X Fiche 50-373, 82/06/11, 8206290417

--8206290430 LER 82-028/03L-0 on 820526 & 0601, audits revealed temporary Procedure Changes 45-82 & 40-82 not signed by station superintendent Caused by improper filing & processing Procedure revised
MCQUADE, M Commonwealth Edison Co 82/06/11 Region 3, Office of Director, 3pp 13634 153 24X Fiche 50-373, 82/06/11, 8206290417

8206240397 Forwards LER 82-033/03L-0 Detailed event analysis encl.
HOLYOAK, R H Commonwealth Edison Co 82/06/13, KEPPLER, J O Region 3, Office of Director 2pp 13603 097 24X Fiche 50-373, 82/06/13, 8206240397

--8206240403 LER 82-033/03L-0 on 820605, excessive leakage found in 18 RHR svc water radiation monitor sample pump housing Caused by damaged O-ring on sample pump housing O-ring replaced & tested satisfactorily
SETTLES Commonwealth Edison Co 82/06/13 Region 3, Office of Director 1p 13603 099 24X Fiche 50-373, 82/06/13, 8206240397

8206220172 Forwards LER 82-043/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/16 KEPPLER, J O Region 3, Office of Director 1p 13572 074 24X Fiche 50-373, 82/06/16, 8206220172

--8206220193 LER 82-043/03L-0 on 820518, during lake blowdown flow indicator quarterly channel functional test, lake blowdown flow instrument inoperable Caused by transmitter failure Transmitter replaced & loop check performed
KAY, D Commonwealth Edison Co 82/06/16 Region 3, Office of Director 2pp 13572 075 24X Fiche 50-373, 82/06/16, 8206220172

8206290525 Forwards LER 82-023/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/16 KEPPLER, J O Region 3, Office of Director 1p 13631 315 24X Fiche 50-373, 82/06/16, 8206290525

--8206290531 LER 82-023/03L-0 on 820524, piston seal on damper actuator failed to operate in control room emergency HVAC sys Caused by personnel failure to adequately review degraded equipment log Other HVAC train repaired & parts ordered for damper
PRISTAVE, D M Commonwealth Edison Co 82/06/16 Region 3, Office of Director 3pp 13631 316 24X Fiche 50-373, 82/06/16, 8206290525

8206290470 Forwards LER 82-038/01T-0
HOLYOAK, R H Commonwealth Edison Co 82/06/17 KEPPLER, J O Region 3, Office of Director 1p 13631 117 24X Fiche 50-373, 82/06/17, 8206290470

--8206290473 LER 82-038/01T-0, on 820609, reactor vessel water low level channel placed in trip position after over 24-h w/inoperable switch Caused by misinterpretation of Tech Specs Tech Specs will be reviewed by operating personnel
JOHNSON, R Commonwealth Edison Co 82/06/17 Region 3, Office of Director 2pp 13631 118 24X Fiche 50-373, 82/06/17, 8206290470

8206290371 Forwards LER 82-030/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/18 KEPPLER, J O Region 3, Office of Director 1p 13633 361 24X Fiche 50-373, 82/06/18, 8206290371

--8206290378 LER 82-030/03L-0 on 820531, particulate & iodine not sampled for 7-h when RCT failed to return station stack wide range monitor sample valve lineup to normal position after grab sampling for noble gas RCT restrained
NASH, C Commonwealth Edison Co 82/06/18 Region 3, Office of Director 2pp 13633 362 24X Fiche 50-373, 82/06/18, 8206290371

8206250288 PND-III-82-057, on 820621, criticality achieved w/o incident & within predicted margins via control rod withdrawal Licensee restricted to zero testing pending NRC resolution of allegations re const deficiencies
WALKER, R, KNOB, R, SPEBBARD, R Region 3, Office of Director 82/06/21 1p, 13613 040 24X Fiche 50-373, 82/06/21, 8206250288

8206290246 Forwards LER 82-046/01T-0
HOLYOAK, R H Commonwealth Edison Co 82/06/21 KEPPLER, J O Region 3, Office of Director 1p 13636 306 24X Fiche 50-373, 82/06/21, 8206290246

--8206290253 LER 82-046/01T-0 on 820609, both emergency makeup trains disabled, A train inoperable due to improper installation of detector paper causing high ammonia signal B train inoperable due to bent linkage Bys mod effected
CONRAD, J Commonwealth Edison Co 82/06/21 Region 3, Office of Director 2pp 13636 307 24X Fiche 50-373, 82/06/21, 8206290246

8206290803 Forwards LER 82-027/03L-0
HOLYOAK, R H Commonwealth Edison Co 82/06/24 KEPPLER, J O Region 3, Office of Director 2pp 13631 312 24X Fiche 50-373, 82/06/24, 8206290803

--8206290510 LER 82-027/03L-0 on 820526, blowdown valve house radiation monitor failed, Probably caused by either loss of power or high voltage surge to radwaste effluent monitor High voltage button in radwaste effluent monitor reset Procedure revised
KAY, D L Commonwealth Edison Co 82/06/24 Region 3, Office of Director 1p 13631 314 24X Fiche 50-373, 82/06/24, 8206290503

8206290534 Forwards LER 82-026/03L-0 Detailed event analysis encl.
HOLYOAK, R H Commonwealth Edison Co 82/06/24 KEPPLER, J O Region 3, Office of Director 2pp 13631 045 24X Fiche 50-373, 82/06/24, 8206290534

--8206290542 LER 82-026/03L-0 on 820526, no closure sealing welds found on subfloor drain piping where piping penetrates sump liner. Drawings A-529 & A-598 indicate seals in place, but no record of installation is available Sumps sealed
WITTENBURG, K Commonwealth Edison Co 82/06/24 Region 3, Office of Director 1p 13631 047 24X Fiche 50-373, 82/06/24, 8206290534

DOCKETED ITEMS

T Hearing transcripts on non-antitrust matters

8206070211 Responds to FOIA request for documents re const of plants
Forwards documents listed in App A info partially withheld
(ref FOIA Exemption 7)
FELTON, J M Division of Rules and Records 82/05/11 KODNER, J L
Tutt & Kodner 5pp 13425 004 24X Fiche 50-373, 82/05/11,
8206070211

--8206070279 Transcript of 820331 meeting in Bethesda, MD Pp 1-77
* NRC - No Detailed Affiliation Given 82/03/31 78pp
13425 395 24X Fiche 50-373, 82/05/11, 8206070211

8206250408 Transcript of 820622 discussion in Washington, DC re full
power OL Pp 1-97, Viewgraphs encl
* Commissioners. 82/06/22 118pp 13629 089 24X
Fiche 50-373, 82/06/22, 8206250408

DOCKET 50-374 LASALLE COUNTY STATION, UNIT 2

A Application/construction stage documents & correspondence

8206070203 FOIA request for documents re const of facilities
KODNER, J L Tutt & Kodner 82/03/30 Division of Rules and
Records 3pp. 13425, 001. 24X Fiche 50-373, 82/03/30, 8206070203

8206230007 Addl response to FOIA request for eight categories of
documents Forwards documents listed in app Financial info in
Documents 3-5A, 3-5B & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCHURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007.

--8102230492 Forwards requests for addl info re additions to recently
review G-lists Requests should be transmitted to applicants
or licensees at earliest convenience
NOONAN, V S Assistant Director for Materials & Qualifications
Engineering. 81/02/02 TEDESCO, R L Assistant Director for
Licensing 4pp 13605 207 24X Fiche 50-000, 82/04/29, 8206230007

8206070211 Responds to FOIA request for documents re const of plants
Forwards documents listed in App A info partially withheld
(ref FOIA Exemption 7)
FELTON, J M Division of Rules and Records 82/05/11. KODNER, J L
Tutt & Kodner 5pp 13425 004 24X Fiche 50-373, 82/05/11,
8206070211

--8206070222 Submits investigation plan & schedule re QAO findings
disclosed during review of Region 3 insp & const activities
at facility & statements taken from site const personnel
Confidential info deleted
HEISHMAN, R F Region 3, Chicago, Reactor Construction &
Engineering Support Branch 78/02/02 NORELIUS, C E Region 3,
Chicago, Office of the Director 18pp. 13425 009 24X
Fiche 50-373, 82/05/11, 8206070211

--8206070235 Forwards memos re allegations concerning core drilling
through rebar, incident transferred due to high priority &
availability of investigators, per 820322 discussions
Assistance request form encl
WARRICK, R F Region 3, Office of Director 82/03/23
NORELIUS, C E Division of Engineering & Technical Programs 2pp
13425, 030 24X Fiche 50-373, 82/05/11, 8206070211.

8206070239 Summarizes 820306 & 08 telcons w/J Goodie of IL Atty
General off re allegations concerning core drilling through
rebar in reactor & offgas bldg at facility Problem seems to
be generic to plant
FOSTER, J E Region 3, Office of Director 82/03/13 Region 3,
Office of Director 2pp 13425 032 24X Fiche 50-373, 82/05/11,
8206070211

8206070242 Summarizes 820126 telcon w/D Longnie of Channel 5 TV re
allegations concerning const & installation of conduit & radiation
monitors in offgas bldg at facility
WARRICK, R F Region 3, Chicago, Office of the Director (81/03/01)
82/01/28 Region 3, Chicago, Office of the Director (81/03/01)
2pp 13425, 034 24X Fiche 50-373, 82/05/11, 8206070211.

8206070246 Summarizes 820204 telcon w/D Longnie of Channel 5 TV re
allegations concerning installation of conduit & radiation
monitors in offgas bldg Info may be related to TV-5 story
aired on 820204
FOSTER, J E Region 3, Office of Director. 82/02/10 Region 3,
Office of Director. 2pp 13425-035 24X Fiche 50-373, 82/05/11,
8206070211.

--8206070252 Summarizes 820222 telcon w/J Goodie of Atty Generals off re
allegations of D Longnie TV Channel 5 concerning conduit
grounding & installation of sensor
PHILLIPS, G A Region 3, Office of Director 82/02/26 Region 3,
Office of Director 2pp 13425 036 24X Fiche 50-374, 82/05/11,
8206070211

--8206070256 Offgas bldg roof rept
SHAMLIN, D NRC - No Detailed Affiliation Given 82/03/29 2pp
13425 038 24X Fiche 50-373, 82/05/11, 8206070211

--8206070258 Discusses 820326 contact w/J Goodie of IL Atty Generals off re
State of IL petition resulting from allegation concerning
facilities
FOSTER, J E Region 3, Office of Director 82/03/31 Region 3,
Office of Director 1p 13425 043 24X Fiche 50-373, 82/05/11,
8206070211

--8206070263 Partial chronology re allegation concerning core drilling
through rebar in reactor & offgas bldgs at facility Related
info encl
* NRC - No Detailed Affiliation Given 82/05/11 72pp
13425 044 24X Fiche 50-373, 82/05/11, 8206070211

--8206070266 Specs for concrete expansion anchor work
* Sargent & Lundy, Inc 76/09/23 400pp 13425 121 24X
Fiche 50-373, 82/05/11, 8206070211

--8206070272 Forwards request to institute show cause proceeding & for
other relief
GOODIE, J S Illinois, State of 82/03/24 Docketing & Services
Branch 1p 13425 326 24X Fiche 50-373, 82/05/11, 8206070211

--8206070275 Request to institute show cause proceeding & for other
relief to immediately suspend consideration of util request
for fuel loading & low power testing in light of newly
discovered safety issues
FAHNER, F C Illinois, State of 82/03/24 Commissioners
28pp 13425 327 24X Fiche 50-373, 82/05/11, 8206070211

8206290540 FOIA request for documents re creation, storage & disposal of
radwastes at facilities
MCCULLOUGH, E R McCullough, E R 82/05/20 Division of Rules
and Records 2pp 13658 299 24X Fiche 50-373, 82/05/20, 8206290540

8206020459 Forwards Sargent & Lundy final supplemental responses to
Teledyne Open Item Repts 21, 23 & 24 & Error/Deviation Repts
11 & 17 for LaSalle Independent Design Review
SCHROEDER, C W Commonwealth Edison Co 82/03/28 DENTON, H R
Office of Nuclear Reactor Regulation, Director 15pp 13326 307
24X Fiche 50-373, 82/05/28, 8206020459

8206070291 Summarizes 820520 presentation in Bethesda, MD re
drywell/wetwell vacuum breakers adequacy during pool swell,
per NRC 820521 telcon request
SCHROEDER, C W Commonwealth Edison Co 82/06/01 SCHWENCER, A
Licensing Branch 2 5pp 13372 008 24X Fiche 50-373, 82/06/01,
8206070291

8206070284 Requests approval for change in acceptance criteria re
reactor core isolation cooling sys startup test Marked-up
FSAR Table 14 2-112 encl
SCHROEDER, C W Commonwealth Edison Co. 82/06/02 SCHWENCER, A
Licensing Branch 2 5pp 13368 243 24X Fiche 50-373, 82/06/02,
8206070284

8206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A
SWARTZ, E D Commonwealth Edison Co. 82/06/07 HAASS, W P Quality
Assurance Branch 1p 13522 027 24X Fiche 50-000, 82/06/07,
8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept "
* Commonwealth Edison Co CE-1-A R21 ERR. 82/06/06 20pp
13522 028 24X Fiche 50-000, 82/06/07, 8206160222

8206170359 Forwards proposed electrical separation test configuration
to demonstrate faults induced in nonsafety-related cables
will not cause failure of adjacent safety-related cables
for review
SCHROEDER, C W Commonwealth Edison Co 82/06/07 SCHWENCER, A
Licensing Branch 2 6pp 13331-304. 24X Fiche 50-373, 82/06/07,
8206170359

8206170253 Submits addl info substantiating util request that GLs be
issued for 40 yrs. in response to 820609 & 10 conversations
w/NRC
STIEDE, W L Commonwealth Edison Co 82/06/10 DENTON, H R Office
of Nuclear Reactor Regulation, Director 3pp. 13534 029 24X
Fiche 50-373, 82/06/10, 8206170253.

B206170235 Submits corrected text to B20601 ltr re butterfly valves that provide upstream & downstream isolation capability for vacuum breakers ltr incorrectly stated valves manually actuated from control room
SCHROEDER, C W Commonwealth Edison Co 82/06/11 SCHWENCER, A
Licensing Branch 2 5pp 13534 317 24X Fiche 50-373, 82/06/11, B206170235

B206240268 Forwards "Safety Relief Valve/LOCA Hydrodynamic Loads Revised Design Basis Summary Rept"
SCHROEDER, C W Commonwealth Edison Co 82/06/17 SCHWENCER, A
Licensing Branch 2, 1p 13596 070 24X Fiche 50-373, 82/06/17, B206240268

--B206240273 "Safety Relief Valve/LOCA Hydrodynamic Loads Revised Design Basis Summary Rept"
* Sargent & Lundy, Inc SL-3876 81/10/01 200pp 13596 071
24X Fiche 50-373, 82/06/17, B206240268

B206290162 Lists LER review group findings & recommendations re personnel or procedural error LERs Mgt programs being implemented to correct problems explained
HOLYOAK, R H Commonwealth Edison Co 82/06/17 KEPPLER, J G
Region 3, Office of Director 4pp 13634 358 24X
Fiche 50-373, 82/06/17, B206290162

B206290544 Responds to FOIA request for documents re creation, storage & disposal of radwastes at facilities Forwards excerpt from NUREG/CR-2704
FELTON, J M Division of Rules and Records 82/06/18
McCULLOUGH, E R McCullough, E R 1p 13658 301 24X
Fiche 50-373, 82/06/18, B206290544

--B206290550 "Projections for Loss of Reactor Storage Pool Full-Core Reserve (FCR) Capacity" Related excerpt encl
* NRC - No Detailed Affiliation Given 82/06/18 19pp
13658 302 24X Fiche 50-373, 82/06/18, B206290544

B206290136 Advises that completion date for qualification testing of safety-related electrical equipment rescheduled for 831231
Delay due to unavailability of test specimens & vendor matl traceability info
SWARTZ, E D Commonwealth Edison Co 82/06/24 EISENHUT, D O
Division of Licensing 2pp 13635 311 24X Fiche 50-373, 82/06/24, B206290136

F Security, medical, emergency & fire protection plans

B206040256 Advises that emergency preparedness exercise has been rescheduled to Apr 1982
BAROENT, C E Commonwealth Edison Co 82/01/18 DENTON, H R, Office of Nuclear Reactor Regulation, Director 1p 13358 034 24X
Fiche 50-373, 82/01/18, B206040256

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090011 List of facilities completing emergency preparedness activities by 810701
* NRC - No Detailed Affiliation Given 82/05/11 9pp
13454 006 24X Fiche 50-000, 82/05/11, B206090002

B206020124 Releases public version of revised LZF procedures
FELTON, J M Division of Rules and Records 82/05/25 Document
Management Branch 1p 13333 129 24X Fiche 50-373, 82/05/25, B206020124

--B206020138 Forwards public version of revised LZF procedures, including Procedures LZF 1330-25 re sampling of reactor coolant at high radiation sample sys & LZF 1330-26 re sampling of containment air at high radiation sampling sys
HOLYOAK, R H Commonwealth Edison Co 82/04/01 Office of Nuclear Reactor Regulation, Director 1p 13333 130 24X
Fiche 50-373, 82/05/25, B206020124

--B206020151 Public version of revised LZF procedures, including Procedures LZF 1330-25 re sampling of reactor coolant at high radiation sample sys & LZF 1330-26 re sampling of containment air at high radiation sampling sys Index encl.
* Commonwealth Edison Co 82/03/19 66pp 13333 131 24X
Fiche 50-373, 82/05/25, B206020124

B206180266 Forwards post-exercise evaluation conducted 801204 State of IL successfully protected public 5 wks prior to exercise
State & county demonstrated improved capability to protect public health & safety in nuclear accident on 810930
KRIMM, R W Federal Emergency Management Agency 82/05/26
CRINEB, B Division of Emergency Preparedness 1p 13545 290 24X
Fiche 50-373, 82/05/26, B206180266

B206070173 Releases public version of 10CFR50 59 format for safety evaluation of revised LZF test/procedure
FELTON, J M Division of Rules and Records 82/05/27 Document
Management Branch 1p 13427 225 24X Fiche 50-373, 82/05/27, B206070173

--B206070181 Public version of 10CFR50 59 format for safety evaluation of Revision 4 to Test/Procedure LZF 1320-1, "Augmentation of Plant Staffing"
BRYANT, L Commonwealth Edison Co 82/05/17 2pp 13427 226
24X Fiche 50-373, 82/05/27, B206070173

B206070218 Releases public version of revised LZF procedures
FELTON, J M Division of Rules and Records 82/05/27 Document
Management Branch 1p 13427 152 24X Fiche 50-373, 82/05/27, B206070218

--B206070225 Forwards public version of revised LZF procedures, including Procedures LZF 1330-21 re determination of reactor coolant chloride concentration at high radiation sampling sys
Receipt form encl
HOLYOAK, R H Commonwealth Edison Co 82/05/13 Office of Nuclear Reactor Regulation, Director 1p 13427 153 24X
Fiche 50-373, 82/05/27, B206070218

--B206070227 Public version of revised LZF procedures, including Procedure LZF 1330-21 re determination of reactor coolant chloride concentration at high radiation sampling sys
Revised index encl
* Commonwealth Edison Co 82/05/07 37pp 13427 154 24X
Fiche 50-373, 82/05/27, B206070218

B206070232 Releases public version of revised emergency plan LZF procedure
FELTON, J M Division of Rules and Records 82/05/27 Document
Management Branch, 1p 13427 264 24X Fiche 50-373, 82/05/27, B206070232

--B206070238 Forwards public version of Revision 3 to Emergency Plan LZF Procedure LZF 1320-1, "Augmentation of Plant Staffing" Receipt form encl
HOLYOAK, R H Commonwealth Edison Co 82/05/05 Office of Nuclear Reactor Regulation, Director 1p 13427 265 24X
Fiche 50-373, 82/05/27, B206070232

--B206070241 Public version of Revision 3 to Emergency Plan LZF Procedure LZF 1320-1, "Augmentation of Plant Staffing" Revised index encl
* Commonwealth Edison Co 82/04/01 18pp 13427:266 24X
Fiche 50-373, 82/05/27, B206070232

B206080022 Releases public version of 10CFR50 59 format for safety evaluation of revised LZF procedures
FELTON, J M Division of Rules and Records 82/05/27 Document
Management Branch 1p 13441 028 24X Fiche 50-373, 82/05/27, B206080022

--B206080024 Public version of 10CFR50 59 format for safety evaluation of revised LZF procedures, including Procedures LZF 1330-21 re determination of reactor coolant chloride concentration at high radiation sampling sys.
KNOLL, P, MARSHALL, J Commonwealth Edison Co 82/05/07 8pp
13441 029 24X Fiche 50-373, 82/05/27, B206080022

B206070809 Informs that deficiencies identified during initial testing of prompt public notification sys for facilities documented in util B20216 ltr have been corrected prior to B20601
DELEGORGE, L O Commonwealth Edison Co 82/05/28 KEPPLER, J G
Region 3, Office of Director 2pp 13389:115 24X
Fiche 50-000, 82/05/28, B206070809

B206140060 Discusses status of proposed formal submission of IL state plan for radiological accidents Deficiencies corrected on B20414 Protective measures will be applied offsite in event of radiological emergency Formal approval expected
KRIMM, R W Federal Emergency Management Agency, 82/06/01.
CRINEB, B Division of Emergency Preparedness, 1p 13484:275, 24X
Fiche 50-373, 82/06/01, B206140060

8206180213 Approves State of IL & local plans Plans & preparedness for offsite protection adequate to protect public health & safety subj to FEMA verification of adequacy of alerting & notification sys
THOMAS, L M Federal Emergency Management Agency 82/06/04
DIRCKS, W J Office of the Executive Director For Operations 1p
13594 31B 24X Fiche 50-373, 82/06/04, 8206180213

8206140296 Releases public version of revision to L2P test procedure
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13509 049 24X Fiche 50-373, 82/06/08,
8206140296

--8206140300 Forwards public version of L2P-1200-2, Revision 1,
"Classification of Noble Gas Release " Safety evaluation
Format & check list encl
* Commonwealth Edison Co 82/05/24 NRC - No Detailed
Affiliation Given 3pp 13509 050 24X Fiche 50-373, 82/06/08,
8206140296

--8206140304 Public version of L2P-1200-2, Revision 1, "Classification of
Noble Gas Release " Revised index encl
* Commonwealth Edison Co 82/05/06 5pp 13509 053 24X
Fiche 50-373, 82/06/08, 8206140296

8206170350 Forwards Revision 12 to physical security plan Revision
withheld (ref 10CFR73 21)
DEGEORGE, L D Commonwealth Edison Co 82/06/16 DENTON, H R Office
of Nuclear Reactor Regulation, Director 1p 13531 303 24X
Fiche 50-373, 82/06/16, 8206170350

8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological
Monitoring, Offsite Dose Calculation Program For Emergency
Preparedness at Operating Nuclear Power Plants" & Revision 4
to QA program for meteorological monitoring programs
SCHROEDER, C W Commonwealth Edison Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X
Fiche 50-000, 82/06/16, 8206240332

8206230021 Releases public version of generating stations emergency
plan telephone directory
FELTON, J M Division of Rules and Records 82/06/17 Document
Management Branch 1p 13594 073 24X Fiche 50-000, 82/06/17,
8206230021,

--8206230032 Forwards public version of generating stations emergency
plan telephone directory
MOORE, R D Commonwealth Edison Co 82/06/04 DENTON, H R NRC -
No Detailed Affiliation Given 1p 13594 074 24X
Fiche 50-000, 82/06/17, 8206230021

--8206230037 Public version of generating stations emergency plan
telephone directory
* Commonwealth Edison Co 82/05/28 40pp 13594 076 24X
Fiche 50-000, 82/06/17, 8206230021

8206240032 Releases public version of generating stations emergency
plan telephone directory
FELTON, J M Division of Rules and Records 82/06/18 Document
Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18,
8206240032

--8206240049 Public version of generating stations emergency plan
telephone directory
* Commonwealth Edison Co 82/05/28 41pp 13617 337 24X
Fiche 50-000, 82/06/18, 8206240032

8206280674 Releases public version of L2P procedures manual offsite
notification forms,
FELTON, J M Division of Rules and Records 82/06/22 Document
Management Branch 1p 13630 189 24X Fiche 50-373, 82/06/22,
8206280674

--8206280679 Forwards public version of L2P procedures manual offsite
notification forms that have not been signed & returned
Return of signed forms requested
* Commonwealth Edison Co 82/06/14 NRC - No Detailed
Affiliation Given 2pp 13630 190 24X Fiche 50-373, 82/06/22,
8206280674

8206300112 Releases public version of revised generating station
emergency plan environ director emergency plan implementing
procedures
FELTON, J M Division of Rules and Records 82/06/23 Document
Management Branch 1p 13695 001 24X Fiche 50-000, 82/06/23,
8206300112.

--8206300121 Forwards public version of revised generating station
emergency plan environ director emergency plan implementing
procedures, including Revision 2 to Procedure ED-3 re demand
polling of meteorological data
CICHY, O Commonwealth Edison Co 82/06/08 Director's Office,
Office of Inspection and Enforcement 2pp 13695 002 24X
Fiche 50-000, 82/06/23, 8206300112

--8206300125 Public version of revised generating station emergency plan
environ director emergency plan implementing procedures,
including Revision 2 to Procedure ED-3 re demand polling of
meteorological data
LITERSKI, L A Commonwealth Edison Co 82/06/02 11pp
13695 004 24X Fiche 50-000, 82/06/23, 8206300112

0 Adjudicatory correspondence

8206170091 Order extending time until 820623 for Commission to decide
whether to review Director of NRR partial denial of IL
Friends of the Earth & B Rorem 820428 10CFR2 206 request for
action
CHILK, S J Office of the Secretary of the Commission 82/06/14,
Commissioners 1p 13530 132 24X Fiche 50-373, 82/06/14,
8206170091

8206280191 Informs that time for Commission to review Director's
partial denial of 10CFR2 206 petition expired Commission
declined review Decision became final agency action on
820623
CHILK, S J Office of the Secretary of the Commission 82/06/25
ROREN, B L Friends of the Earth 1p 13624 206 24X
Fiche 50-373, 82/06/25, 8206280191

0 Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206150161 Confirms 820607 discussion wherein 820611 meeting scheduled
in Region 3 ofcs to discuss LERs & security program item of
noncompliance
KEPPLER, J O Region 3, Office of Director 82/06/08 REED, C
Commonwealth Edison Co 1p 13509 150 24X Fiche 50-373, 82/06/08,
8206150161

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 238 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

R. Periodic operating reports & related correspondence

8206010467 Forwards "Incidence of Fog/Rime Ice Formation First Quarter
1982," summary of observations in vicinity of cooling pond
SCHROEDER, C W Commonwealth Edison Co 82/05/21 SCHWENGER, A
Licensing Branch 2 1p 13314 103 24X Fiche 50-373, 82/05/21,
8206010467

--8206010475 "Incidence of Fog/Rime Ice Formation First Quarter 1982 "
* Commonwealth Edison Co 82/05/21 4pp 13314 104 24X
Fiche 50-373, 82/05/21, 8206010467

S Reportable occurrences, LERs & related correspondence

8206170285 Interim Part 21 rept re possible discrepancy in fire damper
closure in dampers 18 inches wide & narrower insp of encl
list of fire dampers initiated, American Warming &
Ventilation Inc 820602 ltr encl
SKATES, M. L. Zack Co 82/06/09 KEPPLER, J O Region 3, Office of
Director 5pp 13529 200 24X Fiche 50-373, 82/06/09, 8206170285

Hearing transcripts on non-antitrust matters

06070211 Responds to FOIA request for documents re const of plants. Forwards documents listed in App A Info partially withheld (ref FOIA Exemption 7)
FELTON, J M Division of Rules and Records 82/05/11 KODNER, J L
Rutt & Kodner 5pp 13425 004 24X Fiche 50-373, 82/05/11, 8206070211

8206070279 Transcript of 820331 meeting in Bethesda, MD Pp 1-77.
* NRC - No Detailed Affiliation Given 82/03/31 78pp
13425 355. 24X Fiche 50-373, 82/05/11, 8206070211

CKEY 50-375 NUCLEAR EXAMINATION REACTOR

Inspection reports, IC Bulletins & correspondence

06020396 Forwards IE Insp Rept 50-375/82-01 on 820426-27 No noncompliance noted
STERNBERG, D M Division of Resident, Reactor Project & Engineering Programs 82/05/10 REMLEY, M E Rockwell International Corp 1p
13326 010 24X Fiche 50-375, 82/05/10, 8206020396

8206020401 IE Insp Rept 50-375/82-01 on 820426-27 No noncompliance noted Major areas inspected facility status, organization, logs & records, review & audit activities, surveillances, radiation control, fire protection & physical security
HORNOR, J W, ZWETZIG, D B Division of Resident, Reactor Project & Engineering Programs 82/05/07 4pp 13326 011 24X
Fiche 50-375, 82/05/10, 8206020396

CKEY 50-376 NORTH COAST NUCLEAR PLANT

Application/construction stage documents & correspondence

0206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York TALLMAN, W C. Public Service Co. of New Hampshire THURLOW, E W Maine Yankee Atomic Power Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

CKEY 50-382 WATERFORD GENERATING STATION, UNIT 3

A Application/construction stage documents & correspondence

8206170224 Forwards info re staffing status of nuclear operations as of 820515 & status of commitments made in util 810420 ltr to NRC, per 810806 meeting w/ACRS.
MAURIN, L V Louisiana Power & Light Co 82/05/17. BLACK, S Standardization & Special Projects Branch 3pp 13535 190. 24X
Fiche 50-382, 82/05/17, 8206170224

8206020353 Confirms 820519 telcon & submits agreed upon schedule for upcoming seismic qualification review team audit.
MAURIN, L V Louisiana Power & Light Co 82/05/26. TEDESCO, R L Assistant Director for Licensing 1p 13321 337 24X
Fiche 50-382, 82/05/26, 8206020353

8206020409 Forwards environ protection plan (nonradiological) for facility.
MAURIN, L V Louisiana Power & Light Co 82/05/26 TEDESCO, R L Assistant Director for Licensing 4pp 13326 355 24X
Fiche 50-382, 82/05/26, 8206020409

--8206020412 Environ protection plan (nonradiological) for facility
* Louisiana Power & Light Co 82/04/30 24pp 13326 359 24X
Fiche 50-382, 82/05/26, 8206020409

8206080227 Forwards statement of effect of OL issuance on cultural resource remains of Waterford plantation sites eligible for Natl Register of Historic Places No adverse effects will result from OL issuance
MAURIN, L V Louisiana Power & Light Co 82/06/04 MIRAGLIA, F J Licensing Branch 3 9pp 13421 335 24X Fiche 50-382, 82/06/04, 8206080227

8206140274 Forwards requests for addl info from Reactor Sys Branch, to permit completion of OL application review
MIRAGLIA, F J Licensing Branch 3 82/06/07 MAURIN, L V Louisiana Power & Light Co 13pp, 13506 216 24X Fiche 50-382, 82/06/07, 8206140274

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York SHIELDS, S W Public Service Co of Indiana, Inc TAUBER, H Detroit Edison Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206220528 Forwards BIT-TP-250, "UHS Test"
ARNOLD, L D Louisiana Power & Light Co 82/06/15 WERMIEL, J NRC - No Detailed Affiliation Given 1p 13578 208 24X
Fiche 50-382, 82/06/15, 8206220528

--8206220533 "UHS Test"
01850N, J E Louisiana Power & Light Co 82/06/11, 200pp
13578 209 24X Fiche 50-382, 82/06/15, 8206220528

8206220349 Forwards facility environ protection plan previously submitted w/820526 ltr & unsigned affidavit Affidavit signed.
MAURIN, L V Louisiana Power & Light Co 82/06/16 TEDESCO, R L Assistant Director for Licensing 3pp, 13581 216 24X
Fiche 50-382, 82/06/16, 8206220349

8206250381 Summary of 820615 meeting w/util, Ebasco & C-E in Bethesda, MD re util proposal for verifying that plant designed & built per NRC requirements
BLACK, S Licensing Branch 2 82/06/21 Licensing Branch 2 5pp
13630 071 24X Fiche 50-382, 82/06/21, 8206250381

8206300179 Forwards "Model Testing of Safety Injection Sys Bump" Grating cages will be installed to protect intakes from vortex formation
MAURIN, L V Louisiana Power & Light Co. 82/06/28, TEDESCO, R L Assistant Director for Licensing. 2pp 13634 001 24X
Fiche 50-382, 82/06/28, 8206300179

--8206300181 "Model Testing of Safety Injection Sys Bump"
* Western Canada Hydraulic Laboratories, Ltd 82/06/30 100pp
13634 003 24X Fiche 50-382, 82/06/28, 8206300179

E NRC Safety Evaluation Report (SER), supply & correspondence

8206020413 Forwards comments on SER & Suppls 1 & 2
MAURIN, L V Louisiana Power & Light Co. 82/05/26 TEDESCO, R L Assistant Director for Licensing 16pp 13326 070. 24X
Fiche 50-382, 82/05/26, 8206020413

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A. Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N B Debevoise & Litterman 3pp. 13454 003 24X Fiche: 50-000, 82/05/11, 8206090002

8206220170 Ack prompt attention re RA Smith, guardforce training officer Safeguards summary rept on resolution of matter should be provided.
KELLY, J A F Region 4, Office of Director. 82/06/17, FRILLOUX, W J Louisiana Power & Light Co 1p 13572 077 24X
Fiche 50-382, 82/06/17, 8206220170

8206240300 Requests comments on encl oversize public brochure by 820625 Aperture cards are available in PDR
MAURIN, L V Louisiana Power & Light Co 82/06/18, TEDESCO, R L Assistant Director for Licensing 5pp 13608 001 24X
Fiche 50-382, 82/06/18, 8206240300.

G Adjudicatory correspondence

8206010293 Forwards printed Suppl 3 to SER (NUREG-0787) W/o encl.
TURK, B E Hearing Branch 1 82/05/27. WOLFE, S J, JORDAN, W H, FOREMAN, H Atomic Safety and Licensing Board Panel 1p 13301 071 24X Fiche: 50-382, 82/05/27, 8206010293

8206160052 Forwards proposed findings of fact, conclusions of ltr brief in form of proposed initial decision. Proposed transcript corrections will be filed within 1 wk.
CHURCHILL, B W Shaw, Pittman, Potts & Trowbridge Louisiana Power & Light Co 82/06/11. WOLFE, S J, JORDAN, W H Atomic Safety and Licensing Board Panel 13512 228 24X Fiche, 50-382, 82/06/11, 8206160052

--8206160056 Proposed findings of fact, conclusions of law & brief in form of proposed initial decision Certificate of Svc encl
CHURCHILL, B W Louisiana Power & Light Co CHURCHILL, B W Shaw, Pittman, Potts & Trowbridge 82/06/11 141pp 13512 229 24X
Fiche 50-382, 82/06/11, 8206160052

8206180322 Motion to reconsider ASLB 790913 order & 820512 ruling, to reopen DL hearings &/or hold new hearings Motion not advanced for dilatory purposes Certificate of Svc encl
GRDESCH, G L Joint Intervenor-Waterford 82/05/12 Atomic Safety and Licensing Board Panel 6pp 13545 185 24X
Fiche 50-382, 82/06/12, 8206180322

8206240415 Findings of fact & conclusions of law on Contentions B/4 & 17/26 Certificate of Svc encl Two oversize brochures encl
Aperture cards are available in PDR
GRDESCH, G L, DUNCAN, C Joint Intervenor-Waterford 82/06/21 110pp 13608 003 24X Fiche 50-382, 82/06/21, 8206240415

H General correspondence

8206290219 Forwards tenth monthly rept re staffing status of nuclear organization as of 820615 Also Forwards status of staffing commitments made in 810420 ltr
MAURIN, L V Louisiana Power & Light Co 82/06/18 BLACK, S Division of Licensing 3pp 13636 294. 24X Fiche 50-382, 82/06/18, 8206290219

Q Inspection reports, IE Bulletins & correspondence

8206010638 Forwards IE Insp Rept 50-382/82-04 on 820301-05 No noncompliance noted
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/05/19 MAURIN, L V Louisiana Power & Light Co 2pp 13314 179 24X Fiche 50-382, 82/05/19, 8206010638

--8206010644 IE Insp Rept 50-382/82-04 on 820301-05 No noncompliance noted Major areas inspected radiation protection program including organization, staffing, qualifications, training, exposure control, facilities & equipment & ALARA program
CHANEY, H, MURRAY, B, Region 4, Office of Director 82/05/17 33pp 13314 181 24X Fiche 50-382, 82/05/19, 8206010638

8206020084 Informs that requirement to answer all notices of violation under oath or affirmation is rescinded NRC may still exercise option to require oath in specific cases
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/05/26 MAURIN, L V Louisiana Power & Light Co 2pp 13322 242 24X Fiche 50-382, 82/05/26, 8206020084

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 130 24X
Fiche 50-000, 82/06/02, 8204210380

8206080359 Ack receipt of 820420 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-382/82-03
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/06/03 MAURIN, L V Louisiana Power & Light Co 2pp 13416 237. 24X Fiche 50-382, 82/06/03, 8206080359

8206140130 Ack receipt of 820521 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-382/82-07
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/06/09 MAURIN, L V Louisiana Power & Light Co 2pp 13483 330. 24X Fiche 50-382, 82/06/09, 8206140130

--8206140141 Responds to NRC 820413 ltr re violations noted in IE Insp Rept 50-382/82-07 Corrective actions. Insp of Cables 32366J-BB, 32366O-BB & 32366F-SB revealed no cable damage. Memo issued cautioning personnel re potential for damage.
MCLENDON, G D Louisiana Power & Light Co 82/05/21 MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 4pp 13483 352 24X Fiche 50-382, 82/06/09, 8206140130

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258. 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010380 Sixth interim rept on significant const deficiency re defective valve actuators (Fisher controls), initially reported 820111 Replacement of three spring cons & set of piston seals recommended Final rept by 821015
MCLENDON, G D Louisiana Power & Light Co 82/05/20 COLLINS, J I Region 4, Office of Director 2pp 13301 300 24X
Fiche 50-382, 82/05/20, 8206010380

8206010532 Final Rept of Potentially Reportable Deficiency 78 re dimensional deviation in bolting matl - site purchase orders, initially reported 820419 Item considered nonreportable
MCLENDON, G D Louisiana Power & Light Co 82/05/20 COLLINS, J I Region 4, Office of Director 1p 13315 337 24X
Fiche 50-382, 82/05/20, 8206010532

8206100122 Second interim rept of Significant Const Deficiency 42 re HMA auxiliary relays Final rept cannot be provided by 820528 as promised Matl will not be shipped until 820625 Final rept to be submitted by 820806
MCLENDON, G D Louisiana Power & Light Co 82/06/02 COLLINS, J I Region 4, Office of Director 2pp 13449 119 24X
Fiche 50-382, 82/06/02, 8206100122

8206100178 Interim Significant Const Deficiency Rept 56 re reactor containment bldg liner plate nuclear coatings failure, initially reported 820528 Due to extensive testing Potential Reportable Deficiency 79 reclassified as 56
MCLENDON, G D Louisiana Power & Light Co 82/06/02 COLLINS, J I Region 4, Office of Director 1p 13450 305 24X
Fiche 50-382, 82/06/02, 8206100178

8206100186 Second interim Significant Const Deficiency Rept 45 re AWR 50 relay bell switch mounting failure Required matl presently onsite awaiting installation Most devices energized making replacement difficult Final rept by 820630
MCLENDON, G D Louisiana Power & Light Co 82/06/03 COLLINS, J I Region 4, Office of Director 1p 13450 294 24X
Fiche 50-382, 82/06/03, 8206100186

8206100191 Sixth interim deficiency rept re Significant Const Deficiency 17 concerning base metal defect in main steam & feedwater containment penetration anchors Final rept delayed to 820831 due to secondary flush & chemical cleaning
MCLENDON, G D Louisiana Power & Light Co 82/06/03 COLLINS, J I Region 4, Office of Director 2pp 13458 226 24X
Fiche 50-382, 82/06/03, 8206100191

8206110254 Informs that final deficiency repts for listed items will not be submitted Status summary included
MCLENDON, G D Louisiana Power & Light Co 82/06/03 COLLINS, J I Region 4, Office of Director 2pp 13466 256 24X
Fiche 50-382, 82/06/03, 8206110254

8206150126 Third interim deficiency rept of Potentially Reportable Incident 52 re nonconformance of reactor coolant pump supports - 4-490 bolts Re-work of bolts complete Torque wrench found out of calibr Final rept expected by 820706
MCLENDON, G D Louisiana Power & Light Co 82/06/08 COLLINS, J I Region 4, Office of Director 1p 13505 074. 24X
Fiche 50-382, 82/06/08, 8206150126

8206210475 Second interim deficiency rept re Cooper-Bessemer emergency diesel generator Agastat relay defect Seventy-four control relays for generator B will be removed & returned to vendor for repair/replacement Final rept expected by 820813
MCLENDON, G D Louisiana Power & Light Co 82/06/14 COLLINS, J I Region 4, Office of Director 2pp 13568 259 24X
Fiche 50-382, 82/06/14, 8206210475

8206250158 Third Interim Significant Const Deficiency Rept 37 re resistance temp detectors failure Requests extension date for submittal of final rept until 820806 due to mfg shipping delays
MCLENDON, G D Louisiana Power & Light Co 82/06/17 COLLINS, J I Region 4, Office of Director 1p 13616 308 24X
Fiche 50-382, 82/06/17, 8206250158

8206250194 Third interim rept re feedwater isolation valves - temp maint of actuators Physical work on corrective action complete Extension until 820713 to submit final rept requested
MCLENDON, G D Louisiana Power & Light Co 82/06/17 COLLINS, J I Region 4, Office of Director 1p 13613 262 24X
Fiche 50-382, 82/06/17, 8206250194

0206250232 Interim deficiency rept re inadequate design/design review of instrumentation seismic support drawings Mercury Co rework of deficient supports incomplete Final rept will be submitted by 820802
MCLENDON, G D Louisiana Power & Light Co 82/06/17 COLLINS, J I
Region 4, Office of Director ip 13613 227 24X
Fiche 50-387, 82/06/17, 8206250232

8206250280 Fourth Interim Significant Const Deficiency Rept 40 re ITE-0ould starter coil failure in containment cooling fans, initially reported on 820616 Final review in progress Final rept expected by 820712
MCLENDON, G D Louisiana Power & Light Co 82/06/17 COLLINS, J I
Region 4, Office of Director ip 13617 196 24X
Fiche 50-387, 82/06/17, 8206250280

7 Hearing transcripts on non-antitrust matters

8206280521 Proposed corrections to evidentiary hearing transcripts Certificate of Svc encl
RIDGWAY, D A Louisiana Power & Light Co RIDGWAY, D A Shaw,
Pittman, Potts & Trowbridge 82/06/23 18pp 13626 295 24X
Fiche 50-387, 82/06/23, 8206280521

DOCKET 50-387 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 1

A Application/construction stage documents & correspondence

8206140098 Forwards Amend 44 to OL application, consisting of Revision 1 to security plan
CURTIS, N W Pennsylvania Power & Light Co 82/03/26 SCHWENCER, A
Licensing Branch 2 ip 13488 361 24X Fiche 50-387, 82/03/26,
8206140098

--8206140104 Amend 44 to OL application for Class 103 OL consisting of Revision 1 to security plan Plan withheld (ref 10CFR2 790)
CURTIS, N W Pennsylvania Power & Light Co 82/03/26, ip
13488 362 24X Fiche 50-387, 82/03/26, 8206140098

8206010623 Forwards addl info in response to NRC concerns re chugging load definition. Info will be incorporated into design assessment rept scheduled for submittal on 820608
CURTIS, N W Pennsylvania Power & Light Co 82/05/26 SCHWENCER, A
Licensing Branch 2 33pp 13314 146 24X Fiche 50-387, 82/05/26,
8206010623

8206040355 Responds to NRC 820330 ltr re natural gas pipeline in vicinity of Facility Location acceptable assuming flow restrictive device is used in gas line
CURTIS, N W Pennsylvania Power & Light Co 82/06/01 SCHWENCER, A
Licensing Branch 2 9pp 13350 337 24X Fiche 50-387, 82/06/01,
8206040355

8206040407 Forwards info presented at 81118 meeting w/Mark II owners group & NRC in Bethesda, MD re actions to resolve loading condition caused by drywell floor vacuum breaker cycling during chugging DAR will be submitted by 820608
CURTIS, N W Pennsylvania Power & Light Co 82/06/01 SCHWENCER, A
Licensing Branch 2 9pp 13352 255, 24X Fiche 50-387, 82/06/01,
8206040407

8206070224 Forwards proposed revisions to diesel loading tables in FSAR Section 8.3, providing clarification on loading of diesels to continuous & 2,000-h ratings Revisions will be submitted in future FSAR amend
CURTIS, N W Pennsylvania Power & Light Co 82/06/02 SCHWENCER, A
Licensing Branch 2 4pp 13371 032 24X Fiche 50-387, 82/06/02,
8206070224

8206070220 Forwards 810626 ltr from OE re closeout of NUREG-0737, Item II K 3 30 requiring revisions to LOCA models No revisions necessary for Item II K 3 31
CURTIS, N W Pennsylvania Power & Light Co 82/06/03 SCHWENCER, A
Licensing Branch 2 ip 13371 036 24X Fiche 50-387, 82/06/03,
8206070220

8206070572 Submits util position re remote shutdown compliance, in response to 820311 request
CURTIS, N W Pennsylvania Power & Light Co 82/06/03 SCHWENCER, A
Licensing Branch 2 14pp 13372 216 24X Fiche 50-387, 82/06/03,
8206070572

8206070694 Forwards "Susquehanna Steam Electric Station Detailed Control Room & Design Review Program Plan," in response to NUREG-0700 & NUREG-0801
CURTIS, N W Pennsylvania Power & Light Co 82/06/03 SCHWENCER, A
Licensing Branch 2 ip 13387 006, 24X Fiche 50-387, 82/06/03,
8206070694

--8206070702 "Susquehanna Steam Electric Station Detailed Control Room Design Review Program Plan "
* Pennsylvania Power & Light Co 82/06/03 68pp 13387 007
24X Fiche 50-387, 82/06/03, 8206070694

8206070280 Forwards Amend 47 to OL, containing Revision 30 to FSAR
CURTIS, N W Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 13pp 13375 054 24X Fiche 50-387, 82/06/04,
8206070280

--8206070287 Application for Amend 47 to OL, consisting of Revision 30 to FSAR
CURTIS, N W Pennsylvania Power & Light Co 82/05/28 ip
13375 067 24X Fiche 50-387, 82/06/04, 8206070280

8206080155 Requests confirmation of util understanding of NRC actions arising from 820520 meeting of Mark II owners & NRC re vacuum actuation load due to pool swell Handouts encl
CURTIS, N W Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 10pp 13424 067 24X Fiche 50-387, 82/06/04,
8206080155

8206080161 Forwards addl info re control of heavy loads, single failure proof handling sys, per 810924 commitment
CURTIS, N W Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 16pp 13423 276 24X Fiche 50-387, 82/06/04,
8206080161

8206080362 Forwards "Vertical Dynamic Analysis. " to aid in NRC review of inconsistencies found in facilities dynamic models Final rept addressing reportability will be submitted prior to Unit 1 fuel load Mods will be made to FSAR & DAR
CURTIS, N W Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 ip 13424 017 24X Fiche 50-387, 82/06/04,
8206080362

--8206080369 "Vertical Dynamic Analysis for Susquehanna Steam Electric Station Units 1 & 2 "
* Pennsylvania Power & Light Co 0168238 82/06/02 52pp
13424 018 24X Fiche 50-387, 82/06/04, 8206080362

8206110344 Notification of 820610 meeting w/util in Bethesda, MD to discuss radiological effluent Tech Specs
PERCH, R L Licensing Branch 2, 82/06/07 SCHWENCER, A Licensing
Branch 2 3pp 13490 215 24X Fiche 50-387, 82/06/07, 8206110344

8206110345 Notification of 820611 meeting w/util in Bethesda, MD to discuss environ protection plan
PERCH, R L Licensing Branch 2, 82/06/07 SCHWENCER, A Licensing
Branch 2 3pp 13490 218 24X Fiche 50-387, 82/06/07, 8206110345

8206150148 Advises that seismic stress rept will not be available by 820601 as previously indicated Individual stress repts to be available between 820614-30 & design repts between 820614-0708
CURTIS, N W Pennsylvania Power & Light Co 82/06/07, HAYNES, R C
Region 1, Office of Director ip 13505 095 24X
Fiche 50-387, 82/06/07, 8206150148

8206100292 Forwards Amend 48 to application for OL, requesting issuance of OLs for 40-yr period & updating directors & principal officers lists to reflect personnel changes
CURTIS, N W Pennsylvania Power & Light Co 82/06/08 SCHWENCER, A
Licensing Branch 2, ip, 13451 359 24X Fiche 50-387, 82/06/08,
8206100292

--8206100294 Amend 48 to application for OL, requesting issuance of OLs for 40-yr period & updating directors & principle officers lists to reflect personnel changes
CURTIS, N W Pennsylvania Power & Light Co 82/06/08 17pp,
13451 360 24X Fiche 50-387, 82/06/08, 8206100292

8206110080 Forwards offsite dose calculation manual, revised in accordance w/NRC 820503 comments
CURTIS, N W Pennsylvania Power & Light Co 82/06/08 SCHWENCER, A
Licensing Branch 2 ip 13463 272 24X Fiche 50-387, 82/06/08,
8206110080

--8206110081 Revised offsite dose calculation manual
* Pennsylvania Power & Light Co 82/05/11 68pp 13465 273,
24X Fiche 50-387, 82/06/08, 8206110080

8206140043 Advises that post-accident sampling sys has been installed, in partial response to NUREG-0737, Item II B 3
CURTIS, N W Pennsylvania Power & Light Co 82/06/08 SCHWENCER, A
Licensing Branch 2 ip 13487 111 24X Fiche 50-387, 82/06/08,
8206140043

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206110294 Forwards TSI, Inc 820603 ltr transmitting results of fire test, Engineering Test Rept 8232-1, Revision 1, in response to NRC questions re documentation provided in util 820513 ltr (SER Item 52)
CURTIS, N W Pennsylvania Power & Light Co 82/06/09 SCHWENCER, A
Licensing Branch 2 3pp 13466 112 24X Fiche 50-387, 82/06/09, 8206110294

--8206110299 Revision 1 to "Engineering Test Rept ~ 1-H ASTM E-119 Fire Simulation Facility Fire Test Followed By Short-Term Water Hose Stream Impact Test on Class 1E Cable Tray & Air Drop Assembly"
FELDMAN, R TSI, Inc 8232-1 R01 82/06/30 31pp 13466 115
24X Fiche 50-387, 82/06/09, 8206110294

8206150237 Forwards final input to SER, Item 44 - IE Bulletin 79-27, "Loss of Non-Class 1E Instrumentation & Control Power Sys Bus During Operation" Lists of sys required to achieve cold shutdown & of power supplies affecting cold shutdown encl
CURTIS, N W Pennsylvania Power & Light Co 82/06/10 SCHWENCER, A
Licensing Branch 2 7pp 13496 354 24X Fiche 50-387, 82/06/10, 8206150237

8206160242 Forwards info in response to NUREG-0737, Item II E 4 2 re containment vent & purge valves. Several valves do not meet required closing time. Investigation underway. Info closes SER Item 84
CURTIS, N W Pennsylvania Power & Light Co 82/06/10 SCHWENCER, A
Licensing Branch 2 11pp 13518 001 24X Fiche 50-387, 82/06/10, 8206160242

--8206160247 "Henry Pratt (P-31) Purge Valve Analysis 6-Inch Butterfly Valve" Two oversize figures encl Aperture cards are available in PDR
KAZA, R N, WRONA, T J Bechtel Corp D-0026-3 82/03/12 75pp
13518 012 24X Fiche 50-387, 82/06/10, 8206160242

--8206160252 "Henry Pratt (P-31) Purge Valve Analysis 18-Inch Butterfly Valve" Two oversize figures encl Aperture cards are available in PDR
KAZA, R N, WRONA, T J Bechtel Corp D-0026-2 82/03/11 75pp
13518 114 24X Fiche 50-387, 82/06/10, 8206160242

--8206160257 "Henry Pratt (P-31) Purge Valve Analysis 24-Inch Butterfly Valve" Two oversize figures encl Aperture cards are available in PDR
KAZA, R N, WRONA, T J, BALLUN, J V Bechtel Corp D-0026-1
82/03/09 79pp 13518 221 24X Fiche 50-387, 82/06/10, 8206160242

8206210539 Forwards responses to NRC questions re sample representativeness & interpretation for core damage Action Completed Response allows for closeout of TH1 Item II B 3 & SER Item 81
CURTIS, N W Pennsylvania Power & Light Co 82/06/17 SCHWENCER, A
Licensing Branch 2 4pp 13563 144 24X Fiche 50-387, 82/06/17, 8206210539

F Security, medical, emergency & fire protection plans

8206140098 Forwards Amend 44 to OL application, consisting of Revision 1 to security plan.
CURTIS, N W Pennsylvania Power & Light Co 82/03/26 SCHWENCER, A
Licensing Branch 2 1p 13488 361 24X Fiche 50-387, 82/03/26, 8206140098

--8206140104 Amend 44 to OL application for Class 103 OL consisting of Revision 1 to security plan withheld (ref 10CFR2 790)
CURTIS, N W Pennsylvania Power & Light Co 82/03/26 1p
13488 362 24X Fiche 50-387, 82/03/26, 8206140098

8206010377 Confirmation of Action Ltr 82-16 re IE Emergency Preparedness Appraisal Rept 50-387/82-06 on 820422 & 820501 & 20 concerning emergency preparedness. Util will complete all procedures including mgt approval & issuance
SMITH, G H, Division of Emergency Preparedness & Operational Support
82/05/24, CURTIS, N W Pennsylvania Power & Light Co 3pp
13311 270, 24X Fiche 50-387, 82/05/24, 8206010377

8206040364 Advises that util has issued instruction re handling & storage of safeguards info matl in compliance w/NUREG-0794 & 10CFR73 21 Illustrations of containers in use or proposed for safeguards info storage encl
CURTIS, N W Pennsylvania Power & Light Co 82/05/25 ROBERTSON, L
Division of Safeguards 8pp 13394 324, 24X Fiche 50-387, 82/05/25, 8206040364

8206110294 Forwards TSI, Inc 820603 ltr transmitting results of fire test, Engineering Test Rept 8232-1, Revision 1, in response to NRC questions re documentation provided in util 820513 ltr (SER Item 52)
CURTIS, N W Pennsylvania Power & Light Co 82/06/09 SCHWENCER, A
Licensing Branch 2 3pp 13466 112 24X Fiche 50-387, 82/06/09, 8206110294

--8206110299 Revision 1 to "Engineering Test Rept ~ 1-H ASTM E-119 Fire Simulation Facility Fire Test Followed By Short-Term Water Hose Stream Impact Test on Class 1E Cable Tray & Air Drop Assembly"
FELDMAN, R TSI, Inc 8232-1 R01 82/06/30 31pp 13466 115
24X Fiche 50-387, 82/06/09, 8206110294

8206170292 Forwards safety evaluation of station blackout. Plant can survive station blackout of limited duration w/appropriate operator actions. Hot functional tests proposed in lieu of station blackout test
CURTIS, N W Pennsylvania Power & Light Co 82/06/15 SCHWENCER, A
Licensing Branch 2 51pp 13529 142 24X Fiche 50-387, 82/06/15, 8206170292

G Adjudicatory correspondence

8206040040 Brief in support of exceptions to ASLB 820412 initial decision authorizing issuance of OLS Shortage in supply of dosimeters for emergency workers clear & uncontraverted Certificate of Svc encl
ADLER, R W Pennsylvania, State of 82/05/28 Atomic Safety and
Licensing Board Panel 32pp 13347 318 24X Fiche 50-387, 82/05/28, 8206040040

8206040199 Brief supporting Commonwealth of PA exceptions to ASLB 820412 initial decision Certificate of Svc encl
ADLER, R W Pennsylvania, State of 82/05/28 Atomic Safety and
Licensing Appeal Panel 32pp 13359 119 24X Fiche 50-387, 82/05/28, 8206040199

8206290251 Brief opposing Citizens Against Nuclear Danger 820422 exceptions to ASLB 820412 initial decision. Exceptions fail to comply w/Commission regulations & raise issues not presented before ASLB Certificate of Svc encl
SILBERG, J E Pennsylvania Power & Light Co SILBERG, J E Allegheny
Electric Cooperative, Inc SILBERG, J E Shaw, Pittman, Potts & Trowbridge, 82/06/25 Atomic Safety and Licensing Appeal Panel
18pp 13636 321 24X Fiche 50-387, 82/06/25, 8206290251

K Utility Final Safety Analysis Report (FSAR) & amends

8206070280 Forwards Amend 47 to OL, containing Revision 30 to FSAR
CURTIS, N W Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 13pp 13375 034 24X Fiche 50-387, 82/06/04, 8206070280

--8206070287 Application for Amend 47 to OL, consisting of Revision 30 to FSAR
CURTIS, N W Pennsylvania Power & Light Co 82/05/28 1p
13375 067 24X Fiche 50-387, 82/06/04, 8206070280

--8206070290 Revision 30 to FSAR
Pennsylvania Power & Light Co 82/05/31 1200pp 13375 068
24X Fiche 50-387, 82/06/04, 8206070280

8206220438 Forwards revised Sections 3 9 & 3 10 of FSAR, incorporating description of hydrodynamic loads
CURTIS, N W Pennsylvania Power & Light Co 82/06/18 SCHWENCER, A
Licensing Branch 2 1p 13579 152 24X Fiche 50-387, 82/06/18, 8206220438

--8206220444 Revised Sections 3 9 & 3 10 of FSAR
Pennsylvania Power & Light Co 82/06/18 175pp 13579 153
24X Fiche 50-387, 82/06/18, 8206220438

Q. Inspection reports, IE Bulletins & correspondence

8206030253 Forwards IE Insp Rept 50-387/82-14 on 820412-14 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/18
CURTIS, N W Pennsylvania Power & Light Co 2pp 13337.220, 24X
Fiche 50-387, 82/05/12, 8206030253

--8206030256 IE Insp Rept 50-387/82-14 on 820412-14 No noncompliance noted. Major areas inspected startup test procedure review & tours of facility
PULLANI, S V, BETTENHAUSEN, L Division of Engineering & Technical
Programs 82/04/28 5pp 13337 222 24X Fiche 50-387, 82/05/12, 8206030253

8206030211 Forwards IE Insp Repts 50-387/82-15 & 50-388/82-06 on 820504-06 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/05/17
CURTIS, N W Pennsylvania Power & Light Co 2pp 13337 244 24X
Fiche 50-387, 82/05/17, 8206030211

--8206030216 IE Insp Repts 50-387/82-15 & 50-388/82-06 on 820504-06 No noncompliance noted Major areas inspected status of outstanding items
NARROW, L., MCCABE, E C Division of Project & Resident Programs 82/05/14 4pp 13337 246 24X Fiche 50-387, 82/05/17, 8206030211

8206070558 Forwards IE Insp Repts 50-387/82-11 & 50-388/82-04 on 820408-0517 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs 82/05/20
CURTIS, N W Pennsylvania Power & Light Co 2pp 13372 347 24X
Fiche 50-387, 82/05/20, 8206070558

--8206070567 IE Insp Repts 50-387/82-11 & 50-388/82-04 on 820408-0517 No noncompliance noted Major areas inspected TMI items, bulletins & circulars, preoperational testing, preoperational test results review, open items & plant status
RHODAS, O G, MCCANN, J F, NICHOLS, H H Division of Project & Resident Programs 82/05/19 17pp 13372 349 24X
Fiche 50-387, 82/05/20, 8206070558

8206010397 Confirmation of Action Ltr 82-16 re IE Emergency Preparedness Appraisal Rept 50-387/82-06 on 820422 & 820501 & 20 concerning emergency preparedness Util will complete all procedures including mgt approval & issuance
SMITH, Q H Division of Emergency Preparedness & Operational Support 82/05/24 CURTIS, N W Pennsylvania Power & Light Co 3pp 13311 270 24X Fiche 50-387, 82/05/24, 8206010397

8206030251 Ack receipt of 820512 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-387/82-08 Violation A 2 confirmed
STAROSTECKI, R Division of Project & Resident Programs 82/05/24 CURTIS, N W Pennsylvania Power & Light Co 1p 13337 137 24X
Fiche 50-387, 82/05/24, 8206030251

--8206030255 Responds to NRC 820408 ltr re violations noted in IE Insp Rept 50-387/82-08 Corrective actions training session to be held & technician counseled re administrative control mechanisms
CURTIS, N W Pennsylvania Power & Light Co 82/05/12
STAROSTECKI, R Division of Project & Resident Programs 4pp 13337 138 24X Fiche 50-387, 82/05/24, 8206030251

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 10pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RDIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 10pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206150294 Forwards IE Insp Rept 50-387/82-09 on 820322-0402 & notice of violation
MARTIN, T T Division of Engineering & Technical Programs 82/05/28 CURTIS, N W Pennsylvania Power & Light Co 2pp 13503 164 24X
Fiche 50-387, 82/05/28, 8206150294

--8206150296 Notice of violation from insp on 820322-0402
MARTIN, T T Division of Engineering & Technical Programs 82/05/28 2pp 13503 166 24X Fiche 50-387, 82/05/28, 8206150294

--8206150304 IE Insp Rept 50-387/82-09 on 820322-0402 Noncompliance noted failure to obtain proper authorization prior to work on safety-related sys & failure to conduct comprehensive audits of preoperational testing
NAPUDA, S, BLUMBERG, N., EAPEN, P K Division of Engineering & Technical Programs 82/05/27 52pp 13503 168 24X
Fiche 50-387, 82/05/28, 8206150294

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche: 50-000, 82/06/02, 8204210380

8206110066 Responds to IE Bulletin 82-01, Revision 1, "Alteration of Radiographs of Welds in Piping Subassemblies " Util performed 100% insp of 408 radiographs & reader sheet records No discrepancies found
CURTIS, N W Pennsylvania Power & Light Co 82/06/03 HAYNES, R C, Region 1, Office of Director 3pp 13447 103 24X
Fiche 50-387, 82/06/03, 8206110066

8206220328 Forwards IE Insp Rept 50-387/82-16 on 820512-14 & 21-24 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/06/03 CURTIS, N W Pennsylvania Power & Light Co 2pp 13581 294 24X
Fiche 50-387, 82/06/08, 8206220328

--8206220347 IE Insp Rept 50-387/82-16 on 820512-14 & 21-24 No noncompliance noted Major areas inspected review of local leak rate test & integrated leak rate test procedures & witnessing
PULLANI, S V, REKID, W A, BETTENHAUSEN Division of Engineering & Technical Programs 82/06/08 10pp 13581 296 24X
Fiche 50-387, 82/06/08, 8206220328

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13673 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13673 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206210570 Ack receipt of 820528 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-387/82-10
MARTIN, T T Division of Engineering & Technical Programs 82/06/11 CURTIS, N W Pennsylvania Power & Light Co 1p 13564 072 24X
Fiche 50-387, 82/06/17, 8206210570

--8206210579 Responds to NRC 820428 ltr re violations noted in IE Insp Rept 50-387/82-10 Corrective actions listing of diesel generator loads developed & incorporated into revised draft of P 100, "Cold Functional Test," procedure
KENYON, B D Pennsylvania Power & Light Co 82/05/28
STAROSTECKI, R W Division of Project & Resident Programs 4pp 13564 073 24X Fiche 50-387, 82/06/17, 8206210570

S Reportable occurrences, LERs & related correspondence

8206010501 Final deficiency rept re failure of reactor core isolation cooling turbine exhaust swing check valve, initially reported
B10410 Valve replaced Discs will be replaced by 820601 Also reported per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/19 HAYNES, R C, Region 1, Office of Director 2pp 13314 088 24X
Fiche 50-387, 82/05/19, 8206010501

8206010374 Interim deficiency rept re capability of ac electric distribution sys to support two unit operation, initially reported 820420 Design voltage verification tests conducted
Final rept in Sept 1982 Also reported per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/21 HAYNES, R C, Region 1, Office of Director 4pp 13301 312 24X
Fiche 50-387, 82/05/21, 8206010374

8206040326 Final deficiency rept re welding of supports to containment liner plate, initially reported 800416 Evaluation of 2,700 supports attached to plate resulted in 36 fixes Completion expected by Fuel load Also reported per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/27 HAYNES, R C, Region 1, Office of Director 4pp 13354 069 24X
Fiche 50-387, 82/05/27, 8206040326

8206040409 Final deficiency rept re loose mounting screws on OE Type CR2940 selector switches, initially reported on 800924
Selector screws inspected & improperly torqued screws sighted Also reported per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/27 HAYNES, R C, Region 1, Office of Director 3pp 13355 358 24X
Fiche 50-387, 82/05/27, 8206040409

8206080138 Final deficiency rept re inadequate design & welding of horizontal bracing sys for primary containment vent pipes, initially reported B10603 Bracing sys rearranged & documented on Drawing E-105361 Also reportable per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/28 HAYNES, R C, Region 1, Office of Director 8pp 13423 337 24X
Fiche 50-387, 82/05/28, 8206080138

8206080415 Interim deficiency rept re inconsistencies in vertical dynamic model for reactor/control bldg, Stress analysis of typical floor slabs & supporting beams showed adequate margin to ensure integrity Next rept before fuel load
CURTIS, N W Pennsylvania Power & Light Co 82/05/28 HAYNES, R C, Region 1, Office of Director 3pp 13416 275 24X
Fiche 50-387, 82/05/28, 8206080415

DOCKETED ITEMS

28

B206190098 Final deficiency rept re inadequate documentation for miscellaneous steel, initially reported B10313 Discrepancies caused by Bloomsburg Metal Co method of matching mill test rept w/steel to be shipped
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/08 HAYNES, R. C
Region 1, Office of Director 21pp 13501 103 24X
Fiche 50-387, 82/06/08, B206190098

B206170098 Final deficiency rept re vertically installed Anchor-Darling check valves, initially reported on B20505 Hinge arms of check valves IF006 A & B modified by adding right angle extension Also reportable per Part 21
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/10 HAYNES, R. C
Region 1, Office of Director 4pp 13530 106 24X
Fiche 50-387, 82/06/10, B206170098

B206280124 Final deficiency rept re Cutler-Hammer Size 2 motor starters, initially reported B10819 All Size 2 ac motor starters checked to verify absence of high noise condition Four Unit 2 starters replaced Also reportable per Part 21
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/18 HAYNES, R. C
Region 1, Office of Director 5pp 13624 352 24X
Fiche 50-387, 82/06/18, B206280124

B206280550 Interim deficiency rept re emergency svc water sys water hammer, initially reported on B20505 Condition being reviewed & corrective action plan will eliminate problem associated w/water hammer in emergency svc water sys
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/18 HAYNES, R. C
Region 1, Office of Director 4pp 13625 254 24X
Fiche 50-387, 82/06/18, B206280550

X Onsite Storage of Low Level Waste

B206070197 Notification of contract execution, Mod 2 to "Environ Assessment of Low Level Waste Storage of PA Power & Light Co Susquehanna Steam Electric Station " Contractor Science Applications, Inc
HAIRSTON, C. FLEENOR, C. Administrative Contracts Branch
NRC-02-B1-064 82/05/20 DAVIS, J. Office of Nuclear Material Safety & Safeguards, Director 1p 13424 342 24X
Fiche 50-387, 82/05/20, B206070197

--B206070202 Mod 2, extending period of performance to B20930, to "Environ Assessment of Low Level Waste Storage at PA Power & Light Co Susquehanna Steam Electric Station "
FINDLEY, D. Science Applications, Inc HAQAN, T. F. Administrative Contracts Branch NRC-02-B1-064 82/05/20 1p 13424 343 24X
Fiche 50-387, 82/05/20, B206070197

B206080452 Requests notification of re-establishment of schedule for revised application for low level radwaste holding facility
ROUSE, L. C. Advanced Fuel & Spent Fuel Licensing Branch 82/05/26,
CURTIS, N.W. Pennsylvania Power & Light Co 1p 13439 356 24X
Fiche 50-387, 82/05/26, B206080452

DOCKET 50-388 SUSQUEHANNA STEAM ELECTRIC STATION, UNIT 2

A Application/construction stage documents & correspondence

B206140098 Forwards Amend 44 to OL application, consisting of Revision 1 to security plan
CURTIS, N.W. Pennsylvania Power & Light Co 82/03/26, SCHWENCER, A
Licensing Branch 2 1p 13488 361 24X Fiche: 50-387, 82/03/26,
B206140098

--B206140104 Amend 44 to OL application for Class 103 OL consisting of Revision 1 to security plan Plan withheld (ref 10CFR2 790)
CURTIS, N.W. Pennsylvania Power & Light Co 82/03/26 1p,
13488 362 24X Fiche: 50-387, 82/03/26, B206140098

B206010623 Forwards addl info in response to NRC concerns re chugging load definition info will be incorporated into design assessment rept scheduled for submittal on B20608
CURTIS, N.W. Pennsylvania Power & Light Co. 82/05/26 SCHWENCER, A
Licensing Branch 2 33pp, 13314 146 24X Fiche 50-387, 82/05/26,
B206010623

B206040355 Responds to NRC B20330 ltr re natural gas pipeline in vicinity of facility Location acceptable assuming flow restrictive device is used in gas line
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/01 SCHWENCER, A
Licensing Branch 2 9pp, 13350 337 24X Fiche 50-387, 82/06/01,
B206040355

B206040407 Forwards info presented at B1118 meeting w/Mark II owners group & NRC in Bethesda, MD re actions to resolve loading condition caused by drywell floor vacuum breaker cycling during chugging DAR will be submitted by B20608
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/01 SCHWENCER, A
Licensing Branch 2 9pp 13352 255 24X Fiche: 50-387, 82/06/01,
B206040407

B206070224 Forwards proposed revisions to diesel loading tables in FSAR Section B.3, providing clarification on loading of diesels to continuous & 2,000-h ratings Revisions will be submitted in future FSAR amend
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/02 SCHWENCER, A
Licensing Branch 2 4pp 13371 032 24X Fiche 50-387, 82/06/02,
B206070224

B206070220 Forwards B10624 ltr from OE re closeout of NUREG-0797, Item II K 3 30 requiring revisions to LOCA models No revisions necessary for Item II K 3 31
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/03 SCHWENCER, A
Licensing Branch 2 1p 13371 036 24X Fiche 50-387, 82/06/03,
B206070220

B206070572 Submits util position re remote shutdown compliance, in response to B20311 request
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/03 SCHWENCER, A
Licensing Branch 2 14pp 13372 216 24X Fiche 50-387, 82/06/03,
B206070572

B206070694 Forwards "Susquehanna Steam Electric Station Detailed Control Room & Design Review Program Plan," in response to NUREG-0700 & NUREG-0801
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/03 SCHWENCER, A
Licensing Branch 2 1p 13387 006 24X Fiche 50-387, 82/06/03,
B206070694

--B206070702 "Susquehanna Steam Electric Station Detailed Control Room Design Review Program Plan "
* Pennsylvania Power & Light Co 82/06/03 68pp 13387 007
24X Fiche 50-387, 82/06/03, B206070694

B206070280 Forwards Amend 47 to OL, containing Revision 30 to FSAR
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 13pp 13375 054 24X Fiche: 50-387, 82/06/04,
B206070280

--B206070287 Application for Amend 47 to OL, consisting of Revision 30 to FSAR
CURTIS, N.W. Pennsylvania Power & Light Co 82/05/28 1p,
13375 067 24X Fiche: 50-387, 82/06/04, B206070280

B206080155 Requests confirmation of util understanding of NRC actions arising from B20920 meeting of Mark II owners & NRC re vacuum actuation load due to pool swell Handouts encl
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/04, SCHWENCER, A
Licensing Branch 2 10pp 13424 069 24X Fiche 50-387, 82/06/04,
B206080155

B206080161 Forwards addl info re control of heavy loads, single failure proof handling sys, per B10924 commitment
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A,
Licensing Branch 2. 16pp 13423 276 24X Fiche 50-387, 82/06/04,
B206080161

B206080362 Forwards "Vertical Dynamic Analysis ." to aid in NRC review of inconsistencies found in facilities dynamic models Final rept addressing reportability will be submitted prior to Unit 1 fuel load Mods will be made to FSAR & DAR
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A
Licensing Branch 2 1p 13424 017 24X Fiche 50-387, 82/06/04,
B206080362

--B206080369 "Vertical Dynamic Analysis for Susquehanna Steam Electric Station Units 1 & 2 "
* Pennsylvania Power & Light Co 0168238 82/06/02, 52pp
13424 018, 24X Fiche: 50-387, 82/06/04, B206080362

B206110344 Notification of B20610 meeting w/util in Bethesda, MD to discuss radiological effluent Tech Specs
PERCH, R. Licensing Branch 2 82/06/07, SCHWENCER, A Licensing
Branch 2. 3pp 13490 215 24X Fiche 50-387, 82/06/07, B206110344.

B206110345 Notification of B20611 meeting w/util in Bethesda, MD to discuss environ protection plan
PERCH, R.L. Licensing Branch 2 82/06/07 SCHWENCER, A Licensing
Branch 2 3pp 13490 218, 24X Fiche: 50-387, 82/06/07, B206110345.

B206150148 Advises that seismic stress rept will not be available by B20601 as previously indicated Individual stress repts to be available between B20614-30 & design repts between B20614-0708
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/07 HAYNES, R. C.
Region 1, Office of Director 1p, 13505 095, 24X
Fiche 50-387, 82/06/07, B206150148

--B206160292 "Henry Pratt (P-31) Burge Valve Analysis 18-Inch ~~W~~ Valve " Two oversize figures encl. Aperture cards are available in PDR
KAZA,R.N., WRONA,T J Bachtel Corp. D-002A-2 B2/02/11 1257
13518 114 24X Fiche 50-387, 82/06/10, B206160242

DOCKETED ITEMS

--B206160257 "Henry Pratt (P-31) Purge Valve Analysis 24-inch Butterfly Valve " Two oversize figures encl Aperture cards are available in PDR
KAZAR, N, WRONA, T J, BALLUN, J V Bechtel Corp D-0026-1
82/03/07 75pp 13518 221 24X Fiche 50-387, 82/06/10, 8206160242

B206210539 Forwards responses to NRC questions re sample representativeness & interpretation for core damage Action completed Response allows for closeout of TMI Item II B 3 & SER Item B1
CURTIS, N W Pennsylvania Power & Light Co 82/06/17 SCHWENCER, A
Licensing Branch 2 App 13565 144 24X Fiche 50-387, 82/06/17, 8206210539

F Security, medical, emergency & fire protection plans

B206140078 Forwards Amend 44 to DL application, consisting of Revision 1 to security plan
CURTIS, N W Pennsylvania Power & Light Co 82/03/26 SCHWENCER, A
Licensing Branch 2 1p 13488 361 24X Fiche 50-387, 82/03/26, 8206140078

--B206140104 Amend 44 to DL application for Class 103 DL consisting of Revision 1 to security plan Plan withheld (ref 10CFR2 790)
CURTIS, N W Pennsylvania Power & Light Co 82/03/26 1p 13488 362 24X Fiche 50-387, 82/03/26, 8206140078

B206040364 Advises that util has issued instruction re handling & storage of safeguards info matl in compliance w/NURE0-0794 & 10CFR73 21 Illustrations of containers in use or proposed for safeguards info storage encl
CURTIS, N W Pennsylvania Power & Light Co 82/05/25 ROBERTSON, L
Division of Safeguards 8pp 13394 324 24X Fiche 50-387, 82/05/25, 8206040364

B206110294 Forwards TSI, Inc B20603 ltr transmitting results of Fire test, Engineering Test Rept B232-1, Revision 1, in response to NRC questions re documentation provided in util B20513 ltr (SER Item 52)
CURTIS, N W Pennsylvania Power & Light Co 82/06/09, SCHWENCER, A
Licensing Branch 2 3pp 13466 112 24X Fiche: 50-387, 82/06/09, 8206110294

--B206110299 Revision 1 to "Engineering Test Rept - 1-H ABTM E-119 Fire Simulation Facility Fire Test Followed By Short-Term Water Hose Stream Impact Test on Class IE Cable Tray & Air Drop Assembly"
FELDMAN, R TSI, Inc B232-1 R01 82/06/30 31pp 13466 115 24X Fiche 50-387, 82/06/09, 8206110294

B206170292 Forwards safety evaluation of station blackout Plant can survive station blackout of limited duration w/appropriate operator actions Not functional tests proposed in lieu of station blackout test
CURTIS, N W Pennsylvania Power & Light Co 82/06/15 SCHWENCER, A
Licensing Branch 2 51pp 13529:142 24X Fiche: 50-387, 82/06/15, 8206170292

G Adjudicatory correspondence

B206040040 Brief in support of exceptions to ASLB B20412 initial decision authorizing issuance of DLs Shortage in supply of dosimeters for emergency workers clear & uncontroversial Certificate of Bvc encl
ADLER, R W Pennsylvania, State of 82/05/28 Atomic Safety and Licensing Board Panel 32pp 13347 318 24X Fiche 50-387, 82/05/28, 8206040040

B206040199 Brief supporting Commonwealth of PA exceptions to ASLB B20412 initial decision Certificate of Bvc encl
ADLER, R W Pennsylvania, State of 82/05/28 Atomic Safety and Licensing Appeal Panel 32pp, 13399 119 24X Fiche 50-387, 82/05/28, 8206040199

B206290251 Brief opposing Citizens Against Nuclear Danger B20421 exceptions to ASLB B20412 initial decision. Exceptions fail to comply w/Commission regulations & raise issues not presented before ASLB Certificate of Bvc encl
SILBERG, J E Pennsylvania Power & Light Co SILBERG, J E Allegheny Electric Cooperative, Inc, SILBERG, J E Shaw, Pittman, Potts & Troupbridge, 82/06/25 Atomic Safety and Licensing Appeal Panel 18pp 13636 321 24X Fiche, 50-387, 82/06/25, 8206290251,

K Utility Final Safety Analysis Report (FSAR) & amends

B206070280 Forwards Amend 47 to DL containing Revision 30 to FSAR.
CURTIS, N W Pennsylvania Power & Light Co 82/06/04 SCHWENCER, A,
Licensing Branch 2, 13pp, 13375 054 24X Fiche 50-387, 82/06/04, 8206070280

--B206070290 Revision 30 to FSAR
* Pennsylvania Power & Light Co 82/05/31 1200pp 13375 068 24X Fiche 50-387, 82/06/04, 8206070280.

B206220438 Forwards revised Sections 3 9 & 3 10 of FSAR, incorporating description of hydrodynamic loads
CURTIS, N W Pennsylvania Power & Light Co 82/06/18 SCHWENCER, A
Licensing Branch 2 1p 13579 152 24X Fiche 50-387, 82/06/18, 8206220438

--B206220444 Revised Sections 3 9 & 3 10 of FSAR
* Pennsylvania Power & Light Co 82/06/18 175pp 13579.153 24X Fiche 50-387, 82/06/18, 8206220438

G Inspection reports, IE Bulletins & correspondence

B206030211 Forwards IE Insp Repts 50-387/82-15 & 50-388/82-06 on B20504-06 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs. 82/05/17, CURTIS, N W Pennsylvania Power & Light Co 2pp 13337 244, 24X Fiche 50-387, 82/05/17, 8206030211

--B206030216 IE Insp Repts 50-387/82-15 & 50-388/82-06 on B20504-06, N noncompliance noted. Major areas inspected: status of outstanding items
NARRDOW, L, MCCABE, E C Division of Project & Resident Programs, 82/05/14 4pp, 13337:246 24X Fiche 50-387, 82/05/17, 8206030211

B206070558 Forwards IE Insp Repts 50-387/82-11 & 50-388/82-04 on B20408-0517 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs. 82/05/20 CURTIS, N W Pennsylvania Power & Light Co 2pp 13372:347 24X Fiche 50-387, 82/05/20, 8206070558

--B206070567 IE Insp Repts 50-387/82-11 & 50-388/82-04 on B20408-0517 noncompliance noted Major areas inspected: TMI items, bulletins & circulars, preoperational testing, preoperational test results review, open items & plant status.
RHODAS, G O, MCCANN, J F, NICHOLS, H H Division of Project & Resident Programs 82/05/19 17pp 13372 349, 24X Fiche: 50-387, 82/05/20, 8206070558

B202040147 IE Info Notice 82-15, "Notification of NRC." Bvc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 095, 24X Fiche: 50-000, 82/05/28, 8202040147,

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28 103pp, 13440, 264, 24X Fiche: 50-000, 82/05/28, 8204210378,

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527:150 24X Fiche: 50-000, 82/06/02, 8204210380,

B206110066 Responds to IE Bulletin 82-01, Revision 1, "Alteration of Radiographs of Welds in Piping Subassemblies." Util performed 100% insp of 409 radiographs & reader sheet records No discrepancies found
CURTIS, N W Pennsylvania Power & Light Co 82/06/03 HAYNES, R C Region 1, Office of Director, 3pp 13467 103 24X Fiche 50-387, 82/06/03, 8206110066,

B204210383 IE Info Notice 82-17, "Overpressurization of R encl
JORDAN, E L, Division of Engineering & Quality Assurance 106pp 13675, 258 24X Fiche 50-000, 82/06/03,

B204210384 IE Info Notice 82-18, "Assessment of Matl by Workers." Svc list encl
DEYOUNG, R C Director's Office, Office of I Enforcement 82/06/11, 120pp 13675:189, Fiche, 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related corr

B206010374 Interim deficiency rept re capability distribution sys to support two unit operati reported B20420 Design voltage verification Final rept in Rept 1982 Also reported per Pa
CURTIS, N W Pennsylvania Power & Light Co Region 1, Office of Director, App, 13301 3 Fiche: 50-387, 82/05/21, 8206010374,

DOCKETED ITEMS

8206040326 Final deficiency rept re welding of supports to containment liner plate. Initially reported 820415 Evaluation of 2,700 supports attached to plate resulted in 56 Fires Completion expected by fuel load Also reported per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/27 HAYNES, R C
Region 1, Office of Director App 13354 069 24X
Fiche 50-387, 82/05/27, 8206040326

8206080138 Final deficiency rept re inadequate design & welding of horizontal bracing sys for primary containment vent pipes, initially reported 810603 Bracing sys rearranged & documented on Drawing E-105361 Also reportable per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/05/28 HAYNES, R C
Region 1, Office of Director App 13423 337 24X
Fiche 50-387, 82/05/28, 8206080138

8206080415 Interim deficiency rept re inconsistencies in vertical dynamic model for reactor/control bldg Stress analysis of typical floor slabs & supporting beams showed adequate margin to ensure integrity Next rept before fuel load
CURTIS, N W Pennsylvania Power & Light Co 82/05/28 HAYNES, R C
Region 1, Office of Director App 13416 275 24X
Fiche 50-387, 82/05/28, 8206080415

8206150098 Final deficiency rept re inadequate documentation for miscellaneous steel, initially reported 810513 Discrepancies caused by Bloomsburg Metal Co method of matching mill test rept w/steel to be shipped
CURTIS, N W Pennsylvania Power & Light Co 82/06/08 HAYNES, R C
Region 1, Office of Director App 13501 103 24X
Fiche 50-387, 82/06/08, 8206150098

8206170098 Final deficiency rept re vertically installed Anchor-Darling check valves, initially reported on 820303 Hinge arms of check valves 1F006 A & B modified by adding right angle extension Also reportable per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/06/10 HAYNES, R C
Region 1, Office of Director App 13530 106 24X
Fiche 50-387, 82/06/10, 8206170098

8206280124 Final deficiency rept re Cutler-Hammer Size 2 motor starters, initially reported 810817 All Size 2 ac motor starters checked to verify absence of high noise condition Four Unit 2 starters replaced. Also reportable per Part 21
CURTIS, N W Pennsylvania Power & Light Co 82/06/18 HAYNES, R C
Region 1, Office of Director App 13624:352 24X
Fiche 50-387, 82/06/18, 8206280124

8206280350 Interim deficiency rept re emergency svc water sys water hammer, initially reported on 820503 Condition being reviewed & corrective action plan will eliminate problem associated w/water hammer in emergency svc water sys
CURTIS, N W Pennsylvania Power & Light Co 82/06/18 HAYNES, R C
Region 1, Office of Director App 13625, 254 24X
Fiche 50-387, 82/06/18, 8206280350

X. Onsite Storage of Low Level Waste

8206070197 Notification of contract execution, Mod 2 to "Environ Assessment of Low Level Waste Storage of PA Power & Light Co Susquehanna Steam Electric Station " Contractor Science Applications, Inc.
HARRISTON, C., FLENDER, C Administrative Contracts Branch
NRC-02-81-044 82/05/20 DAVIS, J Office of Nuclear Material Safety & Safeguards, Director Ip 13424 342 24X
Fiche 50-387, 82/05/20, 8206070197

--8206070202 Mod 2, extending period of performance to 820930, to "Environ Assessment of Low Level Waste Storage at PA Power & Light Co Susquehanna Steam Electric Station "
FINDLEY, D Science Applications, Inc. HAGAN, T F Administrative Contracts Branch
NRC-02-81-044, 82/05/20 Ip 13424:343 24X
Fiche 50-387, 82/05/20, 8206070197

8206080452 Requests notification of re-establishment of schedule for revised application for low level radwaste holding facility
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch. 82/05/26
CURTIS, N W Pennsylvania Power & Light Co Ip 13439, 356 24X
Fiche 50-387, 82/05/26, 8206080452

DOCKET 50-389 ST. LUCIE PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206080154 Summary of 820325 meeting w/util & Ebasco in Bethesda, MD re base plate flexibility
NERSES, V Licensing Branch 3 82/05/28 Licensing Branch 3
App, 13442 001 24X Fiche 50-389, 82/05/28, 8206080154

8206110327 Notification of 820615 meeting w/util, Ebasco & C-E in Bethesda, MD to discuss items pertaining to Tech Specs format, implementation, changes & philosophy
NERSES, V Licensing Branch 3 82/06/04 MIRAGLIA, F J Licensing Branch 3 App 13490 194 24X Fiche 50-389, 82/06/04, 8206110327

8206210433 Forwards application for amend to CPPR-144 for addition of co-owner & co-applicant Payment of Class III fee encl
UHRIG, R E Florida Power & Light Co 82/06/14 DENTON, H H Office of Nuclear Reactor Regulation, Director Ip 13567, 205 24X
Fiche 50-389, 82/06/14, 8206210433

--8206210441 Application for amend of CPPR-144 to provide for addition of co-owner & co-applicant Antitrust info encl
UHRIG, R E Florida Power & Light Co 82/06/14 175pp
13567 206 24X Fiche 50-389, 82/06/14, 8206210433

8206230079 Forwards Revision 5 to Topical QA Rept FPL-NQA-100, "QA Manual," Revision includes latest organization changes submitted on 810728 & new reg guide & ANSI std commitments requested & approved in facility SER
UHRIG, R E Florida Power & Light Co 82/06/16 HAASB, W P Quality Assurance Branch Ip 13589 244 24X Fiche 50-000, 82/06/16, 8206230079

--8206230083 "QA Manual "
HUDIBURG, J J Florida Power & Light Co FPL-NQA-100 R05
82/05/07 125pp 13589 245 24X Fiche 50-000, 82/06/16, 8206230079

8206220196 Notification of 820712-16 meeting w/util at site to review documentation for environ qualification audit of safety-related equipment
NERSES, V Licensing Branch 3 82/06/17 MIRAGLIA, F J Licensing Branch 3 App 13585 353 24X Fiche 50-389, 82/06/17, 8206220196

8206220205 Summary of 820615 meeting w/util in Bethesda, MD re safety Tech Specs Util will submit radiological ETB by 820609 Site visit scheduled for wk of 820719 List of attendees encl
NERSES, V Licensing Branch 3 82/06/17 Licensing Branch 3 App 13591 044 24X Fiche 50-389, 82/06/17, 8206220205

8206280426 Forwards const/startup monthly progress rept for May 1982
UHRIG, R E Florida Power & Light Co 82/06/18 EISENHUT, D G Division of Licensing App 13621 228 24X Fiche 50-389, 82/06/18, 8206280426

D NRC Draft/Final Environmental Statements, suppl & correspondence

8206100137 Approves FEB
MOORE, S N Environmental Protection Agency. 82/06/04 Division of Licensing. Ip 13449 097 24X Fiche 50-389, 82/06/04, 8206100137

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206140119 Forwards request for addl info in support of SER confirmatory issues re CESSEC Responses should be submitted by 820801
TEDESCO, R L Assistant Director for Licensing 82/06/07
UHRIG, R E Florida Power & Light Co 13pp 13507 219 24X
Fiche 50-389, 82/06/07, 8206140119

F. Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records. 82/05/11 REYNOLDS, N B Debovoise & Liberman. App 13454, 003, 24X Fiche 50-000, 82/05/11, 8206090002

--8206090085 Forwards RE Trojanowski 820122 memo to JP Stohr re State of FL & licensee emergency planning Full field exercise scheduled for 820210-13
STOHR, J P Emergency Preparedness & Program Support Branch. 82/01/25 GRIMES, B K Division of Emergency Preparedness App 13454 158 24X Fiche 50-000, 82/05/11, 8206090002

--8206090090 Discusses status of emergency planning in State of FL re St Lucie Facilities County does not wish to participate in exercise scheduled for 820210
TROJANOWSKI, R Division of Engineering & Technical Inspection. 82/01/22 STOHR, J P Emergency Preparedness & Program Support Branch App 13454 160, 24X Fiche 50-000, 82/05/11, 8206090002

--8203110473 Submits update of current assessment of licensee's ability to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations
82/01/26 Commissioners 2pp 13454 144 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, G B Division of Technical Inspection 82/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176 24X
Fiche 50-000, 82/05/11, 8206090002

--8206090133 Responds to 820203 request for info re deficiencies identified in initial testing of prompt notification sys
Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/04 GRIMES, B K Division of Emergency Preparedness 8pp 13454 239 24X
Fiche 50-000, 82/05/11, 8206090002

8206070473 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency. H/a encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 UHRIG, R E Florida Power & Light Co 1p 13374 324 24X
Fiche 50-000, 82/05/12, 8206070473

8206020588 Forwards request for addl info re meeting requirements of 10CFR50 App R Responses should be submitted by 820618
TEDESCO, R L Assistant Director for Licensing, 82/05/26 UHRIG, R E Florida Power & Light Co 15pp 13339 019 24X
Fiche 50-389, 82/05/26, 8206020588

8206100424 Summary of 820507 meeting w/util, Ebasco & Oage-Sabcock in Bethesda, MD re fire protection
NERSEB, V Licensing Branch 3 82/06/01 Licensing Branch 3 8pp 13468 107 24X
Fiche 50-389, 82/06/01, 8206100424

8206170232 Advises that NRC review of security plan, Revision 5, indicates need for further revisions. Response within 45 days after receipt of ltr requested. Encl withheld (ref 10CFR73 21)
MIRALIA, F J Licensing Branch 3 82/06/16, UHRIG, R E Florida Power & Light Co 1p 13535 186 24X
Fiche 50-335, 82/06/16, 8206170232

J Insurance & indemnity information

8206110243 Forwards Endorsements 43 & 34 to ANI Policy NF-227 & MAELU Policy MF-88, respectively
FIELDER, J Marsh & McLennan, Inc, M & M Nuclear Consultants, Inc. Div 82/06/07 BALTZMAN, J Assistant Director for State & Licensee Relations 3pp 13466 279 24X
Fiche 50-335, 82/06/07, 8206110243

K Utility Final Safety Analysis Report (FSAR) & amends

8206040197 Forwards Amend 10 to FSAR
UHRIG, R E Florida Power & Light Co 82/05/26 EISENHUT, D O Assistant Director for Licensing 4pp 13343 001 24X
Fiche 50-389, 82/05/26, 8206040197

--8206040201 Amend 10 to FSAR
* Florida Power & Light Co 82/06/30 600pp. 13343.005 24X
Fiche 50-389, 82/05/26, 8206040197

M Antitrust correspondence

8201200165 Forwards util objections & appendices to ASLB B11211 memorandum & order
TUCKER, K O Covington & Burling TUCKER, K O Florida Power & Light Co 82/01/18 STEPHENS, C Docketing & Services Branch, 1p 11623 279 24X
Fiche 50-389, 82/01/18, 8201200165

--8201200168 Objections to ASLB B11211 memorandum & order ASLB erred in giving collateral estoppel effect to Gainesville Utils Dept vs FL Power & Light Co & Opinion 97 & in not giving effect to King decision
DYM, H Florida Power & Light Co DYM, H Covington & Burling 82/01/13 Atomic Safety and Licensing Board Panel, 46pp 11623 280 24X
Fiche 50-389, 82/01/18, 8201200165

--8201200173 Affidavit that interim rept represented preliminary effort to investigate whether joint planning of power production facilities might be beneficial. Investigation dropped
Planning documents & Certificate of Svc encl
BIVANS, E L Florida Power & Light Co 82/01/13 550pp 11623 326 24X
Fiche 50-389, 82/01/18, 8201200165

8206210433 Forwards application for amend to CPPR-144 for addition of co-owner & co-applicant Payment of Class III fee encl
UHRIG, R E Florida Power & Light Co 82/06/14 BENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13567 205 24X
Fiche 50-389, 82/06/14, 8206210433

--8206210441 Application for amend of CPPR-144 to provide for addition of co-owner & co-applicant Antitrust info encl
UHRIG, R E Florida Power & Light Co 82/06/14 175pp 13567 206 24X
Fiche 50-389, 82/06/14, 8206210433

P. Operating license stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event H/a encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York LEE, D Public Service Co of Colorado VAN BRUNT, E E Arizona Public Service Co 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

Q Inspection reports, IE Bulletins & correspondence

8206070320 Forwards IE Insp Rept 50-389/82-17 on 820419-23, No noncompliance noted
DANCE, H C Division of Project & Resident Programs, 82/05/11 UHRIG, R E Florida Power & Light Co 2pp 13363 012 24X
Fiche 50-389, 82/05/11, 8206070320

--8206070324 IE Insp Rept 50-389/82-17 on 820419-23 No noncompliance noted. Major areas inspected electrical work, instrumentation of components & sys work activities & quality records.
QIBBONS, T D CONLON, T E Division of Engineering & Technical Programs 82/05/10 4pp 13363 014 24X
Fiche 50-389, 82/05/11, 8206070320

8206070268 Submits addl responses to IE Bulletin 77-01 re relay setpoint drift. Reactor not within scope of bulletin. Faulty relays cited will not be utilized within plant
UHRIG, R E Florida Power & Light Co 82/05/20 O'REILLY, J P Region 2, Office of Director, 1p 13368 327 24X
Fiche 50-389, 82/05/20, 8206070268

8206010131 Notification of 820525 meeting w/util, Ebasco & C-E in Bethesda, MD to discuss response to IE Bulletin 79-02 re base plate flexibility. Agenda encl
NERSEB, V Licensing Branch 3 82/05/24 MIRALIA, F J Licensing Branch 3 4pp 13319 275 24X
Fiche 50-389, 82/05/24, 8206010131

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp. 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp. 13440 264 24X
Fiche 50-000, 82/05/28, 8204210378

B

-

E

DOCKETED ITEMS

--8206220348 IE Insp Rept 50-389/82-19 on 820426-30 No noncompliance noted Major areas inspected preserve (insp.safety-related structures outside containment, previous insp findings & licensee identified items
CROWLEY, D R. YORR, J W. ECONOMIC Division of Engineering & Technical Programs 82/05/26 13pp 13581 246 24X
Fiche 50-389, 82/05/28, 8206220341

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 199 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010354 Interim deficiency rept re potential steam generator 2A 1-inch nozzle malfunction, initially reported on 820217
Final rept will be submitted by 820617
UHRIG, R E Florida Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director ip 13300 345 24X
Fiche 50-389, 82/05/17, 8206010354

8206010356 Final deficiency rept re diesel generator fuel oil day tank suction check valves, initially reported 820217 Valve springs removed & preliminary tests performed w/successful results
UHRIG, R E Florida Power & Light Co 82/05/17 O'REILLY, J P
Region 2, Office of Director 2pp 13315 336 24X
Fiche 50-389, 82/05/17, 8206010356

8206070620 Supplemental deficiency rept re linear indications in reactor coolant pump 2A1 volute, initially reported 820610
Investigation underway to determine whether indications are generic problem Rept will be provided by 820701
UHRIG, R E Florida Power & Light Co 82/05/27 O'REILLY, J P
Region 2, Office of Director ip 13371 297 24X
Fiche 50-389, 82/05/27, 8206070620

8206210434 Interim deficiency rept re fan belt problem during initial startup of diesel generator, initially reported on 820210
Vendor & consultant investigating, Next rept will be sent by 820820.
UHRIG, R E Florida Power & Light Co 82/06/03 O'REILLY, J P
Region 2, Office of Director ip 13568 297 24X
Fiche 50-389, 82/06/03, 8206210434

8206300291 Interim deficiency rept re fanbelt problem during initial startup of diesel generator Final rept will be submitted by 820820, pending Flight Dynamics investigation
UHRIG, R E Florida Power & Light Co 82/06/03 O'REILLY, J P
Region 2, Office of Director ip 13658 083 24X
Fiche: 50-389, 82/06/03, 8206300291

8206300296 Second interim deficiency rept re failure of instrument inverters, initially reported 820322 Failures caused by overheating Vendor recommends replacement of various subcomponents Final rept will be submitted by 820815
UHRIG, R E Florida Power & Light Co 82/06/15 O'REILLY, J P
Region 2, Office of Director ip 13658 033 24X
Fiche 50-389, 82/06/15, 8206300296

8206300293 Final deficiency rept re failure to follow radiographic procedure, initially reported 821103 Radiographic documentation packages rechecked Review of welding & piping records for ABME Section 111, Class 1 & 2 welds underway
UHRIG, R E Florida Power & Light Co 82/06/18 O'REILLY, J P
Region 2, Office of Director 2pp 13658 054 24X
Fiche 50-389, 82/06/18, 8206300293

DOCKET 50-390 WATTS BAR NUCLEAR PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206010077 Forwards Auxiliary Sys Branch request for addl info re calculation aspects & assumptions used in analysis of diesel generator exhaust missile protection
ADENBAM, E O Licensing Branch 4 82/05/21 PARRIS, H O Tennessee Valley Authority 3pp 13331 234 24X Fiche 50-390, 82/05/21, 8206010077

8206080324 Informs that degree of damage to diesel generator exhaust from tornado missile could be sufficient to degrade generator operation below acceptable level, in response to NRC 820521 question Mods will be completed before fuel load
MILLS, L M Tennessee Valley Authority 82/06/04 ADENBAM, E
Licensing Branch 4 ip 13420 081 24X Fiche 50-390, 82/06/04, 8206080324

8206110222 Forwards info re inadvertent air return fan actuation w/ice bed temp of 30 F & actuation of one & two fans, per 820520 telcon Containment design totally adequate w/o automatic vacuum relief sys
MILLS, L M Tennessee Valley Authority 82/06/04 ADENBAM, E
Licensing Branch 4 4pp 13467 008 24X Fiche 50-390, 82/06/04, 8206110222

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olina Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206140236 Discusses inclusion of 13 listed addl sys into plant initial test program NRC concerned w/some of util commitments on various tests & requires further clarification on others
TEDESCO, R L Assistant Director for Licensing 82/06/09 PARRIS, H O Tennessee Valley Authority 5pp 13507 356 24X
Fiche 50-390, 82/06/09, 8206140236

8206160090 Summary of 820514 meeting w/util, Woodward-Clyde Associates & Univ of CA in Bethesda, MD re potential for liquefaction beneath essential raw cooling water pipelines Attendance list & NRC position encl
KENYON, T J Licensing Branch 4 82/06/09 Licensing Branch 4
3pp 13527 332 24X Fiche 50-390, 82/06/09, 8206160090

8206150246 Forwards revised response to TMI Item III D i i re integrity of sys outside containment likely to contain radioactive matl for PWRs
MILLS, L M Tennessee Valley Authority 82/06/11 ADENBAM, E
Licensing Branch 4 3pp 13494 361 24X Fiche 50-390, 82/06/11, 8206150246

8206160131 Forwards draft revisions to Section 6 3 4 i & Table 14 2-3 of FSR, per Reg Guide 1.20, to be incorporated into Amend 4B
MILLS, L M Tennessee Valley Authority 82/06/11 ADENBAM, E
Licensing Branch 4 4pp 13517 306 24X Fiche 50-390, 82/06/11, 8206160131

8206160235 Forwards five oversize drawings showing util compliance w/General Design Criterion 17 & 18 for facilities, in response to NRC 820318 ltr Aperture cards are available in PBR
MILLS, L M Tennessee Valley Authority 82/06/11 ADENBAM, E
Licensing Branch 4 2pp 13518 336 24X Fiche 50-390, 82/06/11, 8206160235

8206160117 Forwards "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys," as addl info to 820430 sixth quarterly rept
MILLS, L M Tennessee Valley Authority 82/06/14 ADENBAM, E
Licensing Branch 4 ip 13317 332 24X Fiche 50-000, 82/06/14, 8206160117

--8206160123 "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys "
* Tennessee Valley Authority 82/06/14 12pp 13317 333 24X
Fiche 50-000, 82/06/14, 8206160123

8206250317 Forwards summary of 820514 meeting w/Woodward-Clyde Associates & util re liquefaction potential beneath essential raw cooling water pipelines W/o encl
TEDESCO, R L Assistant Director for Licensing 82/06/14 PARRIS, H O Tennessee Valley Authority 2pp 13629 056 24X
Fiche: 50-390, 82/06/14, 8206250317

8206290461 Notification of 820630-0701 meetings w/util in Knoxville, TN to discuss review of geotechnical engineering info
KENYON, T J Licensing Branch 4 82/06/14 ADENBAM, E O Licensing Branch 4 5pp 13660 097 24X Fiche 50-390, 82/06/14, 8206290461

8206240286 Informs that util has elected to insulate steam generator ref leg to alleviate temp dependence problem, following up 820310 ltr to NRC
MILLS, L M Tennessee Valley Authority 82/06/21, ADENBAM, E
Licensing Branch 4 ip 13596 159 24X Fiche 50-390, 82/06/21, 8206240286

DOCKETED ITEMS

8206240340 Forwards revisions to App B of util 820303 ltr providing info re submergence of electrical equipment at facility
Revisions do not affect conclusions of util analysis
MILLS,L M Tennessee Valley Authority 82/06/21 ADENBAM,E
Licensing Branch 4 79pp 13602 110 24X Fiche 50-390,82/06/21,
8206240340

8206250237 Forwards matl to be included in Amend 4B of FBAR Info
concerns Section 3 7 3 12, "Buried Seismic Category I Piping
Sys & Tunnels " Info should resolve NRC concerns resulting
from 820514 meeting
MILLS,L M Tennessee Valley Authority 82/06/23 ADENBAM,E
Licensing Branch 4 4pp 13613 075 24X Fiche:50-390,82/06/23,
8206250237

8206300152 Forwards summary of analysis showing that askare1-filled
transformer will not fail in manner causing damage to
adjacent safety-related equipment
MILLS,L M Tennessee Valley Authority 82/06/23 ADENBAM,E
Licensing Branch 4 2pp 13655 303 24X Fiche 50-390,82/06/23,
8206300152

E NRC Safety Evaluation Report (SER), supp's & correspondence

8206220152 Forwards revised SER Section 15 2 4 4 on resolution of
concerns re postulated boron dilution events w/regard to
single failure criterion Requests justification as to how
position may be met to close open item in timely matter
TEDESCO,R L Assistant Director for Licensing 82/06/18
PARRIS,H O Tennessee Valley Authority 6pp 13591 304 24X
Fiche 50-390,82/06/18,8206220152

8206290114 Forwards marked-up draft SER pages containing addl util
comments
MILLS,L M Tennessee Valley Authority 82/06/24 ADENBAM,E
Licensing Branch 4 58pp 13635 243 24X Fiche 50-390,82/06/24,
8206290114

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in UB Forwards
documents listed in App A
FELTON,J M Division of Rules and Records 82/04/21 WADE,J
Public Interest Research Group, New York, 7pp 13524 010 24X
Fiche 50-000,82/04/21,8206150016

--8201290065 Forwards Central Files version of response to NRC 811207
request for info re radiological emergency plan, including
prompt notification sys info & "Evacuation Time Estimates
Within Plume Exposure Pathway Emergency Planning Zone "
MILLS,L M Tennessee Valley Authority 82/01/19 ADENBAM,E
Licensing Branch 4 4pp 13524 117 24X Fiche 50-000,82/04/21,
8206150016

8206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0843, "Agency Procedures for NRC
Incident Response Plan " Plan should be of benefit to
understanding of NRC response to emergency, W/O encl
STOHR,J P Division of Emergency Preparedness & Operational Support
82/05/12 PARRIS,H O Tennessee Valley Authority 1p, 13375-053,
24X Fiche 50-000,82/05/12,8206070481

8206150334 Forwards revisions to physical security plan Revisions
withheld (ref 10CFR73.21)
MILLS,L M Tennessee Valley Authority 82/06/10 DENTON,H R
Office of Nuclear Reactor Regulation, Director 1p 13504:315, 24X
Fiche:50-390,82/06/10,8206150334

8206150375 Informs that conceptual design for emergency response
facilities will be provided within 90 days of receipt of
NRC position based on Commissioners review of SECY-82-111
MILLS,L M Tennessee Valley Authority 82/06/11, ADENBAM,E,
Licensing Branch 4 1p 13505 267 24X Fiche 50-390,82/06/11,
8206150375

8206150444 Releases public version of revised emergency plan
implementing procedures document.
FELTON,J M Division of Rules and Records 82/06/11, Document
Management Branch 1p 13523 137 24X Fiche 50-390,82/06/11,
8206150444

--8206150448 Forwards public version of revised emergency plan
implementing procedures document/including Procedures IP-1
re emergency plan classification logic,IP-2 re notification
of unusual event & IP-3 re alert
MILLS,L M Tennessee Valley Authority 82/05/21 DENTON,H R
Office of Nuclear Reactor Regulation, Director 1p 13523 138
24X Fiche 50-390,82/06/11,8206150444

--8206150449 Public version of revised emergency plan implementing
procedures document,including Procedures IP-1 re emergency
plan classification logic,IP-2 re notification of unusual
event & IP-3 re alert
* Tennessee Valley Authority 82/01/26 180pp 13523 139, 24X
Fiche 50-390,82/06/11,8206150444

8206250270 Clarifies sections of fire protection program re-evaluati
re "Fast-response" sprinkler heads Only OL listed or factory
mutual approved sprinkler heads will be used
MILLS,L M Tennessee Valley Authority 82/06/22, ADENBAM,E,
Licensing Branch 4 2pp, 13617 184 24X Fiche:50-000,82/06/22,
8206250270

G Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/
82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05,
50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01,
50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG,F J Division of Project & Resident Programs 82/05/20
PARRIS,H O Tennessee Valley Authority, 3pp 13374 255, 24X
Fiche 50-000,82/05/20,8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16,
50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05,
50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/
82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted.
LENAHAN,J J Division of Project & Resident Programs 82/05/16
9pp 13374 258 24X Fiche:50-000,82/05/20,8206070482

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list enc
DEYOUNG,R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 093, 24X
Fiche 50-000,82/05/28,8202040147,

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoint
Svc list encl
JORDAN,E L Division of Engineering & Quality Assurance, 82/05/1
103pp, 13440 264 24X Fiche 50-000,82/05/28,8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants,"
Svc list encl
DEYOUNG,R C Director's Office, Office of Inspection and
Enforcement 82/04/02 108pp 13527 150 24X
Fiche 50-000,82/04/02,8204210380

8206220209 Forwards revised response to IE Bulletin 82-20 re failure
Westinghouse Type W-2 spring return to neutral control
switches Lights will be wired to monitor contact continuity
in spring return to neutral position
MILLS,L M Tennessee Valley Authority 82/06/02 O'REILLY,J.P.
Region 2, Office of Director, 2pp, 13572 324, 24X
Fiche 50-390,82/04/02,8206220209

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc 1
encl
JORDAN,E L Division of Engineering & Quality Assurance, 82/06/
106pp 13675 258, 24X Fiche 50-000,82/06/11,8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioacti
Matl by Workers " Svc list encl
DEYOUNG,R C Director's Office, Office of Inspection and
Enforcement 82/06/11, 120pp, 13678 189, 24X
Fiche:50-000,82/06/11,8204210384

S. Reportable occurrences, LERs & related correspondence

8206010222 Second interim deficiency rept re overpressurization of
chemical & vol control sys tank, initially reported on
820120 Hydrostatic & pneumatic testing procedures revised.
Next rept will be provided by 820827
MILLS,L M Tennessee Valley Authority 82/05/17 O'REILLY,J.P
Region 2, Office of Director 2pp, 13300 078 24X
Fiche 50-390,82/05/17,8206010222

8206010256 Final deficiency rept re incomplete tentative sys trans
originally reported on 820127, Deficiencies resolved
w/tentative transfers accepted on 820323 & 27, Employees
retained in requirements of QCP-3 & Text & 99,
MILLS,L M Tennessee Valley Authority 82/05/17, O'REILLY,J.P
Region 2, Office of Director 3pp, 13301 359, 24X
Fiche 50-390,82/05/17,8206010256.

8206010350 Fourth interim deficiency rept re failure to document 1
foundations of Category I rock supported structures would
be designed to accommodate 1-inch differential settlements,
initially reported on 810707, Next rept due by 820709
MILLS,L M Tennessee Valley Authority, 82/05/17, O'REILLY,J.I
Region 2, Office of Director, 3pp 13301 001, 24X
Fiche 50-390,82/05/17,8206010350

B206010392 Suppl to final deficiency rept re essential raw cooling water pumps, initially reported B01005 Final corrective action will be completed by fuel loading Change in due date caused by delay in vendor meeting delivery dates
MILLS, L M Tennessee Valley Authority 82/05/17 O'REILLY, J P
Region 2, Office of Director 1p 13311 321 24X
Fiche 50-390, 82/05/17, B206010392

B206010688 Final deficiency rept re seismically unqualified Jamesburg valves used in HVAC sys, initially reported B20412 Manufacturer will provide addl seismic bracing before fuel load.
MILLS, L M Tennessee Valley Authority 82/05/17 O'REILLY, J P
Region 2, Office of Director 2pp 13313 300 24X
Fiche 50-390, 82/05/17, B206010688

B206010689 First interim deficiency rept re potentially overstressed embedded plates, initially reported B20412 Sampling program initiated Next rept will be submitted by B20714
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 2pp 13313 302 24X
Fiche 50-390, 82/05/18, B206010689

B206010429 First interim deficiency rept re incorrect values in Westinghouse program UHISATAN producing different results, initially reported B20419 Westinghouse reanalyzing three perfect mixing cases Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/05/19 O'REILLY, J P
Region 2, Office of Director 2pp 13314 354 24X
Fiche 50-390, 82/05/19, B206010429

B206010676 Fourth Supplemental Deficiency Rept 4 re grouted anchor bolts on main steam line supports, initially reported on B00314 Corrective action cannot be completed until NCR 3567R, qualification of epoxy grout completed
MILLS, L M Tennessee Valley Authority 82/05/19 O'REILLY, J P
Region 2, Office of Director 1p 13314 239 24X
Fiche 50-390, 82/05/19, B206010676

B206010684 Eighth interim deficiency rept re steam generator water level ref column error, initially reported on 790606 Util re-evaluating decision to install Westinghouse microprocessor-based temp compensation sys. Next rept B20708
MILLS, L M Tennessee Valley Authority 82/05/19 O'REILLY, J P
Region 2, Office of Director 1p 13313 325 24X
Fiche 50-390, 82/05/19, B206010684

B206010287 Revised Interim Deficiency Rept 10 re faulty fillet welds, initially reported B00220 Next rept will be submitted B20304
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 1p 13301 099 24X
Fiche 50-390, 82/05/20, B206010287

B206010427 Third interim deficiency rept re discrepancy in as-built vs as-analyzed piping sys, initially reported B10226 Installed locations will be qualified by evaluation or reanalysis or support will be relocated Addl info by B20603
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 2pp 13313 240 24X
Fiche 50-390, 82/05/20, B206010427

B206010457 Final deficiency rept re absence of containment isolation signal to containment isolation valve FCV-42-76, initially reported B11109 Phase A containment isolation signal will be added to valve control room circuit before fuel loading.
MILLS, L M Tennessee Valley Authority 82/05/21 O'REILLY, J P
Region 2, Office of Director 2pp 13313 021 24X
Fiche 50-390, 82/05/21, B206010457

B206010471 First interim deficiency rept re superseded digitized seismic response spectra data used to qualify safety-related piping, initially reported B20422, Reanalysis to be performed where necessary Next rept by B20125
MILLS, L M Tennessee Valley Authority 82/05/21 O'REILLY, J P
Region 2, Office of Director 2pp 13313 003 24X
Fiche 50-390, 82/05/21, B206010471

B206070615 Followup Part 21 rept re defective 3/4-inch check valve. Valve disposed of by util Valve unable to withstand pulsating air flow due to reciprocating air compressor action
FALYER, H W Morrison-Knudsen, Inc. 82/05/21 O'REILLY, J P
Region 2, Office of Director 1p 13371:350 24X Fiche 50-390, 82/05/21, B206070615

B206070100 Eighth interim deficiency rept re anchor bolts installed not in accordance w/spacing specs, initially reported B10331 Design review completed, Results being evaluated, Addl info to be provided by B20728
MILLS, L M Tennessee Valley Authority 82/05/24 O'REILLY, J P
Region 2, Office of Director 2pp 13370 344 24X
Fiche 50-390, 82/05/24, B206070100

B206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on B11027 Final rept submitted on B20208 Corrective action expected to be completed on or before B20730
MILLS, L M Tennessee Valley Authority 82/05/25 O'REILLY, J P
Region 2, Office of Director 1p 13368 212 24X
Fiche 50-000, 82/05/25, B206070104

B206070243 Supplemental deficiency rept re seismic concerns for Jamesburg valves, initially reported B20412 Final deficiency rept submitted B20517 should also be considered applicable under Part 21
MILLS, L M Tennessee Valley Authority 82/05/25 O'REILLY, J P
Region 2, Office of Director 1p 13370 354 24X
Fiche 50-390, 82/05/25, B206070243

B206070093 First interim deficiency rept re use of incorrect response spectra in Gilbert Commonwealth piping analysis Incorrect spectra used for X-Y DBE dynamic level case for Piping Analysis 060200-09-05 Case reanalyzed Reported per Part 21
MILLS, L M Tennessee Valley Authority 82/05/27 O'REILLY, J P
Region 2, Office of Director 2pp 13368 214 24X
Fiche 50-390, 82/05/27, B206070093

B206070544 First interim deficiency rept re failure to perform seismic analysis on auxiliary bldg platform design, initially reported B20426 Investigation continuing Next rept will be submitted by B21021
MILLS, L M Tennessee Valley Authority 82/05/27 O'REILLY, J P
Region 2, Office of Director 2pp 13372 184 24X
Fiche 50-390, 82/05/27, B206070544

B206070622 Second interim deficiency rept re violation of pressure relief requirements by adding isolation valves to waste gas decay tank vent line, initially reported on B20210 EGN 3419 initiated to comply w/ANSI B31.1 & NUREG-0472
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 2pp 13371 295 24X
Fiche 50-390, 82/05/28, B206070622

B206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported B11020 Procedures revised Next rept by B21206
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 3pp 13370 270 24X
Fiche 50-000, 82/05/28, B206070665

B206110321 Sixth interim deficiency rept re essential raw cooling water heat tracing, initially reported on B10413 Evaluation in progress to determine implications to other safety-related sys Next rept by B20901
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13467 067 24X
Fiche 50-390, 82/05/28, B206110321

B206110119 Second interim deficiency rept re nonconformance of high pressure fire protection seismic pipe supports, initially reported B11204, Revisions to affected design drawings under Change Notice 3222 not completed Next rept by B21123
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 2pp 13465 229 24X
Fiche 50-390, 82/06/01, B206110119

B206110130 First interim deficiency rept re incomplete documentation of HVAC sys requirements, initially reported on B20427 Investigation in progress to determine corrective actions Next rept to be provided by B20909
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 2pp 13465 218 24X
Fiche 50-390, 82/06/01, B206110130

B206110282 Second interim deficiency rept re review of purchase requisitions, initially reported B20120, Study being conducted of procurement process including all aspects of sys Next rept due by B20916
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13466 162 24X
Fiche 50-000, 82/06/01, B206110282

B206110305 First interim deficiency rept re misspec of seismic displacements for steam generators, initially reported B20430, Feedwater Problem 060200-02-03 reanalyzed & is being issued for further design review, Next rept expected B20823
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 2pp 13466 175 24X
Fiche 50-390, 82/06/01, B206110305

B206110319 Final deficiency rept re defective tube steel matl, initially reported B11224 Testing indicated no generic condition exists, Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 3pp 13467 068 24X
Fiche 50-390, 82/06/01, B206110319

DOCKETED ITEMS

8206140042 First interim deficiency rept re questionable patches of plastic cement mortar, initially reported on 820429 Adequacy of involved structures & of cement mortar to perform function under investigation Next rept by 820830
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13497 112 24X
Fiche 50-390, 82/06/01, 8206140042

8206110115 Fifth interim deficiency rept re qualification of epoxy grout for safety-related applications, initially reported on 810827 Investigation continuing Wyle Lab preparing age analysis for accelerated aging program Next rept by 820922
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 1p 13465 232 24X
Fiche 50-390, 82/06/03, 8206110115

8206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on 820120 QA training completed 820318 & technical training ongoing Administrative Instruction GER-A1 104 implemented
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, 8206110159

8206110217 First interim deficiency rept re incorrect analysis of 3-inch chemical & vol control sys line, initially reported 820305 Part 21 not applicable Reanalysis continuing to determine if any field mods are necessary
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13467, 054 24X
Fiche 50-390, 82/06/03, 8206110217

8206210389 Third interim deficiency rept re loading criteria for structural steel & supports, initially reported 81117 Investigation continuing re effects of attachments to cable tray supports & to bldg & steel support
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 1p 13583 108 24X
Fiche 50-390, 82/06/07, 8206210389

8206210589 First interim deficiency rept re qualification of RHR/decay heat removal sump valve room, initially reported 820422 FBARS will be revised to accurately reflect plant configuration Next rept expected by 820907
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 2pp 13563, 271, 24X
Fiche 50-000, 82/06/07, 8206210589

8206210105 Third interim deficiency rept re failure to update WBNP-QCP-1 14, per Revision 6 to General Const Spec Q-32 re bolt anchors set in hardened concrete, initially reported on 811229 Investigation continuing Next rept due by 821221
MILLS, L. M. Tennessee Valley Authority 82/06/08 O'REILLY, J. P.
Region 2, Office of Director 2pp 13559, 357 24X
Fiche 50-390, 82/06/08, 8206210105

8206210547 Interim deficiency rept re failure to evaluate operator actions to realign essential raw cooling water train A, initially reported on 820310 Analysis underway to determine if flow deficiencies will occur before operator action
MILLS, L. M. Tennessee Valley Authority 82/06/08 O'REILLY, J. P.
Region 2, Office of Director, 2pp 13564 230, 24X
Fiche 50-390, 82/06/08, 8206210547

8206210167 Supplemental final deficiency rept re seismic supports for auxiliary feedwater control valves, originally reported on 820624, Support strut completion delayed until 820831 due to overall const delays.
MILLS, L. M. Tennessee Valley Authority 82/06/09 O'REILLY, J. P.
Region 2, Office of Director 1p 13560, 300 24X
Fiche 50-390, 82/06/09, 8206210167

8206210569 Final deficiency rept re possible inadvertent boron dilution at cold/hot shutdown conditions while on RHR, initially reported 820710 Interim operating procedures recommended by Westinghouse adopted Also reportable per Part 21.
MILLS, L. M. Tennessee Valley Authority 82/06/09 O'REILLY, J. P.
Region 2, Office of Director 2pp 13561 070 24X
Fiche 50-390, 82/06/09, 8206210569

8206210245 Final deficiency rept re failure to erect platforms, ladders & stairs per applicable drawings, initially reported 810903. Scheduled completion date for corrective action is 821231 & prior to fuel load for Units 1 & 2, respectively.
MILLS, L. M. Tennessee Valley Authority 82/06/10 O'REILLY, J. P.
Region 2, Office of Director 2pp 13559, 171, 24X
Fiche 50-390, 82/06/10, 8206210245

8206210296 First interim deficiency rept re incomplete or undocumented checking of analysis, initially reported 820513 All analysis problems being reviewed to ensure that independent review & complete check performed Next rept by 830204.
MILLS, L. M. Tennessee Valley Authority 82/06/15 O'REILLY, J. P.
Region 2, Office of Director 2pp 13559, 117 24X
Fiche: 50-390, 82/06/15, 8206210296

8206220292 First interim deficiency rept re Gilbert/Commonwealth piping analysis problem N3-67-21A, initially reported 820518 DSA spectra applied to shield bldg wall instead of steel containment vessel. Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/17 O'REILLY, J. P.
Region 2, Office of Director, 2pp 13573 257, 24X
Fiche: 50-390, 82/06/17, 8206220292

8206240255 First interim deficiency rept re operating conditions used in piping analysis, initially reported 820518 Sampling program established to determine scope & seriousness of problem Next rept provided by 830204
MILLS, L. M. Tennessee Valley Authority 82/06/17 O'REILLY, J. P.
Region 2, Office of Director 2pp 13598 339, 24X
Fiche 50-390, 82/06/17, 8206240255

8206240171 First interim deficiency rept re omission of anchor point movement input to evaluate pipe interferences from Isometric Drawing 47W464-31b, Revision 1, initially reported on 820519 Const Spec N3C-912 being revised Next rept due by 830204
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director, 2pp 13600 063 24X
Fiche 50-390, 82/06/18, 8206240171

8206300053 First interim deficiency rept re lack of commitment to maintain drawing configuration control for installation of platforms, ladders & stairs, initially reported on 820510 Next rept to be submitted by 820930
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 2pp 13636 001 24X
Fiche 50-390, 82/06/18, 8206300053

8206300122 Supplemental Final Deficiency Repts 50-390/81-36 & 50-391/81-04 re improper installation of compression-type terminals on single-phase static inverters, initially reported on 801212 Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 1p 13636 049, 24X
Fiche 50-390, 82/06/18, 8206300122

8206300171 Second suppl to final deficiency rept re HVAC piping configuration, initially reported 810709 Completion date of 820515 for modifying hangers missed due to further shifts in craft priorities New completion date is 820915.
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 1p 13634 227 24X
Fiche: 50-390, 82/06/18, 8206300171

8206300343 First interim deficiency rept re nonconformance of cement mortar linings on piping in essential raw cooling water sys installed by Ameron, initially reported 820521 Evaluation continuing Next rept by 820805 Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/21 O'REILLY, J. P.
Region 2, Office of Director 2pp 13650, 084, 24X
Fiche 50-390, 82/06/21, 8206300343

8206300058 Second interim deficiency rept re incomplete description of assumptions & limitations of WERCO program contributing to unacceptable usage of program in design of TVA plants, initially reported on 820409, Next rept by 821005.
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director, 2pp 13655, 337 24X
Fiche: 50-000, 82/06/22, 8206300058

8206300212 First interim deficiency rept re setpoint program for overpressure mitigating sys, initially reported 820521. Investigation continuing Next rept will be submitted by 820927
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director, 2pp 13654, 327, 24X
Fiche 50-390, 82/06/22, 8206300212

8206300055 First interim deficiency rept re preparation of alternate analysis calculation packages & documentation, initially reported on 820524 Team formed to review analysis methods. Next rept will be submitted by 821207
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 2pp 13655 362 24X
Fiche 50-390, 82/06/23, 8206300055

8206300114 Eighth Interim Deficiency Repts 50-390/81-08 & 50-391/81 re steel containment penetration assembly, initially reported on 801219 All design drawings not revised due to one piping problem still being analyzed Next rept by 820816
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director, 1p 13656, 068, 24X
Fiche: 50-390, 82/06/23, 8206300114

8206300285 Interim deficiency rept re incorrect lube oil used in diesel generators, initially reported on 820223, Investigation continuing on program deficiency that allowed incorrect oil to be approved for use Next rept due 820901.
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 1p 13652, 317, 24X
Fiche: 50-390, 82/06/23, 8206300285

DOCKET 50-391 WATTS BAR NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206010077 Forwards Auxiliary Sys Branch request for addl info re calculation aspects & assumptions used in analysis of diesel generator exhaust missile protection
ADENSAM, E G Licensing Branch 4 82/05/21 PARRIS, H G Tennessee Valley Authority 3pp 13331 234 24X Fiche 50-390, 82/05/21, 8206010077

8206080324 Informs that degree of damage to diesel generator exhaust from tornado missile could be sufficient to degrade generator operation below acceptable level, in response to NRC 820521 question Mods will be completed before fuel load
MILLS, L M Tennessee Valley Authority 82/06/04 ADENSAM, E Licensing Branch 4 1p 13420 081 24X Fiche 50-390, 82/06/04, 8206080324

8206110222 Forwards info re inadvertent air return fan actuation w/ice bed temp of 30 F & actuation of one & two fans per 820520 telcon. Containment design totally adequate w/o automatic vacuum relief sys
MILLS, L M Tennessee Valley Authority 82/06/04 ADENSAM, E Licensing Branch 4 4pp 13467 008 24X Fiche 50-390, 82/06/04, 8206110222

8206090133 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co. of New York 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090133

8206140236 Discusses inclusion of 13 listed addl sys into plant initial test program NRC concerned w/some of util commitments on various tests & requires further clarification on others
TEDESCO, R L Assistant Director for Licensing 82/06/09 PARRIS, H G Tennessee Valley Authority 5pp 13507 356 24X Fiche 50-390, 82/06/09, 8206140236

8206160090 Summary of 820514 meeting w/util, Woodward-Clyde Associates & Univ of CA in Bethesda, MD re potential for liquefaction beneath essential raw cooling water pipelines Attendance list & NRC position encl
KENYON, T J Licensing Branch 4, 82/06/09 Licensing Branch 4 5pp 13527-332 24X Fiche 50-390, 82/06/09, 8206160090

8206150246 Forwards revised response to TMI Item III D 1 i re integrity of sys outside containment likely to contain radioactive matl for PHRS
MILLS, L M Tennessee Valley Authority 82/06/11 ADENSAM, E Licensing Branch 4 3pp 13494-361 24X Fiche 50-390, 82/06/11, 8206150246

8206160131 Forwards draft revisions to Section 6 3 4 1 & Table 14.2-3 of FBAR, per Reg Guide 1.20, to be incorporated into Amend 4B
MILLS, L M Tennessee Valley Authority 82/06/11 ADENSAM, E Licensing Branch 4 4pp 13517 306 24X Fiche 50-390, 82/06/11, 8206160131

8206160255 Forwards five oversize drawings showing util compliance w/General Design Criterion 17 & 18 for facilities, in response to NRC 820518 ltr Aperture cards are available in POR
MILLS, L M Tennessee Valley Authority 82/06/11 ADENSAM, E Licensing Branch 4 2pp 13518 336 24X Fiche 50-390, 82/06/11, 8206160255

8206160117 Forwards "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys," as addl info to 820430 sixth quarterly rept.
MILLS, L M Tennessee Valley Authority 82/06/14 ADENSAM, E Licensing Branch 4 1p 13517 332 24X Fiche 50-000, 82/06/14, 8206160117

--8206160123 "Summary of Testing to Determine Suitability of Tayco Igniter for Use in Permanent Hydrogen Mitigation Sys."
* Tennessee Valley Authority 82/06/14 12pp 13517:333 24X Fiche 50-000, 82/06/14, 8206160123

8206250317 Forwards summary of 820514 meeting w/Woodward-Clyde Associates & util re liquefaction potential beneath essential raw cooling water pipelines W/o encl
TEDESCO, R L Assistant Director for Licensing 82/06/14 PARRIS, H G Tennessee Valley Authority 2pp 13627-036 24X Fiche 50-390, 82/06/14, 8206250317

8206290461 Notification of 820630-0701 meetings w/util in Knoxville, TN to discuss review of geotechnical engineering info
KENYON, T J Licensing Branch 4 82/06/14 ADENSAM, E G Licensing Branch 4 5pp 13660 097 24X Fiche 50-390, 82/06/14, 8206290461

8206240286 Informs that util has elected to insulate steam generator ref leg to alleviate temp dependence problem, following up 820310 ltr to NRC
MILLS, L M Tennessee Valley Authority 82/06/21 ADENSAM, E Licensing Branch 4 1p 13596 159 24X Fiche 50-390, 82/06/21, 8206240286

8206240340 Forwards revisions to App B of util 820303 ltr providing info re submergence of electrical equipment at facility. Revisions do not affect conclusions of util analysis
MILLS, L M Tennessee Valley Authority 82/06/21 ADENSAM, E Licensing Branch 4 79pp 13602 110 24X Fiche 50-390, 82/06/21, 8206240340

8206250237 Forwards matl to be included in Amend 4B of FBAR Info concerns Section 3 7 3 12, "Buried Seismic Category I Piping Sys & Tunnels." Info should resolve NRC concerns resulting from 820514 meeting
MILLS, L M Tennessee Valley Authority 82/06/23 ADENSAM, E Licensing Branch 4 4pp 13613 075 24X Fiche 50-390, 82/06/23, 8206250237

8206300152 Forwards summary of analysis showing that askarel-filled transformer will not fail in manner causing damage to adjacent safety-related equipment
MILLS, L M Tennessee Valley Authority 82/06/23 ADENSAM, E Licensing Branch 4 2pp 13655 303 24X Fiche 50-390, 82/06/23, 8206300152

E NRC Safety Evaluation Report (SER), suppl's & correspondence

8206220152 Forwards revised SER Section 13 2 4 4 on resolution of concerns re postulated boron dilution events w/regard to single failure criterion Requests justification as to how position may be met to close open item in timely matter
TEDESCO, R L Assistant Director for Licensing 82/06/18 PARRIS, H G Tennessee Valley Authority 4pp 13591 304 24X Fiche 50-390, 82/06/18, 8206220152

8206290114 Forwards marked-up draft SER pages containing addl util comments
MILLS, L M Tennessee Valley Authority 82/06/24 ADENSAM, E Licensing Branch 4 58pp 13635 243 24X Fiche 50-390, 82/06/24, 8206290114

F Security, medical, emergency & fire protection plans

8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X Fiche 50-000, 82/04/21, 8206150016

--8201290065 Forwards Central Files version of response to NRC 811207 request for info re radiological emergency plan, including prompt notification sys info & "Evacuation Time Estimates Within Plume Exposure Pathway Emergency Planning Zone"
MILLS, L M Tennessee Valley Authority 82/01/19 ADENSAM, E Licensing Branch 4 4pp 13524 117 24X Fiche 50-000, 82/04/21, 8206150016

8206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0843, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency, W/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PARRIS, H G Tennessee Valley Authority 1p 13375 033 24X Fiche 50-000, 82/05/12, 8206070481

8206150334 Forwards revisions to physical security plan Revisions withheld (ref 10CFR73 21)
MILLS, L M Tennessee Valley Authority 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13504 315 24X Fiche 50-390, 82/06/10, 8206150334

8206150375 Informs that conceptual design for emergency response facilities will be provided within 90 days of receipt of NRC position based on Commissioners review of SECY-82-111.
MILLS, L M Tennessee Valley Authority 82/06/11 ADENSAM, E Licensing Branch 4 1p 13505 267 24X Fiche 50-390, 82/06/11, 8206150375

DOCKETED ITEMS

2

8206150444 Releases public version of revised emergency plan implementing procedures document
FELTON, J. M. Division of Rules and Records 82/06/11 Document
Management Branch 1p 13523 137 24X Fiche 50-390, 82/06/11,
8206150444

--8206150448 Forwards public version of revised emergency plan implementing procedures document, including Procedures IP-1 re emergency plan classification logic, IP-2 re notification of unusual event & IP-3 re alert
MILLS, L. M. Tennessee Valley Authority 82/05/21 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 1p 13523 138
24X Fiche 50-390, 82/06/11, 8206150444

--8206150449 Public version of revised emergency plan implementing procedures document, including Procedures IP-1 re emergency plan classification logic, IP-2 re notification of unusual event & IP-3 re alert
* Tennessee Valley Authority 82/01/26 180pp 13523 139 24X
Fiche 50-390, 82/06/11, 8206150444

8206250270 Clarifies sections of fire protection program re-evaluations re "Fast-response" sprinkler heads. Only DL listed or factory mutual approved sprinkler heads will be used
MILLS, L. M. Tennessee Valley Authority 82/06/22 ADENSA, E.
Licensing Branch 4 2pp 13617 184 24X Fiche 50-000, 82/06/22,
8206250270

G Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-819/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F. J. Division of Project & Resident Programs 82/05/20
PARRIS, H. O. Tennessee Valley Authority 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted
LENAHAN, J. Division of Project & Resident Programs 82/05/18,
7pp 13374 258 24X Fiche 50-000, 82/05/20, 8206070482,

8202040147 IE Info Notice 82-15, "Notification of NRC," Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28
103pp 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and
Enforcement 82/06/02, 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206220209 Forwards revised response to IE Bulletin 82-20 re failure of Westinghouse Type W-2 spring return to neutral control switches. Lights will be wired to monitor contact continuity in spring return to neutral position
MILLS, L. M. Tennessee Valley Authority, 82/06/02, O'REILLY, J. P.
Region 2, Office of Director 2pp 13572 324 24X
Fiche 50-390, 82/06/02, 8206220209

8206110211 Forwards Revision 2 to Procedure TI-50B "ASME Section IX Preservice Insp Program, Unit 2 "
MILLS, L. M. Tennessee Valley Authority 82/06/04, ADENSA, E.
Licensing Branch 4 1p 13459, 257 24X Fiche 50-391, 82/06/04,
8206110211

--8206110212 Revision 2 to Procedure TI-50B, "ASME Section XI, Preservice Insp Program, Unit 2 "
* Tennessee Valley Authority 82/05/04 113pp 13459, 258 24X
Fiche 50-391, 82/06/04, 8206110211

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11
106pp 13675, 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Material by Workers," Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675, 189, 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010256 Final deficiency rept re incomplete tentative sys transfer, originally reported on 820127. Deficiencies resolved w/tentative transfers accepted on 820325 & 29 Employees retrained in requirements of OCP-3 & Test 6-99
MILLS, L. M. Tennessee Valley Authority 82/05/17 O'REILLY, J. P.
Region 2, Office of Director 3pp 13301 359, 24X
Fiche 50-390, 82/05/17, 8206010256

8206010350 Fourth interim deficiency rept re failure to document that foundations of Category I rock supported structures would be designed to accommodate 1-inch differential settlements, initially reported on 810707. Next rept due by 820709
MILLS, L. M. Tennessee Valley Authority 82/05/17 O'REILLY, J. P.
Region 2, Office of Director 3pp 13301 001 24X
Fiche 50-390, 82/05/17, 8206010350

8206010392 Suppl to final deficiency rept re essential raw cooling water pumps, initially reported 801006. Final corrective action will be completed by fuel loading Change in due date caused by delay in vendor meeting delivery dates
MILLS, L. M. Tennessee Valley Authority 82/05/17, O'REILLY, J. P.
Region 2, Office of Director 1p 13311 321 24X
Fiche 50-390, 82/05/17, 8206010392

8206010688 Final deficiency rept re seismically unqualified Jamesburg valves used in HVAC sys, initially reported 820412. Manufacturer will provide add'l seismic bracing before fuel load
MILLS, L. M. Tennessee Valley Authority 82/05/17 O'REILLY, J. P.
Region 2, Office of Director 2pp 13313 300 24X
Fiche 50-390, 82/05/17, 8206010688

8206010689 First interim deficiency rept re potentially overstressed embedded plates, initially reported 820412. Sampling program initiated. Next rept will be submitted by 820714
MILLS, L. M. Tennessee Valley Authority 82/05/18 O'REILLY, J. P.
Region 2, Office of Director, 2pp 13313 302 24X
Fiche 50-390, 82/05/18, 8206010689

8206010429 First interim deficiency rept re incorrect values in Westinghouse program UHISATAN producing different results, initially reported 820419. Westinghouse reanalyzing three perfect mixing cases. Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/05/19 O'REILLY, J. P.
Region 2, Office of Director 2pp 13314 354 24X
Fiche 50-390, 82/05/19, 8206010429

8206010676 Fourth Supplemental Deficiency Rept 4 re grouted anchor bolts on main steam line supports, initially reported on 800314. Corrective action cannot be completed until NCR 3567R, qualification of epoxy grout completed
MILLS, L. M. Tennessee Valley Authority 82/05/19, O'REILLY, J. P.
Region 2, Office of Director 1p 13314, 239, 24X
Fiche 50-390, 82/05/19, 8206010676,

8206010684 Eighth interim deficiency rept re steam generator water level ref column error, initially reported on 790606. Util re-evaluating decision to install Westinghouse microprocessor-based temp compensation sys. Next rept 820708.
MILLS, L. M. Tennessee Valley Authority 82/05/19 O'REILLY, J. P.
Region 2, Office of Director 1p 13313, 323 24X
Fiche 50-390, 82/05/19, 8206010684

8206010287 Revised Interim Deficiency Rept 10 re faulty fillet welds, initially reported 800220. Next rept will be submitted 830504
MILLS, L. M. Tennessee Valley Authority 82/05/20, O'REILLY, J. P.
Region 2, Office of Director 1p, 13301 099 24X
Fiche: 50-390, 82/05/20, 8206010287

8206010427 Third interim deficiency rept re discrepancy in as-built as-analyzed piping sys, initially reported 810226. Installed locations will be qualified by evaluation or reanalysis or support will be relocated. Add'l info by 820603
MILLS, L. M. Tennessee Valley Authority 82/05/20, O'REILLY, J. P.
Region 2, Office of Director 2pp 13313, 240 24X
Fiche 50-390, 82/05/20, 8206010427

8206010457 Final deficiency rept re absence of containment isolation signal to containment isolation valve FCV-62-76, initially reported 811109. Phase A containment isolation signal will be added to valve control room circuit before fuel loading
MILLS, L. M. Tennessee Valley Authority, 82/05/21, O'REILLY, J. P.
Region 2, Office of Director 2pp 13315, 021 24X
Fiche: 50-390, 82/05/21, 8206010457

DOCKETED ITEMS

8206010471 First interim deficiency rept re superseded digitized seismic response spectra data used to qualify safety-related piping, initially reported 820422 Reanalysis to be performed where necessary Next rept by 820125
MILLS, L. M. Tennessee Valley Authority 82/05/21 O'REILLY, J. P.
Region 2, Office of Director 2pp 13315 005 24X
Fiche 50-390, 82/05/21, 8206010471

8206070615 Followup Part 21 rept re defective 3/4-inch check valve Valve disposed of by util Valve unable to withstand pulsating air flow due to reciprocating air compressor action
FALTER, H. M. Morrison-Knudsen, Inc 82/05/21 O'REILLY, J. P. Region 2, Office of Director 1p 13371 350 24X Fiche 50-390, 82/05/21, 8206070615

8206070100 Eighth interim deficiency rept re anchor bolts installed not in accordance w/spacing specs, initially reported 810331 Design review completed Results being evaluated Addl info to be provided by 820728
MILLS, L. M. Tennessee Valley Authority 82/05/24 O'REILLY, J. P.
Region 2, Office of Director 2pp 13370 344 24X
Fiche 50-390, 82/05/24, 8206070100

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811037 Final rept submitted on 820208 Corrective action expected to be completed on or before 820730
MILLS, L. M. Tennessee Valley Authority 82/05/25 O'REILLY, J. P.
Region 2, Office of Director 1p 13368 212 24X
Fiche 50-000, 82/05/25, 8206070104

8206070243 Supplemental deficiency rept re seismic concerns for Jamesbury valves, initially reported 820412 Final deficiency rept submitted 820517 should also be considered applicable under Part 21
MILLS, L. M. Tennessee Valley Authority 82/05/25 O'REILLY, J. P.
Region 2, Office of Director 1p 13370 354 24X
Fiche 50-390, 82/05/25, 8206070243

8206070093 First interim deficiency rept re use of incorrect response spectra in Gilbert Commonwealth piping analysis Incorrect spectra used for X-Y DBE dynamic level case for Piping Analysis 060200-09-05 Case reanalyzed Reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/05/27 O'REILLY, J. P.
Region 2, Office of Director 2pp 13368 214 24X
Fiche 50-390, 82/05/27, 8206070093

8206070544 First interim deficiency rept re failure to perform seismic analysis on auxiliary bldg platform design, initially reported 820426 Investigation continuing Next rept will be submitted by 821021
MILLS, L. M. Tennessee Valley Authority 82/05/27 O'REILLY, J. P.
Region 2, Office of Director 2pp 13372 184 24X
Fiche 50-390, 82/05/27, 8206070544

8206070622 Second interim deficiency rept re violation of pressure relief requirements by adding isolation valves to waste gas decay tank vent line, initially reported on 820210 EON 3419 initiated to comply w/ANSI B31.1 & NUREG-0472
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 2pp 13371 295 24X
Fiche 50-390, 82/05/28, 8206070622

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported 811020 Procedures revised Next rept by 821206
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 3pp 13390 270 24X
Fiche 50-000, 82/05/28, 8206070665

8206110321 Sixth interim deficiency rept re essential raw cooling water heat tracing, initially reported on 810413 Evaluation in progress to determine implications to other safety-related sys Next rept by 820901
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 1p 13467 067 24X
Fiche 50-390, 82/05/28, 8206110321

8206110119 Second interim deficiency rept re nonconformance of high pressure fire protection seismic pipe supports, initially reported 811204 Revisions to affected design drawings under Change Notice 3222 not completed Next rept by 821123
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13465 229 24X
Fiche 50-390, 82/06/01, 8206110119

206110130 First interim deficiency rept re incomplete documentation of HVAC sys requirements, initially reported on 820427 Investigation in progress to determine corrective actions Next rept to be provided by 820909
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13445 218 24X
Fiche 50-390, 82/06/01, 8206110130

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820120 Study being conducted of procurement process including all aspects of sys Next rept due by 820916
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 1p 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110305 First interim deficiency rept re misspec of seismic displacements for steam generators, initially reported 820430 Feedwater Problem 060200-02-03 reanalyzed & is being issued for further design review Next rept expected 820823
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 175 24X
Fiche 50-390, 82/06/01, 8206110305

8206110319 Final deficiency rept re defective tube steel matl, initially reported 811224 Testing indicated no generic condition exists Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13467 068 24X
Fiche 50-390, 82/06/01, 8206110319

8206140042 First interim deficiency rept re questionable patches of plastic cement mortar, initially reported on 820429 Adequacy of involved structures & of cement mortar to perform function under investigation Next rept by 820830
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13487 112 24X
Fiche 50-390, 82/06/01, 8206140042

8206110115 Fifth interim deficiency rept re qualification of epoxy grout for safety-related applications, initially reported on 810827 Investigation continuing Hyle Lab preparing age analysis for accelerated aging program Next rept by 820922
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 1p 13465 232 24X
Fiche 50-390, 82/06/03, 8206110115

8206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on 820120 QA training completed 820318 & technical training ongoing Administrative Instruction GEB A1 104 implemented
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, 8206110159

8206110217 First interim deficiency rept re incorrect analysis of 3-inch chemical & vol control sys line, initially reported 820503 Part 21 not applicable Reanalysis continuing to determine if any field mods are necessary
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13467 054 24X
Fiche 50-390, 82/06/03, 8206110217

8206210389 Third interim deficiency rept re loading criteria for structural steel & supports, initially reported 811117 Investigation continuing re effects of attachments to cable tray supports & to bldg & steel support
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 1p 13583 108 24X
Fiche 50-390, 82/06/07, 8206210389

8206210589 First interim deficiency rept re qualification of RHR/delay heat removal sump valve room, initially reported 820422 FSARs will be revised to accurately reflect plant configuration Next rept expected by 820907
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 2pp 13563 271 24X
Fiche 50-000, 82/06/07, 8206210589

8206210105 Third interim deficiency rept re failure to update WBNP-DCP-1 14, per Revision 6 to General Const Spec 0-32 re bolt anchors set in hardened concrete, initially reported on 811229 Investigation continuing Next rept due by 821221
MILLS, L. M. Tennessee Valley Authority 82/06/08 O'REILLY, J. P.
Region 2, Office of Director 2pp 13359 357 24X
Fiche 50-390, 82/06/08, 8206210105

8206210547 Interim deficiency rept re failure to evaluate operator actions to realign essential raw cooling water train A, initially reported on 820310 Analysis underway to determine if flow deficiencies will occur before operator action
MILLS, L. M. Tennessee Valley Authority 82/06/08 O'REILLY, J. P.
Region 2, Office of Director 2pp 13564 230 24X
Fiche 50-390, 82/06/08, 8206210547

8206210167 Supplemental final deficiency rept re seismic supports for auxiliary feedwater control valves, originally reported on 820624 Support strut completion delayed until 820831 due to overall const delays
MILLS, L. M. Tennessee Valley Authority 82/06/09 O'REILLY, J. P.
Region 2, Office of Director 1p 13560 300 24X
Fiche 50-390, 82/06/09, 8206210167

DOCKETED ITEMS

8206210569 Final deficiency rept re possible inadvertent boron dilution at cold/hot shutdown conditions while on RHR, initially reported 800710 Interim operating procedures recommended by Westinghouse adopted Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/09 O'REILLY, J. P.
Region 2, Office of Director 2pp 13661 070 24X
Fiche 50-390, 82/06/09, 8206210569

8206210245 Final deficiency rept re failure to erect platforms, ladders & stairs per applicable drawings, initially reported 810703 Scheduled completion date for corrective action is 821231 & prior to fuel load for Units 1 & 2, respectively
MILLS, L. M. Tennessee Valley Authority 82/06/10 O'REILLY, J. P.
Region 2, Office of Director 2pp 13559 171 24X
Fiche 50-390, 82/06/10, 8206210245

8206210296 First interim deficiency rept re incomplete or undocumented checking of analysis, initially reported 820513 All analysis problems being reviewed to ensure that independent review & complete check performed Next rept by 830204
MILLS, L. M. Tennessee Valley Authority 82/06/15 O'REILLY, J. P.
Region 2, Office of Director 2pp 13559 119 24X
Fiche 50-390, 82/06/15, 8206210296

8206220292 First interim deficiency rept re Gilbert/Commonwealth piping analysis problem N3-67-21A, initially reported 820518 DBA spectra applied to shield bldg wall instead of steel containment vessel Also reportable per Part 21.
MILLS, L. M. Tennessee Valley Authority 82/06/17 O'REILLY, J. P.
Region 2, Office of Director 2pp 13573 257 24X
Fiche 50-390, 82/06/17, 8206220292

8206240255 First interim deficiency rept re operating conditions used in piping analysis, initially reported 820318 Sampling program established to determine scope & seriousness of problem Next rept provided by 830204
MILLS, L. M. Tennessee Valley Authority 82/06/17 O'REILLY, J. P.
Region 2, Office of Director 2pp 13598 339 24X
Fiche 50-390, 82/06/17, 8206240255

8206240171 First interim deficiency rept re omission of anchor point movement input to evaluate pipe interferences from Isometric Drawing 474464-316, Revision 1, initially reported on 820519 Const Spec N3C-912 being revised Next rept due by 830204.
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 2pp 13600 063 24X
Fiche 50-390, 82/06/18, 8206240171

8206300053 First interim deficiency rept re lack of commitment to maintain drawing configuration control for installation of platforms, ladders & stairs, initially reported on 820510 Next rept to be submitted by 820930
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 2pp 13656: 001 24X
Fiche 50-390, 82/06/18, 8206300053

8206300122 Supplemental Final Deficiency Repts 50-390/81-86 & 50-391/81-04 re improper installation of compression-type terminals on single-phase static inverters, initially reported on 801212 Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 1p 13656 049 24X
Fiche 50-390, 82/06/18, 8206300122

8206300171 Second suppl to final deficiency rept re HVAC piping configuration, initially reported 810709, Completion date of 820515 for modifying hangers missed due to further shifts in craft priorities New completion date is 820915.
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 1p 13654 227 24X
Fiche 50-390, 82/06/18, 8206300171

8206300343 First interim deficiency rept re nonconformance of cement mortar linings on piping in essential raw cooling water sys installed by Ameron, initially reported 820521 Evaluation continuing Next rept by 820805 Also reportable per Part 21.
MILLS, L. M. Tennessee Valley Authority 82/06/21 O'REILLY, J. P.
Region 2, Office of Director 2pp 13658 084 24X
Fiche 50-390, 82/06/21, 8206300343

8206300058 Second interim deficiency rept re incomplete description of assumptions & limitations of WERCO program contributing to unacceptable usage of program in design of TVA plants, initially reported on 820409 Next rept by 821005.
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 2pp 13655: 337 24X
Fiche 50-000, 82/06/22, 8206300058

8206300055 First interim deficiency rept re preparation of alternate analysis calculation packages & documentation, initially reported on 820524, Team formed to review analysis methods Next rept will be submitted by 821207.
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 2pp 13655 362 24X
Fiche 50-390, 82/06/23, 8206300055.

8206300114 Eighth Interim Deficiency Repts 50-390/81-08 & 50-391/81-07 re steel containment penetration assembly, initially reported on 801219, All design drawings not revised due to one piping problem still being analyzed Next rept by 820816
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 1p 13656 068 24X
Fiche 50-390, 82/06/23, 8206300114

8206300285 Interim deficiency rept re incorrect lube oil used in diesel generators, initially reported on 820225 Investigation continuing on program deficiency that allowed incorrect oil to be approved for use Next rept due 820901
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 1p 13652: 317 24X
Fiche 50-390, 82/06/23, 8206300285

DOCKET 50-393 KO-RI NUCLEAR POWER STATION, UNIT 1

S Reportable occurrences, LERs & related correspondence

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLS, L. M. Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-394 CALIFORNIA STATE POLYTECH COLLEGE RES REACTOR

N Decommissioning Stage Documents & Correspondence

8206220383 Submits third progress rept for dismantling plan, Fuel will not be unloaded until Sept 1982 due to absence of radiation safety officer & vendor inability to supply certified shipping containers Shipping instructions requested
ADAMSON, R. W. California Polytech State Univ. 82/06/17 SFOLZ, J. F.
Operating Reactors Branch 4 2pp 13582 124 24X
Fiche 50-394, 82/06/17, 8206220383

DOCKET 50-395 VIROIL C SUMMER NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J. M. Division of Rules and Records 82/05/12 McMURRAY, C. H.
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 035 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of Valve misoperation provided
MEDEIRROS, M. S. Reactor Systems Standards Branch 81/02/02
ARLOTTO, G. A. Division of Engineering Standards 20pp 13638: 103 24X Fiche 50-000, 82/05/12, 8206280071

8206404081 Submits addl info re organization & mgt Resumes of key personnel not included in FBAR, status of mgt plans previously outlined to NRC & changes in organization encl.
NICHOLS, T. C. South Carolina Electric & Gas Co. 82/05/21
DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 75pp. 13359 005 24X Fiche 50-395, 82/05/21, 8206404081.

8206403235 Forwards marked-up proof & review copy of Tech Specs re seismic & accidental monitoring instrumentation, electrical power sys & reactor trip & EBF actuation sys instrumentation
NICHOLS, T. C. South Carolina Electric & Gas Co. 82/05/24
DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 9pp. 13301 287 24X Fiche 50-395, 82/05/24, 8206403235

8206020272 Summary of 820511 appeal meeting w/util in Bethesda, MD re merits of arguments for appeal of six Tech Specs, per util 820419 ltr. Basis for changes, proposed revised Tech Specs & attendance list encl
KANE, W. F. Licensing Branch 1 82/05/24 Licensing Branch 1. 27pp. 13342 129 24X Fiche 50-395, 82/05/24, 8206020272

8206020427 Forwards marked-up FBAR pages showing changes to be incorporated into Chapter 11 of Amend 32 re redwaste sys.
NICHOLS, T. C. South Carolina Electric & Gas Co. 82/05/24
DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 15pp. 13326 086 24X Fiche 50-395, 82/05/24, 8206020427

- 8206020457 Forwards marked-up FSAR revision, indicating location of reactor bldg triaxial peak accelerometer, per util 820503 ltr re earthquake instrumentation info will be incorporated in next FSAR amend
NICHOLS, T C South Carolina Electric & Gas Co 82/05/25
DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp
13326 322 24X Fiche 50-395, 82/05/25, 8206020457
- 8206020420 Forwards Revision 2 to proposed Tech Spec 3.6.1 & 6.1, eliminating use of lower limits as defined in proposed Revision 3 to Reg Guide 1.35
NICHOLS, T C South Carolina Electric & Gas Co 82/05/26
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13325 298 24X Fiche 50-395, 82/05/26, 8206020420
- 8206020421 Revision 2 to proposed Tech Spec 3.6.1 & 6.1 re containment structural integrity
South Carolina Electric & Gas Co 82/05/26 7pp 13325 300
24X Fiche 50-395, 82/05/26, 8206020420
- 8206070113 Informs of NRC position re proposed Tech Spec changes to Section 3.4.6.2, "RCB Operational Leakage," presented at 820511 meeting
YOUNGBLOOD, B J Licensing Branch 1 82/05/26 NICHOLS, T C South Carolina Electric & Gas Co 3pp 13424 348 24X
Fiche 50-395, 82/05/26, 8206070113
- 8206020344 Application to amend CRR-94, extending latest const completion date to 821231
NICHOLS, T C South Carolina Electric & Gas Co 82/05/28
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13321 298 24X Fiche 50-395, 82/05/28, 8206020344
- 8206090058 Forwards marked-up pages to FSAR Amend 32, modifying HVAC sys to relocate intake for control room ventilation sys & using site-specific meteorological data in determining dose Pages will be incorporated into next FSAR amend
DIXON, O W South Carolina Electric & Gas Co 82/06/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 16pp 13436 005
24X Fiche 50-395, 82/06/03, 8206090058
- 8206110329 Notification of 820609 meeting w/util in Bethesda, MD to discuss applicant add to control room ventilation sys described in TC Nichols 820603 ltr
KANE, W F Licensing Branch 1 82/06/04 YOUNGBLOOD, B J Licensing Branch 1 3pp 13490 197 24X Fiche 50-395, 82/06/04, 8206110329
- 8206140405 Forwards draft technical evaluation rept "Control of Heavy Loads at Nuclear Power Plants, Virgil C Summer Nuclear Station, Unit 1"
YOUNGBLOOD, B J Licensing Branch 1 82/06/04 DIXON, O W South Carolina Electric & Gas Co 2pp 13510 016 24X
Fiche 50-395, 82/06/04, 8206140405
- 8206140408 "Control of Heavy Loads at Nuclear Power Plants, Virgil C Summer Nuclear Station, Unit 1," draft
MARINGAS, N E&O, Inc 82/03/31 39pp 13510 018 24X
Fiche 50-395, 82/06/04, 8206140405
- 8206160093 Notification of cancellation of 820609 meeting w/util in Bethesda, MD to review add to control room ventilation sys, per util 820603 ltr
KANE, W F Licensing Branch 1 82/06/04 YOUNGBLOOD, B J Licensing Branch 1 3pp 13527 339 24X Fiche 50-395, 82/06/04, 8206160093
- 8206160135 Forwards "Integrated Leak Rate Test Summary Technical Rept" Rept includes finalized data submitted in preliminary form in util 810423 reactor bldg leak rate test rept
Carolina Electric & Gas Co 82/06/11 DENTON, H R Reactor Regulation, Director 2pp 13518 338
2/06/11, 8206160135
- ate Test Summary Technical Rept 4
& Gas Co 82/06/11 39pp 13518 340
8206160135
- view copy of Tech
- L, H R
7
- 8206180050 Forwards status & addl info requested re control room human factors mod review, per 820408-06 site visit
DIXON, O W South Carolina Electric & Gas Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13551 341
24X Fiche 50-395, 82/06/11, 8206180050
- 8206210440 Forwards miscellaneous changes to radiological effluent sections of proof & review copy of Tech Specs Changes based on info in Gammill 811227 memo
DIXON, O W South Carolina Electric & Gas Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13568 301
24X Fiche 50-395, 82/06/14, 8206210440
- 8206210445 Marked-up proof & review copy of ETS Tables 3.3-12.4 & 3.3-13 & 3.12-1 re radioactive liquid effluent monitoring instrumentation & surveillance requirements & radioactive gaseous waste monitoring, sampling & analysis program
South Carolina Electric & Gas Co 82/06/14 7pp 13569 301
24X Fiche 50-395, 82/06/14, 8206210440
- 8206290491 Submits miscellaneous changes to Tech Specs Marked-up Tech Spec Pages 3/4 3-14, 3/4 3-16, 3/4 3-20, 3/4 7-8, 3/4 3-2 & 7 3-40 encl
DIXON, O W South Carolina Electric & Gas Co 82/06/24 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp 13631 107
24X Fiche 50-395, 82/06/24, 8206290491
- E NRC Safety Evaluation Report (SER), supp & correspondence
- 8206140315 Advises that util 820208 commitments re svc water pond structures (SER Item 1.8.20) acceptable except for interpretation of insp schedule Addl discussion of NRC basis for conclusions in Suppl 3 to SER encl
YOUNGBLOOD, B J Licensing Branch 1 82/06/04 NICHOLS, T C South Carolina Electric & Gas Co 5pp 13510 152 24X
Fiche 50-395, 82/06/04, 8206140315
- 8206180009 Comments on NRC 820604 ltr re monitoring of facility svc water pond structures per SER Item 1.8.20 Requests evaluation of proposed insp schedule
DIXON, O W South Carolina Electric & Gas Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13551 346
24X Fiche 50-395, 82/06/14, 8206180009
- 8206180016 Informs that Emergency Operating Procedure, EOP-4, "Station Blackout Operation" per SER Item 1.7.22 has been issued & training on procedure performed Training administered to licensed operators & shift technical advisors
DIXON, O W South Carolina Electric & Gas Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13551 348
24X Fiche 50-395, 82/06/14, 8206180016
- F Security, medical, emergency & fire protection plans
- 8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002
- 8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, 8206090002
- 8206070359 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency w/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 NICHOLS, T C South Carolina Electric & Gas Co 1p 13363 120 24X Fiche 50-395, 82/05/12, 8206070359
- 8206220470 Forwards IE Insp Rept 50-395/82-33 on 820504-06 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/21 NICHOLS, T C South Carolina Electric & Gas Co 2pp 13581 022, 24X Fiche 50-395, 82/05/21, 8206220470
- 8206220480 IE Insp Rept 50-395/82-33 on 820504-06 No noncompliance noted Major area inspected: small-scale radiological emergency exercise
ANDREWS, D L, MARSTON, R R, HUFFMAN, G N Division of Emergency Preparedness & Operational Support 82/05/19 8pp, 13581 024
24X Fiche 50-395, 82/05/21, 8206220470

DOCKETED ITEMS

29

8206180054 Forwards info necessary for re-evaluation of installation of fire detectors in areas of safety-related &/or safe shutdown equipment, per 820420 ltr
DIXON, D W South Carolina Electric & Gas Co 82/06/11. DENTON, H R
Office of Nuclear Reactor Regulation, Director 13pp 13553 216
24X Fiche 50-395, 82/06/11, 8206180054

8206180016 Informs that Emergency Operating Procedure, EOP-4, "Station Blackout Operation" per SER Item 1 7 22 has been issued & training on procedure performed. Training administered to licensed operators & shift technical advisors
DIXON, D W South Carolina Electric & Gas Co 82/06/14 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13551 345
24X Fiche 50-395, 82/06/14, 8206180016

G Adjudicatory correspondence

8206230204 Order CLI-82-10, declining review of ALAB-663 Time within which Commission may act to review expired Decision became final agency action on 820514 Separate views of Commissioners Palladino, Ahearn, Roberts & Gillsky encl
CHILK, B J Office of the Secretary of the Commission 82/06/22
11pp 13586 293 24X Fiche 50-395, 82/06/22, 8206230204

K Utility Final Safety Analysis Report (FSAR) & amends

8206170115 Forwards Amend 32 to FSAR
NICHOLS, T C South Carolina Electric & Gas Co 82/06/11
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13532 001. 24X Fiche 50-395, 82/06/11, 8206170115

--8206170118 Amend 32 to FSAR
* South Carolina Electric & Gas Co 82/06/30. 200pp 13532 003
24X Fiche 50-395, 82/06/11, 8206170115

G Inspection reports, IE Bulletins & correspondence

8206070625 Forwards IE Insp Rept 50-395/82-29 on 820401-30 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/14
NICHOLS, T C South Carolina Electric & Gas Co 2pp, 13589 302
24X Fiche 50-395, 82/05/14, 8206070625

--8206070637 IE Insp Rept 50-395/82-29 on 820401-30 No noncompliance noted Major areas inspected open item followup, comparison of as-built plant to FSAR, preoperational test results & plant operating & emergency procedures
SKOLDS, J L, SWAN, W, STETKA, T Division of Project & Resident Programs 82/05/14 9pp 13389 304 24X Fiche 50-395, 82/05/14, 8206070637

8206220470 Forwards IE Insp Rept 50-395/82-33 on 820504-06 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/21
NICHOLS, T C South Carolina Electric & Gas Co 2pp 13581 022
24X Fiche 50-395, 82/05/21, 8206220470

--8206220480 IE Insp Rept 50-395/82-33 on 820504-06 No noncompliance noted Major area inspected small-scale radiological emergency exercise
ANDREWS, D L, MARSTON, R R, HUFFMAN, G N Division of Emergency Preparedness & Operational Support 82/05/19 8pp 13581 024
24X Fiche 50-395, 82/05/21, 8206220470.

8206220493 Forwards IE Insp Rept 50-395/82-32 on 820506-07 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/23
NICHOLS, T C South Carolina Electric & Gas Co 2pp 13578 173
24X Fiche 50-395, 82/05/23, 8206220493

--8206220462 IE Insp Rept 50-395/82-32 on 820506-07 No noncompliance noted Major areas inspected reactor bldg tendon surveillance & nuclear svc water pond
LENAHAN, J J, CONLON, T E Division of Engineering & Technical Programs 82/05/24 4pp 13578 175 24X Fiche 50-395, 82/05/25, 8206220493

8206040139 Forwards IE Safeguards Insp Rept 50-395/82-35 on 820510-14 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/24
NICHOLS, T C South Carolina Electric & Gas Co 2pp 13344 245
24X Fiche 50-395, 82/05/26, 8206040139

--8206040147 IE Safeguards Insp Rept 50-395/82-35 on 820510-14 No noncompliance noted Major areas inspected review of security plan, contingency plans, physical barriers, detection aids & assessment aids Details withheld (ref 10CFR73.21)
MOORE, D E, STANSBERRY, W W, MCQUIRE, D R Division of Engineering & Technical Programs 82/05/24 1p 13344 247 24X
Fiche 50-395, 82/05/26, 8206040139

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206220517 Ack receipt of 820525 ltr informing NRC of steps taken to correct deviations noted in IE Insp Rept 50-395/82-26
DANCE, H C Division of Project & Resident Programs 82/06/11
DIXON, D W South Carolina Electric & Gas Co 1p, 13580 263. 24X
Fiche 50-395, 82/06/11, 8206220517

--8206220524 Responds to NRC 820426 ltr re deviations noted in IE Insp Rept 50-395/82-26 Corrective actions conducted QC insp of emergency lighting battery packs & will ensure that future installation of units conducted under QA program
NICHOLS, T C South Carolina Electric & Gas Co, 82/05/25
O'REILLY, J P Region 2, Office of Director 4pp 13580 264 24X
Fiche 50-395, 82/06/11, 8206220517

--8206220531 Forwards IE Insp Rept 50-395/82-26 on 820330-0402 & notice of deviation
DANCE, H C Division of Project & Resident Programs 82/04/26
NICHOLS, T C South Carolina Electric & Gas Co. 2pp 13580 266
24X Fiche 50-395, 82/06/11, 8206220517

--8206220539 Notice of deviation from insp on 820330-0402, * Division of Project & Resident Programs 82/04/26 1p
13580 270 24X Fiche 50-395, 82/06/11, 8206220517

--8206220546 IE Insp Rept 50-395/82-26 on 820330-0402 Noncompliance noted emergency lighting units in areas needed for operation of safe shutdown equipment not rated for required 8-h duration & no QA program established for battery units.
MILLER, W H, CONLON, T E Division of Engineering & Technical Programs 82/04/21 18pp 13580 271 24X Fiche 50-395, 82/06/11, 8206220517

B Reportable occurrences, LERs & related correspondence

8206010573 Interim deficiency rept re wide range RCB pressure transmitters, initially reported 820412 Procedures will be reviewed & revised Next rept expected mid-Summer 1982 Also reportable per Part 21
NICHOLS, T C South Carolina Electric & Gas Co 82/05/12,
O'REILLY, J P Region 2, Office of Director. 4pp 13314 126 24X
Fiche 50-395, 82/05/12, 8206010573

8206010465 Final deficiency rept re water in valve operator, initially reported 820305 Damage occurred when valve was out of svc Weep holes drilled in Limitonque operators as preventive measure Condition found reportable under 10CFR50.55a
NICHOLS, T C South Carolina Electric & Gas Co 82/05/19
O'REILLY, J P Region 2, Office of Director. 2pp 13313 016. 24X
Fiche 50-395, 82/05/19, 8206010465.

8206210486 Final potential Part 21 rept re failure of reactor protection underfrequency relays supplied by GE Cause not established Three reactor underfrequency relays will be replaced w/updated series of relays
DIXON, D W South Carolina Electric & Gas Co 82/06/14,
O'REILLY, J P Region 2, Office of Director 2pp 13370 361. 24X
Fiche 50-395, 82/06/14, 8206210486.

DOCKETED ITEMS

DOCKET 50-396 UNIV OF VIRGINIA CAVALIER REACTOR

F Security, medical, emergency & fire protection plans

8206070264 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J.P. Division of Emergency Preparedness & Operational Support
82/05/12 SHRIVER, B.L. Virginia, Univ of 1p 13368 328 24X
Fiche 50-062, 82/05/12, 8206070264

H General correspondence

8206080143 Notifies that JS Brenizer will replace Bl. Shriver as Director of Univ of VA reactor facility, effective 820701
WILLIAMSON, T.O. Virginia, Univ of 82/06/01 Division of Licensing 1p 13423 321 24X Fiche 50-062, 82/06/01, 8206080143

DOCKET 50-397 WPPSS NUCLEAR PROJECT, UNIT 2

A Application/construction stage documents & correspondence

8206180341 Summary of 820518 meeting w/uttl, USGS, Weston Geophysical & Burns & Roe in Bethesda, MD re open issues in geology & seismology
AULUCK, R. Licensing Branch 2 82/06/07 SCHWENCER, A. Licensing Branch 2 7pp 13569 351 24X Fiche 50-397, 82/05/07, 8206180341

8206020347 Confirms 820429 telcon re electrical sys info clarification & forwards proposed change to FSAR Section 8.3.1.3, tests & insps. Proposed change will be issued in forthcoming amend to FSAR Proposed Figure 8.3-16c encl.
BOUCHEY, G.D. Washington Public Power Supply System 82/05/20
SCHWENCER, A. Licensing Branch 2 3pp 13320 001 24X
Fiche 50-397, 82/05/20, 8206020347

8206030002 Submits answers to NRC request for addl info re seismic analysis performed for small magnitude/short epicentral distance (SM/SD) earthquake
BOUCHEY, G.D. Washington Public Power Supply System 82/05/28
SCHWENCER, A. Licensing Branch 2 3pp 13337 002 24X
Fiche 50-397, 82/05/28, 8206030002

8206140013 Submits info clarifying util 820514 response to request for addl info re remote shutdown sys
BOUCHEY, G.D. Washington Public Power Supply System 82/06/04
SCHWENCER, A. Licensing Branch 2 2pp 13484 360 24X
Fiche 50-397, 82/06/04, 8206140013

8206140258 Responds to NRC concerns re load shedding feature raised during 820512-13 site visit One oversize drawing encl.
Aperture card is available in PDR
BOUCHEY, G.D. Washington Public Power Supply System 82/06/04
SCHWENCER, A. Licensing Branch 2 2pp 13487 360 24X
Fiche 50-397, 82/06/04, 8206140258

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D.O. Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206210567 Forwards WC Bibb resume per FSAR Chapter 13 requirements
BOUCHEY, G.D. Washington Public Power Supply System 82/06/10
SCHWENCER, A. Licensing Branch 2 3pp 13563 274 24X
Fiche 50-397, 82/06/10, 8206210567

8206140075 Forwards responses to Questions 361 20 through 361 25 in NRC 820426 ltr re USGS draft status review Thirteen oversize figures encl. Aperture cards are available in PDR
BOUCHEY, G.D. Washington Public Power Supply System 82/06/11
SCHWENCER, A. Licensing Branch 2 4pp 13485 001 24X
Fiche 50-397, 82/06/11, 8206140075

8206210265 Requests ACRS subcommittee meeting be delayed only 4 wks since response to geology questions submitted 4 wks late. Addl delay could generate another series of questions depleting util resources but resulting in no plant changes
BOUCHEY, G.D. Washington Public Power Supply System 82/06/11
DENTON, H.R. Office of Nuclear Reactor Regulation, Director 2pp 13558 218 24X Fiche 50-397, 82/06/11, 8206210265

--8206210270 Complains that siting issues resolved during CP proceedings being unnecessarily re-evaluated as part of OL review
Reviews nonproductive since plant mods totally impractical
Siting review should be concentrated into CP stage
FERGUSON, R.L. Washington Public Power Supply System 82/06/11
PALLADINO, N.J. Commissioners 3pp 13558 220 24X
Fiche 50-397, 82/06/11, 8206210265

8206210291 Forwards supplemental response to NRC Question 361 16 re small magnitude earthquakes Response will be included in Amend 27 to FSAR
BOUCHEY, G.D. Washington Public Power Supply System 82/06/11
SCHWENCER, A. Licensing Branch 2 3pp 13558 104 24X
Fiche 50-397, 82/06/11, 8206210291

8206210577 Comments on problematic & questionable necessity of using heat load w/UHS Benefits of UHS confirmatory testing w/heat load do not justify attendant safety risks Spray pond test scope encl.
BOUCHEY, G.D. Washington Public Power Supply System 82/06/11
SCHWENCER, A. Licensing Branch 2 5pp 13564 057 24X
Fiche 50-397, 82/06/11, 8206210577

8206210584 Forwards response to request for addl info re area vs magnitude relationship Info prepared by Woodward-Clyde consultants
BOUCHEY, G.D. Washington Public Power Supply System 82/06/14
SCHWENCER, A. Licensing Branch 2 13pp 13562 037 24X
Fiche 50-397, 82/06/14, 8206210584

8206230185 Comments on draft Sierra Geophysics rept, "Paleomagnetism of Pre-Hissoula Gravels From Corehole PM-2 on Southeast Anticline, Hanford Site, WA."
SCHWENCER, A. Licensing Branch 2 82/06/15 FERGUSON, R.L. Washington Public Power Supply System 2pp 13592 324 24X
Fiche 50-397, 82/06/15, 8206230185

8206240028 Requests review of encl reflection & refraction data picks for awareness of possible suspect areas which Skagit/Hanford applicant will consider in integrated sections
SCHWENCER, A. Licensing Branch 2 82/06/15 FERGUSON, R.L. Washington Public Power Supply System 3pp 13607 360 24X
Fiche 50-397, 82/06/15, 8206240028

8206290648 Notification of 820630 meeting w/uttl in Bethesda, MD to discuss cable separation & override of D-Q test made on LOCA
AULUCK, R. Licensing Branch 2 82/06/21 SCHWENCER, A. Licensing Branch 2 3pp 13698 148 24X Fiche 50-397, 82/06/21, 8206290648

8206290174 Ack Commission withdrawal of recommendation for control rod drive makeup flow design specified in NUREG-0619, Section B 1, per NRC 820623 memo
CURTIS, N.W. Pennsylvania Power & Light Co 82/06/25 SCHWENCER, A. Licensing Branch 2 1p 13631 058 24X Fiche 50-000, 82/06/25, 8206290174

--8206290189 Forwards Auxiliary Sys Branch evaluation of BWR licensing review group 820326 ltr re proposal for elimination of control rod drive makeup flow test recommended in NUREG-0619, Section B 1 Proposal acceptable.
RUENSTEIN, L.B. Assistant Director for Core & Plant Systems 82/06/23 TEDESCO, R.L. Assistant Director for Licensing 1p 13631 059 24X Fiche 50-000, 82/06/25, 8206290174

--8206290201 Safety evaluation supporting BWR licensing review group proposal for elimination of control rod drive makeup pump flow test recommended in NUREG-0619, Section B 1
* Auxiliary Systems Branch 82/06/23 5pp 13631 060 24X
Fiche 50-000, 82/06/25, 8206290174

E NRC Safety Evaluation Report (SER), supp's & correspondence

8206040338 Responds to SER Open Item 15 & FSAR Question 0404 084 re qualification of diesel generator auxiliaries Util disagrees w/NRC proposal to upgrade skid-mounted diesel generator auxiliaries to ABME Section III Class 3 requirements
BOUCHEY, G.D. Washington Public Power Supply System 82/05/28
SCHWENCER, A. Licensing Branch 2 8pp 13394 028 24X
Fiche 50-397, 82/05/28, 8206040338

8206070617 Forwards rewrite to FSAR Section 3.5, "Missile Protection," closing out part of Open Item 2 in NUREG-0892 Remainder of open item, "Internally Generated Missiles (Outside Containment)," will be transmitted in June 1982
BOUCHEY, G.D. Washington Public Power Supply System 82/05/28
SCHWENCER, A. Licensing Branch 2 16pp 13371 301 24X
Fiche 50-397, 82/05/28, 8206070617

DOCKETED ITEMS

8206080440 Forwards request for addl info re use of multiplexer in standby svc water sys to resolve SER open item
SCHMENCER, A Licensing Branch 2 82/06/01 FERGUSON, R L
Washington Public Power Supply System 3pp 13441 008 24X
Fiche 50-397, 82/06/01, 8206080440

8206140020 Submits util position re SER License Condition 9,
"Conformance of Diesel Generator Fuel Oil Sys " Storage
tank internals coating requirement & resulting license
condition unwarranted. Poll of committee in ANSI std encl
BOUCHEY, Q D Washington Public Power Supply System 82/06/04
SCHMENCER, A Licensing Branch 2 29pp 13487.114 24X
Fiche 50-397, 82/06/04, 8206140020

8206280496 Forwards info re General Design Criterion 51, including
lowest svc metal temp for equipment hatch, personnel airlock
assembly, drywell head, flued heads & MSIVs Encl info should
close out Item 25 of SER (NUREG-0892)
BOUCHEY, Q D Washington Public Power Supply System 82/06/21.
SCHMENCER, A Licensing Branch 2 7pp. 13626 269 24X
Fiche 50-397, 82/06/21, 8206280496

F Security, medical, emergency & fire protection plans

8206070370 Forwards Region 2 incident response plan dtd Mar 1982. Plan
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan." Plan should be of benefit to
understanding of NRC response to emergency W/O encl.
BTOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 COCKRELL, R O. North Carolina State Univ 1p.
13363 125. 24X Fiche 50-111, 82/05/12, 8206070370

8206140394 Releases public version of notice of emergency exercise.
FELTON, J M Division of Rules and Records 82/06/08 Document
Management Branch 1p 13510 012 24X Fiche 50-397, 82/06/08,
8206140394.

--8206140397 Forwards public version of notice of emergency exercise
rescheduled for 830601, in support of Sept 1983
fuel load date
BOUCHEY, Q D Washington Public Power Supply System 82/05/21
SCHMENCER, A Licensing Branch 2 1p. 13510.013 24X
Fiche 50-397, 82/06/08, 8206140394

J Insurance & indemnity information

8206290085 Opines re nuclear liability site description Limited site
description would apply only during period fuel in storage
& would be broadened to encompass contiguous WPPSS property
at time of fuel loading
DELUCA, J O Washington Public Power Supply System. 82/06/25.
SALTZMAN, J Assistant Director for State & Licensee Relations. 3pp.
13635:238. 24X Fiche 50-397, 82/06/25, 8206290085.

K Utility Final Safety Analysis Report (FSAR) & amendments

8206090089 Forwards Amend 24 to FSAR
BOUCHEY, Q D Washington Public Power Supply System. 82/06/04.
SCHMENCER, A Licensing Branch 2. 2pp. 13436.304. 24X
Fiche 50-397, 82/06/04, 8206090089.

--8206090093 Amend 24 to FSAR
* Washington Public Power Supply System 82/05/31 1,200pp
13436.306. 24X Fiche 50-397, 82/06/04, 8206090089.

Q Inspection reports, IE Bulletins & correspondence

8206080190 Forwards IE Insp Rept 50-397/82-10 on 820503-07. No
noncompliance noted.
BOOK, H E Region 5, Office of Director. 82/05/21 MATLOCK, R O.
Washington Public Power Supply System 2pp 13420:243 24X
Fiche 50-397, 82/05/21, 8206080190

--8206080194 IE Insp Rept 50-397/82-10 on 820503-07. No noncompliance
noted. Major areas inspected: radiation program including
organization, training, procedures, facilities, instruments,
equipment & respiratory protection.
YUHAB, G P., WENBLAWSKI, F A., BOOK, H E Region 5, Office of
Director. 82/05/20. 9pp. 13420.245. 24X Fiche 50-397, 82/05/21,
8206080190.

8206080398 Forwards IE Insp Rept 50-397/82-08 on 820503-07. No
noncompliance noted
BISHOP, T W. Region 5, Office of Director 82/05/25. MATLOCK, R O.
Washington Public Power Supply System 2pp. 13417:117 24X
Fiche 50-397, 82/05/25, 8206080398

--8206080405 IE Insp Rept 50-397/82-08 on 820503-07 No noncompliance
noted Major areas inspected quality post-weld heat treatment
procedure, maint records for temporary weld attachments &
maint of installed equipment
ELIN, J O., BODDS, R T Region 5, Office of Director 82/05/21
9pp 13417.119. 24X Fiche 50-397, 82/05/25, 8206080398

8206150119 Forwards final response to IE Bulletin 80-06, "Engineered
Safety Features (ESF) Reset Control " Minor design changes
identified & will be completed prior to fuel load
MATLOCK, R O Washington Public Power Supply System 82/05/27
ENGELKEN, R H Region 5, Office of Director 1p 13504 334 24X
Fiche 50-397, 82/05/27, 8206150119

8206150315 Forwards IE Insp Rept 50-397/82-09 during Apr 1982 No
noncompliance noted
BISHOP, T W Division of Resident, Reactor Project & Engineering
Programs 82/05/27 MATLOCK, R O Washington Public Power Supply
System 2pp. 13506:125 24X Fiche 50-397, 82/05/27, 8206150315

--8206150318 IE Insp Rept 50-397/82-09 during Apr 1982 No noncompliance
noted Major areas inspected licenses & contractor activities
to re-evaluate & improve detailed work methods.
FELL, R A BODDS, R T Division of Resident, Reactor Project &
Engineering Programs 82/05/26 4pp 13506 127 24X
Fiche 50-397, 82/05/27, 8206150315

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement. 82/05/28 107pp. 13426 095. 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPC1/RCIC High Steam Flow Setpoints
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28.
103pp 13440.244. 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258. 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189. 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206150099 Interim deficiency rept re excessive voltage drop due to
long control cable length, initially reported 820511. Possible
corrective actions: Number 10 rather than 12 size wire used &
CPT size for interposing relay increased
MATLOCK, R O Washington Public Power Supply System 82/06/03
ENGELKEN, R H Region 5, Office of Director 2pp 13501:101 24X
Fiche 50-397, 82/06/03, 8206150099.

DOCKET 50

A

-

8206040311 Informs that main control board has been redesigned & certain equipment relocated as result of detailed control room design review Commissioners response to SECY 82-111 awaited before proceeding further
MCDUFFIE, M A Carolina Power & Light Co 82/06/01 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13357 343 24X
Fiche 50-400, 82/06/01, 8206040311

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co of New York PARKER, W O Duke Power Co.
BECKHAM, J T Georgia Power Co 13pp 13557 349. 24X
Fiche 50-000, 82/06/09, 8206090153

8206220191 Forwards request for addl info re initial test program, needed for completion of FSAR review Response requested by 820802
MIRAGLIA, F J Licensing Branch 3 82/06/14 JONES, J A Carolina Power & Light Co 28pp 13585 325 24X Fiche 50-400, 82/06/14, 8206220191

8206220202 Requests info re impact from facility operation on cultural resources located on or near site, railroad spur & transmission line corridors
MIRAGLIA, F J Licensing Branch 3 82/06/14 PRICE, W S North Carolina, State of 6pp 13585 358 24X Fiche 50-400, 82/06/14, 8206220202

--8206220208 Requests repts of assessment of facility impact on archeological resources, such as surveys, testing or excavation & measures taken to prevent any adverse effect
TISE, L E North Carolina, State of 77/07/02 CASE, E G Office of Nuclear Reactor Regulation, Director 1p 13586 002 24X
Fiche 50-400, 82/06/14, 8206220202

--8206220214 Informs of archeological & historical studies undertaken by CP&L Request of 770902 to be disregarded
TISE, L E North Carolina, State of 77/07/09 CASE, E G Office of Nuclear Reactor Regulation, Director 1p 13586:003 24X
Fiche 50-400, 82/06/14, 8206220202

C Utility Environmental Report (ER), amends & correspondence

8206070574 Forwards response to final environ rept review questions Hydrologic Engineering Branch Questions 240.1 through 240.10 will be addressed in conjunction w/questions resulting from 820406-07 hydrologic site visit
MCDUFFIE, M A Carolina Power & Light Co 82/06/03 DENTON, H R
Office of Nuclear Reactor Regulation, Director. 35pp 13387-085
24X Fiche 50-400, 82/06/03, 8206070574

--8206070580 "Archeological Survey & Evaluation of Shearon Harris Nuclear Power Plant Cooling Lake Reservoir"
WARD, T North Carolina, Univ of 78/01/31. 89pp 13387:143
24X Fiche 50-400, 82/06/03, 8206070574

F Security, medical, emergency & fire protection plans

8206070277 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency w/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support. 82/05/12 JONES, J A Carolina Power & Light Co 1p 13381 182
24X Fiche 50-000, 82/05/12, 8206070277

8206140384 Forwards request for addl info re fire protection & reactor fuels Responses should be provided by 820802 in form of amend to FSAR
MIRAGLIA, F J Licensing Branch 3 82/06/09. JONES, J A Carolina Power & Light Co 12pp 13509 352. 24X Fiche 50-400, 82/06/09, 8206140384

G Adjudicatory correspondence

8206010276 Response to applicant 820518 motion for extension of time. ASLB should set no date later than 820528 for applicant responses w/o giving similar consideration to petitioners
EDDLEMAN, W Affiliation Unknown 82/05/24 Atomic Safety and Licensing Board Panel 2pp. 13313.292 24X Fiche 50-400, 82/05/24, 8206010276

8206040079 Response supporting util 820518 motion for addl time to respond to suppls to intervention petitions Extension should be granted to 820607. Prehearing conference should be held on 820628 or later Certificate of Svc encl
RUNKLE, J Conservation Council of North Carolina 82/05/24 Atomic Safety and Licensing Board Panel. 3pp 13350.030. 24X
Fiche 50-400, 82/05/24, 8206040079

8206040097 Amended petition of Chapel Hill Anti-Nuclear Group Effort & Environ Law Project for leave to intervene & request for hearing, specifying contentions Certificate of Svc encl
READ, D F Affiliation Unknown 82/05/24 Commissioners 5pp
13350 034 24X Fiche 50-400, 82/05/24, 8206040097

8206040118 Agrees that JH Carpenter prior relationship w/ util unlikely to interfere in judgment, but reserves right to question participation Appreciation expressed for disclosure
RUNKLE, J Conservation Council of North Carolina 82/05/24 CARPENTER, J. Atomic Safety and Licensing Board Panel 1p
13348 326 24X Fiche 50-400, 82/05/24, 8206040118

8206090023 Order postponing scheduled prehearing conference from 820614 until 820713 Applicant responses due 820607 now due on 820615 NRC response due 820622 Petitioner replies may be served at prehearing conference
BRIGHT, G O, CARPENTER, J H., KELLEY, J L Atomic Safety and Licensing Board Panel 82/06/04 Carolina Power & Light Co 7pp
13433 339 24X Fiche 50-400, 82/06/04, 8206090023

8206100328 Amends to contentions & addl contentions, based on info first available on 820602 Certificate of Svc encl
EDDLEMAN, W Affiliation Unknown 82/06/05 Atomic Safety and Licensing Board Panel 13pp 13444 185 24X Fiche 50-400, 82/06/05, 8206100328

8206180320 Requests ack of status as intervenors
NEWMAN, S E Citizens Against Nuclear Power 82/06/10. NRC - No Detailed Affiliation Given 1p 13548 026 24X
Fiche 50-400, 82/06/10, 8206180320

8206170283 Requests that NRC & ASLB decisions in preparing contentions be placed in LPDR, to help expedite procedural problems
READ, D F Affiliation Unknown 82/06/13. KELLEY, J L Atomic Safety and Licensing Board Panel 1p 13529 238 24X
Fiche 50-400, 82/06/13, 8206170283

8206180272 Forwards applicant responses to W Eddleman: Chapel Hill Anti-Nuclear Group Effort & Environ Law Project, Conservation Council of NC, Kudzu Alliance, P Lotchin & RD Wilson supplemental petitions to intervene Certificate of Svc encl
BAXTER, T A Shaw, Pittman, Potts & Troubridge. BAXTER, T A Carolina Power & Light Co 82/06/15 KELLEY, J L., BRIGHT, G O., CARPENTER, J H Atomic Safety and Licensing Board Panel 5pp
13546 001 24X Fiche 50-400, 82/06/15, 8206180272.

--8206180280 Response to W Eddleman 820514 supplemental petition to Intervene Applicants do not oppose granting of petition
BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Troubridge 82/06/15 Atomic Safety and Licensing Board Panel 21pp. 13546 006. 24X
Fiche 50-400, 82/06/15, 8206180272.

--8206180287 Response to Chapel Hill Anti-Nuclear Group Effort & Environ Law Project 820514 & 24 suppl & amend to petition to Intervene & 820512 motion for consolidation Applicants do not oppose granting of petitions & motion
BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Troubridge. 82/06/15 Atomic Safety and Licensing Board Panel. 87pp 13546 222 24X
Fiche 50-400, 82/06/15, 8206180272.

--8206180292 Response to Conservation Council of NC 820514 supplemental petition to Intervene Applicants do not oppose granting of petition
BAXTER, T A. Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Troubridge 82/06/15 Atomic Safety and Licensing Board Panel. 29pp. 13546 309 24X
Fiche 50-400, 82/06/15, 8206180272.

--8206180295 Response to RD Wilson 820514 supplemental petition to Intervene Applicants do not oppose granting of petition
BAXTER, T A Carolina Power & Light Co. BAXTER, T A Shaw, Pittman, Potts & Troubridge 82/06/15. Atomic Safety and Licensing Board Panel 25pp. 13546:338. 24X
Fiche 50-400, 82/06/15, 8206180272

--8206180302 Response to Kudzu Alliance 820514 supplemental petition to Intervene Applicants propose deferral of final ruling & granting of temporary party status pending receipt of suppl to Contentions 2, 3 & 13
BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Troubridge. 82/06/15 Atomic Safety and Licensing Board Panel. 26pp 13547:001. 24X
Fiche 50-400, 82/06/15, 8206180272

--8206180319 Response to P Lotchin 820514 supplemental petition to Intervene Petition should be denied No admissible contentions demonstrated.
BAXTER, G F Carolina Power & Light Co. BAXTER, G F Shaw, Pittman, Potts & Troubridge 82/06/15 Atomic Safety and Licensing Board Panel. 10pp. 13547.027 24X
Fiche 50-400, 82/06/15, 8206180272.

B206230152 Response to W Eddleman B20605 petition to amend B20514 Contentions 3,29,30,7B,112 & 134 & add addl contentions Contentions should not be admitted for litigation due to lack of specificity & bases Certificate of Svc encl BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge B2/06/21 Atomic Safety and Licensing Board Panel 23pp 13590 305 24X Fiche 50-400, B2/06/21, B206230152

B206230180 Response to B20603 conference call & ASLB B20607 order Lists first 20 contentions to be discussed at B20713-14 conference Unnecessary to reach merits of contention at present stage, Certificate of Svc encl EDDLEMAN, W Affiliation Unknown, B2/06/21 2pp 13587 206 24X Fiche 50-400, B2/06/21, B206230180,

B206240409 List of contentions Chapel Hill Anti-Nuclear Group Effort will prepare to discuss at B20713 conference, Certificate of Svc encl READ, D. F. Affiliation Unknown B2/06/21 1p, 13601 167 24X Fiche 50-400, B2/06/21, B206240409

B206250035 Response to W Eddleman, Kudzu Alliance, RD Wilson, P Latchin, Conservation Council of NC & Chapel Hill Anti-Nuclear Group Effort & Environ Law Project petitions to intervene Certificate of Svc encl TREBY, B A, KARMAN, M, BARTH, C A. Hearing Branch 1 B2/05/22 Atomic Safety and Licensing Board Panel 120pp 13617 026 24X Fiche 50-400, B2/06/22, B206250035

B206250044 Notice of appearance in proceeding Certificate of Svc encl KARMAN, M Hearing Branch 1 B2/06/23 3pp 13616 266 24X Fiche 50-400, B2/06/23, B206250044

B206300267 Order informing that B20713-14 special prehearing conference will be held in Raleigh, NC KELLEY, J. Atomic Safety and Licensing Board Panel B2/06/28 1p 13652, 328 24X Fiche 50-400, B2/06/28, B206300267

P. Operating license stage documents & correspondence

B206070338 Confirms B20520 telcon re B20528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl O'REILLY, J P Region 2, Office of Director B2/05/21 JONES, J A Carolina Power & Light Co. 2pp, 13363:067 24X Fiche 50-000, B2/05/21, B206070338

d. Inspection reports, IE Bulletins & correspondence

B206220061 Forwards IE Investigation Repts 50-400/B2-08 & 50-401/B2-08 on B20222-23. No noncompliance noted. O'REILLY, J. P. Region 2, Office of Director B2/05/25 JONES, J A. Carolina Power & Light Co 1p, 13572 360, 24X Fiche 50-400, B2/05/25, B206220061.

--B206220067 IE Investigation Repts 50-400/B2-08 & 50-401/B2-08 on B20222-23. No noncompliance noted. Major areas investigated: allegations re improper maint insp procedures. VORBE, J. Y., ALDERSON, C E Region 2, Office of Director B2/05/25 3pp 13572, 361, 24X Fiche 50-400, B2/05/25, B206220061

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement, B2/05/28, 107pp 13426 095 24X Fiche 50-000, B2/05/28, B202040147.

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl. JORDAN, E L. Division of Engineering & Quality Assurance B2/05/28 103pp 13440:264 24X Fiche 50-000, B2/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl. DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement B2/06/02, 108pp 13527 150, 24X Fiche 50-000, B2/06/02, B204210380

B206220421 Ack receipt of B20519 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-400/B2-07 & 50-401/B2-07. LEWIS, R C Division of Project & Resident Programs B2/06/08, JONES, J A. Carolina Power & Light Co. 1p 13577:138 24X Fiche 50-400, B2/06/08, B206220421.

--B206220426 Reponds to NRC B20419 ltr re violations noted in IE Insp Repts 50-400/B2-07 & 50-401/B2-07 Corrective actions concrete, protective coating reinforcing steel & mechanical equipment installation will be audited during B20524-28 BAXTER, T A Carolina Power & Light Co B2/05/19 O'REILLY, J P Region 2, Office of Director 2pp 13577 139 24X Fiche 50-400, B2/06/08, B206220421

--B206220430 Forwards IE Insp Repts 50-400/B2-07 & 50-401/B2-07 on B20308-12 & notice of violation LEWIS, R C Division of Project & Resident Programs B2/04/19 JONES, J A Carolina Power & Light Co 2pp 13577 141 24X Fiche 50-400, B2/06/08, B206220421

--B206220435 Notice of violation from insp on B20308-12 * Division of Project & Resident Programs B2/04/19 1p 13577 143 24X Fiche 50-400, B2/06/08, B206220421

--B206220439 IE Insp Repts 50-400/B2-07 & 50-401/B2-07 on B20308-12 Noncompliance noted audits not performed for concrete or protective coating activities, reinforcing steel controls & mechanical equipment installation activities WRIGHT, R W, DEBBAGE, A O, MERRIWEATHER, N Division of Engineering & Technical Programs B2/04/14 16pp 13577 144 24X Fiche 50-400, B2/06/08, B206220421

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl JORDAN, E L. Division of Engineering & Quality Assurance B2/06/11 106pp 13675 258 24X Fiche 50-000, B2/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat by Workers, " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/11 120pp 13675 189 24X Fiche 50-000, B2/06/11, B204210384

S. Reportable occurrences, LERs & related correspondence

B206010237 Interim deficiency rept re shop weld deficiencies on Joseph Dates supplied heat exchangers, originally reported on B20324 Deficiency extent & reportability to be completed when access becomes available Also reported per Part 21 CHIANG, N J Carolina Power & Light Co B2/04/26 O'REILLY, J P Region 2, Office of Director 2pp 13307 102 24X Fiche 50-400, B2/04/26, B206010237

B206010509 Interim deficiency rept re insufficient fillet weld lengths on cable tray & HVAC hangers, initially reported B11222 Evaluation of weld ability to sustain design loads not determined Completion of evaluation expected by B20615 CHIANG, N J Carolina Power & Light Co B2/05/03 O'REILLY, J P Region 2, Office of Director 2pp 13311 360 24X Fiche 50-400, B2/05/03, B206010509

B206010423 Second interim deficiency rept re strip plates that have threaded studs w/improper thread engagement, initially reported on B1110. Appropriate site work procedures revised Final rept expected by B20716 CHIANG, N J Carolina Power & Light Co. B2/05/13 O'REILLY, J P Region 2, Office of Director 4pp 13314 356 24X Fiche 50-400, B2/05/13, B206010423

B206010622 Interim deficiency rept re pressure sensing line in starting air sys for emergency standby diesel engine generator sets, initially reported B20419 Restricted orifice to be installed Next rept provided by B20901 CHIANG, N J Carolina Power & Light Co. B2/05/19 O'REILLY, J P Region 2, Office of Director 4pp 13314:244 24X Fiche 50-400, B2/05/19, B206010622

B206070687 Second interim deficiency rept re shop welds on heat exchanger vessels supplied by Joseph Dates, initially reported B20324 Investigation & evaluation will be completed by B20611 Also reported per Part 21 CHIANG, N J Carolina Power & Light Co B2/05/26 O'REILLY, J P Region 2, Office of Director. 2pp 13390 227 24X Fiche 50-400, B2/05/26, B206070687

B206110188 Second interim rept re nonlow stress impression stamping of safety-related piping, initially reported B20204 Training sessions conducted emphasizing stamp types & correct usage Anticipated completion is B20715. CHIANG, N J Carolina Power & Light Co B2/06/02 O'REILLY, J P Region 2, Office of Director 2pp, 13460 009 24X Fiche 50-400, B2/06/02, B206110188.

#B206230219 Part 21 rept re matl stamped w/non-low stress stamps, in violation of util purchase order Stamping done prior to solution heat treatment Heat treatment after marking would minimize any local stresses
PETERS, P E McJunkin Corp 82/06/16 COLLINS, J. L. Region 4, Office of Director. 12pp 13586 276 24X Fiche 50-400, 82/06/16, 8206230215

#B206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLS, L L Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13453 328 24X Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-401 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 2

Application/construction stage documents & correspondence

8206070338 Confirms 820520 telcon re 820528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl
O'REILLY, J P Region 2, Office of Director 82/05/21 JONES, J A Carolina Power & Light Co 2pp 13363 067 24X Fiche 50-000, 82/05/21, 8206070338

8206080172 Forwards request for addl info to continue review of FSAR Areas include site analysis, power sys & accident evaluation Response requested by 820802
MIRAGLIA, F J Licensing Branch 3 82/05/21 JONES, J A Carolina Power & Light Co 33pp 13441 207 24X Fiche: 50-400, 82/05/21, 8206080172.

8206040311 Informs that main control board has been redesigned & certain equipment relocated as result of detailed control room design review Commissioners response to SECY 82-111 awaited before proceeding further
MCDOUFFIE, M A Carolina Power & Light Co 82/06/01 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13337 343 24X Fiche: 50-400, 82/06/01, 8206040311

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since BOD101 Forwards documents listed in app.
FELTON, J M Division of Rules and Records. 82/06/07 DOI, K. Critical Mass Energy Project 2pp 13678 215 24X Fiche: 50-000, 82/06/07, 8206300392

--8206300407 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/19. AHEARNE, J Commissioners. 2pp. 13678 237. 24X Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna. Rept documents findings re cause of event. W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSFURD, A Consolidated Edison Co of New York. PARKER, W O Duke Power Co. BECKHAM, J T Georgia Power Co 13pp 13557. 349. 24X Fiche 50-000, 82/06/09, 8206090153

8206220191 Forwards request for addl info re initial test program, needed for completion of FSAR review. Response requested by 820802
MIRAGLIA, F J Licensing Branch 3 82/06/14 JONES, J A Carolina Power & Light Co. 28pp 13385. 325 24X Fiche 50-400, 82/06/14, 8206220191

8206220202 Requests info re impact from facility operation on cultural resources located on or near site/railroad spur & transmission line corridors
MIRAGLIA, F J Licensing Branch 3 82/06/14 PRICE, W B North Carolina, State of. 6pp. 13585. 358 24X Fiche: 50-400, 82/06/14, 8206220202

--8206220208 Requests repts of assessment of facility impact on archeological resources, such as surveys, testing or excavation & measures taken to prevent any adverse effect.
TISE, L E North Carolina, State of 77/09/02 CASE, E. Q. Office of Nuclear Reactor Regulation, Director 1p 1358A. 002 24X Fiche: 50-400, 82/06/14, 8206220202

Forms of archeological & historical studies undertaken by 1 of 770902 to be disregarded
North Carolina, State of. 77/09/09 CASE, E. Q. Office of Nuclear Reactor Regulation, Director. 1p 1358A. 003 24X 400, 82/06/14, 8206220202.

C. Utility Environmental Report (ER), amends & correspondence

8206070574 Forwards response to final environ rept review questions. Hydrologic Engineering Branch Questions 240 1 through 240 10 will be addressed in conjunction w/questions resulting from 820406-07 hydrologic site visit
MCDOUFFIE, M A Carolina Power & Light Co 82/06/03 DENTON, H R Office of Nuclear Reactor Regulation, Director 35pp 13387 085 24X Fiche: 50-400, 82/06/03, 8206070574

--8206070950 "Archeological Survey & Evaluation of Shearon Harris Nuclear Power Plant Cooling Lake Reservoir"
WARD, T North Carolina, Univ of 78/01/31 87pp 13387. 143 24X Fiche 50-400, 82/06/03, 8206070574

F. Security, medical, emergency & fire protection plans

8206070277 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support. 82/03/12 JONES, J A Carolina Power & Light Co 1p 13381. 152. 24X Fiche: 50-000, 82/05/12, 8206070277.

8206140384 Forwards request for addl info re fire protection & reactor fuels Responses should be provided by 820802 in form of amend to FSAR
MIRAGLIA, F J Licensing Branch 3 82/06/09. JONES, J A Carolina Power & Light Co 12pp 13509 352 24X Fiche 50-400, 82/06/09, 8206140384.

G. Adjudicatory correspondence

8206010276 Response to applicant 820518 motion for extension of time ASLB should set no date later than 820528 for applicant responses w/o giving similar consideration to petitioners
EDDLERMAN, W Affiliation Unknown. 82/05/24 Atomic Safety and Licensing Board Panel 2pp 13313 292 24X Fiche: 50-400, 82/05/24, 8206010276

8206040079 Response supporting util 820518 motion for addl time to respond to supps to intervention petitions Extension should be granted to 820607. Prehearing conference should be held on 820628 or later Certificate of Svc encl.
RUNKLE, J Conservation Council of North Carolina. 82/05/24 Atomic Safety and Licensing Board Panel 3pp 13350 030. 24X Fiche 50-400, 82/05/24, 8206040079.

8206040097 Amended petition of Chapel Hill Anti-Nuclear Group Effort & Environ Law Project for leave to intervene & request for hearing, specifying contentions Certificate of Svc encl
READ, D F Affiliation Unknown 82/05/24. Commissioners 5pp. 13350 034. 24X Fiche: 50-400, 82/05/24, 8206040097

8206040118 Agrees that JH Carpenter prior relationship w/util unlikely to interfere in judgment, but reserves right to question participation Appreciation expressed for disclosure.
RUNKLE, J Conservation Council of North Carolina 82/05/24 CARPENTER, J Atomic Safety and Licensing Board Panel. 1p 13348. 326 24X Fiche: 50-400, 82/05/24, 8206040118

8206090023 Order postponing scheduled prehearing conference from 820614 until 820713 Applicant responses due 820607 now due on 820615. NRC response due 820622 Petitioner replies may be served at prehearing conference
BRIGHT, O. O. CARPENTER, J. H. KELLEY, J. L. Atomic Safety and Licensing Board Panel 82/06/04. Carolina Power & Light Co. 7pp. 13435 339 24X Fiche: 50-400, 82/06/04, 8206090023

8206100328 Amends to contentions & addl contentions, based on info first available on 820602 Certificate of Svc encl
EDDLERMAN, W Affiliation Unknown 82/06/05 Atomic Safety and Licensing Board Panel 13pp 13444 185. 24X Fiche 50-400, 82/06/05, 8206100328

8206180320 Requests ack of status as intervenors
NEWMAN, B E. Citizens Against Nuclear Power. 82/06/10. NRC - No Detailed Affiliation Given 1p. 13548 026. 24X Fiche: 50-400, 82/06/10, 8206180320

8206170283 Requests that NRC & ASLB decisions in preparing contentions be placed in LPDR, to help expedite procedural problems.
READ, D F Affiliation Unknown. 82/06/15. KELLEY, J L Atomic Safety and Licensing Board Panel. 1p. 13529 238 24X Fiche: 50-400, 82/06/15, 8206170283

DOCKETED ITEMS

8206180272 Forwards applicant responses to W Eddleman, Chapel Hill Anti-Nuclear Group Effort & Environ Law Project, Conservation Council of NC, Kudzu Alliance, P Lotchin & RD Wilson supplemental petitions to intervene Certificate of Svc encl BAXTER, T A Shaw, Pittman, Potts & Trowbridge BAXTER, T A Carolina Power & Light Co 82/06/15 KELLEY, J L., BRIGHT, O D., CARPENTER, J H Atomic Safety and Licensing Board Panel 3pp 13546 001 24X Fiche 50-400, 82/06/15, 8206180272

--8206180280 Response to W Eddleman 820514 supplemental petition to intervene Applicants do not oppose granting of petition BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge 82/06/15, Atomic Safety and Licensing Board Panel 21pp 13546-006 24X Fiche 50-400, 82/06/15, 8206180272.

--8206180289 Response to Chapel Hill Anti-Nuclear Group Effort & Environ Law Project 820514 & 24 suppl & amend to petition to intervene & 820512 motion for consolidation Applicants do not oppose granting of petitions & motion BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge 82/06/15 Atomic Safety and Licensing Board Panel 87pp 13546 222 24X Fiche 50-400, 82/06/15, 8206180272

--8206180292 Response to Conservation Council of NC 820514 supplemental petition to intervene Applicants do not oppose granting of petition BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge 82/06/15 Atomic Safety and Licensing Board Panel 29pp 13546 309 24X Fiche 50-400, 82/06/15, 8206180272

--8206180295 Response to RD Wilson 820514 supplemental petition to intervene Applicants do not oppose granting of petition BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge 82/06/15, Atomic Safety and Licensing Board Panel 25pp 13546 338 24X Fiche 50-400, 82/06/15, 8206180272

--8206180302 Response to Kudzu Alliance 820514 supplemental petition to intervene. Applicants propose deferral of final ruling & granting of temporary party status pending receipt of suppl to Contentions 2, 3 & 13 BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge 82/06/15 Atomic Safety and Licensing Board Panel 26pp. 13547 001 24X Fiche 50-400, 82/06/15, 8206180272

--8206180319 Response to P Lotchin 820514 supplemental petition to intervene Petition should be denied No admissible contentions demonstrated BAXTER, G F, Carolina Power & Light Co BAXTER, G F Shaw, Pittman, Potts & Trowbridge 82/06/15 Atomic Safety and Licensing Board Panel 10pp 13547-027 24X Fiche: 50-400, 82/06/15, 8206180272

8206230152 Response to W Eddleman 820605 petition to amend 820514 Contentions 3, 29, 30, 78, 112 & 134 & add addl contentions Contentions should not be admitted for litigation due to lack of specificity & bases Certificate of Svc encl BAXTER, T A Carolina Power & Light Co BAXTER, T A Shaw, Pittman, Potts & Trowbridge 82/06/21 Atomic Safety and Licensing Board Panel 23pp 13590, 305. 24X Fiche 50-400, 82/06/21, 8206230152

8206230180 Response to 820603 conference call & ASLB 820607 order Lists first 20 contentions to be discussed at 820713-14 conference. Unnecessary to reach merits of contention at present stage Certificate of Svc encl. EDDLEMAN, W Affiliation Unknown. 82/06/21 2pp 13587:206 24X Fiche 50-400, 82/06/21, 8206230180

8206240409 List of contentions Chapel Hill Anti-Nuclear Group Effort will prepare to discuss at 820713 conference Certificate of Svc encl READ, D F. Affiliation Unknown 82/06/21 1p 13601 167. 24X Fiche 50-400, 82/06/21, 8206240409

8206250035 Response to W Eddleman, Kudzu Alliance, RD Wilson, P Lotchin, Conservation Council of NC & Chapel Hill Anti-Nuclear Group Effort & Environ Law Project petitions to intervene. Certificate of Svc encl TREBY, B. A., KARMAN, M., BARTH, C A Hearing Branch 1. 82/06/22 Atomic Safety and Licensing Board Panel. 120pp. 13617 026. 24X Fiche. 50-400, 82/06/22, 8206250035.

8206250044 Notice of appearance in proceeding Certificate of Svc encl KARMAN, M Hearing Branch 1 82/06/23 3pp. 13616 266. 24X Fiche: 50-400, 82/06/23, 8206250044.

8206300267 Order informing that 820713-14 special prehearing conference will be held in Raleigh, NC KELLEY, J. Atomic Safety and Licensing Board Panel 82/06/28. 1p 13632. 328 24X Fiche 50-400, 82/06/28, 8206300267.

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche: 50-000, 82/05/28, 8202040147

8206220061 Forwards IE Investigation Repts 50-400/82-08 & 50-401/82-08 on 820222-23 No noncompliance noted O'REILLY, J P. Region 2, Office of Director 82/05/25, JONES, J. A Carolina Power & Light Co. 1p 13572 360 24X Fiche 50-400, 82/05/25, 8206220061

--8206220067 IE Investigation Repts 50-400/82-08 & 50-401/82-08 on 820222-23 No noncompliance noted Major areas investigated: allegations re improper maint insp procedures VORBE, J. Y., ALDERSON, C E Region 2, Office of Director 82/05/25 3pp 13572 361 24X Fiche 50-400, 82/05/25, 8206220061

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche. 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02. 108pp 13527 150 24X Fiche. 50-000, 82/06/02, 8204210380

8206220421 Ack receipt of 820519 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-400/82-07 & 50-401/82-07. LEWIS, R C. Division of Project & Resident Programs 82/06/08, JONES, J. A. Carolina Power & Light Co 1p 13577 138. 24X Fiche 50-400, 82/06/08, 8206220421.

--8206220426 Reps to NRC 820419 ltr re violations noted in IE Insp Repts 50-400/82-07 & 50-401/82-07 Corrective actions: concrete, protective coating reinforcing steel & mechanical equipment installation will be audited during 820524-28 BANKS, H R. Carolina Power & Light Co 82/05/19 O'REILLY, J. P. Region 2, Office of Director. 2pp 13577. 139 24X Fiche 50-400, 82/06/08, 8206220421

--8206220430 Forwards IE Insp Repts 50-400/82-07 & 50-401/82-07 on 820308-12 & notice of violation. LEWIS, R. C Division of Project & Resident Programs 82/04/19, JONES, J. A Carolina Power & Light Co 2pp. 13577 141 24X Fiche. 50-400, 82/06/08, 8206220421.

--8206220435 Notice of violation from insp on 820308-12 * Division of Project & Resident Programs 82/04/19 1p 13577. 143 24X Fiche 50-400, 82/06/08, 8206220421

--8206220439 IE Insp Repts 50-400/82-07 & 50-401/82-07 on 820308-12. Noncompliance noted. Audits not performed for concrete or protective coating activities, reinforcing steel controls & mechanical equipment installation activities WRIGHT, R. W., DEBBAGE, A G., HERRIWEATHER, N Division of Engineer & Technical Programs 82/04/14 16pp 13577:144 24X Fiche. 50-400, 82/06/08, 8206220421

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc li encl JORDAN, E L. Division of Engineering & Quality Assurance. 82/06/1 106pp 13675-258 24X Fiche: 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioact Mat'l by Workers." Svc list encl. DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp. 13675 189 24X Fiche 50-000, 82/06/11, 8204210384.

B Reportable occurrences, LERs & related correspondence

8206010237 Interim deficiency rept re shop weld deficiencies on Jam Gates supplied heat exchangers, originally reported on 820324. Deficiency extent & reportability to be completed when access becomes available. Also reported per Part 21 CHIANG, N J Carolina Power & Light Co 82/04/26. O'REILLY, J. P Region 2, Office of Director 2pp. 13307 102. 24X Fiche: 50-400, 82/04/26, 8206010237

8206010509 Interim deficiency rept re insufficient fillet weld lengths on cable tray & HVAC hangers, initially reported 811222 Evaluation of weld ability to sustain design loads not determined Completion of evaluation expected by 820615
 CHIANGI, N J Carolina Power & Light Co 82/05/03 O'REILLY, J P
 Region 2, Office of Director 2pp 13311 360 24X
 Fiche 50-400, 82/05/03, 8206010509

8206010423 Second interim deficiency rept re strip plates that have threaded studs w/improper thread engagement, initially reported on 811110 Appropriate site work procedures revised Final rept expected by 820716
 CHIANGI, N J Carolina Power & Light Co 82/05/13 O'REILLY, J P
 Region 2, Office of Director App 13314 356 24X
 Fiche 50-400, 82/05/13, 8206010423

8206070687 Second interim deficiency rept re shop welds on heat exchanger vessels supplied by Joseph Gates, initially reported 820324 Investigation & evaluation will be completed by 820611 Also reported per Part 21
 CHIANGI, N J Carolina Power & Light Co 82/05/26 O'REILLY, J P
 Region 2, Office of Director 2pp 13390 227 24X
 Fiche 50-400, 82/05/26, 8206070687

8206110188 Second interim rept re nonlow stress impression stamping of safety-related piping, initially reported 820204 Training sessions conducted emphasizing stamp types & correct usage Anticipated completion is 820715
 CHIANGI, N J Carolina Power & Light Co 82/06/02 O'REILLY, J P
 Region 2, Office of Director 2pp 13460 009 24X
 Fiche 50-400, 82/06/02, 8206110188

8206230215 Part 21 rept re matl stamped w/non-low stress stamps, in violation of util purchase order Stamping done prior to solution heat treatment Heat treatment after marking would minimize any local stresses
 PETERS, P E McJunkin Corp 82/06/16, COLLINS, J. Region 4, Office of Director 12pp 13586 276 24X Fiche 50-400, 82/06/16, 8206230215

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
 MILLS, L L Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp. 13653 328 24X
 Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-402 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 3

A Application/construction stage documents & correspondence

8206070338 Confirms 820520 telcon re 820528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl
 O'REILLY, J P Region 2, Office of Director 82/05/21, JONES, J A
 Carolina Power & Light Co 2pp 13363 067 24X
 Fiche 50-000, 82/05/21, 8206070338

8206220202 Requests info re impact from facility operation on cultural resources located on or near site, railroad spur & transmission line corridors
 MIRAQLIA, F J Licensing Branch 3 82/06/14 PRICE, W B North Carolina, State of. App. 13585 358 24X Fiche 50-400, 82/06/14, 8206220202

--8206220208 Requests repts of assessment of facility impact on archeological resources, such as surveys, testing or excavation & measures taken to prevent any adverse effect
 TISE, L E North Carolina, State of, 77/09/02 CASE, E O Office of Nuclear Reactor Regulation, Director 1p 13586 002 24X
 Fiche 50-400, 82/06/14, 8206220202

--8206220214 Informs of archeological & historical studies undertaken by CP&L Request of 770902 to be disregarded
 TISE, L E North Carolina, State of 77/09/09, CASE, E O Office of Nuclear Reactor Regulation, Director 1p 13586 003 24X
 Fiche 50-400, 82/06/14, 8206220202

8206230276 Advises of review costs for plants, from 780127, date CPs issued, until 811218, date application canceled, DFC of Resource Mgt to issue invoice
 MILLER, W O License Fee Management Branch, 82/06/17, JONES, J A
 Carolina Power & Light Co. 2pp. 13592 236 24X
 Fiche 50-402, 82/06/17, 8206230276

DOCKET 50-403 SHEARON HARRIS NUCLEAR POWER PLANT, UNIT 4

A Application/construction stage documents & correspondence

8204200212 Forwards electrical drawings for FSAR review in response to NRC request Drawing list & 254 oversize drawings encl
 W/171 aperture cards available in PDR & B3 proprietary aperture cards available in Central Files only
 ZIMMERMAN, S R Carolina Power & Light Co 82/04/15 DENTON, H R
 Office of Nuclear Reactor Regulation, Director App 12921 119
 24X Fiche 50-400, 82/04/15, 8204200212

8206070338 Confirms 820520 telcon re 820528 meeting in Raleigh, NC to review results of first phase of annual appraisal for systematic assessment of licensee performance program Agenda encl
 O'REILLY, J P Region 2, Office of Director 82/05/21 JONES, J A
 Carolina Power & Light Co 2pp 13363 067 24X
 Fiche 50-000, 82/05/21, 8206070338

8206220202 Requests info re impact from facility operation on cultural resources located on or near site, railroad spur & transmission line corridors
 MIRAQLIA, F J Licensing Branch 3 82/06/14 PRICE, W B North Carolina, State of. App. 13585 358 24X Fiche 50-400, 82/06/14, 8206220202

--8206220208 Requests repts of assessment of facility impact on archeological resources, such as surveys, testing or excavation & measures taken to prevent any adverse effect
 TISE, L E North Carolina, State of 77/09/02 CASE, E O Office of Nuclear Reactor Regulation, Director 1p 13586 002 24X
 Fiche 50-400, 82/06/14, 8206220202

--8206220214 Informs of archeological & historical studies undertaken by CP&L Request of 770902 to be disregarded
 TISE, L E North Carolina, State of 77/09/09 CASE, E O Office of Nuclear Reactor Regulation, Director 1p 13586 003 24X
 Fiche 50-400, 82/06/14, 8206220202

8206230276 Advises of review costs for plants, from 780127, date CPs issued, until 811218, date application canceled, DFC of Resource Mgt to issue invoice
 MILLER, W O License Fee Management Branch 82/06/17 JONES, J A
 Carolina Power & Light Co 2pp. 13592 236 24X
 Fiche 50-402, 82/06/17, 8206230276

DOCKET 50-404 NORTH ANNA POWER STATION, UNIT 3

A Application/construction stage documents & correspondence

8204220629 Responds to FOIA request for six categories of documents re termination or temporary cessation of const on nuclear projects Documents listed on App A encl
 FELTON, J M Division of Rules and Records 82/03/05 BELL, N
 Coalition for Safe Power 5pp 12827 183 24X
 Fiche 50-000, 82/03/05, 8204220629

--7906110325 Forwards order extending const completion dates for Unit 3 to 831231 & for Unit 4 to 841231, evaluation of extension request & EIA
 BOYD, R S Division of Project Management 79/05/14
 PROFFITT, W L Virginia Electric & Power Co 3pp 12827 220 24X
 Fiche 50-000, 82/03/05, 8204220629

--7906110326 Order extending const completion date for Unit 3 to 831231 & for Unit 4 to 841231
 BOYD, R S Division of Project Management 79/05/14 3pp
 12827 223 24X Fiche 50-000, 82/03/05, 8204220629

--7906110328 Evaluation of request for extension of const completion date for Unit 3 to 831231 & for Unit 4 to 841231 Concludes request should be granted
 CAPRA, R A, PARR, O D Light Water Reactors Branch 3 79/05/08
 5pp. 12827 225 24X Fiche: 50-000, 82/03/05, 8204220629

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
 FELTON, J M Division of Rules and Records 82/06/07 DOI, K
 Critical Mass Energy Project 2pp 13678 215 24X
 Fiche 50-000, 82/06/07, 8206300392

--8206300407 Forwards estimate of units to be canceled or indefinitely deferred, per request
 CORNELL, K Office of the Executive Director for Operations
 82/03/19 AHEARNE, J Commissioners 2pp. 13678 237 24X
 Fiche 50-000, 82/06/07, 8206300392

B206280459 Forwards "Topical Rept North Anna Unit 3 QA Program - Const Phase"
BAUM, E A Virginia Electric & Power Co 82/06/13 HAASS, H P
Quality Assurance Branch 1p 13621 003 24X Fiche 50-404,
82/06/13, B206280459

--B206280475 "Topical Rept North Anna Unit 3 QA Program - Const Phase"
Two oversize charts encl Aperture cards are available in
PDR
* Virginia Electric & Power Co 82/06/13 90pp 13621 004 24X
Fiche 50-404, 82/06/13, B206280459

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys Forwards documents listed in App A
Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11, REYNOLDS, N S
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11,
B206090002

--B206090009 Forwards first monthly rept re status of prompt notification
sys implementation at facilities Meteorological programs,
emergency response facilities & research reactors need addl
mgt attention & clarification
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 81/01/08 DEYOUNG, R C Director's Office, Office of
Inspection and Enforcement 4pp 13454 167 24X
Fiche 50-000, 82/05/11, B206090002

--B206090133 Responds to B20203 request for info re deficiencies
identified in initial testing of prompt notification sys.
Facility test info encl
STOHR, J P Division of Emergency Preparedness & Operational
Support, 82/02/04 ORMEG, B K Division of Emergency
Preparedness 5pp 13454 239 24X Fiche 50-000, 82/05/11,
B206090002.

D Advisory Committee on Reactor Safeguards reports & correspondence

B206280071 Addl response to FOIA request for eight categories of
documents Forwards documents listed in App A Documents
listed in App B available in PDR Confidential financial
info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp.
13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B206280560 Notification of B01011 ACRS Safety Philosophy, Technology &
Criteria Subcommittee meeting re Diablo Canyon seismic
interaction study & North Anna LPI & RHR sys
BAVIO, R. ACRS - Advisory Committee on Reactor Safeguards.
80/10/01 ACRS - Advisory Committee on Reactor Safeguards. 1p
13643 074. 24X Fiche 50-000, 82/05/12, B206280071

G Inspection reports, IE Bulletins & correspondence

B206070545 Responds to IE Bulletin 80-08, "Exam of Containment Liner
Penetration Welds" Response supersedes until B00528 1st
All welds received 100% isotope radiographic exam during
fabrication Table & diagram encl
SPENCER, W C Virginia Electric & Power Co 82/05/13 O'REILLY, J P.
Region 2, Office of Director 3pp 13372 203 24X
Fiche 50-404, 82/05/13, B206070545.

B206070233 Informs of completion of review of all safety-related
equipment, except equipment supplied by Bailey Controls, for
defective Cutler-Hammer, type M relays w/dc coils All future
orders will specify use of unacceptable relays
SPENCER, W C Virginia Electric & Power Co, 82/05/24 O'REILLY, J P.
Region 2, Office of Director 1p 13371 031. 24X
Fiche 50-404, 82/05/24, B206070233

B202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement. 82/05/28. 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147.

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints."
Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28.
103pp. 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants"
Svc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list
encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11,
105pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11. 120pp 13675, 189 24X
Fiche 50-000, 82/06/11, B204210384

DOCKET 50-405 NORTH ANNA POWER STATION, UNIT 4

A Application/construction stage documents & correspondence

B204220629 Responds to FOIA request for six categories of documents re
termination or temporary cessation of const on nuclear
projects Documents listed on App A encl
FELTON, J M Division of Rules and Records 82/03/05 BELL, N
Coalition for Safe Power 5pp. 12827 183 24X
Fiche 50-000, 82/03/05, B204220629.

--7906110325 Forwards order extending const completion dates for Unit
to B31231 & for Unit 4 to B41231, evaluation of extension
request & EIA
BOYD, R S Division of Project Management. 79/05/14
PROFFITT, W L Virginia Electric & Power Co 3pp. 12827 220 24
Fiche 50-000, 82/03/05, B204220629

--7906110326 Order extending const completion date for Unit 3 to B312
& for Unit 4 to B41231.
BOYD, R S Division of Project Management 79/05/14 3pp
12827 223 24X Fiche 50-000, 82/03/05, B204220629

--7906110328 Evaluation of request for extension of const completion
for Unit 3 to B31231 & for Unit 4 to B41231 Concludes
request should be granted
CAPRA, R A; PARR, O D Light Water Reactors Branch 3 79/05/08
5pp. 12827 225 24X Fiche 50-000, 82/03/05, B204220629.

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission
decision to extend deadline for licensees to implement
prompt notification sys. Forwards documents listed in App A
Documents also available in PDR
FELTON, J M. Division of Rules and Records 82/05/11 REYNOLDS, N
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11
B206090002

--B206090009 Forwards first monthly rept re status of prompt notific
sys implementation at facilities. Meteorological programs,
emergency response facilities & research reactors need addl
mgt attention & clarification.
O'REILLY, J P Region 2, Atlanta, Office of the Director
(81/03/01) 81/01/08 DEYOUNG, R C. Director's Office, Office
Inspection and Enforcement 4pp. 13454 167. 24X
Fiche 50-000, 82/05/11, B206090002.

D Advisory Committee on Reactor Safeguards reports & correspondence

B206280071 Addl response to FOIA request for eight categories of
documents Forwards documents listed in App A Documents
listed in App B available in PDR Confidential financial
info deleted.
FELTON, J M Division of Rules and Records. 82/05/12 MCMURRAY, C
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp.
13638 055 24X Fiche 50-000, 82/05/12, B206280071

--B206280560 Notification of B01011 ACRS Safety Philosophy, Technology
Criteria Subcommittee meeting re Diablo Canyon seismic
interaction study & North Anna LPI & RHR sys
BAVIO, R. ACRS - Advisory Committee on Reactor Safeguards.
80/10/01 ACRS - Advisory Committee on Reactor Safeguards.
13643 074. 24X Fiche 50-000, 82/05/12, B206280071.

DOCKET 50-404 TUSKEGEE INST RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

B206070394 Forwards Region 2 incident response plan dtd Mar 1982 P1
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan" Plan should be of benefit to
understanding of NRC response to emergency W/o encl.
STOHR, J P. Division of Emergency Preparedness & Operational Supl
82/05/12. CLAYTON, W F. Tuskegee Inst 1p. 13363 335 24X
Fiche 50-406, 82/05/12, B206070394.

DOCKET 80-407 UNIV OF UTAH RESEARCH REACTOR

P Operating license stage documents & correspondence

B206230157 Forwards current rosters for univ committees affected by state licenses
 HOFFMAN, R J Utah, Univ of 82/05/14 WALKER, W J Division of
 Fuel Cycle & Material Safety App. 13592 308. 24X
 Fiche 50-072, 82/05/14, B206230157

DOCKET 80-409 LA CROSSE BOILING WATER REACTOR

F Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
 FELTON, J.M. Division of Rules and Records. 82/04/21. WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
 Fiche 50-000, 82/04/21, B206150016

--B206260161 Comments on proposed prompt public notification sys for 1 25-mile radius of plume exposure pathway emergency planning zone Proposal unacceptable per NUREG-0396 & NUREG-0654. Five & 30-mile zones required by B20201
 GRIMES, B.K. Division of Emergency Preparedness. 82/01/08
 LINDER, F. Dairyland Power Cooperative. 2pp 13524 069 24X
 Fiche 50-000, 82/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
 FELTON, J.M. Division of Rules and Records. 82/05/11 REYNOLDS, N.B. Dabaviss & Liberman. 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002.

--B206090033 Forwards updated info re prompt notification & warning sys for Region 3 licensees.
 PAPERIELLO, C.J. Emergency Preparedness & Program Support Branch 81/12/01 RAMOS, G.L. Emergency Preparedness & Program Support Branch 4pp 13454 128 24X Fiche 50-000, 82/05/11, B206090002

--B203110477 Forwards update on prompt notification & warning sys for Region 3 licensees FEMA estimates approx 65% of reviews of proposed sys now complete
 HIND, J.A. Division of Emergency Preparedness & Operational Support 82/01/05. GRIMES, B.K. Division of Emergency Preparedness App. 13454 133 24X Fiche 50-000, 82/05/11, B206090002.

--B203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by B20201 deadline
 THIRTEEN licensees may not meet deadline
 DIRCKS, H.W. Office of the Executive Director for Operations. 82/01/26. Commissioners. 2pp. 13454 164 24X
 Fiche 50-000, 82/05/11, B206090002.

--B203110481 Submits monthly update of status of implementation of prompt notification sys.
 SPENCER, G.B. Division of Technical Inspection. 82/01/05
 GRIMES, B.K. Division of Emergency Preparedness. Bpp 13454 176. 24X Fiche 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities Commitments made by licensees to ensure deficiencies are corrected by B20601
 HIND, J.A. Division of Emergency Preparedness & Operational Support. 82/02/17 GRIMES, B. Division of Emergency Preparedness. 3pp. 13454 190. 24X Fiche 50-000, 82/05/11, B206090002.

B206180285 Forwards "Small Scale Exercise, B11021," final rept. Deficiencies noted in exercise time schedule of corrections should be available by end of May 1982 for both State of MN & WI.
 KRIMM, R.W. Federal Emergency Management Agency. 82/05/26.
 GRIMES, B. Division of Emergency Preparedness App. 1347:119 24X
 Fiche 50-409, 82/05/26, B206180285

--B206180286 "Small Scale Exercise, B11021," final rept.
 * Federal Emergency Management Agency 82/04/30 50pp
 13547:123. 24X Fiche 50-409, 82/05/26, B206180285.

B206150252 Forwards table, "Emergency Response Capabilities During Operational Conditions 1-3," as alternative to Table B-1 of NUREG-0654 Exemptions from min staffing requirements requested.
 LINDER, F. Dairyland Power Cooperative. 82/06/07. CRUTCHFIELD, D. Operating Reactors Branch B. 5pp. 13504:316 24X
 Fiche 50-409, 82/06/07, B206150252.

B206110069 Releases public version of Issue 2 to Emergency Plan Implementing Procedure EPP-16, "Public Ed & Info"
 FELTON, J.M. Division of Rules and Records. 82/06/08 Document
 Management Branch 1p. 13493 230 24X Fiche 50-409, 82/06/08, B206110069

--B206110071 Forwards public version of Issue 2 to Emergency Plan Implementing Procedure EPP-16, "Public Ed & Info"
 LINDER, F. Dairyland Power Cooperative. 82/05/25 CRUTCHFIELD, D. Operating Reactors Branch 5 1p 13493 231 24X
 Fiche 50-409, 82/06/08, B206110069

--B206110072 Public version of Issue 2 to Emergency Plan Implementing Procedure EPP-16, "Public Ed & Info"
 * Dairyland Power Cooperative. 82/05/06 14pp 13493 232 24X
 Fiche 50-409, 82/06/08, B206110069

B206210114 Requests exemption from NUREG-0654, Revision 1, Table B-1 2 shift augmentation requirement Exemption justified by small size & simplified design of plant Tables depicting proposed emergency response capabilities encl
 LINDER, F. Dairyland Power Cooperative. 82/06/15 CRUTCHFIELD, D. Operating Reactors Branch 5. 6pp 13559 346 24X
 Fiche 50-409, 82/06/15, B206210114

B206240061 Releases public version of emergency plan implementing procedure
 FELTON, J.M. Division of Rules and Records. 82/06/18 Document
 Management Branch 1p 13610 333 24X Fiche 50-409, 82/06/18, B206240061

--B206240065 Forwards public version of Issue 1 to Emergency Plan Implementing Procedure EPP-21, "Prompt Public Notification Sys"
 LINDER, F. Dairyland Power Cooperative. 82/06/04. CRUTCHFIELD, D. Operating Reactors Branch 5 1p 13610 334 24X
 Fiche 50-409, 82/06/18, B206240061.

--B206240071 Public version of Issue 1 to Emergency Plan Implementing Procedure EPP-21, "Prompt Public Notification Sys."
 * Dairyland Power Cooperative. 82/05/21. 18pp. 13610:336 24X
 Fiche 50-409, 82/06/18, B206240061

B206240473 Agrees that security plan changes to Chapter 5, "Vital Area Boundaries," Section 5 A transmitted in util B01229 ltr conform w/requirements of 10CFR73.55 Encl ltr withheld (ref 10CFR73 21)
 CRUTCHFIELD, D. Operating Reactors Branch 5 82/06/21 LINDER, F. Dairyland Power Cooperative 1p 13620 007 24X
 Fiche 50-409, 82/06/21, B206240473

H General correspondence

B206290123 Confirms B20621 telcon re schedule of B20709 mgt meeting w/util in Glen Ellyn, IL to discuss regulatory improvement program
 KEPPLER, J.Q. Region 3, Office of Director. 82/06/22 LINDER, F.W. Dairyland Power Cooperative. 1p 13635:323 24X
 Fiche 50-409, 82/06/22, B206290123.

P Operating license stage documents & correspondence

B206040312 Forwards safety evaluation for SEP Topic XV-1B, "Radiological Consequences of Main Steam Line Failure Outside Containment."
 LINDER, F. Dairyland Power Cooperative. 82/01/15 EISENHUT, D.O. Division of Licensing 3pp. 13557 340 24X Fiche 50-409, 82/01/15, B206040312

B206080357 Forwards safety evaluation for SEP Topics II.3 B re flooding potential & protection requirements, II-3 B 1 re capability of operating plants to cope w/design basis flooding condition Info re Topic III-3 A resubmitted.
 LINDER, F. Dairyland Power Cooperative. 82/05/12. CRUTCHFIELD, D. Operating Reactors Branch 5 18pp. 13417.020. 24X
 Fiche 50-409, 82/05/12, B206080357

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted.
 FELTON, J.M. Division of Rules and Records. 82/05/12 MCMURRAY, C.M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp. 13638:055 24X Fiche 50-000, 82/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided.
 HEDEIROS, M.S. Reactor Systems Standards Branch. 81/02/02.
 ARLOTT, G.A. Division of Engineering Standards 20pp. 13638:102 24X Fiche 50-000, 82/05/12, B206280071.

8206010531 Commits to making appropriate water level instrumentation mods. per NUREG-0737, Action Item II K 3 27 re common ref level, following human factors review of all instrumentation in control room
LINDER, F. Dairyland Power Cooperative 82/03/14 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13314 101 24X
Fiche 50-409, 82/03/14, 8206010531

8206070261 Requests approval to operate reactor at or below 4% power in order to complete refueling outage & install reactor vessel liquid & stack effluent sampling sys per NUREG-0737, Items II B 3 & II F 1 2
LINDER, F. Dairyland Power Cooperative 82/04/02 CRUTCHFIELD, D
Operating Reactors Branch 5 2pp 13368 329 24X
Fiche 50-409, 82/04/02, 8206070261

8206090022 Discusses status of facility per TMI Action Items II K 3 15, "Isolation of HPCI & RCIC Mod," II K 3 22, "RCIC Suction," II K 3 24, "Space Cooling for HPCI/RCIC," II K 3 18, "ADB Actuation," & II E 4.1, "Dedicated Hydrogen Penetrations"
CRUTCHFIELD, D. Operating Reactors Branch 5 82/06/04 LINDER, F.
Dairyland Power Cooperative 2pp. 13435.033 24X
Fiche 50-409, 82/06/04, 8206090022

8206170248 Forwards draft safety evaluation of SEP Topic III-1, "Quality Group Classification of Components & Sys"
CRUTCHFIELD, D. Operating Reactors Branch 5 82/06/07 LINDER, F.
Dairyland Power Cooperative 7pp 13533.208 24X
Fiche 50-409, 82/06/07, 8206170248

--8206170252 "Quality Group Classification of Components & Sys," draft safety evaluation
TIMKO, S., GONZALEZ, A., BERKOWITZ, L. Franklin Institute/Franklin Research Center. NRC-03-79-118 TER-C5257-437 82/05/21.
BOYLE, M. NRC - No Detailed Affiliation Given. 160pp 13533 215.
24X Fiche 50-409, 82/06/07, 8206170248

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olmstead documents findings re cause of event w/o encl.
EISENHUT, D. O. Division of Licensing 82/06/09. HAUSFUR, A.
Consolidated Edison Co. of New York OPREA, O. W. Houston Lighting & Power Co. URRIG, R. E. Florida Power & Light Co. 13pp 13557:349
24X Fiche 50-000, 82/06/09, 8206090153

8206150287 Forwards response to Generic Ltr 82-10 re NUREG-0737, Items I A 1 3 1, I A 1 3 2, I C 1, I D 1, I D 2, II B 1, II B 2 3, II D 1 2, II D 1 3, II F 2, II K 3 18, II K 3 30, II K 3 31, III A 1 2 & III D 3 4.
LINDER, F. Dairyland Power Cooperative 82/06/09. EISENHUT, D. O.
Division of Licensing. 6pp. 13503:246 24X Fiche 50-409, 82/06/09, 8206150287

8206150321 Application to amend License DPR-45 adding Section 5 2 1.6, "Containment Ventilation Isolation Valve Leakage Tests," to Tech Specs. Addl tests will detect excessive degradation of containment ventilation sys dampers
LINDER, F. Dairyland Power Cooperative 82/06/09 CRUTCHFIELD, D.
Operating Reactors Branch 5 2pp. 13503.158 24X
Fiche 50-409, 82/06/09, 8206150321

--8206150323 Proposed Tech Spec 5.2.1 6 re containment ventilation isolation valve leakage tests
* Dairyland Power Cooperative. 82/06/09. 3pp 13503:160. 24X
Fiche 50-409, 82/06/09, 8206150321

8206240201 Forwards Div of Licensing safety evaluation input of licensees 810811 & 0722 responses to NUREG-0737, Item III, D, 3 4 re control room habitability Response acceptable
CRUTCHFIELD, D. Operating Reactors Branch 5. 82/06/10 LINDER, F.
Dairyland Power Cooperative 4pp 13599 063 24X
Fiche 50-409, 82/06/10, 8206240201.

8206240301 Responds to 820602 ltr requesting authorization to operate at or below 4% power in order to conduct licensing exams & low power physics tests prior to completion of refueling outage. Request acceptable
CRUTCHFIELD, D. Operating Reactors Branch 5 82/06/10. LINDER, F.
Dairyland Power Cooperative 2pp 13597 027 24X
Fiche 50-409, 82/06/10, 8206240301.

8206230058 Forwards addl info re RCPB leakage detector, per 820317 request & "LACBHR Primary Piping & Reactor Vessel Leak Detection Sys Performance"
LINDER, F. Dairyland Power Cooperative 82/06/14. CRUTCHFIELD, D.
Operating Reactors Branch 5. 18pp 13588 204. 24X
Fiche 50-409, 82/06/14, 8206230058

--8206230061 "LACBHR Primary Piping & Reactor Vessel Leak Detection Sys Performance"
STEELE, T. A. Dairyland Power Cooperative DPC-851-21. 71/02/28.
15pp 13588:222. 24X Fiche 50-409, 82/06/14, 8206230058.

8206280444 Forwards util review of NRC 820414 ltr re SEP Topic VI-10 A concerning testing of reactor trip sys & ESFs, including time response testing Licensee testing program meets intent of current licensing criteria
LINDER, F. Dairyland Power Cooperative. 82/06/14 CRUTCHFIELD, D.
Operating Reactors Branch 5 18pp 13621 120 24X
Fiche 50-409, 82/06/14, 8206280444.

8206300124 Forwards NRC SEP position re consideration of inelastic response using NUREG/CR-0078 ductility factor approach for addl clarification, guidance & justification
CRUTCHFIELD, D. Operating Reactors Branch 5 82/06/23 LINDER, F.
Dairyland Power Cooperative. App 13656 043 24X
Fiche 50-409, 82/06/23, 8206300124

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/05/28 103pp 13440:264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11. 106pp. 13675:258 24X Fiche 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/11. 120pp. 13675:189 24X
Fiche 50-000, 82/06/11, 8204210384

8206240320 Forwards check in response to order imposing civil monetary penalty
LINDER, F. Dairyland Power Cooperative 82/06/14. DEYOUNG, R. C.
Director's Office, Office of Inspection and Enforcement. 3pp. 13596 193 24X Fiche 50-409, 82/06/14, 8206240320

8206280394 Forwards IE Mgt Meeting Rept 50-409/81-24 on 811009, No noncompliance noted
KEPPLER, J. O. Region 3, Office of Director 82/06/22 LINDER, F. W.
Dairyland Power Cooperative. 2pp 13621:142 24X
Fiche 50-409, 82/06/22, 8206280394

--8206280410 IE Mgt Meeting Rept 50-409/81-24 on 811009, No noncompliance noted
Major areas discussed systematic assessment of licensee performance, Jul 1980-June 1981 Overall regulatory performance adequate. Mgt attention needed in listed areas.
* Region 3, Office of Director 82/06/22. 24pp. 13621:144 24X
Fiche 50-409, 82/06/22, 8206280394

R. Periodic operating reports & related correspondence

8206010213 Forwards monthly operating rept for Apr 1982.
LINDER, F. Dairyland Power Cooperative 82/05/05 Office of Management and Program Analysis 1p. 13300.087. 24X
Fiche 50-409, 82/05/05, 8206010213

--8206010215 Monthly operating rept for Apr 1982.
GADDOW, G. R. Dairyland Power Cooperative 82/05/05 10pp 13300 088 24X Fiche 50-409, 82/05/05, 8206010213

8206150284 Forwards monthly operating rept for May 1982
LINDER, F. Dairyland Power Cooperative 82/06/09 Office of Management and Program Analysis 1p 13505 326 24X
Fiche 50-409, 82/06/09, 8206150284.

--8206150290 Monthly operating rept for May 1982
GOODMAN, L. S. Dairyland Power Cooperative 82/06/04 13pp 13505:327. 24X Fiche 50-409, 82/06/09, 8206150284.

S Reportable occurrences, LERs & related correspondence

8206020566 RO 82-11 on 820523, during type B & C surveillance leakage testing, degradation discovered in primary reactor containment high pressure svc water containment isolation valve. Repairs will be accomplished & retests performed. LINDER, F Dairyland Power Cooperative 82/05/24 KEPLER, J O Region 3, Office of Director 2pp 13322 296 24X Fiche 50-409, 82/05/24, 8206020566

8206100256 Forwards LERs 82-009/01T-0, 82-010/01T-0 & 82-011/01T-0 Detailed event analysis submitted LINDER, F Dairyland Power Cooperative 82/06/02 KEPLER, J O Region 3, Office of Director 4pp 13453 234 24X Fiche 50-409, 82/06/02, 8206100256

--8206100262 LER 82-009/01T-0 on 820520, while performing type C leak tests on retention tank pump discharge valve, leakage flow rate found exceeding Tech Spec limit Cause not stated Valve relapped & restruck. GOODMAN, L S Dairyland Power Cooperative 82/06/02 Region 3, Office of Director 1p 13453 238 24X Fiche 50-409, 82/06/02, 8206100256

--8206100267 LER 82-010/01T-0 on 820521, while performing type C leak tests on containment bldg heating steam condensate return isolation valve, leakage flow rate found exceeding Tech Spec limit Cause not stated Valve internals replaced. GOODMAN, L S Dairyland Power Cooperative 82/06/02 Region 3, Office of Director 1p 13453 239 24X Fiche 50-409, 82/06/02, 8206100256

--8206100270 LER 82-011/01T-0 on 820523, while performing leak tests on high pressure svc water containment isolation valve & electrical penetration Unit 5, leak flow rate found exceeding Tech Spec limit Cause by hardening of epoxy sealant. GOODMAN, L S Dairyland Power Cooperative 82/06/02 Region 3, Office of Director 2pp 13453 240 24X Fiche 50-409, 82/06/02, 8206100256

8206150280 RO 82-14 on 820605, w/reactor in operating condition 2 at 30% power, review of shift supervisor log revealed primary water alpha activity of 7.4e10-6 uCi/gm Reactor shutdown conducted 820605 in accordance w/Tech Spec. LINDER, F Dairyland Power Cooperative 82/06/07 KEPLER, J O Region 3, Office of Director 2pp 13495 347 24X Fiche 50-409, 82/06/07, 8206150280

8206170138 Forwards LER 82-014/01T-0, Detailed event analysis submitted. LINDER, F Dairyland Power Cooperative 82/06/09 KEPLER, J O Region 3, Office of Director 3pp 13530 220 24X Fiche 50-409, 82/06/09, 8206170138

--8206170145 LER 82-014/01T-0, on 820605, during startup from refueling outage, log review showed alpha activity of primary coolant sample exceeded Tech Spec limits. Cause by degraded fuel cladding during previous fuel cycles. GOODMAN, L S Dairyland Power Cooperative 82/06/09 Region 3, Office of Director 4pp 13530 223 24X Fiche 50-409, 82/06/09, 8206170138

8206150212 Requests permission to increase primary sys temp above 212 F, predicated by 820605 shutdown due to primary coolant alpha activity in excess of Tech Spec limits. LINDER, F Dairyland Power Cooperative 82/06/10 EISENHUT, D O Division of Licensing 1p 13504 356 24X Fiche 50-409, 82/06/10, 8206150212

--8206150218 Forwards LER 82-014/01T-0 Detailed event analysis submitted LINDER, F Dairyland Power Cooperative 82/06/09 KEPLER, J O Director 3pp 13504 357 24X 8206150212

8206240190 Forwards LER 82-008/03L-0 Detailed event analysis submitted LINDER, F Dairyland Power Cooperative 82/06/16 KEPLER, J O Region 3, Office of Director 2pp 13597 190 24X Fiche 50-409, 82/06/16, 8206240190

--8206240194 LER 82-008/03L-0 on 820517, high pressure svc water diesel pump 1A failed to start Caused by chewed gear in starter motor Gear & starter motor replaced. GOODMAN, L S Dairyland Power Cooperative 82/06/16 Region 3, Office of Director 2pp 13597 192 24X Fiche 50-409, 82/06/16, 8206240190

8206240328 Forwards LER 82-015/01T-0 Detailed event analysis submitted LINDER, F Dairyland Power Cooperative 82/06/17 KEPLER, J O Region 3, Office of Director 2pp 13603 183 24X Fiche 50-409, 82/06/17, 8206240328

--8206240331 LER 82-015/01T-0 on 820616, both HPCS pumps placed in pullout & LPCS valve control switch turned to close to prevent challenging of ECCS Caused by shift supervisor not cognizant of work scope involved w/change. GOODMAN, L S Dairyland Power Cooperative 82/06/17 Region 3, Office of Director 1p 13603 185 24X Fiche 50-409, 82/06/17, 8206240328

8206290342 Forwards LER 82-012/03L-0 Detailed event analysis submitted LINDER, F Dairyland Power Cooperative 82/06/18 KEPLER, J O Region 3, Office of Director 2pp 13632 332 24X Fiche 50-409, 82/06/18, 8206290342

--8206290350 LER 82-012/03L-0 on 820526, during refueling outage, containment bldg fire suppression header removed from svc to repair high pressure svc water containment isolation valve Header returned to svc upon completion of repairs. GOODMAN, L S Dairyland Power Cooperative 82/06/18 Region 3, Office of Director 1p 13632 334 24X Fiche 50-409, 82/06/18, 8206290342

DOCKET 50-410 NINE MILE POINT NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206280071 Addl response to FOIA request for eight categories of documents, Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted

FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided. MEDEIROB, M S Reactor Systems Standards Branch 81/02/02, ARLOTT, O A Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, 8206280071

8206080336 Responds to 820422 request for addl info re design & const of radwaste bldg Requirements of American Concrete Inst Bldg Code Requirements for Reinforced Concrete ACI-318-71 will be met. RHODE, O K Niagara Mohawk Power Corp 82/06/03 SCHWENGER, A Licensing Branch 2 2pp 13417 144 24X Fiche 50-410, 82/06/03, 8206080336

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app FELTON, J M Division of Rules and Records 82/06/07, DDI, K Critical Mass Energy Project 2pp 13678 215 24X Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request CORNELL, K Office of the Executive Director for Operations 82/03/19 AHEARNE, J Commissioners 2pp 13678 237 24X Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl. EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York SCHNEIDER, F W Public Service Electric & Gas Co of New Jersey FICANDENTI, F J Atlantic City Electric Co 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

DOCKETED ITEMS

I Financial information

8206020312 Forwards Annual Financial Repts 1981 for Niagara Mohawk Power Corp, NY State Electric & Gas Corp, LILCO, Rochester Gas & Electric Corp & Central Hudson Gas & Electric Corp
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae TROSTEN, L M Niagara Mohawk Power Corp 82/05/27 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13324 022 24X Fiche 50-000, 82/05/27, 8206020312

--8206020438 Annual Financial Rept 1981
* Central Hudson Gas & Electric Corp 82/03/01 72pp
13324 183 24X Fiche 50-000, 82/05/27, 8206020312

Q Inspection reports, IE Bulletins & correspondence

8206040177 Forwards IE Insp Rept 50-410/82-03 on 820329-0430 & notice of violation
STAROSTECKI, R Division of Project & Resident Programs 82/05/19
RHODE, G K Niagara Mohawk Power Corp 2pp 13359 294 24X
Fiche 50-410, 82/05/19, 8206040177

--8206040181 Notice of Violation from insp on 820329-0430
STAROSTECKI, R Division of Project & Resident Programs 82/05/19
2pp 13359 296 24X Fiche 50-410, 82/05/19, 8206040177

--8206040187 IE Insp Rept 50-410/82-03 on 820329-0430 Noncompliance noted inadequate fillet welds designed to support cable tray cross bracing, failure to control welding procedures & lack of procurement document control
SCHULZ, R D, VARELA, A A, KISTER, H B Division of Project & Resident Programs 82/05/14 20pp 13359 298, 24X
Fiche 50-410, 82/05/25, 8206040177

8206170241 Forwards IE Insp Rept 50-410/82-04 on 820511-13 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/26
RHODE, G K Niagara Mohawk Power Corp 2pp 13533 180 24X
Fiche 50-410, 82/05/26, 8206170241

--8206170245 IE Insp Rept 50-410/82-04 on 820511-13 No noncompliance noted Major areas inspected electrical components installed, implementation of QA plans & instructions associated w/equipment storage
FINKEL, A E, BECKMAN, D A Division of Engineering & Technical Programs 82/05/25 3pp, 13533 182 24X Fiche 50-410, 82/05/26, 8206170241

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/05/28 107pp 13424 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150, 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp, 13675 258, 24X Fiche 50-000, 82/06/11, 8204210383,

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206290396 Forwards IE Insp Rept 50-410/82-05 on 820510-0603 No noncompliance noted
STAROSTECKI, R Division of Project & Resident Programs, 82/06/14.
RHODE, G K Niagara Mohawk Power Corp 2pp 13634 228, 24X
Fiche 50-410, 82/06/14, 8206290396.

--8206290401 IE Insp Rept 50-410/82-05 on 820510-0603 No noncompliance noted Major areas inspected: pipe cold bending, HVAC ductwork, welding-piping, heat treating-piping, fuel storage pool & structural steel welding.
SCHULZ, R D, KISTER, H B Division of Project & Resident Programs 82/06/11 12pp 13634 230 24X Fiche 50-410, 82/06/14, 8206290396

B Reportable occurrences, LERs & related correspondence

8206080396 Interim deficiency rept re welding of ASME III, Class 1 joints using ASME III, Class 2 & 3 welding procedures.
Initially reported 820429 Ten ASME III, Class 1 joints welded using Class 2 & 3 procedures Final rept expected by 820831
RHODE, G K Niagara Mohawk Power Corp 82/05/26 STAROSTECKI, R.
Region 1, Office of Director 2pp. 13417 128 24X
Fiche 50-410, 82/05/26, 8206080396.

8206080407 Final deficiency rept re use of uncertified computer program to analyze rock movement, initially reported 820426 Job-specific certification of MARC-CDC computer program performed. Test runs showed satisfactory results.
RHODE, G K Niagara Mohawk Power Corp 82/05/26, STAROSTECKI, R
Region 1, Office of Director 2pp 13417 018 24X
Fiche 50-410, 82/05/26, 8206080407.

DOCKET 50-412 BEAVER VALLEY POWER STATION, UNIT 2

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co. of New York GUTHRIE, B M Gulf Power Co
LINDER, F. Dairylea Power Cooperative 13pp. 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

F. Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Debevoise & Liberman 3pp. 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O S Division of Technical Inspection 82/01/05.
GRIMES, B K Division of Emergency Preparedness. 8pp 13454 176 24X Fiche 50-000, 82/05/11, 8206090002.

--8206090088 Provides implementation status of prompt notification sys for facilities. Eight licensees failed to meet 820201 deadline
DIRCKS, W J Office of the Executive Director for Operations, 82/03/04 PALLADINO, N Commissioners. 1p 13454 196 24X
Fiche 50-000, 82/05/11, 8206090002

--8205060474 Forwards monthly status rept of licensee implementation of prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations, 82/03/30. PALLADINO, N J Commissioners 2pp. 13454 252, 24X
Fiche 50-000, 82/05/11, 8206090002.

Q Inspection reports, IE Bulletins & correspondence

8201200497 Confirms NRC Region I plan to perform independent verification insp using NRC independent measurements van & contractor technicians under NRC direction. Insp will begin on 820118 & take approx 6 wks to complete
MARTIN, T T Division of Engineering & Technical Inspection 82/01/08, WOODLEVER, E J Duquesne Light Co. 2pp 11622 207 24X
Fiche 50-412, 82/01/08, 8201200497

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13424 095, 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints, Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28. 103pp. 13440 264. 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206150113 Ack receipt of 820526 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-412/82-02
STAROSTECKI, R Division of Project & Resident Programs 82/06/10
MOOLEVER, E J Duquesne Light Co. 1p. 13505 081. 24X
Fiche 50-412, 82/06/10, 8206150113.

--8206150115 Responds to NRC 820421 ltr re violations noted in IE Insp Rept 50-412/82-02 Corrective actions stop work order issued against welding trunnions to pipe & QC (fitup attribute) assignment for pipe support attachment weld to be increased
MOOLEVER, E J Duquesne Light Co. 82/05/26 STAROSTECKI, R. Division of Engineering & Technical Programs 9pp 13505 082
24X Fiche 50-412, 82/06/10, 8206150113

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp. 13675 258 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384.

S Reportable occurrences, LERs & related correspondence

8206170065 Interim Deficiency Rept 4 re Significant Deficiency Rept 80-06 concerning closure problem on Westinghouse motor-operated gate valves Field Change Notice DMWH-10544 implemented Next rept will be issued by 821101.
MOOLEVER, E J Duquesne Light Co. 82/06/02. HAYNES, R.C Region 1, Office of Director 3pp 13529:343 24X Fiche: 50-412, 82/06/02, 8206170065

DOCKET 50-413 CATAWBA NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8206020009 Forwards request for addl info in instrumentation & control sys area Response due by 820630.
ADENBAM, E O Licensing Branch 4. 82/03/21. PARKER, W O Duke Power Co 5pp. 13333:001 24X Fiche: 50-413, 82/03/21, 8206020009

8206070248 Advises that detailed control room design review will be conducted prior to fuel load
PARKER, W O Duke Power Co. 82/05/24. DENTON, H R. Office of Nuclear Reactor Regulation, Director. ADENBAM, E O. Licensing Branch 4 1p 13370 391 24X Fiche: 50-413, 82/05/24, 8206070248

8206290457 Forwards request for addl info re steam generator power operated relief valve isolation, instrumentation used to initiate safety functions, auxiliary feedwater sys, feedwater isolation on high doghouse level & remote shutdown
ADENBAM, E O Licensing Branch 4. 82/06/09. PARKER, W O Duke Power Co. 15pp 13660 082. 24X Fiche: 50-413, 82/06/09, 8206290457.

8206290639 Forwards request for addl info re mechanical design documentation to complete licensing review. Info requested by 820730
ADENBAM, E O Licensing Branch 4. 82/06/09. PARKER, W O Duke Power Co. 5pp 13658 143. 24X Fiche: 50-413, 82/06/09, 8206290639.

8206170171 Application for Amend 27 to DL applications, consisting of Revision 5 to FBAR.
PARKER, W O Duke Power Co. 82/06/11 DENTON, H R. Office of Nuclear Reactor Regulation, Director. ADENBAM, E O. Licensing Branch 4 2pp 13535:235 24X Fiche: 50-413, 82/06/11, 8206170171

8206220468 Facilitates FBAR review completion by transmitting responses, revised responses & partial responses to encl FBAR questions
PARKER, W O Duke Power Co. 82/06/11. DENTON, H R. Office of Nuclear Reactor Regulation, Director. ADENBAM, E O. Licensing Branch 4 40pp 13581:090. 24X Fiche: 50-413, 82/06/11, 8206220468

8206210612 Forwards "Equipment Qualification, NUREG-0588 Submittal "
PARKER, W O Duke Power Co. 82/06/17 DENTON, H R. Office of Nuclear Reactor Regulation, Director. ADENBAM, E O. Licensing Branch 4. 2pp. 13561 126 24X Fiche: 50-413, 82/06/17, 8206210612

--8206210618 "Equipment Qualification NUREG-0588 Submittal "
* Duke Power Co. 82/06/17. 150pp. 13561 128 24X
Fiche: 50-413, 82/06/17, 8206210612.

8206230088 Forwards request for addl info re instrumentation & control sys concern for containment pressure control sys. Info needed by 820630.
ADENBAM, E O Licensing Branch 4. 82/06/18. PARKER, W O Duke Power Co. 4pp. 13593:234 24X Fiche: 50-413, 82/06/18, 8206230088

F Security, medical, emergency & fire protection plans

8206070466 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PARKER, W O Duke Power Co 1p 13374 214 24X
Fiche 50-000, 82/05/12, 8206070466

8206040324 Forwards Revision 1 (addl pages) to security plan Revision withheld (ref 10CFR73 21)
PARKER, W O Duke Power Co 82/03/27 DENTON, H R Office of Nuclear Reactor Regulation, Director. ADENBAM, E O Licensing Branch 4 2pp 13354 075 24X Fiche 50-413, 82/03/27, 8206040324

8206150306 Responds to NRC 810723 ltr re schedule for installation of public notification sys Final design & installation schedule have not been finalized Info will be submitted by 820730
PARKER, W O Duke Power Co 82/06/09 DENTON, H R Office of Nuclear Reactor Regulation, Director. ADENBAM, E O Licensing Branch 4 NEWTON, F Federal Emergency Management Agency 2pp. 13505 354
24X Fiche 50-413, 82/06/09, 8206150306

G Adjudicatory correspondence

8206040028 Response to first set of interrogatories & document production requests & motion for protective order re Contentions 6, 7, 18, 40 & 43 Certificate of Svc encl
GUILD, R Palmetto Alliance GUILD, R 82/05/26
Office of the Executive Legal Director 4pp 13348:248, 24X
Fiche 50-413, 82/05/26, 8206040028

8206070140 Order soliciting comments on encl draft order staying discovery
KELLEY, J L Atomic Safety and Licensing Board Panel 82/06/02
5pp 13368:350 24X Fiche 50-413, 82/06/02, 8206070140

8206160106 Response to Palmetto Alliance 820510 response to ASLB questions & motion re Security Contention 23 Alliance Contention 23 should be dismissed since Alliance refuses to execute nondisclosure affidavit. W/Certificate of Svc
CARR, A V. Duke Power Co. CARR, A V Debevoise & Liberman 82/06/11 Atomic Safety and Licensing Board Panel 28pp 13514.316 24X Fiche 50-413, 82/06/11, 8206160106

8206170263 Response opposing Palmetto Alliance 820510 motion re litigation of security contention Alliance failed to obtain security plan expert Unavailability of expert unsupported Challenge to regulations improper. W/Certificate of Svc.
JOHNSON, O E. Hearing Branch 4 82/06/11 Atomic Safety and Licensing Board Panel 15pp. 13533.130. 24X Fiche: 50-413, 82/06/11, 8206170263

8206170119 Advises that NRC review of liquid & gaseous emissions (source term) resulting from normal plant operation, re Charlotte-Mecklenburg Environ Coalition Contentions 1 & 2, will be included in 5ER
JOHNSON, O E Hearing Branch 4 82/06/15 KELLEY, J L, FOSTER, R. F., CALLIHAN, D. Atomic Safety and Licensing Board Panel 2pp 13530.180 24X Fiche 50-413, 82/06/15, 8206170119

8206170251 Comments supporting ASLB proposed order which would stay formal discovery on all admitted contentions except Palmetto Alliance Contention 8, 15 & 16. If Alliance contentions admitted, discovery would take place. Certificate of Svc encl.
JOHNSON, O E. Hearing Branch 4 82/06/15. Atomic Safety and Licensing Board Panel 6pp 13534.025 24X Fiche: 50-413, 82/06/15, 8206170251.

8206170336 Comments re ASLB proposed order staying discovery pending rulings on certified questions. Proposed order sets forth reasonable course of conduct given present circumstances
Certificate of Svc encl Related correspondence
MCQARRY, J.H. Duke Power Co. MCQARRY, J.H Debevoise & Liberman 82/06/15 3pp 13531 016 24X Fiche 50-413, 82/06/15, 8206170336.

8206280209 Notice of change of address, Certificate of Svc encl
BEUK, D R Safe Energy Alliance. 82/06/21 3pp. 13624:199. 24X
Fiche: 50-413, 82/06/21, 8206280209.

8206240068 Confirms 820621 conversation, in which Charlotte-Mecklenburg Environ Coalition agreed to respond informally to NRC 820430 first set of interrogatories & document production requests
Discovery on contentions may continue on voluntary basis.
JOHNSON, O E Hearing Branch 4. 82/06/22 PRESLER, H Affiliation Unknown. 2pp 13599:254. 24X Fiche 50-413, 82/06/22, 8206240068

DOCKETED ITEMS

K Utility Final Safety Analysis Report (FSAR) & amends

8206170171 Application for Amend 27 to DL applications, consisting of Revision 5 to FSAR
PARKER, W D Duke Power Co 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director ADENSAH, E O Licensing Branch 4 2pp 13535 235 24X Fiche 50-413, 82/06/11, 8206170171

--8206170182 Revision 5 to FSAR Seven oversize drawings encl Aperture cards are available in PDR
* Duke Power Co 82/06/11 900pp 13535 237 24X
Fiche 50-413, 82/06/11, 8206170171

Q Inspection reports, IE Bulletins & correspondence

8206070753 Ack receipt of IE Insp Rept 50-413/82-08, No proprietary info.
PARKER, W D, Duke Power Co. 82/05/20 O'REILLY, J P, Region 2, Office of Director 1p. 13389 151 24X Fiche 50-413, 82/05/20, 8206070753

8206070741 Advises that info contained in IE Insp Repts 50-413/82-11 & 50-414/82-07 is proprietary & should be withheld (ref 10CFR73 21)
PARKER, W D Duke Power Co 82/05/21 O'REILLY, J P, Region 2, Office of Director 1p 13389 153. 24X Fiche 50-413, 82/05/21, 8206070741

8206070472 Ack receipt of 820505 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-413/82-07 & 50-414/82-07
LEWIS, R C, Division of Project & Resident Programs. 82/05/26 PARKER, W D Duke Power Co. 1p 13375 025, 24X
Fiche: 50-413, 82/05/26, 8206070472

--8206070477 Responds to NRC 820413 ltr re violations noted in IE Insp Repts 50-413/82-07 & 50-414/82-07. Corrective actions: welders instructed to notify inspectors after alteration of previously accepted fit-up geometries
PARKER, W D Duke Power Co 82/05/05 O'REILLY, J P, Region 2, Office of Director 2pp 13375 026 24X Fiche 50-413, 82/05/26, 8206070472.

--8206070480 Forwards IE Insp Repts 50-413/82-07 & 50-414/82-07 on 820226-0325 & notice of violation
LEWIS, R C, Division of Project & Resident Programs. 82/04/13 PARKER, W D, Duke Power Co 2pp 13375 028 24X
Fiche 50-413, 82/05/26, 8206070472

--8206070484 Notice of violation from insp on 820226-0325.
* Division of Project & Resident Programs. 82/04/13, 1p. 13375 030. 24X Fiche: 50-413, 82/05/26, 8206070472

--8206070488 IE Insp Repts 50-413/82-07 & 50-414/82-07 on 820226-0325 Noncompliance noted inadequate procedure for control of repair welding resulting in grinding performed after QC insp of excavation & prior to rewelding
VAN DOORN, P. K., BRYANT, J C Division of Project & Resident Programs 82/04/12 7pp. 13375 031, 24X Fiche 50-413, 82/05/26, 8206070472.

8202040147 IE Info-Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/05/28, 107pp, 13426:095, 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints," Svc list encl
JORDAN, E L, Division of Engineering & Quality Assurance. 82/05/28, 103pp. 13440, 264. 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants," Svc list encl.
DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150. 24X
Fiche: 50-000, 82/06/02, 8204210380.

8206220485 Ack receipt of IE Insp Rept 50-413/82-09 No proprietary info.
PARKER, W D Duke Power Co 82/06/03 O'REILLY, J P, Region 2, Office of Director 1p 13381 001 24X Fiche 50-413, 82/06/03, 8206220485.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Svc list encl
JORDAN, E L, Division of Engineering & Quality Assurance 82/06/11, 106pp, 13675:258. 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C, Director's Office, Office of Inspection and Enforcement 82/06/11 120pp, 13675 189. 24X
Fiche 50-000, 82/06/11, 8204210384

8206300193 Advises that 820421 final Significant Deficiency Rept SD 413-414/82-09 addresses concerns of IE Bulletin 81-02, Suppl 1, "Failure of Gate Type Valves to Close Against Differential Pressure," in response to 810818 request
PARKER, W D Duke Power Co 82/06/21 O'REILLY, J P, Region 2, Office of Director. 1p 13652 348 24X Fiche 50-413, 82/06/21, 8206300193

S Reportable occurrences, LERs & related correspondence

8206110298 Interim significant deficiency rept re undersized reinforcing fillet weld on branch connection, initially reported 820428, Craft & QC personnel retrained in fillet size requirements Repair completion expected by 821101
PARKER, W D Duke Power Co 82/05/27, O'REILLY, J P, Region 2, Office of Director. 3pp 13466 163 24X Fiche: 50-413, 82/05/27, 8206110298.

8206110248 Informs that Significant Deficiency Rept SD 413-414/82-12 re location of studs in embedded plates will be delayed until 820716
PARKER, W D Duke Power Co. 82/05/28 O'REILLY, J P, Region 2, Office of Director. 1p 13466, 284 24X Fiche 50-413, 82/05/28, 8206110248

8206300193 Advises that 820621 final Significant Deficiency Rept SD 413-414/82-09 addresses concerns of IE Bulletin 81-02, Suppl 1, "Failure of Gate Type Valves to Close Against Differential Pressure," in response to 810818 request
PARKER, W D Duke Power Co 82/06/21, O'REILLY, J P, Region 2, Office of Director. 1p. 13652 348 24X Fiche: 50-413, 82/06/21, 8206300193

8206300201 Final Significant Deficiency Rept SD 413-414/82-09 re undersizing of electric motor operators for Westinghouse gate valves per IE Bulletin 81-02, Suppl 1, initially reported 820409, Westinghouse operator sizing procedure revised
PARKER, W D Duke Power Co. 82/06/21 O'REILLY, J P, Region 2, Office of Director 3pp, 13655:335 24X Fiche 50-413, 82/06/21, 8206300201.

8206300148 PNO-II-82-070 on 820618, radiography crew experienced disconnection of radioactive source while source outside shield. Caused not stated. Source safely returned to shield.
WOODRUFF, R. L., BARR, K, Region 2, Office of Director. 82/06/22, 2pp, 13655:305. 24X Fiche: 50-413, 82/06/22, 8206300148.

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715
MILLS, L. L, Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement. 2pp, 13653 328. 24X
Fiche 50-000, 82/06/23, 8206300192.

8206290639 Forwards request for addl info re mechanical design documentation to complete licensing review info requested by 820730.
ADENSAM,E G Licensing Branch 4 82/06/09. PARKER,W D Duke Power Co 3pp 13658 143 24X Fiche 50-413,82/06/09,8206290639

8206170171 Application for Amend 27 to DL applications,consisting of Revision 5 to FSAR.
PARKER,W D Duke Power Co 82/06/11 DENTON,H R Office of Nuclear Reactor Regulation, Director 2pp 13535 235 24X Fiche 50-413,82/06/11,8206170171

820622046B Facilitates FSAR review completion by transmitting responses, revised responses & partial responses to encl FSAR questions
PARKER,W D Duke Power Co 82/06/11 DENTON,H R Office of Nuclear Reactor Regulation, Director ADENSAM,E G Licensing Branch 4 40pp 13581:090 24X Fiche 50-413,82/06/11,820622046B

8206210612 Forwards "Equipment Qualification NUREG-0588 Submittal "
PARKER,W D Duke Power Co 82/06/17 DENTON,H R Office of Nuclear Reactor Regulation, Director ADENSAM,E G Licensing Branch 4 2pp 13561.126 24X Fiche 50-413,82/06/17,8206210612

--8206210618 "Equipment Qualification NUREG-0588 Submittal "
* Duke Power Co 82/06/17 15pp 13561 128 24X Fiche 50-413,82/06/17,8206210618

820623008B Forwards request for addl info re instrumentation & control sys concern for containment pressure control sys info needed by 820630
ADENSAM,E G. Licensing Branch 4 82/06/18 PARKER,W D Duke Power Co 4pp 13593:234 24X Fiche 50-413,82/06/18,820623008B

F Security, medical, emergency & fire protection plans

8206070466 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency. W/o encl
STOHR,J P Division of Emergency Preparedness & Operational Support 82/05/12 PARKER,W D Duke Power Co 1p 13374 214 24X Fiche 50-000,82/05/12,8206070466.

8206040324 Forwards Revision 1 (addl pages) to security plan Revision withheld (ref 10CFR73,21)
PARKER,W D Duke Power Co. 82/05/27 DENTON,H R Office of Nuclear Reactor Regulation, Director ADENSAM,E G Licensing Branch 4 2pp 13394:075 24X Fiche 50-413,82/05/27,8206040324.

8206150306 Responds to NRC 810723 ltr re schedule for installation of public notification sys final design & installation schedule have not been finalized Info will be submitted by 820730.
PARKER,W D Duke Power Co 82/06/09 DENTON,H R Office of Nuclear Reactor Regulation, Director ADENSAM,E G Licensing Branch 4, NEWTON,F Federal Emergency Management Agency 2pp 13505 354 24X Fiche 50-413,82/06/09,8206150306

G. Adjudicatory correspondence

820604002B Response to first set of interrogatories & document production requests & motion for protective order re Contentions 6,7,18,40 & 43 Certificate of Svc encl
GUILD,R Palmetto Alliance, GUILD,R Guild, R. 82/05/26 Office of the Executive Legal Director 4pp 13348:248 24X Fiche 50-413,82/05/26,820604002B

8206070140 Order soliciting comments on encl draft order staying discovery
KELLEY,J L Atomic Safety and Licensing Board Panel 82/06/02 3pp. 13368.350. 24X Fiche 50-413,82/06/02,8206070140.

8206160106 Response to Palmetto Alliance 820510 response to ASLB questions & motion re Security Contention 23 Alliance Contention 23 should be dismissed since Alliance refuses to execute nondisclosure affidavit. W/Certificate of Svc
PARKER,W D Duke Power Co CARR,A.V. Debevoise & Liberman omic Safety and Licensing Board Panel 28pp 13533.130. 24X Fiche 50-413,82/06/11,8206160106

using Palmetto Alliance 820510 motion re 1 contention Alliance failed to obtain availability of expert Unsupported
ins improper. W/Certificate of Svc.
Branch 4. 82/06/11. Atomic Safety and 15pp. 13533.130. 24X Fiche:50-413,82/06/11,

8206170119 Advises that NRC review of liquid & gaseous emissions (source term) resulting from normal plant operation, re Charlotte-Mecklenburg Environ Coalition Contentions 1 & 2, will be included in SER
JOHNSON,O E Hearing Branch 4 82/06/15 KELLEY,J L, FOSTER,R F, CALLIHAN,D Atomic Safety and Licensing Board Panel 2pp 13530 180 24X Fiche 50-413,82/06/15,8206170119

8206170251 Comments supporting ASLB proposed order which would stay formal discovery on all admitted contentions except Palmetto Alliance Contention B,15 & 16 If Alliance contentions admitted, discovery would take place Certificate of Svc encl
JOHNSON,O E Hearing Branch 4 82/06/15 Atomic Safety and Licensing Board Panel 6pp 13534 023 24X Fiche 50-413,82/06/15,8206170251

8206170336 Comments re ASLB proposed order staying discovery pending rulings on certified questions Proposed order sets forth reasonable course of conduct given present circumstances. Certificate of Svc encl Related correspondence
MCQARRY,J M Duke Power Co MCQARRY,J M Debevoise & Liberman 82/06/15 3pp 13531 016 24X Fiche 50-413,82/06/15,8206170336

8206280209 Notice of change of address Certificate of Svc encl
BELK,D R Safe Energy Alliance 82/06/21 3pp 13624 197 24X Fiche 50-413,82/06/21,8206280209

820624006B Confirms 820621 conversation, in which Charlotte-Mecklenburg Environ Coalition agreed to respond informally to NRC 820430 first set of interrogatories & document production requests
Discovery on contentions may continue on voluntary basis
JOHNSON,O E Hearing Branch 4 82/06/22 PRESLER,H Affiliation Unknown 2pp 13599 254 24X Fiche 50-413,82/06/22,820624006B

K Utility Final Safety Analysis Report (FSAR) & amends

8206170171 Application for Amend 27 to DL applications,consisting of Revision 5 to FSAR
PARKER,W D Duke Power Co 82/06/11. DENTON,H R Office of Nuclear Reactor Regulation, Director ADENSAM,E G Licensing Branch 4 2pp 13535 235 24X Fiche 50-413,82/06/11,8206170171

--8206170182 Revision 5 to FSAR Seven oversize drawings encl Aperture cards are available in PDR
* Duke Power Co 82/06/11 900pp. 13535 237 24X Fiche 50-413,82/06/11,8206170171

G Inspection reports, IE Bulletins & correspondence

8206070741 Advises that info contained in IE Insp Repts 50-413/82-11 & 50-414/82-0 is proprietary & should be withheld (ref 10CFR' 21)
PARKER,W D Duke Power Co 82/05/21 O'REILLY,J.P Region 2, Office of Director 1p 13389 155 24X Fiche 50-413,82/05/21,8206070741

8206070472 Ack receipt of 820505 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-413/82-07 & 50-414/82-07
LEWIS,R C Division of Project & Resident Programs. 82/05/26 PARKER,W.D. Duke Power Co 1p. 13375 025. 24X Fiche:50-413,82/05/26,8206070472

--8206070477 Responds to NRC 820413 ltr re violations noted in IE Insp Repts 50-413/82-07 & 50-414/82-07 Corrective actions. Welders instructed to notify inspectors after alteration of previously accepted fit-up geometries.
PARKER,W D Duke Power Co 82/05/05 O'REILLY,J.P Region 2, Office of Director 2pp 13375 026 24X Fiche:50-413,82/05/26,8206070472

--8206070480 Forwards IE Insp Repts 50-413/82-07 & 50-414/82-07 on 820226-0325 & notice of violation
LEWIS,R C Division of Project & Resident Programs. 82/04/13 PARKER,W.D. Duke Power Co 2pp 13375 028. 24X Fiche 50-413,82/05/26,8206070472

--8206070484 Notice of violation from insp on 820226-0325
* Division of Project & Resident Programs 82/04/13 1p 13375 030. 24X Fiche 50-413,82/05/26,8206070472

--8206070488 IE Insp Repts 50-413/82-07 & 50-414/82-07 on 820226-0325 Noncompliance noted inadequate procedure for control of repair welding resulting in grinding performed after QC insp of excavation & prior to rewelding
VAN DOORN,P K, BRYANT,J C. Division of Project & Resident Programs 82/04/12 7pp 13375 031. 24X Fiche:50-413,82/05/26,8206070472.

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 30-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 30-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 190 24X
Fiche 30-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 30-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche: 30-000, 82/06/11, 8204210384

8206300193 Advises that 820621 final Significant Deficiency Rept BD 413-414/82-09 addresses concerns of IE Bulletin 81-02, Suppl 1, "Failure of Gate Type Valves to Close Against Differential Pressure," in response to 810818 request
PARKER, W O Duke Power Co, 82/06/21 O'REILLY, J.P. Region 2, Office of Director 1p 13652 348 24X Fiche: 30-413, 82/06/21, 8206300193

8 Reportable occurrences, LERs & related correspondence

8206110298 Interim significant deficiency rept re undersized reinforcing fillet weld on branch connection, initially reported 820428 Craft & QC personnel retrained in fillet size requirements Repair completion expected by 821101
PARKER, W O Duke Power Co, 82/06/27 O'REILLY, J.P. Region 2, Office of Director 3pp 13466 163 24X Fiche: 30-413, 82/06/27, 8206110298

8206110248 Informs that Significant Deficiency Rept BD 413-414/82-12 re location of studs in embedded plates will be delayed until 820716
PARKER, W O Duke Power Co 82/05/28 O'REILLY, J.P. Region 2, Office of Director 1p 13466 284 24X Fiche: 30-413, 82/05/28, 8206110248

8206300193 Advises that 820621 final Significant Deficiency Rept BD 413-414/82-09 addresses concerns of IE Bulletin 81-02, Suppl 1, "Failure of Gate Type Valves to Close Against Differential Pressure," in response to 810818 request
PARKER, W O Duke Power Co, 82/06/21 O'REILLY, J.P. Region 2, Office of Director 1p 13652 348 24X Fiche: 30-413, 82/06/21, 8206300193

8206300201 Final Significant Deficiency Rept BD 413-414/82-09 re undersizing of electric motor operators for Westinghouse gate valves per IE Bulletin 81-02, Suppl 1, initially reported 820409, Westinghouse operator sizing procedure revised
PARKER, W O Duke Power Co 82/06/21 O'REILLY, J.P. Region 2, Office of Director 3pp 13653 335 24X Fiche: 30-413, 82/06/21, 8206300201

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLER, L L Transamerica Delaware, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X Fiche: 30-000, 82/06/23, 8206300192

DOCKET 30-416 GRAND GULF NUCLEAR STATION, UNIT 1

A. Application/construction stage documents & correspondence

8205270043 Forwards repts by R Strehlow re hydrogen control sys at Sequoyah plant Issues raised by repts have been incorporated into review of Grand Gulf hydrogen control sys.
SCHWENGER, A Licensing Branch 2 82/05/17, MCOAUGHY, J.P. Mississippi Power & Light Co, 2pp 13277 003, 24X
Fiche: 30-000, 82/05/17, 8205270043

8206010381 Forwards responses/clarifications re issues discussed in FSAR, addressing revisions to FSAR Section 12.5 Incorporation of revisions will be made pending Util & NRC Agreement on procedures required for post-OL FSAR amends
DALE, L F Mississippi Power & Light Co 82/05/26 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 4pp 13301 296, 24X Fiche: 30-416, 82/05/26, 8206010381

8206080257 Summarizes licensee interpretation of Tech Spec 6.5.2 B re safety review committee audits Util will submit change in Revision 3 to GA Topical Rept MPL-TOP-1A to state interpretation & seek formal acceptance
REAVES, T E Mississippi Power & Light Co 82/05/26 HAASE, W P Quality Assurance Branch 2pp 13419 043 24X
Fiche 30-416, 82/05/26, 8206080257

8206030180 Forwards info in response to J Humphrey concerns re containment designs All questions have been adequately addressed for Mark III containments No further action necessary
DALE, L F Mississippi Power & Light Co 82/05/28 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 23pp 13338 038 24X Fiche 30-416, 82/05/28, 8206030180

8206030197 Forwards info in response to 820329 request re fast scram hydrodynamic loads on control rod drive sys
DALE, L F Mississippi Power & Light Co 82/05/28 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 4pp 13337 318 24X Fiche: 30-416, 82/05/28, 8206030197

8206030193 Forwards proposed changes to Tech Specs. Proposed changes in form of proof & review pages w/proposed changes identified encl Addl info will be furnished as required
DALE, L F Mississippi Power & Light Co 82/06/01 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 1p 13337 322 24X
Fiche 30-416, 82/06/01, 8206030193

--8206030196 Proof & review copy of proposed changes to Tech Spec Table: 2.2.1-1, 3.3.2-2, 3.3.3-2, 3.3.6-2, 3.3.7.1-1, 3.3.7.2-1, 4.3.7.2-1 & 3.3.8-2 & Pages 3/4 3-81, 3/4 4-20, 3/4 5-9, 3/4 8-46 & 3/4 11-6.
* Mississippi Power & Light Co 82/06/01 13pp 13337 323, 24X
Fiche 30-416, 82/06/01, 8206030193

8206090040 Advises that design, const & initial testing of facility essentially complete. Requests OL
STAMPLEY, N L Mississippi Power & Light Co 82/06/04 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 3pp 13436 301, 24X Fiche 30-416, 82/06/04, 8206090040

8206090051 Submits addl info re sensitivity of containment response to heat sink nodalization Heat sink nodal arrangement utilized in CLASS-X-3 adequate Addl nodes in walls would have negligible effect
DALE, L F Mississippi Power & Light Co 82/06/07 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 2pp 13436 277, 24X Fiche 30-416, 82/06/07, 8206090051

8206090061 Forwards status of concerns re design of Mark III containment, as result of 820527 meeting of Util, GE & Bechtel Requests issuance of low power OL
MCOAUGHY, J.P. Mississippi Power & Light Co 82/06/08 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 13pp 13435 349 24X Fiche 30-416, 82/06/08, 8206090061

8206090066 Forwards requested addl info re justification for interim operation of equipment not qualified to seismic qualification review team criteria.
DALE, L F Mississippi Power & Light Co 82/06/08 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 200pp 13435 134, 24X Fiche 30-416, 82/06/08, 8206090066

8206100221 Advises of status of mods to balance of plant & NSBB equipment for full seismic qualification review team qualification prior to Fuel load, per Equipment Qualification Branch 810728-30 site audit. Bechtel 820414 & 0810 ltrs encl.
DALE, L F Mississippi Power & Light Co 82/06/08 DENTON, H.R. Office of Nuclear Reactor Regulation, Director 4pp 13458 203, 24X Fiche 30-416, 82/06/08, 8206100221

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event. W/s encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co of New York 13pp 13557 349, 24X
Fiche: 30-000, 82/06/09, 8206090153

3206100212 Forwards addl info justifying resolution of Humphrey Concern 14 until after receipt of low power OL in response to Containment Bys Branch request. Postulated RHR backflow through containment spray is beyond design basis
DALE, L F. Mississippi Power & Light Co. 82/06/09 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp. 1345B 219
24X Fiche 50-416, 82/06/09, 8206100212

3206140203 Forwards proof & review copy of proposed changes to Tech Specs re reactor protection response time.
DALE, L F. Mississippi Power & Light Co. 82/06/09 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13484 228 24X
Fiche 50-416, 82/06/09, 8206140203

--8206140216 Proof & review copy of proposed Tech Spec changes re reactor protection response time
* Mississippi Power & Light Co. 82/06/09 18pp 13484 229 24X
Fiche 50-416, 82/06/09, 8206140205

3206110163 Advises that proposed design change, associated schedule & commitment to implement surveillance insp requirements provide adequate response to NRC concerns re pressure interlocks on high/low pressure sys interfaces
DALE, L F. Mississippi Power & Light Co. 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13487 001
24X Fiche 50-416, 82/06/10, 8206110163

3206110269 Requests expeditious issuance of Unit 1 OL License should be issued for full 40-yr period ending in yr 2022 Population distribution reported in environ rept Chapter 2 & at midpoint of station operation will increase less than 2X
DALE, L F. Mississippi Power & Light Co. 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp. 13486 099
24X Fiche 50-416, 82/06/10, 8206110269

3206140196 Forwards proof & review copy of proposed revision to Tech Specs re drywell post-LDCA vacuum breakers & supporting justification
DALE, L F. Mississippi Power & Light Co. 82/06/10. DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13484 189.
24X Fiche 50-416, 82/06/10, 8206140196

--8206140204 Proof & review copy of Tech Spec change re post-LDCA vacuum breakers
* Mississippi Power & Light Co. 82/06/10 1p 13484 191 24X
Fiche 50-416, 82/06/10, 8206140196

--8206140219 Forwards addl Tech Spec waivers required for Phase I operations which consist of low power testing & non-nuclear startup.
DALE, L F. Mississippi Power & Light Co. 82/06/09 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13484 192.
24X Fiche 50-416, 82/06/10, 8206140194

9206140247 Provides current analysis re PHP site drainage barriers are necessary to prevent or minimize inleakage into safety-related hdds
DALE, L F. Mississippi Power & Light Co. 82/06/10 DENTON, H R.
Office of Nuclear Reactor Regulation, Director. 2pp. Available at NRC pdr. 13484.257 24X Fiche. 50-416, 82/06/10, 8206140247

8206140086 Advises of agreement w/Bandia Lab evaluation re local detonation size, per 820519 discussions w/lab. Efforts completed re detonation area Evaluation encl.
DALE, L F. Mississippi Power & Light Co. 82/06/11. DENTON, H R.
Office of Nuclear Reactor Regulation, Director. 4pp. 13487.176
24X Fiche 50-416, 82/06/11, 8206140086

8206140122 Advises of intent to comply w/Reg Guide 1.97, Revision 2 by alternate means for detection of inadequate core
-----rules not required for BWRs by

8206160167 Provides supplemental info re drywell head negative pressure capacity, per 820331 ltr Vendor calculations indicate static capacity of 89 psi for drywell head
DALE, L F. Mississippi Power & Light Co. 82/06/11 DENTON, H R.
Office of Nuclear Reactor Regulation, Director 2pp 13521 350
24X Fiche 50-416, 82/06/11, 8206160167

8206160112 Clarifies methodology for evaluating local effects of pool swell on hydraulic control unit floor based on 820602-07 meeting agreements, per 820611 ltr Acceleration response spectra will be amplified by 237
DALE, L F. Mississippi Power & Light Co. 82/06/12 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13514 344
24X Fiche 50-416, 82/06/12, 8206160112

8206160237 Forwards addl justification for use of drywell purge sys to vent drywell for pressure control during operations up to 5X power, discussed during 820611 meeting Rept on drywell valve operability will be provided by Aug 1982
DALE, L F. Mississippi Power & Light Co. 82/06/12 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13521.344
24X Fiche 50-416, 82/06/12, 8206160237

8206160178 Evaluates emergency procedures for activating hydrogen ignition Hydrogen ignition sys energized in Emergency Procedure 05-B-01-EP-7, "Core Cooling W/o Level Restoration" Accident scenario summaries encl
DALE, L F. Mississippi Power & Light Co. 82/06/14 DENTON, H R.
Office of Nuclear Reactor Regulation, Director 5pp 13522 014
24X Fiche 50-416, 82/06/14, 8206160178

8206160159 Submits revision to Step 3 5 of Emergency Procedure 05-B-01-EP-9, "Reactor Pressure Venting," to address effect of primary containment venting on containment ultimate capacity
DALE, L F. Mississippi Power & Light Co. 82/06/15. DENTON, H R.
Office of Nuclear Reactor Regulation, Director 2pp 13521 266
24X Fiche 50-416, 82/06/15, 8206160159

E NRC Safety Evaluation Report (SER), supplis & correspondence

8206140078 Forwards responses to Power Bys Branch BER open items. Info includes proposed revisions & additions to FBAR
DALE, L F. Mississippi Power & Light Co. 82/06/10 DENTON, H R.
Office of Nuclear Reactor Regulation, Director 10pp 13497 182
24X Fiche 50-416, 82/06/10, 8206140078

8206170295 Forwards final rept re control sys Failures evaluation, in response to SER (NUREG-0831) License Condition 1 ii(10)
Rept supersedes 820422 submittal
DALE, L F. Mississippi Power & Light Co. 82/06/11. DENTON, H R.
Office of Nuclear Reactor Regulation, Director 31pp 13529 207
24X Fiche 50-416, 82/06/11, 8206170295

8206290302 Requests results of Equipment Qualification Branch independent analysis of HPCS svc water pump, in support of util resolution of pump overstress at pump base issue in Suppl 2 of SER
DALE, L F. Mississippi Power & Light Co. 82/06/25. DENTON, H R.
Office of Nuclear Reactor Regulation, Director 2pp 13636.223
24X Fiche. 50-416, 82/06/25, 8206290302

8206290310 Responds to NRC 820623 request for addl info re hydrogen control issue Evaluation of pool dynamic impact loads & pool carryover due to hydrogen combustion encl
DALE, L F. Mississippi Power & Light Co. 82/06/25. DENTON, H R.
Office of Nuclear Reactor Regulation, Director 4pp 13636 240
24X Fiche 50-416, 82/06/25, 8206290310.

F. Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR.
FELTON, J M. Division of Rules and Records. 82/05/11 REYNOLDS, N S
DeVaulise & Liberman 3pp. 13454 003 24X Fiche: 50-000, 82/05/11, 8206090002

--8206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities, Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J. P. Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08. DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 4pp. 13434.167 24X
Fiche: 50-000, 82/05/11, 8206090002.

8206070353 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support.
82/05/12 STAMPLEY, N L Mississippi Power & Light Co 1p
13363 045 24X Fiche 50-416, 82/05/12, 8206070353

8206220436 Forwards IE Insp Rept 50-416/82-34 on 820427-30 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/25
STAMPLEY, N L Mississippi Power & Light Co 2pp 13579 132 24X
Fiche 50-416, 82/05/25, 8206220436

--8206220443 IE Insp Rept 50-416/82-34 on 820427-30 No noncompliance noted Major areas inspected, fire protection/prevention, procedures & representative records, personnel interviews & observations
MILLER, W H, CONLON, T E Division of Engineering & Technical Programs 82/05/21 18pp 13579 134 24X Fiche 50-416, 82/05/25, 8206220436

8206220490 Forwards IE Insp Rept 50-416/82-27 on 820412-16 & 28-29 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/26
STAMPLEY, N L Mississippi Power & Light Co 2pp 13581 144 24X
Fiche 50-416, 82/05/26, 8206220490

--8206220499 IE Insp Rept 50-416/82-27 on 820412-16 & 28-29 No noncompliance noted Major area inspected emergency preparedness
CLINE, W E, ANDREWS, D, MARSTON, R Division of Emergency Preparedness & Operational Support 82/05/24 15pp 13581 147.
24X Fiche 50-416, 82/05/26, 8206220490

8206180236 Forwards IE Safeguards Insp Rept 50-416/82-48 on 820526-28 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/06/10.
STAMPLEY, N L Mississippi Power & Light Co. 2pp 13547 176 24X
Fiche 50-416, 82/06/10, 8206180236.

--8206180247 IE Safeguards Insp Rept 50-416/82-48 on 820526-28 No noncompliance noted Major areas inspected, adequacy of implementing procedures, security force training & qualification. Details withheld (ref 10CFR 73.21)
MODRE, D E, MCQUIRE, D R Division of Engineering & Technical Programs 82/06/09 1p. 13547 178 24X Fiche 50-416, 82/06/10, 8206180236

H General correspondence

8206030009 Informs of changes in plant mgt structure. RA Ambrosino now assistant plant manager, DM Thomison now nuclear support manager & RO Keaton now technical assistant to plant manager
MCQUAGHY, J P Mississippi Power & Light Co 82/06/02 DENTON, H R.
Office of Nuclear Reactor Regulation, Director. 2pp. 13336:349
24X Fiche 50-416, 82/06/02, 8206030009.

J Insurance & indemnity information

8206160302 Confirms increased limit of liability of NELIA Policy NF-257, effective 820603 & advises of limit of liability for MAELU Policy NF-106
HAINES, H L American Nuclear Insurers 82/06/02 DINITZ, I
Assistant Director for State & Licensee Relations 1p 13521:298
24X Fiche 50-416, 82/06/02, 8206160302.

8206240024 Unexecuted Amend 1 to Indemnity Agreement 8-72, changing amount of financial protection & license number & adding listed statement to Item 5 of attachment to agreement
SALTZMAN, J Assistant Director for State & Licensee Relations 82/06/14, 2pp. 13612:354. 24X Fiche 50-416, 82/06/14, 8206240024

P. Operating license stage documents & correspondence

8206250216 Application to amend License NPF-13, changing Tech Spec Table 3.6 & 2-1 re secondary containment ventilation sys automatic isolation dampers/valves W/Class II amend fee
STAMPLEY, N L. Mississippi Power & Light Co. 82/06/23 DENTON, H R.
Office of Nuclear Reactor Regulation, Director 4pp. 13613:254
24X Fiche 50-416, 82/06/23, 8206250216.

--8206250220 Proposed revision to Tech Spec Table 3.6 & 2-1 re secondary containment ventilation sys automatic isolation dampers/valves, changing max isolation time for Valve P11-F-062.
* Mississippi Power & Light Co 82/06/23 1p. 13613:258. 24X
Fiche 50-416, 82/06/23, 8206250216.

8206290066 Forwards further info re ability of essential equipment to withstand pressures resulting from hydrogen burns, in response to NRC concerns on equipment survivability.
DALE, L F Mississippi Power & Light Co. 82/06/25 DENTON, H R
Office of Nuclear Reactor Regulation, Director 3pp 13634:339
24X Fiche 50-416, 82/06/25, 8206290066

8206290538 Forwards evaluation of structural response of lower containment & drywell personnel airlocks due to local hydrogen detonation No compromise in containment integrity or two personnel locks resulted
DALE, L F Mississippi Power & Light Co 82/06/25. DENTON, H. R
Office of Nuclear Reactor Regulation, Director. 4pp 13631 041
24X Fiche 50-416, 82/06/25, 8206290538

8206300231 Forwards 37 offnormal event procedures in response to ACRS subcommittee request at 810917-18 meeting
DALE, L F. Mississippi Power & Light Co 82/06/25 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 3pp. 13637 001
24X Fiche 50-416, 82/06/25, 8206300231

--8206300234 Offnormal Event Procedure 05-1-02-I-1, "Reactor Scram, Safety-Related," Revision 1f.
* Mississippi Power & Light Co 82/06/02. 5pp 13637 004 24X
Fiche 50-416, 82/06/25, 8206300231

--8206300235 Offnormal Event Procedure 05-1-02-I-2, "Turbine & Generator Trips, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/17 2pp. 13637 007 24X
Fiche 50-416, 82/06/25, 8206300231

--8206300244 Offnormal Event Procedure 05-1-02-I-3, "Single MBIV Closure Safety-Related," Revision 10.
* Mississippi Power & Light Co 82/03/24 3pp 13637 011. 24X
Fiche 50-416, 82/06/25, 8206300231.

--8206300246 Offnormal Event Procedure 05-1-02-I-4, "Loss of Offsite Power, Safety-Related," Revision 1f
* Mississippi Power & Light Co 82/06/14 4pp. 13637:014. 24X
Fiche 50-416, 82/06/25, 8206300231

--8206300248 Offnormal Event Procedure 05-1-02-I-5, "Resin Intrusion Into Reactor Vessel, Safety-Related," Revision 1f
* Mississippi Power & Light Co 82/06/12 4pp 13637:018. 24X
Fiche 50-416, 82/06/25, 8206300231

--8206300251 Offnormal Event Procedure 05-1-02-II-1, "Shutdown From Remote Shutdown Panel, Safety-Related," Revision 1f.
* Mississippi Power & Light Co 82/06/14 11pp. 13637 022 24X
Fiche 50-416, 82/06/25, 8206300231

--8206300252 Offnormal Event Procedure 05-1-02-II-2, "Offgas Activity High, Safety-Related," Revision 1f.
* Mississippi Power & Light Co. 82/06/12 3pp. 13637:033 24X
Fiche 50-416, 82/06/25, 8206300231.

--8206300254 Offnormal Event Procedure 05-1-02-II-2, "Offgas Activity High, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/19. 2pp. 13637:034. 24X
Fiche 50-416, 82/06/25, 8206300231.

DOCKETED ITEMS

- 8206300273 Offnormal Event Procedure 05-1-02-III-2, "Loss of One or Both Reactor Protection Sys Busses, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/17 4pp 13657 095 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300277 Offnormal Event Procedure 05-1-02-III-3, "Decrease in Recirculation Sys Flow Rate, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 4pp 13657 099 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300279 Offnormal Event Procedure 05-1-02-III-5, "Automatic Isolations, Safety-Related," Revision 12
* Mississippi Power & Light Co 82/06/14 19pp 13657 063 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300282 Offnormal Event Procedure 05-1-02-III-11, "Containment Hydrogen Control, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/14 3pp 13657 082 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300284 Offnormal Event Procedure 05-1-02-IV-1, "Control Rod/Drive Malfunctions, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 4pp 13657 085 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300286 Offnormal Event Procedure 05-1-02-IV-6, "Loss of Rod Position Indication Sys, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 2pp 13657 089 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300288 Offnormal Event Procedure 05-1-02-V-1, "Loss of Component Cooling Water, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/24 4pp 13657 091 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300290 Offnormal Event Procedure 05-1-02-V-2, "Loss of Turbine Bldg Heating, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/14 4pp 13657 095 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300294 Offnormal Event Procedure 05-1-02-V-3, "Pressure Control Failure - Reactor Pressure Decreasing, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/24 3pp 13657 099 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300295 Offnormal Event Procedure 05-1-02-V-4, "Pressure Control Failure - Reactor Pressure Increasing, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 102 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300298 Offnormal Event Procedure 05-1-02-V-5, "Loss of Feedwater Heating, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 105 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300299 Offnormal Event Procedure 05-1-02-V-6, "Feedwater Control Failure Max Demand, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 108 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300302 Offnormal Event Procedure 05-1-02-V-7, "Loss of Feedwater Flow, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 111 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300316 Offnormal Event Procedure 05-1-02-V-12, "Condensate High Conductivity, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 5pp 13657 135 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300317 Offnormal Event Procedure 05-1-02-V-13, "Hydrogen Explosion in Offgas Sys, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 4pp 13657 140 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300319 Offnormal Event Procedure 05-1-02-V-14, "Main Generator Primary Water High Conductivity, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 144 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300321 Offnormal Event Procedure 05-1-02-V-15, "Low Sys Frequency, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 4pp 13657 147 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300323 Offnormal Event Procedure 05-1-02-VI-1, "Flooding, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 3pp 13657 151 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300325 Offnormal Event Procedure 05-1-02-VI-2, "Hurricanes, Tornadoes & Severe Weather, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 3pp 13657 154 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300328 Offnormal Event Procedure 05-1-02-VI-3, "Earthquake, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 7pp 13657 157 24X
Fiche 50-416, 82/06/25, 8206300231
- 8206300283 Informs of Commission 820624 interim rule suspending 820630 deadline to complete environ qualification requirements, per License Condition 2(C)(12) Rule will be published in FR prior to 820630
DALE, L F Mississippi Power & Light Co 82/06/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13652 320 24X Fiche 50-416, 82/06/28, 8206300283
- Q Inspection reports, IE Bulletins & correspondence
- 8206070553 Summarizes addl seismic reverification of as-built safety-related piping sys to ensure that IE Bulletin 79-14 requirements met Sys acceptable
DALE, L F Mississippi Power & Light Co 82/04/28 O'REILLY, J P Region 2, Office of Director 2pp 13373 066 24X
Fiche 50-416, 82/04/28, 8206070553
- 8206070367 Forwards IE Insp Rept 50-416/82-33 on 820419-22, No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/12 STAMPLEY, N L Mississippi Power & Light Co 2pp 13363 306 24X
Fiche 50-416, 82/05/12, 8206070367
- 8206070373 IE Insp Rept 50-416/82-33 on 820419-22, No noncompliance noted Major areas inspected: liquid radwaste sys, solid radioactive processing & disposal & preoperational test procedure review
COLLINS, T R, BARR, K P, Region 2, Office of Director 82/05/10 5pp 13363 308 24X Fiche 50-416, 82/05/12, 8206070367
- 8206070575 Forwards IE Insp Rept 50-416/82-37 on 820504-07 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/18 STAMPLEY, N L Mississippi Power & Light Co 2pp 13373 323 24X
Fiche 50-416, 82/05/18, 8206070575
- 8206070579 IE Insp Rept 50-416/82-37 on 820504-07 No noncompliance noted Major areas inspected as-built configuration of plant & one open item on valve classification
SWAN, W B, CANTRELL, F S Division of Project & Resident Programs 82/05/18 5pp 13373 325 24X Fiche 50-416, 82/05/18, 8206070575
- 8206070587 Summarizes applicant responses to actions required by Revision 1 to IE Bulletin 81-01, "Surveillance of Mechanical Snubbers" Complete mechanical snubber rept is available in preservice & inservice insp files
MCQUAGHY, J P Mississippi Power & Light Co 82/05/21 O'REILLY, J P Region 2, Office of Director 4pp 13373 004 24X
Fiche 50-416, 82/05/21, 8206070587
- 8206220073 Forwards IE Insp Rept 50-416/82-38 on 820503-06 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/24 STAMPLEY, N L Mississippi Power & Light Co 2pp 13574 037 24X
Fiche 50-416, 82/05/24, 8206220073

DOCKETED ITEMS

--8206220076 IE Insp Rept 50-416/82-38 on 820503-06 No noncompliance noted Major areas inspected seismic analysis for as-built safety-related piping sus per IE Bulletin 79-14
ANO, W P. ECONOMICOS, N Division of Engineering & Technical Programs 82/05/20 6pp 13574 099 24X Fiche 50-416, 82/05/24, 8206220073

8206220436 Forwards IE Insp Rept 50-416/82-34 on 820427-30 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/25
STAMPLEY, N L Mississippi Power & Light Co 2pp 13579 132 24X Fiche 50-416, 82/05/25, 8206220436

--8206220443 IE Insp Rept 50-416/82-34 on 820427-30 No noncompliance noted Major areas inspected fire protection/prevention, procedures & representative records, personnel interviews & observations
MILLER, W H. CONLON, T E Division of Engineering & Technical Programs 82/05/21 18pp 13579 134 24X Fiche 50-416, 82/05/25, 8206220443

8206220490 Forwards IE Insp Rept 50-416/82-27 on 820412-16 & 28-29 No noncompliance noted
LONG, F J Division of Project & Resident Programs 82/05/26
STAMPLEY, N L Mississippi Power & Light Co 2pp 13581 144 24X Fiche 50-416, 82/05/26, 8206220490

--8206220499 IE Insp Rept 50-416/82-27 on 820412-16 & 28-29 No noncompliance noted Major area inspected emergency preparedness
CLINE, W E. ANDREWS, D. MARSTON, R Division of Emergency Preparedness & Operational Support 82/05/24 15pp 13581 147. 24X Fiche 50-416, 82/05/26, 8206220490

8206070824 Ack receipt of 820422 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-416/82-18
LEWIS, R C Division of Project & Resident Programs 82/05/27.
STAMPLEY, N L Mississippi Power & Light Co 1p 13387 269 24X Fiche 50-416, 82/05/27, 8206070824.

--8206070834 Responds to NRC 820323 ltr re violations noted in IE Insp Rept 50-416/82-18 Corrective actions Administrative Procedures 01-8-02-2, Revision 8 & 01-9-01-1, Revision 7 changed to state signature authority & mgt philosophy
MCQUAUGHY, J P. Mississippi Power & Light Co 82/04/22.
O'REILLY, J P Region 2, Office of Director 3pp 13387 270 24X Fiche 50-416, 82/05/27, 8206070824

--8206070841 Forwards IE Insp Rept 50-416/82-18 on 820216-0310 & notice of violation
CANTRELL, F S Division of Project & Resident Programs 82/03/23,
STAMPLEY, N L Mississippi Power & Light Co 2pp 13387 273 24X Fiche 50-416, 82/05/27, 8206070824

--8206070850 Notice of violation from insp on 820216-0310
* Region 2, Office of Director 82/03/23 1p. 13387 275 24X Fiche 50-416, 82/05/27, 8206070824

--8206070856 IE Insp Rept 50-416/82-18 on 820216-0310, Noncompliance noted failure of assistant plant manager to review administrative procedures.
WAGNER, A O. BUTCHER, R. HARDIN, A Division of Project & Resident Programs 82/03/23 8pp 13387 276 24X Fiche 50-416, 82/05/27, 8206070824

8202040147 IE Info Notice 82-15, "Notification of NRC." Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13424 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp. 13440 264. 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 180 24X Fiche 50-000, 82/06/02, 8204210380

8206220303 Amends 820421 response to IE Bulletin 81-01, "Surveillance of Mechanical Snubbers " All mechanical snubbers installed on safety-related sus visually examined for damage & tested for freedom of movement by manually testing stroke
MCQUAUGHY, J P. Mississippi Power & Light Co. 82/06/04
O'REILLY, J P Region 2, Office of Director 3pp 13571 328 24X Fiche 50-416, 82/06/04, 8206220303

8206220374 Ack receipt of 820326 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-416/82-28
LONG, F J Division of Project & Resident Programs 82/06/08
STAMPLEY, N L Mississippi Power & Light Co 1p. 13582.009 24X Fiche 50-416, 82/06/08, 8206220374

--8206220401 Responds to NRC 820426 ltr re violations noted in IE Insp Rept 50-416/82-28 Corrective actions: startup personnel involved in testing or package assembly review instructed to scrutinize administrative functions of test documentation
MCQUAUGHY, J P Mississippi Power & Light Co 82/05/26.
O'REILLY, J P Region 2, Office of Director 2pp. 13582.010. 24X Fiche 50-416, 82/06/08, 8206220374

--8206220409 Forwards IE Insp Rept 50-416/82-28 on 820315-0408 & notice of violation
LONG, F J. Division of Project & Resident Programs 82/04/26
STAMPLEY, N L Mississippi Power & Light Co 2pp 13582.012. 24X Fiche 50-416, 82/06/08, 8206220374

--8206220415 Notice of violation from insp on 820315-0408
* Division of Project & Resident Programs. 82/04/26 1p 13582.014 24X Fiche: 50-416, 82/06/08, 8206220374

--8206220424 IE Insp Rept 50-416/82-28 on 820315-0408 Noncompliance noted failure to follow proper procedures for preoperational testing
WAGNER, A O. CANTRELL, F S Division of Project & Resident Programs 82/04/26 6pp. 13582 015. 24X Fiche 50-416, 82/06/08, 8206220374

8206180236 Forwards IE Safeguards Insp Rept 50-416/82-48 on 820326-48 No noncompliance noted.
LONG, F J Division of Project & Resident Programs. 82/06/10
STAMPLEY, N L Mississippi Power & Light Co 2pp 13547.175 24X Fiche 50-416, 82/06/10, 8206180236

--8206180247 IE Safeguards Insp Rept 50-416/82-48 on 820326-28. No noncompliance noted. Major areas inspected adequacy of implementing procedures, security force training & qualification. Details withheld (ref IOCFR73 21)
MOORE, D E. MCQUIRE, D R Division of Engineering & Technical Programs 82/06/09. 1p 13547 178 24X Fiche 50-416, 82/06/10, 8206180236

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 288 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Bvc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206010219 Forwards summary of environ protection program re const of facilities for 6 months ending 820430.
MCQUAUGHY, J P. Mississippi Power & Light Co 82/05/26. DENTON, H F Office of Nuclear Reactor Regulation, Director, 1p. 13300 080 24X Fiche 50-416, 82/05/26, 8206010219

--8206010221 "Summary of Environ Protection Program re Const of Grand Gulf Nuclear Station for 6 Months Ending 820430 " * Mississippi Power & Light Co 82/05/26. 3pp 13300 081. 24X Fiche 50-416, 82/05/26, 8206010219

S Reportable occurrences, LERs & related correspondence

8206010451 Final deficiency rept re spherical washer subassemblies o Transamerica Delaval Div II standby diesel generator, initially reported on 81110 Heds made to pistons. Washers replaced Also reportable per Part 21
MCQUAUGHY, J P Mississippi Power & Light Co 82/04/15.
O'REILLY, J P Region 2, Office of Director, 7pp 13314 055 24X Fiche 50-416, 82/04/15, 8206010451.

8206010241 Final deficiency rept re seismically unsupported sensing line between standby diesel generator starting air receiver tank & starting air compressor, originally reported on 820205 Nonseismic line reworked. Also reported per Part 21.
MCQUAUGHY, J P. Mississippi Power & Light Co. 82/04/16.
O'REILLY, J P. Region 2, Office of Director. 5pp. 13307 091. 24X Fiche 50-416, 82/04/16, 8206010241

8206010364 Final deficiency rept re nuts & jam nuts not threading properly onto control rod drive housing lower supports. Initially reported 820205. Deficiency determined not reportable GE issued rept to cover corrective actions. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/16. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13301 334. 24X. Fiche: 50-416, 82/04/16, 8206010364.

8206010421 Final deficiency rept re thermal cycling of reactor vessel head during hot operations. Initially reported 811201. Review by GE determined that fatigue usage factor for 10 temp transients acceptable. Deficiency not reportable. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/16. O'REILLY, J. P. Region 2, Office of Director. 6pp. 13314 067. 24X. Fiche: 50-416, 82/04/16, 8206010421.

8206010499 Second interim deficiency rept re NAMCO control limit switches unqualified for nuclear containment svc. Initially reported 820225. Unqualified switches will be replaced. Investigation continuing. Also reported per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/19. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13307 323. 24X. Fiche: 50-416, 82/04/19, 8206010499.

8206010496 Fourth interim deficiency rept re valves & actuators not mfg under QA program. Initially reported on 811029. Investigation revealed Henry Pratt valves w/ Bettis actuator not reportable per 10CFR50.35(e). Final rept expected 820615. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/20. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13314 332. 24X. Fiche: 50-416, 82/04/20, 8206010496.

8206010548 First interim deficiency rept re Div II diesel generator trip. Initially reported on 820322. Design change will be initiated to install protective caging on generator air gaps. Final rept expected to be submitted by 820625. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/21. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13315 330. 24X. Fiche: 50-416, 82/04/21, 8206010548.

8206010231 Interim deficiency rept re supports installed & accepted by Reactor Controls, Inc not in accordance w/approved design requirements. Initially reported 820317. GC holds still being evaluated. Next rept by 820601. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/28. O'REILLY, J. P. Region 2, Office of Director. 3pp. 13301 153. 24X. Fiche: 50-416, 82/04/28, 8206010231.

8206010242 Interim Deficiency Rept 1 re installation of relay requiring 125-volt dc to operate into circuit utilizing 24-volt dc in RGIC sys. Proper relays being installed. Also reported per Part 21. Next rept by 820521. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/07. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13307 086. 24X. Fiche: 50-416, 82/05/07, 8206010242.

8206010416 Interim Deficiency Rept 1 re excessive length of uninsulated flexible leads connected to moveable contacts of some GE-type HMA relays. Initially reported 820406. Util investigating reportability under Part 21. Final rept by 820628. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/07. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13315 001. 24X. Fiche: 50-416, 82/05/07, 8206010416.

8206010433 Interim deficiency rept re lower measured flow rate in standby svc water sys loops A & B. Initially reported 810303. Calculations performed to verify head requirements for component. Final corrective actions expected by 820510. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/15. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13314 062. 24X. Fiche: 50-416, 82/05/15, 8206010433.

8206010536 First interim deficiency rept re standby svc water A loop sys flow. Initially reported on 820415. Final rept expected 820614. Also reportable per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/17. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13307 353. 24X. Fiche: 50-416, 82/05/17, 8206010536.

8206010199 Interim Deficiency Rept 1 re corroded terminal boards on pressure, flow & level transmitters utilized in safety-related applications. Initially reported 820421. Definite corrective actions not formulated. Final rept by 820806. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/21. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13307 174. 24X. Fiche: 50-416, 82/05/21, 8206010199.

8206010203 Final deficiency rept for Unit 1 & interim deficiency rept for Unit 2 re O ring seals on Rosemount transmitters. Initially reported 820421. Lubrication procedure written. Unit 2 final rept by 821029. Also reported per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/21. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13307 166. 24X. Fiche: 50-416, 82/05/21, 8206010203.

8206010407 Final deficiency rept re design change in which relay, requiring 125-volt dc to operate, installed into circuit utilizing 24-volt dc in reactor core isolation cooling sys. Initially reported 820407. Also reported per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/21. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13314 073. 24X. Fiche: 50-416, 82/05/21, 8206010407.

8206070552 Final deficiency rept for Unit 1 & Interim Deficiency Rept 5 for Unit 2 re low measured flow rate in standby svc water sys Loops A & B. Initially reported 810303. Mods to Unit 1 completed. Unit 2 reanalysis continuing. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/24. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13373 068. 24X. Fiche: 50-416, 82/05/24, 8206070552.

8206070650 Final deficiency rept re control rod drive support installations not in accordance w/design requirements. Initially reported on 820317. GC holds dispositioned to repair deficiencies. Monitoring activities increased. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/27. O'REILLY, J. P. Region 2, Office of Director. 3pp. 13370 100. 24X. Fiche: 50-416, 82/05/27, 8206070650.

8206110224 Final deficiency rept re Henry Pratt butterfly valves w/o proper angle bracing in standby gas treatment sys. Initially reported 820310. Also reportable per Part 21 for Unit 1. Mods to raise resonant frequency completed. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/01. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13466 272. 24X. Fiche: 50-416, 82/06/01, 8206110224.

8206110125 First interim deficiency rept re Div 3 diesel generator room ventilation sys. Initially reported on 820504. Add'l evaluation of required procedural control adequacy to determine add'l corrective actions necessary. Final rept by 820725. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/03. O'REILLY, J. P. Region 2, Office of Director. 3pp. 13465 222. 24X. Fiche: 50-416, 82/06/03, 8206110125.

8206110210 Final deficiency rept re equipment determined to be unqualified during investigation of NUREG-0588 requirements. Initially reported on 811015. New switches will be replaced by 821231. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/04. O'REILLY, J. P. Region 2, Office of Director. 13pp. 13467 012. 24X. Fiche: 50-416, 82/06/04, 8206110210.

8206210549 First interim deficiency rept re failure of reactor water cleanup sys to isolate automatically. Initially reported 820507. Design change for sys isolation on B standby liquid control signal implemented. Also reported per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/04. O'REILLY, J. P. Region 2, Office of Director. 5pp. 13564 225. 24X. Fiche: 50-416, 82/06/04, 8206210549.

8206210592 Final & interim deficiency repts for Units 1 & 2, respectively re failure of drywell containment & secondary containment isolation valves to close on loss of air. Initially reported 820512. Also reportable per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/11. O'REILLY, J. P. Region 2, Office of Director. 8pp. 13563 207. 24X. Fiche: 50-416, 82/06/11, 8206210592.

8206210502 Interim deficiency rept re low flow condition through A standby svc water pump. Initially reported 820415. Plant procedures issued ensuring min pump flow. Also reported per Part 21. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/14. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13568 393. 24X. Fiche: 50-416, 82/06/14, 8206210502.

8206210557 Part 21 deficiency rept re pneumatic actuators furnished w/Pratt 24-inch butterfly valves. Excessive vibration in valve actuator caused by cracked yokes. Mods underway. WILSON, A. K. Henry Pratt Co. 82/06/15. KEPPLER, J. G. Region 3, Office of Director. 2pp. 13563 329. 24X. Fiche: 50-416, 82/06/15, 8206210557.

8206210586 Second interim deficiency rept re switching relay failure in Div 1 standby diesel generator. Initially reported 820326. Relay replaced satisfactorily. Also reported per Part 21. Final rept by 820915. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/15. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13563 323. 24X. Fiche: 50-416, 82/06/15, 8206210586.

8206240318 Fifth interim deficiency rept re valves & actuators not mfg under QA program. Initially reported 811029. Util to upgrade seals, lubricants & coatings on pins & rollers. Final rept expected by 820924. MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/15. O'REILLY, J. P. Region 2, Office of Director. 4pp. 13596 196. 24X. Fiche: 50-416, 82/06/15, 8206240318.

DOCKETED ITEMS

B206240352 Interim deficiency rept re potential for plant flooding based on PHP flood level, initially reported B20510 Complete analysis will be performed by B20630 Design selection to be completed by B20630 Final rept provided by B20910
MCGAUGHY, J P Mississippi Power & Light Co 82/06/16
O'REILLY, J P Region 2, Office of Director 4pp 13603 015 24X
Fiche 50-416, 82/06/16, B206240352

B206300166 Final deficiency rept re jet impingement, initially reported on B20521 Thirty-nine line breaks re-evaluated & found acceptable Fifty-three large pipe breaks evaluated; 52 found acceptable Part 21 rept for Bechtel Power Corp encl
MCGAUGHY, J P Mississippi Power & Light Co 82/06/21
O'REILLY, J P Region 2, Office of Director 7pp 13654 229 24X
Fiche 50-416, 82/06/21, B206300166

B206300307 Interim deficiency rept re Dikkers safety relief valve corrosion, initially reported on B20521 Final rept expected by B20920, pending determination of source of water causing corrosion
MCGAUGHY, J P Mississippi Power & Light Co 82/06/21
O'REILLY, J P Region 2, Office of Director 4pp 13656 356 24X
Fiche 50-416, 82/06/21, B206300307

B206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than B20715
MILLS, L L Transamerica Delaval, Inc 82/06/23, Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, B206300192

DOCKET 50-417 GRAND GULF NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

B205270043 Forwards repts by R Strehlow re hydrogen control sys at Sequoyah plant Issues raised by repts have been incorporated into review of Grand Gulf hydrogen control sys.
SCHWENGER, A Licensing Branch 2 82/05/17, MCGAUGHY, J P Mississippi Power & Light Co 2pp 13277 003 24X
Fiche 50-000, 82/05/17, B205270043

B206010381 Forwards responses/clarifications re issues discussed in FBAR, addressing revisions to FBAR Section 12.5. Incorporation of revisions will be made pending util & NRC agreement on procedures required for post-OL FBAR amends
DALE, L F Mississippi Power & Light Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13301 296 24X
Fiche 50-416, 82/05/26, B206010381

B206080257 Summarizes licensee interpretation of Tech Spec 6.5.2.8 re safety review committee audits. Util will submit change in Revision 3 to GA Topical Rept MPL-TOP-1A to state interpretation & seek formal acceptance
REAVEB, T E Mississippi Power & Light Co 82/05/26, HAA88, W P Quality Assurance Branch 2pp 13419 043 24X
Fiche 50-416, 82/05/26, B206080257

B206030180 Forwards info in response to J Humphrey concerns re containment designs. All questions have been adequately addressed for Mark III containments No further action necessary
DALE, L F Mississippi Power & Light Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13338 038 24X
Fiche 50-416, 82/05/28, B206030180

B206030197 Forwards info in response to B20329 request re fast scram hydrodynamic loads on control rod drive sys
DALE, L F Mississippi Power & Light Co 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13337 318 24X
Fiche 50-416, 82/05/28, B206030197

B206090051 Submits addl info re sensitivity of containment response to heat sink nodalization Heat sink nodal arrangement utilized in CLASIX-G adequate Addl nodes in walls would have negligible effect
DALE, L F Mississippi Power & Light Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13436 277 24X
Fiche 50-416, 82/06/07, B206090051

B206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant cost since B00101. Forwards documents listed in app.
FELTON, J M Division of Rules and Records 82/06/07 DOI, K Critical Mass Energy Project 2pp 13678 215 24X
Fiche 50-000, 82/06/07, B206300392

--B206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request.
CORNELL, K Office of the Executive Director for Operations 82/03/19, AHEARNE, J Commissioners 2pp 13678 237 24X
Fiche 50-000, 82/06/07, B206300392

B206090061 Forwards status of concerns re design of Mark III containment, as result of B20527 meeting of util, OE & Bechtel Requests issuance of low power OL
MCGAUGHY, J P Mississippi Power & Light Co 82/06/08, DENTON, H R Office of Nuclear Reactor Regulation, Director 13pp 13435 349 24X
Fiche 50-416, 82/06/08, B206090061

B206090066 Forwards requested addl info re justification for interim operation of equipment not qualified to seismic qualification review team criteria
DALE, L F Mississippi Power & Light Co 82/06/08, DENTON, H R Office of Nuclear Reactor Regulation, Director 200pp 13435 134 24X
Fiche 50-416, 82/06/08, B206090066

B206100221 Advises of status of mods to balance of plant & NSSB equipment for full seismic qualification review team qualification prior to fuel load, per Equipment Qualification Branch B10728-30 site audit, Bechtel B20414 & 0510 ltra encl
DALE, L F Mississippi Power & Light Co 82/06/08 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13458 203 24X
Fiche 50-416, 82/06/08, B206100221

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Qinna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPURQ, A Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, B206090153

B206100212 Forwards addl info justifying resolution of Humphrey Cont 14 until after receipt of low power OL in response to Containment Sys Branch request. Postulated RHR backflow through containment spray is beyond design basis
DALE, L F Mississippi Power & Light Co 82/06/09, DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13458 219 24X
Fiche 50-416, 82/06/09, B206100212

B206140205 Forwards proof & review copy of proposed changes to Tech Specs re reactor protection response time
DALE, L F Mississippi Power & Light Co 82/06/09, DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13484 228 24X
Fiche 50-416, 82/06/09, B206140205

--B206140216 Proof & review copy of proposed Tech Spec changes re reactor protection response time
* Mississippi Power & Light Co 82/06/09 18pp 13484 229 24X
Fiche 50-416, 82/06/09, B206140205

B206110163 Advises that proposed design change, associated schedule & commitment to implement surveillance insp requirements provide adequate response to NRC concerns re pressure interlocks on high/low pressure sys interfaces.
DALE, L F Mississippi Power & Light Co 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13467 001 24X
Fiche 50-416, 82/06/10, B206110163

B206140196 Forwards proof & review copy of proposed revision to Tech Specs re drywell post-LOCA vacuum breakers & supporting justification.
DALE, L F Mississippi Power & Light Co 82/06/10 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13484 189 24X
Fiche 50-416, 82/06/10, B206140196

--B206140204 Proof & review copy of Tech Spec change re post-LOCA vacuum breakers
* Mississippi Power & Light Co 82/06/10 1p 13484 191 24X
Fiche 50-416, 82/06/10, B206140196

--B206140219 Forwards addl Tech Spec waivers required for Phase I operations which consist of low power testing & non-nuclear heatup
DALE, L F Mississippi Power & Light Co 82/06/09, DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13484 192 24X
Fiche 50-416, 82/06/10, B206140196

B206140247 Provides current analysis re PHP site drainage. Barriers necessary to prevent or minimize leakage into safety-related bldgs
DALE, L F Mississippi Power & Light Co 82/06/10, DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp Available NRC pdr 13484 257 24X
Fiche 50-416, 82/06/10, B206140247

B206140086 Advises of agreement w/ Sandia Lab evaluation re local detonation size, per B20519 discussions w/ lab. Efforts completed re detonation area. Evaluation encl.
DALE, L F Mississippi Power & Light Co 82/06/11, DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13487 176 24X
Fiche 50-416, 82/06/11, B206140086

- 8206140122 Advises of intent to comply w/Reg Guide 1.97, Revision 2 by providing alternate means for detection of inadequate core cooling. In-core thermocouples not required for BWRs by NUREG-0737
DALE, L. F. Mississippi Power & Light Co 82/06/11 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 1p. 13483 298 24X
Fiche 50-416, 82/06/11, 8206140122
- 8206140151 Forwards info re effects of pressure on equipment survivability. Evaluation has shown no deleterious effects on equipment from pressure resulting from calculated hydrogen burn analysis previously submitted
DALE, L. F. Mississippi Power & Light Co 82/06/11 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 4pp. 13484 141 24X
Fiche 50-416, 82/06/11, 8206140151
- 8206140220 Forwards response spectra for comparison of design basis pool swell impact ARS (15 psi peak impact pressure, 100 msec impulse duration) w/variable pool swell impact ARS (11.5 peak average impact pressure, 100 msec impulse duration)
DALE, L. F. Mississippi Power & Light Co 82/06/11 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 26pp. 13484 196 24X
Fiche 50-416, 82/06/11, 8206140220
- 8206140167 Provides supplemental info re drywell head negative pressure capacity, per 820331 ltr. Vendor calculations indicate static capacity of 89 psi for drywell head
DALE, L. F. Mississippi Power & Light Co 82/06/11 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 2pp. 13521 350 24X
Fiche 50-416, 82/06/11, 8206140167
- 8206140112 Clarifies methodology for evaluating local effects of pool swell on hydraulic control unit floor based on 820602-07 meeting agreements, per 820611 ltr. Acceleration response spectra will be amplified by 25X
DALE, L. F. Mississippi Power & Light Co 82/06/12 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 2pp. 13514 344 24X
Fiche 50-416, 82/06/12, 8206140112
- 8206140237 Forwards addl justification for use of drywell purge sys to vent drywell for pressure control during operations up to 5% power, discussed during 820611 meeting. Rept on drywell valve operability will be provided by Aug 1982
DALE, L. F. Mississippi Power & Light Co 82/06/12 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 4pp. 13521 344 24X
Fiche 50-416, 82/06/12, 8206140237
- 8206140178 Evaluates emergency procedures for activating hydrogen ignition. Hydrogen ignition sys energized in Emergency Procedure 05-5-01-EP-7, "Core Cooling W/o Level Restoration." Accident scenario summaries encl
DALE, L. F. Mississippi Power & Light Co 82/06/14 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 5pp. 13522 014 24X
Fiche 50-416, 82/06/14, 8206140178
- 8206140159 Submits revision to Step 3.5 of Emergency Procedure 05-5-01-EP-9, "Reactor Pressure Venting," to address effect of primary containment venting on containment ultimate capacity.
DALE, L. F. Mississippi Power & Light Co 82/06/15 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 2pp. 13521 266 24X
Fiche 50-416, 82/06/15, 8206140159
- 8206290066 Forwards further info re ability of essential equipment to withstand pressures resulting from hydrogen burns in response to NRC concerns on equipment survivability.
DALE, L. F. Mississippi Power & Light Co 82/06/23 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director. 3pp. 13634 339 24X
Fiche 50-416, 82/06/23, 8206290066
- 8206300244 Offnormal Event Procedure 05-1-02-I-3, "Single MSIV Closure, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/24 3pp. 13657 011 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300246 Offnormal Event Procedure 05-1-02-I-4, "Loss of Offsite Power, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/14 4pp. 13657 014 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300248 Offnormal Event Procedure 05-1-02-I-5, "Resin Intrusion Into Reactor Vessel, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 4pp. 13657 018 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300251 Offnormal Event Procedure 05-1-02-II-1, "Shutdown From Remote Shutdown Panel, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/14 11pp. 13657 022 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300252 Offnormal Event Procedure 05-1-02-II-2, "Offgas Activity High, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp. 13657 033 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300254 Offnormal Event Procedure 05-1-02-II-2, "Offgas Activity High, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/19 2pp. 13657 036 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300255 Offnormal Event Procedure 05-1-02-II-8, "High Radiation During Fuel Handling, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/17 2pp. 13657 038 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300258 Offnormal Event Procedure 05-1-02-II-3, "Offsite Gaseous Releases, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/24 3pp. 13657 040 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300260 Offnormal Event Procedure 05-1-02-II-9, "High Airborne, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/04/09 3pp. 13657 043 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300263 Offnormal Event Procedure 05-1-02-II-11, "Liquid Radwaste Sys or Failure, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/17 3pp. 13657 046 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300265 Offnormal Event Procedure 05-1-02-II-12, "Solid Radwaste Spill, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/17 2pp. 13657 049 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300268 Offnormal Event Procedure 05-1-02-III-1, "Inadequate Decay Heat Removal, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/06/14 4pp. 13657 051 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300273 Offnormal Event Procedure 05-1-02-III-2, "Loss of One or Both Reactor Protection Sys Buses, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/17 4pp. 13657 055 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300277 Offnormal Event Procedure 05-1-02-III-3, "Decrease in Recirculation Sys Flow Rate, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 4pp. 13657 059 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300279 Offnormal Event Procedure 05-1-02-III-5, "Automatic Isolations, Safety-Related," Revision 12
* Mississippi Power & Light Co 82/06/14 19pp. 13657 063 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300282 Offnormal Event Procedure 05-1-02-III-11, "Containment Hydrogen Control, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/14 3pp. 13657 082 24X
Fiche 50-416, 82/06/23, 8206300231
- 8206300284 Offnormal Event Procedure 05-1-02-IV-1, "Control Rod/Drive Malfunctions, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 4pp. 13657 085 24X
Fiche 50-416, 82/06/23, 8206300231

--B206300286 Offnormal Event Procedure 05-1-02-IV-6, "Loss of Rod Position Indication Sys, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 2pp 13657 089 24X
Fiche 50-416, 82/06/25, B206300231

--B206300288 Offnormal Event Procedure 05-1-02-V-1, "Loss of Component Cooling Water, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/24 4pp 13657 091 24X
Fiche 50-416, 82/06/25, B206300231

--B206300290 Offnormal Event Procedure 05-1-02-V-2, "Loss of Turbine Bldg Cooling Water, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/14 4pp 13657 095 24X
Fiche 50-416, 82/06/25, B206300231

--B206300294 Offnormal Event Procedure 05-1-02-V-3, "Pressure Control Failure - Reactor Pressure Decreasing, Safety-Related," Revision 10
* Mississippi Power & Light Co. 82/03/24 3pp. 13657 099 24X
Fiche 50-416, 82/06/25, B206300231

--B206300295 Offnormal Event Procedure 05-1-02-V-4, "Pressure Control Failure - Reactor Pressure Increasing, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 102 24X
Fiche 50-416, 82/06/25, B206300231

--B206300298 Offnormal Event Procedure 05-1-02-V-5, "Loss of Feedwater Heating, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 105 24X
Fiche 50-416, 82/06/25, B206300231

--B206300299 Offnormal Event Procedure 05-1-02-V-6, "Feedwater Control Failure Max Demand, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12 3pp 13657 108 24X
Fiche 50-416, 82/06/25, B206300231

--B206300302 Offnormal Event Procedure 05-1-02-V-7, "Loss of Feedwater Flow, Safety-Related," Revision 11
* Mississippi Power & Light Co. 82/06/12 3pp 13657 111. 24X
Fiche 50-416, 82/06/25, B206300231.

--B206300304 Offnormal Event Procedure 05-1-02-V-8, "Loss of Condenser Vacuum, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/19 4pp 13657 114. 24X
Fiche 50-416, 82/06/25, B206300231

--B206300306 Offnormal Event Procedure 05-1-02-V-9, "Loss of Instrument Air, Safety-Related," Revision 10
* Mississippi Power & Light Co. 82/03/19 7pp 13657 118 24X
Fiche 50-416, 82/06/25, B206300231

--B206300310 Offnormal Event Procedure 05-1-02-V-10, "Loss of Standby Svc Water Loop A/B or C, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 6pp. 13657 125 24X
Fiche 50-416, 82/06/25, B206300231.

--B206300312 Offnormal Event Procedure 05-1-02-V-11, "Loss of Plant Svc Water, Safety-Related," Revision 10
* Mississippi Power & Light Co. 82/03/22 4pp 13657 131. 24X
Fiche 50-416, 82/06/25, B206300231

--B206300316 Offnormal Event Procedure 05-1-02-V-12, "Condensate High Conductivity, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 5pp. 13657. 135. 24X
Fiche 50-416, 82/06/25, B206300231

--B206300317 Offnormal Event Procedure 05-1-02-V-13, "Hydrogen Explosion in Offgas Sys, Safety-Related," Revision 11
* Mississippi Power & Light Co. 82/06/12 4pp 13657. 140 24X
Fiche 50-416, 82/06/25, B206300231

--B206300319 Offnormal Event Procedure 05-1-02-V-14, "Main Generator Primary Water High Conductivity, Safety-Related," Revision 11
* Mississippi Power & Light Co 82/06/12. 3pp. 13657 144. 24X
Fiche 50-416, 82/06/25, B206300231.

--B206300321 Offnormal Event Procedure 05-1-02-V-15, "Low Sys Frequency, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22. 4pp 13657. 147 24X
Fiche 50-416, 82/06/25, B206300231

--B206300323 Offnormal Event Procedure 05-1-02-VI-1, "Flooding, Safety-Related," Revision 10
* Mississippi Power & Light Co. 82/03/22. 3pp. 13657-151. 24X
Fiche 50-416, 82/06/25, B206300231.

--B206300325 Offnormal Event Procedure 05-1-02-VI-2, "Hurricanes, Tornadoes & Severe Weather, Safety-Related," Revision 10
* Mississippi Power & Light Co 82/03/22 3pp 13657: 154 24X
Fiche 50-416, 82/06/25, B206300231

--B206300328 Offnormal Event Procedure 05-1-02-VI-3, "Earthquake, Safety-Related," Revision 10
* Mississippi Power & Light Co. 82/03/22. 7pp 13657: 157 24X
Fiche 50-416, 82/06/25, B206300231

E NRC Safety Evaluation Report (SER), supplis & correspondence

B206140078 Forwards responses to Power Sys Branch SER open items
Info includes proposed revisions & additions to FAR
DALE, L F. Mississippi Power & Light Co 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 10pp 13487. 182
24X Fiche 50-416, 82/06/10, B206140078.

B206170295 Forwards final rept re control sys failures evaluation, in response to SER (NUREG-0831) License Condition 1.11(10)
Rept supersedes B20422 submittal
DALE, L F Mississippi Power & Light Co 82/06/11 DENTON, H R
Office of Nuclear Reactor Regulation, Director 31pp 13529-207
24X Fiche 50-416, 82/06/11, B206170295

B206290302 Requests results of Equipment Qualification Branch independent analysis of HPCB svc water pump, in support of util resolution of pump overstress at pump base issue in Suppl 2 of SER
DALE, L F Mississippi Power & Light Co 82/06/25 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13636. 223
24X Fiche 50-416, 82/06/25, B206290302.

B206290310 Responds to NRC B20623 request for addl info re hydrogen control issue Evaluation of pool dynamic impact loads & pool carryover due to hydrogen combustion encl
DALE, L F Mississippi Power & Light Co. 82/06/25 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 4pp. 13636-240
24X Fiche 50-416, 82/06/25, B206290310.

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S
Dekevoise & Liberman. 3pp. 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification.
O'REILLY, J. P. Region 2, Atlanta, Office of the Director (81/03/01) 81/01/08. DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement. 4pp. 13454 167 24X
Fiche: 50-000, 82/05/11, B206090002

B206070353 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency. W/O encl
STOHR, J. P. Division of Emergency Preparedness & Operational Support. 82/05/12. STAMPLEY, N L Mississippi Power & Light Co 1p 13363-045. 24X Fiche 50-416, 82/05/12, B206070353.

H General correspondence

B206030009 Informs of changes in plant mgt structure. RA Ambrosino assistant plant manager, DM Thomson now nuclear support manager & RO Keaton now technical assistant to plant manager.
MCADAM, J. P. Mississippi Power & Light Co 82/06/02, Office of Nuclear Reactor Regulation, Director 2pp.
24X Fiche: 50-416, 82/06/02, B206030009.

J Insurance & indemnity information

B206160302 Confirms increased limit of liability of NELIA NF-257, effective B20605 & advises of limit of liability MAELU Policy NF-106
HAINES, H L American Nuclear Insurers 82/06/02 DIN
Assistant Director for State & Licensee Relations. 1p
24X Fiche: 50-416, 82/06/02, B206160302

Q Inspection reports, IE Bulletins & correspondence

8206070553 Summaries addl seismic reverification of as-built safety-related piping sys to ensure that IE Bulletin 79-14 requirements met. Sys acceptable
DALE, L. F. Mississippi Power & Light Co. 82/04/28. O'REILLY, J. P. Region 2, Office of Director 2pp. 13373 066 24X
Fiche 50-416, 82/04/28, 8206070553

8206070557 Summarizes applicant responses to actions required by Revision 1 to IE Bulletin 81-01, "Surveillance of Mechanical Snubbers." Complete mechanical snubber rept is available in preservice & inservice insp files
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/21
O'REILLY, J. P. Region 2, Office of Director 4pp. 13373 006. 24X
Fiche 50-416, 82/05/21, 8206070557

8204240147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/03/28 107pp. 13426 095 24X
Fiche 50-000, 82/03/28, 8204240147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/05/28 103pp. 13440 264. 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/02. 108pp. 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8206220303 Amends 820421 Response to IE Bulletin 81-01, "Surveillance of Mechanical Snubbers." All mechanical snubbers installed on safety-related sys visually examined for damage & tested for freedom of movement by manually testing stroke.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/04
O'REILLY, J. P. Region 2, Office of Director. 3pp. 13571 328 24X
Fiche 50-416, 82/06/04, 8206220303

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl.
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/06/11. 106pp. 13675 258. 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp. 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

R Periodic operating reports & related correspondence

8206010219 Forwards summary of environ protection program re const of facilities for 6 months ending 820430
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/26 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 1p. 13300 080. 24X
Fiche 50-416, 82/05/26, 8206010219

--8206010221 "Summary of Environ Protection Program re Const of Grand Gulf Nuclear Station for 6 Months Ending 820430." Mississippi Power & Light Co. 82/05/26. 3pp. 13300 081. 24X
Fiche 50-416, 82/05/26, 8206010219

3. Reportable occurrences, LERs & related correspondence

8206010451 Final deficiency rept re spherical washer subassemblies on Transamerica Delaval Div II standby diesel generator, initially reported on B11010 Mods made to pistons Washers replaced Also reportable per Part 21.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/15
O'REILLY, J. P. Region 2, Office of Director. 7pp. 13314 055. 24X
Fiche 50-416, 82/04/15, 8206010451

8206010241 Final deficiency rept re seismically unsupported sensing line between standby diesel generator starting air receiver tank & starting air compressor, originally reported on 820203 Nonseismic line rerouted. Also reported per Part 21.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/16
O'REILLY, J. P. Region 2, Office of Director. 5pp. 13307 091. 24X
Fiche 50-416, 82/04/16, 8206010241

8206010364 Final deficiency rept re nuts & jam nuts not threading properly onto control rod drive housing lower supports, initially reported 820203. Deficiency determined not reportable. GE issued rept to cover corrective actions
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/16.
O'REILLY, J. P. Region 2, Office of Director 4pp. 13301 334 24X
Fiche 50-416, 82/04/16, 8206010364

8206010421 Final deficiency rept re thermal cycling of reactor vessel head during hot operations, initially reported 811201. Review by GE determined that fatigue usage factor for 10 temp transients acceptable. Deficiency not reportable
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/16
O'REILLY, J. P. Region 2, Office of Director 5pp. 13314 067 24X
Fiche 50-416, 82/04/16, 8206010421

8206010499 Second interim deficiency rept re NAMCO control limit switches unqualified for nuclear containment svc, initially reported 820225. Unqualified switches will be replaced. Investigation continuing. Also reported per Part 21.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/19
O'REILLY, J. P. Region 2, Office of Director 5pp. 13307 323 24X
Fiche 50-416, 82/04/19, 8206010499

8206010496 Fourth interim deficiency rept re valves & actuators not mfg under QA program, initially reported on 811029. Investigation revealed Henry Pratt valves w/Bettis actuator not reportable per 10CFR50.55(c). Final rept expected 820615
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/20
O'REILLY, J. P. Region 2, Office of Director 4pp. 13314 332 24X
Fiche 50-416, 82/04/20, 8206010496

8206010548 First interim deficiency rept re Div II diesel generator trip, initially reported on 820322. Design change will be initiated to install protective caging on generator air gaps. Final rept expected to be submitted by 820628
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/21
O'REILLY, J. P. Region 2, Office of Director. 4pp. 13315 330 24X
Fiche 50-416, 82/04/21, 8206010548

8206010231 Interim deficiency rept re supports installed & accepted by Reactor Controls, Inc. not in accordance w/approved design requirements, initially reported 820317. QC holds still being evaluated. Next rept by 820601
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/04/28
O'REILLY, J. P. Region 2, Office of Director 3pp. 13301 153 24X
Fiche 50-416, 82/04/28, 8206010231

8206010416 Interim Deficiency Rept 1 re excessive length of uninsulated flexible leads connected to moveable contacts of some GE-type RMA relays, initially reported 820406. Util investigating reportability under Part 21. Final rept by 820628
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/07.
O'REILLY, J. P. Region 2, Office of Director. 4pp. 13315 001 24X
Fiche 50-416, 82/05/07, 8206010416.

8206010433 Interim deficiency rept re lower measured flow rate in standby svc water sys loops A & B, initially reported 810303. Calculations performed to verify head requirements for component. Final corrective actions expected by 820510.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/03/15
O'REILLY, J. P. Region 2, Office of Director 5pp. 13314 062 24X
Fiche 50-416, 82/03/15, 8206010433

8206010203 Final deficiency rept for Unit 1 & interim deficiency rept for Unit 2 re O ring seals on Rosemount transmitters, initially reported 820421. Lubrication procedure written. Unit 2 final rept by 821029. Also reported per Part 21.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/21.
O'REILLY, J. P. Region 2, Office of Director. 5pp. 13307 166 24X
Fiche 50-416, 82/05/21, 8206010203.

8206070552 Final deficiency rept for Unit 1 & Interim Deficiency Rept 5 for Unit 2 re low measured flow rate in standby svc water sys loops A & B, initially reported 810303. Mods to Unit 1 completed. Unit 2 reanalysis continuing.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/05/24
O'REILLY, J. P. Region 2, Office of Director. 4pp. 13373 068 24X
Fiche 50-416, 82/05/24, 8206070552

8206110224 Final deficiency rept re Henry Pratt butterfly valves w/o proper angle bracing in standby gas treatment sys, initially reported 820310. Also reportable per Part 21 for Unit 1. Mods to raise resonant frequency completed.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/01.
O'REILLY, J. P. Region 2, Office of Director 5pp. 13466 272 24X
Fiche 50-416, 82/06/01, 8206110224.

8206110210 Final deficiency rept re equipment determined to be unqualified during investigation of NUREG-0598 requirements, initially reported on 811015. New switches will be replaced by 821231
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/04
O'REILLY, J. P. Region 2, Office of Director. 13pp. 13467 012. 24X
Fiche 50-416, 82/06/04, 8206110210

8206210592 Final & interim deficiency repts for Units 1 & 2, respectively re failure of drywell containment & secondary containment isolation valves to close on loss of air, initially reported 820512. Also reportable per Part 21.
MCGAUGHY, J. P. Mississippi Power & Light Co. 82/06/11.
O'REILLY, J. P. Region 2, Office of Director. 8pp. 13563 207 24X
Fiche 50-416, 82/06/11, 8206210592

DOCKETED ITEMS

32

8204210557 Part 21 deficiency rept re pneumatic actuators furnished w/Pratt 24-inch butterfly valves Excessive vibration in valve actuator caused by cracked yokes Mods underway
WILSON, A K Henry Pratt Co 82/06/15 KEPLER, J O Region 3, Office of Director 2pp 13563 339 24X Fiche 50-416, 82/06/15, 8204210557

8204240318 Fifth interim deficiency rept re valves & actuators not mfg under QA program; initially reported 811029 Util to upgrade seals, lubricants & coatings on pins & rollers. Final rept expected by 820924.
MCOAUGHY, J P Mississippi Power & Light Co 82/06/15
O'REILLY, J P Region 2, Office of Director 4pp 13996 196 24X Fiche 50-416, 82/06/15, 8204240318

8204240352 Interim deficiency rept re potential for plant flooding based on PMP flood level; initially reported 820510 Complete analysis will be performed by 820630 Design selection to be completed by 820630 Final rept provided by 820910
MCOAUGHY, J P Mississippi Power & Light Co 82/06/16
O'REILLY, J P Region 2, Office of Director 4pp 13603 015 24X Fiche 50-416, 82/06/16, 8204240352

8204300164 Final deficiency rept re jet impingement; initially reported on 820521 Thirty-nine line breaks re-evaluated & found acceptable Fifty-three large pipe breaks evaluated; 52 found acceptable, Part 21 rept for Bachtel Power Corp encl
MCOAUGHY, J P Mississippi Power & Light Co 82/06/21
O'REILLY, J P Region 2, Office of Director 9pp 13654 229 24X Fiche 50-416, 82/06/21, 8204300164

8204300307 Interim deficiency rept re Dikkers safety relief valve corrosion; initially reported on 820521 Final rept expected by 820920; pending determination of source of water causing corrosion
MCOAUGHY, J P Mississippi Power & Light Co 82/06/21
O'REILLY, J P Region 2, Office of Director 4pp 13656 356 24X Fiche 50-416, 82/06/21, 8204300307

8204300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLER, L L Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X Fiche 50-000, 82/06/23, 8204300192

DOCKET 50-410 OHI, UNIT 1

A Application/construction stage documents & correspondence

8204290111 Requests concurrence of Japanese in preparing info notice or circular to affected licensees re geometry & matl of hold-down springs; cause of failure; number of failures & possible consequence of failure
MOSELEY, N C Division of Reactor Operations Inspections 80/05/22
SHEA, J R Office of International Programs, Director 1p 13661 321 24X Fiche 50-418, 80/05/22, 8204290111

8204290103 Discusses damaged coil springs problem & lists G Ariotti assertions made during 800808 telcon
YOKARI, M NRC - No Detailed Affiliation Given 80/08/08
JOHNSTON, W V NRC - No Detailed Affiliation Given 2pp 13661 319 24X Fiche 50-418, 80/08/08, 8204290103

DOCKET 50-423 MILLSTONE NUCLEAR POWER STATION, UNIT 3

A Application/construction stage documents & correspondence

8204110281 Advises of tentative plan to submit documentation of deviations from BRP upon docketing of DL application; per 820426 telcon w/C Orimes; Meeting to discuss detail review schedule proposed following review of const status.
COUNSEL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/05/19 GRANT, J Licensing Branch 1 2pp 14690 198 24X Fiche 50-423, 82/05/19, 8204110281

8204160118 Forwards Amend 9 to CPPR-113; safety evaluation & notice of issuance & availability Amend reduces ownership share to be transferred by PBC of NH to util to 1.0435%
EISENHUT, D O Division of Licensing 82/06/09 FERLAND, E J Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13527 349 24X Fiche 50-423, 82/06/09, 8204160118

--8204160125 Amend 9 to CPPR-113; reducing ownership share to be transferred by PBC of NH to util to 1.0435%
EISENHUT, D O Division of Licensing 82/06/09 2pp 13527 351 24X Fiche 50-423, 82/06/09, 8204160118

--8204160130 Safety evaluation supporting Amend 9 to CPPR-113.
GRANT, J M, YOUNGBLOOD, S J Licensing Branch 1 82/06/09 3pp 13527 353 24X Fiche 50-423, 82/06/09, 8204160118

--8204160134 Notice of issuance & availability of Amend 9 to CPPR-113
YOUNGBLOOD, S J Licensing Branch 1 82/06/09 3pp 13527 356 24X Fiche 50-423, 82/06/09, 8204160118

8204210281 Informs of merger of Hartford Electric Light Co into CT Light & Power Co Amend to existing list of companies which hold facility licenses required
COUNSEL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/11 EISENHUT, D O Division of Licensing 2pp 13559 043 24X Fiche 50-245, 82/06/11, 8204210281

8204210378 Forwards chronology tracing ownership interests of facility from inception to present Future refs in amends to CP & related notices should be revised to reflect current status of ownership interests
MACKENZIE, R C Day, Berry & Howard 82/06/15 GRANT, J M Licensing Branch 1 3pp 13567 178 24X Fiche 50-423, 82/06/15, 8204210378

F Security, medical, emergency & fire protection plans

8204090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR.
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8204090002

--8203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X Fiche 50-000, 82/05/11, 8204090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, O S Division of Technical Inspection 82/01/05
ORINES, B K Division of Emergency Preparedness 8pp 13454 176 24X Fiche 50-000, 82/05/11, 8204090002

--8204090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet 820201 deadline
DIRCKS, W J Office of the Executive Director for Operations 82/03/04 PALLADING, N Commissioners 1p 13454 196 24X Fiche 50-000, 82/05/11, 8204090002

--8205060494 Forwards monthly status rept of licensee implementation of prompt notification sys
DIRCKS, W J Office of the Executive Director for Operations 82/03/30 PALLADING, N Commissioners 2pp 13454 252 24X Fiche 50-000, 82/05/11, 8204090002

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204220449 Forwards IE Insp Rept 50-423/82-06 on 820412-30 & 0504-14 & notice of violation.
STAROSTECKI, R Division of Project & Resident Programs 82/06/08
COUNSEL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 2pp 13581 032 24X Fiche 50-423, 82/06/08, 8204220449

--8204220473 Notice of violation from insp on 820412-30 & 0504-14
STAROSTECKI, R Division of Project & Resident Programs 82/06/08 1p 13581 034 24X Fiche 50-423, 82/06/08, 8204220449

--8204220479 IE Insp Rept 50-423/82-06 on 820412-30 & 0504-14.
Noncompliance noted failure to follow procedures when installing mechanical snubbers for pipe support
MATTIA, J C, ELBASBER, T Division of Project & Resident Programs 82/06/02 10pp 13581 035 24X Fiche 50-423, 82/06/08, 8204220449

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13673 238 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13673 187 24X
Fiche 50-000, 82/06/11, B204210384

B206290481 Ack receipt of B20607 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 50-423/82-04
STAROSTECKI, R Division of Project & Resident Programs 82/06/22
COUNSIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 1p 13631 348 24X Fiche 50-423, 82/06/22, B206290481

--B206290487 Responds to NRC B20306 ltr re violations noted in IE Insp Rept 50-423/82-04 Corrective actions nonconformance & disposition rept issued, support plate accepted as is & courses rescheduled
COUNSIL, W O Northeast Nuclear Energy Co. (subs. of Northeast Utilities) 82/06/07, STAROSTECKI, R Division of Project & Resident Programs App 13631 349 24X Fiche 50-423, 82/06/22, B206290481

S Reportable occurrences, LERs & related correspondence

B206280384 Third interim deficiency rept re min charging pump flow design, initially reported on B00614 Util is evaluating proposal by Westinghouse to upgrade automatic actuation of power operated relief valve, final rept by B20618
COUNSIL, W O Northeast Nuclear Energy Co (subs of Northeast Utilities) 82/06/09 HAYNES, R C Region 1, Office of Director 2pp 13625 260, 24X Fiche 50-423, 82/06/09, B206280384

DOCKET 50-424 ALVIN W. WOOTLE NUCLEAR PLANT, UNIT 1

A Application/construction stage documents & correspondence

B206020013 Advises that Class II fee appropriate for review of B20428 application re extension of const completion dates Div of Accounting & Finance will refund overpayment
MILLER, W O License Fee Management Branch 82/05/24 DUTTON, D E Georgia Power Co 1p. 13332.362, 24X Fiche: 50-424, 82/05/24, B206020013

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees, & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event, w/o encl
EISENHUT, D O Division of Licensing 82/06/09, HAUSPURG, A Consolidated Edison Co of New York MOKE, T Oklahoma Gas & Electric Co CONRAD, V Public Service Co of Oklahoma 13pp 13357-349 24X Fiche 50-000, 82/06/09, B206090153

F Security, medical, emergency & fire protection plans

B206070478 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency, w/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support, 82/05/12 KELLY, R J, Georgia Power Co 1p 13375:011 24X
Fiche: 50-000, 82/05/12, B206070478.

G Inspection reports, IE Bulletins & correspondence

B206070328 Forwards IE Insp Repts 50-424/82-08 & 50-425/82-08 on B20427-30. No noncompliance noted.
DANCE, H C. Division of Project & Resident Programs 82/05/11 KELLY, R J. Georgia Power Co. 2pp 13363 270, 24X
Fiche. 50-424, 82/05/11, B206070328

--B206070335 IE Insp Repts 50-424/82-08 & 50-425/82-08 on B20427-30 No noncompliance noted. Major areas inspected const phase 0A implementing procedures for Class IE equipment & sys & concrete placement around steel containment liner
RUFF, A B, CONLON, T. E. Division of Engineering & Technical Programs, 82/05/07 3pp 13363.272 24X Fiche: 50-424, 82/05/11, B206070328.

B206070820 Ack receipt of B20305 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-424/82-06 & 50-425/82-06
DANCE, H C Division of Project & Resident Programs 82/05/21, KELLY, R J, Georgia Power Co. 1p. 13387.284 24X
Fiche: 50-424, 82/05/21, B206070820.

--B206070828 Responds to NRC B20412 ltr re violations noted in IE Insp Repts 50-424/82-06 & 50-425/82-06 Corrective actions affected procedure reviewed & corrected Response contains no proprietary info
FOSTER, D D Georgia Power Co 82/05/05 LQNO, F J Region 2, Office of Director 2pp 13387 285 24X Fiche. 50-424, 82/05/21, B206070820

--B206070836 Forwards IE Insp Repts 50-424/82-06 & 50-425/82-06 on B20211-0310 & notice of violation
LQNO, F J Division of Project & Resident Programs 82/04/12 KELLEY, R J Georgia Power Co 2pp 13387 287 24X
Fiche 50-424, 82/05/21, B206070820

--B206070838 Notice of violation from insp on B20211-0310
* Region 3, Office of Director 82/04/12 1p 13387 289 24X
Fiche 50-424, 82/05/21, B206070820

--B206070845 IE Insp Repts 50-424/82-06 & 50-425/82-06 on B20211-0310. Noncompliance noted failure to follow procedures re transport of steam generators
SANDERS, W F, BROWNLEE, V L Division of Project & Resident Programs 82/04/12 6pp 13387 290 24X Fiche 50-424, 82/05/21, B206070820

B206220248 Forwards IE Insp Repts 50-424/82-09 & 50-425/82-09 on B20427-30 No noncompliance noted
DANCE, H C, Division of Project & Resident Programs 82/05/26 KELLY, R J Georgia Power Co 2pp 13571 270, 24X
Fiche 50-424, 82/05/26, B206220248

--B206220258 IE Insp Repts 50-424/82-09 & 50-425/82-09 on B20427-30 No noncompliance noted Major areas inspected structural concrete, foundations & licensee action on previous insp findings
HARRIS, J R, CONLON, T E Division of Engineering & Technical Programs 82/05/25 4pp 13571 272 24X Fiche 50-424, 82/05/26, B206220248

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28, 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378.

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150, 24X
Fiche 50-000, 82/06/02, B204210380

B206220237 Ack receipt of B20426 & 0521 ltrs informing NRC that violation noted in IE Insp Repts 50-424/82-05 & 50-425/82-05 not applicable Agrees w/util position.
DANCE, H C Division of Project & Resident Programs 82/06/10 KELLY, R J Georgia Power Co 1p 13571 153, 24X
Fiche 50-424, 82/06/10, B206220237

--B206220240 Suppl util B20426 ltr responding to NRC B20331 ltr re violation noted in IE Insp Repts 50-424/82-05 & 50-425/82-05 Violation contested, based on findings of addl insp effort
FOSTER, D D Georgia Power Co 82/05/21 LQNO, F J Region 2, Office of Director. 2pp 13571 154 24X Fiche. 50-424, 82/06/10, B206220237.

--B206220243 Responds to NRC B20331 ltr re violation noted in IE Insp Repts 50-424/82-05 & 50-425/82-05 Identified weld meets criteria for undercut Violation contested.
FOSTER, D D Georgia Power Co 82/04/26 LQNO, F J, Region 2, Office of Director 2pp 13571 156, 24X Fiche 50-424, 82/06/10, B206220237.

--B206220246 Forwards IE Insp Repts 50-424/82-05 & 50-425/82-05 on B20309-12 & notice of violation
LQNO, F J Division of Project & Resident Programs, 82/03/31 KELLY, R J, Georgia Power Co 2pp 13571:158 24X
Fiche 50-424, 82/06/10, B206220237

--B206220250 Notice of violation from insp on B20309-12
* Division of Project & Resident Programs 82/03/31, 1p 13571:160, 24X Fiche 50-424, 82/06/10, B206220237

DOCKETED ITEMS

--8206220254 IE Insp Repts 50-424/82-05 & 50-425/82-05 on 820309-12
Noncompliance noted failure to follow insp procedure
Undercut greater than 1/16 inch noted at toe of weld
Joining plates on shield tank
KLEINSORGE, W P, HERDT, A R Division of Engineering & Technical
Programs 82/03/26 10pp 13571 161 24X Fiche 50-424,82/06/10,
8206220237

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11,
106pp 13675 258 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche: 50-000, 82/06/11, 8204210384

B Reportable occurrences, LERs & related correspondence

8206070237 Interim deficiency rept re embeds, initially reported 820426
Data is being gathered to conduct engineering evaluation to
determine effect on plant safety Interim rept expected
before 820623
CONWAY, R E Georgia Power Co 82/05/25 O'REILLY, J P Region 2,
Office of Director 1p 13369 286 24X Fiche 50-424,82/05/25,
8206070237

8206300187 PNO-11-82-06B on 820617, stop work order issued on use of
Class 2 & 3 4-1/2 inch or larger piping spool pieces
supplied by Pullman Power Products due to presence of
surface defects Audit to be performed at fabrication shop
ROGGE, J, BRYANT, J, Region 2, Office of Director 82/06/17 1p
13652 347 24X Fiche 50-424,82/06/17,8206300187

8206300192 Part 21 rept re potential defect in couplings drive element
of DBRV or DBR standby diesel generator Affected licensees
will be notified no later than 820715
MILLS, L L Transamerica Delaval, Inc 82/06/23 Director's
Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-425 ALVIN W VOOTLE NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206020013 Advises that Class II fee appropriate for review of 820428
application re extension of const completion dates Div of
Accounting & Finance will refund overpayment
MILLER, W G License Fee Management Branch 82/05/24 DUTTON, D E
Georgia Power Co 1p 13332 362 24X Fiche 50-424,82/05/24,
8206020013

8206300392 Addl response to FOIA request for documents re cancellation,
postponement, termination or deferral of nuclear plant
const since 800101 Forwards documents listed in app
FELTON, J M Division of Rules and Records. 82/06/07 DOI, K.
Critical Mass Energy Project, 2pp 13678 215 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely
deferred, per request.
CORNELL, K Office of the Executive Director for Operations,
82/03/19 AHEARNE, J Commissioners 2pp 13678 237 24X
Fiche: 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Olina Rept documents findings re cause of
event, w/o encl.
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A.
Consolidated Edison Co of New York HOWE, T Oklahoma Gas &
Electric Co, CONRAD, V Public Service Co of Oklahoma 13pp
13557 349 24X Fiche 50-000, 82/06/09, 8206090153

F. Security, medical, emergency & fire protection plans

8206070478 Forwards Region 2 incident response plan dtd Mar 1982 Plan
issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC
Incident Response Plan " Plan should be of benefit to
understanding of NRC response to emergency w/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support,
82/05/12 KELLY, R J, Georgia Power Co 1p 13373 011 24X
Fiche 50-000, 82/05/12, 8206070478

Q Inspection reports, IE Bulletins & correspondence

8206070328 Forwards IE Insp Repts 50-424/82-08 & 50-425/82-08 on
820427-30 No noncompliance noted
DANCE, H C Division of Project & Resident Programs 82/05/11,
KELLY, R J Georgia Power Co 2pp 13363 270 24X
Fiche 50-424, 82/05/11, 8206070328

--8206070335 IE Insp Repts 50-424/82-08 & 50-425/82-08 on 820427-30,
noncompliance noted, Major areas inspected const phase QA
implementing procedures for Class IE equipment & sys &
concrete placement around steel containment liner
RUFF, A B, CONLON, T E Division of Engineering & Technical
Programs 82/05/07 3pp 13363 272 24X Fiche 50-424, 82/05/07,
8206070328

8206070820 Ack receipt of 820505 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-424/82-06 &
50-425/82-06
DANCE, H C Division of Project & Resident Programs 82/05/21,
KELLY, R J Georgia Power Co 1p 13387 284 24X
Fiche 50-424, 82/05/21, 8206070820

--8206070828 Responds to NRC 820412 ltr re violations noted in IE I
Repts 50-424/82-06 & 50-425/82-06 Corrective actions
affected procedure reviewed & corrected Response contains no
proprietary info
FOSTER, D O Georgia Power Co. 82/05/03 LONG, F J Region 2,
Office of Director 2pp 13387 283 24X Fiche 50-424, 82/05/02,
8206070820

--8206070836 Forwards IE Insp Repts 50-424/82-06 & 50-425/82-06 on
820211-0310 & notice of violation
LONG, F J Division of Project & Resident Programs 82/04/12,
KELLY, R J Georgia Power Co 2pp 13387 287 24X
Fiche: 50-424, 82/05/21, 8206070820

--8206070845 IE Insp Repts 50-424/82-06 & 50-425/82-06 on 820211-03
Noncompliance noted: failure to follow procedures re
transport of steam generators
BANDERS, W F, BROWNLEE, V L Division of Project & Resident
Programs 82/04/12 6pp 13387 290 24X Fiche: 50-424, 82/05/
8206070820

8206220248 Forwards IE Insp Repts 50-424/82-09 & 50-425/82-09 on
820427-30 No noncompliance noted.
DANCE, H C Division of Project & Resident Programs. 82/05/26,
KELLY, R J, Georgia Power Co 2pp. 13571 270. 24X
Fiche 50-424, 82/05/26, 8206220248

--8206220258 IE Insp Repts 50-424/82-09 & 50-425/82-09 on 820427-3
noncompliance noted Major areas inspected: structural
concrete, foundations & licensee action on previous insp
findings
HARRIS, J R, CONLON, T E Division of Engineering & Technical
Programs 82/05/25. 4pp 13571. 272. 24X Fiche: 50-424, 82/05/
8206220248

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list
DEYOUNG, R C, Director's Office, Office of Inspection and
Enforcement. 82/05/28 107pp 13426. 095 24X
Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpo
Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance. 82/0
103pp 13440: 264 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners
Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement. 82/06/02. 108pp 13527. 150 24X
Fiche: 50-000, 82/06/02, 8204210380

8206220237 Ack receipt of 820426 & 0521 ltrs informing NRC that
violation noted in IE Insp Repts 50-424/82-05 & 50-425/82-05
not applicable Agrees w/ util position
DANCE, H C Division of Project & Resident Programs. 82/06/10
KELLY, R J Georgia Power Co 1p. 13571. 153 24X
Fiche 50-424, 82/06/10, 8206220237

--8206220240 Suppl util 820426 ltr responding to NRC 820331 ltr
violation noted in IE Insp Repts 50-424/82-05 &
50-425/82-05. Violation contested, based on findings of addl
insp effort.
FOSTER, D O Georgia Power Co 82/08/21 LONG, F J, Region
Office of Director. 2pp. 13571. 154. 24X Fiche: 50-424, 82/0
8206220237.

--B206220243 Responds to NRC B20331 ltr re violation noted in IE Insp Repts 50-424/82-05 & 50-425/82-05 identified weld meets criteria for undercut Violation contested
FOSTER, D O Georgia Power Co 82/04/26 LONG, F J Region 2, Office of Director 2pp 13371 156 24X Fiche 50-424,82/06/10, 8206220237.

--B206220246 Forwards IE Insp Repts 50-424/82-05 & 50-425/82-05 on 820309-12 & notice of violation
LONG, F J Division of Project & Resident Programs. 82/03/31 KELLY, R J Georgia Power Co 2pp. 13371 158 24X Fiche 50-424,82/06/10,8206220237

--B206220250 Notice of violation from insp on 820309-12.
Division of Project & Resident Programs 82/03/31 1p. 13371 160 24X Fiche 50-424,82/06/10,8206220237

--B206220254 IE Insp Repts 50-424/82-05 & 50-425/82-05 on 820309-12 Noncompliance noted failure to follow insp procedure Undercut greater than 1/16 inch noted at toe of weld joining plates on shield tank.
KLEINBORGE, W P, HERDT, A R Division of Engineering & Technical Programs 82/03/26 10pp 13371 161 24X Fiche 50-424,82/06/10, 8206220237

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000,82/06/11,8204210384

8 Reportable occurrences, LERs & related correspondence

8206070237 Interim deficiency rept re embeds, initially reported 820426. Data is being gathered to conduct engineering evaluation to determine effect on plant safety. Interim rept expected before 820623.
CONNAY, R E Georgia Power Co. 82/05/25 O'REILLY, J P Region 2, Office of Director. 1p 13369 286 24X Fiche 50-424,82/05/25, 8206070237

8206040287 PNO-11-82-059 on 820525, contractor ironworker fell from top of turbine bldg. Worker pronounced dead on arrival
ROOGE, J F, BROWNLEE, V L Region 2, Office of Director. 82/05/26 1p 13358 354 24X Fiche 50-425,82/05/26, 8206040287.

8206300187 PNO-11-82-068 on 820617, stop work order issued on use of Class 2 & 3 4-1/2 inch or larger piping spool pieces supplied by Pullman Power Products due to presence of surface defects Audit to be performed at fabrication shop.
ROOGE, J., BRYANT, J Region 2, Office of Director 82/06/17 1p. 13652 347. 24X Fiche 50-424,82/06/17,8206300187

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715.
MILLS, L L Transamerica Delaval, Inc. 82/06/23, Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X Fiche 50-000,82/06/23,8206300192.

DOCKET 50-428 ALMARAZ NUCLEAR STATION, UNITS 1 & 2

P Operating license stage documents & correspondence

8206040511 Responds further to FOIA request for five categories of documents re steam generator problem Records listed in app to be placed in PDR
FELTON, J M Division of Rules and Records. 82/05/25 UDELL, R A. Critical Mass Energy Project. 2pp. 13391 229. 24X Fiche:50-000,82/05/25,8206040511

--8202120314 Forwards addl telaxes containing recent info on problems at foreign facilities re tube failure of preheater type steam generator
LAFLEUR, J D Office of International Programs, Director 81/11/19 DENTON, H R, Office of Nuclear Reactor Regulation, Director. 1p. 13391 233. 24X Fiche 50-000,82/05/25,8206040511.

--8202120318 Lists results of ongoing steam generator tube insp Problem generic for plants w/steam generator Model DG.
TRUEBA, P. Spain. 81/11/18 LAFLEUR, J Office of International Programs, Director. 1p 13391 235. 24X Fiche 50-000,82/05/25, 8206040511.

--8202120321 Provides status rept & action plan for returning facility to operation per Westinghouse proposal re steam generator tube repair
TRUEBA, P Spain 81/11/18 LAFLEUR, J F Office of International Programs, Director 2pp 13391 236 24X Fiche 50-000,82/05/25, 8206040511

--8206040525 Submits summary of util 81112 ltr to Consejo de Seguridad Nuclear Westinghouse will propose plugging of some tubes. Installation of internal instrumentation & return of plant to operation
VILLADONIGA, J Office of Nuclear Reactor Regulation, Director 81/11/24 LAFLEUR, J D Office of International Programs, Director 4pp 13391 238 24X Fiche 50-000,82/05/25,8206040511

DOCKET 50-437 FLODATING NUCLEAR PLANT

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche: 50-000,82/05/28,8202040147

8204210378 IE Info Notice 82-16 "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp. 13440 264 24X Fiche 50-000,82/05/28,8204210378

8204210380 IE Bulletin 82-02: "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants." Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150. 24X Fiche 50-000,82/06/02,8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000,82/06/11,8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189. 24X Fiche 50-000,82/06/11,8204210384.

DOCKET 50-438 BELLEFONTE NUCLEAR PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206020422 Forwards request for addl info re FBAR draft needed prior to 820614 site visit
SCHREIBER, D L Schreiber Consultants, Inc 82/05/27. QONZALEB, R. Division of Engineering 4pp 13325 351. 24X Fiche: 50-438, 82/05/27, 8206020422

8206080243 Informs that const schedule has been officially revised to reflect Dec 1984 fuel load date for Unit 1 Revisions to schedule may be required as result of new reviews. Any change will be submitted at next appropriate quarterly update.
KAMMER, D S Tennessee Valley Authority 82/06/03 EISENHUT, D O Division of Licensing 2pp 13422 013 24X Fiche 50-438,82/06/03, 8206080243

8206110213 Advises that responses to NRC 801222 & 810203 ltrs re control of heavy loads will be submitted by 831215.
MILLS, L M Tennessee Valley Authority 82/06/04. ADENSAM, E Licensing Branch 4. 1p 13459 001 24X Fiche 50-438,82/06/04, 8206110213

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event. W/o encl
EISENHUT, D O. Division of Licensing 82/06/09. HAUSPURO, A Consolidated Edison Co of New York. 13pp 13557 349. 24X Fiche 50-000,82/06/09,8206090153

8206150231 Informs that util will perform preliminary design analysis of facilities main control room & remote shutdown panels to identify significant human factors & instrumentation problems before fuel load.
MILLS, L M Tennessee Valley Authority 82/06/11 ADENSAM, E. Licensing Branch 4. 4pp 13503 350 24X Fiche 50-438,82/06/11, 8206150231

C Utility Environmental Report (ER), amends & correspondence

B206240003 Confirms NRC B20615-16 environ review site visit Draft requests for addl info re environ rpt encl
ADENSAH, E G Licensing Branch 4 B2/06/08 PARRIS, H O Tennessee Valley Authority 13pp 13607 334 24X Fiche 50-438, B2/06/08, B206240003

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records B2/05/11, REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, B2/05/11, B206090002

B206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0843, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency w/o encl
BTOHR, J P Division of Emergency Preparedness & Operational Support B2/05/12 PARRIS, H O Tennessee Valley Authority 1p 13375 033 24X Fiche 50-000, B2/05/12, B206070481

G Inspection reports, IE Bulletins & correspondence

B206070482 Forwards IE Insp Rpts 50-327/B2-09, 50-328/B2-08, 50-390/B2-16, 50-391/B2-13, 50-438/B2-10, 50-439/B2-10, 50-518/B2-05, 50-519/B2-05, 50-520/B2-05, 50-521/B2-05, 50-553/B2-01, 50-554/B2-01, 50-566/B2-02 & 50-567/B2-02
LQNG, F J Division of Project & Resident Programs B2/05/20, PARRIS, H O Tennessee Valley Authority 3pp 13374 255 24X Fiche 50-000, B2/05/20, B206070482

--B206070496 IE Insp Rpts 50-327/B2-09, 50-328/B2-08, 50-390/B2-16, 50-391/B2-13, 50-438/B2-10, 50-439/B2-10, 50-518/B2-05, 50-519/B2-05, 50-520/B2-05, 50-521/B2-05, 50-553/B2-01, 50-554/B2-01, 50-566/B2-02 & 50-567/B2-02 No noncompliance noted.
LENAHAN, J J Division of Project & Resident Programs B2/05/18 9pp 13374:258 24X Fiche 50-000, B2/05/20, B206070482

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/05/28, 107pp 13426 093, 24X Fiche 50-000, B2/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance B2/05/28 103pp 13440 264 24X Fiche 50-000, B2/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/02 108pp 13527, 150 24X Fiche 50-000, B2/06/02, B204210380

B206220466 Ack receipt of B20521 ltr informing NRC of steps taken to correct violations noted in IE Insp Rpts 50-438/B2-09 & 50-439/B2-09
LQNG, F J Division of Project & Resident Programs B2/06/09 PARRIS, H O Tennessee Valley Authority 1p 13378 189 24X Fiche 50-438, B2/06/09, B206220466

--B206220478 Responds to NRC B20422 ltr re violations noted in IE Insp Rpts 50-438/B2-09 & 50-439/B2-09 Corrective actions cited welds & welds identified in GCIRs 13,352 & 17,774 cut out & rewelded using approved processes & procedures
MILLS, L M Tennessee Valley Authority B2/05/21, O'REILLY, J P Region 2, Office of Director 3pp 13578 190 24X Fiche 50-438, B2/06/09, B206220466

--B206220484 Forwards IE Insp Rpts 50-438/B2-09 & 50-439/B2-09 on B20301-31 & notice of violation
LQNG, F J Division of Project & Resident Programs B2/04/22, PARRIS, H O Tennessee Valley Authority 2pp 13378 193, 24X Fiche 50-438, B2/06/09, B206220466

--B206220488 Notice of violation from insp on B20301-31, " Division of Project & Resident Programs B2/04/22 1p 13378, 193, 24X Fiche 50-438, B2/06/09, B206220466

--B206220496 IE Insp Rpts 50-438/B2-09 & 50-439/B2-09 on B20301-31. Noncompliance noted, three pipe welds in boric acid pump room were remelted w/o detailed weld procedure
WILCOX, J D, QUICK, D R Division of Project & Resident Programs B2/04/22 10pp 13578, 196 24X Fiche 50-438, B2/06/09, B206220466

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance B2/06/11 106pp 13675 258 24X Fiche 50-000, B2/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/11 120pp 13675 189 24X Fiche 50-000, B2/06/11, B204210384

S Reportable occurrences, LERs & related correspondence

B206010253 Ninth interim deficiency rpt re GA breakdown - deficient fillet welds, originally reported on B00507 Nonconformance Rpts 1189, 1203 & 1563 weld evaluations continuing Next rpt due by B21116
MILLS, L M Tennessee Valley Authority B2/05/18 O'REILLY, J P Region 2, Office of Director 3pp 13307 052, 24X Fiche 50-438, B2/05/18, B206010253

B206010386 Fifth interim deficiency rpt re seismic qualification of B&W equipment in TVA panels, initially reported B01124 All but 32 of 253 devices have been determined acceptable B&W will consider requalification
MILLS, L M Tennessee Valley Authority B2/05/18 O'REILLY, J P Region 2, Office of Director 2pp 13311 334 24X Fiche 50-438, B2/05/18, B206010386

B206010489 Sixth interim deficiency rpt re hardened grease on reactor bldg cooling fan bearings, initially reported B10128 Onsite insp performed by Reliance Electric Motor Co Tubing removed & grease relief holes plugged Also reported per Part 21
MILLS, L M Tennessee Valley Authority B2/05/18 O'REILLY, J P Region 2, Office of Director 2pp 13314 093, 24X Fiche 50-438, B2/05/18, B206010489

B206010549 Third interim deficiency rpt re seismic support lugs on 2-inch or less stainless steel pipe, initially reported B11224 Weld mockups using seismic lugs & butt welds sent to Singleton Metals Lab for evaluation
MILLS, L M Tennessee Valley Authority B2/05/18 O'REILLY, J P Region 2, Office of Director 2pp 13315 328 24X Fiche 50-438, B2/05/18, B206010549

B206010216 Deficiency rpt re failure of Transamerica Delaval to promptly correct deficiencies, initially reported B20114 Completion date of corrective actions delayed to B20630 Also reportable per Part 21
MILLS, L M Tennessee Valley Authority B2/05/20 O'REILLY, J P Region 2, Office of Director 1p 13300 086, 24X Fiche 50-000, B2/05/20, B206010216

B206070107 First interim deficiency rpt re lack of environ qualification of equipment in auxiliary bldg because of potential failure of startup & recirculation sys, initially reported B20422 Next rpt expected by B21231
MILLS, L M Tennessee Valley Authority B2/05/24 O'REILLY, J P Region 2, Office of Director 2pp 13370 319 24X Fiche 50-438, B2/05/24, B206070107

B206070135 Fifth interim deficiency rpt re tolerance for tubular steel cable tray hangers, initially reported B10716 Cause of deficiency still being evaluated Next rpt expected by B20726
MILLS, L M Tennessee Valley Authority B2/05/24 O'REILLY, J P Region 2, Office of Director 1p 13371 024 24X Fiche 50-438, B2/05/24, B206070135

B2f

DOCKETED ITEMS

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported 811020 Procedures revised Next rept by 821206
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 2pp 13390 270. 24X
Fiche 50-000, 82/05/28, 8206070665

8206110128 First interim deficiency rept re operational defects in high pressure injection nozzles & thermal sleeves, initially reported 820429 Nonconformance rept forwarded to B&W for corrective action Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13465.220 24X
Fiche 50-438, 82/06/01, 8206110128

8206110144 Second interim deficiency rept re improper use of foam plastic insulation on stainless steel pipe, initially reported on 820203 Revisions to instructional memo & mechanical design guide initiated Next rept by 820908
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 2pp 13467.038 24X
Fiche 50-438, 82/06/01, 8206110144

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820120 Study being conducted of procurement process including all aspects of sys Next rept due by 820916
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 1p. 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110280 Interim deficiency rept re nonconforming matl used by WKM in decay heat removal valves, initially reported on 820503 B&W investigation continuing Next rept by 820719
MILLS, L. M. Tennessee Valley Authority 82/06/02 O'REILLY, J. P.
Region 2, Office of Director 2pp. 13466 226 24X
Fiche 50-438, 82/06/02, 8206110280

8206140050 Final deficiency rept re unacceptable replacement for component cooling water pump shaft, initially reported 820301 Replacement shaft will be returned to Hayward-Tyler Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/02 O'REILLY, J. P.
Region 2, Office of Director 2pp. 13487 074 24X
Fiche: 50-438, 82/06/02, 8206140050

8206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on 820120 QA training completed 820318 & technical training ongoing Administrative Instruction QED-A1 104 implemented.
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 323 24X
Fiche: 50-000, 82/06/03, 8206110159

8206110202 Final deficiency rept re main steam valve room A pipe anchor support loads, initially reported on 820723 Concrete stiffening walls designed & released to increase capacity of R-line wall in area of main steam pipe anchors
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 341. 24X
Fiche: 50-438, 82/06/03, 8206110202

8206110223 Revised final deficiency rept re Consolidated Control Corp field butterfly cards Revision due to change in completion date of corrective action Two-month delay anticipated due to complexity of required repairs.
MILLS, L. M. Tennessee Valley Authority 82/06/03 O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 258. 24X
Fiche 50-438, 82/06/03, 8206110223.

8206110120 Seventh interim deficiency rept re lack of rebar at main steam flued head, initially reported on 810227, Cause & corrective actions being identified to prevent recurrence.
Next rept by 820806
MILLS, L. M. Tennessee Valley Authority 82/06/04 O'REILLY, J. P.
Region 2, Office of Director 2pp. 13465:227 24X
Fiche: 50-438, 82/06/04, 8206110120.

8206210144 Interim deficiency rept re failure of Villing Flow control valves in fire protection sys, initially reported 811124, Had ineffective Pressure control removed Next rept 821006 Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 2pp 13539 246 24X
Fiche 50-438, 82/06/07, 8206210144

8206210581 Fourth interim deficiency rept re bolt torques of RCS supports & restraints, initially reported 810824 Deficiency under investigation Next rept expected 821215. Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 2pp 13563 219. 24X
Fiche: 50-438, 82/06/07, 8206210581

8206210589 First interim deficiency rept re qualification of RHR/decay heat removal sump valve room, initially reported 820422 FBARS will be revised to accurately reflect plant configuration
Next rept expected by 820907
MILLS, L. M. Tennessee Valley Authority 82/06/07 O'REILLY, J. P.
Region 2, Office of Director 2pp 13563 271 24X
Fiche 50-000, 82/06/07, 8206210589

8206210604 Interim deficiency rept re BIF butterfly valves determined to be leaking in excess of acceptable rate, initially reported on 820511 Valves will be returned to BIF Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/08 O'REILLY, J. P.
Region 2, Office of Director 2pp 13564 063 24X
Fiche 50-438, 82/06/08, 8206210604

8206210436 Third interim deficiency rept re auxiliary bldg fuel handling zone ventilation fans, initially reported on 810506 Negotiations in progress to have coil manufacturers provide seismic qualifications for hot water heating coils
MILLS, L. M. Tennessee Valley Authority 82/06/11 O'REILLY, J. P.
Region 2, Office of Director 2pp 13568 319 24X
Fiche 50-438, 82/06/11, 8206210436

8206210431 Second interim deficiency rept re governor lube oil coolers located above max elevations on TransAmerica DeLaval diesel generators Problem will be corrected upon receipt of instructions from supplier Also reported under Part 21.
MILLS, L. M. Tennessee Valley Authority 82/06/14 O'REILLY, J. P.
Region 2, Office of Director 2pp 13568 261 24X
Fiche 50-438, 82/06/14, 8206210431

8206210528 Final deficiency rept re installation of wrong valued resistor in modules, initially reported 820518 Seventy-nine field buffer modules required replacement of 3 6 ohm resistor w/5 6 ohm resistor Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/15 O'REILLY, J. P.
Region 2, Office of Director 2pp 13566 143 24X
Fiche 50-438, 82/06/15, 8206210528

8206220590 Final deficiency rept re failure of auxiliary control room diesel generators to start automatically upon loss of offsite power, initially reported on 810720 Engineering Change Notice 1309 issued on 820313
MILLS, L. M. Tennessee Valley Authority 82/06/16 O'REILLY, J. P.
Region 2, Office of Director 2pp 13582 150 24X
Fiche 50-438, 82/06/16, 8206220590

8206220390 Second revised final deficiency rept re Lambda power module failures, initially reported 801218 Bailey Meter Co will change cleaning procedures & Sprague will coat exposed foil w/epoxy Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/17 O'REILLY, J. P.
Region 2, Office of Director 2pp 13582 021 24X
Fiche 50-438, 82/06/17, 8206220390

8206240083 Second interim deficiency rept re insoluble glue used for purge dams in stainless steel piping, initially reported 820322 Five percent solution of acetic acid will be recirculated through sys piping. Next rept by 820920
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 2pp 13599 248. 24X
Fiche 50-438, 82/06/18, 8206240083

8206300173 Final supplemental deficiency rept re deficient pipe supports, initially reported 810406 Matter will now be reported as separate item
MILLS, L. M. Tennessee Valley Authority 82/06/21 O'REILLY, J. P.
Region 2, Office of Director 1p 13654 263 24X
Fiche: 50-438, 82/06/21, 8206300173

8206300211 First interim deficiency rept re error discovered in thermal movement column of support design load Drawing 3BH0419-NV-04, initially reported 811215 Affected supports to be identified Next rept by 820125
MILLS, L. M. Tennessee Valley Authority 82/06/21 O'REILLY, J. P.
Region 2, Office of Director 2pp. 13654.329 24X
Fiche: 50-438, 82/06/21, 8206300211.

8206300058 Second interim deficiency rept re incomplete description of assumption & limitations of HERCO program contributing to unacceptable usage of program in design of TVA plants, initially reported on 820409, Next rept by 821005
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 2pp 13655 337 24X
Fiche 50-000, 82/06/22, 8206300058.

8206300155 Final deficiency rept re fillet weld misspec, initially reported 801107, Results of testing program validate usage of fillet welding
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 2pp. 13655 296. 24X
Fiche 50-438, 82/06/22, 8206300155

8206300195 Fifth interim deficiency rept re attached piping potential safety concern, initially reported 801121 B&W evaluation continuing. Next rept will be submitted by 821014. Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 3pp 13655 340, 24X
Fiche: 50-438, 82/06/22, 8206300195

8206300067 Second interim deficiency rept re improper use of circuit breakers to connect non-Class IE switchgear control power to Class IE 125-volt dc boards, initially reported on 820319, per Design Criteria N4-EU-D775. Next rept due by 820806
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 2pp 13655 343 24X
Fiche: 50-438, 82/06/23, 8206300067

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715
MILLS, L. M. Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche: 50-000, 82/06/23, 8206300192

8206300301 Second interim deficiency rept re weldments on NAVCO spool pieces, initially reported 820224. Discrepancy between ASME requirements & insp procedures under investigation. Next rept due 821004. Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 3, Office of Director 2pp 13658 051 24X
Fiche: 50-438, 82/06/23, 8206300301

8206300349 Second interim deficiency rept re improperly welded chiller unit piping components, initially reported 820111. Seismic integrity of chillers evaluated. Next rept will be submitted by 820922. Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 2pp 13658 065 24X
Fiche: 50-438, 82/06/23, 8206300349

DOCKET 50-439 BELLEFONTE NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206020422 Forwards request for addl info re FSAR draft needed prior to 820614 site visit
SCHREIBER, D. L. Schreiber Consultants, Inc. 82/05/27 GONZALES, R.
Division of Engineering App. 13325 351, 24X Fiche: 50-438, 82/05/27, 8206020422

8206080243 Informs that const schedule has been officially revised to reflect Dec 1984 fuel load date for Unit 1. Revisions to schedule may be required as result of new reviews. Any change will be submitted at next appropriate quarterly update.
HAMMER, D. B. Tennessee Valley Authority 82/06/03, EISENHUT, D. O.
Division of Licensing 2pp 13422 013, 24X Fiche: 50-438, 82/06/03, 8206080243

8206110213 Advises that responses to NRC 801222 & 810203 ltrs re control of heavy loads will be submitted by 831215
MILLS, L. M. Tennessee Valley Authority 82/06/04, ADENBAM, E.
Licensing Branch 4 1p 13459 001, 24X Fiche: 50-438, 82/06/04, 8206110213

8206090133 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event, w/o encl
EISENHUT, D. O. Division of Licensing 82/06/09, HAUSPURO, A.
Consolidated Edison Co. of New York 13pp 13557 349, 24X
Fiche: 50-000, 82/06/09, 8206090133

8206150231 Informs that util will perform preliminary design analysis of facilities main control room & remote shutdown panels to identify significant human factors & instrumentation problems before fuel load
MILLS, L. M. Tennessee Valley Authority 82/06/11, ADENBAM, E.
Licensing Branch 4 App 13503 350, 24X Fiche: 50-438, 82/06/11, 8206150231

C Utility Environmental Report (ER), amends & correspondence

8206240003 Confirms NRC 820615-16 environ review site visit. Draft requests for addl info re environ rept encl
ADENBAM, E. O. Licensing Branch 4 82/06/08, PARRIS, H. O. Tennessee Valley Authority 13pp 13607 334 24X Fiche: 50-438, 82/06/08, 8206240003

F Security, medical, emergency & fire protection plans

8206070481 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl
STOHR, J. P. Division of Emergency Preparedness & Operational Support 82/05/12 PARRIS, H. O. Tennessee Valley Authority 1p 13375 093 24X Fiche: 50-000, 82/05/12, 8206070481

Q Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F. J. Division of Project & Resident Programs 82/05/20 PARRIS, H. O. Tennessee Valley Authority 3pp 13374 255 24X
Fiche: 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02. No noncompliance noted.
LENAHAN, J. J. Division of Project & Resident Programs 82/05/18 9pp 13374 258 24X Fiche: 50-000, 82/05/20, 8206070482

820240147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche: 50-000, 82/05/28, 820240147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche: 50-000, 82/06/02, 8204210380

8206220466 Ack receipt of 820521 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-438/82-09 & 50-439/82-09
LONG, F. J. Division of Project & Resident Programs 82/06/09, PARRIS, H. O. Tennessee Valley Authority 1p 13578 189 24X
Fiche: 50-438, 82/06/09, 8206220466

--8206220478 Responds to NRC 820422 ltr re violations noted in IE Insp Repts 50-438/82-09 & 50-439/82-09. Corrective actions: cited welds & welds identified in GCIRs 13,352 & 17,774 cut out & rewelded using approved processes & procedures.
MILLS, L. Tennessee Valley Authority 82/05/21 O'REILLY, J. P.
Region 2, Office of Director 3pp 13578 190 24X
Fiche: 50-438, 82/06/09, 8206220466

--8206220484 Forwards IE Insp Repts 50-438/82-09 & 50-439/82-09 on 820301-31 & notice of violation.
LONG, F. J. Division of Project & Resident Programs 82/04/22, PARRIS, H. O. Tennessee Valley Authority 2pp 13578 193 24X
Fiche: 50-438, 82/06/09, 8206220466

--8206220488 Notice of violation from insp on 820301-31
* Division of Project & Resident Programs 82/04/22 1p 13578 195 24X Fiche: 50-438, 82/06/09, 8206220466

--8206220496 IE Insp Repts 50-438/82-09 & 50-439/82-09 on 820301-31. Noncompliance noted: three pipe welds in boric acid pump room were rewelded w/o detailed weld procedure.
WILCOX, J. D., QUICK, D. R. Division of Project & Resident Programs 82/04/22 10pp 13578 196 24X Fiche: 50-438, 82/06/09, 8206220466

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl.
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 258 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche: 50-000, 82/06/11, 8204210384

B Reportable occurrences, LERs & related correspondence

B206010253 Ninth interim deficiency rept re QA breakdown - deficient fillet welds, originally reported on B00507 Nonconformance Repts 1189, 1203 & 1363 weld evaluations continuing Next rept due by 821116
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 2pp 13307 052 24X
Fiche 50-438, 82/05/18, B206010253

B206010386 Fifth interim deficiency rept re seismic qualification of B&W equipment in TVA pannels, initially reported B01124 All but 32 of 253 devices have been determined acceptable B&W will consider requalification
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 2pp 13311 334 24X
Fiche 50-438, 82/05/18, B206010386

B206010489 Sixth interim deficiency rept re hardened grease on reactor bldg cooling fan bearings, initially reported B10128 Onsite insp performed by Reliance Electric Motor Co Tubing removed & grease relief holes plugged Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 2pp 13314 093 24X
Fiche 50-438, 82/05/18, B206010489

B206010549 Third interim deficiency rept re seismic support lugs on 2-inch or less stainless steel pipe, initially reported B11224 Weld mockups using seismic lugs & butt welds sent to Singleton Matls Lab for evaluation
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 2pp 13315 328 24X
Fiche 50-438, 82/05/18, B206010549

B206010216 Deficiency rept re failure of Transamerica Delaval to promptly correct deficiencies, initially reported B20114 Completion date of corrective actions delayed to B20630 Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 1p 13300 086 24X
Fiche 50-000, 82/05/20, B206010216

B206070107 First interim deficiency rept re lack of environ qualification of equipment in auxiliary bldg because of potential failure of startup & recirculation sys, initially reported B20422 Next rept expected by 821231
MILLS, L M Tennessee Valley Authority 82/05/24 O'REILLY, J P
Region 2, Office of Director 2pp 13370 319 24X
Fiche 50-438, 82/05/24, B206070107

B206070135 Fifth interim deficiency rept re tolerance for tubular steel cable tray hangers, initially reported B10716 Cause of deficiency still being evaluated Next rept expected by 820726
MILLS, L M Tennessee Valley Authority 82/05/24 O'REILLY, J P
Region 2, Office of Director 1p 13371 024 24X
Fiche 50-438, 82/05/24, B206070135

B206070467 Fourth interim deficiency rept re unacceptable pipe break interactions, initially reported on B10127 Engineering change notices re chilled water piping, demineralized water piping & fire protection piping initiated
MILLS, L M Tennessee Valley Authority 82/05/24 O'REILLY, J P
Region 2, Office of Director 2pp 13374 212 24X
Fiche 50-438, 82/05/24, B206070467

Final final deficiency rept re receiving, checking & initially reported on B11027 Final rept 3 Corrective action expected to be
by 820730,
Valley Authority, 82/05/25 O'REILLY, J P
Director 1p 13368 212 24X
B206070104,

icy rept re check valve leak in air
rators, initially reported
reported per

05/28 O'REILLY, J P,
24X

B206110128 First interim deficiency rept re operational defects in high pressure injection nozzles & thermal sleeves, initially reported B20429 Nonconformance rept forwarded to B&W for corrective action Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 2pp 13463 220 24X
Fiche 50-438, 82/06/01, B206110128

B206110144 Second interim deficiency rept re improper use of foam plastic insulation on stainless steel pipe, initially reported on B20203 Revisions to instructional memo & mechanical design guide initiated Next rept by B20908
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 2pp 13467 058 24X
Fiche 50-438, 82/06/01, B206110144

B206110282 Second interim deficiency rept re review of purchase requisitions, initially reported B20120 Study being conducted of procurement process including all aspects of sys Next rept due by 820916
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13466 162 24X
Fiche 50-000, 82/06/01, B206110282

B206110280 Interim deficiency rept re nonconforming matl used by WKM in decay heat removal valves, initially reported on B20503 B&W investigation continuing Next rept by 820719
MILLS, L M Tennessee Valley Authority 82/06/02 O'REILLY, J P
Region 2, Office of Director, 2pp 13466 226 24X
Fiche 50-438, 82/06/02, B206110280

B206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on B20120 QA training completed B20318 & technical training ongoing Administrative Instruction GEB-A1 104 implemented
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, B206110159

B206110202 Final deficiency rept re main steam valve room A pipe anchor support loads, initially reported on B20723 Concrete stiffening walls designed & released to increase capacity of R-line wall in area of main steam pipe anchors.
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P
Region 2, Office of Director 2pp 13466 341 24X
Fiche 50-438, 82/06/03, B206110202

B206110223 Revised final deficiency rept re Consolidated Control Corp field butterfly cards Revision due to change in completion date of corrective action Two-month delay anticipated due to complexity of required repairs
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P
Region 2, Office of Director 2pp 13466 298 24X
Fiche 50-438, 82/06/03, B206110223

B206110120 Seventh interim deficiency rept re lack of rebar at main steam flued head, initially reported on B10227 Cause & corrective actions being identified to prevent recurrence
Next rept by 820806
MILLS, L M Tennessee Valley Authority 82/06/04 O'REILLY, J P
Region 2, Office of Director, 2pp 13465 227 24X
Fiche 50-438, 82/06/04, B206110120

B206110323 Tenth interim deficiency rept re welding of structural steel annulus floor framing, initially reported on B00415, Corrective actions being finalized Next rept to be provided by 820726
MILLS, L M Tennessee Valley Authority 82/06/07 O'REILLY, J P
Region 2, Office of Director 1p 13467 066, 24X
Fiche 50-439, 82/06/07, B206110323

B206210144 Interim deficiency rept re failure of Viking flow control valves in fire protection sys, initially reported B11124 Mod ineffective, Pressure control removed, Next rept B21006, Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/06/07 O'REILLY, J P
Region 2, Office of Director, 2pp 13359 246 24X
Fiche 50-438, 82/06/07, B206210144

B206210581 Fourth interim deficiency rept re bolt torques of RCB supports & restraints, initially reported B10824 Deficiency under investigation Next rept expected B21219 Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/06/07 O'REILLY, J P
Region 2, Office of Director 2pp 13363 219 24X
Fiche 50-438, 82/06/07, B206210581

B206210589 First interim deficiency rept re qualification of RHR/decay heat removal sump valve room, initially reported B20422 FBARs will be revised to accurately reflect plant configuration
Next rept expected by 820907
MILLS, L M Tennessee Valley Authority 82/06/07 O'REILLY, J P
Region 2, Office of Director, 2pp 13363 271 24X
Fiche 50-000, 82/06/07, B206210589

8206210436 Third interim deficiency rept re auxiliary bldg fuel handling zone ventilation fans, initially reported on 810906 Negotiations in progress to have coil manufacturers provide seismic qualifications for hot water heating coils
MILLS, L. M. Tennessee Valley Authority 82/06/11 O'REILLY, J. P.
Region 2, Office of Director 2pp 13568 319 24X
Fiche 50-438, 82/06/11, 8206210436

8206210431 Second interim deficiency rept re governor lube oil coolers located above max elevations on TransAmerica Delaval diesel generators Problem will be corrected upon receipt of instructions from supplier Also reported under Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/14 O'REILLY, J. P.
Region 2, Office of Director 2pp 13568 261 24X
Fiche 50-438, 82/06/14, 8206210431

8206210528 Final deficiency rept re installation of wrong valued resistor in modules, initially reported 820518 Seventy-nine field buffer modules required replacement of 3 6 ohm resistor w/5.6 ohm resistor Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/15 O'REILLY, J. P.
Region 2, Office of Director 3pp 13566 143 24X
Fiche: 50-438, 82/06/15, 8206210528

8206220590 Final deficiency rept re failure of auxiliary control room diesel generators to start automatically upon loss of offsite power, initially reported on 810720 Engineering Change Notice 1309 issued on 820313
MILLS, L. M. Tennessee Valley Authority 82/06/16 O'REILLY, J. P.
Region 2, Office of Director 2pp 13582 150 24X
Fiche: 50-438, 82/06/16, 8206220590

8206220390 Second revised final deficiency rept re Lambda power module failures, initially reported 801218 Bailey Meter Co will change cleaning procedures & Sprague will coat exposed foil w/epoxy Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/17 O'REILLY, J. P.
Region 2, Office of Director 2pp 13582 021 24X
Fiche: 50-438, 82/06/17, 8206220390

8206240083 Second interim deficiency rept re insoluble glue used for purge dams in stainless steel piping, initially reported 820322 Five percent solution of acetic acid will be recirculated through sys piping Next rept by 820920
MILLS, L. M. Tennessee Valley Authority 82/06/18 O'REILLY, J. P.
Region 2, Office of Director 2pp 13577 248 24X
Fiche: 50-438, 82/06/18, 8206240083

8206300173 Final supplemental deficiency rept re deficient pipe supports, initially reported 810406 Matter will now be reported as separate item
MILLS, L. M. Tennessee Valley Authority 82/06/21 O'REILLY, J. P.
Region 2, Office of Director 1p 13634 263 24X
Fiche: 50-438, 82/06/21, 8206300173

8206300211 First interim deficiency rept re error discovered in thermal movement column of support design load Drawing 38H0417-NV-04, initially reported 811215 Affected supports to be identified Next rept by 830125
MILLS, L. M. Tennessee Valley Authority 82/06/21 O'REILLY, J. P.
Region 2, Office of Director 2pp 13634 329 24X
Fiche: 50-438, 82/06/21, 8206300211

8206300058 Second interim deficiency rept re incomplete description of assumptions & limitations of WERC program contributing to unacceptable usage of program in design of TVA plants, initially reported on 820409 Next rept by 821005
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 2pp 13653 357 24X
Fiche: 50-000, 82/06/22, 8206300058

8206300153 Final deficiency rept re fillet weld misspec, initially reported 801107 Results of testing program validate usage of fillet welding
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 3pp 13655 296 24X
Fiche 50-438, 82/06/22, 8206300153

8206300195 Fifth interim deficiency rept re attached piping potential safety concern, initially reported 801121 B&W evaluation continuing Next rept will be submitted by 821014 Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/22 O'REILLY, J. P.
Region 2, Office of Director 3pp 13655 340 24X
Fiche: 50-438, 82/06/22, 8206300195

8206300067 Second interim deficiency rept re improper use of circuit breakers to connect non-Class IE switchgear control power to Class IE 125-volt dc boards, initially reported on 820319, per Design Criteria N4-EU-D775 Next rept due by 820806
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 2pp 13655 343 24X
Fiche: 50-438, 82/06/23, 8206300067

8206300192 Part 21 rept re potential defect in couplings drive element of DBRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLS, L. M. Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

8206300349 Second interim deficiency rept re improperly welded chiller unit piping components, initially reported 820111 Seismic integrity of chillers evaluated Next rept will be submitted by 820922 Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/23 O'REILLY, J. P.
Region 2, Office of Director 2pp 13658 065 24X
Fiche 50-438, 82/06/23, 8206300349

DOCKET 50-440 PERRY NUCLEAR POWER PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206110220 Forwards responses to Structural Engineering Branch request for addl info re design of intake & discharge cooling water tunnels Questions based on 820311 submittal
DAVIDSON, D. R. Cleveland Electric Illuminating Co 82/06/02
SCHWENGER, A. Licensing Branch 2 11pp 13467 043 24X
Fiche 50-440, 82/06/02, 8206110220

8206110230 Forwards description of preoperational vibration monitoring for balance-of-plant sys, as committed to in meetings w/Mechanical Engineering Branch during Aug 1981
DAVIDSON, D. R. Cleveland Electric Illuminating Co 82/06/02
SCHWENGER, A. Licensing Branch 2 12pp 13466 260 24X
Fiche 50-440, 82/06/02, 8206110230

8206150317 Forwards comments on 820512 meeting re equipment qualification program Concurrence/comments requested Major agenda items discussed, Viewgraphs encl
DAVIDSON, D. R. Cleveland Electric Illuminating Co 82/06/02
SCHWENGER, A. Licensing Branch 2 38pp 13506 087 24X
Fiche 50-440, 82/06/02, 8206150317

8206110365 Forwards draft technical evaluation rept re control of heavy loads Rept based on response to Section 2.1 of generic ltr dtd 801222 on "Control of Heavy Loads"
DAVIDSON, D. R. Cleveland Electric Illuminating Co 82/06/03
SCHWENGER, A. Licensing Branch 2 2pp 13490 253 24X
Fiche 50-440, 82/06/03, 8206110365

--8206110368 "Control of Heavy Loads at Nuclear Power Plants; Perry Nuclear Power Plant Units 1 & 2; Cleveland Electric Illuminating Co," draft
STICKLEY, T. H. E&O, Inc. 82/05/31 NRC - No Detailed Affiliation Given 33pp 13490 255 24X Fiche: 50-440, 82/06/03, 8206110368

8206150274 "Summary Rept of Human Factors Design Review of Perry Control Room - Control room review suppl & control room survey task force evaluation encl
ROSS, K. C. SEMINARA, J. L., THIBODEAUX, B. BWR Owners Group 82/02/12
152pp 13904 132 24X Fiche 50-440, 82/06/07, 8206150269

8206150197 Forwards revised responses to Containment Sys Branch Questions 4B0 4B & TMI Action Item 11 E 4 2 discussed in 820521 meeting Responses will be incorporated in future F8AR amend
DAVIDSON, D. R. Cleveland Electric Illuminating Co 82/06/08
SCHWENGER, A. Licensing Branch 2 16pp 13501 331 24X
Fiche: 50-440, 82/06/08, 8206150197

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D. G. Division of Licensing 82/06/09 HAUSFORD, A.
Consolidated Edison Co. of New York 13pp 13557 349 24X
Fiche: 50-000, 82/06/09, 8206090153

8206150336 Forwards "Structural Analysis Summary for Vessel Head..." & NEDE-25525, "Structural Analysis of Reactor Pressure Vessel & Internals for Vessel Head Drop, Shroud Head Assembly..." Repts withheld (ref 10CFR2.750)
DAVIDSON, D. R. Cleveland Electric Illuminating Co. 82/06/09
SCHWENGER, A. Licensing Branch 2 5pp 13503 283 24X
Fiche: 50-440, 82/06/09, 8206150336

8206150241 Ack receipt of 820506 ltr informing NRC of steps taken to correct items noted during 820210 meeting w/NRC Mgt conference will be held in 820618 to discuss results of investigation completed on 820319
MORELUS, C. E. Division of Engineering & Technical Programs
82/06/10 DAVIDSON, D. R. Cleveland Electric Illuminating Co. 1p 13497 347 24X Fiche: 50-440, 82/06/10, 8206150241

--8206150249 Discusses actions taken re items noted during 820210 meeting w/NRC Evaluations showed safety-related contractors have adequate QA programs Review of nonconformance sys completed, resulting in program improvement
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/06
KEPPLER, J O Region 3, Office of Director 3pp 13497 348 24X
Fiche 50-440, 82/06/10, 8206150241

8206230342 Notification of 820617 meeting w/util in Bethesda, MD to discuss new loads evaluation for pool dynamic loads & allegations of unreviewed safety concerns for containment
STEFANO, J Licensing Branch 2 82/06/17 SCHWENCER, A Licensing Branch 2 3pp 13603 342 24X Fiche 50-440, 82/06/17, 8206230342

E NRC Safety Evaluation Report (SER), supp's & correspondence

8206170055 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF PERRY NUCLEAR POWER PLANTS, UNITS 1 & 2 Docket Nos 50-440 And 50-441 (Cleveland Electric Illuminating Company)
* Office of Nuclear Reactor Regulation, Director NUREG-0887
82/05/31, 370pp Available at NTIS \$12.00 13556.001 24X
Fiche 50-440, 82/05/31, 8206170055

8206150234 Suppl's 820429 response to SER Open Item 17 & FSAR Question 430.17 re quality group classification of HPCB diesel generator skid-mounted auxiliary piping Piping adequately designed, per Reg Guide 1.26
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/07
SCHWENCER, A Licensing Branch 2 5pp 13493 359 24X
Fiche 50-440, 82/06/07, 8206150234

8206150269 Forwards response to SER Open Item 7 re control room design review
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/06/07
SCHWENCER, A Licensing Branch 2, 3pp. 13504 001 24X
Fiche 50-440, 82/06/07, 8206150269

--8206150271 "BWR Owners Group Control Room Survey Workshop Suppl 1"
* BWR Owners Group 82/06/07 75pp 13504 004 24X
Fiche 50-440, 82/06/07, 8206150269

8206220087 Forwards add'l info re containment buckling analysis, per Structural Engineering Branch request for SER review
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/06/07
SCHWENCER, A Licensing Branch 2, 13pp 13573.211 24X
Fiche 50-440, 82/06/07, 8206220087

8206170298 Discusses review & analysis of Class IE undervoltage protection scheme, per SER confirmatory item, conducted in response to FSAR Question 430.77 Design changes underway
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/08
SCHWENCER, A. Licensing Branch 2 3pp 13529.197 24X
Fiche 50-440, 82/06/08, 8206170298

8206220337 Forwards response to SER Open Item 15 re fire protection features to ensure safe shutdown capability, per 10CFR App R, Section III G, referenced in 820506 ltr
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/16
SCHWENCER, A Licensing Branch 2 25pp 13585.297 24X
Fiche 50-440, 82/06/16, 8206220337.

F Security, medical, emergency & fire protection plans

8206080441 Notifies of acceptance of 820301 security plan Plan to be fully implemented upon receipt of OL
SCHWENCER, A Licensing Branch 2 82/06/02 DAVIDSON, D R Cleveland Electric Illuminating Co 2pp 13441.006 24X
Fiche 50-440, 82/06/02, 8206080441

8206220014 Responds to 820519 ltr appealing Chemical Engineering Branch position requiring Halon fire suppressant agent for control rooms Meeting will be arranged to address concerns.
SCHWENCER, A. Licensing Branch 2 82/06/09 DAVIDSON, D R Cleveland Electric Illuminating Co 3pp 13583.360 24X
Fiche 50-440, 82/06/09, 8206220014.

8206220337 Forwards response to SER Open Item 15 re fire protection features to ensure safe shutdown capability, per 10CFR App R, Section III G, referenced in 820506 ltr,
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/06/16
SCHWENCER, A. Licensing Branch 2 25pp 13585.297 24X
Fiche 50-440, 82/06/16, 8206220337.

atory correspondence

quests to make limited appearance statement at hearings.
* Affiliation Unknown. 82/05/26 Atomic Safety and
Board Panel 1p 13550 042. 24X Fiche 50-440, 82/05/26,

8206040031 Response to 820503 second set of interrogatories & request for production of documents re Issue 4 on 30-degree sector steam methodology confirmation tests Proof of svc & affidavit encl Related correspondence
WILT, D D Sunflower Alliance WILT, D D Wilt, D D 82/05/28
Cleveland Electric Illuminating Co 10pp 13347 351 24X
Fiche 50-440, 82/05/28, 8206040031

8206040036 Response to 820405 first set of interrogatories Proof of svc encl Related correspondence
WILT, D D Sunflower Alliance WILT, D D Wilt, D D 82/05/28
Office of the Executive Legal Director 1p 13348 361 24X
Fiche 50-440, 82/05/28, 8206040036

8206040085 Answer to 820224 request for production of documents Certificate of Svc encl
WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L Shaw, Pittman, Potts & Trowbridge 82/05/28 Sunflower Alliance 16pp 13347 241 24X Fiche 50-440, 82/05/28, 8206040085

8206040120 Requests confirmation that J Alexander thesis "Population Energetics of Freshwater Clam Musculum Lacustra" used in 811130 response to 811015 interrogatories cannot be produced Svc list encl
WILLMORE, R L Shaw, Pittman, Potts & Trowbridge WILLMORE, R L Cleveland Electric Illuminating Co 82/06/01 HIATT, B Ohio Citizens for Responsible Energy App 13345 357 24X
Fiche 50-440, 82/06/01, 8206040120

8206070115 Motion to resubmit Contention 15 re safe disposal/storage of radioactive mats Qood cause shown for late filing due to recent court decision Certificate of Svc encl
HIATT, S L Ohio Citizens for Responsible Energy 82/06/01 Atomic Safety and Licensing Board Panel 5pp 13369 254 24X
Fiche 50-440, 82/06/01, 8206070115

8206070515 Reply opposing NRC & applicant responses to OH Citizens for Responsible Energy 820422 motion for leave to file Contentions 17, 18 & 19 Certificate of Svc encl
HIATT, S L Ohio Citizens for Responsible Energy 82/06/01 Atomic Safety and Licensing Board Panel 10pp 13374 353 24X
Fiche 50-440, 82/06/01, 8206070515

8206070540 Advises that attachment referred to in DG Eisenhut 780203 ltr to GO Sherwood was forwarded 2 months ago Response to Interrogatory 17 of applicant second set should be so supplemented
WILLMORE, R L Shaw, Pittman, Potts & Trowbridge WILLMORE, R L Cleveland Electric Illuminating Co 82/06/01 WILT, D D Wilt, D D WILT, D D Sunflower Alliance App 13374 132. 24X
Fiche 50-440, 82/06/01, 8206070540

8206170140 Application for 7-day extension until 820621 to file reply brief supporting motion to add contention re psychological stress Affidavits to be included in brief cannot be obtained prior to 820614 Proof of svc encl
WILT, D D Sunflower Alliance 82/06/11 Atomic Safety and Licensing Board Panel 1p 13530 218 24X Fiche 50-440, 82/06/11, 8206170140

8206170258 Discovery progress rept for previous 2 months, per ASLB 810909 order
THEBBIN, J H Hearing Branch 2 82/06/14, BLOCH, P B, SHON, F J, KLINE, J R Atomic Safety and Licensing Board Panel 2pp. 13531.335 24X Fiche 50-440, 82/06/14, 8206170258

8206170347 Fifth discovery progress rept Certificate of Svc encl.
WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L Shaw, Pittman, Potts & Trowbridge 82/06/15, 5pp 13531 322 24X
Fiche 50-440, 82/06/15, 8206170347.

8206180185 Fifth discovery progress rept per ASLB 810909 Memorandum & Order, LBP-81-35 Certificate of Svc encl
HIATT, S L Ohio Citizens for Responsible Energy 82/06/15 2pp 13552 254 24X Fiche 50-440, 82/06/15, 8206180185.

8206180279 Answer opposing OH Citizens for Responsible Energy motion to resubmit Contention 15 re waste confidence proceeding Cited decision cannot serve as good cause for untimely submittal of original contention Certificate of Svc encl
WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L Shaw, Pittman, Potts & Trowbridge 82/06/16 Atomic Safety and Licensing Board Panel. 16pp 13551.185 24X Fiche 50-440, 82/06/16, 8206180279

8206240404 Requests to make limited appearance statement at hearings
KLINE, C Affiliation Unknown. 82/06/18 Atomic Safety and Licensing Board Panel 1p. 13603 111 24X Fiche 50-440, 82/06/18, 8206240404

DOCKETED ITEMS

8206230046 Forwards SER, NUREG-0887 W/o encl
THESSIN, J H Hearing Branch 2 82/06/21 BLOCH, P B, KLINE, J R,
BROWN, F J Atomic Safety and Licensing Board Panel 1p 13590 285
24X Fiche 50-440, 82/06/21, 8206230046

--8206230049 Response to OH Citizens for Responsible Energy 820601
motion to amend intervention petition by resubmitting
Contention 15 re storage & disposal of radwaste Ruling
should be deferred Certificate of Svc encl
THESSIN, J H, LEWIS, S H Hearing Branch 2 82/06/21 Atomic
Safety and Licensing Board Panel 10pp 13590 287 24X
Fiche 50-440, 82/06/21, 8206230046

8206240402 Motion & supporting brief for order compelling applicant to
answer Sunflower Alliance first set of interrogatories Scope
of discovery to be construed broadly Proof of svc encl
WILT, D D Sunflower Alliance 82/06/21 Atomic Safety and
Licensing Board Panel 8pp 13603 112. 24X Fiche 50-440, 82/06/21,
8206240402

8206240430 Reply supporting motion to add two late-filed contentions
on psychological stress People Against Nuclear Energy vs
NRC clearly held that Commission required to consider such
issues under NEPA Proof of svc encl
WILT, S Sunflower Alliance WILT, S Wilt, D D 82/06/21
Atomic Safety and Licensing Board Panel 7pp. 13601 158 24X
Fiche 50-440, 82/06/21, 8206240430

8206240391 Order extending time until 820709 for Commission to consider
whether to review ALAB-673
CHILK, S J Office of the Secretary of the Commission 82/06/22
Commissioners 1p 13603 146 24X Fiche 50-440, 82/06/22,
8206240391

8206290297 Answer to 820430 second set of interrogatories Certificate
of Svc encl
WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L
Shaw, Pittman, Potts & Troubridge 82/06/25 Sunflower Alliance,
7pp 13636 231 24X Fiche 50-440, 82/06/25, 8206290297

8206290314 Forwards Ofc of Analysis & Evaluation of Operational Data
800801 memo & executive summary to assist in answer to OH
Citizens for Responsible Energy 820429 Interrogatory 2-14
of second set of interrogatories
HATT, S L Ohio Citizens for Responsible Energy. 82/06/25
SILBERO, J Shaw, Pittman, Potts & Troubridge. SILBERO, J Cleveland
Electric Illuminating Co 1p. 13636 147 24X Fiche 50-440,
82/06/25, 8206290314

0 Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 093 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206070871 Ack receipt of 820430 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-440/82-03 &
50-441/82-03
NORELIUS, C E. Division of Engineering & Technical Programs
82/06/01 DAVIDSON, D R. Cleveland Electric Illuminating Co 1p
13387 352 24X Fiche 50-440, 82/06/01, 8206070871

--8206070877 Responds to NRC 820406 ltr re violations noted in IE Insp
Repts 50-440/82-03 & 50-441/82-03 Corrective actions:
Assembly OM-61-21X Weld B, reradiographed w/location
markers placed in correct locations
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/04/30
NORELIUS, C E Division of Engineering & Technical Programs 3pp.
13387 353 24X Fiche 50-440, 82/06/01, 8206070871

8206170092 Forwards IE Insp Repts 50-440/82-04 & 50-441/82-04 on
820301-0430 No noncompliance noted
STREETER, J F Division of Project & Resident Programs. 82/06/01.
DAVIDSON, D R. Cleveland Electric Illuminating Co 2pp. 13530 129
24X Fiche 50-440, 82/06/01, 8206170092

--8206170095 IE Insp Repts 50-440/82-04 & 50-441/82-04 on 820301-0430 No
noncompliance noted. Major areas inspected observation of
concrete placements & assembly of emergency diesel
generator
GILDNER, M L, KONKLIN, J E Division of Project & Resident
Programs 82/05/31. 4pp 13530 125 24X Fiche: 50-440, 82/06/01,
8206170092

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement. 82/06/02 108pp. 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche: 50-000, 82/06/11, 8204210384

8206290283 Discusses use of flammable matl in Class IE switchgear,
noted during IE insps Use of mounting bases may void
IEEE-323 & IEEE-383 qualification because of flammable
nature. Licensee plans to justify use
NAIDU, K R Region 3, Office of Director 82/06/24 NORELIUS, C E
Division of Engineering & Technical Programs 2pp 13636 221 24X
Fiche 50-000, 82/06/24, 8206290283

8 Reportable occurrences, LERs & related correspondence

8206070450 Interim deficiency rept re cable tray & conduit support
welding, initially reported on 820430. Weld symbol Type Y(t)
improperly fit up. Weld preparation was not in accordance w/
AWS stds Analysis underway Next rept due by 820331
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/28
KEPPLER, J Q Region 3, Office of Director 2pp 13374 229 24X
Fiche 50-440, 82/05/28, 8206070450

8206070461 Final deficiency rept re improper nut/gland assembly for dc
motor control ctr, initially reported on 820430 One assembly
found not seismically qualified Cutler-Hammer will supply
proper assembly Investigation to be complete by 821101.
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/05/28
KEPPLER, J Q Region 3, Office of Director 2pp 13374 218. 24X
Fiche 50-440, 82/05/28, 8206070461

8206070511 Interim deficiency rept re potential link rod deficiency in
standby diesel generators, initially reported on 811125 Insp
to be conducted during engine crankshaft deflection testing
Final rept due by 821210
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/28
KEPPLER, J Q Region 3, Office of Director 1p 13374 267 24X
Fiche 50-440, 82/05/28, 8206070511

8206070669 Final deficiency rept re improper coils installed in dc
motor control ctrs, initially reported on 820430 Eight units
contained R or M relays instead of L All dc motor ctrs to be
inspected by 821101
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/28.
KEPPLER, J Q Region 3, Office of Director 2pp. 13390 237. 24X
Fiche. 50-440, 82/05/28, 8206070669

8206080230 Final deficiency rept re socket weld fit-ups for safety
class control rod drive sys piping, initially reported
810603. All bottomed-out socket weld joints being reworked.
Joint rework should be completed by 820730.
DAVIDSON, D R. Cleveland Electric Illuminating Co 82/06/03
KEPPLER, J Q Region 3, Office of Director. 2pp. 13421 360. 24X
Fiche 50-440, 82/06/03, 8206080230

8206150361 Final deficiency rept re low density heavyweight concrete in
biological shield walls of reactor bldgs, initially reported
810719 Walls will be repaired by removing low density matl
& replacing w/high density grout Completion by 820701.
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/06/07.
KEPPLER, J Q. Region 3, Office of Director 4pp 13506 172 24X
Fiche. 50-440, 82/06/07, 8206150361

8206240418 Final Part 21 rept re incomplete fill in biological
shield wall concrete of both reactor bldgs, initially
reported 811201. Areas in bioshield walls having less than
acceptable min nominal density will be repaired
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/06/14.
KEPPLER, J Q. Region 3, Office of Director 3pp. 13601 155 24X
Fiche. 50-440, 82/06/14, 8206240418

8206240326 Part 21 rept re pneumatic actuator yoke failure. List of
other projects w/similar equipment encl.
WILSON, A K. Henry Pratt Co. 82/06/18 KEPPLER, J Q Region 3,
Office of Director. 3pp 13603 189. 24X Fiche: 50-000, 82/06/18,
8206240326

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MFLG.L L Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-441 PERRY NUCLEAR POWER PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206110220 Forwards responses to Structural Engineering Branch request for addl info re design of intake & discharge cooling water tunnels Questions based on 820311 submittal
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/02
SCHWENCER, A Licensing Branch 2 11pp 13467 043 24X
Fiche 50-440, 82/06/02, 8206110220

8206110230 Forwards description of preoperational vibration monitoring for balance-of-plant sys.as committed to in meetings w/Mechanical Engineering Branch during Aug 1981.
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/02
SCHWENCER, A Licensing Branch 2 12pp 13466 260 24X
Fiche 50-440, 82/06/02, 8206110230

8206150317 Forwards comments on 820512 meeting re equipment qualification program Concurrence/comments requested Major agenda items discussed. Viewgraphs encl
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/02
SCHWENCER, A Licensing Branch 2 38pp 13506-087 24X
Fiche 50-440, 82/06/02, 8206150317

8206110365 Forwards draft technical evaluation rept re control of heavy loads. Rept based on response to Section 2.1 of generic ltr dtd 801222 on "Control of Heavy Loads"
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/03
SCHWENCER, A Licensing Branch 2 2pp 13490 253 24X
Fiche 50-440, 82/06/03, 8206110365

--8206110368 "Control of Heavy Loads at Nuclear Power Plants, Perry Nuclear Power Plant Units 1 & 2, Cleveland Electric Illuminating Co, " draft
STICKLEY, T H E&O, Inc 82/03/31. NRC - No Detailed Affiliation Given 33pp 13490 255 24X Fiche 50-440, 82/06/03, 8206110368

8206150274 "Summary Rept of Human Factors Design Review of Perry Control Room " Control room review suppl & control room survey task force evaluation encl
ROSS, K C, SEMINARA, J. L., THIBODEAUX, B. BWR Owners Group 82/02/12, 152pp 13504-132 24X Fiche 50-440, 82/06/07, 8206150269

8206150197 Forwards revised responses to Containment Sys Branch Questions 480 48 & YMI Action Item II, E. 4. 2 discussed in 820521 meeting Responses will be incorporated in future FSAR amend
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/08
SCHWENCER, A Licensing Branch 2 16pp 13501-331 24X
Fiche 50-440, 82/06/08, 8206150197

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restat of RE Ginna. Rept documents findings re cause of event w/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co. of New York 13pp 13537 347 24X
Fiche 50-000, 82/06/09, 8206090153

8206150336 Forwards "Structural Analysis Summary for Vessel Head, " & NEDE-23525, "Structural Analysis of Reactor Pressure Vessel & Internals for Vessel Head Drop, Shroud Head Assembly, " "

8206230342 Notification of 820617 meeting w/util in Bethesda, MD to discuss new loads evaluation for pool dynamic loads & allegations of unreviewed safety concerns for containment
STEFANO, J Licensing Branch 2 82/06/17 SCHWENCER, A Licensing Branch 2 3pp 13603 342 24X Fiche 50-440, 82/06/17, 8206230342

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206170055 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF PERRY NUCLEAR POWER PLANTS, UNITS 1 & 2 Docket Nos 50-440 And 50-441 (Cleveland Electric Illuminating Company)
* Office of Nuclear Reactor Regulation, Director NUREG-0887 82/05/31 370pp Available at NTIS \$12 00 13596 001 24X
Fiche 50-440, 82/05/31, 8206170055

8206150234 Suppl 820429 response to SER Open Item 17 & FSAR Question 430 17 re quality group classification of HPCS diesel generator skid-mounted auxiliary piping Piping adequately designed, per Reg Guide 1.26
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/07
SCHWENCER, A Licensing Branch 2 3pp 13495 359 24X
Fiche 50-440, 82/06/07, 8206150234

8206150269 Forwards response to SER Open Item 7 re control room design review
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/07.
SCHWENCER, A Licensing Branch 2 3pp 13504 001 24X
Fiche 50-440, 82/06/07, 8206150269

--8206150271 "BWR Owners Group Control Room Survey Workshop Suppl " * BWR Owners Group 82/06/07 95pp 13504 004 24X
Fiche 50-440, 82/06/07, 8206150269

8206220087 Forwards addl info re containment buckling analysis, per Structural Engineering Branch request for SER review
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/07
SCHWENCER, A Licensing Branch 2 13pp 13573 211 24X
Fiche 50-440, 82/06/07, 8206220087

8206170298 Discusses review & analysis of Class IE undervoltage protection scheme, per SER confirmatory item conducted in response to FSAR Question 430 77 Design changes underway
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/08
SCHWENCER, A Licensing Branch 2 3pp 13529 197 24X
Fiche 50-440, 82/06/08, 8206170298

8206220337 Forwards response to SER Open Item 15 re fire protection features to ensure safe shutdown capability, per 10CFR App R, Section III G, referenced in 820506 ltr
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/16
SCHWENCER, A Licensing Branch 2 25pp 13585 297 24X
Fiche 50-440, 82/06/16, 8206220337

F Security, medical, emergency & fire protection plans

8206080441 Notices of acceptance of 820301 security plan Plan to be fully implemented upon receipt of OL
SCHWENCER, A Licensing Branch 2 82/06/02 DAVIDSON, D R Cleveland Electric Illuminating Co 2pp 13441 006 24X
Fiche 50-440, 82/06/02, 8206080441,

8206220014 Responds to 820519 ltr appealing Chemical Engineering Branch position requiring Halon fire suppressant agent for control rooms Meeting will be arranged to address concerns
SCHWENCER, A Licensing Branch 2. 82/06/09 DAVIDSON, D R Cleveland Electric Illuminating Co 3pp 13583 360 24X
Fiche 50-440, 82/06/09, 8206220014

8206220337 Forwards response to SER Open Item 15 re fire protection features to ensure safe shutdown capability, per 10CFR App R, Section III G, referenced in 820506 ltr
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/16
SCHWENCER, A Licensing Branch 2 25pp 13585 297 24X
Fiche 50-440, 82/06/16, 8206220337

G. Adjudicatory correspondence

8206040094 Requests to make limited appearance statement at hearings HELSLEY, P B Affiliation Unknown 82/05/26 Atomic Safety and Licensing Board Panel 1p. 13390 042 24X Fiche 50-440, 82/05/26, 8206040094

8206040031 Response to 820503 second set of interrogatories & request for production of documents re Issue 4 on 30-degree sector steam methodology confirmation tests Proof of svc & affidavit encl Related correspondence.
WILT, D D Sunflower Alliance WILT, D D Wilt, D D. 82/05/28
Cleveland Electric Illuminating Co 10pp 13347.351. 24X
Fiche 50-440, 82/05/28, 8206040031.

8206040036 Response to 820405 first set of interrogatories Proof of
 svc encl Related correspondence
 WILT, D D Sunflower Alliance WILT, D D Wilt, D D 82/05/28
 Office of the Executive Legal Director 1p 13348 361 24X
 Fiche 50-440, 82/05/28, 8206040036

8206040085 Answer to 820224 request for production of documents
 Certificate of Bvc encl
 WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L
 Shaw, Pittman, Potts & Trowbridge 82/05/28, Sunflower Alliance
 16pp 13347 241 24X Fiche 50-440, 82/05/28, 8206040085

8206040120 Requests confirmation that J Alexander thesis "Population
 Energetics of Freshwater Clam Musculium Lacustris" used in
 B1130 response to B1015 interrogatories cannot be
 produced Bvc list encl
 WILLMORE, R L Shaw, Pittman, Potts & Trowbridge WILLMORE, R L
 Cleveland Electric Illuminating Co 82/06/01 HIATT, S Ohio
 Citizens for Responsible Energy 4pp 13345 357 24X
 Fiche 50-440, 82/06/01, 8206040120

8206070115 Motion to resubmit Contention 15 re safe disposal/storage of
 radioactive mats Good cause shown for late filing due to
 recent court decision Certificate of Bvc encl
 HIATT, S L Ohio Citizens for Responsible Energy 82/06/01
 Atomic Safety and Licensing Board Panel 5pp 13369 254 24X
 Fiche 50-440, 82/06/01, 8206070115

8206070515 Reply opposing NRC & applicant responses to OH Citizens for
 Responsible Energy 820422 motion for leave to file
 Contentions 17, 18 & 19 Certificate of Bvc encl
 HIATT, S L Ohio Citizens for Responsible Energy 82/06/01
 Atomic Safety and Licensing Board Panel 10pp 13374 353 24X
 Fiche 50-440, 82/06/01, 8206070515

8206070940 Advises that attachment referred to in DO Eisenhut 780203
 ltr to GG Sherwood was forwarded 2 months ago Response to
 Interrogatory 17 of applicant second set should be so
 supplemented
 WILLMORE, R L Shaw, Pittman, Potts & Trowbridge WILLMORE, R L
 Cleveland Electric Illuminating Co 82/06/01 WILT, D D Wilt, D D
 WILT, D D Sunflower Alliance 4pp 13374 132 24X
 Fiche 50-440, 82/06/01, 8206070940

8206170140 Application for 7-day extension until 820621 to file reply
 brief supporting motion to add contention re psychological
 stress Affidavits to be included in brief cannot be
 obtained prior to 820614 Proof of svc encl
 WILT, D D Sunflower Alliance 82/06/11 Atomic Safety and
 Licensing Board Panel 1p 13530:218 24X Fiche 50-440, 82/06/11,
 8206170140

8206170258 Discovery progress rept for previous 2 months, per ABLB
 B10909 order
 THESSIN, J H Hearing Branch 2 82/06/14 BLOCH, P B, SHON, F J,
 KLINE, J R Atomic Safety and Licensing Board Panel 2pp
 13531:335 24X Fiche 50-440, 82/06/14, 8206170258

8206170347 Fifth discovery progress rept Certificate of Bvc encl
 WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L
 Shaw, Pittman, Potts & Trowbridge 82/06/15 5pp 13531 322 24X
 Fiche: 50-440, 82/06/15, 8206170347

8206180185 Fifth discovery progress rept per ABLB B10909 Memorandum &
 Order, LBP-81-35 Certificate of Bvc encl
 HIATT, S L Ohio Citizens for Responsible Energy 82/06/15 2pp
 13552:234 24X Fiche: 50-440, 82/06/15, 8206180185

8206180279 Answer opposing OH Citizens for Responsible Energy motion to
 resubmit Contention 15 re waste confidence proceeding.
 Cited decision cannot serve as good cause for untimely
 submittal of original contention Certificate of Bvc encl
 WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L
 Shaw, Pittman, Potts & Trowbridge 82/06/16 Atomic Safety and
 Licensing Board Panel 16pp 13551 185 24X Fiche 50-440, 82/06/16,
 8206180279

8206240404 Requests to make limited appearance statement at hearings.
 KLINE, C Affiliation Unknown 82/06/18 Atomic Safety and
 Licensing Board Panel 1p 13603 111 24X Fiche 50-440, 82/06/18,
 8206240404

8206230046 Forwards BER, NUREG-0887, W/o encl
 THESSIN, J H Hearing Branch 2, 82/06/21, BLOCH, P B, KLINE, J R,
 SHON, F J Atomic Safety and Licensing Board Panel 1p 13590, 285
 24X Fiche 50-440, 82/06/21, 8206230046

--8206230049 Response to OH Citizens for Responsible Energy 820601
 motion to amend intervention petition by resubmitting
 Contention 15 re storage & disposal of radwaste Ruling
 should be deferred Certificate of Bvc encl
 THESSIN, J H, LEWIS, S H Hearing Branch 2 82/06/21 Atomic
 Safety and Licensing Board Panel 10pp 13590 287 24X
 Fiche 50-440, 82/06/21, 8206230046

8206240402 Motion & supporting brief for order compelling applicant to
 answer Sunflower Alliance first set of interrogatories Scope
 of discovery to be construed broadly Proof of svc encl
 WILT, D D Sunflower Alliance 82/06/21 Atomic Safety and
 Licensing Board Panel 8pp 13603 112 24X Fiche 50-440, 82/06/21,
 8206240402

8206240430 Reply supporting motion to add two late-filed contentions
 on psychological stress People Against Nuclear Energy vs
 NRC clearly held that Commission required to consider such
 issues under NEPA Proof of svc encl
 WILT, S Sunflower Alliance WILT, S Wilt, D D 82/06/21
 Atomic Safety and Licensing Board Panel 9pp 13601 158 24X
 Fiche 50-440, 82/06/21, 8206240430

8206240391 Order extending time until 820709 for Commission to consider
 whether to review ALAB-675
 CHILK, S J Office of the Secretary of the Commission 82/06/22
 Commissioners 1p 13603 146 24X Fiche 50-440, 82/06/22,
 8206240391

8206290297 Answer to 820430 second set of interrogatories Certificate
 of Bvc encl
 WILLMORE, R L Cleveland Electric Illuminating Co WILLMORE, R L
 Shaw, Pittman, Potts & Trowbridge 82/06/25 Sunflower Alliance
 7pp 13636 231 24X Fiche 50-440, 82/06/25, 8206290297

8206290314 Forwards Ofc of Analysis & Evaluation of Operational Data
 800801 memo & executive summary to assist in answer to OH
 Citizens for Responsible Energy 820429 Interrogatory 2-14
 of second set of interrogatories
 HIATT, S L Ohio Citizens for Responsible Energy 82/06/25
 SILBERO, J Shaw, Pittman, Potts & Trowbridge SILBERO, J Cleveland
 Electric Illuminating Co 1p 13636 147 24X Fiche: 50-440,
 82/06/25, 8206290314

G. Inspection Reports, IE Bulletins & correspondence

8202404147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl.
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/05/28, 107pp, 13426 095 24X
 Fiche 50-000, 82/05/28, 8202404147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints."
 Bvc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28,
 103pp, 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378

8204070871 Ack receipt of 820430 ltr informing NRC of steps taken to
 correct violations noted in IE Insp Repts 50-440/82-03 &
 50-441/82-03
 NORELIUS, C E Division of Engineering & Technical Programs.
 82/06/01 DAVIDSON, D R Cleveland Electric Illuminating Co 1p
 13387:352 24X Fiche 50-440, 82/06/01, 8206070871

--8206070877 Responds to NRC 820406 ltr re violations noted in IE Insp
 Repts 50-440/82-03 & 50-441/82-03 Corrective actions
 Assembly OM-61-21X Weld Breradiographed w/location
 markers placed in correct locations.
 DAVIDSON, D R Cleveland Electric Illuminating Co 82/04/30
 NORELIUS, C E Division of Engineering & Technical Programs. 3pp
 13387:353 24X Fiche 50-440, 82/06/01, 8206070871

8206170092 Forwards IE Insp Repts 50-440/82-04 & 50-441/82-04 on
 820301-0430 No noncompliance noted
 STREETER, J F Division of Project & Resident Programs 82/06/01
 DAVIDSON, D R Cleveland Electric Illuminating Co 2pp 13530:123,
 24X Fiche 50-440, 82/06/01, 8206170092

--8206170095 IE Insp Repts 50-440/82-04 & 50-441/82-04 on 820301-0430, No
 noncompliance noted Major areas inspected observation of
 concrete placements & assembly of emergency diesel
 generator.
 GILDNER, M L, KONKLIN, J E Division of Project & Resident
 Programs 82/05/31, 4pp, 13530 125, 24X Fiche 50-440, 82/06/01,
 8206170092

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
 Reactor Coolant Pressure Boundary of PWR Plants "
 Bvc list encl.
 DEYOUNG, R C Director's Office, Office of Inspection and
 Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEVINCEN, R C Director's Office, Office of Inspection and
Enforcement. 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

8206290283 Discusses use of flammable matl in Class IE switchgear.
noted during IE insps Use of mounting bases may void
IEEE-323 & IEEE-383 qualification because of flammable
nature. Licensee plans to justify use.
NAIDU, K R Region 3, Office of Director 82/06/24 NORELIUS, C E
Division of Engineering & Technical Programs 2pp 13636 221 24X
Fiche 50-000, 82/06/24, 8206290283

6 Reportable occurrences, LERs & related correspondence

8206070450 Interim deficiency rept re cable tray & conduit support
welding, initially reported on 820430. Weld symbol Type Y(t)
improperly fit up Weld preparation was not in accordance w/
AWS stds Analysis underway. Next rept due by 820331
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/28
KEPPLER, J Q Region 3, Office of Director 2pp 13374 229 24X
Fiche 50-440, 82/05/28, 8206070450

8206070461 Final deficiency rept re improper nut/gland assembly for dc
motor control ctr, initially reported on 820430. One assembly
found not seismically qualified. Cutler-Hammer will supply
proper assembly. Investigation to be complete by 821101.
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/28
KEPPLER, J Q Region 3, Office of Director. 2pp. 13374 218 24X
Fiche 50-440, 82/05/28, 8206070461.

8206070511 Interim deficiency rept re potential link rod deficiency in
standby diesel generators, initially reported on 81123 Insp
to be conducted during engine crankshaft deflection testing
Final rept due by 821210
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/05/28,
KEPPLER, J Q Region 3, Office of Director 1p. 13374 267 24X
Fiche 50-440, 82/05/28, 8206070511.

8206070669 Final deficiency rept re improper coils installed in dc
motor control ctrs, initially reported on 820430. Eight units
contained R or M relays instead of L. All dc motor ctrs to be
inspected by 821101
DAVIDSON, D R Cleveland Electric Illuminating Co 82/05/28
KEPPLER, J Q Region 3, Office of Director. 2pp. 13390 237 24X
Fiche 50-440, 82/05/28, 8206070669.

8206080230 Final deficiency rept re socket weld fit-ups for safety
class control rod drive sys piping, initially reported
810603. All bottomed-out socket weld joints being reworked
Joint rework should be completed by 820730
DAVIDSON, D R Cleveland Electric Illuminating Co 82/06/03
KEPPLER, J Q Region 3, Office of Director 2pp. 13421 360 24X
Fiche 50-440, 82/06/03, 8206080230.

8206150361 Final deficiency rept re low density heavyweight concrete in
biological shield walls of reactor bldgs, initially reported
810715. Walls will be repaired by removing low density matl
& replacing w/high density grout. Completion by 830701
DAVIDSON, D R Cleveland Electric Illuminating Co. 82/06/07
KEPPLER, J Q Region 3, Office of Director 4pp 13506 172 24X
Fiche 50-440, 82/06/07, 8206150361

8206240418 Final Part 21 rept re incomplete fill in biological
shield wall concrete of both reactor bldgs, initially
reported 811201. Areas in bioshield walls having less than
acceptable min nominal density will be repaired
DAVIDSON, D R. Cleveland Electric Illuminating Co. 82/06/14
KEPPLER, J Q Region 3, Office of Director. 3pp 13601 155 24X
Fiche 50-440, 82/06/14, 8206240418

8206240326 Part 21 rept re pneumatic actuator Yoke failure. List of
other projects w/similar equipment encl.
WILSON, A K Henry Pratt Co 82/06/18, KEPPLER, J Q. Region 3,
8206240326 2pp 13603 189 24X Fiche 50-000, 82/06/18,

DOCKET 50-443 SEABROOK NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8206010470 Summarizes 820325 meeting re schedule for projected fuel
load date. Schedule has been restructured from bulk
quantities & zones to more detailed sys-oriented network
DEVINCEN, J J Yankee Atomic Electric Co. DEVINCEN, J J Public
Service Co of New Hampshire 82/04/02 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13315 007 24X
Fiche 50-443, 82/04/02, 8206010470

8206110183 Board Notification 82-47 forwarding RH Vollmer 820319 memo
re recent seismic activity related to Seabrook proceedings
W/o encl
TEDESCO, R L Assistant Director for Licensing 82/05/12 Atomic
Safety and Licensing Appeal Panel 3pp 13493 276 24X
Fiche 50-443, 82/05/12, 8206110183

8206010120 Notification of 820527 meeting w/util in Philadelphia, PA to
discuss open items re electrical portion of Power Sys Branch
safety review
WHEELER, L L Licensing Branch 3 82/05/17 MIRAGLIA, F J
Licensing Branch 3 3pp 13319 290 24X Fiche 50-443, 82/05/17,
8206010120

8206030027 Summary of 820512-13 meetings w/Yankee Atomic Electric Co,
Public Svc Co of NH, ANL, Westinghouse & United Engineers &
Constructors, Inc re OL safety review open items
WHEELER, L L Licensing Branch 3 82/05/21 Licensing Branch 3
3pp 13361 329 24X Fiche 50-443, 82/05/21, 8206030027

--8206030032 Notification of 820512-13 meeting w/Yankee Atomic Electric
Co, Public Svc Co of NH, ANL, Westinghouse & United Engineers &
Constructors, Inc to discuss open items re OL safety review
Attendance list encl
WHEELER, L L Licensing Branch 3 82/05/03 MIRAGLIA, F J
Licensing Branch 3 2pp 13361 331 24X Fiche 50-443, 82/05/21,
8206030027

8206160111 Notification of 820609-10 meetings w/United Engineers &
Const. Inc to resolve open items re mechanical portion of
Power Sys Branch safety review
WHEELER, L L Licensing Branch 3 82/05/25 MIRAGLIA, F J
Licensing Branch 3. 3pp 13538 035 24X Fiche 50-443, 82/05/25,
8206160111

8206010007 Forwards "Seismic Qualification Review Team Equipment
List " & Revision 3 to "Amplified Response Spectra Seismic
Category 1 Structures, Vols 1-3."
DEVINCEN, J J. Public Service Co of New Hampshire. DEVINCEN, J J
Yankee Atomic Electric Co 82/05/27 MIRAGLIA, F J. Licensing
Branch 3 1p 13303 041 24X Fiche 50-443, 82/05/27, 8206010007

--8206010011 "Seismic Qualification Review Team Equipment List "
* Public Service Co of New Hampshire * Yankee Atomic Electric
Co 82/05/27 170pp 13303 042 24X Fiche 50-443, 82/05/27,
8206010007

--8206010013 "Amplified Response Spectra for Seismic Category I
Structures, Vols 1-3."
* Public Service Co of New Hampshire * Yankee Atomic Electric
Co 81/11/16 1,000pp 13303 211 24X Fiche 50-443, 82/05/27,
8206010007

8206160015 Notification of 820617 meeting w/United Engineers & Const,
Inc in Philadelphia, PA to resolve open items re Matl
Engineering Branch safety review
WHEELER, L L Licensing Branch 3 82/06/07, MIRAGLIA, F J,
Licensing Branch 3 3pp 13525 291 24X Fiche 50-443, 82/06/07,
8206160015

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Ginna Rept documents findings re cause of
event W/o encl.
EISENHUT, D Q Division of Licensing 82/06/09 HAUSPURG, A.
Consolidated Edison Co of New York RANDAZZA, J B Maine Yankee
Atomic Power Co GRIFFIN, J E Vermont Yankee Nuclear Power Corp.
13pp 13557 349. 24X Fiche 50-000, 82/06/09, 8206090153

8206140089 Forwards notes from 820512-13 meeting w/Instrumentation &
Control Sys Branch in Philadelphia, PA, including responses to
NUREG-0737 items, overview of electrical distribution sys &
info re svc water sys
DEVINCEN, J J Yankee Atomic Electric Co, DEVINCEN, J J Public
Service Co of New Hampshire 82/06/10, MIRAGLIA, F J Licensing
Branch 3 70pp 13483 051 24X Fiche 50-443, 82/06/10, 8206140089.

DOCKETED ITEMS

3

8206240001 Summary of 820527 meeting w/util, United Engineers & Constructors & ANL in Philadelphia, PA to resolve open items re electrical portion of Power Sys Branch safety review of OL application
WHEELER, L L Licensing Branch 3 82/06/14 Licensing Branch 3
Spp 13607 327 24X Fiche 50-443, 82/06/14, 8206240001

8206240040 Notification of 820623-24 meetings w/util & ANL in Bethesda, MD to review auxiliary feedwater sys & associated sys & procedures as part of OL application safety review
WHEELER, L L Licensing Branch 3 82/06/14 MIRAQLIA, F J
Licensing Branch 3 4pp 13612 356 24X Fiche 50-443, 82/06/14, 8206240040

8206180003 Advises that data required to respond to NRC requests for addl info re seismology/geology currently in possession of USGS & US Army Corps of Engineers Util willing to work w/preliminary data & treat such data as proprietary
DEVINCENTIS, J Yankee Atomic Electric Co DEVINCENTIS, J Public Service Co of New Hampshire 82/06/16 BERATAN, L L Earth Sciences Branch 2pp 13552 001 24X Fiche 50-443, 82/06/16, 8206180003

8206240147 Approves util 810518 & 0727 requests to withhold repts YAE-1249P & YAE-1265P from public disclosure, per 10CFR2, 790.
CRUTCHFIELD, D Operating Reactors Branch 5 82/06/17 KAY, J A Yankee Atomic Electric Co 3pp 13600 011 24X Fiche 50-000, 82/06/17, 8206240147

8206240329 Forwards revised response to Power Sys Branch Request for Addl Info 430, 133 re turbine generator sys. Original response submitted in 820312 ltr
DEVINCENTIS, J Yankee Atomic Electric Co DEVINCENTIS, J Public Service Co of New Hampshire 82/06/22 MIRAQLIA, F J Licensing Branch 3 2pp, 13603 192, 24X Fiche 50-443, 82/06/22, 8206240329

8206250180 Forwards revision to 820312 responses to 241 series request for addl info Summary list of amended pages to 820312 revisions to FSAR encl
DEVINCENTIS, J Yankee Atomic Electric Co DEVINCENTIS, J Public Service Co of New Hampshire 82/06/22 MIRAQLIA, F J Licensing Branch 3 37pp 13617 197 24X Fiche 50-443, 82/06/22, 8206250180

8206250205 Forwards Amend 5 to CPR-135 & CPR-136, safety evaluation & notice of issuance & availability Amend changes ownership share from Commonwealth Electric Co to Canal Electric Co.
EISENHUT, D O, Division of Licensing, 82/06/23 TALLMAN, W C. Public Service Co of New Hampshire 2pp 13613:062, 24X Fiche, 50-443, 82/06/23, 8206250205.

--8206250215 Amend 5 to CPR-135 & CPR-136, reflecting change in facility ownership from Commonwealth Electric Co to Canal Electric Co & WA Electric Cooperative, Inc
EISENHUT, D O, Division of Licensing 82/06/23 4pp 13613:064, 24X Fiche, 50-443, 82/06/23, 8206250205

--8206250222 Safety evaluation supporting Amend 5 to CPR-135 & CPR-136.
* Office of Nuclear Reactor Regulation, Director, 82/06/23 2pp 13613, 071, 24X Fiche 50-443, 82/06/23, 8206250205

--8206250223 Notice of issuance & availability of Amend 5 to CPR-135 & CPR-136.
MIRAQLIA, F J Licensing Branch 3 82/06/23, 3pp 13613, 070 24X Fiche, 50-443, 82/06/23, 8206250205

8206290225 Requests reply to 810505 & 820105 ltrs requesting investigation of applicability of Section 106 of Natl Historic Preservation Act to transmission lines for facilities.
TANNENBAUM, J E Advisory Council on Historic Preservation, 82/06/23 DENTON, H, Office of Nuclear Reactor Regulation, Director 2pp, 13636, 297, 24X Fiche 50-443, 82/06/23, 8206290225.

D NRC Draft/Final Environmental Statements, supplis & correspondence

8206030111 Offers no comments re facilities DES (NUREG-0895).
DAVIS, V.W. Agriculture, Dept of 82/06/01, MIRAQLIA, F J Licensing Branch 3 1p, 13337-094 24X Fiche 50-443, 82/06/01, 8206030111.

8206170113 Advises that DES sent by first class mail Comments due by 820706, Extension of comment period impossible since League provided w/DES when issued
LEBBY, R P Hearing Branch 3 82/06/14, BACKUS, R A Backus, R A Backus, R A Beacost Anti-Pollution League, 1p, 13330 084 24X Fiche, 50-443, 82/06/14, 8206170113

8206230113 Comments on NUREG-0895, DES for facilities Airborne radioiodine & particulates sampling & analysis program should be re-evaluated to determine adequacy of instrumentation under accident conditions
VILLFORTH, J C Food & Drug Administration 82/06/21 WHEELER, L L. Office of Nuclear Reactor Regulation, Director 2pp 13589 194, 24X Fiche 50-443, 82/06/21, 8206230113

E NRC Safety Evaluation Report (SER), supplis & correspondence

8206010014 Forwards technical basis for Comanche Peak compliance w/General Design Criterion 31, "Fracture Prevention of Containment Pressure Boundary," to assist in completion of SER.
MIRAQLIA, F J Licensing Branch 3 82/05/25 TALLMAN, W C. Public Service Co of New Hampshire 9pp 13319:342 24X Fiche 50-443, 82/05/25, 8206010014

8206210008 Notification of Change 1 to 820617-18 meetings w/United Engineers & Constructors in Bethesda, MD to discuss & review status of preliminary draft SER
WHEELER, L L Licensing Branch 3 82/06/07 MIRAQLIA, F J Licensing Branch 3 2pp 13583 014 24X Fiche 50-443, 82/06/07, 8206210008

F Security, medical, emergency & fire protection plans

8206040382 "Demographic & Vehicular Demand Estimates for Evacuation Analysis of Seabrook Station"
KALTHAN, M Siting Analysis Branch 81/02/28 400pp 13350 103 24X Fiche 50-443, 81/02/28, 8206040382

8206020181 Summary of 820429 meeting w/util in Bethesda, MD re development of schedule for emergency preparedness review as part of OL review
WHEELER, L L Licensing Branch 3 82/05/12 Licensing Branch 3, 3pp, 13341 204 24X Fiche 50-443, 82/05/12, 8206020181

--8206030100 Notification of 820429 meeting w/util in Bethesda, MD to discuss emergency preparedness review process & development of schedule of major emergency preparedness review milestones
WHEELER, L L Licensing Branch 3 82/04/22 MIRAQLIA, F J, Licensing Branch 3 4pp 13341, 207 24X Fiche, 50-443, 82/05/12, 8206020181

G Adjudicatory correspondence

8206040105 List of renewed contentions of L Chong & Co-op Members for Responsible Investment
CHONG, L Affiliation Unknown 82/05/25 Atomic Safety and Licensing Board Panel 4pp 13344 349 24X Fiche, 50-443, 82/05/25, 8206040105

8206040235 Forwards notices of appearance for State of NH & GH Smith, Atty General Certificate of Svc encl
OVER, E H New Hampshire, State of 82/05/26 Office of the Secretary of the Commission 7pp 13357 297 24X Fiche, 50-443, 82/05/26, 8206040235

8206010305 Requests EPA status by 820611 of draft permit re substitution of chlorination for backflushing to control fouling in intake tunnel of proposed condenser cooling sys
LEBBY, R P Hearing Branch 3 82/05/27 WILLIAMS-DAWE Environmental Protection Agency 2pp, 13301 051 24X Fiche 50-443, 82/05/27, 8206010305

8206070073 Informs that Commission declined to review ALAB-667, Time provided for Commission to act to review decision expired. Decision became final agency action on 820601
CHILK, B J Office of the Secretary of the Commission 82/06/02, Office of the Executive Legal Director, 1p, 13370 330, 24X Fiche, 50-443, 82/06/02, 8206070073

8206140038 Reply to State of NH & NH Atty General GH Smith 820524 amended contentions, Certificate of Svc encl.
DIGNAN, T O, QAD, R K Public Service Co of New Hampshire, DIGNAN, T O Ropes & Gray 82/06/07, Atomic Safety and Licensing Board Panel 11pp 13487, 078, 24X Fiche, 50-443, 82/06/07, 8206140038

--8206140041 Response to Co-op Members for Responsible Investment 8201 renewed contentions Sufficient interest not shown to allow intervention, Certificate of Svc encl
DIGNAN, T O, QAD, R K, Public Service Co of New Hampshire, DIGNAN, T O Ropes & Gray 82/06/07 Atomic Safety and Licensing Board Panel 4pp, 13487 089 24X Fiche, 50-443, 82/06/07, 8206140038

06210238 Amend to Sun Valley Assoc petition to intervene, amending contentions by striking old contentions & substituting listed contentions Certificate of Svc encl
SANDERS, W L Affiliation Unknown SANDERS, W L Sanders & McDermott 82/06/15 Atomic Safety and Licensing Board Panel 4pp 13559 053 24X Fiche 50-443, 82/06/15, 8206210238

06240248 Forwards New England Coalition on Nuclear Pollution reply to applicant & NRC responses to Coalition contentions & Coalition supplemental contentions
JORDAN, W S Harmon & Weiss JORDAN, W S New England Coalition on Nuclear Pollution 82/06/17 HOYT, H F., PARIB, O H, LUEBKE, E A Atomic Safety and Licensing Board Panel 1p. 13598 352 24X Fiche, 50-443, 82/06/17, 8206240248

8206240252 Reply to NRC & applicant responses to New England Coalition on Nuclear Pollution contentions Coalition does not rely on reg guides as legal requirements but on failure to comply w/reg guides as sufficient basis for contention
JORDAN, W S, CURRAN, D J New England Coalition on Nuclear Pollution JORDAN, W S Harmon & Weiss. 82/06/17 Atomic Safety and Licensing Board Panel 39pp 13598 353 24X Fiche 50-443, 82/06/17, 8206240248

3206240258 Supplemental contentions Notice of appearance & Certificate of Svc encl
JORDAN, W S, CURRAN, D J New England Coalition on Nuclear Pollution JORDAN, W S Harmon & Weiss. 82/06/17 Atomic Safety and Licensing Board Panel 10pp 13599 030 24X Fiche 50-443, 82/06/17, 8206240248

16240373 Response to Coastal Chamber of Commerce of NH 820609 response to applicant response to Chamber suppl to petition to intervene & Contentions 1-7 Contention 7 should be denied due to lack of specificity. Certificate of Svc encl
IONAN, T O, OAD, R K Public Service Co of New Hampshire IONAN, T O Ropes & Gray 82/06/17 Atomic Safety and Licensing Board Panel 5pp 13603 205 24X Fiche, 50-443, 82/06/17, 8206240373.

6280523 Response to Sun Valley Assoc 820615 further amend of petition for leave to intervene. Contention 1 should be rewritten to eliminate ref to NUREG-0654 Contention 2 should be excluded Certificate of Svc encl.
IONAN, T O, OAD, R K Public Service Co of New Hampshire IONAN, T O Ropes & Gray 82/06/21 Atomic Safety and Licensing Board Panel 5pp. 13626 314 24X Fiche: 50-443, 82/06/21, 8206280523

General correspondence

5160071 Requests Revision 1 to Reg Guide 4.1, "Programs for monitoring Radioactivity in Environments of Nuclear Power Plants," & Radiological Assessment Branch technical revision, Nov 1979
JUCHTY, J. Affiliation Unknown 82/06/09. Radiological Assessment Branch 1p 13517 318 24X Fiche: 50-443, 82/06/09, 8206160071

Intitrustr correspondence

1250205 Forwards Amend 5 to CPPR-135 & CPPR-136, safety evaluation & notice of issuance & availability Amend changes ownership from Commonwealth Electric Co to Canal Electric Co
BENHUT, D O Division of Licensing 82/06/23 TALLMAN, W C Public Service Co. of New Hampshire 2pp. 13613 062, 24X Fiche: 50-443, 82/06/23, 8206250205.

06250215 Amend 5 to CPPR-135 & CPPR-136, reflecting change in facility ownership from Commonwealth Electric Co to Canal Electric Co & WA Electric Cooperative, Inc
BENHUT, D O Division of Licensing 82/06/23 4pp. 13613, 064, 24X Fiche: 50-443, 82/06/23, 8206250205

Inspection reports, IE Bulletins & correspondence

--8206170332 Notice of violation from insp on 820323-0503 STAROSTECKI, R Division of Project & Resident Programs 82/05/26 2pp 13531 160 24X Fiche 50-443, 82/05/26, 8206170328

--8206170340 IE Insp Repts 50-443/82-03 & 50-444/82-03 on 820323-0503 Noncompliance noted failure to establish insp program for installed cable tray & failure of QC pipe & electrical support insp to identify nonconforming conditions
CERNE, A C, GRAY, E H, PADLINO, R J Division of Project & Resident Programs 82/03/26 16pp 13531 162 24X Fiche 50-443, 82/05/26, 8206170328

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8206030090 Requests info whether IE Info Notices 82-13 & 82-14 & IE Bulletin 81-03 applicable to facilities
CURRAN, D Harmon & Weiss CURRAN, D New England Coalition on Nuclear Pollution 82/06/01 MIRAGLIA, F J Licensing Branch 3 1p 13336 328 24X Fiche 50-443, 82/06/01, 8206030090

8206070393 Ack receipt of 820519 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-443/82-02 & 50-444/82-02
STAROSTECKI, R Division of Project & Resident Programs 82/06/01 TALLMAN, W C Public Service Co of New Hampshire 1p 13363 336 24X Fiche: 50-443, 82/06/01, 8206070393

--8206070395 Response to NRC 820419 ltr re violations noted in IE Insp Repts 50-443/82-02 & 50-444/82-02 Corrective actions design specs & appropriate drawings in process of being revised to properly define required code boundary limits
JOHNSON, W P Public Service Co of New Hampshire 82/05/19 STAROSTECKI, R Division of Project & Resident Programs 3pp 13363 337 24X Fiche 50-443, 82/06/01, 8206070393

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13427 130 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche, 50-000, 82/06/11, 8204210384

8206220265 Confirms intent to perform const assessment team & independent measurement insp at site during 820621-0702, per 820601 discussion Insp will encompass areas of QA, design control, project mgt, const control & procurement.
MARTIN, T T Division of Engineering & Technical Programs 82/06/15 TALLMAN, W C Public Service Co of New Hampshire 1p. 13571, 085, 24X Fiche: 50-443, 82/06/15, 8206220265

DOCKET 50-444 SEABROOK NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206010470 Summarizes 820325 meeting re schedule for projected fuel load date. Schedule has been restructured from bulk quantities & zones to more detailed sys-oriented network
DEVINCENTIS, J Yankee Atomic Electric Co. DEVINCENTIS, J Public Service Co of New Hampshire 82/04/02 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13315, 007, 24X Fiche: 50-443, 82/04/02, 8206010470

8206110183 Board Notification 82-47 forwarding RH Vollmer 820319 memo re recent seismic activity related to Seabrook proceedings. W/o encl
TEDESCO, R L Assistant Director for Licensing. 82/05/12 Atomic Safety and Licensing Appeal Panel 3pp 13493 276 24X Fiche, 50-443, 82/05/12, 8206110183

DOCKETED ITEMS

8206010120 Notification of 820527 meeting w/util in Philadelphia, PA to discuss open items re electrical portion of Power Sys Branch safety review
WHEELER, L. L. Licensing Branch 3 82/05/17 MIRAOLIA, F. J. Licensing Branch 3 3pp 13319 290 24X Fiche 50-443, 82/05/17, 8206010120

8206030027 Summary of 820512-13 meetings w/Yankee Atomic Electric Co, Public Svc Co of NH, ANL, Westinghouse & United Engineers & Constructors, Inc re OL safety review open items
WHEELER, L. L. Licensing Branch 3 82/05/21 Licensing Branch 3 3pp 13361 329 24X Fiche 50-443, 82/05/21, 8206030027

--8206030032 Notification of 820512-13 meeting w/Yankee Atomic Electric Co, Public Svc Co of NH, ANL, Westinghouse & United Engineers & Constructors, Inc to discuss open items re OL safety review Attendance list encl
WHEELER, L. L. Licensing Branch 3 82/05/03 MIRAOLIA, F. J. Licensing Branch 3 2pp 13361 331 24X Fiche 50-443, 82/05/21, 8206030027

8206160111 Notification of 820609-10 meetings w/United Engineers & Const, Inc to resolve open items re mechanical portion of Power Sys Branch safety review
WHEELER, L. L. Licensing Branch 3 82/05/25 MIRAOLIA, F. J. Licensing Branch 3 3pp 13538 035 24X Fiche 50-443, 82/05/25, 8206160111

8206010007 Forwards "Seismic Qualification Review Team Equipment List" & Revision 3 to "Amplified Response Spectra Seismic Category I Structures, Vols 1-3"
DEVINCENITIS, J. Public Service Co of New Hampshire DEVINCENITIS, J. Yankee Atomic Electric Co 82/05/27 MIRAOLIA, F. J. Licensing Branch 3 1p 13303 041 24X Fiche 50-443, 82/05/27, 8206010007

--8206010011 "Seismic Qualification Review Team Equipment List" * Public Service Co of New Hampshire * Yankee Atomic Electric Co 82/05/27 170pp 13303 042 24X Fiche 50-443, 82/05/27, 8206010007

--8206010013 "Amplified Response Spectra for Seismic Category I Structures, Vols 1-3" * Public Service Co of New Hampshire * Yankee Atomic Electric Co 81/11/16, 1:000pp 13303 211 24X Fiche 50-443, 82/05/27, 8206010007

8206160015 Notification of 820617 meeting w/United Engineers & Const, Inc in Philadelphia, PA to resolve open items re Matl Engineering Branch safety review
WHEELER, L. L. Licensing Branch 3 82/06/07 MIRAOLIA, F. J. Licensing Branch 3 3pp 13525 291 24X Fiche 50-443, 82/06/07, 8206160015

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
FELTON, J. M. Division of Rules and Records 82/06/07, DOI, K Critical Mass Energy Project 2pp 13678, 215 24X Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/17 AHEARNE, J. Commissioners 2pp 13678, 237, 24X Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl.
EISENHUT, D. O. Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co of New York RANDAZZA, J. B. Maine Yankee Atomic Power Co GRIFFIN, J. E. Vermont Yankee Nuclear Power Corp 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153

8206140089 Forwards notes from 820512-13 meeting w/Instrumentation & Control Sys Branch in Philadelphia, PA, including responses to NUREG-0737 items, overview of electrical distribution sys & info re svc water sys
DEVINCENITIS, J. Yankee Atomic Electric Co DEVINCENITIS, J. Public Service Co of New Hampshire 82/06/10 MIRAOLIA, F. J. Licensing Branch 3 70pp, 13483 031, 24X Fiche 50-443, 82/06/10, 8206140089

8206240001 Summary of 820527 meeting w/util, United Engineers & Constructors & ANL in Philadelphia, PA to resolve open items re electrical portion of Power Sys Branch safety review of OL application
WHEELER, L. L. Licensing Branch 3 82/06/14 Licensing Branch 3, 3pp, 13607 327, 24X Fiche 50-443, 82/06/14, 8206240001

8206240040 Notification of 820623-24 meetings w/util & ANL in Bethesda MD to review auxiliary feedwater sys & associated sys & procedures as part of OL application safety review
WHEELER, L. L. Licensing Branch 3 82/06/14 MIRAOLIA, F. J. Licensing Branch 3 4pp 13612 356 24X Fiche 50-443, 82/06/14, 8206240040

8206180003 Advises that data required to respond to NRC request for addl info re seismology/geology currently in possession of USQB & US Army Corps of Engineers, Util willing to work w/preliminary data & treat such data as proprietary
DEVINCENITIS, J. Yankee Atomic Electric Co DEVINCENITIS, J. Public Service Co of New Hampshire 82/06/16 BERATAN, L. L. Earth Sciences Branch 2pp 13552 001 24X Fiche 50-443, 82/06/16, 8206180003

8206240147 Approves util 810518 & 0727 requests to withhold repts YAE-1249P & YAE-1263P from public disclosure, per 10CFR2 750.
CRUTCHFIELD, D. Operating Reactors Branch 5 82/06/17 KAY, J. A. Yankee Atomic Electric Co 3pp 13600 011 24X Fiche 50-000, 82/06/17, 8206240147

8206240329 Forwards revised response to Power Sys Branch Request for Addl Info 430 133 re turbine generator sys Original response submitted in 820312 ltr
DEVINCENITIS, J. Yankee Atomic Electric Co DEVINCENITIS, J. Public Service Co of New Hampshire, 82/06/22 MIRAOLIA, F. J. Licensing Branch 3 2pp 13603 192 24X Fiche 50-443, 82/06/22, 8206240329

8206250180 Forwards revision to 820312 responses to 241 series request for addl info Summary list of amended pages to 820312 revisions to FSAR encl
DEVINCENITIS, J. Yankee Atomic Electric Co DEVINCENITIS, J. Public Service Co of New Hampshire, 82/06/22 MIRAOLIA, F. J. Licensing Branch 3, 37pp 13617 197 24X Fiche 50-443, 82/06/22, 8206250180

8206250205 Forwards Amend 5 to CPPR-135 & CPPR-136, safety evaluation notice of issuance & availability Amend changes ownership share from Commonwealth Electric Co to Canal Electric Co
EISENHUT, D. O. Division of Licensing 82/06/23 TALLMAN, W. C. Public Service Co of New Hampshire 2pp 13613 062, 24X Fiche 50-443, 82/06/23, 8206250205

--8206250215 Amend 5 to CPPR-135 & CPPR-136, reflecting change in facility ownership from Commonwealth Electric Co to Canal Electric Co & WA Electric Cooperative, Inc
EISENHUT, D. O. Division of Licensing 82/06/23 4pp 13613 064 24X Fiche 50-443, 82/06/23, 8206250205

--8206250222 Safety evaluation supporting Amend 5 to CPPR-135 & CPPR-136
* Office of Nuclear Reactor Regulation, Director 82/06/23 2p 13613, 071 24X Fiche 50-443, 82/06/23, 8206250205

--8206250223 Notice of issuance & availability of Amend 5 to CPPR-135 & CPPR-136
MIRAOLIA, F. J. Licensing Branch 3 82/06/23 3pp 13613 070, 24X Fiche 50-443, 82/06/23, 8206250205

8206290225 Requests reply to 810505 & 820105 ltrs requesting investigation of applicability of Section 106 of Natl Historic Preservation Act to transmission lines for facilities
TANNENBAUM, J. E. Advisory Council on Historic Preservation 82/06/25 DENTON, H. Office of Nuclear Reactor Regulation, Director 2pp 13636 297, 24X Fiche 50-443, 82/06/25, 8206290225

D NRC Draft/Final Environmental Statements, suppl & correspondence

8206030011 Offers no comments re facilities DES (NUREG-0895).
DAVIS, V. W. Agriculture, Dept. of 82/06/01, MIRAOLIA, F. J. License Branch 3 1p, 13337 094 24X Fiche 50-443, 82/06/01, 8206030011

8206170113 Advises that DES sent by first class mail. Comments due by 820706 Extension of comment period impossible since League provided w/DES when issued.
LESSBY, R. P. Hearing Branch 3, 82/06/14, BACKUS, R. A. Backus, R. A. BACKUS, R. A. Seacoast Anti-Pollution League 1p 13530, 084, 24X Fiche 50-443, 82/06/14, 8206170113

8206230113 Comments on NUREG-0895, DES for facilities Airborne radioiodine & particulates sampling & analysis program should be re-evaluated to determine adequacy of instrumentation under accident conditions
VILLFORTH, J. O. Food & Drug Administration 82/06/21, WHEELER, L. L. Office of Nuclear Reactor Regulation, Director 2pp, 13587 194 24X Fiche 50-443, 82/06/21, 8206230113

E NRC Safety Evaluation Report (SER), suppl's & correspondence

B206010014 Forwards technical basis for Comanche Peak compliance w/General Design Criterion 31, "Fracture Prevention of Containment Pressure Boundary," to assist in completion of SER.
MIRAOLIA, F J Licensing Branch 3 82/05/25 TALLMAN, W C Public Service Co of New Hampshire 9pp 13319 342 24X
Fiche 50-443, 82/05/25, B206010014

B206210008 Notification of Change 1 to B20617-1B meetings w/United Engineers & Constructors in Bethesda, MD to discuss & review status of preliminary draft SER
WHEELER, L L Licensing Branch 3 82/06/07 MIRAOLIA, F J Licensing Branch 3 2pp 13883 014 24X Fiche 50-443, 82/06/07, B206210008

F Security, medical, emergency & fire protection plans

B206040382 "Demographic & Vehicular Demand Estimates for Evacuation Analysis of Seabrook Station"
KALTHAN, M Siting Analysis Branch 81/02/28 400pp 13350 103 24X Fiche 50-443, 81/02/28, B206040382

B206020181 Summary of B20429 meeting w/util in Bethesda, MD re development of schedule for emergency preparedness review as part of DL review
WHEELER, L L Licensing Branch 3 82/05/12 Licensing Branch 3 3pp 13341 204 24X Fiche 50-443, 82/05/12, B206020181

--B206030100 Notification of B20429 meeting w/util in Bethesda, MD to discuss emergency preparedness review process & development of schedule of major emergency preparedness review milestones
WHEELER, L L Licensing Branch 3 82/04/22 MIRAOLIA, F J Licensing Branch 3 4pp 13341 207 24X Fiche 50-443, 82/05/12, B206030100

G Adjudicatory correspondence

B206040105 List of renewed contentions of L Chong & Co-op Members for Responsible Investment
CHONG, L Affiliation Unknown 82/05/25 Atomic Safety and Licensing Board Panel 4pp 13344 349 24X Fiche 50-443, 82/05/25, B206040105

B206040235 Forwards notices of appearance for State of NH & OH Smith, Atty General, Certificate of Svc encl
DYER, E H New Hampshire, State of 82/05/26 Office of the Secretary of the Commission 7pp 13357 297 24X
Fiche 50-443, 82/05/26, B206040235

B206010305 Requests EPA status by B20611 of draft permit re substitution of chlorination for backflushing to control fouling in intake tunnel of proposed condenser cooling sys
LESSBY, R P Hearing Branch 3 82/05/27 WILLIAMS-DAVE Environmental Protection Agency 2pp 13301 051 24X
Fiche 50-443, 82/05/27, B206010305

B206070073 Informs that Commission declined to review ALAB-667 Time provided for Commission to act to review decision expired
Decision became final agency action on B20601
CHILK, S J Office of the Secretary of the Commission 82/06/02 Office of the Executive Legal Director 1p 13370 330 24X
Fiche 50-443, 82/06/02, B206070073

B206140038 Reply to State of NH & NH Atty General OH Smith B20524 amended contentions Certificate of Svc encl.
DIGMAN, T G, OAD, R K Public Service Co of New Hampshire
DIGMAN, T G Ropes & Gray 82/06/07 Atomic Safety and Licensing Board Panel 11pp 13487 078 24X Fiche 50-443, 82/06/07, B206140038

B206240248 Forwards New England Coalition on Nuclear Pollution reply to applicant & NRC responses to Coalition contentions & Coalition supplemental contentions
JORDAN, W S Harmon & Weiss JORDAN, W S New England Coalition on Nuclear Pollution 82/06/17 HOYT, H F, PARIS, O H, LUEBKE, E A Atomic Safety and Licensing Board Panel 1p 13598 352 24X
Fiche 50-443, 82/06/17, B206240248

--B206240252 Reply to NRC & applicant responses to New England Coalition on Nuclear Pollution contentions Coalition does not rely on reg guides as legal requirements but on failure to comply w/reg guides as sufficient basis for contention
JORDAN, W S, CURRAN, D J New England Coalition on Nuclear Pollution JORDAN, W S Harmon & Weiss 82/06/17 Atomic Safety and Licensing Board Panel 37pp 13598 353 24X
Fiche 50-443, 82/06/17, B206240248

--B206240258 Supplemental contentions Notice of appearance & Certificate of Svc encl
JORDAN, W S, CURRAN, D J New England Coalition on Nuclear Pollution JORDAN, W S Harmon & Weiss 82/06/17 Atomic Safety and Licensing Board Panel 10pp 13599 030 24X
Fiche 50-443, 82/06/17, B206240248

B206240373 Response to Coastal Chamber of Commerce of NH B20609 response to applicant response to Chamber suppl to petition to intervene & Contentions 1-7 Contention 7 should be denied due to lack of specificity Certificate of Svc encl
DIGMAN, T G, OAD, R K Public Service Co of New Hampshire
DIGMAN, T G Ropes & Gray 82/06/17 Atomic Safety and Licensing Board Panel 5pp 13603 205 24X Fiche 50-443, 82/06/17, B206240373

B206280523 Response to Sun Valley Assoc B20615 further amend of petition for leave to intervene Contention 1 should be rewritten to eliminate ref to NUREG-0654 Contention 2 should be excluded Certificate of Svc encl
DIGMAN, T G, OAD, R K Public Service Co of New Hampshire
DIGMAN, T G Ropes & Gray 82/06/21 Atomic Safety and Licensing Board Panel 5pp 13626 314 24X Fiche 50-443, 82/06/21, B206280523

H General correspondence

B206160071 Requests Revision 1 to Reg Guide 4.1, "Programs for Monitoring Radioactivity in Environs of Nuclear Power Plants," & Radiological Assessment Branch technical position, Nov 1979
DOUGHTY, J Affiliation Unknown 82/06/09 Radiological Assessment Branch 1p 13517 318 24X Fiche 50-443, 82/06/09, B206160071

M Antitrust correspondence

B206250205 Forwards Amend 5 to CPPR-135 & CPPR-136, safety evaluation & notice of issuance & availability Amend changes ownership share from Commonwealth Electric Co to Canal Electric Co
EISENHUT, D O Division of Licensing 82/06/23 TALLMAN, W C Public Service Co of New Hampshire 2pp 13613 062 24X
Fiche 50-443, 82/06/23, B206250205

--B206250215 Amend 5 to CPPR-135 & CPPR-136, reflecting change in facility ownership from Commonwealth Electric Co to Canal Electric Co & WA Electric Cooperative, Inc
EISENHUT, D O Division of Licensing 82/06/23 4pp 13613 064 24X Fiche 50-443, 82/06/23, B206250205

Q Inspection reports, IE Bulletins & correspondence

B206100195 Forwards IE Mgt Meeting Repts 50-443/82-05 & 50-444/82-05 on B20506
STAROSTECKI, R Region 1, Office of Director 82/05/26
TALLMAN, W C Public Service Co of New Hampshire 2pp 13452 187 24X Fiche 50-443, 82/05/26, B206100195

--B206100200 IE Mgt Meeting Repts 40-443/82-05 & 50-444/82-05 on B20506
Major areas discussed operational QA program, including licensee plans for implementing QA criteria per 10CFR30 App B & PSAR Section 17.2
WIGGINS, J T, NAPUDA, G, GALLQ, R M Region 1, Office of Director 82/05/26 3pp 13452 189 24X Fiche 50-443, 82/05/26, B206100195

B206170328 Forwards IE Insp Repts 50-443/82-03 & 50-444/82-03 on B20323-0503 & notice of violation
STAROSTECKI, R Division of Project & Resident Programs 82/05/26
TALLMAN, W C Public Service Co of New Hampshire 2pp 13531 158 24X Fiche 50-443, 82/05/26, B206170328

--B206170332 Notice of violation from insp on B20323-0503
STAROSTECKI, R Division of Project & Resident Programs 82/05/26 2pp 13531 160 24X Fiche 50-443, 82/05/26, B206170328

DOCKETED ITEMS

--B206170340 IE Insp Repts 50-443/82-03 & 50-444/82-03 on B20323-0503.
Noncompliance noted failure to establish insp program for
installed cable tray & failure of GC pipe & electrical
support insp to identify nonconforming conditions
CERNE, A C, GRAY, E H, PAOLINO, R J Division of Project & Resident
Programs 82/05/26 16pp 13531 162 24X Fiche 50-443, 82/05/26,
B206170338

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 093 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints."
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206030090 Requests info whether IE Info Notices 82-13 & 82-14 & IE
Bulletin 81-03 applicable to facilities
CURRAN, D Harman & Weiss CURRAN, D New England Coalition on
Nuclear Pollution 82/06/01 MIRAGLIA, F J Licensing Branch 3
1p 13336 328 24X Fiche 50-443, 82/06/01, B206030090

B206070393 Ack receipt of B20519 ltr informing NRC of steps taken to
correct violations noted in IE Insp Repts 50-443/82-02 &
50-444/82-02
STAROSTECKI, R Division of Project & Resident Programs 82/06/01
TALLMAN, W C Public Service Co of New Hampshire 1p 13363 336
24X Fiche 50-443, 82/06/01, B206070393

--B206070395 Responds to NRC B20419 ltr re violations noted in IE Insp
Repts 50-443/82-02 & 50-444/82-02 Corrective actions design
specs & appropriate drawings in process of being revised to
properly define required code boundary limits
JOHNSON, P Public Service Co of New Hampshire 82/05/19,
STAROSTECKI, R Division of Project & Resident Programs 3pp
13363 337 24X Fiche 50-443, 82/06/01, B206070393

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 130 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11,
106pp 13673 298 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mats by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

B206220265 Confirms intent to perform const assessment team &
independent measurement insp at site during B20621-0702, per
B20601 discussion Insp will encompass areas of OA, design
control, project mgt, const control & procurement
MARTIN, T T Division of Engineering & Technical Programs 82/06/15
TALLMAN, W C Public Service Co of New Hampshire 1p 13571 085,
24X Fiche 50-443, 82/06/15, B206220265

DOCKET 50-445 COMANCHE PEAK STEAM ELECTRIC STA ,UNIT 1

A Application/construction stage documents & correspondence

B206020017 Forwards "Control of Heavy Loads at Nuclear Power Plants,
Comanche Peak Steam Electric Station, Units 1 & 2," draft
technical evaluation rept
YOUNGBLOOD, B J Licensing Branch 1 82/05/20 GARY, R J Texas
Utilities Generating Co. 2pp 13333 007 24X Fiche 50-445,
82/05/20, B206020017

--B206020024 "Control of Heavy Loads at Nuclear Power Plants, Comanche
Peak Steam Electric Station, Units 1 & 2," draft technical
evaluation rept
DIXON, B W, STICKLEY, T H E&O, Inc 82/03/31. NRC -- No
Detailed Affiliation Given 46pp 13333.009, 24X
Fiche 50-445, 82/05/20, B206020017

B206020298 Summary of B20428 meeting w/util in Bethesda, MD re
transfer of containment spray sys from injection to
recirculation mode. Attendance list & calculation assumptions
encl
BURWELL, S B Licensing Branch 1 82/05/25, Licensing Branch 1
6pp, 13342 182 24X Fiche 50-445, 82/05/25, B206020298.

B206070194 Requests info re eligibility of May House for Natl Register
of Historic Places, in response to TX Historical Commission
B20505 request
YOUNGBLOOD, B J Licensing Branch 1 82/05/25 GARY, R J Texas
Utilities Generating Co 2pp 13427 313 24X Fiche 50-445,
82/05/25, B206070194

--B205110121 Requests documentation needed for state historic
preservation officer to make determination of eligibility of
May House
HERRINGTON, L Texas, State of 82/05/05 YOUNGBLOOD, B
Licensing Branch 1 1p 13427 315 24X Fiche 50-445, 82/05/25,
B206070194

B206100020 Summary of B20427 meeting w/util in Bethesda, MD re TMI
Action Item II B 3, "Post-Accident Sampling Sys " List of
attendees encl.
BURWELL, S B Licensing Branch 1 82/05/27 Licensing Branch 1
3pp 13474 024 24X Fiche 50-445, 82/05/27, B206100020

B206140232 Summary of B20407 meeting w/util in Bethesda, MD re human
factors review of control room & plans for responding to
NUREG-0700 Viewgraphs encl
BURWELL, S B Licensing Branch 1 82/05/27 Licensing Branch 1,
4pp, 13493 341 24X Fiche 50-445, 82/05/27, B206140232

B206220336 Forwards addl info re containment spray sys switchover
analysis, per B20421 meeting w/NRC Also forwards emergency
operating procedures covering transfer of containment spray
sys from injection to recirculation mode
SCHMIDT, H C Texas Utilities Services, Inc. 82/06/15 BURWELL, S B
Division of Licensing 12pp 13581 259 24X Fiche 50-445, 82/06/15,
B206220336.

F Security, medical, emergency & fire protection plans

B206100023 Summary of B20324 meeting w/util in Bethesda, MD re level of
detail to be included in emergency plan
BURWELL, S B Licensing Branch 1, 82/05/27 Licensing Branch 1,
4pp 13474 020, 24X Fiche 50-445, 82/05/27, B206100023

B206250003 Advises that physical security plan, guard training &
qualification plan & safeguards contingency plan meet
requirements of 10CFR73 w/one exception Proposed license
condition incorporating plans encl
YOUNGBLOOD, B J Licensing Branch 1 82/05/27, GARY, R J Texas
Utilities Generating Co. 3pp 13627, 028 24X Fiche 50-445,
82/05/27, B206250003

O Adjudicatory correspondence

B203130166 Forwards NRC answer to ASLB Question 3 re status of
Unresolved Safety Issues A-9, to ASLB Question 1 re hydrogen
control & to ASLB request for info re deletion of boron
injection tank. Certificate of Svc encl
MIZUNO, O S Hearing Branch 1 82/05/07, MILLER, M E Atomic Safety
and Licensing Board Panel 3pp 13065 046 24X
Fiche 50-445, 82/05/07, B203130166

B206090012 Telegraphic order denying Citizens Assoc for Sound Energy
motion for consideration of B20422 order Matl matters may
be reviewed at B20607 trial
MILLER, M E Atomic Safety and Licensing Board Panel, 82/05/12,
Citizens Association for Sound Energy 1p 13433 338, 24X
Fiche 50-445, 82/05/12, B206090012.

B206090014 Telegraphic order denying Citizens Assoc for Sound Energy
motions to reschedule hearing & to strike applicant summary
disposition motion Admonishes intervenor to cease filing
repetitious dilatory motions
MILLER, M E Atomic Safety and Licensing Board Panel 82/05/25,
Citizens Association for Sound Energy 1p 13433 337 24X
Fiche 50-445, 82/05/25, B206090014.

B206010289 Advises that if ASLB decides evidence on ASLB Questions 1 &
3 necessary at June 1982 hearing, NRC would adopt as NRC
testimony, affidavits submitted supporting NRC B20307
answers
ROTHSCHILD, M U, MIZUNO, O S Hearing Branch 1, 82/05/27,
MILLER, M E, MCCOLLUM, K A, COLE, R Atomic Safety and Licensing
Board Panel 2pp 13301 084, 24X Fiche 50-445, 82/05/27, B206010289

B206040018 Clarification & supplementation of responses to eleventh set
of interrogatories re issues for further litigation.
REYNOLDS, N S Texas Utilities Generating Co. REYNOLDS, N S,
Obevoise & Liberman. 82/05/27 ELLIS, J Citizens Association for
Sound Energy. 9pp, 13348 239 24X Fiche 50-445, 82/05/27,
B206040018

8206040038 Requests author be placed on speaker list for 820607 hearing in Fort Worth, TX
 ATCHINSON, C Affiliation Unknown 82/05/28 NRC - No Detailed
 Affiliation Given 1p 13347 350 24X Fiche 50-445, 82/05/28, 8206040038

8206090033 Answer supporting applicant 820510 motion for summary disposition of Contention 3 No genuine issue of matl fact exists & dismissal warranted as matter of law
 ROTHSCILD, M U Hearing Branch 1 82/06/02 Atomic Safety and Licensing Board Panel 43pp 13436 021 24X Fiche 50-445, 82/06/02, 8206090033

--8206090057 Affidavit of WA Crossman, RC Stewart & RG Taylor re Contention 3 Insp & investigation findings do not substantiate allegations re inadequacy of plant const Prof qualifications & Certificate of Svc encl
 CROSSMAN, W A, STEWART, R C, TAYLOR, R O Division of Resident, Reactor Project & Engineering Programs 82/06/02 118pp 13436 064 24X Fiche 50-445, 82/06/02, 8206090057

8206100126 Response opposing applicant 820511 motion for summary disposition of Citizens Assoc for Sound Energy Contention 3 Motion w/o merit & intervenor entitled to full hearing on all aspects of Contention 3 Certificate of Svc encl
 ELLIS, J Citizens Association for Sound Energy 82/06/02 Atomic Safety and Licensing Board Panel 53pp 13446 135 24X Fiche 50-445, 82/06/02, 8206100126

--8206100129 Answer to applicant 820511 statement of matl facts as to which there is no genuine issue to be heard ASLB not foreclosed from inquiring into matter resolved by IE & reaching independent determination Exhibits encl
 ELLIS, J Citizens Association for Sound Energy 82/06/02 Atomic Safety and Licensing Board Panel 600pp 13446 189 24X Fiche 50-445, 82/06/02, 8206100129

8206080098 Motion to stay ASLB 820525 order scheduling hearings on Contention 3 for 820607 Ruling extremely prejudicial to intervenor ability to participate effectively in hearing Certificate of Svc encl
 ELLIS, J Citizens Association for Sound Energy 82/06/03 Atomic Safety and Licensing Appeal Panel 5pp 13422 040 24X Fiche 50-445, 82/06/03, 8206080098

--8206080102 Appeal from ASLB 820525 scheduling order Issue presented raises fundamental questions of due process & fairness in NRC proceedings so that discretionary interlocutory review should be granted
 ELLIS, J Citizens Association for Sound Energy 82/06/03 Atomic Safety and Licensing Appeal Panel 13pp 13422 045 24X Fiche 50-445, 82/06/03, 8206080102

8206080095 Order denying Citizens Assoc for Sound Energy 820603 request for interlocutory appellate review of ASLB 820525 denial of 820521 motion & for immediate order barring commencement of 820607 hearing No justification exists for intercession
 SHODMAKER, C J Atomic Safety and Licensing Board Panel 82/06/04, Citizens Association for Sound Energy 2pp 13423 270 24X Fiche 50-445, 82/06/04, 8206080095

8206140026 Brief re scope of hearing on Contention 3 ASLB should establish proper scope of contention for hearing & find contention does not raise technical adequacy of engineering & const as issues Certificate of Svc encl
 REYNOLDS, N S, MORIN, W A Texas Utilities Generating Co 82/06/06 12pp 13486, 101 24X Fiche 50-445, 82/06/06, 8206140026

8206170190 Brief urging establishment of proper scope of hearing on Contention 3 Contention concerns adequacy of applicant GA/GC program & does not raise issues as to technical adequacy of engineering & const Certificate of Svc encl
 REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13654:323 24X Fiche 50-445, 82/06/28, 8206170190

--8206180194 Subpoena directed to C Atchison to appear at 820621 deposition in Fort Worth, TX Certificate of Svc encl
 MILLER, M E Atomic Safety and Licensing Board Panel 82/06/16 ATCHISON, C Affiliation Unknown 5pp 13553, 233 24X Fiche 50-445, 82/06/16, 8206180194

--8206180199 Forwards notice of C Atchison deposition & proposed subpoena to compel appearance at deposition No firm commitment of appearance given
 REYNOLDS, N S Debevoise & Liberman 82/06/16 MILLER, M Atomic Safety and Licensing Board Panel 2pp 13553 238 24X Fiche 50-445, 82/06/16, 8206180199

8206240376 Forwards C Holiday, R Smith, J Maxwell & R Ice notices of deposition re knowledge of const deficiencies No objection to issuance of subpoena to C Atchison
 JORDAN, W S Harmon & Weiss JORDAN, W S Citizens Association for Sound Energy 82/06/18 MILLER, M Atomic Safety and Licensing Board Panel 1p 13603 127 24X Fiche 50-445, 82/06/18, 8206240376

--8206240377 Notice of C Holiday 820623 deposition in Hurst, TX re deficiencies in supplied matls & welding, document falsification, pressures placed on inspectors by supervisory personnel & failure to resolve nonconformances promptly
 JORDAN, W S Citizens Association for Sound Energy JORDAN, W S Harmon & Weiss 82/06/18 2pp 13603 128 24X Fiche 50-445, 82/06/18, 8206240377

--8206240380 Notice of R Smith 820622 deposition in Hurst, TX re deficiencies in pipe whip restraints, backfit programs, conduit support & performance of C Atchison.
 JORDAN, W S Citizens Association for Sound Energy JORDAN, W S Harmon & Weiss 82/06/18 2pp 13603, 130, 24X Fiche 50-445, 82/06/18, 8206240380

--8206240383 Notice of J Maxwell 820623 deposition in Hurst, TX re deficiencies in supplied matls & welding, document falsification & const QA & QC
 JORDAN, W S Citizens Association for Sound Energy JORDAN, W S Harmon & Weiss 82/06/18 2pp 13603, 132 24X Fiche 50-445, 82/06/18, 8206240383

--8206240386 Notice of R Ice 820622 deposition in Hurst, TX re deficiencies in pipe whip restraints, movement restraints & inadequate QA & QC w/respect to pumps Certificate of Svc encl
 JORDAN, W S Citizens Association for Sound Energy JORDAN, W S Harmon & Weiss 82/06/18, 4pp 13603 134 24X Fiche 50-445, 82/06/18, 8206240386

8206280182 Notice of deposition of D Leigh on 820624 in Hurst, TX re vendor welding, QA & matl salvage program Certificate of Svc encl Related correspondence
 JORDAN, W S Harmon & Weiss JORDAN, W S Citizens Association for Sound Energy 82/06/21 3pp 13624, 229 24X Fiche 50-445, 82/06/21, 8206280182

8206240091 Identifies DD Driskill as addl witness to be called at 820726 hearing NRC intends to file, as exhibits to 820524 prefiled direct testimony, documents referred to in testimony
 ROTHSCILD, M U Hearing Branch 1, 82/06/22 MILLER, M E., MCCOLLOM, K A, COLE, R Atomic Safety and Licensing Board Panel, 2pp 13599 250 24X Fiche 50-445, 82/06/22, 8206240091

8206280052 Lists witnesses applicants intend to call at forthcoming hearings
 REYNOLDS, N S Debevoise & Liberman, REYNOLDS, N S Texas Utilities Generating Co 82/06/23, MILLER, M E., MCCOLLOM, K A, COLE, R Atomic Safety and Licensing Board Panel, 2pp 13624:360 24X Fiche 50-445, 82/06/23, 8206280052

8206280233 Proposed witness list for OL proceeding Certificate of Svc encl
 JORDAN, W S Case Western JORDAN, W S Harmon & Weiss 82/06/23 3pp 13624, 155 24X Fiche 50-445, 82/06/23, 8206280233

8206300213 Notice of A Hughes 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 3 on QA & QC during const activities Certificate of Svc encl
 REYNOLDS, N S Texas Utilities Generating Co, REYNOLDS, N S Debevoise & Liberman 82/06/28, 4pp 13654:323 24X Fiche 50-445, 82/06/28, 8206300213

8206300237 Notice of J Krolak 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 3 on QA & QC during const activities Certificate of Svc encl
 REYNOLDS, N S Texas Utilities Generating Co, REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13654:270, 24X Fiche 50-445, 82/06/28, 8206300237

DOCKETED ITEMS

8206300239 Notice of C Hamilton 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & QC during const activities Certificate of Svc encl REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13654 266 24X Fiche 50-445, 82/06/28, 8206300239

8206300249 Notice of T Harrington 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & QC during const activities Certificate of Svc encl REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13653 319 24X Fiche 50-445, 82/06/28, 8206300249

8206300257 Notice of R Hamilton 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & QC during const activities Certificate of Svc encl REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13652 349 24X Fiche 50-445, 82/06/28, 8206300257

8206300266 Notice of J Gates 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & QC during const activities Certificate of Svc encl REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13652 324 24X Fiche 50-445, 82/06/28, 8206300266

8206300274 Notice of JR Kinney 820701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & QC during const activities Certificate of Svc encl REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S Debevoise & Liberman 82/06/28 4pp 13652 335 24X Fiche 50-445, 82/06/28, 8206300274

H General correspondence

8206080180 Responds to 820505 ltr identifying May House as property acquired by NRC Property owned by util Determination of eligibility of property for inclusion in Natl Register of Historic Places under review YOUNGBLOOD, B J Licensing Branch 1 82/05/19 HERRINGTON, L Texas, State of 1p 13442 050 24X Fiche 50-445, 82/05/19, 8206080180

K Utility Final Safety Analysis Report (FSAR) & amends

8206110232 Forwards affidavit of svc of Amend 32 to facility FSAR, SCHMIDT, H C Texas Utilities Services, Inc 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director. 5pp 13466 240 24X Fiche 50-445, 82/05/26, 8206110232

Q Inspection reports, IE Bulletins & correspondence

8206080107 Forwards IE Insp Rept 50-445/82-06 on 820301-31. No noncompliance noted. MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 82/05/24 GARY, R J Texas Utilities Generating Co 2pp 13423 160 24X Fiche: 50-445, 82/05/24, 8206080107

--8206080111 IE Insp Rept 50-445/82-06 on 820301-31. No noncompliance noted Major areas inspected plant tours & preoperational test procedure review KELLY, D L, WESTERMAN, T F Division of Resident, Reactor Project & Engineering Programs 82/05/12 5pp 13423 162 24X Fiche 50-445, 82/05/24, 8206080107

8206020079 Informs that requirement to answer all notices of violation under oath or affirmation is rescinded. NRC may still exercise option to require oath in specific cases. MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 82/05/26 GARY, R J Texas Utilities Generating Co 1p 13322 240 24X Fiche 50-445, 82/05/26, 8206020079

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl. DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl. JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche: 50-000, 82/05/28, 8204210378

8206140052 Forwards IE Insp Rept 50-445/82-05 on 820419-23. No noncompliance noted MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs 82/05/28 GARY, R J Texas Utilities Generating Co 2pp 13467 068 24X Fiche 50-445, 82/05/28, 8206140052

--8206140053 IE Insp Rept 50-445/82-05 on 820419-23 No noncompliance noted Major areas inspected onsite design & const activities, design insp of pipe supports & installation of safety-related pipe supports BRICKLEY, R H, JOHNSON, C E, WESTERMAN, T Division of Resident, Reactor Project & Engineering Programs 82/05/21 6pp 13487 070 24X Fiche: 50-445, 82/05/28, 8206140052

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206250166 Forwards IE Insp Rept 50-445/82-07 on 820401-30 No noncompliance noted MADSEN, Q L Region 4, Office of Director 82/06/07 GARY, R J Texas Utilities Generating Co 2pp 13616 314 24X Fiche 50-445, 82/06/07, 8206250166

--8206250173 IE Insp Rept 50-445/82-07 on 820401-30 No noncompliance noted Major areas inspected action on previous insp findings, equipment turnover, joint test group activities & plant tours KELLEY, D L, WESTERMAN, T F Region 4, Office of Director 82/05/27 6pp 13616 316 24X Fiche: 50-445, 82/06/07, 8206250166

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/06/11 120pp 13673 189 24X Fiche: 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206070356 Interim deficiency rept re design of horizontal fire dampers, initially reported on 820323 Air Balance horizontal dampers cleaned Blade locks secured & damaged closer springs replaced. Completion expected by 820801 GARY, R J Texas Utilities Generating Co 82/05/28 MADSEN, Q L Division of Resident, Reactor Project & Engineering Programs. 3pp 13363 121 24X Fiche: 50-445, 82/05/28, 8206070356

8206210550 Deficiency rept re orifice plates sizing outside specified tolerance, initially reported 811217 All orifice plates affecting plant safety will be procured from different supplier. Corrective actions to be complete by 820901 GARY, R J Texas Utilities Generating Co 82/06/11 MADSEN, Q L Region 4, Office of Director. 2pp 13667 010 24X Fiche: 50-445, 82/06/11, 8206210550

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715. HILLS, L L Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X Fiche: 50-000, 82/06/23, 8206300192

DOCKET 50-446 COMANCHE PEAK STEAM ELECTRIC STA ,UNIT 2

A Application/construction stage documents & correspondence

--8206020017 Forwards "Control of Heavy Loads at Nuclear Power Plants, Comanche Peak Steam Electric Station, Units 1 & 2," draft technical evaluation rept.
YOUNGBLOOD, B J Licensing Branch 1. 82/05/20 GARY, R J Texas Utilities Generating Co 2pp 13333 007. 24X Fiche 50-445, 82/05/20, 8206020017

--8206020024 "Control of Heavy Loads at Nuclear Power Plants, Comanche Peak Steam Electric Station, Units 1 & 2," draft technical evaluation rept
DIXON, B W, STICKLEY, T H EQ&O, Inc 82/03/31 NRC - No Detailed Affiliation Given 4pp. 13333 009. 24X Fiche 50-445, 82/05/20, 8206020017

8206020298 Summary of 820428 meeting w/util in Bethesda, MD re transfer of containment spray sys from injection to recirculation mode Attendance list & calculation assumptions encl
BURWELL, S B Licensing Branch 1 82/05/25 Licensing Branch 1 4pp 13342 182 24X Fiche 50-445, 82/05/25, 8206020298

8206070154 Requests info re eligibility of May House for Natl Register of Historic Places, in response to TX Historical Commission 820505 request
YOUNGBLOOD, B J Licensing Branch 1. 82/05/25 GARY, R J Texas Utilities Generating Co. 2pp 13427 313 24X Fiche 50-445, 82/05/25, 8206070154

--8205110121 Requests documentation needed for state historic preservation officer to make determination of eligibility of May House
HERRINGTON, L Texas, State of 82/05/05 YOUNGBLOOD, B Licensing Branch 1 ip 13427 315 24X Fiche 50-445, 82/05/25, 8206070154

8206100020 Summary of 820427 meeting w/util in Bethesda, MD re TMI Action Item II B 3, "Post-Accident Sampling Sys " List of attendees encl
BURWELL, S B Licensing Branch 1 82/05/27 Licensing Branch 1 5pp 13474 024 24X Fiche 50-445, 82/05/27, 8206100020

8206140232 Summary of 820407 meeting w/util in Bethesda, MD re human factors review of control room & plans for responding to NUREG-0700 Viewgraphs encl.
BURWELL, S B Licensing Branch 1 82/05/27 Licensing Branch 1 4pp 13493 341 24X Fiche 50-445, 82/05/27, 8206140232

8206220336 Forwards addl info re containment spray sys switchover analysis, per 820421 meeting w/NRC Also forwards emergency operating procedures covering transfer of containment spray sys from injection to recirculation mode
SCHMIDT, H C Texas Utilities Services, Inc. 82/06/15 BURWELL, S, Division of Licensing 12pp 13581 259. 24X Fiche 50-445, 82/06/15, 8206220336

F Security, medical, emergency & fire protection plans

8206100023 Summary of 820324 meeting w/util in Bethesda, MD re level of detail to be included in emergency plan.
BURWELL, S, B Licensing Branch 1 82/05/27 Licensing Branch 1. 4pp. 13474:020 24X Fiche 50-445, 82/05/27, 8206100023

8206250003 Advises that physical security plan, guard training & qualification plan & safeguards contingency plan meet requirements of 10CFR73 w/one exception Proposed license condition incorporating plans encl
YOUNGBLOOD, B J. Licensing Branch 1 82/05/27 GARY, R J Texas Utilities Generating Co 3pp. 13627 028. 24X Fiche:50-445, 82/05/27, 8206250003

G Adjudicatory correspondence

8206090012 Telegraphic order denying Citizens Assoc for Sound Energy motion for consideration of 820422 order. Matl matters may be reviewed at 820607 trial.
MILLER, M E. Atomic Safety and Licensing Board Panel 82/05/12 Citizens Association for Sound Energy 1p 13435 338 24X Fiche. 50-445, 82/05/12, 8206090012.

8206090014 Telegraphic order denying Citizens Assoc for Sound Energy motions to reschedule hearing & to strike applicant summary disposition motion Admonishes intervenor to cease filing repetitious dilatory motions.
MILLER, M E. Atomic Safety and Licensing Board Panel 82/05/25, Citizens Association for Sound Energy 1p 13435:337 24X Fiche 50-445, 82/05/25, 8206090014.

8206010289 Advises that if ASLB decides evidence on ASLB Questions 1 & 3 necessary at June 1982 hearing, NRC would adopt as NRC testimony, affidavits submitted supporting NRC 820307 answers

ROTHSCHILD, M U, NIZUNO, O B Hearing Branch 1 82/05/27 MILLER, M E, MCCOLLUM, K A, COLE, R Atomic Safety and Licensing Board Panel 2pp 13301 084 24X Fiche 50-445, 82/05/27, 8206010289

8206040018 Clarification & supplementation of responses to eleventh set of interrogatories re issues for further litigation
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S Debovoise & Liberman 82/05/27 ELLIS, J Citizens Association for Sound Energy 9pp 13348 239 24X Fiche 50-445, 82/05/27, 8206040018

8206040038 Requests author be placed on speaker list for 820607 hearing in Fort Worth, TX
ATCHINSON, C Affiliation Unknown 82/05/28 NRC - No Detailed Affiliation Given 1p 13347 350 24X Fiche 50-445, 82/05/28, 8206040038

8206090053 Answer supporting applicant 820510 motion for summary disposition of Contention 5 No genuine issue of matl fact exists & dismissal warranted as matter of law
ROTHSCHILD, M U Hearing Branch 1 82/06/02 Atomic Safety and Licensing Board Panel 43pp 13435 021 24X Fiche 50-445, 82/06/02, 8206090053

--8206090057 Affidavit of WA Crossman, RC Stewart & RQ Taylor re Contention 5 Insp & investigation findings do not substantiate allegations re inadequacy of plant const Prop qualifications & Certificate of Svc encl
CROSSMAN, W A, STEWART, R. C., TAYLOR, R Q Division of Resident, Reactor Project & Engineering Programs 82/06/02 118pp 13436 064 24X Fiche 50-445, 82/06/02, 8206090053

8206100126 Response opposing applicant 820511 motion for summary disposition of Citizens Assoc for Sound Energy Contention 5 Motion w/o merit & intervenor entitled to full hearing on all aspects of Contention 5 Certificate of Svc encl
ELLIS, J Citizens Association for Sound Energy 82/06/02 Atomic Safety and Licensing Board Panel 53pp 13446 135 24X Fiche 50-445, 82/06/02, 8206100126

--8206100129 Answer to applicant 820511 statement of matl facts as to which there is no genuine issue to be heard ASLB not foreclosed from inquiring into matter resolved by IE & reaching independent determination Exhibits encl.
ELLIS, J. Citizens Association for Sound Energy 82/06/02 Atomic Safety and Licensing Board Panel. 600pp 13446 189. 24X Fiche 50-445, 82/06/02, 8206100126

8206080098 Motion to stay ASLB 820525 order scheduling hearings on Contention 5 for 820607 Ruling extremely prejudicial to intervenor ability to participate effectively in hearing Certificate of Svc encl
ELLIS, J Citizens Association for Sound Energy 82/06/03 Atomic Safety and Licensing Appeal Panel 5pp 13422 040 24X Fiche 50-445, 82/06/03, 8206080098.

--8206080102 Appeal from ASLB 820525 scheduling order issue presented raises fundamental questions of due process & fairness in NRC proceedings so that discretionary interlocutory review should be granted
ELLIS, J Citizens Association for Sound Energy. 82/06/03 Atomic Safety and Licensing Appeal Panel. 13pp. 13422:045 24X Fiche 50-445, 82/06/03, 8206080098.

8206080095 Order denying Citizens Assoc for Sound Energy 820603 request for interlocutory appellate review of ASLB 820525 denial of 820521 motion & for immediate order barring commencement of 820607 hearing No justification exists for intercession
SHOEMAKER, C. J. Atomic Safety and Licensing Board Panel. 82/06/04 Citizens Association for Sound Energy 2pp. 13423:270 24X Fiche. 50-445, 82/06/04, 8206080095

8206140026 Brief re scope of hearing on Contention 5 ASLB should establish proper scope of contention for hearing & find contention does not raise technical adequacy of engineering & const as issues Certificate of Svc encl
REYNOLDS, N S, HORIN, W A Texas Utilities Generating Co. REYNOLDS, N S Debovoise & Liberman 82/06/06 12pp 13486 101 24X Fiche. 50-445, 82/06/06, 8206140026

8206170190 Brief urging establishment of proper scope of hearing on Contention 5 Contention concerns adequacy of applicant QA/QC program & does not raise issues as to technical adequacy of engineering & const Certificate of Svc encl
REYNOLDS, N S, HORIN, W A Texas Utilities Generating Co REYNOLDS, N S Debovoise & Liberman 82/06/06 Atomic Safety and Licensing Board Panel. 12pp 13534 322 24X Fiche:50-445, 82/06/06, 8206170190.

B206180203 Notice of B20726 resumption of evidentiary hearing in Fort Worth, TX, to address remaining matters in controversy re Contention 5 on GA/GC
MILLER, M E Atomic Safety and Licensing Board Panel, 82/06/15
2pp 13552 344 24X Fiche 50-445, 82/06/15, B206180203

B206180190 Notice of C Atchison B20621 deposition in Fort Worth, TX re allegations on Citizens Assoc for Sound Energy Contention 5 Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S
Debevoise & Liberman 82/06/16 4pp 13553 229 24X
Fiche 50-445, 82/06/16, B206180190

--B206180194 Subpoena directed to C Atchison to appear at B20621 deposition in Fort Worth, TX Certificate of Svc encl
MILLER, M E Atomic Safety and Licensing Board Panel 82/06/16
ATCHISON, C Affiliation Unknown 5pp 13553 233 24X
Fiche 50-445, 82/06/16, B206180190

--B206180197 Forwards notice of C Atchison deposition & proposed subpoena to compel appearance at deposition No firm commitment of appearance given
REYNOLDS, N S Debevoise & Liberman 82/06/16 MILLER, M Atomic
Safety and Licensing Board Panel 2pp 13553 238 24X
Fiche 50-445, 82/06/16, B206180190

B206240376 Forwards C Holiday, R Smith, J Maxwell & R Ice notices of deposition re knowledge of const deficiencies No objection to issuance of subpoena to C Atchison
JORDAN, W S Harmon & Weiss JORDAN, W S Citizens Association for
Sound Energy 82/06/18 MILLER, M Atomic Safety and Licensing
Board Panel 1p 13603 127 24X Fiche 50-445, 82/06/18, B206240376

--B206240377 Notice of C Holiday B20623 deposition in Hurst, TX re deficiencies in supplied matls & welding, document falsification, pressures placed on inspectors by supervisory personnel & failure to resolve nonconformances promptly
JORDAN, W S Citizens Association for Sound Energy JORDAN, W S
Harmon & Weiss 82/06/18 2pp 13603 128 24X
Fiche 50-445, 82/06/18, B206240376

--B206240380 Notice of R Smith B20622 deposition in Hurst, TX re deficiencies in pipe whip restraints, backfit programs, conduit support & performance of C Atchison
JORDAN, W S Citizens Association for Sound Energy JORDAN, W S
Harmon & Weiss 82/06/18 2pp 13603 130 24X
Fiche 50-445, 82/06/18, B206240376

--B206240383 Notice of J Maxwell B20623 deposition in Hurst, TX re deficiencies in supplied matls & welding, document falsification & const GA & GC
JORDAN, W S Citizens Association for Sound Energy JORDAN, W S
Harmon & Weiss 82/06/18 2pp 13603 132 24X
Fiche 50-445, 82/06/18, B206240376

--B206240386 Notice of R Ice B20622 deposition in Hurst, TX re deficiencies in pipe whip restraints, movement restraints & inadequate GA & GC w/respect to pumps Certificate of Svc encl
JORDAN, W S Citizens Association for Sound Energy JORDAN, W S
Harmon & Weiss 82/06/18 4pp 13603, 134 24X
Fiche 50-445, 82/06/18, B206240376

B206280182 Notice of deposition of D Leigh on B20624 in Hurst, TX re vendor welding, GA & matl salvage program, Certificate of Svc encl, Related correspondence
JORDAN, W S Harmon & Weiss JORDAN, W S Citizens Association for
Sound Energy 82/06/21 3pp 13624 229, 24X Fiche 50-445,
82/06/21, B206280182

B206240091 Identifies DD Driskill as addl witness to be called at B20726 hearing, NRC intends to file, as exhibits to B20524 prefiled direct testimony, documents referred to in testimony
ROTHSCHILD, M U, Hearing Branch 1, 82/06/22, MILLER, M E,
MCCOLLUM, K A, COLE, R Atomic Safety and Licensing Board Panel
2pp 13599 250 24X Fiche 50-445, 82/06/22, B206240091

B206280052 Lists witnesses applicants intend to call at forthcoming hearings.
REYNOLDS, N S Debevoise & Liberman REYNOLDS, N S Texas Utilities
Generating Co 82/06/23 MILLER, M E, MCCOLLUM, K A, COLE, R
Atomic Safety and Licensing Board Panel 2pp 13624, 360, 24X
Fiche 50-445, 82/06/23, B206280052

B206280233 Proposed witness list for DL proceeding Certificate of Svc encl
JORDAN, W S Case Western JORDAN, W S, Harmon & Weiss 82/06/23
5pp 13624 156 24X Fiche 50-445, 82/06/23, B206280233.

B206300213 Notice of A Hughes B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co, REYNOLDS, N S
Debevoise & Liberman, 82/06/28 4pp 13654 323 24X
Fiche 50-445, 82/06/28, B206300213

B206300237 Notice of J Krolak B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S
Debevoise & Liberman 82/06/28 4pp 13654 270 24X
Fiche 50-445, 82/06/28, B206300237

B206300239 Notice of C Hamilton B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S,
Debevoise & Liberman 82/06/28 4pp 13654 266 24X
Fiche 50-445, 82/06/28, B206300239.

B206300249 Notice of T Harrington B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl,
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S
Debevoise & Liberman 82/06/28 4pp 13653, 319 24X
Fiche 50-445, 82/06/28, B206300249.

B206300257 Notice of R Hamilton B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S
Debevoise & Liberman, 82/06/28 4pp, 13652 349 24X
Fiche 50-445, 82/06/28, B206300257.

B206300266 Notice of J Gates B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S
Debevoise & Liberman 82/06/28 4pp, 13652 324 24X
Fiche 50-445, 82/06/28, B206300266.

B206300274 Notice of JR Kinney B20701 deposition in Dallas, TX re Citizens Assoc for Sound Energy Contention 5 on GA & GC during const activities Certificate of Svc encl
REYNOLDS, N S Texas Utilities Generating Co REYNOLDS, N S,
Debevoise & Liberman 82/06/28, 4pp 13652, 335 24X
Fiche, 50-445, 82/06/28, B206300274.

H General correspondence

B206080180 Responds to B20505 ltr identifying May House as property acquired by NRC. Property owned by util Determination of eligibility of property for inclusion in Natl Register of Historic Places under review.
YOUNGBLOOD, B J, Licensing Branch 1 82/05/19 HERRINGTON, L
Texas, State of, 1p, 13442 050, 24X Fiche, 50-445, 82/05/19,
B206080180

K Utility Final Safety Analysis Report (FSAR) & amends

B206110232 Forwards affidavit of svc of Amend 32 to facility FSAR.
SCHMIDT, H C Texas Utilities Services, Inc 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director, 5pp 13466 240,
24X Fiche 50-445, 82/05/26, B206110232

Q Inspection reports, IE Bulletins & correspondence

B206020079 Informs that requirement to answer all notices of violation under oath or affirmation is rescinded NRC may still exercise option to require oath in specific cases
MADSEN, Q L Division of Resident, Reactor Project & Engineering
Programs, 82/05/26, GARY, R J, Texas Utilities Generating Co 1p,
13322 240 24X Fiche 50-445, 82/05/26, B206020079

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28, 107pp, 13426 095 24X
Fiche 50-000, 82/05/28, B202040147.

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28,
103pp, 13440 264, 24X Fiche, 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R C, Director's Office, Office of Inspection and
Enforcement, 82/06/02 108pp, 13527 190, 24X
Fiche 50-000, 82/06/02, B204210380

3204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 238 24X Fiche 50-000, 82/06/11, 8204210383

3204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

3 Reportable occurrences, LERs & related correspondence

3206070356 Interim deficiency rept re design of horizontal fire
dampers, initially reported on 820323 Air Balance horizontal
dampers cleaned Blade locks secured & damaged closer springs
replaced Completion expected by 820601
GARY, R J Texas Utilities Generating Co 82/05/28 MADSEN, O L
Division of Resident, Reactor Project & Engineering Programs 3pp
13363 121 24X Fiche 50-445, 82/03/28, 8206070356

3206210350 Deficiency rept re orifice plates sizing outside specified
tolerance, initially reported 811217 All orifice plates
affecting plant safety will be procured from different
supplier Corrective actions to be complete by 820701
GARY, R J Texas Utilities Generating Co 82/06/11 MADSEN, O L
Region 4, Office of Director 2pp 13567 010 24X
Fiche 50-445, 82/06/11, 8206210350

3206300192 Part 21 rept re potential defect in couplings drive element
of DSRV or DSR standby diesel generator Affected licensees
will be notified no later than 820715
MILLS, L L Transamerica Delaval, Inc 82/06/23 Director's
Office, Office of Inspection and Enforcement 2pp 13653 028 24X
Fiche 50-000, 82/06/23, 8206300192

I Hearing transcripts on non-antitrust matters

3206150260 Transcript of 820607 hearing in Fort Worth, TX, Pp 682-969
Viewgraphs encl
* Atomic Safety and Licensing Board Panel 82/06/07 300pp
13494 001 24X Fiche 50-445, 82/06/07, 8206150260

3206150030 Transcript of 820608 hearing in Fort Worth, TX, Pp 970-1, 219
* Atomic Safety and Licensing Board Panel 82/06/08 250pp
13497 001 24X Fiche 50-445, 82/06/08, 8206150030

3206150026 Transcript of 820609 hearing in Fort Worth, TX Pp
1, 220-1, 480
* Atomic Safety and Licensing Board Panel 82/06/09 260pp
13498 001 24X Fiche 50-445, 82/06/09, 8206150026

3206150257 Transcript of 820610 hearing in Fort Worth, TX Pp 1, 481-
1, 757.
* Atomic Safety and Licensing Board Panel 82/06/10. 289pp
13495 001 24X Fiche 50-445, 82/06/10, 8206150257

3206150175 Transcript of 820611 hearing in Fort Worth, TX Pp 1, 758-
1, 904
* Atomic Safety and Licensing Board Panel 82/06/11 147pp
13502 237 24X Fiche 50-445, 82/06/11, 8206150175

DOCKET STN-50-447 GESSAR-238

A Application/construction stage documents & correspondence

3206090168 Notification of canceled 820526 meeting w/QE in Bethesda,
MD to discuss GESSAR II review on soils
WILLIAMS, J H Standardization & Special Projects Branch 82/04/26
MILLER, J R Standardization & Special Projects Branch 1p
15 24X Fiche 50-447, 82/04/26, 8206090168

--8206090072 Amend 4 to GESSAR II
* General Electric Co 82/05/28 2500pp 13429 072 24X
Fiche 50-447, 82/05/28, 8206020532

8206110024 Notification of 820615 & 16 meetings w/QE in Bethesda, MD to
discuss technical update on GESSAR II probabilistic risk
assessment
FAULKNER, H J Standardization & Special Projects Branch 82/06/01
BERNARD, H Standardization & Special Projects Branch 2pp
13493 121 24X Fiche 50-447, 82/06/01, 8206110024

8206210521 Forwards recent GESSAR II submittal re suppression pool
scrubbing test program w/o encl
SHERWOOD, O Q General Electric Co 82/06/14 MATTHEW, R J
Division of Systems Integration (post 811009) 1p 13568 050 24X
Fiche 50-447, 82/06/14, 8206210521

K Utility Final Safety Analysis Report (FSAR) & amendments

8205170285 Forwards Amend 3 to GESSAR II, consisting of updated P&IDs,
electrical sys logic diagrams, corrected typographical errors
& clarification of text
SHERWOOD, O Q General Electric Co 82/04/28 EISENHUT, D Q
Division of Licensing 1p 13098 065 24X Fiche 50-447, 82/04/28,
8205170285

--8205170293 Amend 3 to GESSAR II w/i, 042 oversize drawings Aperture
cards are available in PDR
SHERWOOD, O Q General Electric Co 82/04/28 400pp 13098 066,
24X Fiche 50-447, 82/04/28, 8205170285

8205260206 Forwards FSAR table of contents, instruction page, index tabs
& two new vols for use in future Amendments
SHERWOOD, O Q General Electric Co 82/04/28 EISENHUT, D Q
Division of Licensing 31pp 13243 012 24X Fiche 50-447, 82/04/28,
8205260206

8206020532 Forwards Amend 4 to application for review of GESSAR II,
providing addl info requested by 811209 acceptance review
ltr, unresolved safety issues, ATWS & balance of severe
accident submittal.
SHERWOOD, O Q General Electric Co 82/05/28 EISENHUT, D Q
Division of Licensing 3pp 13429, 065 24X Fiche: 50-447, 82/05/28,
8206020532

--8206020536 Application for Amend 4 to 238 GESSAR II providing addl info
requested by 811209 acceptance review ltr, unresolved safety
issues, ATWS & balance of severe accident submittal Obvious
discrepancies in text clarified.
SHERWOOD, O Q General Electric Co 82/05/28 2pp 13429, 066
24X Fiche 50-447, 82/05/28, 8206020532

--8206090072 Amend 4 to GESSAR II
* General Electric Co 82/05/28 2500pp 13429 072 24X
Fiche 50-447, 82/05/28, 8206020532

DOCKET STN-50-454 BYRON STATION, UNIT 1

A Application/construction stage documents & correspondence

8206080336 Forwards Pages 1 5-1 through 1.5-5 of Facility FSAR re
status of R&D programs. Pages will be included in next FSAR
amend
TRAHM, T R Commonwealth Edison Co 82/05/26 DENTON, H R Office
of Nuclear Reactor Regulation, Director 6pp 13416 190 24X
Fiche 50-000, 82/05/26, 8206080336

8206160020 Summary of 820506 meeting w/util & Bargent & Lundy in
Bethesda, MD re program for seismic qualification of
equipment
KIPER, K L, CHESNUT, S H Licensing Branch 1, 82/05/27 Licensing
Branch 1 5pp 13525 297 24X Fiche 50-000, 82/05/27, 8206160020

8206140303 Forwards request for addl subsurface info to determine
adequacy of foundation support for essential svc water
pipeline & forwards NRC criteria for reviewing exploration
results Schedule for response requested within 3 wks
YOUNGBLOOD, B J Licensing Branch 1 82/06/01 DELOEDER, L Q
Commonwealth Edison Co 6pp 13510 157 24X Fiche: 50-454, 82/06/01,
8206140303

8206140406 Approves request for withholding info per 10CFR2 790 re
improved thermal design procedures (CAW-82-15).
YOUNGBLOOD, B J Licensing Branch 1 82/06/07 WIEBEMAN, R A
Westinghouse Electric Corp 4pp 13510 056 24X
Fiche 50-000, 82/06/07, 8206140406

8206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A. SWARTZ, E. D. Commonwealth Edison Co. 82/06/07. HAASB, W. P. Quality Assurance Branch. 1p. 13522 027. 24X Fiche 50-000, 82/06/07, 8206160222

--8206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept." * Commonwealth Edison Co. CE-1-A R21 ERR. 82/06/06. 20pp. 13522 028. 24X Fiche 50-000, 82/06/07, 8206160222

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olinda Rept documents findings re cause of event w/o encl. EISENHUT, D. O. Division of Licensing. 82/06/09. HAUSPURG, A. Consolidated Edison Co. of New York. PARRIS, H. G. Tennessee Valley Authority. 13pp. 13557 349. 24X Fiche 50-000, 82/06/09, 8206090153.

8206150411 Requests util address encl concerns on loose parts monitoring program in final design rept. YOUNGBLOOD, B. J. Licensing Branch 1. 82/06/10. DELGEOERGE, L. G. Commonwealth Edison Co. 8pp. 13525 227. 24X Fiche 50-000, 82/06/10, 8206150411

8206240299 Responds to NRC 820402 request for info re control room design review Suppl to preliminary design assessment for Byron addl items & Braidwood site-specific items scheduled to be submitted by 830101. TRAMM, T. R. Commonwealth Edison Co. 82/06/15. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 2pp. 13597 029. 24X Fiche 50-000, 82/06/15, 8206240299

D NRC Draft/Final Environmental Statements, suppl & correspondence

8206010713 FOIA request for DEB & FEB for facilities. LIQUETT, G. L. Affiliation Unknown. 82/04/29. Public Document. Branch. 1p. 13331 332. 24X Fiche 50-454, 82/04/29, 8206010713

8206010716 Responds to FOIA request for DEB & FEB for facilities. Forwards NUREG-0848 w/o encl. FELTON, J. M. Division of Rules and Records. 82/05/17. LIQUETT, G. L. Affiliation Unknown. 1p. 13331 333. 24X Fiche 50-454, 82/05/17, 8206010716.

8206020330 Advises that review of FEB complete Responses in FEB addressed previous concerns re radiological impacts. Completion of radiation emergency response plan awaited. BACKLEY, B. T. Environmental Protection Agency. 82/03/28. YOUNGBLOOD, B. J. Division of Licensing. 1p. 13321 336. 24X Fiche 50-454, 82/05/28, 8206020330.

E NRC Safety Evaluation Report (SER), suppl & correspondence

8205120245 Forwards addl info re fire protection issues, hydrogen piping, cable spreading rooms & reactor coolant pump oil info closes out Byron SER Open Item 13. TRAMM, T. R. Commonwealth Edison Co. 82/05/05. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 5pp. 13044 098. 24X Fiche 50-000, 82/05/05, 8205120245

8206070274 Forwards addl info re temp of fluid in reactor vessel head region. Review of info should close Confirmatory Issue 22 of Byron SER. No further work justifiable. Requests subJ requirements be withdrawn. TRAMM, T. R. Commonwealth Edison Co. 82/05/26. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 8pp. 13368 315. 24X Fiche 50-000, 82/05/26, 8206070274.

8206150183 Forwards "Byron/Braidwood Stations - Units 1 & 2 Inadequate Core Cooling Detection Sys Summary Status Rept," outlining specific design/hardware implementation efforts info should assist in closeout of Byron SER Outstanding Item 9. TRAMM, T. R. Commonwealth Edison Co. 82/06/07. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 1p. 13503 307. 24X Fiche 50-000, 82/06/07, 8206150183.

--8206150188 "Byron/Braidwood Stations - Units 1 & 2 Inadequate Core Cooling Detection Sys Summary Status Rept." * Commonwealth Edison Co. 82/04/30. 29pp. 13503 308. 24X Fiche 50-000, 82/06/07, 8206150183

8206150285 Submits addl info re reactor coolant pump locked rotor & shaft break transients info closes Confirmatory Issue 34 of Byron SER. TRAMM, T. R. Commonwealth Edison Co. 82/06/07. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 4pp. 13503 279. 24X Fiche 50-000, 82/06/07, 8206150285.

8206240277 Forwards info re seismic & dynamic qualification of equipment important to safety. Review of encl info necessary prior to Jul/Aug 1982 site audit in order to close outstanding Item 6 of Byron SER. TRAMM, T. R. Commonwealth Edison Co. 82/06/17. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 200pp. 13596 207. 24X Fiche 50-000, 82/06/17, 8206240277

F Security, medical, emergency & fire protection plans

8205120245 Forwards addl info re fire protection issues, hydrogen piping, cable spreading rooms & reactor coolant pump oil info closes out Byron SER Open Item 13. TRAMM, T. R. Commonwealth Edison Co. 82/05/05. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 5pp. 13044 098. 24X Fiche 50-000, 82/05/05, 8205120245.

8206290607 Releases public version of revised facility annex to generating station emergency plan. FELTON, J. M. Division of Rules and Records. 82/06/11. Document Management Branch. 1p. 13646 083. 24X Fiche 50-454, 82/06/11, 8206290607

--8206290611 Forwards public version of Revision D to facility annex to generating station emergency plan. TRAMM, T. R. Commonwealth Edison Co. 82/05/25. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 2pp. 13646 084. 24X Fiche 50-454, 82/06/11, 8206290607

--8206290615 Public version of Revision D to facility annex to generating station emergency plan. Revision index page encl. * Commonwealth Edison Co. 82/06/30. 73pp. 13646 087. 24X Fiche 50-454, 82/06/11, 8206290607

8206180201 Forwards info re ability to shut down in event of fire, supplementing B1117 rept which identified problem zones requiring further analysis. Either cables rerouted or more detailed analysis performed to justify present design. TRAMM, T. R. Commonwealth Edison Co. 82/06/14. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 200pp. 13554 015. 24X Fiche 50-000, 82/06/14, 8206180201

8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring programs. SCHROEDER, C. W. Commonwealth Edison Co. 82/06/16. DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 1p. 13600 315. 24X Fiche 50-000, 82/06/16, 8206240332.

8206230021 Releases public version of generating stations emergency plan telephone directory. FELTON, J. M. Division of Rules and Records. 82/06/17. Document Management Branch. 1p. 13594 073. 24X Fiche 50-000, 82/06/17, 8206230021.

--8206230032 Forwards public version of generating stations emergency plan telephone directory. MOORE, R. D. Commonwealth Edison Co. 82/06/04. DENTON, H. R. NRC - No Detailed Affiliation Given. 1p. 13594 074. 24X Fiche 50-000, 82/06/17, 8206230021

--8206230037 Public version of generating stations emergency plan telephone directory. * Commonwealth Edison Co. 82/05/28. 40pp. 13594 076. 24X Fiche 50-000, 82/06/17, 8206230021.

8206240032 Releases public version of generating stations emergency plan telephone directory. FELTON, J. M. Division of Rules and Records. 82/06/18. Document Management Branch. 1p. 13617 336. 24X Fiche 50-000, 82/06/18, 8206240032

--8206240049 Public version of generating stations emergency plan telephone directory. * Commonwealth Edison Co. 82/05/28. 41pp. 13617 337. 24X Fiche 50-000, 82/06/18, 8206240032.

G Adjudicatory correspondence

8206040243 Interrogatories on SE util & NRC Certificate of Svc. CHAVEZ, D. Mississippi Alliant. CHAVEZ, D. DeKalb Area Alliant. Commonwealth Edison Co. 7pp. 8206040243.

DOCKETED ITEMS

- 8206010351 Advises that util proposes to submit all cover ltrs w/attachments for all correspondence initiated w/NRC dealing w/OL issues, to assure ASLB provided w/all info which may be relevant.
BIELAWSKI, A P Isham, Lincoln & Beale BIELAWSKI, A P Commonwealth Edison Co 82/05/24 MILLER, M E , COLE, R F , CALLIHAN, A D Atomic Safety and Licensing Board Panel 4pp 13300 346 24X
Fiche 50-454, 82/05/24, 8206010351
- 206010332 Order concluding that Revised Contentions 10, 11 & 12 are not based on new info contained in supplemental SER & not within scope of contentions contemplated by 810909 order, w/listed exceptions
MILLER, M E Atomic Safety and Licensing Board Panel. 82/05/26 DeKalb Area Alliance for Responsible Energy 5pp 13300.108 24X
Fiche 50-454, 82/05/26, 8206010332
- 8206040232 Confirms that DeKalb Area Alliance for Responsible Energy/ Mississippi Alliance for Environ 820825 interrogatories ultimately NRC will attempt to answer Interrogatories 1-5 & 18 Interrogatories relate to admitted contentions
OLDBERG, B C Hearing Branch 4 82/06/01. Mississippi Alliance for the Environment (SAFE) 2pp 13355-271 24X
Fiche 50-454, 82/06/01, 8206040232
- 206040255 Renewal request for FEMA testimony on emergency planning at OL hearings Testimony on Contention 3(b), (c) & (d) re offsite plans, interface between offsite & onsite plans & provisions for nonvacuation emergency measures needed.
CHRISTENBURY, E Hearings Division 82/06/02 PERRY, S Federal Emergency Management Agency Ip. 13358 033. 24X
Fiche 50-454, 82/06/02, 8206040255.
- 8206080262 Motion for summary disposition of Contentions 2,3 (in part), 4 & 6-7 No genuine issue of matl fact exists & dismissal of contentions warranted as matter of law Matl facts as to which no genuine issues to be heard encl
OLDBERG, B C , YOUNG, M A , RAMBON, R J. Hearing Branch 4 82/06/04. Atomic Safety and Licensing Board Panel 80pp 13419 089 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080266 Affidavit of RK Struckmeyer & ML Wohl on intervenor Contentions 2 & 2a No measurable radiological impact on public from routine plant operation anticipated. Prof qualifications encl
STRUCKMEYER, R Radiological Assessment Branch. WOHL, M L Accident Evaluation Branch. 82/06/04 24pp 13419 169 24X
Fiche 50-454, 82/06/04, 8206080262.
- 8206080272 Affidavit of R DeFayette re Contention 3 Provisions for evacuation of population 30 miles from site, beyond reach of plume exposure pathway emergency planning zone not required by regulations Prof qualifications encl
DEFAYETTE, R EP Licensing Branch 82/06/03 11pp 13419 193 24X
Fiche 50-454, 82/06/04, 8206080262.
- 8206080275 Affidavit of WL Jensen re Contention 4. Commission regulations do not require explicit design consideration of multiple independent failures per se. Prof qualifications encl
JENSEN, W L Reactor Systems Branch. 82/06/01 27pp 13419 204 24X
Fiche 50-454, 82/06/04, 8206080262.
- 8206080280 Affidavit of WQ Kennedy re Contention 4 Discusses NRC work re procedures to reduce risk to public health & safety from potential accident resulting from multiple mutually independent failures Prof qualifications encl
KENNEDY, W Q Procedures & Test Review Branch. 82/06/01 6pp 13419 231 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080283 Affidavit of JE Kennedy & FM Akstulewicz re Contention 4 Requirements for safety-related equipment design not based on specific percentage of cladding degradation Zirconium cladding degradation considered in radiation levels.
KENNEDY, J E Equipment Qualification Branch AKSTULEWICZ, F Accident Evaluation Branch 82/06/01. 6pp. 13419 237 24X
Fiche 50-454, 82/06/04, 8206080262.
- 8206080288 Affidavit of DA Powers re Contention 6. Use of zirconium cladding is not very hazardous design concept & applicant has properly estimated cladding adequacy re detrimental effects of zirconium-water reaction. W/prof qualifications
POMERIS, D A Core Performance Branch 82/05/27. 14pp. 13419 243 24X
Fiche 50-454, 82/06/04, 8206080262.
- 8206080290 Affidavit of JC Pulsipher re Contention 7. Recombiner sys not required to be designed to perform hydrogen mitigation during degraded core accident Prof qualifications encl
PULSIPHER, J C Containment Systems Branch. 82/05/27 12pp 13419 257 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080294 Affidavit of JJ Hayes & FJ Witt on Contentions 8 & 9(e) No reason exists to believe plant will require primary coolant sys decontamination during plant operating life Prof qualifications encl
HAYES, J J Effluent Treatment Systems Branch WITT, F J Chemical Engineering Branch 82/06/03 14pp 13419 269 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080297 Affidavit of AW Serkis re Contention 9(a) Plant steam generators introduce feedwater from bottom & are not susceptible to steam water hammer experienced in top feed ring designs Prof qualifications encl
SERKIZ, A W Generic Issues Branch 82/05/19 5pp 13419 283 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080302 Affidavit of RJN Rajan re Contention 9(b) Issue of asymmetric bladdown loads on PHR primary sys considered resolved generic safety issue Prof qualifications encl
RAJAN, J R N Mechanical Engineering Branch 82/05/24 5pp 13419 288 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080305 Affidavit of EL Murphy & JRN Rajan re Contention 9(c). Lists applicant measures to minimize onset of steam generator tube integrity problems Plant can be safely operated pending generic resolution Prof qualifications encl
MURPHY, E L Materials Engineering Branch RAJAN, J R N Mechanical Engineering Branch 82/05/28 6pp 13419 293 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206080307 Affidavit of RE Johnson re Contention 9(d) Matls used in steam generator & reactor coolant pump supports were found not to have high susceptibility to brittle fracture Prof qualifications & Certificate of Svc encl
JOHNSON, R E Generic Issues Branch 82/05/19 6pp 13419 299 24X
Fiche 50-454, 82/06/04, 8206080262
- 8206140114 Motion for summary disposition of Contentions 1, 2, 2A, 3, 4, 6, 7, 8, 9(a), 9(b), 9(d) & 9(e) No genuine issue of matl fact exists & util entitled to favorable decision
MILLER, M I Commonwealth Edison Co MILLER, M I Isham, Lincoln & Beale 82/06/07 Atomic Safety and Licensing Board Panel 16pp. 13485 049 24X
Fiche 50-454, 82/06/07, 8206140114
- 8206140118 Affidavit of C Reed re Contention 1 Expresses util strong commitment to safe plant operation to protect public health & safety & to operate plant within NRC & other requirements
REED, C Commonwealth Edison Co 82/06/03 8pp. 13485 065 24X
Fiche 50-454, 82/06/07, 8206140114
- 8206140126 Affidavit of WL Stiede that specific incidents listed in Contention 1 do not prove util unable or unwilling or lacks technical qualifications to operate plant safely
STIEDE, W L Commonwealth Edison Co 82/06/03 37pp 13485 073 24X
Fiche 50-454, 82/06/07, 8206140114
- 8206140132 Affidavit of WJ Bhwski describing util GA program Util history of compliance w/applicable GA criteria does not indicate util unwilling or unable to operate plant safely
BHEWSKI, W J Commonwealth Edison Co 82/06/03 11pp. 13485 109 24X
Fiche 50-454, 82/06/07, 8206140114.
- 8206140136 Affidavit of R Querio re personnel qualifications, personnel commitment to plant safety & plant plans for packaging & transport of waste matls. Plant has necessary technical qualifications
QUERIO, R E Commonwealth Edison Co 82/06/03. 27pp 13485 120 24X
Fiche 50-454, 82/06/07, 8206140114
- 8206140140 Affidavit of OP Lahti re Contention 2 Describes regulatory criteria considered in analyzing cumulative routine releases from plant & other nuclear plants in IL Design objectives considered described
LAHTI, O P Commonwealth Edison Co. LAHTI, O P. Sargent & Lundy, Inc. 82/06/07 30pp 13485 146 24X
Fiche 50-454, 82/06/07, 8206140114
- 8206140144 Unexecuted affidavit of JI Fabrikant re Contention 2 on re-evaluation of health effects of projected routine release of radioactivity for residents of DeKalb, Bycamore & Rockford areas
FABRIKANT, J I Commonwealth Edison Co. 82/06/07 74pp 13485 176. 24X
Fiche 50-454, 82/06/07, 8206140114
- 8206140148 Affidavit of Q Kloop re Contention 2A. Incremental risk from nuclear accidents to area residents cannot be zero Risk should be determined by risk from Byron Other plants pose insignificant risk
KLOPP, Q Commonwealth Edison Co 82/06/07 8pp 13485 251 24X
Fiche 50-454, 82/06/07, 8206140114

DOCKETED ITEMS

--8206140153 Affidavit of JC Golden re Contention 3 Plant emergency plan provides reasonable assurance prompt & effective actions will be taken to protect public health & safety
GOLDEN, J C Commonwealth Edison Co 82/06/04 28pp 13485 259
24X Fiche 50-454, 82/06/07, 8206140114

--8206140160 Affidavit of O Klopp re Contention 4 Intervenor interpretation of single failure demonstrates misunderstanding of NRC requirement on accident analysis
KLOPP, O Commonwealth Edison Co 82/06/04 31pp 13485 288
24X Fiche 50-454, 82/06/07, 8206140114

--8206140163 Affidavit of HM Ferrari re Contention 6 Concerns raised carefully considered & reviewed in FSAR Sufficient assurance exists to assure containment of radioactive matls under worst postulated DBA
FERRARI, H M Commonwealth Edison Co FERRARI, H M Westinghouse Electric Corp 82/06/04 16pp 13485 320 24X
Fiche 50-454, 82/06/07, 8206140114

--8206140165 Affidavit of T Tramm re Contention 7 that util will comply w/new regulatory requirements on hydrogen control/generation matters
TRAMM, T Commonwealth Edison Co 82/06/07 8pp 13485 336 24X
Fiche 50-454, 82/06/07, 8206140114.

--8206140180 Affidavit of JC Blomgren re Contention 8 Primary sys decontamination would result in no significant adverse impact to human environ quality
BLOMGREN, J C Commonwealth Edison Co 82/06/04 20pp 13485 344 24X Fiche: 50-454, 82/06/07, 8206140114

--8206140186 Affidavit of RH Carlson re Contention 9(a) on water hammer Steam generator bypass sys design, w/listed mods, is adequate to minimize likelihood of bubble collapse waterhammer events in steam generators to acceptable level
CARLSON, R H Commonwealth Edison Co CARLSON, R H Westinghouse Electric Corp 82/06/04 25pp, 13486 001 24X
Fiche 50-454, 82/06/07, 8206140114

--8206140190 Affidavit of LA Bowen re Contention 9(a) on water hammer Possible courses of action being discussed, including Westinghouse recommendations re KR8KO plant events.
BOWEN, L A Commonwealth Edison Co 82/06/06 8pp 13486 026
24X Fiche. 50-454, 82/06/07, 8206140114

--8206140192 Affidavit of R Pleniewicz re Contention 9(a) Operating procedures re operation of feedwater bypass sys will implement Westinghouse recommendations
PLENIEWICZ, R Commonwealth Edison Co 82/06/04 8pp 13486 035
24X Fiche: 50-454, 82/06/07, 8206140114

--8206140198 Affidavit of RJ Netzel re Contention 9(b) Reactor vessel supports designed for asymmetrical blowdown loads & stress limits within ASME Boiler & Pressure Vessel Code allowable
NETZEL, R J Commonwealth Edison Co 82/06/04 2pp, 13486 043
24X Fiche 50-454, 82/06/07, 8206140114

--8206140203 Affidavit of WT Bogard re Contention 9(b). Asymmetric blowdown loads adequately addressed in plant design
BOGARD, W T Commonwealth Edison Co 82/06/03 23pp 13486 045
24X Fiche 50-454, 82/06/07, 8206140114.

--8206140210 Affidavit of RJ Netzel re Contention 9(d) Steam generator & reactor coolant pump support design took into account fracture toughness properties of matls making up supports
Certificate of Svc encl
NETZEL, R J Commonwealth Edison Co NETZEL, R J Sargent & Lundy, Inc. 82/06/07 10pp 13486 068 24X Fiche. 50-454, 82/06/07, 8206140114

8206110046 Forwards informal response to interrogatories served on 820525, beyond formal discovery period
GOLDBERG, B C Hearing Branch 4. 82/06/09 CHAVEZ, D Safe Energy for New Haven 1p 13466 107 24X Fiche: 50-454, 82/06/09, 8206110046.

--8206110049 Informal response to interrogatories served on 820525 * Hearing Branch 4. 82/06/09 Safe Energy for New Haven 4pp. 13466 108 24X Fiche: 50-454, 82/06/09, 8206110046

8206140083 Forwards, for info, pertinent portions of recent NRC & applicant motions for summary disposition of emergency planning Contention 3, w/o encl.
GOLDBERG, B C Hearing Branch 4. 82/06/14, PERRY, S. Federal Emergency Management Agency 1p. 13517 319 24X
Fiche: 50-454, 82/06/14, 8206140083

8206160133 Forwards pertinent portions of NRC & applicant motions for summary disposition of emergency planning Contention 3 FEHA draft testimony on contention due by 820717 w/o encl.
GOLDBERG, B C Hearing Branch 4 82/06/14 SANDERS, M Federal Emergency Management Agency 1p 13517 356 24X
Fiche 50-454, 82/06/14, 8206160133

8206170354 Reply objecting to Dekalb Area Alliance for Responsible Energy/Business Alliance for Environ 820525
interrogatories on SER & supplemental SER interrogatories unrelated to admitted contested issues w/Certificate of Svc.
BIELAWSKI, A P Commonwealth Edison Co 82/06/14 Atomic Safety and Licensing Board Panel 4pp 13531 312 24X
Fiche 50-454, 82/06/14, 8206170354

8206210274 Decision ALAB-67B, reversing & remanding LBP-81-82 which dismissed Rockford League of Women Voters from proceeding
League conduct warrants severe sanction, but not severest sanction of dismissal
SHOENMAKER, C J Atomic Safety and Licensing Appeal Panel. 82/06/17 4pp 13558 172 24X Fiche 50-454, 82/06/17, 8206210274

8206280072 Notice of ASLB reconstitution MB Margulies, chairman & AD Callihan & RF Cole, members
COTTER, B P Atomic Safety and Licensing Board Panel 82/06/18. 2pp 13624 250 24X Fiche 50-454, 82/06/18, 8206280072

8206230202 Order granting Rockford League of Women Voters motion for extension of time until 820706 to answer util
interrogatories, League consultants heavily engaged in another proceeding
SHOENMAKER, C J Atomic Safety and Licensing Appeal Panel. 82/06/21. League of Women Voters of Rockford, IL 3pp 13586 304 24X
Fiche 50-454, 82/06/21, 8206230202

8206280061 Forwards recent correspondence between NRC & util, including IE Bulletin 82-02 & IE Info Notice 82-17
BIELAWSKI, A Isham, Lincoln & Beale BIELAWSKI, A Commonwealth Edison Co 82/06/21 MILLER, M E, CALLIHAN, A D, COLE, R F Atomic Safety and Licensing Board Panel 32pp 13624 293 24X
Fiche 50-454, 82/06/21, 8206280061

8206280246 Requests responses to util second round of interrogatories & request for production of documents re all contentions which League does not voluntarily dismiss. Related correspondence.
MURPHY, P M Isham, Lincoln & Beale MURPHY, P M Commonwealth Edison Co 82/06/23 CHERRY, M M Cherry, M M /Cherry, Flynn & Kanter, CHERRY, M M League of Women Voters of Rockford, IL 1p. 13624, 215 24X Fiche. 50-454, 82/06/23, 8206280246

8206290183 First set of interrogatories, originally served on 800312. Proof of svc encl. Related correspondence
CHERRY, M M League of Women Voters of Rockford, IL CHERRY, M Cherry, M M /Cherry, Flynn & Kanter. 82/06/24 Commonwealth Edison Co. 12pp 13635 324 24X Fiche: 50-454, 82/06/24, 8206290183

8206290256 Motion for order requiring NRC personnel w/knowledge of facts to answer Rockford League of Women Voters 800312
interrogatories. Proof of svc encl Related correspondence
CHERRY, M M League of Women Voters of Rockford, IL CHERRY, M M Cherry, M M /Cherry, Flynn & Kanter 82/06/24 Atomic Safety and Licensing Appeal Panel 16pp 13637 018 24X Fiche: 50-454, 82/06/24, 8206290256.

8206290294 Petition for reconsideration of 820617 decision, ALAB-67B, directing ASLB to limit contentions ASLB made findings w/o hearing & wrongfully faulted Rockford League of Women Voters for not seeking protective order. Proof of svc encl
CHERRY, M M League of Women Voters of Rockford, IL CHERRY, M M Cherry, M M /Cherry, Flynn & Kanter 82/06/24 Atomic Safety and Licensing Board Panel 11pp 13636 184 24X Fiche: 50-454, 82/06/24, 8206290294

8206290259 Advice to ASLAB re overall jurisdiction to assure fair hearings. Proof of svc encl.
CHERRY, M M League of Women Voters of Rockford, IL CHERRY, M Cherry, M M /Cherry, Flynn & Kanter. 82/06/25 5pp. 13637 001 24X
Fiche 50-454, 82/06/25, 8206290259.

8206290298 Motion for order directing util response to interrogatories, for imposition of sanctions & for award of costs & atty fees. Proof of svc encl
CHERRY, M M League of Women Voters of Rockford, IL CHERRY, M M Cherry, M M /Cherry, Flynn & Kanter 82/06/25 Atomic Safety and Licensing Board Panel 6pp. 13636 225 24X Fiche. 50-454, 82/06/25, 8206290298

8206300242 Notice of appearance in proceeding. Certificate of Svc encl.
GALLO, J. Commonwealth Edison Co GALLO, J. Isham, Lincoln & Beale. 82/06/28. 3pp, 13633 325 24X Fiche. 50-454, 82/06/28, 8206300242.

K Utility Final Safety Analysis Report (FSAR) & amends

B206220210 Amend to application for CPs & OLS consisting of Amend 3B to FSAR
LENTINE, F. Q. Commonwealth Edison Co 82/06/16, DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 4pp. 13574 069 24X
Fiche 50-000, 82/06/16, B206220210

--B206220212 Amend 3B to FSAR
* Commonwealth Edison Co 82/05/31 700pp 13574:073 24X
Fiche 50-000, 82/06/16, B206220210

B206290553 Forwards affidavit stating that FSAR Amend 3B was distributed on B20618 in accordance w/Encl 1 of RS Boyd 781020 ltr, per 10CFR2.101(a)(4).
TRAMM, T. R. Commonwealth Edison Co 82/06/24 DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 2pp. 13631 051 24X
Fiche 50-000, 82/06/24, B206290553

G Inspection reports, IE Bulletins & correspondence

B206070340 Forwards IE Insp Repts 50-454/82-07 & 50-455/82-05 on B20322-0430 & notice of violation
SPESSARD, R. L. Division of Project & Resident Programs 82/03/19.
REED, C. Commonwealth Edison Co. 2pp 13363 058, 24X
Fiche 50-454, 82/03/19, B206070340

--B206070342 Notice of violation from insp on B20322-0430
SPESSARD, R. L. Division of Project & Resident Programs 82/03/19
2pp. 13363-060 24X Fiche 50-454, 82/03/19, B206070340

--B206070346 IE Insp Repts 50-454/82-07 & 50-455/82-05 on B20322-0430.
Noncompliance noted failure to perform emergency diesel IA testing in accordance w/preoperational test procedure 2.22.10, Section 9.12
FORNEY, W. L., HAYES, D. W. Division of Project & Resident Programs. 82/03/19 4pp 13363 062 24X Fiche 50-454, 82/03/19, B206070340.

B206100133 Forwards IE Insp Rept 50-454/82-06 on B20503-06 No noncompliance noted.
LITTLE, W. S. Division of Engineering & Technical Programs. 82/03/26
REED, C. Commonwealth Edison Co. 2pp 13449-098 24X
Fiche 50-454, 82/03/26, B206100133

--B206100135 IE Insp Rept 50-454/82-06 on B20503-06 No noncompliance noted. Major areas inspected: preoperational test procedures, evaluation of preoperational test results & previous open items
RING, M. A., JACKIN, I. N. Division of Engineering & Technical Programs. 82/03/20. 4pp 13449 100 24X Fiche 50-454, 82/03/20, B206100133

B206100153 Forwards IE Insp Repts 50-454/82-09 & 50-455/82-06 on B20518-19 No noncompliance noted.
LITTLE, W. S. Division of Engineering & Technical Programs 82/03/26.
REED, C. Commonwealth Edison Co. 2pp 13444 327 24X
Fiche 50-454, 82/03/26, B206100153

--B206100157 IE Insp Repts 50-454/82-09 & 50-455/82-06 on B20518-19.
No noncompliance noted. Major areas inspected: preservice insp procedures, work activities, nondestructive exam personnel certifications & data & shop & field weld radiographs
WARD, K. D., DANIELSON, D. H. Division of Engineering & Technical Programs 82/03/26. 5pp 13444, 327. 24X Fiche: 50-454, 82/03/26, B206100153.

B202040147 IE Info Notice 82-13, "Notification of NRC." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp. 13426:095 24X
Fiche 50-000, 82/05/28, B202040147.

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/03/28
103pp. 13440:264. 24X Fiche: 50-000, 82/03/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/02 106pp. 13527-150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11.
106pp 13679:258. 24X Fiche. 50-000, 82/06/11, B204210383.

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers." Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

DOCKET STN-50-455 BYRON STATION, UNIT 2

A Application/construction stage documents & correspondence

B206080356 Forwards Pages 1 5-1 through 1 5-5 of facility FSAR re status of R&D programs Pages will be included in next FSAR amend
TRAMM, T. R. Commonwealth Edison Co 82/05/26 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 6pp 13416 190 24X
Fiche 50-000, 82/05/26, B206080356

B206160020 Summary of B20506 meeting w/util & Sargent & Lundy in Bethesda, MD re program for seismic qualification of equipment
KIPER, K. L., CHESNUT, S. H. Licensing Branch 1 82/05/27 Licensing Branch 1 5pp 13525 297 24X Fiche 50-000, 82/05/27, B206160020

B206160303 Forwards request for addl subsurface info to determine adequacy of foundation support for essential svc water pipeline & forwards NRC criteria for reviewing exploration results Schedule for response requested within 3 wks
YOUNGBLOOD, B. J. Licensing Branch 1 82/06/01 DELGEOERGE, L. O. Commonwealth Edison Co 6pp 13510 157 24X Fiche 50-454, 82/06/01, B206160303

B206160406 Approves request for withholding info per 10CFR2 790 re improved thermal design procedures (CAW-82-13)
YOUNGBLOOD, B. J. Licensing Branch 1 82/06/07 WIESEMAN, R. A. Westinghouse Electric Corp 4pp 13510 056 24X
Fiche 50-000, 82/06/07, B206160406

B206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A
SWARTZ, E. D. Commonwealth Edison Co 82/06/07, HAASS, W. P. Quality Assurance Branch 1p. 13522 027 24X Fiche 50-000, 82/06/07, B206160222

--B206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept." * Commonwealth Edison Co. CE-1-A R21 ERR 82/06/06 20pp 13522:028. 24X Fiche 50-000, 82/06/07, B206160222

B206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event. W/o encl
EISENHUT, D. O. Division of Licensing. 82/06/09. HAUSPURG, A. Consolidated Edison Co. of New York. PARRIS, H. O. Tennessee Valley Authority 13pp 13537 349. 24X Fiche 50-000, 82/06/09, B206090153

B206150411 Requests util address encl concerns on loose parts monitoring program in final design rept
YOUNGBLOOD, B. J. Licensing Branch 1. 82/06/10 DELGEOERGE, L. O. Commonwealth Edison Co 6pp 13525 229 24X Fiche 50-000, 82/06/10, B206150411.

B206240299 Responds to NRC B20402 request for info re control room design review Suppl to preliminary design assessment for Byron addl items & Braidwood site-specific items scheduled to be submitted by 830101.
TRAMM, T. R. Commonwealth Edison Co 82/06/15 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 2pp 13597 029 24X
Fiche: 50-000, 82/06/15, B206240299.

D NRC Draft/Final Environmental Statements, supplis & correspondence

B206010713 FOIA request for DES & FES for facilities
LIQUETT, Q. L. Affiliation Unknown. 82/04/29 Public Document Branch 1p. 13331-332. 24X Fiche. 50-454, 82/04/29, B206010713

B206010716 Responds to FOIA request for DES & FES for facilities. Forwards NUREG-0848 W/o encl
FELTON, J. M. Division of Rules and Records 82/03/17. LIQUETT, Q. L. Affiliation Unknown. 1p 13331.333 24X Fiche 50-454, 82/03/17, B206010716

B206020350 Advises that review of FES complete. Responses in FES addressed previous concerns re radiological impacts Completion of radiation emergency response plan awaited.
BACKLEY, B. T. Environmental Protection Agency 82/03/28. YOUNGBLOOD, B. J. Division of Licensing 1p. 13321 336 24X
Fiche. 50-454, 82/03/28, B206020350.

DOCKETED ITEMS

E NRC Safety Evaluation Report (SER), supp's & correspondence

8205120245 Forwards addl info re fire protection issues, hydrogen piping, cable spreading rooms & reactor coolant pump oil info closes out Byron SER Open Item 13.
TRAHM, T R Commonwealth Edison Co 82/05/05 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13044:09B 24X
Fiche 50-000, 82/05/05, 8205120245

8206070274 Forwards addl info re temp of fluid in reactor vessel head region Review of info should close Confirmatory Issue 22 of Byron SER No further work justifiable Requests subj requirements be withdrawn
TRAHM, T R Commonwealth Edison Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp. 13368 315 24X
Fiche 50-000, 82/05/26, 8206070274

8206150183 Forwards "Byron/Braidwood Stations - Units 1 & 2 Inadequate Core Cooling Detection Sys Summary Status Rept," outlining specific design/hardware implementation efforts Info should assist in closeout of Byron SER Outstanding Item 9
TRAHM, T R Commonwealth Edison Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13303 307 24X
Fiche 50-000, 82/06/07, 8206150183

--8206150188 "Byron/Braidwood Stations - Units 1 & 2, Inadequate Core Cooling Detection Sys Summary Status Rept"
* Commonwealth Edison Co 82/04/30. 27pp. 13503:308 24X
Fiche 50-000, 82/06/07, 8206150183

8206150285 Submits addl info re reactor coolant pump locked rotor & shaft break transients Info closes Confirmatory Issue 34 of Byron SER
TRAHM, T R Commonwealth Edison Co. 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp 13503 279 24X
Fiche 50-000, 82/06/07, 8206150285

8206240277 Forwards info re seismic & dynamic qualification of equipment important to safety Review of encl info necessary prior to Jul/Aug 1982 site audit in order to close outstanding Item 6 of Byron SER
TRAHM, T R Commonwealth Edison Co 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director. 200pp. 13576 207 24X
Fiche 50-000, 82/06/17, 8206240277

F Security, medical, emergency & fire protection plans

8205120245 Forwards addl info re fire protection issues, hydrogen piping, cable spreading rooms & reactor coolant pump oil info closes out Byron SER Open Item 13.
TRAHM, T R Commonwealth Edison Co 82/05/05. DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13044 09B 24X
Fiche 50-000, 82/05/05, 8205120245

8206290607 Releases public version of revised facility annex to generating station emergency plan.
FELTON, J M Division of Rules and Records. 82/06/11 Document Management Branch 1p 13646:083 24X Fiche 50-454, 82/06/11, 8206290607

--8206290611 Forwards public version of Revision O to facility annex to generating station emergency plan
TRAHM, T R Commonwealth Edison Co 82/05/25 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp. 13646:084 24X
Fiche 50-454, 82/06/11, 8206290607

--8206290615 Public version of Revision O to facility annex to generating station emergency plan Revision index page encl
* Commonwealth Edison Co 82/06/30 73pp 13646 087 24X
Fiche 50-454, 82/06/11, 8206290607

8206180201 Forwards info re ability to shut down in event of fire, supplementing 81117 rept which identified problem zones requiring further analysis Either cables rerouted or more detailed analysis performed to justify present design
TRAHM, T R Commonwealth Edison Co 82/06/14. DENTON, H R Office of Nuclear Reactor Regulation, Director 200pp. 13594 015 24X
Fiche 50-000, 82/06/14, 8206180201.

8206240332 Forwards Revision 3 to Procedure 0271A, "Meteorological Monitoring/Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to GA program for meteorological monitoring programs
SCHROEDER, C W. Commonwealth Edison Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director. 1p 13600:315. 24X
Fiche 50-000, 82/06/16, 8206240332.

8206230021 Releases public version of generating stations emergency plan telephone directory
FELTON, J M. Division of Rules and Records 82/06/17. Document Management Branch. 1p 13594.073 24X Fiche: 50-000, 82/06/17, 8206230021

--8206230032 Forwards public version of generating stations emergency plan telephone directory
MOORE, R D Commonwealth Edison Co. 82/06/04. DENTON, H R NRC No Detailed Affiliation Given 1p. 13594 074 24X
Fiche 50-000, 82/06/17, 8206230021

--8206230037 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 40pp 13594 076 24X
Fiche 50-000, 82/06/17, 8206230021

8206240032 Releases public version of generating stations emergency plan telephone directory
FELTON, J M Division of Rules and Records 82/06/18 Document Management Branch 1p 13617 336 24X Fiche 50-000, 82/06/18, 8206240032

--8206240049 Public version of generating stations emergency plan telephone directory
* Commonwealth Edison Co 82/05/28 41pp 13617 337 24X
Fiche 50-000, 82/06/18, 8206240032

G Adjudicatory correspondence

8206040243 Interrogatories on SER & supplemental SER to be answered util & NRC Certificate of Svc encl Related correspondence
CHAVEZ, D Mississippi Alliance for the Environment (SAFE). CHAVEZ, D DeKalb Area Alliance for Responsible Energy 82/05/20. Commonwealth Edison Co 7pp. 13394:132 24X Fiche 50-454, 82/05/26, 8206040243

8206010351 Advises that util proposes to submit all cover ltrs w/attachments for all correspondence initiated w/NRC dealing w/OL issues, to assure ABLB provided w/all info which may be relevant
BIELAWSKI, A P Isham, Lincoln & Beale BIELAWSKI, A.P. Commonwealth Edison Co 82/05/24 MILLER, M E, COLE, R F, CALLIHAN, A D Atomic Safety and Licensing Board Panel 4pp 13300 346 24X
Fiche 50-454, 82/05/24, 8206010351.

8206010332 Order concluding that Revised Contentions 10, 11 & 12 are based on new info contained in supplemental SER & not within scope of contentions contemplated by 810909 order, w/listed exceptions.
MILLER, M E Atomic Safety and Licensing Board Panel 82/05/26 DeKalb Area Alliance for Responsible Energy 5pp. 13300:108 24X
Fiche 50-454, 82/05/26, 8206010332

8206040232 Confirms that DeKalb Area Alliance for Responsible Energy Mississippi Alliance for Environ 820525 Interrogatories untimely NRC will attempt to answer Interrogatories 1-5 & 18. Interrogatories relate to admitted contentions.
GOLDBERG, S C Hearing Branch 4 82/06/01 Mississippi Alliance for the Environment (SAFE) 2pp 13355:271 24X
Fiche 50-454, 82/06/01, 8206040232

8206040255 Renews request for FEMA testimony on emergency planning & OL hearings. Testimony on Contention 3(b), (c) & (d) re offsite plans, interface between offsite & onsite plans & provisions for nonvacation emergency measures needed.
CHRISTENBURY, E. Hearings Division 82/06/02 PERRY, S Federal Emergency Management Agency 1p 13358 035. 24X
Fiche 50-454, 82/06/02, 8206040255

8206080262 Motion for summary disposition of Contentions 2, 3 (in part) 4 & 6-9. No genuine issue of matl fact exists & dismissal of contentions warranted as matter of law Matl facts as to which no genuine issues to be heard encl.
GOLDBERG, S C, YOUNG, M A, RAMSON, R J Hearing Branch 4. 82/06/01 Atomic Safety and Licensing Board Panel. 80pp. 13419:089. 24X
Fiche 50-454, 82/06/04, 8206080262

--8206080266 Affidavit of RK Struckmeyer & ML Wohl on intervenor Contentions 2 & 2a. No measurable radiological impact on public from routine plant operation anticipated. Prof qualifications encl
STRUCKMEYER, R. Radiological Assessment Branch WOHL, M L. Accident Evaluation Branch. 82/06/04 24pp 13419.169.
Fiche: 50-454, 82/06/04, 8206080262

--8206080272 Affidavit of R DeFayette re Contentions evacuation of population 30 miles from site, & plume exposure pathway emergency planning for by regulations. Prof qualifications encl.
DEFAYETTE, R EP Licensing Branch. 82/06/04 24X Fiche 50-454, 82/06/04, 8206080262

--8206080275 Affidavit of WL Jansen re Contention 4 Commission regulations do not require explicit design consideration of multiple independent failures per se Prof qualifications encl.
JENSEN, W L Reactor Systems Branch. 82/06/01. 27pp. 13419:207. 24X Fiche 50-454, 82/06/04, 8206080262.

DOCKETED ITEMS

- B206080280 Affidavit of WG Kennedy re Contention 4 Discusses NRC work re procedures to reduce risk to public health & safety from potential accident resulting from multiple mutually independent failures Prof qualifications encl
KENNEDY, W G Procedures & Test Review Branch. 82/06/01 6pp 13419 231 24X Fiche 50-454, 82/06/04, B206080262
- B206080283 Affidavit of JE Kennedy & FM Akstulewicz re Contention 6 Requirements for safety-related equipment design not based on specific percentage of cladding degradation Zirconium cladding degradation considered in radiation levels
KENNEDY, J E Equipment Qualification Branch AKSTULEWICZ, F Accident Evaluation Branch 82/06/01 6pp 13419 237 24X Fiche 50-454, 82/06/04, B206080262
- B206080288 Affidavit of DA Powers re Contention 6 Use of zirconium cladding is not very hazardous design concept & applicant has properly estimated cladding adequacy re detrimental effects of zirconium-water reaction W/prof qualifications
POWERS, D A Core Performance Branch 82/05/27 14pp 13419 243 24X Fiche 50-454, 82/06/04, B206080262
- B206080290 Affidavit of JC Pulsipher re Contention 7 Recombiner sys not required to be designed to perform hydrogen mitigation during degraded core accident Prof qualifications encl
PULSIPHER, J C Containment Systems Branch 82/05/27 12pp 13419 257 24X Fiche 50-454, 82/06/04, B206080262
- B206080294 Affidavit of JJ Hayes & FJ Witt on Contentions 8 & 9(a) No reason exists to believe plant will require primary coolant sys decontamination during plant operating life Prof qualifications encl
HAYES, J J Effluent Treatment Systems Branch WITT, F J Chemical Engineering Branch 82/06/03 14pp 13419 269 24X Fiche 50-454, 82/06/04, B206080262
- B206080297 Affidavit of AW Serkiz re Contention 9(a) Plant steam generators introduce feedwater from bottom & are not susceptible to steam water hammer experienced in top feed ring designs Prof qualifications encl
SERKIZ, A W Generic Issues Branch 82/05/19 5pp 13419 289 24X Fiche 50-454, 82/06/04, B206080262
- B206080302 Affidavit of R N Rajan re Contention 9(b) Issue of asymmetric blowdown loads on PWR primary sys considered resolved generic safety issue Prof qualifications encl
RAJAN, R N Mechanical Engineering Branch 82/05/24 5pp 13419 288 24X Fiche 50-454, 82/06/04, B206080262
- B206080305 Affidavit of EL Murphy & JRN Rajan re Contention 9(c) List applicant measures to minimize onset of steam generator tube integrity problems Plant can be safely operated pending generic resolution. Prof qualifications encl
MURPHY, E L Materials Engineering Branch RAJAN, J R N Mechanical Engineering Branch 82/05/28 6pp 13419 293 24X Fiche 50-454, 82/06/04, B206080262
- B206080307 Affidavit of RE Johnson re Contention 9(d) Mats used in steam generator & reactor coolant pump supports were found not to have high susceptibility to brittle fracture Prof qualifications & Certificate of Svc encl
JOHNSON, R E Generic Issues Branch 82/05/19 6pp 13419 297 24X Fiche 50-454, 82/06/04, B206080262
- 206140114 Motion for summary disposition of Contentions 1, 2, 2A, 3, 4, 6, 7, B, 9(a), 9(b), 9(d) & 9(e) No genuine issue of mat fact exists & util entitled to favorable decision
MILLER, M I Commonwealth Edison Co MILLER, M I Isham, Lincoln & Beale 82/06/07 Atomic Safety and Licensing Board Panel. 14pp 13485 049 24X Fiche 50-454, 82/06/07, B206140114
- B206140118 Affidavit of C Reed re Contention 1 Expresses util strong commitment to safe plant operation to protect public health & safety & to operate plant within NRC & other requirements
REED, C Commonwealth Edison Co 82/06/03 8pp 13485 065 24X Fiche 50-454, 82/06/07, B206140114
- B206140126 Affidavit of WL Stiede that specific incidents listed in Contention 1 do not prove util unable or unwilling or lacks technical qualifications to operate plant safely
STIEDE, W L Commonwealth Edison Co 82/06/03 37pp. 13485 073 24X Fiche 50-454, 82/06/07, B206140114
- B206140132 Affidavit of WJ Shewski describing util QA program Util history of compliance w/applicable QA criteria does not indicate util unwilling or unable to operate plant safely.
SHEWSKI, W J Commonwealth Edison Co 82/06/03 11pp 13485 109 24X Fiche 50-454, 82/06/07, B206140114.
- B206140136 Affidavit of R Querio re personnel qualifications, personnel commitment to plant safety & plant plans for packaging & transport of waste mats Plant has necessary technical qualifications
QUERIO, R E Commonwealth Edison Co 82/06/03 27pp 13485 120 24X Fiche 50-454, 82/06/07, B206140114
- B206140140 Affidavit of OP Lahti re Contention 2 Describes regulatory criteria considered in analyzing cumulative routine releases from plant & other nuclear plants in IL Design objectives considered described
LAHTI, O P Commonwealth Edison Co LAHTI, O P Sargent & Lundy, Inc 82/06/07 30pp 13485 146 24X Fiche 50-454, 82/06/07, B206140114
- B206140144 Unexecuted affidavit of JI Fabrikant re Contention 2 on re-evaluation of health effects of projected routine release of radioactivity for residents of Dekalb, Sycamore & Rockford areas
FABRIKANT, J I Commonwealth Edison Co 82/06/07 74pp 13485 176 24X Fiche 50-454, 82/06/07, B206140114
- B206140148 Affidavit of O Klopp re Contention 2A Incremental risk from nuclear accidents to area residents cannot be zero Risk should be determined by risk from Byron Other plants pose insignificant risk
KLOPP, O Commonwealth Edison Co 82/06/07 8pp 13485 231 24X Fiche 50-454, 82/06/07, B206140114
- B206140153 Affidavit of JC Golden re Contention 3 Plant emergency plan provides reasonable assurance prompt & effective actions will be taken to protect public health & safety
GOLDEN, J C Commonwealth Edison Co 82/06/04 28pp 13485 259 24X Fiche 50-454, 82/06/07, B206140114
- B206140160 Affidavit of O Klopp re Contention 4 Intervenor interpretation of single failure demonstrates misunderstanding of NRC requirement on accident analysis
KLOPP, O Commonwealth Edison Co 82/06/04 31pp 13485 288 24X Fiche 50-454, 82/06/07, B206140114
- B206140163 Affidavit of HM Ferrari re Contention 6 Concerns raised carefully considered & reviewed in FSAR Sufficient assurance exists to assure containment of radioactive mats under worst postulated DBA
FERRARI, H M Commonwealth Edison Co FERRARI, H M Westinghouse Electric Corp 82/06/04 16pp 13485 320 24X Fiche 50-454, 82/06/07, B206140114
- B206140165 Affidavit of T Tramm re Contention 7 that util will comply w/new regulatory requirements on hydrogen control/generation matters
TRAMM, T Commonwealth Edison Co 82/06/07 8pp 13485 336 24X Fiche 50-454, 82/06/07, B206140114
- B206140180 Affidavit of JC Blomgren re Contention 8 Primary sys decontamination would result in no significant adverse impact to human environ quality
BLOMGREN, J C Commonwealth Edison Co 82/06/04 20pp 13485 344 24X Fiche 50-454, 82/06/07, B206140114
- B206140186 Affidavit of RW Carlson re Contention 9(a) on water hammer Steam generator bypass sys design w/listed mods, is adequate to minimize likelihood of bubble collapse waterhammer events in steam generators to acceptable level
CARLSON, R W Commonwealth Edison Co CARLSON, R W Westinghouse Electric Corp 82/06/04 28pp 13485 001 24X Fiche 50-454, 82/06/07, B206140114
- B206140190 Affidavit of LA Bowen re Contention 9(a) on water hammer. Possible courses of action being discussed, including Westinghouse recommendations re KRSHQ plant events
BOWEN, L A Commonwealth Edison Co 82/06/06 8pp 13485 026 24X Fiche 50-454, 82/06/07, B206140114
- B206140192 Affidavit of R Pleniewicz re Contention 9(a) Operating procedures re operation of feedwater bypass sys will implement Westinghouse recommendations
PLENIEWICZ, R Commonwealth Edison Co 82/06/04 8pp 13486 035 24X Fiche 50-454, 82/06/07, B206140114
- B206140198 Affidavit of RJ Netzel re Contention 9(b) Reactor vessel supports designed for Asymmetrical blowdown loads & stress limits within ASME Boiler & Pressure Vessel Code allowable.
NETZEL, R J Commonwealth Edison Co 82/06/04 2pp 13486 041 24X Fiche 50-454, 82/06/07, B206140114
- B206140203 Affidavit of WT Bogard re Contention 9(b) Asymmetric blowdown loads adequately addressed in plant design
BOGARD, W T Commonwealth Edison Co 82/06/03 23pp. 13486 045 24X Fiche 50-454, 82/06/07, B206140114

DOCKETED ITEMS

--8206140210 Affidavit of RJ Netzel re Contention 9(d) Steam generator & reactor coolant pump support design took into account fracture toughness properties of matls making up supports Certificate of Svc encl NETZEL,R J Commonwealth Edison Co NETZEL,R J Sargent & Lundy, Inc 82/06/07 10pp 13486 068 24X Fiche 50-454,82/06/07, 8206140114

8206110046 Forwards informal response to interrogatories served on 820925, beyond formal discovery period GOLDBERG, S C Hearing Branch 4 82/06/09 CHAVEZ, D Safe Energy for New Haven 1p 13466 107 24X Fiche 50-454,82/06/09, 8206110046

--8206110049 Informal response to interrogatories served on 820525 * Hearing Branch 4 82/06/09 Safe Energy for New Haven 4pp 13466 108 24X Fiche 50-454,82/06/09,8206110046

8206140083 Forwards, for info, pertinent portions of recent NRC & applicant motions for summary disposition of emergency planning Contention 3, W/o encl GOLDBERG, S C Hearing Branch 4 82/06/14 PERRY, S Federal Emergency Management Agency 1p 13517 319, 24X Fiche 50-454, 82/06/14, 8206140083

8206140133 Forwards pertinent portions of NRC & applicant motions for summary disposition of emergency planning Contention 3 FEMA draft testimony on contention due by 820717 W/o encl GOLDBERG, S C Hearing Branch 4 82/06/14 SANDERS, M Federal Emergency Management Agency 1p 13517 356 24X Fiche 50-454, 82/06/14, 8206140133

8206170384 Reply objecting to Dekalb Area Alliance for Responsible Energy/Mississippi Alliance for Environ 820525 Interrogatories on SER & supplemental SER. Interrogatories unrelated to admitted contested issues W/Certificate of Svc BIELAWSKI, A P Commonwealth Edison Co. 82/06/14 Atomic Safety and Licensing Board Panel 4pp 13531 312 24X Fiche 50-454, 82/06/14, 8206170384

8206210274 Decision ALAB-67B, reversing & remanding LBP-B1-52 which dismissed Rockford League of Women Voters from proceeding. League conduct warrants severe sanction, but not severest sanction of dismissal BHOEMAKER, C J Atomic Safety and Licensing Appeal Panel, 82/06/17 4pp, 13558 172 24X Fiche 50-454, 82/06/17, 8206210274

8206280072 Notice of ASLD reconstitution MB Margulies, chairman & AD Callihan & RF Cole, members CUTTER, B P Atomic Safety and Licensing Board Panel 82/06/18 2pp 13624 250 24X Fiche 50-454, 82/06/18, 8206280072

8206230202 Order granting Rockford League of Women Voters motion for extension of time until 820706 to answer until interrogatories League consultants heavily engaged in another proceeding. BHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/21 League of Women Voters of Rockford, IL 3pp 13586 304 24X Fiche: 50-454, 82/06/21, 8206230202

8206280061 Forwards recent correspondence between NRC & util, including IE Bulletin 82-02 & IE Info Notice 82-17 BIELAWSKI, A Isham, Lincoln & Beale BIELAWSKI, A Commonwealth Edison Co. 82/06/21 MILLER, M E, CALLIHAN, A D, COLE, R F Atomic Safety and Licensing Board Panel, 32pp 13624, 253, 24X Fiche 50-454, 82/06/21, 8206280061

8206280246 Requests responses to util second round of interrogatories & request for production of documents re all contentions which League does not voluntarily dismiss Related correspondence MURPHY, P M Isham, Lincoln & Beale, MURPHY, P M Commonwealth Edison Co 82/06/23 CHERRY, M M, CHERRY, M M /Cherry, Flynn & Kanter CHERRY, M M, League of Women Voters of Rockford, IL, 1p, 13624, 213 24X Fiche: 50-454, 82/06/23, 8206280246

8206290183 First set of interrogatories, originally served on 800312. Proofs of svc encl Related correspondence. CHERRY, M, League of Women Voters of Rockford, IL, CHERRY, M, Cherry, M M /Cherry, Flynn & Kanter, 82/06/24 Commonwealth Edison Co 12pp, 13635, 324 24X Fiche: 50-454, 82/06/24, 8206290183

8206290256 Motion for order requiring NRC personnel w/knowledge of facts to answer Rockford League of Women Voters 800312 interrogatories Proof of svc encl Related correspondence CHERRY, M, M, League of Women Voters of Rockford, IL, CHERRY, M, M, Cherry, M, M /Cherry, Flynn & Kanter, 82/06/24, Atomic Safety and Licensing Appeal Panel, 16pp 13637 018, 24X Fiche 50-454, 82/06/24, 8206290256.

8206290294 Petition for reconsideration of 820617 decision, ALAB-67B, directing ASLB to limit contentions ABLAB made findings w/o hearing & wrongfully faulted Rockford League of Women Voters for not seeing protective order Proof of svc encl CHERRY, M, M, League of Women Voters of Rockford, IL, CHERRY, M, M, Cherry, M, M /Cherry, Flynn & Kanter, 82/06/24, Atomic Safety and Licensing Board Panel 11pp 13636 184 24X Fiche 50-454, 82/06/24, 8206290294

8206290299 Advice to ASLB re overall jurisdiction to assure fair hearings Proof of svc encl CHERRY, M, League of Women Voters of Rockford, IL, CHERRY, M, Cherry, M M /Cherry, Flynn & Kanter, 82/06/25 5pp 13637 001, 24X Fiche 50-454, 82/06/25, 8206290299

8206290298 Motion for order directing util response to interrogatories for imposition of sanctions & for award of costs & atty fees Proof of svc encl CHERRY, M, M, League of Women Voters of Rockford, IL, CHERRY, M, M, Cherry, M M /Cherry, Flynn & Kanter, 82/06/25 Atomic Safety and Licensing Board Panel 6pp 13636 225 24X Fiche 50-454, 82/06/25, 8206290298

8206300242 Notice of appearance in proceeding Certificate of Svc encl GALLO, J Commonwealth Edison Co GALLO, J Isham, Lincoln & Beale 82/06/28 3pp 13653 323 24X Fiche 50-454, 82/06/28, 8206300242

K Utility Final Safety Analysis Report (FSAR) & amends

8206220210 Amend to application for CPs & DLs, consisting of Amend 38 to FSAR, LENTINE, F G Commonwealth Edison Co 82/06/16, DENTON, H R, Office of Nuclear Reactor Regulation, Director 4pp 13574 069, 24X Fiche 50-000, 82/06/16, 8206220210

--8206220212 Amend 38 to FSAR, * Commonwealth Edison Co. 82/05/31 700pp 13574, 073 24X Fiche 50-000, 82/06/16, 8206220210

8206290553 Forwards affidavit stating that FSAR Amend 38 was distributed on 820618 in accordance w/Encl 1 of RS Boyd 781020 ltr, per 10CFR2 101(a)(4) TRAMM, T R Commonwealth Edison Co 82/06/24 DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13631 051, 24X Fiche: 50-000, 82/06/24, 8206290553.

G Inspection reports, IE Bulletins & correspondence

8206070340 Forwards IE Insp Repts 50-454/82-07 & 50-455/82-05 on 820322-0430 & notice of violation, SPEBBARD, R L Division of Project & Resident Programs 82/05/19 REED, C Commonwealth Edison Co. 2pp, 13363, 058 24X Fiche 50-454, 82/05/19, 8206070340

--8206070342 Notice of violation from insp on 820322-0430, SPEBBARD, R L Division of Project & Resident Programs 82/05/19 2pp, 13363, 060 24X Fiche: 50-454, 82/05/19, 8206070340.

--8206070346 IE Insp Repts 50-454/82-07 & 50-455/82-05 on 820322-0430 Noncompliance noted: failure to perform emergency diesel 1A testing in accordance w/preoperational Test Procedure 2 22.10, Section 9 12 FORNEY, W L, HAYES, D W Division of Project & Resident Programs, 82/05/19, App, 13363: 062, 24X Fiche 50-454, 82/05/19, 8206070340

8206100193 Forwards IE Insp Repts 50-454/82-09 & 50-455/82-06 on 820518-19 No noncompliance noted. LITTLE, W S Division of Engineering & Technical Programs 82/05/19 REED, C, Commonwealth Edison Co 2pp 13444: 327 24X Fiche: 50-454, 82/05/28, 8206100193.

--8206100157 IE Insp Repts 50-454/82-09 & 50-455/82-06 on 820518-19. No noncompliance noted. Major areas inspected: preservice insp procedures, work activities, nondestructive exam personnel certifications & data & shop & field weld radiographs. WARD, K D, DANIELSON, D H Division of Engineering & Technical Programs 82/05/26 5pp 13444: 329, 24X Fiche: 50-454, 82/05/24, 8206100153.

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl DEYUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28, 107pp, 13426 095, 24X Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28 103pp 13440, 264, 24X Fiche 50-000, 82/05/28, 8204210378.

DOCKETED ITEMS

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl. DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 130 24X Fiche: 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl. JORDAN, E.L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 238 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp 13675 189 24X Fiche: 50-000, 82/06/11, 8204210384

DOCKET STN-50-456 BRAIDWOOD STATION, UNIT 1

A Application/construction stage documents & correspondence

8206070274 Forwards addl info re temp of fluid in reactor vessel head region Review of info should close Confirmatory Issue 22 of Byron SER No further work justifiable Requests sub requirements be withdrawn TRAMM, T R Commonwealth Edison Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp 13368 315 24X Fiche: 50-000, 82/05/26, 8206070274

8206080356 Forwards Pages 1 5-1 through 1 5-5 of facility FSAR re status of R&D programs Pages will be included in next FSAR amend. TRAMM, T R Commonwealth Edison Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp 13416 190. 24X Fiche: 50-000, 82/05/26, 8206080356

8206160020 Summary of 820506 meeting w/util & Sargent & Lundy in Bethesda, MD re program for seismic qualification of equipment KIPER, K L, CHEENUT, S H Licensing Branch 1. 82/05/27. Licensing Branch 1. 3pp 13525 297 24X Fiche: 50-000, 82/05/27, 8206160020

8206140406 Approves request for withholding info per 10CFR2.790 re improved thermal design procedures (CAN-82-15). YOUNGBLOOD, S J. Licensing Branch 1 82/06/07. WIESEMAN, R A Westinghouse Electric Corp. 4pp 13510.056 24X Fiche: 50-000, 82/06/07, 8206140406

8206150183 Forwards "Byron/Braidwood Stations - Units 1 & 2 Inadequate Core Cooling Detection Sys Summary Status Rept," outlining specific design/hardware implementation efforts. Info should assist in closeout of Byron SER Outstanding Item 9 TRAMM, T R Commonwealth Edison Co. 82/06/07. DENTON, H R Office of Nuclear Reactor Regulation, Director. 1p 13503 307 24X Fiche: 50-000, 82/06/07, 8206150183.

--8206150188 "Byron/Braidwood Stations - Units 1 & 2, Inadequate Core Cooling Detection Sys Summary Status Rept " * Commonwealth Edison Co 82/04/30 29pp 13503:308 24X Fiche: 50-000, 82/06/07, 8206150183

8206150285 Submits addl info re reactor coolant pump locked rotor & shaft break transients. Info closes Confirmatory Issue 34 of Byron SER. TRAMM, T R Commonwealth Edison Co 82/06/07 DENTON, H R. Office of Nuclear Reactor Regulation, Director. 4pp. 13503:279. 24X Fiche: 50-000, 82/06/07, 8206150285.

8206160222 Forwards Revision 21 to QA Program, Typical Rept CE-1-A SWARTZ, E.D Commonwealth Edison Co 82/06/07. HAASS, W.P. Quality Assurance Branch. 1p. 13522:027 24X Fiche: 50-000, 82/06/07, 8206160222

8206250398 Forwards final duplicate design approval w/topics considered outside scope of design approval listed Review schedule will not be advanced due to significant time until const completion. EISENHUT, D O Division of Licensing 82/06/16 STIEDE, W L Commonwealth Edison Co. 7pp 13630 100 24X Fiche: 50-456, 82/06/16, 8206250398

E NRC Safety Evaluation Report (SER), supplis & correspondence

8206240277 Forwards info re seismic & dynamic qualification of equipment important to safety. Review of encl info necessary prior to Jul/Aug 1982 site audit in order to close outstanding Item 6 of Byron SER TRAMM, T R Commonwealth Edison Co. 82/06/17 DENTON, H R Office of Nuclear Reactor Regulation, Director 200pp 13596 207 24X Fiche: 50-000, 82/06/17, 8206240277

F Security, medical, emergency & fire protection plans

8205120245 Forwards addl info re fire protection issues, hydrogen piping, cable spreading rooms & reactor coolant pump oil Info closes out Byron SER Open Item 13 TRAMM, T R Commonwealth Edison Co. 82/05/05 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp. 13044 098 24X Fiche: 50-000, 82/05/05, 8205120245

8206180201 Forwards info re ability to shut down in event of fire, supplementing B1117 rept which identified problem zones requiring further analysis Either cables rerouted or more detailed analysis performed to justify present design. TRAMM, T R Commonwealth Edison Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 200pp 13554 015 24X Fiche: 50-000, 82/06/14, 8206180201

8206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring programs. SCHROEDER, C W Commonwealth Edison Co 82/06/16. DENTON, H R Office of Nuclear Reactor Regulation, Director. 1p 13600.315 24X Fiche: 50-000, 82/06/16, 8206240332

K Utility Final Safety Analysis Report (FSAR) & amends

8206220210 Amend to application for CPs & OLs, consisting of Amend 3B to FSAR LENTINE, F O Commonwealth Edison Co. 82/06/16. DENTON, H R. Office of Nuclear Reactor Regulation, Director 4pp. 13574 069. 24X Fiche: 50-000, 82/06/16, 8206220210

--8206220212 Amend 3B to FSAR * Commonwealth Edison Co 82/05/31 700pp 13574:073 24X Fiche: 50-000, 82/06/16, 8206220210

8206290553 Forwards affidavit stating that FSAR Amend 3B was distributed on 820618 in accordance w/Encl 1 of RS Boyd 781020 ltr, per 10CFR2 101(a)(4). TRAMM, T R Commonwealth Edison Co 82/06/24 DENTON, H R Office of Nuclear Reactor Regulation, Director. 2pp. 13631.051 24X Fiche: 50-000, 82/06/24, 8206290553

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl DEYOUNG, R.C. Director's Office, Office of Inspection and Enforcement. 82/05/28 107pp. 13426 095. 24X Fiche: 50-000, 82/05/28, 8202040147.

8204210378 IE Info Notice 82-16, "HPCI/RIC High Steam Flow Setpoints," Svc list encl JORDAN, E.L. Division of Engineering & Quality Assurance. 82/05/28 103pp 13440:264 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl DEYOUNG, R.C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp. 13527:130 24X Fiche: 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl. JORDAN, E.L. Division of Engineering & Quality Assurance 82/06/11. 106pp. 13675:238 24X Fiche: 50-000, 82/06/11, 8204210383.

DOCKETED ITEMS

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

DOCKET STN-50-457 BRAIDWOOD STATION, UNIT 2

A Application/construction stage documents & correspondence

B206070274 Forwards addl info re temp of fluid in reactor vessel head region Review of info should close Confirmatory Issue 22 of Byron BER No further work justifiable Requests subj requirements be withdrawn
TRAHM, T R Commonwealth Edison Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp 13368 315 24X
Fiche 50-000, 82/05/26, B206070274.

B206080356 Forwards Pages 1 3-1 through 1 5-5 of facility FBAR re status of R&D programs Pages will be included in next FBAR amend
TRAHM, T R Commonwealth Edison Co 82/05/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 6pp 13416 190 24X
Fiche 50-000, 82/05/26, B206080356

B206160020 Summary of B20506 meeting w/util & Bergent & Lundy in Bethesda, MD re program for seismic qualification of equipment
KIPER, K L Licensing Branch 1 82/05/27 Licensing Branch 1 5pp 13525 297 24X Fiche 50-000, 82/05/27, B206160020.

B206140406 Approves request for withholding info per 10CFR2 790 re improved thermal design procedures (CAW-82-15)
YOUNGBLOOD, B J Licensing Branch 1 82/06/07 WIESEMAN, R A Westinghouse Electric Corp App. 13510.056 24X
Fiche 50-000, 82/06/07, B206140406

B206150183 Forwards "Byron/Braidwood Stations - Units 1 & 2 Inadequate Core Cooling Detection Sys Summary Status Rept," outlining specific design/hardware implementation efforts Info should assist in closeout of Byron Outstanding Item 7
TRAHM, T R Commonwealth Edison Co 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13503.307 24X
Fiche 50-000, 82/06/07, B206150183

--B206150188 "Byron/Braidwood Stations - Units 1 & 2, Inadequate Core Cooling Detection Sys Summary Status Rept,"
* Commonwealth Edison Co 82/04/30 29pp 13503.308 24X
Fiche 50-000, 82/06/07, B206150183

B206150285 Submits addl info re reactor coolant pump locked rotor & shaft break transients Info closes Confirmatory Issue 34 of Byron BER.
TRAHM, T R Commonwealth Edison Co. 82/06/07 DENTON, H R Office of Nuclear Reactor Regulation, Director 4pp. 13503 279. 24X
Fiche: 50-000, 82/06/07, B206150285

B206160222 Forwards Revision 21 to QA Program, Topical Rept CE-1-A
SHARTZ, E D Commonwealth Edison Co 82/06/07 HAAS, H P Quality Assurance Branch. 1p 13522 027 24X Fiche 50-000, 82/06/07, B206160222

--B206160236 Revised pages to CE-1-A, Revision 21, "QA Topical Rept."
* Commonwealth Edison Co CE-1-A R21 ERR. 82/06/06 20pp 13522.028 24X Fiche 50-000, 82/06/07, B206160222.

B206150411 Requests util address encl concerns on loose parts monitoring program in final design Rept
YOUNGBLOOD, B J Licensing Branch 1. 82/06/10 DELCORO, E L Commonwealth Edison Co 8pp 13525 227 24X Fiche 50-000, 82/06/10, B206150411.

B206240277 Responds to NRC B20402 request for info re control room design review, Suppl to preliminary design assessment for Byron addl items & Braidwood site-specific items scheduled to be submitted by 830101
TRAHM, T R Commonwealth Edison Co. 82/06/15 DENTON, H R Office of Nuclear Reactor Regulation, Director. 2pp 13597 029 24X
Fiche 50-000, 82/06/15, B206240277

B206250398 Forwards final duplicate design approval w/topics considered outside scope of design approval listed Review schedule will not be advanced due to significant time until const completion
EISENHUT, D O. Division of Licensing 82/06/16. STIEDE, W L. Commonwealth Edison Co. 7pp. 13630, 100. 24X Fiche: 50-456, 82/06/16, B206250398

E NRC Safety Evaluation Report (SER), suppl & correspondence

B206240277 Forwards info re seismic & dynamic qualification of equipment important to safety Review of encl info necessary prior to Jul/Aug 1982 site audit in order to close outstanding Item 6 of Byron SER
TRAHM, T R Commonwealth Edison Co 82/06/17. DENTON, H R Office of Nuclear Reactor Regulation, Director 200pp 13596 207 24X
Fiche 50-000, 82/06/17, B206240277

F Security, medical, emergency & fire protection plans

B205120245 Forwards addl info re fire protection issues, hydrogen piping, cable spreading rooms & reactor coolant pump oil
Info closes out Byron SER Open Item 13
TRAHM, T R Commonwealth Edison Co 82/05/05 DENTON, H R Office of Nuclear Reactor Regulation, Director 5pp 13044 098 24X
Fiche 50-000, 82/05/05, B205120245

B206180201 Forwards info re ability to shut down in event of fire, supplementing B1117 rept which identified problem zones requiring further analysis Either cables rerouted or more detailed analysis performed to justify present design.
TRAHM, T R Commonwealth Edison Co 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 200pp 13584.015 24X
Fiche 50-000, 82/06/14, B206180201.

B206240332 Forwards Revision 3 to Procedure 0291A, "Meteorological Monitoring, Offsite Dose Calculation Program for Emergency Preparedness at Operating Nuclear Power Plants" & Revision 4 to QA program for meteorological monitoring programs
SCHROEDER, C H Commonwealth Edison Co 82/06/16. DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13600 315 24X
Fiche 50-000, 82/06/16, B206240332

K. Utility Final Safety Analysis Report (FSAR) & amends

B206220210 Amend to application for CPs & OLs, consisting of Amend 38 FSAR.
LENTINE, F O Commonwealth Edison Co 82/06/16 DENTON, H R Office of Nuclear Reactor Regulation, Director. 4pp. 13574:069 24X
Fiche 50-000, 82/06/16, B206220210

--B206220212 Amend 39 to FSAR.
* Commonwealth Edison Co 82/05/31. 700pp. 13574 073 24X
Fiche 50-000, 82/06/16, B206220210

B206290553 Forwards affidavit stating that FSAR Amend 38 was distributed on B20618 in accordance w/Encl 1 of RB Boyd 781020 ltr, per 10CFR2.101(a)(4)
TRAHM, T R Commonwealth Edison Co. 82/06/24 DENTON, H R Office of Nuclear Reactor Regulation, Director. 2pp. 13631:051. 24X
Fiche 50-000, 82/06/24, B206290553

G. Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/05/28. 107pp. 13426.095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Svc list encl
JORDAN, E L. Division of Engineering & Quality Assurance 82/05/28 103pp. 13440, 264 24X Fiche 50-000, 82/05/28, B204210378.

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement. 82/06/02 108pp 13527 150. 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl
JORDAN, E L. Division of Engineering & Quality Assurance 82/06/11 106pp. 13675, 258. 24X Fiche: 50-000, 82/06/11, B204210383.

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189. 24X
Fiche: 50-000, 82/06/11, B204210384.

DOCKET 50-458 RIVER BEND STATION, UNIT 1

A Application/construction stage documents & correspondence

B206030115 Notifies that review of draft acceptance criteria attached to NRC B20327 ltr re pool dynamic loads associated w/LOCA not completed. Results to be completed by B20702
BOOKER, J E Gulf States Utilities Co 82/05/28 SCHWENCER, A.
Licensing Branch 2 1p 13337 005 24X Fiche 50-458, 82/05/28, B206030115

B206140016 Forwards response to NRC B1119 request for addl info re status of unresolved safety issues
BOOKER, J E Gulf States Utilities Co 82/06/03 SCHWENCER, A.
Licensing Branch 2 17pp 13487 004 24X Fiche 50-458, 82/06/03, B206140016

B206210369 Advises that all analyses & evaluations of ultimate capacity of Mark III containments not completed per util B20301 commitment. Final results expected to be submitted in status rept by B21103
BOOKER, J E Gulf States Utilities Co 82/06/03 TEDESCO, R L
Assistant Director for Licensing 1p 13558 092 24X
Fiche 50-458, 82/06/03, B206210369

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna. Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURI, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, B206090153

B206210580 Responds to B20329 ltr re draft acceptance criteria for LOCA-related Mark III containment pool dynamic loads. Unacceptable generic load definition criteria submitted
BOOKER, J E Gulf States Utilities Co 82/06/14 SCHWENCER, A.
Licensing Branch 2 1p 13564 062 24X Fiche 50-458, 82/06/14, B206210580

B206230278 Forwards request for addl info resulting from Geosciences Branch review items re proprietary seismic reflection lines should be treated soon due to extensive time that may be needed to acquire records.
SCHWENCER, A. Licensing Branch 2 82/06/15 CAHILL, W J Gulf States Utilities Co 4pp 13592 239 24X Fiche 50-458, 82/06/15, B206230278

B206250126 Forwards draft technical evaluation rept based upon util response to Section 2.1 of NUREG-0612, "Control of Heavy Loads"
SCHWENCER, A. Licensing Branch 2 82/06/15 CAHILL, W J Gulf States Utilities Co 2pp 13637 271 24X Fiche 50-458, 82/06/15, B206250126

--B206250132 "Control of Heavy Loads at Nuclear Power Plants, River Bend Station, Units 1 & 2," draft technical rept
STICKLEY, T H EQ&O, Inc 82/05/31 NRC - No Detailed Affiliation Given. 23pp 13637 273. 24X Fiche. 50-458, 82/06/15, B206250126

D. NRC Draft/Final Environmental Statements, supp's & correspondence

B206010021 Informs that DEB & FEB are scheduled for issuance in Jul 1982 & Dec 1982, respectively
TEDESCO, R L Division of Licensing. 82/05/24 OWEN, K E New Orleans, Univ. of. 1p 13319 353 24X Fiche 50-458, 82/05/24, B206010021

--B206010023 Transmits request from Univ of New Orleans re EIS for projects in or planned for LA
MULLER, D NRC - No Detailed Affiliation Given 82/04/29
TEDESCO, R Assistant Director for Licensing. 1p 13319 354 24X
Fiche 50-458, 82/05/24, B206010021.

--B206010025 Requests EIS on projects in or projected for const in LA
OWEN, K E. New Orleans, Univ. of 82/04/26 Assistant Director for Environmental Technology 1p 13319 355. 24X
Fiche 50-458, 82/05/24, B206010021

--B206010028 Requests EIS on projects in or projected for const in LA.
OWEN, K E. New Orleans, Univ. of 82/04/26 Office of the Executive Director for Operations 1p 13319 356 24X
Fiche 50-458, 82/05/24, B206010021.

F Security, medical, emergency & fire protection plans

B206090252 Requests response to encl comments re Revision 1 to guard training & qualification plan, submitted B11222 Response, in form of revised pages to plan, requested by B20630 Comments withheld (ref 10CFR73.21)
SCHWENCER, A. Licensing Branch 2 82/05/26 CAHILL, W J Gulf States Utilities Co 2pp 13456 150 24X Fiche 50-458, 82/05/26, B206090252

G Inspection reports, IE Bulletins & correspondence

B206210461 Forwards IE Insp Rept 50-458/B2-02 on B20419-23 No noncompliance noted
HADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/24 CAHILL, W J Gulf States Utilities Co 2pp. 13570 327 24X Fiche 50-458, 82/05/24, B206210461

--B206210468 IE Insp Rept 50-458/B2-02 on B20419-23 No noncompliance noted. Major areas inspected: review of QA program for welding & nondestructive exam of safety-related piping & observation of work for sub j piping
GILBERT, L D, CROSSMAN, W A, HUNNICUTT, D M Division of Resident, Reactor Project & Engineering Programs 82/05/19 5pp 13570 327 24X Fiche 50-458, 82/05/24, B206210461

B206020373 Advises of revised enforcement policy described in B20309 FR notice (47FR9987), rescinding requirement that responses to all notices of violation be submitted under oath or affirmation
HADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/26 CAHILL, W J Gulf States Utilities Co 2pp 13320 245 24X Fiche 50-458, 82/05/26, B206020373

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl.
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095. 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B206020572 Ack receipt of B20318 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-458/B1-10, 50-458/B1-11 & 50-458/B2-01.
HADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/28 CAHILL, W J Gulf States Utilities Co 2pp 13324 005 24X Fiche. 50-458, 82/05/28, B206020572

--B206020575 Requests addl info re B20318 response concerning time limit for conducting review of deficiencies for reportability under 10CFR 50.55(a)
CAHILL, W J Gulf States Utilities Co 82/05/05 COLLINS, J T Region 4, Office of Director 3pp 13324 007 24X
Fiche 50-458, 82/05/28, B206020572

--B206020578 Responds to NRC B20204, 08 & 0304 ltrs re violations noted in IE Insp Repts 50-458/B1-10, 50-458/B1-11 & 50-458/B2-01. Corrective actions time period for performing reportability reviews reduced from 8 working days to 3 working days.
CAHILL, W J Gulf States Utilities Co. 82/03/18 COLLINS, J T Region 4, Office of Director 6pp 13324 010 24X
Fiche 50-458, 82/05/28, B206020572

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants," Svc list encl.
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement. 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11. 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radionactive Material by Workers " Svc list encl.
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp 13675 189 24X
Fiche. 50-000, 82/06/11, B204210384

DOCKETED ITEMS

8 Reportable occurrences, LERs & related correspondence

820602033B Interim Deficiency Rept DR-30 re interpretation of radiographs performed by BF Shaw Co. initially reported 8/12/02 Util reviewing radiographs performed prior to Nov 1981 No deficient welds discovered Next rept by 820107 BOOKER, J E Gulf States Utilities Co 82/05/20. COLLINS, J T Region 4, Office of Director 1p 13321 278 24X Fiche 50-458, 82/05/20, 820602033B

8206020445 Final Deficiency Rept DR-36 re subsurface linear indications discovered in adjacent base metal of pipe flange located on water side of reactor core isolation cooling sys. initially reported 820217 Item not reportable under 10CFR50.55(g) BOOKER, J E Gulf States Utilities Co 82/05/21. COLLINS, J T Region 4, Office of Director 1p 13326 332 24X Fiche 50-458, 82/05/21, 8206020445

8206020534 Interim deficiency rept/DR-45 re failure to meet spec requirements for limited access welding. initially reported 820421 Evaluation continuing Next rept will be submitted by 820723 BOOKER, J E Gulf States Utilities Co 82/05/21. COLLINS, J T Region 4, Office of Director 1p 13324 327 24X Fiche 50-458, 82/05/21, 8206020534

8206070549 Interim deficiency rept re self-aligning ball bushings that may disengage from Bergen-Paterson snubber & sway strut assemblies. initially reported 820426 Evaluation continuing Next rept will be submitted by 820806 BOOKER, J E Gulf States Utilities Co 82/05/26 COLLINS, J T Region 4, Office of Director 1p 13373 085 24X Fiche 50-458, 82/05/26, 8206070549

8206080244 Advises that interim or final deficiency rept re improperly installed spring nuts (DR-33) & torquing requirements for spring nuts (DR-41) will be submitted by 820820 Deficiency repts initially reported 820211 & 0308 BOOKER, J E Gulf States Utilities Co 82/05/27 COLLINS, J T Region 4, Office of Director 1p 13419 088 24X Fiche 50-458, 82/05/27, 8206080244

8206100333 Interim Deficiency Rept DR-47 re arc strikes found on Graver shop-fabricated drywell penetrations. initially reported 820430. Investigation not completed Next rept will be submitted by 820723 BOOKER, J E Gulf States Utilities Co 82/06/02 COLLINS, J T Region 4, Office of Director 1p 13444, 181 24X Fiche 50-458, 82/06/02, 8206100333.

8206110124 Interim deficiency rept re failure of Power Strut Model PS-807 welded support assemblies. initially reported 820504. Investigation underway Next rept will be provided by 820723 BOOKER, J E Gulf States Utilities Co 82/06/03 COLLINS, J T Region 4, Office of Director 1p 13465 225 24X Fiche 50-458, 82/06/03, 8206110124

8206150149 Final deficiency rept re potential defects in Class AB21, AB22 & AB23 NEMA Size 1 & 2 starters supplied & mfg by Gould. originally reported on 820430 Retrofit kits for field installation will be available 820601 BOOKER, J E Gulf States Utilities Co 82/06/04 COLLINS, J T Region 4, Office of Director 2pp 13505 093. 24X Fiche 50-458, 82/06/04, 8206150149

8206150282 Interim deficiency rept re difference in serration patterns of spring nuts PS-10RB. initially reported 820223 Next rept will be submitted within 30 days BOOKER, J E Gulf States Utilities Co. 82/06/04 COLLINS, J T Region 4, Office of Director 1p 13506, 195 24X Fiche 50-458, 82/06/04, 8206150282.

8206230221 Interim deficiency rept re documentation of A 500 Grade B steel tubing supplied by Bergen-Paterson. initially reported 8/11/01 Re-evaluation not completed Interim or final status rept will be provided by 820730. BOOKER, J E Gulf States Utilities Co 82/06/04 COLLINS, J T Region 4, Office of Director 1p 13586:274 24X Fiche 50-458, 82/06/04, 8206230221

8206150144 Final deficiency rept re storage & maint of HPCB batteries Condition determined not reportable per 10CFR 50.55(e) BOOKER, J E Gulf States Utilities Co 82/06/07. COLLINS, J T Region 4, Office of Director 1p 13505 154. 24X Fiche 50-458, 82/06/07, 8206150144

8206210299 Final deficiency rept re rubber cutting above 90 ft elevation in shield bldg Condition determined not reportable per 10CFR50.55(e) BOOKER, J E. Gulf States Utilities Co 82/06/09. COLLINS, J T Region 4, Office of Director 1p. 13559 167. 24X Fiche: 50-458, 82/06/09, 8206210299.

8206290419 Final Deficiency Rept DR-54 re rolled plate pipe w/internal mismatches at seam welds, out-of-roundness & existence of laminar discontinuities. initially reported 820524 Deficiency not reportable under 10CFR50.55(e) BOOKER, J E Gulf States Utilities Co 82/06/18 COLLINS, J T Region 4, Office of Director 1p 13634 156 24X Fiche 50-458, 82/06/18, 8206290419.

8206290438 Final deficiency rept re incomplete documentation & radiographs of rolled plate pipe. initially reported on 820524 Deficiency not reportable per 10CFR50.55e. BOOKER, J E Gulf States Utilities Co 82/06/18. COLLINS, J T Region 4, Office of Director 1p 13634 165 24X Fiche 50-458, 82/06/18, 8206290438

8206290346 Final deficiency rept re unsatisfactory test results of load indicating washers prior to installation. initially reported 820524 Investigation completed. Deficiency not considered reportable under 10CFR50.55e BOOKER, J E Gulf States Utilities Co 82/06/21. COLLINS, J T Region 4, Office of Director 1p 13632 337 24X Fiche 50-458, 82/06/21, 8206290346

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DBR standby diesel generator Affected licensees will be notified no later than 820715 MILLER, L. L. Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp. 13653 328 24X Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-459 RIVER BEND STATION, UNIT 2

A. Application/construction stage documents & correspondence

8206030115 Notifies that review of draft acceptance criteria attached to NRC 82032? ltr re pool dynamic loads associated w/LQCA not completed Results to be completed by 820702 BOOKER, J E Gulf States Utilities Co 82/05/28. SCHWENGER, A Licensing Branch 2 1p. 13337-005 24X Fiche 50-458, 82/05/28, 8206030115

8206140016 Forwards response to NRC 81119 request for addl info re status of unresolved safety issues. BOOKER, J E Gulf States Utilities Co 82/06/03 SCHWENGER, A. Licensing Branch 2 17pp 13487 004. 24X Fiche 50-458, 82/06/03, 8206140016

8206210369 Advises that all analyses & evaluations of ultimate capacity of Mark III containments not completed per util 820301 commitment Final results expected to be submitted in status rept by 821105. BOOKER, J E Gulf States Utilities Co 82/06/03. TEDESCO, R. L Assistant Director for Licensing 1p 13558 092 24X Fiche 50-458, 82/06/03, 8206210369

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app FELTON, J M. Division of Rules and Records 82/06/07. DOI, K. Critical Mass Energy Project 2pp 13678 215. 24X Fiche: 50-000, 82/06/07, 8206300392.

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request CORNELL, K Office of the Executive Director for Operations 82/03/19 AHEARNE, J Commissioners 2pp 13678 237. 24X Fiche 50-000, 82/06/07, 8206300392.

8206250126 Forwards draft technical evaluation rept based upon util response to Section 2 i of NUREG-0612, "Control of Heavy Loads"
SCHWENGER, A Licensing Branch 2 82/06/15 CAHILL, W J Gulf States Utilities Co. 2pp 13637 271 24X Fiche 50-458, 82/04/15, 8206250126

--8206250132 "Control of Heavy Loads at Nuclear Power Plants, River Bend Station, Units 1 & 2," draft technical rept
STICKLEY, T H EQ&O, Inc. 82/05/31 NRC - No Detailed Affiliation Given 23pp 13637 273 24X Fiche 50-458, 82/06/15, 8206250126

D NRC Draft/Final Environmental Statements, supp's & correspondence

8206010021 Informs that DES & FES are scheduled for issuance in Jul 1982 & Dec 1982, respectively
TEDESCO, R L Division of Licensing 82/05/24, OWEN, K E New Orleans, Univ of 1p 13319:353 24X Fiche 50-458, 82/05/24, 8206010021

F. Security, medical, emergency & fire protection plans

8206090252 Requests response to encl comments re Revision 1 to guard training & qualification plan, submitted 811222 Response, in form of revised pages to plan, requested by 820630 Comments withheld (ref 10CFR73 21)
SCHWENGER, A Licensing Branch 2 82/05/26, CAHILL, W J Gulf States Utilities Co. 2pp 13456 190 24X Fiche 50-458, 82/05/26, 8206090252

G. Inspection reports, IE Bulletins & correspondence

8206020373 Advises of revised enforcement policy described in 820309 FR notice (47FR9987), rescinding requirement that responses to all notices of violation be submitted under oath or affirmation
MADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/26 CAHILL, W J Gulf States Utilities Co. 2pp 13320 245 24X Fiche: 50-458, 82/05/26, 8206020373

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28, 107pp 13426 095, 24X Fiche: 50-000, 82/05/28, 8202040147.

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440, 264 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants" Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02, 108pp, 13527, 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/06/11 106pp 13675-238, 24X Fiche: 50-000, 82/06/11, 8204210383.

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers" Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche: 50-000, 82/06/11, 8204210384

--8206080298 "Preliminary Control Room Design Assessment for WPPSS Nuclear Projects 1 & 4, Final Rept"
STARKEY, R L, LUTZ, R I, DUNNHOOD, D T Babcock & Wilcox Co BAW-1704 82/04/30 400pp 13417 231 24X Fiche 50-460, 82/05/27, 8206080293

8206080217 Re-requests NRC approval to use provisions of 1977 Edition of ASME Section III Code for components fabricated to 1974 Edition of code through 1975 Addenda Response requested by 820618
BOUCHEY, Q D Washington Public Power Supply System 82/06/01 ADENSAH, E O Licensing Branch 4 1p 13421 359 24X Fiche 50-460, 82/06/01, 8206080217

8206110381 Advises that application for OL will be accepted for docketing upon commitment from util re facility final design conformance to requirements of future regulations
Application must comply w/new provisions of 10CFR50 34(f)
EISENHUT, D O Division of Licensing 82/06/08 FERGUSON, R L Washington Public Power Supply System 3pp 13490 296 24X Fiche 50-460, 82/06/08, 8206110381

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/O encl
EISENHUT, D O Division of Licensing 82/06/09 HAUBPUR, A Consolidated Edison Co of New York 13pp 13597 349 24X Fiche 50-000, 82/06/09, 8206090153

8206210257 Commits to having facility design satisfy requirements of any future regulation promulgated between OL application docketing date & resumption of const Const due to be resumed in early 1983
BOUCHEY, Q D Washington Public Power Supply System 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13559 074 24X Fiche 50-460, 82/06/11, 8206210257.

8206210302 Commits to licensing requirements stipulated in NRC 820608 ltr Major activities to support const will be followed by actual const in early 1983
BOUCHEY, Q D Washington Public Power Supply System 82/06/11 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 13558 299 24X Fiche 50-460, 82/06/11, 8206210302

8206300062 Forwards summary of occurrence of special animals reported within or adjacent to Hanford Reservation Info re special plants & plant communities forthcoming
OWENS, T E Washington, State of 82/06/21 BALLARD, R L Environmental Engineering Branch. 6pp 13655, 345 24X Fiche 50-460, 82/06/21, 8206300062

C Utility Environmental Report (ER), amends & correspondence

8205180100 Forwards environ rept
BOUCHEY, Q D Washington Public Power Supply System 82/05/06 DENTON, H R Office of Nuclear Reactor Regulation, Director. 1p. 13137 206 24X Fiche 50-460, 82/05/06, 8205180100

--8205180111 Environ rept for WPPSS Unit 1
* Washington Public Power Supply System 82/05/06, 600pp 13137 216 24X Fiche: 50-460, 82/05/06, 8205180100

F. Security, medical, emergency & fire protection plans

8205180306 Forwards Amend 3 to fire protection evaluation
BOUCHEY, Q D Washington Public Power Supply System 82/05/07, ADENSAH, E O Licensing Branch 4 2pp 13111 001 24X Fiche 50-460, 82/05/07, 8205180306

--8205180309 Amend 3 to fire protection evaluation.
* Washington Public Power Supply System 82/05/31 400pp, 13111:003, 24X Fiche: 50-460, 82/05/07, 8205180306

8206280396 Advises that, although not specifically stated in util 820506 OL application, emergency preparedness plan included in transmittal.
BOUCHEY, Q D Washington Public Power Supply System, 82/06/22 DENTON, H R Office of Nuclear Reactor Regulation, Director. 1p 13621, 354, 24X Fiche: 50-460, 82/06/22, 8206280396.

K Utility Final Safety Analysis Report (FSAR) & amends

8205180100 Forwards application for OL, consisting of FSAR & environ rept (filed in PDR Category C).
BOUCHEY, Q D Washington Public Power Supply System, 82/05/06 DENTON, H R Office of Nuclear Reactor Regulation, Director 1p. 13137, 206 24X Fiche: 50-460, 82/05/06, 8205180100.

--8205180108 Application for OL consisting of FSAR & environ rept
BOUCHEY, O D Washington Public Power Supply System 82/05/06 8205180100
9pp 13137 207 24X Fiche 50-460, 82/05/06, 8205180100

--8205180114 FSAR for WPPSS Unit 1
* Washington Public Power Supply System 82/05/06 7,572pp
13137 082 24X Fiche 50-460, 82/05/06, 8205180100

8205180125 App 2 5 4A to WPPSS Unit 1 FSAR, "Field Exploration
Results "
* Washington Public Power Supply System 82/05/06 100pp
13141 210 24X Fiche 50-460, 82/05/06, 8205180125

8205180127 App 2 5 4B to WPPSS Unit 1 FSAR, "Geologic Mapping of
Excavation Slopes "
* Washington Public Power Supply System 82/05/06 35pp
13141 362 24X Fiche 50-460, 82/05/06, 8205180127

8205180130 App 2 5 4C to WPPSS Unit 1 FSAR, "Sealing of Test Boring
CB-1 & Restoration of Foundation Bearing Soils in CB-1
Excavation "
* Washington Public Power Supply System 82/05/06 55pp
13142 035 24X Fiche 50-460, 82/05/06, 8205180130

8205180133 Chapter 3 to WPPSS Unit 1 FSAR, "Design of Structures,
Components, Equipment & Sys "
* Washington Public Power Supply System 82/05/06 1,500pp
13142 103 24X Fiche 50-460, 82/05/06, 8205180133

8205180134 App 3 8A to WPPSS Unit 1 FSAR, "Description of Computer
Programs Utilized in Design & Analysis "
* Washington Public Power Supply System 82/05/06 4pp
13146 171 24X Fiche 50-460, 82/05/06, 8205180134

8205180139 App 3 8B to WPPSS Unit 1 FSAR, "Verification of Computer
Programs Utilized for Structural Analysis & Design "
* Washington Public Power Supply System 82/05/06 18pp
13146 175 24X Fiche 50-460, 82/05/06, 8205180139

8205180147 App 3 11A to WPPSS Unit 1 FSAR, "WPPSS Class IE Equipment
List Master Rept "
* Washington Public Power Supply System 82/05/06 12pp
13147 131 24X Fiche 50-460, 82/05/06, 8205180147

8205180151 App 3 11B to WPPSS Unit 1 FSAR, "Qualification Summary Repts
Safety-Related Equipment "
* Washington Public Power Supply System 82/05/06 160pp
13147 143 24X Fiche 50-460, 82/05/06, 8205180151

8205180154 Chapter 4 to WPPSS Unit 1 FSAR, "Reactor."
* Washington Public Power Supply System 82/05/06 500pp
13147 327 24X Fiche 50-460, 82/05/06, 8205180154

8205180157 Chapter 5 to WPPSS Unit 1 FSAR, "RCB & Connected Sys "
* Washington Public Power Supply System 82/05/06 300pp
13148 326 24X Fiche 50-460, 82/05/06, 8205180157.

8205180162 Chapter 6 to WPPSS Unit 1 FSAR, "ESFs."
* Washington Public Power Supply System 82/05/06 900pp
13149 212 24X Fiche 50-460, 82/05/06, 8205180162

8205180166 Chapter 7 to WPPSS Unit 1 FSAR, "Instrumentation &
Controls "
* Washington Public Power Supply System 82/05/06 400pp
13150 036 24X Fiche 50-460, 82/05/06, 8205180166

8205180170 App 7A to WPPSS Unit 1 FSAR, "Control Rod Drive Control
Sys - Trip Portion Failure Mode & Effect Analysis."
* Washington Public Power Supply System 82/05/06 20pp.
13151 073 24X Fiche 50-460, 82/05/06, 8205180170

8205180179 App 7B to WPPSS Unit 1 FSAR, "Reactor Trip Switch Failure
Mode & Effects Analysis "
* Washington Public Power Supply System 82/05/06 18pp
13151 093 24X Fiche 50-460, 82/05/06, 8205180179

8205180183 App 7C to WPPSS Unit 1 FSAR, "Bingle Failure Analysis of
ESF Actuation Sys."
* Washington Public Power Supply System 82/05/06 200pp
13151 111 24X Fiche 50-460, 82/05/06, 8205180183

8205180188 Chapter 8 to WPPSS Unit 1 FSAR, "Electric Power "
* Washington Public Power Supply System 82/05/06 300pp
13151 332 24X Fiche 50-460, 82/05/06, 8205180188

8205180193 Chapter 9 to WPPSS Unit 1 FSAR, "Auxiliary Sys."
* Washington Public Power Supply System 82/05/06 850pp
13153 011 24X Fiche 50-460, 82/05/06, 8205180193

8205180211 Chapter 10 to WPPSS Unit 1 FSAR, "Steam & Power Conversion
Sys."
* Washington Public Power Supply System 82/05/06 300pp
13154 176 24X Fiche 50-460, 82/05/06, 8205180211

8205180217 Chapter 11 to WPPSS Unit 1 FSAR, "Radwaste Mgt "
* Washington Public Power Supply System 82/05/06 200pp
13155 057 24X Fiche 50-460, 82/05/06, 8205180217

8205180223 Chapter 12 to WPPSS Unit 1 FSAR, "Radiation Protection "
* Washington Public Power Supply System 82/05/06 200pp
13157 216 24X Fiche 50-460, 82/05/06, 8205180223

8205180227 Chapter 13 to WPPSS Unit 1 FSAR, "Conduct of Operations "
* Washington Public Power Supply System 82/05/06 100pp
13158 037 24X Fiche 50-460, 82/05/06, 8205180227

8205180230 Chapter 14 to WPPSS Unit 1 FSAR, "Initial Test Program "
* Washington Public Power Supply System 82/05/06 100pp
13155 260 24X Fiche 50-460, 82/05/06, 8205180230

8205180232 Chapter 15 to WPPSS Unit 1 FSAR, "Accident Analyses "
* Washington Public Power Supply System 82/05/06 500pp
13156 007 24X Fiche 50-460, 82/05/06, 8205180232

8205180236 App 15A to WPPSS Unit 1 FSAR, "Radiation Sources "
* Washington Public Power Supply System 82/05/06 9pp.
13157 105 24X Fiche 50-460, 82/05/06, 8205180236

8205180238 App 15B to WPPSS Unit 1 FSAR, "Analytical Calculations."
* Washington Public Power Supply System 82/05/06 26pp.
13157 114 24X Fiche 50-460, 82/05/06, 8205180238

8205180240 App 15C to WPPSS Unit 1 FSAR, "Dose Calculation Bases "
* Washington Public Power Supply System 82/05/06 3pp
13157 140 24X Fiche 50-460, 82/05/06, 8205180240

8205180247 App 15D to WPPSS Unit 1 FSAR, "Supplemental Feedwater Line
Break Accident Analysis "
* Washington Public Power Supply System 82/05/06 20pp
13157 143 24X Fiche 50-460, 82/05/06, 8205180247.

8205180250 App 15E to WPPSS Unit 1 FSAR, "Supplemental Steam Line
Break Analysis "
* Washington Public Power Supply System 82/05/06 36pp
13157 163 24X Fiche 50-460, 82/05/06, 8205180250

8205180255 Chapter 16 to WPPSS Unit 1 FSAR, "Tech Specs "
* Washington Public Power Supply System 82/05/06 3pp
13157 199 24X Fiche 50-460, 82/05/06, 8205180255

8205180258 Chapter 17 to WPPSS Unit 1 FSAR, "QA "
* Washington Public Power Supply System 82/05/06 3pp
13157 202 24X Fiche 50-460, 82/05/06, 8205180258

G Inspection reports, IE Bulletins & correspondence

8206020470 Forwards IE Insp Rept 50-460/82-04 on 820222-26 & notice
of violation
BIBBOP, T.W Division of Resident, Reactor Project & Engineering
Programs 82/05/17 MAZUR, D.W. Washington Public Power Supply
System 2pp 13325, 237 24X Fiche 50-460, 82/05/17, 8206020470.

--8206020475 Notice of violation from insp on 820222-26
NARBUT, P.P Division of Resident, Reactor Project & Engineering
Programs 82/05/17 3pp 13325, 239 24X Fiche 50-460, 82/05/17,
8206020470

--8206020484 IE Insp Rept 50-460/82-04 on 820222-26 Noncompliance noted.
recording of wrong welder identity, failure to document
corrective action for suspect weld electrodes & changing
weld specs w/memo & GC acceptance of incorrect butt welds
NARBUT, P.P, TOYH, A.D, BHACKLETON, O.C Division of Resident,
Reactor Project & Engineering Programs 82/05/17, 16pp
13325 242 24X Fiche 50-460, 82/05/17, 8206020470

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R.C. Director's Office, Office of Inspection and
Enforcement 82/05/28, 107pp. 13426, 095, 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints,"
Svc list encl.
JORDAN, E.L. Division of Engineering & Quality Assurance, 82/05/28,
103pp. 13440 264 24X Fiche: 50-000, 82/05/28, 8204210378

DOCKETED ITEMS

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 10pp 13527 150 24X
 Fiche 50-000, 82/06/02, B204210380

B206220198 Forwards IE Insp Rept 50-460/82-08 on B20426-30 & notice of violation
 BISHOP, T W Region 5, Office of Director 82/06/07 ROOT, R W Washington Public Power Supply System 2pp 13572 335 24X
 Fiche 50-460, 82/06/07, B206220198

--B206220203 Notice of violation from insp on B20426-30
 DODDS, R T Region 5, Office of Director 82/06/07 2pp
 13572 337 24X Fiche 50-460, 82/06/07, B206220198

--B206220211 IE Insp Rept 50-460/82-08 on B20426-30 Noncompliance noted safety platform 4625A & safety-related beam 2749E had corrective work performed prior to generation of nonconformance repts
 NARBUT, P F, D'ANGELO, A, DODDS, R T Region 5, Office of Director 82/05/27 18pp 13572 339 24X Fiche 50-460, 82/06/07, B206220198

B206280472 Forwards IE Insp Repts 50-460/82-06 & 50-513/82-04 on B20401-30 & notice of violation
 BISHOP, T W Region 5, Office of Director 82/06/08 ROOT, R W Washington Public Power Supply System 2pp 13625 327 24X
 Fiche 50-460, 82/06/08, B206280472

--B206280478 Notice of violation from insp on B20401-30
 DODDS, R T Region 5, Office of Director 82/06/08 2pp
 13625 329 24X Fiche 50-460, 82/06/08, B206280472

--B206280489 IE Insp Repts 50-460/82-06 & 50-513/82-04 on B20401-30 Noncompliance noted insufficient penetration of shop weld of pipe rupture restraint & inadequate protection of equipment & omission of weld insp records
 TOTH, A D, DODDS, R T Region 5, Office of Director 82/05/28 21pp 13625 331 24X Fiche 50-460, 82/06/08, B206280472

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 238 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11, 120pp, 13675 189 24X
 Fiche 50-000, 82/06/11, B204210384

B Reportable occurrences, LERs & related correspondence

B206150146 Interim deficiency rept re deformation of conductor insulation in multiconductor cable mfg by Okonite, initially reported B20421 No addl info gathered. Cables to be examined by vendor. Reportability to be determined by B20625
 ROOT, R W Washington Public Power Supply System, 82/06/02 FAULKENBERRY, R Region 5, Office of Director 1p, 13505 092, 24X
 Fiche 50-460, 82/06/02, B206150146

B206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than B20715
 MILLER, L L Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement, 2pp 13653, 328 24X
 Fiche 50-000, 82/06/23, B206300192

DOCKET 50-461 CLINTON POWER STATION, UNIT 1

A Application/construction stage documents & correspondence

B206040340 Responds to NUREG-0737, Item II K 3 27, "Common Ref for Vessel Level Instrumentation," Bottom of steam dryer skirt selected as common ref point. Photograph of scales encl
 WULLER, G E Illinois Power Co 82/05/26 MILLER, J R Standardization & Special Projects Branch, 4pp, 13352-354, 24X
 Fiche 50-461, 82/05/26, B206040340

B206160415 Forwards order extending const completion date specified in CPPR-137 to B41001
 EISENHUT, D G Division of Licensing 82/06/07 KOCH, L J, Illinois Power Co 4pp, 13543 155 24X Fiche 50-461, 82/06/07, B206160415

--B206160419 Safety evaluation supporting request for extension of CPPR-137 to B41001
 * Division of Licensing, 82/06/07 2pp 13543:157 24X
 Fiche 50-461, 82/06/07, B206160415

--B206160424 Order extending const completion date for CPPR-137 to B41001
 EISENHUT, D G Division of Licensing 82/06/07 Illinois Power Co 2pp 13543 159 24X Fiche 50-461, 82/06/07, B206160415

--B206160428 EIA supporting extension for CPPR-137 to B41001
 * Division of Licensing 82/06/07 2pp 13543 161 24X
 Fiche 50-461, 82/06/07, B206160415

--B206160435 Negative declaration supporting extension for CPPR-137 to B41001
 EISENHUT, D G Division of Licensing 82/06/07 2pp 13543 163 24X Fiche 50-461, 82/06/07, B206160415

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
 EISENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York RENDRGER, D L Washington Public Power Supply System 13pp 13557 349 24X
 Fiche 50-000, 82/06/09, B206090153

B206210400 Advises that 11 position papers provided in D Holtzschner B20517 ltr incorporated into OL application
 WULLER, G E Illinois Power Co 82/06/11 BERNARD, H Standardization & Special Projects Branch 1p 13583 107 24X
 Fiche 50-461, 82/06/11, B206210400

B206290244 Discusses util commitment to TMI Action Plan Item II, K 3 27, "Common Reactor Vessel Ref Point " Understands dual scale approach acceptable Also commits to appropriate training on use of scales Closes SER Confirmatory Issue 39
 WULLER, G E Illinois Power Co 82/06/23 BERNARD, H Standardization & Special Projects Branch 2pp 13636 304 24X
 Fiche 50-461, 82/06/23, B206290244

D NRC Draft/Final Environmental Statements, supplis & correspondence

B206090137 FINAL ENVIRONMENTAL STATEMENT RELATED TO THE OPERATION OF CLINTON POWER STATION, UNIT NO 1 Docket No 50-461 (Illinois Power Company, et al)
 * Office of Nuclear Reactor Regulation, Director, NUREG-0854 82/05/31 400pp Available at NTIS \$7 00 13457.091 24X
 Fiche 50-461, 82/05/31, B206090137

B206170135 Verifies official filing of EIS (NUREG-0854) on B20528 Publication of FR notice of availability scheduled for B20604 Public review period will terminate on B20706
 WILSON, K L Environmental Protection Agency 82/06/09 WILLIAMS, J H Division of Licensing 1p 13530 219 24X
 Fiche 50-461, 82/06/09, B206170135

E. NRC Safety Evaluation Report (SER), supplis & correspondence

B206020478 Forwards response to SER Outstanding Issue 12 re transportation accidents, per NUREG-0853, Potential chemical hazards eliminated by utilizing risk assessment methodology
 WULLER, G E Illinois Power Co 82/05/28 MILLER, J R Standardization & Special Projects Branch 2pp 13325 259 24X
 Fiche 50-461, 82/05/28, B206020478

--B206020487 "Accident Risk Assessment of Toxic Chemical Shipments Transported on IL Central Gulf Railroad Near Clinton Power Station " Response to NRC Question 311 & encl.
 NILEY, T L Illinois Power Co 82/05/28 26pp 13325 261 24X
 Fiche 50-461, 82/05/28, B206020478

B206210482 Forwards changes to preservice insp program transmitted B20223, SWRI-NDT-600-11, Revision 34, SWRI-NDT-600-41, Revision 4 & SWRI-NDT-900-4, Revision 23 Info closes out SER Outstanding Issue 8
 WULLER, G E Illinois Power Co 82/06/11 BERNARD, H Standardization & Special Projects Branch 12pp 13568 210 24X
 Fiche 50-461, 82/06/11, B206210482

B206220256 Forwards revised Pages 21-23 to Revision 1 of "Site-Specific Response Spectra for Clinton Power Station Unit 1 "
 WULLER, G E Illinois Power Co 82/06/17 BERNARD, H Standardization & Special Projects Branch 1p, 13571 203, 24X
 Fiche 50-461, 82/06/17, B206220256

--B206220263 Revised Pages 21-23 to Revision 1 of "Site-Specific Response Spectra for Clinton Power Station Unit 1 "
 * Weston Geophysical Corp 82/05/17 3pp, 13571 204, 24X
 Fiche 50-461, 82/06/17, B206220256

DOCKETED ITEMS

F Security, medical, emergency & fire protection plans

8206040344 Forwards Revision 1 to emergency plan (filed in Category F)
KOCHE, L. J. Illinois Power Co 82/05/28 DENTON, H. R. Office of
Nuclear Reactor Regulation, Director 1p 13351 001 24X
Fiche 50-461, 82/05/28, 8206040344

--8206040353 Revision 1 to emergency plan for facility
WADDELL, D. W. Illinois Power Co 82/05/28 347pp 13351.093
24X Fiche 50-461, 82/05/28, 8206040344

Q Adjudicatory correspondence

8206140105 Request for leave to file reply to Prairie Alliance answer
to applicant motion that evidentiary hearing be held in
Clinton, IL. Misstatements & omissions of fact need to be
corrected
FOX, C. D. Illinois Power Co FOX, C. D. Schiff, Hardin & Waite
82/06/07 Commissioners 1p 13484 145 24X
Fiche 50-461, 82/06/07, 8206140105

--8206140108 Reply to Prairie Alliance 820513 answer to applicant 820505
motion that hearings be held in Clinton, IL. Lists blatant
inaccuracies & omissions in Prairie Alliance answer that
must be corrected Certificate of Svc encl
FOX, C. D. Illinois Power Co FOX, C. D. Schiff, Hardin & Waite
82/06/07 Commissioners 9pp 13484 147 24X
Fiche 50-461, 82/06/07, 8206140105

8206140027 Suppl to 820422 motion that discovery not be had re
production of any documents re quality rept sys State &
applicants are negotiating on method & conditions for
disclosure of quality matters
ZABEL, S. A. Illinois Power Co ZABEL, S. A. Schiff, Hardin & Waite.
82/06/08 Commissioners 6pp 13484 327 24X
Fiche 50-461, 82/06/08, 8206140027

--8206140030 Affidavit of WC Gerstner re quality rept sys functions
Confidentiality of quality repts is key to effectiveness of
sys Disclosure of previously submitted repts would destroy
sys Certificate of Svc encl
GERSTNER, W. C. Illinois Power Co 82/06/04 10pp 13484 333
24X Fiche 50-461, 82/06/08, 8206140027

8206210246 Resubmittal of proposed supplemental Contention 7
Psychological stress should have been considered in environ
rept & NRC & applicant studies Proof of svc encl.
KODNER, J. L. Prairie Alliance, 82/06/16 Atomic Safety and
Licensing Board Panel, 7pp 13559.046 24X Fiche 50-461, 82/06/16,
8206210246

K Utility Final Safety Analysis Report (FSAR) & amends

8206040344 Forwards Amend 16 to FSAR containing emergency plan (filed
in PDR Category F).
KOCHE, L. J. Illinois Power Co 82/05/28 DENTON, H. R. Office of
Nuclear Reactor Regulation, Director 1p 13351 001 24X
Fiche 50-461, 82/05/28, 8206040344

--8206040347 Amend 16 to FSAR
* Illinois Power Co 82/05/30 91pp 13351.002 24X
Fiche 50-461, 82/05/28, 8206040344

Q Inspection reports, IE Bulletins & correspondence

8206070679 Forwards IE Investigation Rept 50-461/81-15 on 810602-19,
820105 & 0205 & notice of violation
KEPPLER, J. O. Region 3, Office of Director, 82/05/17 GERSTNER, W. C.
Illinois Power Co, 2pp 13390 319 24X Fiche 50-461, 82/05/17,
8206070679

--8206070685 Notice of violation from investigation on 810602-19, 820105 &
0205
KEPPLER, J. O. Region 3, Office of Director 82/05/17 3pp.
13390 321 24X Fiche 50-461, 82/05/17, 8206070679

--8206070704 IE Investigation Rept 50-461/81-15 on 820602-19, 820105 &
0205 Noncompliance noted failure to assure proficiency of
electrical QC Inspector, control nonconforming condition &
prevent inadvertent bypassing of insps.
PHILLIPS, O. A., WESCOTT, H. M., LIVERMORE, H. H. Division of Project &
Resident Programs 82/05/14 21pp 13390 324 24X
Fiche 50-461, 82/05/17, 8206070679

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints,
Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28
103pp 13440 244 24X Fiche 50-000, 82/05/28, 8204210378

8206040114 Ack receipt of 810601 ltr informing NRC of steps taken to
correct violations noted in IE Insp Rept 50-461/81-03
SPRESSARD, R. L. Division of Project & Resident Programs 82/05/28
GERSTNER, W. C. Illinois Power Co 1p 13347 293 24X
Fiche 50-461, 82/05/28, 8206040114

--8206040117 Responds to NRC 810413 ltr re violations noted in IE Insp
Rept 50-461/81-03 Corrective actions specs & procedures re
preparation for finished floors being clarified Matl
identification procedure being revised
KOCHE, L. J. Illinois Power Co 81/06/01 HEISHMAN, R. F. Division
of Resident & Project Inspection 3pp 13347 274 24X
Fiche 50-461, 82/05/28, 8206040114

8206110303 Forwards IE Insp Rept 50-461/82-06 on 820428-30 No
noncompliance noted
MILLER, J. R. Division of Engineering & Technical Programs 82/05/28
GERSTNER, W. C. Illinois Power Co 2pp 13466 168 24X
Fiche 50-461, 82/05/28, 8206110303

--8206110308 IE Insp Rept 50-461/82-06 on 820428-30 No noncompliance
noted. Major areas inspected organization, staffing, radiation
protection procedures & radchem technician training.
PAUL, R. A., OREGER, L. R. Division of Project & Resident Programs,
82/05/27 5pp 13466 170 24X Fiche 50-461, 82/05/28, 8206110303

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp, 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8206150350 Ack receipt of 820421 ltr informing NRC of steps taken in
response to NRC 820127 confirmation of action ltr Baldwin
Associates surveillance repts should be reviewed for
nonconforming items not previously identified on NCR/DR
KEPPLER, J. O. Region 3, Office of Director, 82/06/10 GERSTNER, W. C.
Illinois Power Co 2pp 13506.176 24X Fiche 50-461, 82/06/10,
8206150350

--8206150357 Responds to NRC 820127 confirmation of action ltr re stop
work order concerning electrical activities ltr issued to
modify & clarify stop work to reflect electrical activities.
GERSTNER, W. C. Illinois Power Co 82/06/21, KEPPLER, J. O. Region
3, Office of Director 14pp 13506 178 24X
Fiche 50-461, 82/06/10, 8206150350

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list
encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11,
106pp 13675.258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384.

8206210482 Forwards changes to preservice insp program transmitted
820223, SWRI-NDT-600-11, Revision 34, SWRI-NDT-600-41, Revision
4 & SWRI-NDT-900-4, Revision 23 Info closes out SER
Outstanding Issue B
MULLER, G. E. Illinois Power Co, 82/06/11, BERNARD, H.
Standardization & Special Projects Branch, 12pp, 13568, 210, 24X
Fiche 50-461, 82/06/11, 8206210482.

--8206210490 "Manual Ultrasonic Exam of Vessel to Nozzle Inner Radl
Sections," Revision 34.
FOURNELL, D. W. Southwest Research Institute 82/03/02, 10pp.
13568 222 24X Fiche 50-461, 82/06/11, 8206210482.

--8206210497 "Manual Ultrasonic Exam of Ferritic Pressure Piping We
Revision 4
FOURNELL, D. W. Southwest Research Institute, 82/04/16, 17pp
13568 232 24X Fiche 50-461, 82/06/11, 8206210482.

--8206210506 "Visual Exam of Support Members & Structures for Pipin
Valves & Pumps by Direct or Remote Viewing," Revision 23.
FOURNELL, D. W. Southwest Research Institute, 82/03/02 5pp
13568 249 24X Fiche 50-461, 82/06/11, 8206210482

S Reportable occurrences, LERs & related correspondence

B206150104 Final deficiency rept re design, const, insp process & records for safety-related electrical hanger attachment to cable tray, initially reported B20121 Changes made to enhance controls over installation, insp activities & documentation
GERSTNER, W C Illinois Power Co. B2/05/27 KEPLER, J C Region 3, Office of Director 3pp 13501 096 24X Fiche 50-461, B2/05/27, B206150104

B206150364 Interim rept of Deficiency B1-05 re min separation requirements for certain components of 4160 switchgear, initially reported B11002 Extension of approx 90 days needed to complete evaluation & file final rept
GERSTNER, W C Illinois Power Co. B2/05/27 KEPLER, J C Region 3, Office of Director 2pp 13506 170 24X Fiche 50-461, B2/05/27, B206150364

B206150150 Part 21 rept re defective fan housings supplied by Buffalo Forge Co, initially reported B10626 Reinforcing plates will be welded to existing housings to eliminate possibility of missile penetration
GERSTNER, W C Illinois Power Co. B2/06/03 KEPLER, J C Region 3, Office of Director 3pp 13505 151 24X Fiche 50-461, B2/06/03, B206150150

B206210225 Interim Deficiency Rept B2-04 re improperly tightened jam nuts on certain structural steel bolted connections in containment, initially reported B20507 Investigation of parts utilizing slip joint connections w/jam nuts initiated
GERSTNER, W C Illinois Power Co. B2/06/11 KEPLER, J C Region 3, Office of Director 2pp 13560:304 24X Fiche 50-461, B2/06/11, B206210225

B206220127 Final deficiency rept re use of incorrect soil characteristic value as design input to computer model for developing bldg response spectra Facility design adequate Deficiency not reportable per 10CFR 50.55(e).
GERSTNER, W C Illinois Power Co. B2/06/14 KEPLER, J C Region 3, Office of Director 2pp 13573 274 24X Fiche: 50-461, B2/06/14, B206220127

B206290115 Final rept of Potential Deficiency B2-02 re weld electrode E7018 made of nonferrous matl, initially reported on B20218 Verification program implemented & GA surveillance performed at AIRCO No weldments contain stainless steel matl
GERSTNER, W C Illinois Power Co. B2/06/18 KEPLER, J C Region 3, Office of Director 2pp 13635 241 24X Fiche 50-461, B2/06/18, B206290115

B206250161 PNO-III-B2-058 on B20621, const halted while plant constructor reviewed all piping, mechanical, electrical & instrumentation documentation Documents being reviewed for accuracy
WALKER, R, KNOP, R, SPESSARD, R, Region 3, Office of Director B2/06/21 1p 13613 306, 24X Fiche 50-461, B2/06/21, B206250161.

B206290356 Corrected copy of PNO-III-B2-058A on B20623, stop work order issued due to missing or inaccurate documentation (travelers) Licensee will meet w/Region 3 on B20712 to discuss QA program & corrective actions
WALKER, R, KNOP, R, SPESSARD, R, Region 3, Office of Director B2/06/23 1p 13472 340, 24X Fiche 50-461, B2/06/23, B206290356.

T Hearing transcripts on non-entitrust matters

B206170142 Forwards A Ramey-Smith, RF Skelton, MA Lamastra, JY Lee, JH Williams, R Defayette & R Kendall testimony re Prairie Alliance Contentions 1, 4, 6, 9 & 11 as basis for settlement negotiations
GUTIERREZ, J M Hearing Branch 3 B2/06/11, KODNER, J L Tutt & Kodner, 1p, 13534 064 24X Fiche 50-461, B2/06/11, B206170142.

--B206170146 Testimony of A Ramey-Smith re Prairie Alliance Contention 6(p) & (i) re control room design Prof qualifications encl.
RAMEY-SMITH, A Human Factors Engineering Branch B2/06/11 4pp, 13534 065 24X Fiche 50-461, B2/06/11, B206170142.

--B206170149 Testimony of RF Skelton re Prairie Alliance Contention 4 re adequacy of security plan. Prof qualifications encl
SKELTON, R F Power Reactor Safeguards Licensing Branch B2/06/11 7pp 13534 071 24X Fiche: 50-461, B2/06/11, B206170142.

--B206170152 Testimony of MA Lamastra re Prairie Alliance Contention 9 on continuous airborne radioactivity & area radiation monitoring instrumentation. Prof qualifications encl
LAMASTRA, M A Radiological Assessment Branch, B2/06/11, 7pp, 13534, 080, 24X Fiche 50-461, B2/06/11, B206170142.

--B206170155 Testimony of JY Lee re Prairie Alliance Contention 11a re methods used to calculate atmospheric effluents Prof qualifications encl
LEE, J Y Effluent Treatment Systems Branch B2/06/11 4pp 13534 087 24X Fiche 50-461, B2/06/11, B206170142

--B206170158 Testimony of JH Williams re Prairie Alliance Contention 6j re criteria imposed following TMI Prof qualifications encl
WILLIAMS, J H Standardization & Special Projects Branch B2/06/11 4pp 13534 091 24X Fiche 50-461, B2/06/11, B206170142

--B206170161 Testimony of R Defayette re Prairie Alliance Contention 1 on adequacy of onsite emergency plan Prof qualifications encl
DEFAYETTE, R EP Licensing Branch B2/06/11 10pp 13534 094 24X Fiche 50-461, B2/06/11, B206170142

--B206170164 Testimony of R Kendall re Prairie Alliance Contentions 6a, c, d, e & h Prof qualifications encl
KENDALL, R Instrumentation & Control Systems Branch B2/06/11 20pp 13534 106 24X Fiche 50-461, B2/06/11, B206170142

--B206170168 Testimony of ME Wangler re Prairie Alliance Contention 11b re effects of low level radiation Prof qualifications encl
WANGLER, M E Radiological Assessment Branch B2/06/11 4pp 13534 126 24X Fiche 50-461, B2/06/11, B206170142

DOCKET 50-462 CLINTON POWER STATION, UNIT 2

A Application/construction stage documents & correspondence

B206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since B00101 Forwards documents listed in app
FELTON, J M Division of Rules and Records B2/06/07 DDI, K Critical Mass Energy Project 2pp 13678 215 24X Fiche 50-000, B2/06/07, B206300392

--B206300407 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K Office of the Executive Director for Operations B2/03/19 AHEARNE, J Commissioners 2pp 13678 237 24X Fiche 50-000, B2/06/07, B206300392

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing B2/06/09 HAU8PURGO, A Consolidated Edison Co of New York RENBERGER, D L Washington Public Power Supply System 13pp 13537 349 24X Fiche 50-000, B2/06/09, B206090153

G Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/09/28 107pp 13426 095 24X Fiche 50-000, B2/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance B2/05/28, 103pp 13440 264 24X Fiche 50-000, B2/05/28, B204210378.

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/02 108pp 13527 150, 24X Fiche 50-000, B2/06/02, B204210380.

B204210383 IE Info Notice B2-17, "Overpressurization of RCS." Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance B2/06/11 106pp 13675 258 24X Fiche 50-000, B2/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/11 120pp 13675 189, 24X Fiche 50-000, B2/06/11, B204210384.

DOCKETED ITEMS

S Reportable occurrences, LERs & related correspondence

8206150104 Final deficiency rept re design, const, insp process & records for safety-related electrical hanger attachment to cable tray, initially reported 820121 Changes made to enhance controls over installation, insp activities & documentation GERSTNER, W C Illinois Power Co 82/05/27 KEPPLER, J C, Region 3, Office of Director 5pp 13501 096 24X Fiche 50-461, 82/05/27, 8206150104

8206150364 Interim rept of Deficiency B1-05 re min separation requirements for certain components of 4160 switchgear, initially reported 811002 Extension of approx 90 days needed to complete evaluation & file final rept GERSTNER, W C Illinois Power Co 82/05/27 KEPPLER, J C, Region 3, Office of Director 2pp 13506 170 24X Fiche, 50-461, 82/05/27, 8206150364

DOCKET 50-465 RINGHALS, UNIT 3

P Operating license stage documents & correspondence

8206040511 Responds further to FOIA request for five categories of documents re steam generator problem Records listed in app to be placed in PDR FELTON, J M Division of Rules and Records 82/05/25 UDELL, R A Critical Mass Energy Project 2pp 13391 229 24X Fiche 50-000, 82/05/25, 8206040511

--8202120314 Forwards addl telexes containing recent info on problems at foreign facilities re tube failure of preheater type steam generator LAFLEUR, J D Office of International Programs, Director 81/11/19 DENTON, H R Office of Nuclear Reactor Regulation, Director, 1p 13391 233 24X Fiche 50-000, 82/05/25, 8206040511

--8206040526 Forwards cable & announcement outlining Swedish Nuclear Power Inspectorate decision to reject application by Swedish State Power Board for plugging steam generator tubes w/o cable LAFLEUR, J D Office of International Programs, Director 81/12/22 DENTON, H R Office of Nuclear Reactor Regulation, Director, 2pp 13391 242 24X Fiche, 50-000, 82/05/25, 8206040511

--8206040528 Informs that unit is now at 50% power w/testing indicating direct relation of tube acceleration to power TRUEBA, P Spain 82/01/14 LAFLEUR, J D Office of International Programs, Director 1p 13391 244 24X Fiche 50-000, 82/05/25, 8206040511

--8206040529 Forwards 820122 telex w/info re eddy current results after 811103 shutdown & power history up to shutdown date VILLADONIGA, J Office of Nuclear Reactor Regulation, Director 82/01/22 LAFLEUR, J D Office of International Programs, Director 1p 13391 245 24X Fiche 50-000, 82/05/25, 8206040511

--8206040530 Summarizes eddy current results of 493 tubes inspected, 13 found w/indications over 20% TRUEBA, P Spain 82/01/22, VILLADONIGA, J NRC - No Detailed Affiliation Given 5pp, 13391 246 24X Fiche, 50-000, 82/05/25, 8206040511

DOCKET 50-466 ALLENS CREEK NUCLEAR STATION, UNIT 1

Q Adjudicatory correspondence

8206040047 Response in opposition to util 820519 motion to strike Doherty Contention 58 re applicant conduct on reporting violations. Contention should be treated as such, not as motion Certificate of Svc encl Related correspondence DOHERTY, J F Doherty, J F 82/05/24 Atomic Safety and Licensing Board Panel, 3pp, 13350 085 24X Fiche 50-466, 82/05/24, 8206040047,

8206070133 Informs that Commission declined to review ALAB-671 Time within which Commission may act to review decision expired. Decision became final agency action on 820601 CHILK, B J Office of the Secretary of the Commission, 82/06/02, Office of the Executive Legal Director 1p 13371 025 24X Fiche: 50-466, 82/06/02, 8206070133

8206070152 Memorandum & order denying J Doherty 820422 motion re Contention 58 on applicant conduct on reporting violations. Applicant 820519 motion to strike Doherty 820514 reply granted, LINENBERGER, G., WOLFE, S J Atomic Safety and Licensing Board Panel 82/06/02, Doherty, J F 7pp 13368 339 24X Fiche: 50-466, 82/06/02, 8206070152

8206180301 Motion to reopen record to take evidence on Contention 59 Gravity of issues warrants reopening DOHERTY, J F Doherty, J F 82/06/15 Atomic Safety and Licensing Board Panel 6pp 13545 333 24X Fiche 50-466, 82/06/15, 8206180301

8206180346 Contention 50 re Brown & Root deficiencies in Quadrex Rept Certificate of Svc encl DOHERTY, J F Doherty, J F 82/06/15 Atomic Safety and Licensing Board Panel 13pp 13545 191 24X Fiche 50-466, 82/06/15, 8206180346

8206240400 Advises that feasibility of continuing plant const remains under util consideration, w/ultimate determination depending on disposition of request for rate relief pending before TX Public Utils Commission COPELAND, J O, Baker & Botts COPELAND, J O Houston Lighting & Power Co 82/06/18 WOLFE, S J., CHEATUM, E L., LINENBERGER, G Atomic Safety and Licensing Board Panel 2pp 13603 108 24X Fiche 50-466, 82/06/18, 8206240400

8206240388 Forwards Houston Chronicle 820617 article re util requester rate increase. Article appears relevant to ultimate fate of plant & appears to represent slight change from util Dec 1981 position on plant destiny DOHERTY, J F Doherty, J F 82/06/19 WOLFE, S J., CHEATUM, E L., LINENBERGER, G Atomic Safety and Licensing Board Panel, 3pp 13603 143 24X Fiche, 50-466, 82/06/19, 8206240388

8206300221 Response opposing J Doherty 820615 request to reopen record Request improper & insufficient to support relief. Commission rules cannot be circumvented by re-filing same argument after ASLB ruling issued Certificate of Svc encl RASKIN, D B Houston Lighting & Power Co RASKIN, D B Lowenstein, Newman, Reis, Axelrad & Toll 82/06/28 Atomic Safety and Licensing Board Panel, 6pp 13654 286 24X Fiche: 50-466, 82/06/28, 8206300221

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 095 24X Fiche: 50-000, 82/05/28, 8202040147,

8204210378 IE Info Notice 82-16, "HPG1/RC1C High Steam Flow Setpoints Svc list encl JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28 103pp 13440 264 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants," Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche: 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS," Svc list encl JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche, 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/06/11 120pp, 13675 189 24X Fiche 50-000, 82/06/11, 8204210384,

DOCKET 50-467 ALLENS CREEK NUCLEAR STATION, UNIT 2

Q Adjudicatory correspondence

8206240400 Advises that feasibility of continuing plant const remains under util consideration, w/ultimate determination depending on disposition of request for rate relief pending before TX Public Utils Commission, COPELAND, J O, Baker & Botts COPELAND, J O Houston Lighting & Power Co 82/06/18 WOLFE, S J., CHEATUM, E L., LINENBERGER, G Atomic Safety and Licensing Board Panel, 2pp, 13603 108 24X Fiche: 50-466, 82/06/18, 8206240400

DOCKET STN-50-470 CESSAR SYSTEM B0

A Application/construction stage documents & correspondence

B206220085 Responds to B20512 memo re control of occupational doses by prevention of transport & buildup of radioactive crud, by removal of radionuclide deposits & minimization of failure of major plant components
DIRCKS, W J Office of the Executive Director for Operations
B2/06/15 SHEWMON, P S ACRS - Advisory Committee on Reactor Safeguards 13pp 13585 177 24X Fiche 50-000, B2/06/15, B206220085

--B206220090 Discusses inadequacy of responses re prevention of transport & buildup of radionuclide concentrations within primary cooling sys & methods for removal of deposits if preventive measures not successful
SHEWMON, P ACRS - Advisory Committee on Reactor Safeguards
B2/05/12 DIRCKS, W J Office of the Executive Director for Operations 1p 13585 191 24X Fiche 50-000, B2/06/15, B206220085

--B203110473 Submits update of current assessment of licensee's ability to implement prompt notification sys by B20201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations
B2/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, B2/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, Q S Division of Technical Inspection B2/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176 24X
Fiche 50-000, B2/05/11, B206090002

--B206090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet B20201 deadline
DIRCKS, W J Office of the Executive Director for Operations
B2/03/04 PALLADINO, N Commissioners 1p 13454 196 24X
Fiche 50-000, B2/05/11, B206090002

DOCKET STN-50-482 WOLF CREEK GENERATING STATION

A Application/construction stage documents & correspondence

B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records B2/04/29 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044 24X Fiche 50-000, B2/04/29, B206230007

--B105200098 Forwards comments on SNUPPS B10428 meeting summary
CONRAN, J H Systems Interaction Branch B1/05/14 THADANI, A C Reliability & Risk Assessment Branch 4pp 13606 048 24X
Fiche 50-000, B2/04/29, B206230007

B206010136 Forwards ACRS B20511 rept reviewing application for OL W/o encl
YOUNGBLOOD, B J Licensing Branch 1 B2/05/14 KOESTER, Q L Kansas Gas & Electric Co 3pp 13319 272 24X Fiche 50-482, B2/05/14, B206010136

B206070150 Responds to util request for authorization to use Subsections NB-4436, NC-4436 & ND-4436 in Winter 1981 addenda to Section III of ASME boiler & pressure vessel code. Use of code acceptable
YOUNGBLOOD, B J Licensing Branch 1 B2/05/18 PETRICK, N A Standardized Nuclear Unit Power Plant System 3pp 13427 022 24X
Fiche 50-000, B2/05/18, B206070150

B206020550 Summary of B20513 meeting w/utis in Bethesda, MD re surveillance of hafnium control rods during refueling outages Attendance list encl
EDISON, O E, HOPKINS, J B Licensing Branch 1 B2/05/17
Licensing Branch 1, 20pp 13339 318 24X Fiche 50-000, B2/05/17, B206020550

D NRC Draft/Final Environmental Statements, supp's & correspondence

B206250349 Forwards FES (NUREG-0878) & notice of issuance & availability W/o FES
YOUNGBLOOD, B J Licensing Branch 1 B2/06/21 WILSON, K Environmental Protection Agency 1p, 13629 357, 24X
Fiche 50-482, B2/06/21, B206250349

--B206250354 Notice of availability of FES (NUREG-0878).
YOUNGBLOOD, B J Licensing Branch 1 B2/06/21 2pp 13629 391
24X Fiche 50-482, B2/06/21, B206250349

B206280146 Forwards notice of availability of NUREG-0878, "FES for Wolf Creek Generating Station, Unit 1"
YOUNGBLOOD, B J Licensing Branch 1 B2/06/21 KOESTER, Q L Kansas Gas & Electric Co. 2pp 13630 255, 24X Fiche 50-482, B2/06/21, B206280146

--B206280148 Notice of availability of FES for facility
YOUNGBLOOD, B J Licensing Branch 1 B2/06/21 2pp 13630 257
24X Fiche 50-482, B2/06/21, B206280146

B206280150 Forwards FES (NUREG-0878) & notice of issuance & availability W/o FES
YOUNGBLOOD, B J Licensing Branch 1 B2/06/21, GRANT, R Commerce, Dept of 5pp 13630, 248 24X Fiche 50-482, B2/06/21, B206280150

B206280169 Forwards FES (NUREG-0878) & notice of issuance & availability W/o FES
YOUNGBLOOD, B J Licensing Branch 1 B2/06/21 Kansas, State of 1p 13630 259 24X Fiche 50-482, B2/06/21, B206280169

DOCKET 50-471 PILORIM NUCLEAR POWER STATION, UNIT 2

F. Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records B2/04/21 WADE, J Public Interest Research Group, New York 7pp 13524 010 24X
Fiche 50-000, B2/04/21, B206150016

--B206150023 Updates delivery schedule for siren shipments to facilities
ANDERSON, M E Federal Signal Corp B2/01/28 CANNON, P Affiliation Unknown 3pp 13524 234 24X Fiche 50-000, B2/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records B2/05/11 REYNOLDS, N B Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, B2/05/11, B206090002

--B203110473 Submits update of current assessment of licensee's ability to implement prompt notification sys by B20201 deadline
Thirteen licensees may not meet deadline
DIRCKS, W J Office of the Executive Director for Operations
B2/01/26 Commissioners 2pp 13454 164 24X
Fiche 50-000, B2/05/11, B206090002

--B203110481 Submits monthly update of status of implementation of prompt notification sys
SPENCER, Q S Division of Technical Inspection B2/01/05
GRIMES, B K Division of Emergency Preparedness 8pp 13454 176, 24X Fiche 50-000, B2/05/11, B206090002

--B206090088 Provides implementation status of prompt notification sys for facilities Eight licensees failed to meet B20201 deadline.
DIRCKS, W J Office of the Executive Director for Operations
B2/03/04 PALLADINO, N Commissioners 1p 13454 196 24X
Fiche 50-000, B2/05/11, B206090002

DOCKET 50-472 PILORIM NUCLEAR POWER STATION, UNIT 3

F. Security, medical, emergency & fire protection plans

B206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume pathway around nuclear reactor sites in US Forwards documents listed in App A
FELTON, J M Division of Rules and Records B2/04/21 WADE, J Public Interest Research Group, New York 7pp, 13524 010, 24X
Fiche 50-000, B2/04/21, B206150016

--B206150023 Updates delivery schedule for siren shipments to facilities
ANDERSON, M E Federal Signal Corp. B2/01/28 CANNON, P Affiliation Unknown, 3pp 13524 234 24X Fiche 50-000, B2/04/21, B206150016

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records B2/05/11 REYNOLDS, N S 3pp 13454 003 24X Fiche 50-000, B2/05/11,

B206300049 Forwards FES (NUREG-0878) w/o encl
KARMAN, M Hearing Branch 1 82/06/25 GLEASON, J P , ANDERSON, O C ,
PAXTON, H C Atomic Safety and Licensing Board Panel 1p.
13655 010 24X Fiche 50-482, 82/06/25, B206300049.

B206290526 FINAL ENVIRONMENTAL STATEMENT RELATED TO THE OPERATION OF
WOLF CREEK GENERATING STATION, UNIT 1 Docket No STN 50-482
(Kansas Gas And Electric Company, et al)
* Office of Nuclear Reactor Regulation, Director NUREG-0878
82/06/30 135pp Available at NTIS \$7 50 13659 104 24X
Fiche 50-482, 82/06/30, B206290526

E NRC Safety Evaluation Report (SER), supp's & correspondence

B206180349 Forwards Mechanical Engineering Branch request for addl info
re SNUPPS FBAR, per SER (NUREG-0830) Confirmatory Items 3
Response requested by B20715
YOUNGBLOOD, B J Licensing Branch 1 82/05/27 SCHNELL, D F Union
Electric Co KOESTER, G L Kansas Gas & Electric Co 5pp
13370 006 24X Fiche 50-000, 82/05/27, B206180349

B206110251 Forwards status rept on outstanding, confirmatory & license
condition issues reported in SERs
PETRICK, N A Standardized Nuclear Unit Power Plant System
82/06/07 DENTON, H R Office of Nuclear Reactor Regulation,
Director 8pp 13466 248 24X Fiche 50-000, 82/06/07, B206110251

F Security, medical, emergency & fire protection plans

B206020416 Forwards results of June 1980 resident survey of population
within 5 miles of facility Results are broken down by sector
& exclude population of Burlington & Sharpe, KS Oath of
affirmation encl
FRY, E L Kansas Gas & Electric Co 82/05/28, DENTON, H R Office
of Nuclear Reactor Regulation, Director 3pp 13326 020 24X
Fiche 50-482, 82/05/28, B206020416

B206250391 Summary of B20430 meeting w/utis & Bechtel in Bethesda, MD
re alternate shutdown panel & related fire protection
HOPKINS, J B , EDISON, G E Licensing Branch 1 82/06/17
Licensing Branch 1 5pp 13630 090 24X Fiche 50-000, 82/06/17,
B206250391

G Adjudicatory correspondence

B206040225 Advises that supplemental SER will be issued B20830
KARMAN, M Hearing Branch 2 82/06/02 GLEASON, J P , ANDERSON, O C ,
LEEDS, J V Atomic Safety and Licensing Board Panel 1p 13355 289
24X Fiche 50-482, 82/06/02, B206040225

B206170087 Memorandum & order granting applicant & NRC motions for
dismissal of Kansans for Sensible Energy financial
qualifications contention & for dismissal of Kansans as
intervenor Commission B20331 rulemaking dictates dismissal
GLEASON, J P Atomic Safety and Licensing Board Panel 82/06/09
Kansas Gas & Electric Co 2pp 13529 327 24X
Fiche 50-482, 82/06/09, B206170087

B206280077 Notice of ASLB reconstitution JP Gleason, chairman & OC
Anderson & HC Paxton, members
COTTER, B P Atomic Safety and Licensing Board Panel 82/06/18,
2pp, 13624 248 24X Fiche 50-482, 82/06/18, B206280077

B206280463 Appeal for reconsideration of ASLB B20609 memorandum & order
dismissing financial qualification contention &
intervention Financial qualification issues illegally
eliminated from proceedings Certificate of Svc encl
SIMPSON, J M Kansas Gas & Electric Co SIMPSON, J M Simpson, J M
82/06/23 Atomic Safety and Licensing Appeal Panel 10pp
13626 017 24X Fiche 50-482, 82/06/23, B206280463

B206290292 Notice of ASLAB constitution AS Rosenthal, chairman & JH Buck
& TS Moore, members.
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/06/25
1p 13636 320 24X Fiche 50-482, 82/06/25, B206290292.

B206290328 Memorandum & order holding in abeyance ASLB B20609 order
which dismissed Kansans for Sensible Energy contention &
Kansans as party, Petition challenging financial
qualifications rule filed
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel. 82/06/28
4pp 13632 328 24X Fiche 50-482, 82/06/28, B206290328

K Utility Final Safety Analysis Report (FSAR) & amends

B206010103 Forwards SNUPPS FSAR Revision 9 Revision should resolve
issues re high energy pipe break analysis, steam generator
level control & protection & ECCB analysis
PETRICK, N A Standardized Nuclear Unit Power Plant System
82/05/21 DENTON, H R Office of Nuclear Reactor Regulation,
Director 2pp 13312 001 24X Fiche 50-000, 82/05/21, B206010103

—B206010110 Revision 9 to FSAR.

* Standardized Nuclear Unit Power Plant System 82/05/31 575pp
13312 003 24X Fiche 50-000, 82/05/21, B206010103

Q Inspection reports, IE Bulletins & correspondence

B206010631 Confirms B20429 telcon re waiving remaining time of 10-day
proprietary period for IE Investigation Rept B1-10 (ref
10CFR2 790)
KOESTER, G L Kansas Gas & Electric Co 82/04/30, COLLINS, J T
Region 4, Office of Director 1p 13314 145 24X
Fiche 50-482, 82/04/30, B206010631

B206020333 Confirms B20429 telcon waiving remainder of time of 10-day
proprietary period per 10CFR2.790 re IE Investigation Rept
50-482/B1-12
KOESTER, G L Kansas Gas & Electric Co 82/04/30, COLLINS, J T
Region 4, Office of Director 1p 13321 273 24X
Fiche 50-482, 82/04/30, B206020333

B206010659 Advises that sworn responses to notices of violation will
be required only when indicated
SEIDLE, W C Division of Resident, Reactor Project & Engineering
Programs 82/05/26 KOESTER, G L Kansas Gas & Electric Co, 1p,
13314 133 24X Fiche 50-482, 82/05/26, B206010659

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints "
Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants "
Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 180 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11,
106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383,

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Mati by Workers." Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement. 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384,

DOCKETED ITEMS

8206150446 Interim deficiency rept re post-accident inaccuracies in reactor coolant wide range pressure instruments, initially reported 820504 Evaluation in progress Status of evaluation will be reported by 821104
KOSTER, G L Kansas Gas & Electric Co. 82/06/09 SEIDLE, W C
Division of Resident, Reactor Project & Engineering Programs 1p
13503 028 24X Fiche 50-482, 82/06/09, 8206150446

8206290370 Interim deficiency rept re failed studs on essential svc water pipe support embedded plate Evaluation of impact re increased response spectrum & analysis of failed stud complete Final rept will be submitted by 820810
KOSTER, G L Kansas Gas & Electric Co. 82/06/23. SEIDLE, W C
Division of Resident, Reactor Project & Engineering Programs 1p
13634 110 24X Fiche 50-482, 82/06/23, 8206290370

DOCKET 87N-50-483 CALLAWAY PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 McMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29 8206230007

--810520009B Forwards comments on SNUPPS 810428 meeting summary
CONRAN, J H Systems Interaction Branch 81/05/14 THADANI, A C
Reliability & Risk Assessment Branch 4pp 13606 048 24X
Fiche: 50-000, 82/04/29, 8206230007.

8206070150 Responds to util request for authorization to use Subsections NB-4436, NC-4436 & ND-4436 in Winter 1981 addenda to Section III of ASME boiler & pressure vessel code. Use of code acceptable
YOUNGBLOOD, B J Licensing Branch 1 82/05/18 PETRICK, N A
Standardized Nuclear Unit Power Plant System 3pp 13427 022 24X
Fiche 50-000, 82/05/18, 8206070150.

8206020550 Summary of 820513 meeting w/utis in Bethesda, MD re surveillance of hafnium control rods during refueling outages Attendance list encl.
EDISON, G E., HOPKINS, J B Licensing Branch 1 82/05/19
Licensing Branch 1 20pp 13339 318 24X Fiche 50-000, 82/05/19, 8206020550

8206160007 Forwards draft technical evaluation rept, "Control of Heavy Loads at Nuclear Power Plants," re util response to Section 2.1 of 801222 generic ltr Review & comments requested.
YOUNGBLOOD, B J Licensing Branch 1. 82/06/03 SCHNELL, D F Union
Electric Co 3pp 13325 258. 24X Fiche: 50-483, 82/06/03, 8206160007.

--8206160009 "Control of Heavy Loads at Nuclear Power Plants," draft technical evaluation rept
MARINOAS, N, STICKLEY, T H E&O, Inc. 82/04/30 NRC - No
Detailed Affiliation Given 30pp. 13529:261. 24X
Fiche 50-483, 82/06/03, 8206160007

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginne Rept documents findings re cause of event W/o encl.
EISENHUT, D G. Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co. of New York FIRESTONE, L Ohio Edison Co
WITHERS, B. D. Portland General Electric Co 13pp 13357 349. 24X
Fiche: 50-000, 82/06/09, 8206090153

E. NRC Safety Evaluation Report (SER), supp's & correspondence

8206180349 Forwards Mechanical Engineering Branch request for addl info re SNUPPS FSAR, per SER (NUREG-0830) Confirmatory Items 3
Response requested by 820715.
YOUNGBLOOD, B J Licensing Branch 1. 82/05/27. SCHNELL, D F Union
Electric Co. KOSTER, G L Kansas Gas & Electric Co 3pp.
13570 008 24X Fiche: 50-000, 82/05/27, 8206180349.

8206110251 Forwards status rept on outstanding confirmatory & license condition issues reported in SERs.
PETRICK, N A Standardized Nuclear Unit Power Plant System
82/06/07 DENTON, H R. Office of Nuclear Reactor Regulation,
Director. 8pp. 13466 248 24X Fiche. 50-000, 82/06/07, 8206110251.

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N G
Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

8206250391 Summary of 820430 meeting w/utis & Bechtel in Bethesda, MD re alternate shutdown panel & related fire protection
HOPKINS, J B, EDISON, G E Licensing Branch 1 82/06/17
Licensing Branch 1 3pp 13630 090 24X Fiche 50-000, 82/06/17, 8206250391

O Adjudicatory correspondence

8206070523 Response to JO Reed motion to establish hearing schedule & to applicant 820521 motion & answer to Reed motion to establish schedule Local govt emergency plans firm enough to draft specific contention Certificate of Svc encl
PERLINS, R O Hearing Branch 3 82/06/04 Atomic Safety and
Licensing Board Panel 6pp 13374 085 24X Fiche 50-483, 82/06/04, 8206070523

8206170196 Reply to NRC 820604 response re establishment of hearing schedule on emergency planning issues Hearing date should be based on date local plans sufficiently firm to be submitted to FEMA Certificate of Svc encl
REED, J O Reed, J O 82/06/07 Atomic Safety and Licensing Board
Panel 3pp 13535 193 24X Fiche 50-483, 82/06/07, 8206170196

8206210575 Interrogatories & requests for production of documents, Set 1, to Callaway County court administrative judges & Callaway County emergency mgt coordinator Certificate of Svc encl
Related correspondence
REED, J O Reed, J O 82/06/14 Callaway County, MO 14pp.
13564 042 24X Fiche 50-483, 82/06/14, 8206210575

8206240250 Interrogatories & requests for production of documents, Set 1, to State of MO PBC & State of MO Certificate of Svc encl
REED, J O Reed, J O 82/06/15 Missouri, State of. 10pp.
13399 075 24X Fiche 50-483, 82/06/15, 8206240250

8206240157 Correction to Interrogatory 13 of interrogatories & requests for production of documents, Set 1, directed to State of MO PBC & State of MO Certificate of Svc encl Related correspondence
REED, J O Reed, J O 82/06/16 Missouri, State of 2pp
13399 246 24X Fiche 50-483, 82/06/16, 8206240157

K Utility Final Safety Analysis Report (FSAR) & amends

8206010103 Forwards SNUPPS FSAR Revision 9 Revision should resolve issues re high energy pipe break analysis, steam generator level control & protection & ECCB analysis.
PETRICK, N A Standardized Nuclear Unit Power Plant System
82/05/21 DENTON, H R Office of Nuclear Reactor Regulation,
Director 2pp 13312 001 24X Fiche 50-000, 82/05/21, 8206010103

--8206010110 Revision 9 to FSAR
* Standardized Nuclear Unit Power Plant System 82/05/31 575pp.
13312 003 24X Fiche 50-000, 82/05/21, 8206010110

M Antitrust correspondence

8206090045 Notifies that util has been unable to determine that 820513 requests re use of facilities for power wheeling were made, either verbally or written Response will be provided upon confirmation of request per 820524 & 25 telcons
SCHUMAI, R J. Union Electric Co. 82/05/27 TOALSTON, A Antitrust &
Economic analysis Branch (Utility Finance) 1p 13436 281 24X
Fiche: 50-483, 82/05/27, 8206090045

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl.
DEYOUNG, R C. Director's Office, Office of Inspection and
Enforcement. 82/05/28 107pp 13426 095 24X
Fiche. 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp. 13440:264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8206070351 Commits to perform visual insp of select control rods during one of first five refueling outages. Second visual insp will be performed between 10th & 15th refueling outages, inclusive. Commitment eliminates need for license condition
 SCHNELL, D F Union Electric Co 82/06/02 DENTON, H R Office of Nuclear Reactor Regulation, Director App 13363 087 24X
 Fiche 50-483, 82/06/02, 8206070351

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

8206250257 Forwards IE Insp Rept 50-483/82-03 on 820426-0507 & notice of violation
 NORELIUS, C E Division of Engineering & Technical Programs 82/06/15 SCHNELL, D F Union Electric Co 2pp 13613 131 24X
 Fiche 50-483, 82/06/15, 8206250257

--8206250259 Notice of violation from insp on 820426-0507
 NORELIUS, C E Division of Engineering & Technical Programs 82/06/15 2pp 13613 133 24X Fiche 50-483, 82/06/15, 8206250259

--8206250263 IE Insp Rept 50-483/82-03 on 820426-0507 Noncompliance noted corrective action re damaged cables in Cabinet RJ160A to preclude repetition not taken as of 820507 No documented training given to craft personnel
 KEY, W J, NAIDU, K R, HAWKINS, F C Division of Engineering & Technical Programs 82/06/07 32pp 13613 135 24X
 Fiche 50-483, 82/06/15, 8206250257.

8206290283 Discusses use of flammable matl in Class IE switchgear, noted during IE insps. Use of mounting bases may void IEEE-323 & IEEE-383 qualification because of flammable nature. Licensees plans to justify use
 NAIDU, K R Region 3, Office of Director 82/06/24 NORELIUS, C E, Division of Engineering & Technical Programs 2pp, 13636 221 24X
 Fiche 50-000, 82/06/24, 8206290283

B Reportable occurrences, LERs & related correspondence

8206240202 Final deficiency rept re adequacy of nondestructive exam performed by Bravo Pipe Fabrication Div on piping spools, initially reported on 810501 Surface too rough for adequate exam. Welds buffed & re-examined. Deficiency not reportable.
 SCHELL, D F, Union Electric Co 82/06/17, KEPPLER, J O, Region 3, Office of Director, 1p, 13599-045 24X Fiche 50-483, 82/06/17, 8206240202

DOCKET BTN-50-485 STERLING POWER NUCLEAR PROJECT, UNIT 1

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
 EISENHUT, D O, Division of Licensing 82/06/09 HAUBPURG, A Consolidated Edison Co of New York, MALER, J, Rochester Gas & Electric Corp, ARNOLD, R C General Public Utilities - GPU Service Corp 13pp 13557-349, 24X Fiche 50-000, 82/06/09, 8206090153

I Financial information

8206020312 Forwards Annual Financial Repts 1981 for Niagara Mohawk Power Corp, NY State Electric & Gas Corp, LILCO, Rochester Gas & Electric Corp & Central Hudson Gas & Electric Corp.
 TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae, TROSTEN, L M, Niagara Mohawk Power Corp, 82/05/27 DENTON, H R, Office of Nuclear Reactor Regulation, Director, 1p, 13324-022 24X Fiche 50-000, 82/05/27, 8206020312.

--8206020438 Annual Financial Rept 1981
 * Central Hudson Gas & Electric Corp, 82/03/01 72pp, 13324-183, 24X Fiche 50-000, 82/05/27, 8206020312.

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095, 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440-264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS, " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675, 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers, " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384.

DOCKET BTN-50-486 CALLAWAY PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
 EISENHUT, D O, Division of Licensing, 82/06/09 HAUBPURG, A Consolidated Edison Co of New York, FIRESTONE, L, Ohio Edison Co, WITHERS, B D Portland General Electric Co 13pp 13557 349 24X
 Fiche 50-000, 82/06/09, 8206090153

Q Inspection reports, IE Bulletins & correspondence

8206290283 Discusses use of flammable matl in Class IE switchgear, noted during IE insps. Use of mounting bases may void IEEE-323 & IEEE-383 qualification because of flammable nature. Licensees plans to justify use.
 NAIDU, K R Region 3, Office of Director, 82/06/24, NORELIUS, C E, Division of Engineering & Technical Programs 2pp, 13636 221 24X
 Fiche 50-000, 82/06/24, 8206290283.

B Reportable occurrences, LERs & related correspondence

8206240202 Final deficiency rept re adequacy of nondestructive exam performed by Bravo Pipe Fabrication Div on piping spools, initially reported on 810501 Surface too rough for adequate exam. Welds buffed & re-examined. Deficiency not reportable.
 SCHELL, D F, Union Electric Co 82/06/17, KEPPLER, J O, Region 3, Office of Director, 1p, 13599-045 24X Fiche 50-483, 82/06/17, 8206240202.

B206040216 Reply opposing intervenor B20429 response to util B20419 motion to withdraw application for CPs Application should be dismissed w/o prejudice & util should not be required to pay intervenor costs & atty fees Certificate of Svc encl
MCGARRY, J M Duke Power Co MCGARRY, J M Debevoise & Liberman
82/05/28 Atomic Safety and Licensing Board Panel 37pp
13359 252 24X Fiche 50-488, 82/05/28, B206040216

B206160089 Advises of NRC statement in B20522 response to motion to withdraw application & to terminate proceedings NRC aware of no reason why application may not be dismissed
TURK, S E Hearing Branch 1 82/06/14 SMITH, I W, JORDAN, W H, DEBYLVA, D P Atomic Safety and Licensing Board Panel. 1p
13517 321 24X Fiche 50-488, 82/06/14, B206160089

B206170144 Response supporting util B20419 motion to withdraw CP application w/o prejudice & opposing award of costs & atty fees to intervenor Expenses resulted from intervenor actions Certificate of Svc encl.
TURK, S E Hearing Branch 1 82/06/14 Atomic Safety and Licensing Board Panel 27pp 13530 182 24X Fiche 50-488, 82/06/14, B206170144

Q Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378.

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384.

DOCKET STN-50-489 PERKINS NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York PILANT, J M Nebraska Public Power District HURSTILL, M L New Orleans Public Service Co 13pp
13557 349 24X Fiche 50-000, 82/06/09, B206090153

B206170144 Response supporting util B20419 motion to withdraw CP application w/o prejudice & opposing award of costs & atty fees to intervenor Expenses resulted from intervenor actions Certificate of Svc encl
TURK, S E Hearing Branch 1 82/06/14 Atomic Safety and Licensing Board Panel 27pp 13530 182 24X Fiche 50-488, 82/06/14, B206170144

Q Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

DOCKET STN-50-490 PERKINS NUCLEAR STATION, UNIT 3

A Application/construction stage documents & correspondence

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York PILANT, J M Nebraska Public Power District HURSTILL, M L New Orleans Public Service Co. 13pp
13557 349 24X Fiche 50-000, 82/06/09, B206090153

Q Adjudicatory correspondence

B203290268 Memorandum & Order ALAB-66B, vacating LBP-7B-28, LBP-7B-34 & LBP-80-9 on grounds of mootness Util filed motions on B20302 for leave to withdraw applications w/o prejudice & to terminate ongoing proceedings
SHOEMAKER, C J Atomic Safety and Licensing Appeal Panel 82/03/24 3pp 12428 226 24X Fiche 50-488, 82/03/24, B203290268

B206040216 Reply opposing intervenor B20429 response to util B20419 motion to withdraw application for CPs Application should be dismissed w/o prejudice & util should not be required to pay intervenor costs & atty fees Certificate of Svc encl
MCGARRY, J M Duke Power Co MCGARRY, J M Debevoise & Liberman.
82/05/28 Atomic Safety and Licensing Board Panel 37pp
13359 252 24X Fiche 50-488, 82/05/28, B206040216

B206160089 Advises of NRC statement in B20522 response to motion to withdraw application & to terminate proceedings NRC aware of no reason why application may not be dismissed
TURK, S E Hearing Branch 1 82/06/14 SMITH, I W, JORDAN, W H, DEBYLVA, D P Atomic Safety and Licensing Board Panel. 1p
13517 321 24X Fiche 50-488, 82/06/14, B206160089

B206170144 Response supporting util B20419 motion to withdraw CP application w/o prejudice & opposing award of costs & atty fees to intervenor Expenses resulted from intervenor actions Certificate of Svc encl.
TURK, S E Hearing Branch 1 82/06/14 Atomic Safety and Licensing Board Panel 27pp 13530 182 24X Fiche 50-488, 82/06/14, B206170144

Q Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET STN-50-491 CHEROKEE NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8206300392 Add'l response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
FELTON, J. M. Division of Rules and Records 82/06/07 DOI, K
Critical Mass Energy Project 2pp 13678 215 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/19 AHEARNE, J. Commissioners 2pp 13678 237 24X
Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D. G. Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co. of New York, 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints, " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28, 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants, " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258, 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET STN-50-492 CHEROKEE NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206300392 Add'l response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
FELTON, J. M. Division of Rules and Records 82/06/07 DOI, K
Critical Mass Energy Project. 2pp. 13678 215. 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/19 AHEARNE, J. Commissioners 2pp 13678 237 24X
Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D. G. Division of Licensing 82/06/09 HAUSPURG, A. Consolidated Edison Co. of New York, 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp. 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS, " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers, " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET STN-50-493 CHEROKEE NUCLEAR STATION, UNIT 3

A Application/construction stage documents & correspondence

8206300392 Add'l response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
FELTON, J. M. Division of Rules and Records 82/06/07. DOI, K
Critical Mass Energy Project 2pp 13678, 215 24X
Fiche 50-000, 82/06/07, 8206300392.

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/19 AHEARNE, J. Commissioners 2pp. 13678 237 24X
Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D. G. Division of Licensing. 82/06/09. HAUSPURG, A. Consolidated Edison Co. of New York, 13pp 13557 349. 24X
Fiche 50-000, 82/06/09, 8206090153.

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC, " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/05/28 107pp. 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147.

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/05/28, 103pp 13440, 264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants, " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02. 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 187 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET STN-50-498 SOUTH TEXAS PROJECT, UNIT 1

A Application/construction stage documents & correspondence

8205100313 Forwards order & safety evaluation extending const
completion date until 871231 for Unit 1 & 871231 for Unit 2
EISENHUT, D G Division of Licensing 82/04/30 OPREA, O W Houston
Lighting & Power Co 2pp 13570 264 24X Fiche 50-498, 82/04/30,
8205100313

--8206180095 Order extending const completion dates to 871231 for Unit 1
& 871231 for Unit 2
EISENHUT, D G Division of Licensing 82/04/30 Houston
Lighting & Power Co 3pp 13570:268 24X Fiche 50-498, 82/04/30,
8205100313

--8206180100 Safety evaluation supporting order extending const
completion dates to 871231 for Unit 1 & 871231 for Unit 2
* Division of Licensing 82/04/30 2pp 13570 271 24X
Fiche 50-498, 82/04/30, 8205100313

8206180237 Forwards "Brown & Root Assessment of Quadrex Design
Review of South TX Project."
OPREA, O W Houston Lighting & Power Co 82/05/06, COLLINS, J T.
Region 4, Office of Director, 2pp 13554 319 24X
Fiche 50-498, 82/05/06, 8206180237

--8206180250 "Brown & Root Assessment of Quadrex Design Review of South
TX Project "
* Brown & Root Corp (subs of Halliburton Corp) 82/04/30
335pp, 13554 321 24X Fiche 50-498, 82/05/06, 8206180237

8206010082 Forwards GA & Core Performance Branches request for addl
info needed to complete review of OL applications Response
should take form of FSAR amend
MIRAOLIA, F J Licensing Branch 3, 82/05/17 OPREA, O W, Houston
Lighting & Power Co 6pp 13331:226 24X Fiche 50-498, 82/05/17,
8206010082

8206140123 Forwards request for addl info re steam generator secondary
water chemistry control & monitoring program Response should
be in form of amend to FSAR.
MIRAOLIA, F J, Licensing Branch 3 82/06/07 OPREA, O W Houston
Lighting & Power Co 4pp 13507:215 24X Fiche 50-498, 82/06/07,
8206140123

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees &
applicants re transmittal of NUREG-0916 relative to
restart of RE Ginna. Rept documents findings re cause of
event. W/o encl.
EISENHUT, D G Division of Licensing, 82/06/09, HAUSPURG, A
Consolidated Edison Co of New York, STICHNUTH, D R Iowa-Illinois
Gas & Electric, BURSTEIN, B Wisconsin Electric Power Co 13pp
13557:349, 24X Fiche: 50-000, 82/06/09, 8206090153.

8206140353 Forwards request for addl info re OL application Responses
should be in form of amend to FSAR & be received within 60
days of receipt of ltr
MIRAOLIA, F J Licensing Branch 3 82/06/09 OPREA, O W Houston
Lighting & Power Co, 4pp, 13509 139, 24X Fiche: 50-498, 82/06/09,
8206140353.

8206220268 Concurs w/820514 ltr describing program for restarting
safety-related const at plant
KADSEN, G L Division of Resident, Reactor Project & Engineering
Programs, 82/06/17, OPREA, O W, Houston Lighting & Power Co, 1p,
13571:068 24X Fiche: 50-498, 82/06/17, 8206220268.

--8206220275 Forwards program & schedule for resumption of safety-related
const Const will begin as early as 820715
OPREA, O W, Houston Lighting & Power Co, 82/05/14 COLLINS, J T.
Region 4, Office of Director, 4pp 13571 069 24X
Fiche 50-498, 82/06/17, 8206220268.

--8206220278 "South TX Project Program to Restart Safety-Related Work,"
* Houston Lighting & Power Co, 82/05/14 12pp 13571, 073 24X
Fiche: 50-498, 82/06/17, 8206220268.

8206290480 Forwards Revision 2 to environ protection control program
BARKER, D G Houston Lighting & Power Co 82/06/24 SELLE, D E NRC
- No Detailed Affiliation Given 2pp 13631 120 24X
Fiche 50-498, 82/06/24, 8206290480

--8206290483 Environ protection control program, Revision 2
MCULLOUGH, FLEX, B L, LAMM, R Houston Lighting & Power Co
82/06/14 21pp 13431 122 24X Fiche 50-498, 82/06/24, 8206290480

Q Adjudicatory correspondence

8206010262 Response objecting to ASLB request to file amicus curiae
brief re ASLB disqualification of Judge Hill Brief creates
clear impression that intervenor cannot have fair hearing
Certificate of Svc encl
JORDAN, W S Citizens for Equitable Utilities JORDAN, W S Harmon &
Weiss 82/05/26 Commissioners 5pp 13301 354 24X
Fiche 50-498, 82/05/26, 8206010262

8206040273 Reply brief supporting Judge Hill disqualification Lists
examples of bias & prejudice observed during hearings Judge
should be recused both because statement is extrajudicial &
because statement demonstrated pervasive bias
JORDAN, W S Citizens for Equitable Utilities JORDAN, W S Harmon &
Weiss 82/05/28 Commissioners 13pp, 13354 203 24X
Fiche 50-498, 82/05/28, 8206040273

--8206040275 Affidavit of WS Jordan listing Judge EE Hill actions
observed during hearings Certificate of Svc encl
JORDAN, W S Citizens for Equitable Utilities JORDAN, W S Harmon
& Weiss 82/05/28 5pp 13354 216 24X Fiche 50-498, 82/05/28,
8206040273

8206040266 Motion to strike ASLB 820524 amicus brief ASLB failed to
make any effort to conform to Commission 820506 order re svc
on parties Failure to serve brief in timely fashion cost
intervenor 5 of 10 days provided to reply to brief
SINKIN, L A Citizens Concerned About Nuclear Power, Inc 82/05/29
Commissioners 3pp 13358 228 24X Fiche 50-498, 82/05/29,
8206040266

--8206040271 Reply brief per Commission 820506 order Judge Hill provided
all evidence necessary to support allegation of partiality
& should be disqualified Certificate of Svc encl
SINKIN, L A Citizens Concerned About Nuclear Power, Inc.
82/05/29 Commissioners 23pp 13358 231 24X
Fiche 50-498, 82/05/29, 8206040266

8206040350 Brief in response to other briefs re disqualification of
Judge EE Hill Judge statement was rational explanation of
reasons for not being disqualified & is based on observation
of proceeding, not extrajudicial issues W/Certificate of Svc
AXELRAD, M Joint Applicants-South Texas Project AXELRAD, M
Lowenstein, Newman, Reis, Axelrad & Toll, 82/06/01 Commissioners
17pp 13352 326 24X Fiche 50-498, 82/06/01, 8206040350

8206070910 Response to objection to filing ASLB amicus curiae brief
Filing of brief appropriate to assure Commission receives
broadest possible perspective on relevant issues.
PRESTEMON, D L Atomic Safety and Licensing Board Panel 82/06/02
Commissioners 2pp 13375 038 24X Fiche 50-498, 82/06/02,
8206070910

8206080141 Response opposing Citizens Concerned About Nuclear Power
820601 motion to strike ASLB 820529 amicus curiae brief
Decisionmaking process would be enhanced by hearing ASLB
views, Certificate of Svc encl
AXELRAD, M Joint Applicants-South Texas Project 82/06/04
Commissioners 5pp 13423 330, 24X Fiche 50-498, 82/06/04,
8206080141

8206170089 Request to permit Citizens for Equitable Utils to withdraw
from proceeding w/o prejudice to Citizens ability to renew
participation as party if util & Citizens arrangements
terminated Ltrs & Certificate of Svc encl
JORDAN, W S Citizens for Equitable Utilities NEWMAN, J R Joint
Applicants-South Texas Project NEWMAN, J R Lowenstein, Newman, Reis,
Axelrad & Toll 82/06/14 BECHHOEFER, C, LAMB, J C, HILL, E C
Atomic Safety and Licensing Board Panel 9pp 13530:156, 24X
Fiche: 50-498, 82/06/14, 8206170089

8206210249 Memorandum & Order CLI-82-9, reinstating Judge EE Hill to
ASLB Hill statement does not provide legally cognizable
basis for disqualifying prejudice Commissioners Glinesky,
Roberts & Ahearne views & Asselstine dissent encl.
CHILK, B J Office of the Secretary of the Commission, 82/06/18
23pp 13559 081 24X Fiche: 50-498, 82/06/18, 8206210249.

8206280486 Memorandum memorializing ASLB rulings on Citizens for Equitable Utils & Citizens Concerned About Nuclear Power motions, announced during 820615-17 evidentiary hearing sessions
BECHEMDEFER, C Atomic Safety and Licensing Board Panel 82/06/24.
4pp 13526 248 24X Fiche 50-498, 82/06/24, 8206280486

Q Inspection reports, IE Bulletins & correspondence

8206010687 Forwards IE Insp Repts 50-498/82-05 & 50-499/82-05 on 820330-0402 No noncompliance noted
MADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/12 OPREA, O W Houston Lighting & Power Co 2pp 13313 294 24X Fiche 50-498, 82/05/12, 8206010687

--8206010693 IE Insp Repts 50-498/82-05 & 50-499/82-05 on 820330-0402 No noncompliance noted Major areas inspected review of data & analysis dealing w/liquefaction potential of identified engineered backfill areas
TAPIA, J I, CROSSMAN, W A, HUNNICUTT, D M Division of Resident, Reactor Project & Engineering Programs 82/05/07 4pp 13313 296 24X Fiche 50-498, 82/05/12, 8206010687

8206020366 Advises of revised enforcement policy described in 820309 FR notice (47FR9907), rescinding requirement that responses to all notices of violation be submitted under oath or affirmation
MADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/26 OPREA, O W Houston Lighting & Power Co 1p 13320 335 24X Fiche 50-498, 82/05/26, 8206020366

8206020520 Ack receipt of 820426 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-498/82-01 & 50-499/82-01
MADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/05/26 OPREA, O W Houston Lighting & Power Co 1p. 13324 334 24X Fiche 50-498, 82/05/26, 8206020520

--8206020525 Responds to NRC 820326 ltr re violations noted in IE Insp Repts 50-498/82-01 & 50-499/82-01 Corrective actions welding filler metal storage inspected for broken containers & weld rod lacking identification & procedures revised
OPREA, O W Houston Lighting & Power Co 82/04/26 COLLINS, J T Region 4, Office of Director 5pp 13324 335, 24X Fiche 50-498, 82/05/26, 8206020520

8206040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8206040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 190 24X Fiche 50-000, 82/06/02, 8204210380

8206210416 Forwards IE Insp Repts 50-498/82-06 & 50-499/82-06 on 820412-16 & 22-23. No noncompliance noted
MADSEN, O L Division of Resident, Reactor Project & Engineering Programs 82/06/03 OPREA, O W Houston Lighting & Power Co. 2pp 13568 116 24X Fiche 50-498, 82/06/03, 8206210416

--8206210428 IE Insp Repts 50-498/82-06 & 50-499/82-06 on 820412-16 & 22-23 No noncompliance noted Major areas inspected QA program development & implementation, design engineering, procurement & const
CROSSMAN, W A, HILL, W M, BOARDMAN, J R Division of Resident, Reactor Project & Engineering Programs 82/05/27 18pp 13568 118, 24X Fiche 50-498, 82/06/03, 8206210416

8206210318 Forwards IE Insp Repts 50-498/82-04 & 50-499/82-04 on 820301-31 No noncompliance noted
MADSEN, O L Region 4, Office of Director 82/06/08 OPREA, O W Houston Lighting & Power Co. 2pp 13559 123 24X Fiche 50-498, 82/06/08, 8206210318

--8206210320 IE Insp Repts 50-498/82-04 & 50-499/82-04 on 820301-31 No noncompliance noted Major areas inspected const activities, review of existing design, site caretaking & maint activities, site fire protection program & site QA audits.
HILL, W M, HUBACEK, W G, BOARDMAN, J R Region 4, Office of Director. 82/05/19, 21pp 13559 125, 24X Fiche, 50-498, 82/06/08, 8206210318,

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp. 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206020540 Fourth interim deficiency rept re HVAC design, initially reported 810508 Bechtel anticipates completion of HVAC work package activity by mid-Sept 1982 Next rept expected by 821018
OPREA, O W Houston Lighting & Power Co 82/05/26 COLLINS, J T Region 4, Office of Director 3pp 13322 360 24X Fiche 50-498, 82/05/26, 8206020540

8206150418 Final deficiency rept re steam generator tube rupture FBAR analysis, initially reported 820119 Item does not meet criteria for reportability No corrective action necessary
OPREA, O W Houston Lighting & Power Co 82/06/10 COLLINS, J T Region 4, Office of Director App 13503 024, 24X Fiche, 50-498, 82/06/10, 8206150418

8206230013 Part 21 rept re diesel generator fuel oil storage tank room fan motor qualification, essential cooling water gantry crane tornado design & emergency sump recirculation piping overstress Resolution of items now Bechtel responsibility
RICE, W M Brown & Root Corp (subs of Halliburton Corp), 82/06/11 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 2pp. 13588-199 24X Fiche, 50-498, 82/06/11, 8206230013

T Hearing transcripts on non-antitrust matters

8206220428 Transcript of 820615 hearing in Houston, TX. Pp 10, 380-10, 538, Supporting documentation encl
* Atomic Safety and Licensing Board Panel. 82/06/15 180pp 13577 198 24X Fiche 50-498, 82/06/15, 8206220428

8206220417 Transcript of 820616 hearing in Houston, TX Pp 10, 539-10, 683, Supporting documentation encl
* Atomic Safety and Licensing Board Panel. 82/06/16, 200pp. 13576 186 24X Fiche 50-498, 82/06/16, 8206220417

8206220165 Transcript of 820617 hearing in Houston, TX. Pp 10, 684-10, 722 Supporting documentation encl.
* Atomic Safety and Licensing Board Panel. 82/06/17, 68pp 13576-058 24X Fiche 50-498, 82/06/17, 8206220165,

DOCKET 87N-50-499 SOUTH TEXAS PROJECT, UNIT 2

A Application/construction stage documents & correspondence

8205100313 Forwards order & safety evaluation extending const completion date until 871231 for Unit 1 & 871231 for Unit 2
EISENHUT, D O Division of Licensing 82/04/30, OPREA, O W, Houston Lighting & Power Co 2pp. 13570 266 24X Fiche 50-498, 82/04/30, 8205100313

DOCKETED ITEMS

B206010082 Forwards GA & Core Performance Branches request for addl info needed to complete review of GL applications Response should take form of FSAR amend
MIRAGLIA, F J Licensing Branch 3 B2/05/17 OPREA, G W Houston Lighting & Power Co 6pp 13331 226 24X Fiche 50-49B, B2/05/17, B206010082

B206140123 Forwards request for addl info re steam generator secondary water chemistry control & monitoring program Response should be in form of amend to FSAR
MIRAGLIA, F J Licensing Branch 3 B2/06/07 OPREA, G W Houston Lighting & Power Co 4pp 13507 215 24X Fiche 50-49B, B2/06/07, B206140123

B206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101. Forwards documents listed in app
FELTON, J M Division of Rules and Records B2/06/07 DOI, K Critical Mass Energy Project 2pp 13678 215 24X Fiche 50-000, B2/06/07, B206300392

--B206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNEILL, K Office of the Executive Director for Operations B2/03/19 AHEARNE, J Commissioners 2pp 13678 237 24X Fiche 50-000, B2/06/07, B206300392

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D G Division of Licensing B2/06/09 HAUSPURG, A Consolidated Edison Co of New York MATHEWS, E R Wisconsin Public Service Corp 13pp 13557 349 24X Fiche 50-000, B2/06/09, B206090153

B206140353 Forwards request for addl info re GL application. Responses should be in form of amend to FSAR & be received within 60 days of receipt of ltr
MIRAGLIA, F J Licensing Branch 3 B2/06/09 OPREA, G W Houston Lighting & Power Co 4pp 13509:139 24X Fiche 50-49B, B2/06/09, B206140353

B206220268 Concurs w/B20314 ltr describing program for restarting safety-related const at plant.
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs B2/05/17 OPREA, G W Houston Lighting & Power Co 1p. 13571:068 24X Fiche 50-49B, B2/06/17, B206220268

--B206220275 Forwards program & schedule for resumption of safety-related const. Const will begin as early as B20713
OPREA, G W Houston Lighting & Power Co B2/05/14 COLLINS, J T Region 4, Office of Director 4pp 13571:069 24X Fiche 50-49B, B2/06/17, B206220268

--B206220278 "South TX Project Program to Restart Safety-Related Work" * Houston Lighting & Power Co B2/05/14 12pp. 13571 073 24X Fiche 50-49B, B2/06/17, B206220268

B206290480 Forwards Revision 2 to environ protection control program.
BARKER, D G Houston Lighting & Power Co B2/06/24 SELLS, D E NRC - No Detailed Affiliation Given 2pp 13631:120 24X Fiche 50-49B, B2/06/24, B206290480

--B206290483 Environ protection control program, Revision 2
MCCULLOUGH, FLEX, B L; LAWHU, R Houston Lighting & Power Co B2/06/14 21pp. 13631:122 24X Fiche 50-49B, B2/06/24, B206290480

G Adjudicatory correspondence

B206010262 Response objecting to ASLB request to file amicus curiae brief re ASLB disqualification of Judge Hill. Brief creates clear impression that intervenor cannot have fair hearing Certificate of Svc encl.
JORDAN, W B Citizens for Equitable Utilities. JORDAN, W B Harmon & Weiss. B2/03/26 Commission 13301 354 24X

B206040266 Motion to strike ASLB B20524 amicus brief ASLB failed to make any effort to conform to Commission B20506 order re svc on parties Failure to serve brief in timely fashion cost intervenor 5 of 10 days provided to reply to brief
SINKIN, L A Citizens Concerned About Nuclear Power, Inc B2/05/29 Commissioners 3pp 13358 228 24X Fiche 50-49B, B2/05/29, B206040266

--B206040271 Reply brief per Commission B20506 order Judge Hill provided all evidence necessary to support allegation of partiality & should be disqualified Certificate of Svc encl
SINKIN, L A Citizens Concerned About Nuclear Power, Inc B2/05/29 Commissioners 23pp 13358 231 24X Fiche 50-49B, B2/05/29, B206040266

B206040350 Brief in response to other briefs re disqualification of Judge EE Hill Judge statement was rational explanation of reasons for not being disqualified & is based on observation of proceeding, not extrajudicial issues w/Certificate of Svc
AXELRAD, M Joint Applicants-South Texas Project AXELRAD, M Lowenstein, Neuman, Reis, Axelrad & Toll B2/06/01 Commissioners 19pp 13352 326 24X Fiche 50-49B, B2/06/01, B206040350

B206070510 Response to objection to filing ASLB amicus curiae brief Filing of brief appropriate to assure Commission receives broadest possible perspective on relevant issues
PRESTEMON, D L Atomic Safety and Licensing Board Panel B2/06/02 Commissioners 2pp 13375 038 24X Fiche 50-49B, B2/06/02, B206070510

B206080141 Response opposing Citizens Concerned About Nuclear Power B20601 motion to strike ASLB B20529 amicus curiae brief Decisionmaking process would be enhanced by hearing ASLB views Certificate of Svc encl
AXELRAD, M Joint Applicants-South Texas Project B2/06/04 Commissioners 5pp 13423 330 24X Fiche 50-49B, B2/06/04, B206080141

B206170089 Request to permit Citizens for Equitable Utils to withdraw from proceeding w/o prejudice to Citizens ability to renew participation as party if util & Citizens arrangements terminated Ltrs & Certificate of Svc encl
JORDAN, W B Citizens for Equitable Utilities NEWMAN, J R Joint Applicants-South Texas Project NEWMAN, J R Lowenstein, Neuman, Reis, Axelrad & Toll B2/06/14 BECHHOFFER, C, LAMB, J C, HILL, E C Atomic Safety and Licensing Board Panel 9pp 13330:155 24X Fiche 50-49B, B2/06/14, B206170089

B206210249 Memorandum & Order CLI-B2-9, reinstating Judge EE Hill to ASLB Hill statement does not provide legally cognizable basis for disqualifying prejudice Commissioners Gilminsky, Roberts & Ahearne views & Asselstine dissent encl.
CHILK, S J Office of the Secretary of the Commission. B2/06/18 23pp 13599 081 24X Fiche 50-49B, B2/06/18, B206210249

B206280486 Memorandum memorializing ASLB rulings on Citizens for Equitable Utils & Citizens Concerned About Nuclear Power motions, announced during B20615-17 evidentiary hearing sessions
BECHHOFFER, C Atomic Safety and Licensing Board Panel B2/06/24 4pp 13626 248 24X Fiche 50-49B, B2/06/24, B206280486

G Inspection reports, IE Bulletins & correspondence

B206010687 Forwards IE Insp Repts 50-49B/B2-05 & 50-499/B2-05 on B20330-0402 No noncompliance noted
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs B2/05/12 OPREA, G W Houston Lighting & Power Co 4pp 13133, 294 24X Fiche 50-49B, B2/05/12, B206010687

--B206010693 IE Insp Repts 50-49B/B2-05 & 50-499/B2-05 on B20330-0402 No noncompliance noted Major areas inspected: review of data & analysis dealing w/liquefaction potential of identified engineered backfill areas
TAPIA, J I, CROSSMAN, W A, HUNNICUTT, D M Division of Resident, Reactor Project & Engineering Programs B2/05/07 4pp 13133 296 24X Fiche 50-49B, B2/05/12, B206010687

B206020366 Advises of revised enforcement policy described in B20309 FR notice (47FR9987), rescinding requirement that responses to all notices of violation be submitted under oath or affirmation
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs B2/05/26 OPREA, G W Houston Lighting & Power Co 1p. 13320 335 24X Fiche 50-49B, B2/05/26, B206020366

B206020520 Ack receipt of B20426 ltr informing NRC of steps taken to correct violations noted in IE Insp Repts 50-49B/B2-01 & 50-499/B2-01
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs B2/05/26 OPREA, G W Houston Lighting & Power Co 1p. 13324.334 24X Fiche 50-49B, B2/05/26, B206020520

--B206020525 Responds to NRC B20326 ltr re violations noted in IE Insp Repts 50-498/B2-01 & 50-499/B2-01 Corrective actions welding filler matl storage inspected for broken containers & weld rod lacking identification & procedures revised
OPREA, G W Houston Lighting & Power Co 82/04/26 COLLINS, J T
Region 4, Office of Director 3pp 13324 335 24X
Fiche 50-498, 82/05/26, B206020520

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28, 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B206210416 Forwards IE Insp Repts 50-498/B2-06 & 50-499/B2-06 on B20412-16 & 22-23 No noncompliance noted
MADSEN, G L Division of Resident, Reactor Project & Engineering Programs 82/06/03 OPREA, G W Houston Lighting & Power Co 2pp 13668 116 24X Fiche 50-498, 82/06/03, B206210416

--B206210428 IE Insp Repts 50-498/B2-06 & 50-499/B2-06 on B20412-16 & 22-23 No noncompliance noted Major areas inspected QA program development & implementation, design engineering, procurement & const
CROSSMAN, W A, HILL, W M, BOARDMAN, J R Division of Resident, Reactor Project & Engineering Programs 82/05/27 18pp 13568 118 24X Fiche 50-498, 82/06/03, B206210416

B206210318 Forwards IE Insp Repts 50-498/B2-04 & 50-499/B2-04 on B20301-31 No noncompliance noted
MADSEN, G L Region 4, Office of Director, 82/06/08 OPREA, G W Houston Lighting & Power Co 2pp 13559 123 24X
Fiche 50-498, 82/06/08, B206210318

--B206210320 IE Insp Repts 50-498/B2-04 & 50-499/B2-04 on B20301-31, No noncompliance noted Major areas inspected: const activities, review of existing design, site caretaking & maint activities, site fire protection program & site QA audits
HILL, W M, HUBACK, W G, BOARDMAN, J R Region 4, Office of Director 82/05/19 21pp 13559 125 24X Fiche 50-498, 82/06/08, B206210318

B204210383 IE Info Notice B2-17, "Overpressurization of RCB, " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/06/11, 106pp 13678 258 24X Fiche 50-000, 82/06/11, B204210383.

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/06/11, 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

B Reportable occurrences, LERs & related correspondence

B206020540 Fourth interim deficiency rept re HVAC design, initially reported B10508 Bechtel anticipates completion of HVAC work package activity by mid-Sept 1982 Next rept expected by 821018
OPREA, G W Houston Lighting & Power Co 82/05/26 COLLINS, J T
Region 4, Office of Director 3pp 13322 360 24X
Fiche 50-498, 82/05/26, B206020540

B206150418 Final deficiency rept re steam generator tube rupture FSAR analysis, initially reported B20119 Item does not meet criteria for reportability. No corrective action necessary
OPREA, G W Houston Lighting & Power Co 82/06/10 COLLINS, J T, Region 4, Office of Director 4pp, 13503 024 24X
Fiche 50-498, 82/06/10, B206150418

B206230013 Part 21 rept re diesel generator fuel oil storage tank room fan motor qualification, essential cooling water gentry crane tornado design & emergency sump recirculation piping overstress Resolution of items now Bechtel responsibility
RICE, W M, Brown & Root Corp (subs. of Halliburton Corp) 82/06/11 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 2pp 13588 199, 24X Fiche 50-498, 82/06/11, B206230013

T Hearing transcripts on non-antitrust matters

B206220428 Transcript of B20615 hearing in Houston, TX, Pp 10,380-10,538
Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/15, 180pp, 13577 198, 24X Fiche 50-498, 82/06/15, B206220428.

B206220417 Transcript of B20616 hearing in Houston, TX Pp 10,539-10,683.
Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/16 200pp 13576 186 24X Fiche: 50-498, 82/06/16, B206220417

B206220165 Transcript of B20617 hearing in Houston, TX Pp 10,684-10,722
Supporting documentation encl
* Atomic Safety and Licensing Board Panel 82/06/17 68pp 13576 050, 24X Fiche 50-498, 82/06/17, B206220165

DOCKET 50-500 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 2

A Application/construction stage documents & correspondence

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 McMURRAY, C. M, Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp 13638 035 24X Fiche: 50-000, 82/05/12, B206280071

--B103020313 Updates B01222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal. Examples of valve misoperation provided.
MEDEIRDES, M B, Reactor Systems Standards Branch, 81/02/02 ARLOTT, G. A. Division of Engineering Standards 20pp 13638 102 24X Fiche 50-000, 82/05/12, B206280071

F Security, medical, emergency & fire protection plans

B206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N. B, Debovoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, B206090002

--B206090011 List of facilities completing emergency preparedness activities by B10701.
* NRC - No Detailed Affiliation Given 82/05/11 9pp 13454 006, 24X Fiche 50-000, 82/05/11, B206090002.

--B20310473 Submits update of current assessment of licensees ability to implement prompt notification sys by B20201 deadline. Thirteen licensees may not meet deadline
DIRCKE, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp, 13454 164, 24X Fiche 50-000, 82/05/11, B206090002

--B20310481 Submits monthly update of status of implementation of prompt notification sys.
SPENCER, O. S, Division of Technical Inspection, 82/01/05 GRIMES, B K, Division of Emergency Preparedness 8pp, 13454 176 24X Fiche: 50-000, 82/05/11, B206090002

--B206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by B20601
HIND, J A Division of Emergency Preparedness & Operational Support, 82/02/17, GRIMES, B Division of Emergency Preparedness 3pp 13454 190 24X Fiche 50-000, 82/05/11, B206090002

G Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl, DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426, 095, 24X
Fiche 50-000, 82/05/28, B202040147.

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints, " Svc list encl, JORDAN, E. L. Division of Engineering & Quality Assurance, 82/05/28, 103pp 13440, 264, 24X Fiche 50-000, 82/05/28, B204210378.

DOCKETED ITEMS

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-501 DAVIS-BESSE NUCLEAR POWER STATION, UNIT 3

A Application/construction stage documents & correspondence

8206280071 Add'l response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR. Confidential Financial info deleted
 FELTON, J M Division of Rules and Records 82/05/12 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp.
 13638 055 24X Fiche 50-000, 82/05/12, 8206280071

--8103020313 Updates 801222 memo re decisions for degraded cooling rulemaking Steering group to issue justification for rulemaking activity in advance of agreement on quantitative safety goal Examples of valve misoperation provided
 MEDEIRAS, M B Reactor Systems Standards Branch 81/02/02, ARLOTT, O A Division of Engineering Standards 20pp 13638 102
 24X Fiche 50-000, 82/05/12, 8206280071

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
 FELTON, J M Division of Rules and Records 82/05/11 REYNOLDS, N S Debevoise & Liberman 3pp 13454 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090011 List of facilities completing emergency preparedness activities by 810701
 * NRC ~ No Detailed Affiliation Given 82/05/11 9pp
 13454 006 24X Fiche 50-000, 82/05/11, 8206090002

--8203110473 Submits update of current assessment of licensees ability to implement prompt notification sys by 820201 deadline. Thirteen licensees may not meet deadline.
 DIRCKS, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13454 164 24X
 Fiche 50-000, 82/05/11, 8206090002

--8203110481 Submits monthly update of status of implementation of prompt notification sys
 SPENCER, O B Division of Technical Inspection 82/01/05
 GRIMES, B K Division of Emergency Preparedness 8pp 13454 176
 24X Fiche 50-000, 82/05/11, 8206090002

--8206090073 Forwards monthly status rept re prompt notification sys at facilities. Commitments made by licensees to ensure deficiencies are corrected by 820601
 HIND, J A Division of Emergency Preparedness & Operational Support 82/02/17 GRIMES, B Division of Emergency Preparedness, 3pp 13454 190 24X Fiche 50-000, 82/05/11, 8206090002

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-502 HAVEN NUCLEAR PLANT, UNIT 1

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS, " Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-508 WPPSS NUCLEAR PROJECT, UNIT 3

A Application/construction stage documents & correspondence

8206010111 Summary of 820511 meeting w/util in Bethesda, MD re updated status for tendering OL application scheduled for 820602 Const progress & future const goals discussed.
 WHEELER, L L Licensing Branch 3 82/05/14 Licensing Branch 3 2pp 13319 294 24X Fiche 50-508, 82/05/14, 8206010111

8206020311 Summary of 820511 meeting w/util licensing manager in Bethesda, MD re review process & preliminary identification of possible unique features of project
 WHEELER, L L Licensing Branch 3, 82/05/25, Licensing Branch 3 2pp 13342 160 24X Fiche 50-508, 82/05/25, 8206020311

--8206020313 Notification of 820511 meeting w/util licensing manager in Bethesda, MD to discuss review process & preliminary identification of possible unique features of project.
 WHEELER, L L Licensing Branch 3, 82/04/22 MIRAOLIA, F J, Licensing Branch 3 2pp 13342 162, 24X Fiche 50-508, 82/05/25, 8206020311

8206040412 Forwards application for OL, consisting of FBAR, environ rept (filed in PDR Category C), emergency preparedness plan (filed in PDR Category F) & antitrust info (filed in PDR Category M)
 BOUCHEY, O D Washington Public Power Supply System, 82/05/25
 DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp 13392 001 24X Fiche 50-508, 82/05/25, 8206040412

--8206040419 Application for OL.
 BOUCHEY, O D Washington Public Power Supply System, 82/05/25 26pp 13392 004, 24X Fiche 50-508, 82/05/25, 8206040412

DOCKETED ITEMS

8206160001 Notification of 820618 meeting w/uttl in Bethesda, MD to discuss technical aspects of IIT-Grinnell Figure 215 pipe hanger stiff clamps Meeting originally scheduled on 820611 WHEELER, L L Licensing Branch 3 82/06/03 MIRAGLIA, F J Licensing Branch 3 App 13525 241 24X Fiche: 50-508, 82/06/03, 8206160001

8206230279 Ack receipt of documents re OL application, including general & financial info, FSAR, environ rept, antitrust info & physical security & safeguards contingency plans. Acceptance review process initiated
TEDESCO, R L Assistant Director for Licensing 82/06/15
FERGUSON, R L Washington Public Power Supply System 2pp
13592 204 24X Fiche 50-508, 82/06/15, 8206230279.

C Utility Environmental Report (ER), amends & correspondence

8206040412 Forwards environ rept
BOUCHEY, O D Washington Public Power Supply System 82/05/25
DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp
13392 001 24X Fiche 50-508, 82/05/25, 8206040412

--8206040428 Environ rept for facility
* Washington Public Power Supply System 82/05/25 650pp
13393 172 24X Fiche 50-508, 82/05/25, 8206040412

F. Security, medical, emergency & fire protection plans

8206040412 Forwards emergency preparedness plan & fire protection plan
BOUCHEY, O D Washington Public Power Supply System 82/05/25
DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp.
13392 001 24X Fiche 50-508, 82/05/25, 8206040412

--8206040430 Emergency preparedness plan & fire protection plan
* Washington Public Power Supply System 82/05/25 1000pp
13394 261 24X Fiche 50-508, 82/05/25, 8206040412

8206030175 Forwards physical security & safeguards contingency plans
Plans withheld (ref 10CFR73.21)
BOUCHEY, O D Washington Public Power Supply System 82/05/26
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13337, 135 24X Fiche 50-508, 82/05/26, 8206030175

K Utility Final Safety Analysis Report (FSAR) & amends

8206040412 Forwards application for OL, consisting of FSAR, environ rept (filed in PDR Category C), emergency preparedness plan (filed in PDR Category F) & antitrust info (filed in PDR Category M).
BOUCHEY, O D Washington Public Power Supply System 82/05/25.
DENTON, H R Office of Nuclear Reactor Regulation, Director 3pp
13392, 001 24X Fiche 50-508, 82/05/25, 8206040412.

--8206040419 Application for OL.
BOUCHEY, O D Washington Public Power Supply System 82/05/25.
26pp 13392:004 24X Fiche: 50-508, 82/05/25, 8206040412

--8206040426 WPPSS 3 FSAR, Vols 1-13.
* Washington Public Power Supply System. 82/05/25 10,675pp
13392:048. 24X Fiche: 50-508, 82/05/25, 8206040412

--8206040434 Chapter 1 to WPPSS 3 FSAR, "Introduction & General Description of Plant Site Characteristics."
* Washington Public Power Supply System. 82/05/25 850pp.
13392:272 24X Fiche. 50-508, 82/05/25, 8206040412.

8206040439 Chapter 2 to WPPSS 3 FSAR, "Site Characteristics." Two oversize maps encl. Aperture cards available in PDR
* Washington Public Power Supply System 82/05/25. 1,650pp.
13393:310. 24X Fiche 50-508, 82/05/25, 8206040439

8206040442 App 2 5 A to WPPSS 3 FSAR, "Preconst Site Investigation"
* Washington Public Power Supply System 82/05/25 220pp
13399, 077 24X Fiche: 50-508, 82/05/25, 8206040442.

8206040444 App 2 5 B to WPPSS 3 FSAR, "Static Matl Properties"
* Washington Public Power Supply System 82/05/25. 65pp
13399, 284 24X Fiche 50-508, 82/05/25, 8206040444

8206040446 App 2 5 C to WPPSS 3 FSAR, "Dynamic Matl Properties"
* Washington Public Power Supply System 82/05/25 39pp
13399, 350. 24X Fiche: 50-508, 82/05/25, 8206040446

8206040447 App 2 5 D to WPPSS 3 FSAR, "Site Geophysical Investigations"
* Washington Public Power Supply System 82/05/25 31pp.
13400:027. 24X Fiche 50-508, 82/05/25, 8206040447

8206040448 App 2 5E to WPPSS 3 FSAR, "Remote Sensing"
* Washington Public Power Supply System 82/05/25 33pp
13400 059. 24X Fiche: 50-508, 82/05/25, 8206040448

8206040450 App 2 5F to WPPSS 3 FSAR, "Local Fault Investigation"
* Washington Public Power Supply System 82/05/25. 145pp
13400 092 24X Fiche 50-508, 82/05/25, 8206040450

8206040452 App 2 5G to WPPSS 3 FSAR, "Analysis of Linear Trends From Available Gravity & Aeromagnetic Data"
* Washington Public Power Supply System 82/05/25 38pp
13400 237 24X Fiche: 50-508, 82/05/25, 8206040452

8206040453 App 2 5H to WPPSS 3 FSAR, "Earthquake Catalog"
* Washington Public Power Supply System 82/05/25. 400pp
13400, 281 24X Fiche 50-508, 82/05/25, 8206040453

8206040454 App 2 5I to WPPSS 3 FSAR, "Lab Geologic Studies"
* Washington Public Power Supply System 82/05/25 35pp.
13401 260 24X Fiche 50-508, 82/05/25, 8206040454

8206040456 App 2 5J to WPPSS 3 FSAR, "Development of SSE & OBE"
* Washington Public Power Supply System 82/05/25 69pp.
13401 315 24X Fiche 50-508, 82/05/25, 8206040456

8206040457 App 2 5K to WPPSS 3 FSAR, "Analysis of Accelerograms Recorded at Olympia, WA"
* Washington Public Power Supply System 82/05/25. 41pp.
13402 022 24X Fiche 50-508, 82/05/25, 8206040457

8206040460 App 2 5L to WPPSS 3 FSAR, "Landslide Investigations"
* Washington Public Power Supply System 82/05/25 200pp
13402, 044 24X Fiche 50-508, 82/05/25, 8206040460

8206040462 App 2 5M to WPPSS 3 FSAR, "Volcanic Activity in Site Region"
* Washington Public Power Supply System 82/05/25 45pp.
13402:161 24X Fiche. 50-508, 82/05/25, 8206040462

8206040463 App 2 5N to WPPSS 3 FSAR
* Washington Public Power Supply System 82/05/25. 1p. 13402:206
24X Fiche. 50-508, 82/05/25, 8206040463.

8206040464 App 2 5O to WPPSS 3 FSAR.
* Washington Public Power Supply System 82/05/25. 1p 13402, 207.
24X Fiche 50-508, 82/05/25, 8206040464

8206040466 Chapter 3 to WPPSS 3 FSAR, "Design of Structures."
* Washington Public Power Supply System 82/05/25. 2,200pp.
13402, 214 24X Fiche 50-508, 82/05/25, 8206040466.

8206040467 App 3 6A to WPPSS 3 FSAR, "Pipe Rupture Analysis"
* Washington Public Power Supply System 82/05/25. 200pp.
13403:090 24X Fiche. 50-508, 82/05/25, 8206040467.

8206040468 App 3 6B to WPPSS 3 FSAR, "Computer Programs CALPLOT, FI, PLAST & WHAMMOGII"
* Washington Public Power Supply System 82/05/25. 29pp
13403:226. 24X Fiche 50-508, 82/05/25, 8206040468.

DOCKETED ITEMS

8206040480 Chapter 6 to WPPSS 3 FSAR, "ESFs"
 * Washington Public Power Supply System 82/05/25. 650pp
 13406 276 24X Fiche 50-508, 82/05/25, 8206040480

8206040483 App 6 2A to WPPSS 3 FSAR, "WATEMPT - Computer Code to Calculate Shield Bldg Annulus Transient"
 * Washington Public Power Supply System 82/05/25 3pp
 13408 017 24X Fiche 50-508, 82/05/25, 8206040483

8206040484 App 6 2B to WPPSS 3 FSAR, "EQASCO Mads to CONTEMP-LT Mod 24"
 * Washington Public Power Supply System 82/05/25 11pp
 13408 020 24X Fiche 50-508, 82/05/25, 8206040484

8206040485 Chapter 7 to WPPSS 3 FSAR, "Instrumentation & Control"
 * Washington Public Power Supply System 82/05/25 800pp
 13408 148 24X Fiche 50-508, 82/05/25, 8206040485

8206040488 Chapter 8 to WPPSS 3 FSAR, "Electric Power" Two oversize maps encl Aperture cards available in PDR
 * Washington Public Power Supply System 82/05/25 300pp
 13409 334 24X Fiche 50-508, 82/05/25, 8206040488

8206040491 Chapter 9 to WPPSS 3 FSAR, "Auxiliary Sys"
 * Washington Public Power Supply System 82/05/25 700pp
 13410 192 24X Fiche 50-508, 82/05/25, 8206040491

8206040493 Chapter 10 to WPPSS 3 FSAR, "Steam & Power Conversion Sys"
 * Washington Public Power Supply System 82/05/25 300pp
 13411 310 24X Fiche 50-508, 82/05/25, 8206040493

8206040495 App 10 4 9A to WPPSS 3 FSAR, "Auxiliary Feedwater Sys Availability Analysis"
 * Washington Public Power Supply System 82/05/25 65pp
 13412 169 24X Fiche 50-508, 82/05/25, 8206040495

8206040498 Chapter 11 to WPPSS 3 FSAR, "Radwaste Mgt"
 * Washington Public Power Supply System 82/05/25 250pp
 13412 234 24X Fiche 50-508, 82/05/25, 8206040498

8206040501 Chapter 12 to WPPSS 3 FSAR, "Radiation Protection"
 * Washington Public Power Supply System 82/05/25 300pp
 13413 078 24X Fiche 50-508, 82/05/25, 8206040501

8206040505 App 12A to WPPSS 3 FSAR, "TMI Shielding Study - NUREG-0578, Item II 1 6b & NUREG-0737, Item II.B 2, Design Review of Plant Shielding for Spaces/ Sys Which May Be Used in Post-Accident Operations"
 * Washington Public Power Supply System 82/05/25 58pp.
 13413 299 24X Fiche 50-508, 82/05/25, 8206040505

8206040510 Chapter 13 to WPPSS 3 FSAR, "Conduct of Operations"
 * Washington Public Power Supply System 82/05/25 75pp
 13413 356 24X Fiche 50-508, 82/05/25, 8206040510

8206040512 App 13A to WPPSS 3 FSAR, "Qualifications of Technical Support Personnel"
 * Washington Public Power Supply System 82/05/25 19pp
 13414 077 24X Fiche 50-508, 82/05/25, 8206040512

8206040515 App 13B to WPPSS 3 FSAR, "Qualifications of Plant Personnel"
 * Washington Public Power Supply System 82/05/25 15pp
 13414 076 24X Fiche 50-508, 82/05/25, 8206040515

8206040516 Chapter 14 to WPPSS 3 FSAR, "Initial Test Program"
 * Washington Public Power Supply System 82/05/25. 75pp
 13414 111 24X Fiche 50-508, 82/05/25, 8206040516

8206040518 Chapter 15 to WPPSS 3 FSAR, "Accidental Analysis"
 * Washington Public Power Supply System. 82/05/25 59pp.
 13414 186 24X Fiche 50-508, 82/05/25, 8206040518

8206040519 App 15I to WPPSS 3 FSAR, "Containment Leakage & Dose Calculation Models Fission 2120 Computer Code."
 * Washington Public Power Supply System. 82/05/25 11pp
 13414 245 24X Fiche 50-508, 82/05/25, 8206040519.

8206040523 App 9, 5A to WPPSS 3 FSAR, "Fire Hazards Analysis"
 * Washington Public Power Supply System 82/05/25 400pp
 13414 276 24X Fiche 50-508, 82/05/25, 8206040523

M Antitrust correspondence

8206040412 Forwards antitrust info
 BOUCHEY, D D Washington Public Power Supply System 82/05/25
 DENTON, H R Office of Nuclear Reactor Regulation, Director. 3pp
 13392 001 24X Fiche 50-508, 82/05/25, 8206040412

--8206040423 "Info for Antitrust Review of DL Application for WPPSS 3"
 * Washington Public Power Supply System 82/05/25 15pp
 13392 030 24X Fiche 50-508, 82/05/25, 8206040412

D Inspection reports, IE Bulletins & correspondence

8206080312 Forwards IE Insp Repts 50-508/82-09 & 50-509/82-04 on 820401-30 No noncompliance noted
 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/05/21 LEDDICK, R S Washington Public Power Supply System 2pp 13420 008 24X Fiche 50-508, 82/05/21, 8206080312

--8206080315 IE Insp Repts 50-508/82-09 & 50-509/82-04 on 820401-30 No noncompliance noted Major areas inspected open items re structural work, welding of primary loop piping, concrete records & cure & maint of partially installed equipment
 ALBERT, W O, DODDS, R T Division of Resident, Reactor Project & Engineering Programs 82/05/21 6pp 13420 010 24X Fiche 50-508, 82/05/21, 8206080312

8202040147 IE Info Notice 82-15, "Notification of NRC" Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 093 24X
 Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RGIC High Steam Flow Setpoints" Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/05/10 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
 Fiche 50-000, 82/06/02, 8204210380

8206220345 Forwards IE Insp Rept 50-508/82-10 on 820503-07 & 17-21 No noncompliance noted
 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/06/07 LEDDICK, R S Washington Public Power Supply System 2pp 13582 081 24X Fiche 50-508, 82/06/07, 8206220345

--8206220358 IE Insp Rept 50-508/82-10 on 820503-07 & 17-21 No noncompliance noted Major areas inspected license action on previous enforcement & on 10CFR50 55(e) items, post-weld heat treatment, electrical penetrations & QA procedures
 HAIST, D P, DODDS, R T Division of Resident, Reactor Project & Engineering Programs 82/06/04 14pp. 13582 083 24X
 Fiche 50-508, 82/06/07, 8206220345

8204210383 IE Info Notice 82-17, "Overpressurization of RCS" Svc list encl
 JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers." Svc list encl
 DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp. 13675 189 24X
 Fiche 50-000, 82/06/11, 8204210384

B Reportable occurrences, LERs & related correspondence

8206020388 Revision to final deficiency rept re structural steel connections, originally reported on Bill 17, AE responses to NRC questions received but further analysis & clarification required, Requested info will be provided by 820723
 LEDDICK, R S Washington Public Power Supply System. 82/05/21
 FAULKNER, B Region 5, Office of Director. 1p. 13326 001 24X
 Fiche 50-508, 82/05/21, 8206020388.

8206080233 Final rept re welding deficiencies in steel door frame fabrication, Rejectable defects repaired & re-examined for acceptability Deficiency determined not reportable under 10CFR50 55(e)
 LEDDICK, R S Washington Public Power Supply System. 82/05/28
 BISHOP, T W Region 5, Office of Director. 3pp. 13422 010 24X
 Fiche 50-508, 82/05/28, 8206080233

8206110226 Forwards final deficiency rept re welding deficiencies & steel door fabrication
LEDDICK, R S Washington Public Power Supply System 82/06/04
NRC - No Detailed Affiliation Given 1p 13466 231 24X
Fiche 50-508, 82/06/04, 8206110226

--8206110228 Final deficiency rept re door frame fabricator not meeting spec requirements for full penetration Tee welds Tee welds not examined w/magnetic particle or liquid penetrant exam given ultrasonic exam Deficiency not reportable
LEDDICK, R S Washington Public Power Supply System 82/05/28
BISHOP, T W Region 5, Office of Director 3pp 13466 232 24X
Fiche 50-508, 82/06/04, 8206110226

8206150229 Final deficiency rept re questionable indications on radiographic film of safety injection tanks & reactor coolant pump volutes & motor supports, initially reported on 810410 Deficiency not reportable per 10CFR 50.55e
LEDDICK, R S Washington Public Power Supply System 82/06/04
BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 3pp 13503 354 24X Fiche 50-508, 82/06/04, 8206150229

8206210504 Forwards final deficiency rept re C-E radiographic test indications, safety injection tanks & reactor pump supports
LEDDICK, R S Washington Public Power Supply System 82/06/14
NRC - No Detailed Affiliation Given 1p 13568 293 24X
Fiche 50-508, 82/06/14, 8206210504

--8206210511 Final deficiency rept re C-E radiographic test indications, safety injection tanks & reactor pump supports Deficiency determined to be not reportable per 10CFR 50.55(e)
LEDDICK, R S Washington Public Power Supply System 82/06/04
BISHOP, T W Region 5, Office of Director 3pp 13568 294 24X
Fiche 50-508, 82/06/14, 8206210504

8206280520 Requests addl info re 820604 interim deficiency rept concerning radiographic test indications on safety injection tanks & reactor pump supports Util position re resolution of total problem should be addressed
BISHOP, T W Region 5, Office of Director 82/06/22, LEDDICK, R S Washington Public Power Supply System 1p 13626 313 24X
Fiche 50-508, 82/06/22, 8206280520

DOCKET STN-50-509 WPPSS NUCLEAR PROJECT, UNIT 3

A Application/construction stage documents & correspondence

8206020311 Summary of 820511 meeting w/util licensing manager in Bethesda, MD re review process & preliminary identification of possible unique features of project
WHEELER, L L Licensing Branch 3 82/05/25 Licensing Branch 3
2pp 13342 160 24X Fiche 50-508, 82/05/25, 8206020311

--8206020313 Notification of 820511 meeting w/util licensing manager in Bethesda, MD to discuss review process & preliminary identification of possible unique features of project
WHEELER, L L Licensing Branch 3 82/04/22 MIRAGLIA, F J Licensing Branch 3, 2pp 13342 162, 24X Fiche 50-508, 82/05/25, 8206020311

8206160001 Notification of 820618 meeting w/util in Bethesda, MD to discuss technical aspects of ITT-Grinnell Figure 215 pipe hanger stiff clamps Meeting originally scheduled on 820611
WHEELER, L L Licensing Branch 3, 82/06/03 MIRAGLIA, F J Licensing Branch 3 6pp 13525 241 24X Fiche 50-508, 82/06/03, 8206160001

G Adjudicatory correspondence

8206250119 Responds to 811130 & 820316 petitions on behalf of Coalition for Safe Power Petitions denied based on encl Director's Decision
DENTON, H R Office of Nuclear Reactor Regulation, Director, 82/06/16 BELL, N Coalition for Safe Power, 2pp 13628 328, 24X
Fiche 50-509, 82/06/16, 8206250119

--8206250125 Notice of issuance & availability of Director's Decision under 10CFR 2.206 denying Coalition for Safe Power petitions to revoke CP on basis of matl false statement in application for CP extension
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/16 1p, 13628 330 24X Fiche 50-509, 82/06/16, 8206250119

--8206250133 Director's Decision DD-82-4 denying N Bell petitions on behalf of Coalition for Safe Power to revoke CP on basis of matl false statements in application for extension of CP
DENTON, H R Office of Nuclear Reactor Regulation, Director, 82/06/16 12pp 13628 331 24X Fiche 50-509, 82/06/16, 8206250119

G Inspection reports, IE Bulletins & correspondence

8206080312 Forwards IE Insp Repts 50-508/82-09 & 50-509/82-04 on 820401-30 No noncompliance noted
BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/05/21 LEDDICK, R S Washington Public Power Supply System 2pp 13420 008 24X Fiche 50-508, 82/05/21, 8206080312

--8206080315 IE Insp Repts 50-508/82-09 & 50-509/82-04 on 820401-30 No noncompliance noted Major areas inspected open items re structural work, welding of primary loop piping, concrete records & cure & maint of partially installed equipment
ALBERT, W G, DODDS, R T Division of Resident, Reactor Project & Engineering Programs 82/05/21 6pp 13420 010 24X
Fiche 50-508, 82/05/21, 8206080312

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints," Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13679 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers," Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement, 82/06/11 120pp 13675 189 24X
Fiche, 50-000, 82/06/11, 8204210384

B Reportable occurrences, LERs & related correspondence

8206020388 Revision to final deficiency rept re structural steel connections, originally reported on 811117 AE responses to NRC questions received but further analysis & clarification required Requested info will be provided by 820723
LEDDICK, R S Washington Public Power Supply System 82/05/21
FAULKNER, B Region 3, Office of Director 1p 13326 001 24X
Fiche, 50-508, 82/05/21, 8206020388

8206080233 Final rept re welding deficiencies in steel door frame fabrication Rejectable defects repaired & re-examined for acceptability Deficiency determined not reportable under 10CFR 50.55(e)
LEDDICK, R S Washington Public Power Supply System 82/05/28
BISHOP, T W Region 5, Office of Director, 3pp 13422 010 24X
Fiche: 50-508, 82/05/28, 8206080233

8206110226 Forwards final deficiency rept re welding deficiencies & steel door fabrication.
LEDDICK, R S Washington Public Power Supply System 82/06/04
NRC - No Detailed Affiliation Given 1p 13466 231 24X
Fiche: 50-508, 82/06/04, 8206110226

--8206110228 Final deficiency rept re door frame fabricator not meeting spec requirements for full penetration Tee welds Tee welds not examined w/magnetic particle or liquid penetrant exam given ultrasonic exam Deficiency not reportable.
LEDDICK, R S Washington Public Power Supply System, 82/05/28
BISHOP, T W Region 5, Office of Director 3pp 13466 232 24X
Fiche 50-508, 82/06/04, 8206110226

8206150229 Final deficiency rept re questionable indications on radiographic film of safety injection tanks & reactor coolant pump volutes & motor supports, initially reported on 810410 Deficiency not reportable per 10CFR 50.55e
LEDDICK, R S Washington Public Power Supply System 82/06/04
BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 3pp, 13503 354 24X Fiche 50-508, 82/06/04, 8206150229

8206210504 Forwards final deficiency rept re C-E radiographic test indications, safety injection tanks & reactor pump supports
LEDDICK, R S Washington Public Power Supply System 82/06/14
NRC - No Detailed Affiliation Given 1p, 13568 293 24X
Fiche, 50-508, 82/06/14, 8206210504

--8206210511 Final deficiency rept re C-E radiographic test indications, safety injection tanks & reactor pump supports Deficiency determined to be not reportable per 10CFR50.55(e)
LEDDICK, R S. Washington Public Power Supply System 82/06/04
BIGHOP, T W. Region 5, Office of Director 3pp 1356B 294 24X
Fiche: 50-508, 82/06/14, 8206210504

3206280520 Requests addl info re 820604 interim deficiency rept concerning radiographic test indications on safety injection tanks & reactor pump supports Util position re resolution of total problem should be addressed
BIGHOP, T W. Region 5, Office of Director 82/06/22 LEDDICK, R S Washington Public Power Supply System 1p 13626 313 24X
Fiche 50-508, 82/06/22, 8206280520

DOCKET 50-513 WPPSS NUCLEAR PROJECT, UNIT 4

A Application/construction stage documents & correspondence

8206080293 Forwards BAW-1704, "Preliminary Control Room Design Assessment for WPPSS Nuclear Projects 1 & 4, Final Rept," in response to NRC B01031 ltr re NUREG-0737, Item I D 1 requirements
BOUCHEY, G D Washington Public Power Supply System 82/05/27
ADENSAE, E O Licensing Branch 4 2pp 13417:229 24X
Fiche 50-460, 82/05/27, 8206080293

--8206080298 "Preliminary Control Room Design Assessment for WPPSS Nuclear Projects 1 & 4, Final Rept"
STARKEY, R L, LUTZ, R L, DUNDHOQ, D T Babcock & Wilcox Co
BAW-1704 82/04/30 400pp. 13417 231 24X Fiche 50-460,
82/05/27, 8206080293

G Adjudicatory correspondence

8206250119 Responds to B1130 & B20316 petitions on behalf of Coalition for Safe Power Petitions denied based on encl Director's Decision
DENTON, H R. Office of Nuclear Reactor Regulation, Director 82/06/16 BELL, N Coalition for Safe Power. 2pp. 13628 328 24X
Fiche. 50-509, 82/06/16, 8206250119

--8206250125 Notice of issuance & availability of Director's Decision under 10CFR2.206 denying Coalition for Safe Power petitions to revoke CP on basis of matl false statement in application for CP extension.
DENTON, H R Office of Nuclear Reactor Regulation, Director. 82/06/16 1p 13628.330 24X Fiche: 50-509, 82/06/16, 8206250119.

--8206250133 Director's Decision DD-82-6 denying N Bell petitions on behalf of Coalition for Safe Power to revoke CP on basis of matl false statements in application for extension of CP.
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/16 12pp. 13628.331 24X Fiche: 50-509, 82/06/16, 8206250119

G. Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp. 13426 095. 24X
Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Bvc list encl.
JORDAN, E L. Division of Engineering & Quality Assurance. 82/05/28 103pp 13440 264. 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Bvc list encl.
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150. 24X
Fiche: 50-000, 82/06/02, 8204210380.

3206280472 Forwards IE Insp Repts 50-460/82-06 & 50-513/82-04 on 820401-30 & notice of violation.
BIGHOP, T W. Region 5, Office of Director 82/06/08 ROOT, R W. Washington Public Power Supply System. 2pp. 13625:327. 24X
Fiche. 50-460, 82/06/08, 8206280472.

--8206280489 IE Insp Repts 50-460/82-06 & 50-513/82-04 on 820401-30 Noncompliance noted insufficient penetration of shop weld of pipe rupture restraint & inadequate protection of equipment & omission of weld insp records.
TOTH, A D, DOODS, R T. Region 5, Office of Director. 82/05/28 11pp. 13625:331. 24X Fiche. 50-460, 82/06/08, 8206280472.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Bvc list encl
JORDAN, E L. Division of Engineering & Quality Assurance 82/06/11 106pp. 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Bvc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384.

S Reportable occurrences, LERs & related correspondence

8206150146 Interim deficiency rept re deformation of conductor insulation in multiconductor cable mfg by Okonite, initially reported 820421 No addl info gathered Cables to be examined by vendor Reportability to be determined by 820625
ROOT, R W. Washington Public Power Supply System 82/06/02, FAULKNER, R. Region 5, Office of Director 1p 13505 092 24X
Fiche. 50-460, 82/06/02, 8206150146

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licenses will be notified no later than 820715
MILLS, L L Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328. 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-514 PEBBLE SPRING NUCLEAR PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Olmstead documents findings re cause of event W/o encl
EISENHUT, D O. Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp. 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Bvc list encl
JORDAN, E L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Bvc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150. 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Bvc list encl
JORDAN, E L. Division of Engineering & Quality Assurance 82/06/11 106pp 13675.258. 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Bvc list encl
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp. 13675 189. 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-515 PEBBLE SPRING NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Olmstead documents findings re cause of event W/o encl
EISENHUT, D O. Division of Licensing 82/06/09. HAUSPURG, A Consolidated Edison Co of New York 13pp. 13557 349. 24X
Fiche: 50-000, 82/06/09, 8206090153.

G. Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl.
DEYOUNG, R C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426:095. 24X
Fiche. 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 238 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Material by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET 82N-50-516 JAMESPORT NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8102050611 Informs that facility proceeding has been terminated because of failure to obtain NY state site certification CPs shall be revoked
SHAPAR, H K Office of the Executive Legal Director, 81/01/16
DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 12827 285 24X Fiche 50-000, 82/03/05, 8204220627

I Financial information

8206020312 Forwards Annual Financial Repts 1981 for Niagara Mohawk Power Corp., NY State Electric & Gas Corp., LILCO, Rochester Gas & Electric Corp & Central Hudson Gas & Electric Corp
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae 82/05/27 DENTON, H R, Office of Nuclear Reactor Regulation, Director 1p 13324 022 24X
Fiche 50-000, 82/05/27, 8206020312

--8206020385 Annual Financial Rept 1981
* Long Island Lighting Co 82/05/27 37pp, 13324 103 24X
Fiche 50-000, 82/05/27, 8206020312

DOCKET 82N-50-517 JAMESPORT NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8204220629 Responds to FOIA request for six categories of documents re termination or temporary cessation of const on nuclear projects Documents listed on App A encl
FELTON, J M Division of Rules and Records 82/03/05 BELL, N Coalition for Safe Power 5pp, 12827, 183 24X
Fiche 50-000, 82/03/05, 8204220629

--8102050611 Informs that facility proceeding has been terminated because of failure to obtain NY state site certification, CPs shall be revoked
SHAPAR, H K Office of the Executive Legal Director, 81/01/16
DENTON, H R Office of Nuclear Reactor Regulation, Director 1p 12827 285 24X Fiche 50-000, 82/03/05, 8204220629

I Financial information

8206020312 Forwards Annual Financial Repts 1981 for Niagara Mohawk Power Corp., NY State Electric & Gas Corp., LILCO, Rochester Gas & Electric Corp & Central Hudson Gas & Electric Corp
TROSTEN, L M LeBoeuf, Lamb, Leiby & MacRae, 82/05/27 DENTON, H R, Office of Nuclear Reactor Regulation, Director 1p 13324 022, 24X
Fiche 50-000, 82/05/27, 8206020312

--8206020385 Annual Financial Rept 1981.
* Long Island Lighting Co, 82/05/27 37pp 13324 103, 24X
Fiche 50-000, 82/05/27, 8206020312

DOCKET 82N-50-518 HARTSVILLE NUCLEAR PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206020581 Addl response to FOIA request for five categories of documents re Atlas Machine & Iron Works, Inc., Gainesville, VA
Forwards HC Russell 81117 memo to RT Hathcote
FELTON, J M Division of Rules and Records 82/04/27 WHEELER, T C Pettit & Martin 1p 13339 003 24X Fiche 50-518, 82/04/27, 8206020581

--8206020583 Confirms 81116 telcon re steps to be taken re release to perform work on framed embedment Color photographs of indications found by magnetic particle insp need to be taken
RUSSELL, H C Tennessee Valley Authority 81/11/17 HATHCOTE, R T Tennessee Valley Authority 2pp 13339 005 24X
Fiche 50-518, 82/04/27, 8206020581.

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101. Forwards documents listed in app.
FELTON, J M Division of Rules and Records 82/06/07 DOI, K Critical Mass Energy Project 2pp 13678 215 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/19 AHEARNE, J Commissioners 2pp 13678 237 24X
Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event. W/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSPURI, A Consolidated Edison Co. of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153.

O Inspection reports, IE Bulletins & correspondence

8206070777 Forwards IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30 No noncompliance noted
LORNO, F J Division of Project & Resident Programs 82/05/14, PARRIS, H O Tennessee Valley Authority, 2pp, 13389 242 24X
Fiche 50-518, 82/05/14, 8206070777

--8206070790 IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30, No noncompliance noted Major areas inspected seismic Category 1 concrete, open items, independent insp effort & site deferral preparation
SCHAPKER, J F., CANTRELL, F. B. Division of Project & Resident Programs 82/05/14 3pp 13389 244, 24X Fiche 50-518, 82/05/14, 8206070777

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LORNO, F J Division of Project & Resident Programs, 82/05/20 PARRIS, H O Tennessee Valley Authority 3pp 13374, 255, 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted
LENAHAN, J J Division of Project & Resident Programs, 82/05/18 9pp, 13374, 258, 24X Fiche 50-000, 82/05/20, 8206070482.

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl.
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28, 107pp 13426, 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28, 103pp 13440 264, 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl.
DEVOUNO, R C. Director's Office, Office of Inspection and Enforcement, 82/06/02 108pp, 13527 150, 24X
Fiche 50-000, 82/06/02, 8204210380

3204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 25B 24X Fiche 50-000, 82/06/11, 8204210383

3204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S. Reportable occurrences, LERs & related correspondence

8206010197 Sixth interim deficiency rept re reactor protection sys panel design Const deferred Final rept will be submitted when final decision re projects made
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P Region 2, Office of Director ip 13307 178 24X
Fiche 50-000, 82/05/18, 8206010197

8206010308 Fourth interim deficiency rept re reactor core isolation cooling steam line break, initially reported on 810630 Const activities deferred Final rept will not be submitted
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P Region 2, Office of Director ip 13307 316 24X
Fiche 50-000, 82/05/18, 8206010308

8206010216 Deficiency rept re failure of Transamerica Delaval to promptly correct deficiencies, initially reported 820114 Completion date of corrective actions delayed to 820630 Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P Region 2, Office of Director ip 13300 086 24X
Fiche 50-000, 82/05/20, 8206010216

8206010349 Second interim deficiency rept re Atlas QA documentation for auxiliary & fuel bldgs structural steel, initially reported 81113 Const activities for plants deferred Final rept to be submitted after final decision re completion of projects
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P Region 2, Office of Director ip 13301 004 24X
Fiche 50-000, 82/05/20, 8206010349

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811027 Final rept submitted on 820208 Corrective action expected to be completed on or before 820730
MILLS, L M Tennessee Valley Authority 82/05/25 O'REILLY, J P Region 2, Office of Director ip 13368 212 24X
Fiche 50-000, 82/05/25, 8206070104

8206070628 Second interim deficiency rept re check valve leak in air start sys of standby diesel generators, initially reported 820209 Evaluation by vendor underway Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P Region 2, Office of Director ip 13387 336 24X
Fiche 50-000, 82/05/28, 8206070628

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported 811020 Const activities deferred Next rept by 821206
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P Region 2, Office of Director ip 13390 270 24X
Fiche 50-000, 82/05/28, 8206070665

8206110181 First interim deficiency rept re split in biological shield wall, initially reported on 820429 Investigation postponed until const activities for project resume. No final rept will be submitted until decision made re continuation of const
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P Region 2, Office of Director ip 13466 308 24X
Fiche 50-518, 82/06/01, 8206110181

8206110185 Fourth interim deficiency rept re Bethlehem Steel Co galvanized A325 bolts, initially reported on 811029 Const activities deferred until sufficient info indicates whether project should be completed or canceled
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P Region 2, Office of Director ip 13466 307 24X
Fiche 50-518, 82/06/01, 8206110185

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820120 Study being conducted of procurement process including all aspects of sys Next rept due by 820916
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P Region 2, Office of Director ip 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110159 Second interim deficiency rept re regional quality engineering branch insp etc manpower, initially reported on 820120 QA training completed 820318 & technical training ongoing Administrative Instruction GER-A1 104 implemented
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P Region 2, Office of Director ip 13466 323 24X
Fiche 50-000, 82/06/03, 8206110159

8206210111 Fourth interim deficiency rept re link rod assembly-brlaval diesels Due to const deferment final deficiency rept will not be issued pending final decision on future of projects Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/06/11 O'REILLY, J P Region 2, Office of Director ip 13359 352 24X
Fiche 50-000, 82/06/11, 8206210111

8206240326 Part 21 rept re pneumatic actuator yoke failure List of other projects w/similar equipment encl
WILSON, A K Henry Pratt Co 82/06/18 KEPLER, J O Region 3, Office of Director ip 13603 189 24X Fiche 50-000, 82/06/18, 8206240326

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLS, L M Transamerica Delaval, Inc. 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13633 320 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET SYN-50-519 HARTSVILLE NUCLEAR PLANT, UNIT 2

A Application/construction stage documents & correspondence

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
FELTON, J M Division of Rules and Records 82/06/07 BOL, M Critical Mass Energy Project 2pp 13678 215 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K Office of the Executive Director for Operations 82/03/19 AHEARN, J Commissioners 2pp 13670 237 24X
Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EISENHUT, D G Division of Licensing 82/06/09 HAUSPUG, A Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

G Inspection reports, IE Bulletins & correspondence

8206070777 Forwards IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30 No noncompliance noted
LONG, R J Division of Project & Resident Programs 82/05/14 PARRIS, H G Tennessee Valley Authority 2pp 13389 242 24X
Fiche 50-518, 82/05/14, 8206070777

--8206070790 IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30. No noncompliance noted Major areas inspected, seismic Category 1 concrete, open items, independent insp effort & site deferral preparation
SCHAPKER, J F, CANTRELL, F S Division of Project & Resident Programs 82/05/14 3pp 13389 244 24X Fiche 50-518, 82/05/14, 8206070777

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, R J Division of Project & Resident Programs 82/05/20 PARRIS, H G Tennessee Valley Authority 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02. No noncompliance noted
LENAHAN, J J Division of Project & Resident Programs 82/05/9pp 13374 258 24X Fiche 50-000, 82/05/20, 8206070482

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list & enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

DOCKETED ITEMS

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010197 Sixth interim deficiency rept re reactor protection sys panel design. Const deferred Final rept will be submitted when final decision re projects made
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P Region 2, Office of Director ip 13307 178 24X
Fiche 50-000, 82/05/18, 8206010197

8206010508 Fourth interim deficiency rept re reactor core isolation cooling steam line break, initially reported on 810630. Const activities deferred Final rept will not be submitted
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P Region 2, Office of Director ip 13307 316 24X
Fiche 50-000, 82/05/18, 8206010508

8206010216 Deficiency rept re failure of Transamerica Delaval to promptly correct deficiencies, initially reported 820114
Completion date of corrective actions delayed to 820630
Also reportable per Part 21
MILLS, L M Tennessee Valley Authority. 82/05/20 O'REILLY, J P Region 2, Office of Director ip 13300 086 24X
Fiche 50-000, 82/05/20, 8206010216

8206010349 Second interim deficiency rept re Atlas GA documentation for auxiliary & fuel bldgs structural steel, initially reported 81113 Const activities for plants deferred Final rept to be submitted after final decision re completion of projects.
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P Region 2, Office of Director ip 13301 004 24X
Fiche 50-000, 82/05/20, 8206010349

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811027. Final rept submitted on 820208 Corrective action expected to be completed on or before 820730
MILLS, L M Tennessee Valley Authority 82/05/25 O'REILLY, J P Region 2, Office of Director ip 13368 212 24X
Fiche 50-000, 82/05/25, 8206070104

8206070628 Second interim deficiency rept re check valve leak in air start sys of standby diesel generators, initially reported 820207. Evaluation by vendor underway Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P Region 2, Office of Director ip 13387 356 24X
Fiche 50-000, 82/05/28, 8206070628

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of GA procedures before work commences, initially reported 811020 Procedures revised Next rept by 821206
MILLS, L M Tennessee Valley Authority. 82/05/28 O'REILLY, J P Region 2, Office of Director 3pp. 13390, 270 24X
Fiche 50-000, 82/05/28, 8206070665

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820120 Study being conducted of procurement process including all aspects of sys. Next rept due by 820916
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P Region 2, Office of Director ip 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110159 Second interim deficiency rept re regional quality engineering branch insp ofc manpower, initially reported on 820120 GA training completed 820318 & technical training ongoing Administrative Instruction QEB-A1 104 implemented.
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P Region 2, Office of Director. 2pp 13466 323 24X
Fiche 50-000, 82/06/03, 8206110159

8206210111 Fourth interim deficiency rept re link rod assembly-Delaval diesels Due to const deferment final deficiency rept will not be issued pending final decision on future of projects
Also reportable per Part 21
MILLS, L M Tennessee Valley Authority. 82/06/11 O'REILLY, J P Region 2, Office of Director ip 13559 352 24X
Fiche 50-000, 82/06/11, 8206210111

8206240326 Part 21 rept re pneumatic actuator yoke failure List of other projects w/similar equipment encl
WILSON, A K Henry Pratt Co. 82/06/18 KEPLER, J G Region 3, Office of Director 3pp 13603 189 24X Fiche 50-000, 82/06/18, 8206240326

8206300192 Part 21 rept re potential defect in couplings drive element of DBRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715
MILLS, L M Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET STN-50-520 HARTSVILLE NUCLEAR PLANT, UNIT 3

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl
EIBENHUT, D G Division of Licensing 82/06/09 HAUSPURG, A Consolidated Edison Co of New York. 13pp 13557.349 24X
Fiche 50-000, 82/06/09, 8206090153

G Inspection reports, IE Bulletins & correspondence

8206070777 Forwards IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30 No noncompliance noted
LONG, F J Division of Project & Resident Programs. 82/05/14, PARRIS, H G Tennessee Valley Authority 2pp 13389 242 24X
Fiche 50-518, 82/05/14, 8206070777

--8206070790 IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30 No noncompliance noted. Major areas inspected seismic Category 1 concrete, open items, independent insp effort & site deferral preparation.
SCHAPKER, J F, CANTRELL, F S Division of Project & Resident Programs 82/05/14 3pp 13389 244 24X Fiche 50-518, 82/05/14, 8206070777

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F J Division of Project & Resident Programs 82/05/20 PARRIS, H G Tennessee Valley Authority 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02. No noncompliance noted
LEAHAN, J J Division of Project & Resident Programs. 82/05/18, 7pp. 13374 258 24X Fiche 50-000, 82/05/20, 8206070482

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp, 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp, 13673 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010197 Sixth interim deficiency rept re reactor protection sys panel design Const deferred. Final rept will be submitted when final decision re projects made
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director, 1p 13307 178 24X
Fiche 50-000, 82/05/18, 8206010197

8206010308 Fourth interim deficiency rept re reactor core isolation cooling steam line break, initially reported on 810630 Const activities deferred. Final rept will not be submitted
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director, 1p 13307 316 24X
Fiche: 50-000, 82/05/18, 8206010308

8206010216 Deficiency rept re Failure of Transamerica Delaval to promptly correct deficiencies, initially reported 820114
Completion date of corrective actions delayed to 820630
Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director, 1p 13300 086 24X
Fiche: 50-000, 82/05/20, 8206010216

8206010349 Second interim deficiency rept re Atlas QA documentation for auxiliary & fuel bldgs structural steel, initially reported 81113 Const activities for plants deferred. Final rept to be submitted after final decision re completion of projects.
MILLS, L M Tennessee Valley Authority, 82/05/20 O'REILLY, J P
Region 2, Office of Director, 1p 13301 004 24X
Fiche 50-000, 82/05/20, 8206010349

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811027 Final rept submitted on 820208 Corrective action expected to be completed on or before 820730.
MILLS, L M Tennessee Valley Authority 82/05/25, O'REILLY, J P
Region 2, Office of Director, 1p 13368 212 24X
Fiche: 50-000, 82/05/25, 8206070104

8206070628 Second interim deficiency rept re check valve leak in air start sys of standby diesel generators, initially reported 820209 Evaluation by vendor underway. Also reported per Part 21.
MILLS, L M Tennessee Valley Authority 82/05/28, O'REILLY, J P
Region 2, Office of Director, 1p 13387 356 24X
Fiche: 50-000, 82/05/28, 8206070628

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported 811020. Procedures revised. Next rept by 821206
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director, 3pp, 13390 270 24X
Fiche 50-000, 82/05/28, 8206070665

8206110185 Fourth interim deficiency rept re Bethlehem Steel Co galvanized A325 bolts, initially reported on 811029. Const activities deferred until sufficient info indicates whether project should be completed or canceled.
MILLS, L M Tennessee Valley Authority, 82/06/01 O'REILLY, J P
Region 2, Office of Director, 1p 13466 307 24X
Fiche: 50-318, 82/06/01, 8206110185

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820320. Study being conducted of procurement process including all aspects of sys. Next rept due by 820916
MILLS, L M Tennessee Valley Authority 82/06/01, O'REILLY, J P
Region 2, Office of Director, 1p 13466 162 24X
Fiche: 50-000, 82/06/01, 8206110282

8206110159 Second interim deficiency rept re regional quality engineering branch insp of empowers, initially reported on 820120. QA training completed 820318 & technical training ongoing. Administrative Instruction GEB-AI 104 implemented.
MILLS, L M Tennessee Valley Authority, 82/06/03, O'REILLY, J P
Region 2, Office of Director, 2pp, 13466 923 24X
Fiche: 50-000, 82/06/03, 8206110159

8206210111 Fourth interim deficiency rept re link rod assembly-Delaval diesels. Due to const deferment final deficiency rept will not be issued pending final decision on future of projects
Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/06/11 O'REILLY, J P
Region 2, Office of Director, 1p 13559 352 24X
Fiche 50-000, 82/06/11, 8206210111

8206240326 Part 21 rept re pneumatic actuator yoke failure. List of other projects w/similar equipment encl
WILSON, A K Henry Pratt Co 82/06/18 KEPLER, J O Region 3,
Office of Director 3pp 13603 189 24X Fiche 50-000, 82/06/18, 8206240326

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715
MILLS, L M Transamerica Delaval, Inc 82/06/23 Director's
Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET STN-50-521 HARTSVILLE NUCLEAR PLANT, UNIT 4

A Application/construction stage documents & correspondence

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event H/o encl
EISENHUT, D O Division of Licensing 82/06/09 HAUSFORD, A
Consolidated Edison Co of New York 13pp 13557 349 24X
Fiche: 50-000, 82/06/09, 8206090153

G Inspection reports, IE Bulletins & correspondence

8206070777 Forwards IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30 No noncompliance noted
LONO, F J Division of Project & Resident Programs 82/05/14
PARRIS, H O Tennessee Valley Authority 2pp 13389 242 24X
Fiche: 50-518, 82/05/14, 8206070777

--8206070790 IE Insp Repts 50-518/82-06, 50-519/82-06, 50-520/82-06 & 50-521/82-06 on 820401-30 No noncompliance noted. Major areas inspected seismic Category 1 concrete, open items, independent insp effort & site deferral preparation.
SCHAPKER, J F Division of Project & Resident Programs, 82/05/14
3pp 13389 244 24X Fiche 50-518, 82/05/14, 8206070790

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONO, F J Division of Project & Resident Programs, 82/05/20
PARRIS, H O Tennessee Valley Authority, 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02. No noncompliance noted
LENAHAN, J J Division of Project & Resident Programs, 82/05/18
9pp, 13374 258 24X Fiche: 50-000, 82/05/20, 8206070496

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/05/28
103pp, 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp, 13527 130 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Svc list encl.
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp, 13675 189 24X
Fiche: 50-000, 82/06/11, 8204210384

DOCKETED ITEMS

S Reportable occurrences, LERs & related correspondence

8206010197 Sixth interim deficiency rept re reactor protection sys panel design Const deferred Final rept will be submitted when final decision re projects made
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13307 178 24X
Fiche 50-000, 82/05/18, 8206010197

8206010508 Fourth interim deficiency rept re reactor core isolation cooling steam line break, initially reported on 810630 Const activities deferred Final rept will not be submitted
MILLS, L M Tennessee Valley Authority 82/05/18 O'REILLY, J P
Region 2, Office of Director 1p 13307 316 24X
Fiche 50-000, 82/05/18, 8206010508

8206010216 Deficiency rept re failure of Transamerica Delaval to promptly correct deficiencies, initially reported 820114 Completion date of corrective actions delayed to 820630 Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 1p 13300 086 24X
Fiche 50-000, 82/05/20, 8206010216

8206010349 Second interim deficiency rept re Atlas GA documentation for auxiliary & fuel bldgs structural steel, initially reported 81113 Const activities for plants deferred Final rept to be submitted after final decision re completion of projects.
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 1p 13301 004 24X
Fiche 50-000, 82/05/20, 8206010349

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811027 Final rept submitted on 820208 Corrective action expected to be completed on or before 820730
MILLS, L M Tennessee Valley Authority 82/05/25 O'REILLY, J P
Region 2, Office of Director 1p 13368 212 24X
Fiche 50-000, 82/05/25, 8206070104

8206070628 Second interim deficiency rept re check valve leak in air start sys of standby diesel generators, initially reported 820209 Evaluation by vendor underway Also reported per Part 21
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 1p 13387 356 24X
Fiche 50-000, 82/05/28, 8206070628

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of GA procedures before work commences, initially reported 811020 Procedures revised, Next rept by 821206
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 3pp 13390 270 24X
Fiche 50-000, 82/05/28, 8206070665

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820120 Study being conducted of procurement process including all aspects of sys Next rept due by 820716
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110139 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on 820120 GA training completed 820318 & technical training ongoing Administrative Instruction GED-AI 104 implemented.
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, 8206110139

8206210111 Fourth interim deficiency rept re link rod assembly-Delaval diesels Due to const deferment final deficiency rept will not be issued pending final decision on future of projects Also reportable per Part 21.
MILLS, L M Tennessee Valley Authority 82/06/11 O'REILLY, J P
Region 2, Office of Director 1p 13559 352 24X
Fiche 50-000, 82/06/11, 8206210111

8206240326 Part 21 rept re pneumatic actuator yoke failure List of other projects w/similar equipment encl.
WILSON, A K Henry Pratt Co. 82/06/18 KEPLER, J O Region 3, Office of Director 3pp 13603 189 24X Fiche 50-000, 82/06/18, 8206240326

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820719
MILLS, L L Transamerica Delaval, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-522 SKAGIT NUCLEAR POWER PROJECT, UNIT 1

A Application/construction stage documents & correspondence

8204220358 Responds to FOIA request for three categories of info re show cause petitions Documents listed in App A encl SECY-BI-457 described in App B withheld (ref FOIA Exemption 5).
FELTON, J M Division of Rules and Records 82/03/29 BELL, N
Coalition for Safe Power 3pp 12820 106 24X
Fiche 50-000, 82/03/29, 8204220358

--8111020610 Advises that latest update on expected dates of submittal are 811030 for alternate site submittal & 811231 for balance of environ rept & PSAR amends.
NORRIS, J A Siting Analysis Branch 81/10/23. MULLER, D R
Assistant Director for Environmental Technology 11pp 12820 024 24X Fiche 50-522, 82/03/29, 8204220358

8206160021 Summary of 820317 meeting w/util in Bethesda, MD re geology, foundation soils & structural engineering questions & responses
HALLORY, M Licensing Branch 4 82/04/07 Licensing Branch 4
4pp 13525 302 24X Fiche 50-522, 82/04/07, 8206160021

--8204020203 Summarizes 820317 meeting w/util, NESCO Bechtel, Golder Associates & NEBIC in Bethesda, MD re unsuitability of Missoula sands for direct support of seismic Category I structures Attendance list encl
THOMPSON, D O, GUPTA, D C Hydrologic & Geotechnical Engineering Branch 82/03/25 LEAR, G Hydrologic & Geotechnical Engineering Branch 3pp 13525 306 24X Fiche 50-522, 82/04/07, 8206160021

--8203220557 Forwards request for addl info Bails at proposed foundation level are not suitable for direct support of seismic structures
LEAR, G Hydrologic & Geotechnical Engineering Branch 82/03/10, ADENSAH, E Licensing Branch 4 3pp 13525 309 24X
Fiche 50-522, 82/04/07, 8206160021

8206010002 Summary of 820427 meeting w/util, NESCO & Debovoise & Liberman in Bethesda, MD re seismic design & geology. Applicant will provide ground motion estimates for 6 & 8 earthquakes & compare results w/design spectra.
HALLORY, M H Licensing Branch 4 82/05/21 Licensing Branch 4
9pp 13319 296 24X Fiche 50-522, 82/05/21, 8206010002

8206110374 Forwards request for addl info re Apr 1982 rept, "Paleomagnetic Investigation of Premissoula Gravels, Pasco Basin & Vicinity, WA"
ADENSAH, E Licensing Branch 4 82/06/08 SPANGENBERG, F. Northwest Energy Services Co. 3pp 13490 291 24X Fiche 50-522, 82/06/08, 8206110374

B Utility Preliminary Safety Analysis Report, amends

8206220159 Forwards errata to Amend 24 of PSAR
MYERS, R V Puget Sound Power & Light Co. 82/06/09 Office of Nuclear Reactor Regulation, Director 3pp 13573 109 24X
Fiche 50-522, 82/06/09, 8206220159

--8206220169 Errata to Amend 24 of PSAR
* Puget Sound Power & Light Co 82/06/09 99pp 13573 112 24X
Fiche 50-522, 82/06/09, 8206220159

D NRC Draft/Final Environmental Statements, supp & correspondence

8206010303 Requests that DES be mailed to listed persons re proposed facility const
WAPATO, B T Columbia River Inter-Tribal Fish Commission, 82/05/19, Division of Licensing 4pp 13301 133 24X Fiche 50-522, 82/05/19, 8206010303

8206210078 Offers no comments on DES (NUREG-0894).
BIRMAN, J M Agriculture, Dept of, Forest Service, 82/06/11, NRC - No Detailed Affiliation Given 1p 13660 008 24X
Fiche 50-522, 82/06/11, 8206210078

8206210235 Forwards comments on DES (NUREG-0894).
DOHERTY, J F Gulf Coast Environmental Defense Foundation, Inc 82/06/12 NRC - No Detailed Affiliation Given 3pp 13558 138 24X Fiche 50-522, 82/06/12, 8206210235

8206230125 Forwards comments on DES from State Dept of Ecology & State Parks & Recreation Commission. Testimony will be provided to State Energy Facility Site Evaluation Council during contested case for project
MOORE, D W Washington, State of 82/06/14 NORRIS, J Division of Licensing 7pp 13591 037 24X Fiche 50-522, 82/06/14, 8206230125

8206210420 Comments on DES (NUREG-0894) DES inadequate re effect of plant const on buried waste at Hanford, use of MARCH & CORRAL codes, releases of radioactivity from 790328 TMI-2 accident & conclusions in Section 3 2 2 1
DOHERTY, J F Doherty, J F 82/06/15 NRC - No Detailed Affiliation Given 4pp. 1356B 104 24X Fiche 50-522, 82/06/15, 8206210420

8206220305 Submits comments re facilities DES Traffic data or legend needs to be corrected Text incorrectly refers to several figures within document Title of several figures do not match figures
SMITH, M A Washington, State of 82/06/15 NORRIS, J A Office of Nuclear Reactor Regulation, Director 2pp 1357I:012 24X Fiche 50-522, 82/06/15, 8206220305

8206250175 Comments on DES (NUREG-0894) re project const Comments address health & safety aspects of proposed plant operation, including radiological monitoring program & emission pathway dose computational methodology
VILLFORTH, J C Health & Human Services, Dept of, 82/06/21 NORRIS, J A NRC - No Detailed Affiliation Given 3pp 13613:303 24X Fiche 50-522, 82/06/21, 8206250175

8206300337 Forwards comments on DES for facilities Editorial changes recommended FES requested.
WOOD, J M Commerce, Dept. of, National Oceanographic & Atmospheric Administration, 82/06/22 MULLER, D R Assistant Director for Environmental Technology, 2pp 1365A 32B 24X Fiche 50-522, 82/06/22, 8206300337

8206290323 Forwards comments on DES, NUREG-0894.
MYERS, R V Puget Sound Power & Light Co 82/06/24 Division of Licensing 1pp. 13636 127, 24X Fiche 50-522, 82/06/24, 8206290323.

E NRC Safety Evaluation Report (SER), suppl's & correspondence

8206020386 Clarifies position re valve for SSE to be included in supplemental SER Applicant reserves right to undertake site-specific response spectra for purpose of establishing lower value for SSE
MYERS, R V Puget Sound Power & Light Co 82/05/27. DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp 13326:256, 24X Fiche 50-522, 82/05/27, 8206020386

G Adjudicatory correspondence

8206010286 Revised contentions per ASLB oral order at 820305 special prehearing conference in Richland, WA Certificate of Svc encl
BELL, N Coalition for Safe Power 82/05/24 Atomic Safety and Licensing Board Panel. 33pp 13301, 100 24X Fiche: 50-522, 82/05/24, 8206010286

8206010298 Response opposing Yakima Indian Nation untimely petition to intervene Petition defective since no contentions listed No good cause shown for late filing & 10CFR2 714 factors weigh against admission Certificate of Svc encl
THOMSEN, F. T. Puget Sound Power & Light Co THOMSEN, F. T. Perkins, Cole, Stone, Olsen & Williams, 82/05/25 Atomic Safety and Licensing Board Panel. 14pp 13301:053 24X Fiche: 50-522, 82/05/25, 8206010298

8206040020 Motion for extension of time until 820611 to answer Coalition for Safe Power 820527 amended contentions, Washington co-counsel has not received contention & document is lengthy. Certificate of Svc encl
FRANTZ, S P Puget Sound Power & Light Co. 82/03/27 Atomic Safety and Licensing Board Panel 4pp 1334R:352, 24X Fiche: 50-522, 82/03/27, 8206040020.

8206160105 Answer to Coalition for Safe Power 820525 revised contentions Contentions should be rejected due to lack of adequate notice of particular issues to be litigated Certificate of Svc & DOJ 810715 opinion encl
FRANTZ, S P Puget Sound Power & Light Co FRANTZ, S P Lowenstein, Neuman, Reis, Axlad & Toll 82/06/11 Atomic Safety and Licensing Board Panel 52pp 13514 264 24X Fiche 50-522, 82/06/11, 8206160105

8206170231 Response to Coalition on Safe Power 820524 revised contentions Supports admission only of Revised Contentions 1, 2, 3, 4 A-E, 29 B, 29 G, 29 H & 29 I Certificate of Svc encl
BLACK, R L Hearing Branch 3 82/06/11 Atomic Safety and Licensing Board Panel 38pp 13535 001 24X Fiche: 50-522, 82/06/11, 8206170231

8206170106 Forwards documents in NRC legal files not previously served on Columbia River Inter-Tribal Fish Commission, per 820608 talcon & 0610 ltr w/o encl
BLACK, R L Hearing Branch 3 82/06/14 WAPATO, S T Affiliation Unknown 1p 13530 096 24X Fiche 50-522, 82/06/14, 8206170106

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche 50-000, 82/05/28, 8202040147

820421037B IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 820421037B

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat by Workers " Svc list encl.
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp 13675 189 24X Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-523 SKAGIT NUCLEAR POWER PROJECT, UNIT 2

A Application/construction stage documents & correspondence

8204220358 Responds to FOIA request for three categories of info re show cause petitions Documents listed in App A encl
SECY-81-457 described in App B withheld (ref FOIA Exemption 5).
FELTON, J M Division of Rules and Records 82/03/29 BELL, N. Coalition for Safe Power 4pp 12820 106 24X Fiche: 50-000, 82/03/29, 8204220358

8206160021 Summary of 820317 meeting w/util in Bethesda, MD re geologic foundation soils & structural engineering questions & responses
MALLORY, M Licensing Branch 4 82/04/07 Licensing Branch 4 4pp 13525:302 24X Fiche 50-522, 82/04/07, 8206160021

--8204020203 Summarizes 820317 meeting w/util, NESCO Bechtel, Golder Associates & NEBIC in Bethesda, MD re unsuitability of Missoula sands for direct support of seismic Category I structures Attendance list encl
THOMPSON, D O GUPTA, D C Hydrologic & Geotechnical Engineering Branch 82/03/25 LEAR, G Hydrologic & Geotechnical Engineering Branch 3pp. 13525 306 24X Fiche: 50-522, 82/04/07, 8206160021

--8203220557 Forwards request for addl info Sails at proposed founds level are not suitable for direct support of seismic structures.
LEAR, G Hydrologic & Geotechnical Engineering Branch. 82/03/11 ADENSAH, E Licensing Branch 4 5pp. 13525:309, 24X Fiche 50-522, 82/04/07, 8206160021

8206010002 Summary of 820427 meeting w/util, NESCO & Debevoise & Liberman in Bethesda, MD re seismic design & geology Applicant will provide ground motion estimates for 5 earthquake & compare results w/design spectra
MALLORY, M W Licensing Branch 4 82/05/21 Licensing Branch 9pp 13319 296 24X Fiche 50-522, 82/05/21, 8206010002.

DOCKETED ITEMS

38

8206110374 Forwards request for addl info re Apr 1982 rept,
"Paleomagnetic Investigation of Premissoula Gravels, Pasco
Basin & Vicinity, WA "
ADENSAH, E Licensing Branch 4 82/06/08 SPANGENBERG, F Northwest
Energy Services Co 3pp 13490 291 24X Fiche 50-522, 82/06/08,
8206110374

B Utility Preliminary Safety Analysis Report, amends

8206220159 Forwards errata to Amend 24 of PSAR
MYERS, R V Puget Sound Power & Light Co. 82/06/09 Office of
Nuclear Reactor Regulation, Director. 3pp 13973.109 24X
Fiche 50-522, 82/06/09, 8206220159

--8206220169 Errata to Amend 24 of PSAR
* Puget Sound Power & Light Co. 82/06/09 99pp 13573 112 24X
Fiche 50-522, 82/06/09, 8206220159

D NRC Draft/Final Environmental Statements, suppl & correspondence

8206010303 Requests that DES be mailed to listed persons re proposed
facility const
WAPATO, B T Columbia River Inter-Tribal Fish Commission 82/05/19
Division of Licensing 4pp 13301 133 24X Fiche: 50-522,
82/05/19, 8206010303

8206210078 Offers no comments on DES (NUREG-0894)
SIRONI, J M Agriculture, Dept of, Forest Service 82/06/11 NRC
- No Detailed Affiliation Given 1p 13560 008 24X
Fiche 50-522, 82/06/11, 8206210078

8206210235 Forwards comments on DES (NUREG-0894)
DOHERTY, J F Gulf Coast Environmental Defense Foundation, Inc
82/06/12 NRC - No Detailed Affiliation Given 5pp 13558 138
24X Fiche: 50-522, 82/06/12, 8206210235

8206230125 Forwards comments on DES from State Dept of Ecology & State
Parks & Recreation Commission Testimony will be provided to
State Energy Facility Site Evaluation Council during
contested case for project
MOOS, D W Washington, State of 82/06/14 NORRIS, J. Division of
Licensing 7pp 13591 037 24X Fiche: 50-522, 82/06/14, 8206230125

8206210420 Comments on DES (NUREG-0894), DES inadequate re effect of
plant const on buried waste at Hanford, use of MARCH &
CORRAL codes, releases of radioactivity from 790328 TMI-2
accident & conclusions in Section 3.2 2 1
DOHERTY, J F Doherty, J F 82/06/15 NRC - No Detailed
Affiliation Given 4pp 13568 104 24X Fiche 50-522, 82/06/15,
8206210420,

8206220305 Submits comments re facilities DES Traffic data or legend
needs to be corrected Text incorrectly refers to several
figures within document Title of several figures do not
match figures.
SMITH, M A Washington, State of 82/06/15 NORRIS, J A Office of
Nuclear Reactor Regulation, Director 2pp. 13971.012 24X
Fiche: 50-522, 82/06/15, 8206220305

8206290175 Comments on DES (NUREG-0894) re project const Comments
address health & safety aspects of proposed plant
operation, including radiological monitoring program &
emission pathway dose computational methodology
VILLFORTH, J C Health & Human Services, Dept of, 82/06/21
NORRIS, J A NRC - No Detailed Affiliation Given 3pp 13613:303
24X Fiche: 50-522, 82/06/21, 8206290175

8206300337 Forwards comments on DES for facilities Editorial changes
recommended, FES requested
WOOD, J M Commerce, Dept of, National Oceanographic & Atmospheric
Administration 82/06/22 MULLER, D R Assistant Director for
Environmental Technology 2pp 13656 328. 24X
Fiche 50-522, 82/06/22, 8206300337

8206290323 Forwards comments on DES, NUREG-0894
MYERS, R V Puget Sound Power & Light Co 82/06/24 Division of
Licensing 19pp. 13636 127 24X Fiche 50-522, 82/06/24, 8206290323

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206020386 Clarifies position re valve for SSE to be included in
supplemental SER Applicant reserves right to undertake site-
specific response spectra for purpose of establishing lower
value for SSE
MYERS, R V Puget Sound Power & Light Co 82/05/27 DENTON, H R
Office of Nuclear Reactor Regulation, Director. 2pp 13926 256
24X Fiche: 50-522, 82/05/27, 8206020386

G Adjudicatory correspondence

8206010286 Revised contentions per ABLB oral order at 820505 special
prehearing conference in Richland, WA Certificate of Svc
encl
BELL, N Coalition for Safe Power 82/05/24 Atomic Safety and
Licensing Board Panel 33pp 13301:100 24X Fiche 50-522, 82/05/24,
8206010286

8206010298 Response opposing Yakima Indian Nation untimely petition to
intervene Petition defective since no contentions listed No
good cause shown for late filing & 10CFR2 714 factors weigh
against admission Certificate of Svc encl
THOMSEN, F T Puget Sound Power & Light Co THOMSEN, F T Perkins,
Cole, Stone, Olsen & Williams 82/05/25 Atomic Safety and
Licensing Board Panel 14pp 13301 053 24X Fiche 50-522, 82/05/25,
8206010298

8206040020 Motion for extension of time until 820611 to answer
Coalition for Safe Power 820527 amended contentions
Washington co-counsel has not received contention & document
is lengthy. Certificate of Svc encl
FRANTZ, S P Puget Sound Power & Light Co 82/05/27 Atomic
Safety and Licensing Board Panel 4pp 13348 352 24X
Fiche 50-522, 82/05/27, 8206040020

8206040087 Order granting applicant motion for extension of time until
820611 to respond to intervenor contentions
WOLF, J F Atomic Safety and Licensing Board Panel. 82/05/28
Puget Sound Power & Light Co 1p 13347 239. 24X
Fiche 50-522, 82/05/28, 8206040087.

8206070082 Response to Natl Wildlife Federation/OR Environ Council
820521 amended contentions Balancing factors governing late
contentions weigh against admission Contentions 3.E & 5 A
objectable W/Certificate of Svc
FRANTZ, S P Puget Sound Power & Light Co FRANTZ, S P
Lowenstein, Newman, Reis, Axelrad & Toll 82/06/02 Atomic Safety
and Licensing Board Panel 10pp. 13370 331 24X
Fiche 50-522, 82/06/02, 8206070082.

8206160105 Answer to Coalition for Safe Power 820525 revised
contentions Contentions should be rejected due to lack of
adequate notice of particular issues to be litigated.
Certificate of Svc & DOJ 810715 opinion encl.
FRANTZ, S P. Puget Sound Power & Light Co FRANTZ, S P,
Lowenstein, Newman, Reis, Axelrad & Toll. 82/06/11 Atomic Safety
and Licensing Board Panel 52pp. 13514 264 24X
Fiche: 50-522, 82/06/11, 8206160105

8206170231 Response to Coalition on Safe Power 820524 revised
contentions Supports admission only of Revised Contentions
1, 2, 3, 4 A-E, 29, B, 29 G, 29 H & 29 I Certificate of Svc encl
BLACK, R L Hearing Branch 3. 82/06/11 Atomic Safety and
Licensing Board Panel. 38pp 13535.001. 24X Fiche: 50-522, 82/06/11,
8206170231

8206170106 Forwards documents in NRC legal files not previously
served on Columbia River Inter-Tribal Fish Commission, per
820608 telcon & 0610 ltr W/o encl.
BLACK, R L. Hearing Branch 3 82/06/14 WAPATO, B T Affiliation
Unknown 1p 13530:096 24X Fiche: 50-522, 82/06/14, 8206170106

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC," Svc list encl.
DEVOUNG, R C. Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426:095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints
Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28
103pp 13440:264. 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in
Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl.
DEVOUNG, R C. Director's Office, Office of Inspection and
Enforcement 82/06/02. 108pp. 13527:150. 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list
encl.
JORDAN, E L. Division of Engineering & Quality Assurance. 82/06/11,
106pp. 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive
Matl by Workers," Svc list encl.
DEVOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp. 13675:189 24X
Fiche: 50-000, 82/06/11, 8204210384

DOCKETED ITEMS

DOCKET STN-50-528 PALO VERDE NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 3-11 deleted.
FELTDM, J. M. Division of Rules and Records 82/04/29 MCMURRAY, C. M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips. 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--8201280003 Requests response for completing generic technical issue A-17 re sys interaction. Response required to define NRC position for establishing what plants would be required to perform sys interaction analyses.
TEDESCO, R. L. Assistant Director for Licensing 81/12/11
EISENHUT, D. G. Division of Licensing 3pp 13606 154. 24X
Fiche 50-000, 82/04/29, 8206230007.

8206010722 Forwards Human Factors Engineering Branch status rept on control room design review. Comments should be received by 820415
MIRAOLIA, F. J. Licensing Branch 3 82/05/11 VAN BRUNT, E. E. Arizona Public Service Co. 5pp 13331 165. 24X
Fiche 50-528, 82/05/11, 8206010722

8206250350 Notification of cancellation of 820629-0702 seismic qualification site audit in Maricopa County, AZ
LICITRA, E. A. Licensing Branch 3 82/05/21 MIRAOLIA, F. J. Licensing Branch 3. 3pp. 13629 360 24X Fiche. 50-528, 82/05/21, 8206250350

8206010521 Advises that response to NRC 820510 request for addl info re plant shutdown given postulated loss of essential spray pond spray nozzles will be provided by 820730
VAN BRUNT, E. E. Arizona Public Service Co. 82/05/24 TEDESCO, R. L. Assistant Director for Licensing 2pp 13311.351 24X
Fiche 50-528, 82/05/24, 8206010521

8206040246 Forwards response to NRC 811202 ltr re compliance w/10CFR20, 50 & 100
VAN BRUNT, E. E. Arizona Public Service Co. 82/06/01 MIRAOLIA, F. J. Licensing Branch 3 22pp. 13358 255. 24X Fiche 50-528, 82/06/01, 8206040246.

8206080229 Forwards operations organizational chart & corporate QA dept organization chart, reflecting changes in QA organization structure.
WOODS, T. G. Arizona Public Service Co. 82/06/01 TEDESCO, R. L. Assistant Director for Licensing. ENGELKEN, R. Region 5, Office of Director 2pp. 13422 001 24X Fiche 50-528, 82/06/01, 8206080229

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Olina Rept documents findings re cause of event W/o encl.
EISENHUT, D. G. Division of Licensing. 82/06/09. HAUSPUG, A. Consolidated Edison Co. of New York 13pp. 13557 349. 24X
Fiche 50-000, 82/06/09, 8206090153

8206150180 Discusses recent discovery of possible fault scarps in area of Hassayampa River 12 miles northeast of Palo Verde site. Further study of area including trenching will be undertaken to develop necessary data to resolve issue.
VAN BRUNT, E. E. Arizona Public Service Co. 82/06/10 DENTON, H. R. Office of Nuclear Reactor Regulation, Director. 5pp 13503 341. 24X Fiche 50-528, 82/06/10, 8206150180

8206210012 Summary of 820316-19 site visit by Caseload Forecast Panel to assess const progress for each unit Fuel load dates for Units 1 & 2 will be later than projected dates.
LICITRA, E. A. Licensing Branch 3 82/06/11 Licensing Branch 3 9pp. 13583 068. 24X Fiche 50-528, 82/06/11, 8206210012.

8206170133 Forwards program plan for independent QA evaluation of facilities for review prior to 820629 meeting.
VAN BRUNT, E. E. Arizona Public Service Co. 82/06/13 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 1p. 13540, 136 24X
Fiche. 50-528, 82/06/13, 8206170133.

--8206170136 Program plan for independent QA evaluation of facilities. * Torrey Pines Technology. 82/04/30. 40pp. 13540, 137. 24X
Fiche: 50-528, 82/06/13, 8206170133.

8206220085 Responds to 820512 memo re control of occupational doses by prevention of transport & buildup of radioactive crud, by removal of radionuclide deposits & minimization of failure of major plant components.
DRICKS, W. J. Office of the Executive Director for Operations. 82/06/15. BHEMNON, P. S. ACRS - Advisory Committee on Reactor Safeguards. 15pp. 13585, 177. 24X Fiche: 50-000, 82/06/15, 8206220085.

8206180004 Informs of latest developments re possible fault scarps in area of station, as followup to util 820610 ltr to NRC. Excavations showed positive evidence that faulting could not be cause of scarps.
VAN BRUNT, E. E. Arizona Public Service Co. 82/06/16 DENTON, H. R. Office of Nuclear Reactor Regulation, Director 4pp 13551 360
24X Fiche 50-528, 82/06/16, 8206180004

8206210024 Summary of 820608 meeting w/util in Bethesda, MD re program for emergency operating procedures & minimizing operator stress in emergencies. Comments will be provided following procedures generation package review in Aug.
LICITRA, E. A. Licensing Branch 3 82/06/16 Licensing Branch 3. 5pp 13582 329 24X Fiche 50-528, 82/06/16, 8206210024

8206210452 Requests clarification of items discussed in NRC 820511 status rept on control room design review per NUREG-0700. Agreed verification of similarity between plant simulator & control rooms necessary.
VAN BRUNT, E. E. Arizona Public Service Co. 82/06/16 TEDESCO, R. L. Assistant Director for Licensing 3pp 13568 282 24X
Fiche 50-528, 82/06/16, 8206210452

8206210124 Informs that util believes Reg Guide 1.27 & General Design Criterion 44 satisfied since regional aquifer provides assured source of UHS makeup supply & detailed procedures written.
VAN BRUNT, E. E. Arizona Public Service Co. 82/06/17 TEDESCO, R. L. Assistant Director for Licensing 5pp 13559 229 24X
Fiche 50-528, 82/06/17, 8206210124

8206290175 Summarizes investigations of scarp-like features near Hassayampa River in vicinity of facilities. Scarps are non-tectonic in origin.
MENDES, C. H. Arizona, State of 82/06/18 LEFEBVRE, H. NRC - No Detailed Affiliation Given 3pp 13634 305 24X
Fiche. 50-528, 82/06/18, 8206290175

8206250359 Forwards request for addl info re certain geologic features around site, Date by which addl info should be submitted should be provided within 1 wk of receipt of ltr.
MIRAOLIA, F. J. Licensing Branch 3. 82/06/21 VAN BRUNT, E. E. Arizona Public Service Co. 3pp 13630 001 24X
Fiche 50-528, 82/06/21, 8206250359

E NRC Safety Evaluation Report (SER), supp's & correspondence

8206010099 Forwards Suppl 2 to NRR SER concerning review of OL application W/o encl.
MIRAOLIA, F. J. Licensing Branch 3 82/05/17 VAN BRUNT, E. E. Arizona Public Service Co. 2pp 13331 220 24X
Fiche 50-528, 82/05/17, 8206010099

8206150277 Notifies that util review of SER NUREG-0857 re historical seismicity in State of AZ complete. Approach used to define regional seismicity & develop seismic design criteria conservative. Item 2 of SER considered resolved.
VAN BRUNT, E. E. Arizona Public Service Co. 82/05/21, TEDESCO, R. L. Assistant Director for Licensing 3pp 13495 343 24X
Fiche 50-528, 82/05/21, 8206150277

8206090227 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF PALO VERDE NUCLEAR GENERATING STATION, UNITS 1, 2 & 3. Docket Nos. STN 50-528, STN 50-529 & STN 50-530 (Arizona Public Service Company)
* Office of Nuclear Reactor Regulation, Director. NUREG-0857 802 82/05/31 31pp Available at NTIS \$3.00, 13457.311 24X
Fiche 50-528, 82/05/31, 8206090227

8206150302 Forwards revised Pages 7-13 to Palo Verde SER
TAYLOR, T. T. Battelle Memorial Institute, Pacific Northwest Laboratory 82/06/11 HUM, M. Materials Engineering Branch 8pp. 13506 028 24X Fiche. 50-528, 82/06/11, 8206150302

F Security, medical, emergency & fire protection plans

8206280581 Notification of cancellation of 820629-0701 fire protection site audit in Maricopa County, AZ.
LICITRA, E. A. Licensing Branch 3 82/05/17. MIRAOLIA, F. J. Licensing Branch 3 3pp. 13630 128 24X Fiche. 50-528, 82/05/17, 8206280581

8206150424 Requests addl info re alternate safe shutdown capability in event of fire. Shutdown sys does not include capability to monitor reactivity nor verify adequate core cooling during natural circulation flow.
MIRAOLIA, F. J. Licensing Branch 3 82/06/11 VAN BRUNT, E. E. Arizona Public Service Co. 3pp. 13525 238. 24X
Fiche 50-528, 82/06/11, 8206150424

Q Adjudicatory correspondence

B206010288 Motion for leave to file new contentions & for independent investigation re problems in electrical sys & falsification of records Good cause shown for late filing of contentions
BERNABEI, L. Hourihan, P. BERNABEI, L. Harmon & Weiss. 82/05/24
Atomic Safety and Licensing Board Panel 8pp 13301 086 24X
Fiche 50-528, 82/05/24, B206010288

--B206010294 Motion for protective order re worker who detailed electrical sys deficiencies & falsifications re electrical work Worker life threatened & other workers blackballed from jobs in similar circumstances Certificate of Svc encl
BERNABEI, L. Hourihan, P. BERNABEI, L. Harmon & Weiss. 82/05/24.
Atomic Safety and Licensing Board Panel 5pp 13301:094 24X
Fiche 50-528, 82/05/24, B206010288

B206010316 Responds to util B20511 ltr requesting NRC investigation of PL Hourihan allegations re electrical sys deficiencies.
Motion to be filed for leave to file new contention based on deficiencies
BERNABEI, L. Harmon & Weiss. BERNABEI, L. Hourihan, P. 82/05/24
PALLADINO, N. J. Commissioners 3pp 13300 060 24X
Fiche 50-528, 82/05/24, B206010316

B206040086 Notice of resumption of hearing on B20622 in Phoenix, AZ
LAZO, R. M. Atomic Safety and Licensing Board Panel. 82/06/01 1p
13347 240 24X Fiche 50-528, 82/06/01, B206040086

B206090019 Memorandum & order denying intervenor B20514 motion for reconsideration of ASLB B20427 ruling denying admissibility of potential effects of Pima-Maricopa Indian Community lawsuit on source of water & contract for effluent.
LAZO, R. M. Atomic Safety and Licensing Board Panel. 82/06/04
Hourihan, P. 6pp 13439 328 24X Fiche 50-528, 82/06/04, B206090012

B206170124 Advises that NRC intends to have R Gonzales introduce previously filed testimony during hearings scheduled to commence on B20622 Rebuttal testimony not presently contemplated
DEWEY, L. B. Hearing Branch 3 82/06/11 LAZO, R. M., COLE, R. F., CALLIHAN, D. Atomic Safety and Licensing Board Panel 2pp
13530 170 24X Fiche 50-528, 82/06/11, B206170124

B206170213 Forwards JJ Lemmon testimony & application for subpoena directed to JR McCain
BERNABEI, L. A. Harmon & Weiss. 82/06/15 LAZO, R. M., COLE, R. F., CALLIHAN, D. Atomic Safety and Licensing Board Panel. 1p.
13535.046 24X Fiche 50-528, 82/06/15, B206170213

--B206170220 Testimony of JJ Lemmon re contamination of groundwater in Phoenix area & possible adverse impact on available water supplies to municipalities in foreseeable future Supporting documentation encl.
LEMMON, J. J. Hourihan, P. LEMMON, J. J. Arizona, State of, 82/06/15 80pp 13533:047 24X Fiche 50-528, 82/06/15, B206170213

--B206170228 Application for issuance of subpoena directed to JR McCain to appear on B20622. McCain can testify on contract under which Joint Applicants hope to provide cooling water for plants. Proposed subpoena & Certificate of Svc encl.
BERNABEI, L. Hourihan, P. BERNABEI, L. Harmon & Weiss. 82/06/15
Atomic Safety and Licensing Board Panel. 5pp 13535.158 24X
Fiche 50-528, 82/06/15, B206170213.

B206230155 Petition for directed certification re ASLB exclusion of evidence about invalidity of util contract for effluent & likely effects of Pima-Maricopa Indian lawsuit on assured water supply
BERNABEI, L. Hourihan, P. BERNABEI, L. Harmon & Weiss. 82/06/21
Atomic Safety and Licensing Board Panel. 11pp. 13586 359. 24X
Fiche 50-528, 82/06/21, B206230155.

--B206230162 Application for issuance of subpoena directed to RK Swannan, Director, Ambient Water Quality Unit, AZ Dept of Health Svcs, to appear at B20622 hearing to testify about groundwater pollution Draft subpoena encl
BERNABEI, L. Hourihan, P. BERNABEI, L. Harmon & Weiss. 82/06/21
Atomic Safety and Licensing Board Panel. 4pp 13587-008. 24X
Fiche 50-528, 82/06/21, B206230155

--B206230164 Application for issuance of subpoena directed to JJ Lemmon, AZ Dept of Health Svcs, to appear at B20622 hearing to testify about groundwater pollution. Proposed subpoena & Certificate of Svc encl.
BERNABEI, L. Hourihan, P. BERNABEI, L. Harmon & Weiss. 82/06/21
Atomic Safety and Licensing Board Panel. 5pp. 13587:012 24X
Fiche 50-528, 82/06/21, B206230155.

Q Inspection reports, IE Bulletins & correspondence

B206020500 Forwards IE Insp Repts 50-528/82-08, 50-529/82-04 & 50-530/82-04 on B20301-0402 No noncompliance noted
BISHOP, T. W. Division of Resident, Reactor Project & Engineering Programs. 82/05/10 VAN BRUNT, E. E. Arizona Public Service Co
2pp 13324 354 24X Fiche 50-528, 82/05/10, B206020500

--B206020507 IE Insp Repts 50-528/82-08, 50-529/82-04 & 50-530/82-04 on B20301-0402 No noncompliance noted Major areas inspected, const activities associated w/installation of Unit 1 Train A diesel generator control cabinets
VONDERBRUGGEN, ECKHARDT, J. H. Division of Resident, Reactor Project & Engineering Programs. 82/05/06 8pp 13324 356 24X
Fiche 50-528, 82/05/10, B206020500

B206020559 Forwards IE Insp Rept 50-528/82-09 on B20322-0430 & notice of violation
STERNBERG, D. M. Division of Resident, Reactor Project & Engineering Programs. 82/05/12 ANDOONINI, G. C. Arizona Public Service Co
2pp. 13322 337. 24X Fiche 50-528, 82/05/12, B206020559

--B206020562 Notice of violation from insp on B20322-0430
FIORELLI, G. Division of Resident, Reactor Project & Engineering Programs. 82/05/12 2pp 13322.339. 24X Fiche 50-528, 82/05/12, B206020559

--B206020565 IE Insp Rept 50-528/82-09 on B20322-0430 Noncompliance noted failure to maintain cleanliness in areas housing safety-related equipment & failure to implement required tagging on temporary mods
FIORELLI, G., JOHNSTON, G., ZWETZIO, G. Division of Resident, Reactor Project & Engineering Programs. 82/05/10 6pp 13322.341 24X
Fiche 50-528, 82/05/12, B206020559.

B206150270 Forwards IE Insp Rept 50-528/82-15 on B20426-28 No noncompliance noted
STERNBERG, D. M. Region 5, Office of Director. 82/05/27, ANDOONINI, G. C. Arizona Public Service Co 4pp. 13495 331. 24X
Fiche 50-528, 82/05/27, B206150270

--B206150272 IE Insp Rept 50-528/82-15 on B20426-28 No noncompliance noted Major areas inspected plant procedures, training & general status of preparation for operating phase.
JOHNSTON, P. H., WILLET, D. J., ZWETZIO, G. B. Region 5, Office of Director. 82/05/27 3pp 13495 335 24X Fiche 50-528, 82/05/27, B206150270

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl.
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/05/28 107pp. 13424 095 24X
Fiche 50-000, 82/05/28, B202040147.

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl.
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/05/28 103pp 13440 264. 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/02 108pp. 13527 150. 24X
Fiche 50-000, 82/06/02, B204210380.

B206220366 Forwards IE Insp Rept 50-528/82-13 on B20503-28. No noncompliance noted.
STERNBERG, D. M. Division of Resident, Reactor Project & Engineering Programs. 82/06/07, ANDOONINI, G. C. Arizona Public Service Co. 4pp 13581 276 24X Fiche 50-528, 82/06/07, B206220366

--B206220371 IE Insp Rept 50-528/82-13 on B20503-28 No noncompliance noted Major areas inspected: preoperational testing, QA, maint, facility tours & independent insp effort activities.
FIORELLI, G., JOHNSTON, G., ZWETZIO, G. Division of Resident, Reactor Project & Engineering Programs. 82/06/03. 6pp 13581:280. 24X
Fiche 50-528, 82/06/07, B206220366.

B204210383 IE Info Notice B2-17, "Overpressurization of RCB " Svc list encl.
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/06/11. 106pp 13475.258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 82/06/11 120pp. 13475 189. 24X
Fiche 50-000, 82/06/11, B204210384

S Reportable occurrences, LERs & related correspondence

8206080330 Final deficiency rept re leaks in temporary water lines disturbing backfill under auxiliary & control bldgs. initially reported 8/10/07 All temporary water, air & gas lines taken out of svc Abandoned pipelines will be grouted
VAN BRUNT, E E Arizona Public Service Co 82/05/20 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 4pp. 13420 044 24X Fiche 50-528, 82/05/20, 8206080330

8206080411 Interim deficiency rept re Bechtel supplier document register errors which might allow outdated C-E procedures to be used for unit instrument calibr, initially reported on 820421 Final rept due by 820920
VAN BRUNT, E E Arizona Public Service Co 82/05/21 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 3pp. 13416-278 24X Fiche 50-528, 82/05/21, 8206080411

8206210634 Interim deficiency rept re diesel generator control cabinets wiring not separated between Class IE & non-Class IE, initially reported 8/12/00 Final rept expected 820824 Delay of final rept due to extensive corrective action required
VAN BRUNT, E E Arizona Public Service Co 82/09/24 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 2pp 13363 221 24X Fiche 50-528, 82/05/24, 8206210634

8206250200 Final deficiency rept re inadequate main control panel TH-200 wiring separation, initially reported on 8/12/00 Nonconformance Repts EC-1668 & EC-1669 will be dispositioned to provide addl electrical barriers
VAN BRUNT, E E Arizona Public Service Co 82/05/24 BISHOP, T W Region 5, Office of Director 7pp 13613 293 24X Fiche 50-528, 82/05/24, 8206250200

8206150139 Final deficiency rept re low pressure safety injection pump & containment spray pump potentially loose antirotation pins Loose pins will be tack welded Deficiency not reportable per 10CFR50 55(e)
VAN BRUNT, E E Arizona Public Service Co 82/05/26 BISHOP, T W Region 5, Office of Director 3pp 13509 099 24X Fiche 50-528, 82/05/26, 8206150139

8206150184 Interim deficiency rept re failure of design spec drawings for instrument clamps to show locknuts per ASME III code requirements, initially reported in 820303 telcon Final rept due by 820826 due to extensive investigation
VAN BRUNT, E E Arizona Public Service Co 82/05/26 BISHOP, T W Region 5, Office of Director 2pp 13501 362 24X Fiche: 50-528, 82/05/26, 8206150184

8206180136 Revised interim deficiency rept re failure of turbine driven pump to provide auxiliary feedwater flow within 10-s of motor driven pump failure, initially reported on 8/06/26 C-E/ Bechtel final rept will be submitted by 820923
VAN BRUNT, E E Arizona Public Service Co 82/06/04 BISHOP, T W Region 5, Office of Director 3pp 13552 006 24X Fiche 50-528, 82/06/04, 8206180136

8206180305 Interim deficiency rept advising of delay in submittal of final rept re Fisher pressure-regulating valves supplied by C-E, initially reported 8/11/23 Due to extensive investigation & evaluation, info will not be finalized until 820804.
VAN BRUNT, E E Arizona Public Service Co 82/06/04 BISHOP, T W Region 5, Office of Director 2pp 13547 260 24X Fiche 50-528, 82/06/04, 8206180305

8206250261 Final Deficiency Rept DER B1-10 re use of hardened brass washers in lieu of steel washers Encl ASME 820118 ltr indicates that use of hardened brass washer acceptable Condition evaluated as not reportable under 10CFR50 55(e).
VAN BRUNT, E E Arizona Public Service Co 82/06/04 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 5pp. 13613 186 24X Fiche: 50-528, 82/06/04, 8206250261.

8206250148 Interim deficiency rept re weld procedure not qualified by Ametek-Brazz for reactor hot leg pipe stops, initially reported on 820514 Final rept expected by 820917.
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W Region 5, Office of Director 3pp 13613 326 24X Fiche: 50-528, 82/06/08, 8206250148

8206250189 Revision 1 to final deficiency rept re pipe supports fabricated w/o required weld joint preparation, initially reported 8/06/18 Dummy stub pipe no longer welded to run pipe Drawings revised Not reportable per 10CFR50 55(e)
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W Region 5, Office of Director 4pp. 13613 270 24X Fiche: 50-528, 82/06/08, 8206250189

8206250191 Final deficiency rept re instrument clamps installed w/o calculations for thermal expansions, initially reported 820326 All clamps will be reinstalled Responsible persons have reviewed problem Spec change will be issued
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 3pp 13613 259 24X Fiche 50-528, 82/06/08, 8206250191

8206250221 Deficiency rept re main steam support structure roof beam to column connections not installed according to drawings. initially reported 820511 Deficiency determined not reportable under 10CFR50 55(e)
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 2pp 13613 301 24X Fiche 50-528, 82/06/08, 8206250221

8206250186 Interim deficiency rept re Class IE motor control ctr by GE burned out due to protruding screw puncturing cable insulation Bechtel currently completing investigation Evaluation & submittal of final rept expected by 820819
VAN BRUNT, E E Arizona Public Service Co 82/06/09 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 4pp. 13613 274 24X Fiche 50-528, 82/06/09, 8206250186

T Hearing transcripts on non-antitrust matters

8206020045 Transcript of 820525 DL hearing in Phoenix, AZ Pp 982-1,13/ * Atomic Safety and Licensing Board Panel 82/05/25 160pp 13323 001 24X Fiche 50-528, 82/05/25, 8206020045

8206020368 Transcript of 820526 evidentiary hearing in Phoenix, AZ Pp 1,138-1,337 * Atomic Safety and Licensing Board Panel 82/05/26 201pp 13320 003 24X Fiche 50-528, 82/05/26, 8206020368

8206020050 Transcript of 820527 DL hearing in Phoenix, AZ Pp 1,370-1,871 * Atomic Safety and Licensing Board Panel 82/05/27 240pp 13322 001 24X Fiche 50-528, 82/05/27, 8206020050

8206020327 Transcript of 820528 hearing in Phoenix, AZ Pp 1,872-1,778 * Atomic Safety and Licensing Board Panel 82/05/28 208pp 13323 158 24X Fiche 50-528, 82/05/28, 8206020327

8206170213 Forwards JJ Lemmon testimony & application for subpoena directed to JR McCain
BERNABEI, L A Harmon & Weiss 82/06/15 LAZO, R M Atomic Safety and Licensing Board Panel 1p 13535 046 24X Fiche: 50-528, 82/06/15, 8206170213

--8206170220 Testimony of JJ Lemmon re contamination of groundwater in Phoenix area & possible adverse impact on available water supplies to municipalities in foreseeable future Supporting documentation encl
LEMMON, J J Hourihan, P LEMMON, J J Arizona, State of 82/06/15 80pp 13535 047 24X Fiche 50-528, 82/06/15, 8206170213

8206180202 Forwards testimony of EK Swanson re groundwater contamination in Phoenix, AZ area
BERNABEI, L Harmon & Weiss 82/06/16 LAZO, R M, COLE, R F CALLAHAN, D Atomic Safety and Licensing Board Panel. 1p. 13533 241 24X Fiche: 50-528, 82/06/16, 8206180202

--8206180210 Testimony of EK Swanson re contamination of groundwater in Phoenix, AZ area documented by State of AZ Dept of Health Svcs Trichloroethylene briefing document, raw data & dibromochloropropane sampling program encl
SWANSON, E K Arizona, State of 82/06/16 125pp. 13553 242 24X Fiche 50-528, 82/06/16, 8206180202

8206180217 Testimony of WO Bingham re circulating water tests, flexibility in design & operation of circulating water sys & reliability of facility water reclamation plant
BINGHAM, W O Arizona Public Service Co 82/06/17 31pp. 13534 286 24X Fiche: 50-528, 82/06/17, 8206180217.

8206300272 Transcript of 820622 DL hearing in Phoenix, AZ. Pp 1,777-2,019. * Atomic Safety and Licensing Board Panel 82/06/22 212pp 13653 068. 24X Fiche 50-528, 82/06/22, 8206300272.

8206300318 Transcript of 820623 DL evidentiary hearing in Phoenix, AZ Pp 2,020-2,222. * Atomic Safety and Licensing Board Panel 82/06/23 203pp 13657 164 24X Fiche 50-528, 82/06/23, 8206300318

8206300120 Transcript of 820614 DL hearing in Phoenix, AZ Pp 2,223-2,454. * Atomic Safety and Licensing Board Panel 82/06/24 231pp 13656-069. 24X Fiche 50-528, 82/06/24, 8206300120.

8206300162 Transcript of 820623 OL evidentiary hearing in Phoenix, AZ
Pp 2, 455-2, 710
* Atomic Safety and Licensing Board Panel 82/06/23 291pp
13653 001 24X Fiche 50-528, 82/06/23, 8206300162

DOCKET STN-50-529 PALO VERDE NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents
Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCHURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--8201280005 Requests response for completing generic technical issue
A-17 re sys interaction Response required to define NRC position for establishing what plants would be required to perform sys interaction analyses
TEDESCO, R L Assistant Director for Licensing 81/12/11
EISENHUT, D O Division of Licensing 3pp 13606 154 24X
Fiche 50-000, 82/04/29, 8206230007

820610722 Forwards Human Factors Engineering Branch status rept on control room design review Comments should be received by 820615
MIRAGLIA, F J Licensing Branch 3 82/05/11 VAN BRUNT, E E
Arizona Public Service Co 53pp 13331 163 24X
Fiche 50-528, 82/05/11, 820610722

8206250350 Notification of cancellation of 820629-0702 seismic qualification site audit in Maricopa County, AZ
LICITRA, E A Licensing Branch 3 82/05/21 MIRAGLIA, F J
Licensing Branch 3 3pp 13629 360 24X Fiche 50-528, 82/05/21, 8206250350

820610521 Advises that response to NRC 820510 request for addl info re plant shutdown given postulated loss of essential spray and spray nozzles will be provided by 820730
VAN BRUNT, E E Arizona Public Service Co 82/05/24, TEDESCO, R L
Assistant Director for Licensing 2pp 13311 351 24X
Fiche 50-528, 82/05/24, 820610521

8206040246 Forwards response to NRC 811202 ltr re compliance w/10CFR20, 50 & 100
VAN BRUNT, E E Arizona Public Service Co 82/06/01 MIRAGLIA, F J
Licensing Branch 3 22pp 13358 255 24X Fiche 50-528, 82/06/01, 8206040246

8206080229 Forwards operations organizational chart & corporate QA dept organization chart, reflecting changes in QA organization structure
WOODS, T O Arizona Public Service Co 82/06/01 TEDESCO, R L
Assistant Director for Licensing ENGLEKEN, R. Region 5, Office of Director 2pp 13422 001 24X Fiche 50-528, 82/06/01, 8206080229

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0716 relative to restart of RE Ginna. Rept documents findings re cause of event W/o encl
EISENHUT, D O Division of Licensing 82/06/09, HAUSPURG, A.
Consolidated Edison Co of New York, 13pp 13557 349 24X
Fiche 50-000, 82/06/09, 8206090153

8206150180 Discusses recent discovery of possible fault scarps in area of Hassayampa River 12 miles northeast of Palo Verde site. Further study of area including trenching will be undertaken to develop necessary data to resolve issue
VAN BRUNT, E E Arizona Public Service Co. 82/06/10 DENTON, H R
Office of Nuclear Reactor Regulation, Director 5pp 13503 341, 24X Fiche 50-528, 82/06/10, 8206150180

8206210012 Summary of 820316-19 site visit by Caseload Forecast Panel to assess const progress for each unit Fuel load dates for Units 1 & 2 will be later than projected dates
LICITRA, E A Licensing Branch 3 82/06/11 Licensing Branch 3
7pp 13583 068 24X Fiche 50-528, 82/06/11, 8206210012

8206170133 Forwards program plan for independent QA evaluation of facilities for review prior to 820629 meeting
VAN BRUNT, E E, Arizona Public Service Co. 82/04/15 DENTON, H R.
Office of Nuclear Reactor Regulation, Director 1p 13540:136, 24X
Fiche 50-528, 82/06/15, 8206170133

--8206170136 Program plan for independent QA evaluation of facilities
* Torrey Pines Technology 82/06/30 40pp. 13540:137, 24X
Fiche 50-528, 82/06/15, 8206170133.

8206220085 Responds to 820512 memo re control of occupational doses by prevention of transport & buildup of radioactive crud, by removal of radionuclide deposits & minimization of failure of major plant components
DIRCKS, W J Office of the Executive Director for Operations.
82/06/15 SHEWMON, P B ACRS - Advisory Committee on Reactor Safeguards 15pp 13585 177 24X Fiche 50-000, 82/06/15, 8206220085.

8206180004 Informs of latest developments re possible fault scarps in area of station, as followup to util 820610 ltr to NRC
Excavations showed positive evidence that faulting could not be cause of scarps
VAN BRUNT, E E Arizona Public Service Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp. 13551 360
24X Fiche 50-528, 82/06/16, 8206180004

8206210024 Summary of 820608 meeting w/util in Bethesda, MD re program for emergency operating procedures & minimizing operator stress in emergencies Comments will be provided following procedures generation package review in Aug
LICITRA, E A Licensing Branch 3 82/06/16 Licensing Branch 3
5pp 13582 329 24X Fiche 50-528, 82/06/16, 8206210024

8206210452 Requests clarification of items discussed in NRC 820511 status rept on control room design review per NUREG-0700
Agreed verification of similarity between plant simulator & control rooms necessary
VAN BRUNT, E E Arizona Public Service Co. 82/06/16 TEDESCO, R L
Assistant Director for Licensing 3pp 13568 282 24X
Fiche 50-528, 82/06/16, 8206210452

8206210124 Informs that util believes Reg Guide 1.27 & General Design Criterion 44 satisfied since regional aquifer provides assured source of UHS makeup supply & detailed procedures written
VAN BRUNT, E E Arizona Public Service Co 82/06/17 TEDESCO, R L
Assistant Director for Licensing 5pp 13559 229, 24X
Fiche 50-528, 82/06/17, 8206210124

8206290175 Summarizes investigations of scarp-like features near Hassayampa River in vicinity of facilities Scarps are nontectonic in origin
HENGEB, C M Arizona, State of. 82/06/18, LEFEVRE, H NRC - No
Detailed Affiliation Given 3pp 13634 305 24X
Fiche 50-528, 82/06/18, 8206290175

8206250359 Forwards request for addl info re certain geologic features around site Date by which addl info should be submitted should be provided within 1 wk of receipt of ltr
MIRAGLIA, F J Licensing Branch 3 82/06/21 VAN BRUNT, E E
Arizona Public Service Co 3pp 13630 001 24X
Fiche 50-528, 82/06/21, 8206250359

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206010099 Forwards Suppl 2 to NRR SER concerning review of DL application W/o encl
MIRAGLIA, F J Licensing Branch 3 82/05/17 VAN BRUNT, E E
Arizona Public Service Co 2pp 13331 220, 24X
Fiche 50-528, 82/05/17, 8206010099

8206150277 Notifies that util review of SER NUREG-0857 re historical seismicity in State of AZ complete Approach used to define regional seismicity & develop seismic design criteria conservative Item 2 of SER considered resolved.
VAN BRUNT, E E Arizona Public Service Co 82/05/21, TEDESCO, R L
Assistant Director for Licensing 3pp 13495 343, 24X
Fiche 50-528, 82/05/21, 8206150277

8206090227 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF PALO VERDE NUCLEAR GENERATING STATION, UNITS 1, 2 & 3 Docket Nos STN 50-528, STN 50-529 & STN 50-530 (Arizona Public Service Company)
* Office of Nuclear Reactor Regulation, Director NUREG-0857 802, 82/05/31 31pp Available at NTIS, \$3 00, 13457.311 24X
Fiche 50-528, 82/05/31, 8206090227

8206150302 Forwards revised Pages 7-13 to Palo Verde SER
TAYLOR, T T Battelle Memorial Institute, Pacific Northwest
Laboratory 82/06/11, HUM, M Materials Engineering Branch. 8pp.
13506 028 24X Fiche 50-528, 82/06/11, 8206150302

F Security, medical, emergency & fire protection plans

8206280581 Notification of cancellation of 820629-0701 fire protection site audit in Maricopa County, AZ.
LICITRA, E A Licensing Branch 3 82/05/17 MIRAGLIA, F J
Licensing Branch 3. 3pp 13630 128 24X Fiche 50-528, 82/05/17, 8206280581

8206150424 Requests addl info re alternate safe shutdown capability in event of fire Shutdown sys does not include capability to monitor reactivity nor verify adequate core cooling during natural circulation flow
MIRAOLIA, F J Licensing Branch 3 82/06/11 VAN BRUNT, E E
Arizona Public Service Co 3pp. 13525 238 24X
Fiche 50-528, 82/05/11, 8206150424.

0 Adjudicatory correspondence

8206010288 Motion for leave to file new contentions & for independent investigation re problems in electrical sys & falsification of records Good cause shown for late filing of contentions
BERNABEI, L Hourihan, P. BERNABEI, L Harmon & Weiss 82/05/24
Atomic Safety and Licensing Board Panel 8pp. 13301 086 24X
Fiche 50-528, 82/05/24, 8206010288

--8206010294 Motion for protective order re worker who detailed electrical sys deficiencies & falsifications re electrical work Worker life threatened & other workers blackballed from jobs in similar circumstances Certificate of Svc encl.
BERNABEI, L Hourihan, P. BERNABEI, L Harmon & Weiss 82/05/24
Atomic Safety and Licensing Board Panel 5pp. 13301 094 24X
Fiche 50-528, 82/05/24, 8206010288.

8206010316 Responds to util 820511 ltr requesting NRC investigation of PL Hourihan allegations re electrical sys deficiencies
Motion to be filed for leave to file new contention based on deficiencies.
BERNABEI, L Harmon & Weiss BERNABEI, L Hourihan, P 82/05/24.
PALLADINO, N.J. Commissioners 3pp. 13300 060 24X
Fiche 50-528, 82/05/24, 8206010316

8206040086 Notice of resumption of hearing on 820622 in Phoenix, AZ
LAZO, R M Atomic Safety and Licensing Board Panel 82/06/01 1p
13347 240 24X Fiche 50-528, 82/06/01, 8206040086.

8206090019 Memorandum & order denying intervenor 820514 motion for reconsideration of ASLB 820427 ruling denying admissibility of potential effects of Pima-Maricopa Indian Community lawsuit on source of water & contract for effluent
LAZO, R M Atomic Safety and Licensing Board Panel 82/06/04.
Hourihan, P 8pp. 13439 328. 24X Fiche: 50-528, 82/06/04, 8206090012

8206170124 Advises that NRC intends to have R Gonzales introduce previously filed testimony during hearings scheduled to commence on 820622 Rebuttal testimony not presently contemplated
DEWEY, L S Hearing Branch 3 82/06/11. LAZO, R M, COLE, R F,
CALLAHAN, D Atomic Safety and Licensing Board Panel. 2pp
13530 170 24X Fiche 50-528, 82/06/11, 8206170124

8206170213 Forwards JJ Lemmon testimony & application for subpoena directed to JR McCain
BERNABEI, L A Harmon & Weiss 82/06/15 LAZO, R M, COLE, R F,
CALLAHAN, D Atomic Safety and Licensing Board Panel 1p
13335 046 24X Fiche 50-528, 82/06/15, 8206170213.

--8206170228 Application for issuance of subpoena directed to JR McCain to appear on 820622 McCain can testify on contract under which Joint Applicants hope to provide cooling water for plants. Proposed subpoena & Certificate of Svc encl.
BERNABEI, L Hourihan, P. BERNABEI, L Harmon & Weiss. 82/06/15
Atomic Safety and Licensing Board Panel. 3pp. 13535 158 24X
Fiche: 50-528, 82/06/15, 8206170213.

8206230155 Petition for directed certification re ASLB exclusion of evidence about invalidity of util contract for effluent & likely effects of Pima-Maricopa Indian lawsuit on assured water supply
BERNABEI, L Hourihan, P. BERNABEI, L Harmon & Weiss 82/06/21.
Atomic Safety and Licensing Board Panel. 11pp. 13586 399. 24X
Fiche: 50-528, 82/06/21, 8206230155.

--8206230162 Application for issuance of subpoena directed to RK Swanson, Director, Ambient Water Quality Unit, AZ Dept of Health Svcs, to appear at 820622 hearing to testify about groundwater pollution Draft subpoena encl.
BERNABEI, L Hourihan, P. BERNABEI, L Harmon & Weiss. 82/06/21
Atomic Safety and Licensing Board Panel. 4pp. 13587:008. 24X
Fiche: 50-528, 82/06/21, 8206230155.

--8206230164 Application for issuance of subpoena directed to JJ Lemmon, AZ Dept of Health Svcs, to appear at 820622 hearing to testify about groundwater pollution Proposed subpoena & Certificate of Svc encl
BERNABEI, L Hourihan, P. BERNABEI, L Harmon & Weiss. 82/06/21
Atomic Safety and Licensing Board Panel. 3pp. 13587:012. 24X
Fiche: 50-528, 82/06/21, 8206230155.

0 Inspection reports, IE Bulletins & correspondence

8206020500 Forwards IE Insp Rpts 50-528/82-08, 50-529/82-04 & 50-530/82-04 on 820301-0402 No noncompliance noted
BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/05/10 VAN BRUNT, E E Arizona Public Service Co
2pp 13324 334 24X Fiche 50-528, 82/05/10, 8206020500

--8206020507 IE Insp Rpts 50-528/82-08, 50-529/82-04 & 50-530/82-04 on 820301-0402 No noncompliance noted Major areas inspected const activities associated w/installation of Unit 1 Train A diesel generator control cabinets
VORDERBRUECKEN, ECKHARDT, J H Division of Resident, Reactor Project & Engineering Programs 82/05/06 8pp 13324, 336 24X
Fiche 50-528, 82/05/10, 8206020500

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche: 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/30 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PHR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210394 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

5 Reportable occurrences, LERs & related correspondence

8206080330 Final deficiency rept re leaks in temporary water lines disturbing backfill under auxiliary & control bldgs, initially reported 811007 All temporary water, air & gas lines taken out of svc Abandoned pipelines will be grouted
VAN BRUNT, E E Arizona Public Service Co 82/05/20 BISHOP, T W
Division of Resident, Reactor Project & Engineering Programs 4pp.
13420:044 24X Fiche 50-528, 82/05/20, 8206080330

8206150139 Final deficiency rept re low pressure safety injection pump & containment spray pump potentially loose antirotation pins Loose pins will be tack welded Deficiency not reportable per 10CFR50.35(e)
VAN BRUNT, E E, Arizona Public Service Co 82/05/26 BISHOP, T W
Region 5, Office of Director 5pp 13505 099 24X
Fiche: 50-528, 82/05/26, 8206150139

8206150184 Interim deficiency rept re failure of design spec drawings for instrument clamps to show locknuts per ASME III code requirements, initially reported in 820303 telcon Final rept due by 820826 due to extensive investigation
VAN BRUNT, E E Arizona Public Service Co 82/05/26, BISHOP, T W
Region 5, Office of Director 2pp. 13501 362 24X
Fiche: 50-528, 82/05/26, 8206150184

8206180136 Revised interim deficiency rept re failure of turbine driven pump to provide auxiliary feedwater flow within 10-s of motor driven pump failure, initially reported on 810626, C-E/Reactor Final rept will be submitted by 820923.
VAN BRUNT, E E Arizona Public Service Co. 82/06/04 BISHOP, T W
Region 5, Office of Director 3pp 13592 006 24X
Fiche: 50-528, 82/06/04, 8206180136

8206250261 Final Deficiency Rept DER 81-10 re use of hardened brass washers in lieu of steel washers Encl ASME 820118 ltr indicates that use of hardened brass washer acceptable. Condition evaluated as not reportable under 10CFR50.35(e).
VAN BRUNT, E E Arizona Public Service Co. 82/06/04 BISHOP, T W
Division of Resident, Reactor Project & Engineering Programs 5pp
13613:186 24X Fiche: 50-528, 82/06/04, 8206250261

8206250148 Interim deficiency rept re weld procedure not qualified by Ametek-Sitara for reactor hot leg pipe stops, initially reported on 820514, Final rept expected by 820917.
VAN BRUNT, E E, Arizona Public Service Co. 82/06/08 BISHOP, T W
Region 5, Office of Director. 3pp 13613 326 24X
Fiche: 50-528, 82/06/08, 8206250148.

DOCKETED ITEMS

393

8206250189 Revision 1 to final deficiency rept re pipe supports fabricated w/o required weld joint preparation, initially reported B10618 Dummy stub pipe no longer welded to run pipe Drawings revised Not reportable per 10CFR50.55(e)
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W
Region 5, Office of Director App 13613 270 24X
Fiche: 50-528, 82/06/08, 8206250189

8206250191 Final deficiency rept re instrument clamps installed w/o calculations for thermal expansions, initially reported B20326 All clamps will be reinstalled Responsible persons have reviewed problem Spec change will be issued.
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W
Division of Resident, Reactor Project & Engineering Programs 3pp
13613 259 24X Fiche 50-528, 82/06/08, 8206250191

8206250221 Deficiency rept re main steam support structure roof beam to column connections not installed according to drawings, initially reported B20511 Deficiency determined not reportable under 10CFR50.55(e)
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W
Division of Resident, Reactor Project & Engineering Programs 2pp
13613:301 24X Fiche 50-528, 82/06/08, 8206250221

8206250186 Interim deficiency rept re Class IE motor control ctr by GE burned out due to protruding screw puncturing cable insulation Bechtel currently completing investigation Evaluation & submittal of final rept expected by B20819
VAN BRUNT, E E Arizona Public Service Co 82/06/09 BISHOP, T W
Division of Resident, Reactor Project & Engineering Programs 4pp
13613.274 24X Fiche 50-528, 82/06/09, 8206250186

T Hearing transcripts on non-antitrust matters

8206020045 Transcript of B20525 DL hearing in Phoenix, AZ. Pp 782-1,137
* Atomic Safety and Licensing Board Panel 82/05/23 160pp
13323 001 24X Fiche 50-528, 82/05/23, 8206020045

8206020368 Transcript of B20526 evidentiary hearing in Phoenix, AZ. Pp 1,138-1,337.
* Atomic Safety and Licensing Board Panel 82/05/26 201pp.
13320 003 24X Fiche 50-528, 82/05/26, 8206020368

8206020050 Transcript of B20527 DL hearing in Phoenix, AZ Pp 1,338-1,371
* Atomic Safety and Licensing Board Panel 82/05/27 240pp
13322 001 24X Fiche 50-528, 82/05/27, 8206020050.

8206020327 Transcript of B20528 hearing in Phoenix, AZ Pp 1,572-1,778.
* Atomic Safety and Licensing Board Panel 82/05/28 208pp.
13323 198 24X Fiche. 50-528, 82/05/28, 8206020327.

8206170213 Forwards JJ Lemmon testimony & application for subpoena directed to JR McCain
BERNABEI, L A Harmon & Weiss, 82/06/15, LAZO, R M Atomic Safety and Licensing Board Panel 1p 13533 046 24X
Fiche 50-528, 82/06/15, 8206170213.

--8206170220 Testimony of JJ Lemmon re contamination of groundwater in Phoenix area & possible adverse impact on available water supplies to municipalities in foreseeable future Supporting documentation encl
LEMMON, J. J Hourihan, P LEMMON, J. J Arizona, State of
82/06/15 80pp 13533 047 24X Fiche 50-528, 82/06/15, 8206170213

8206180202 Forwards testimony of EK Swanson re groundwater contamination in Phoenix, AZ area.
BERNABEI, L Harmon & Weiss 82/06/16 LAZO, R M, COLE, R F., CALLAHAN, D Atomic Safety and Licensing Board Panel. 1p.
13533:241 24X Fiche: 50-528, 82/06/16, 8206180202

--8206180210 Testimony of EK Swanson re contamination of groundwater in Phoenix, AZ area documented by State of AZ Dept of Health Svcs, Trichloroethylene briefing document, raw data & dibromochloropropane sampling program encl.
SWANSON, E. K. Arizona, State of. 82/06/16. 125pp 13533:242.
24X Fiche 50-528, 82/06/16, 8206180202

8206180217 Testimony of W0 Bingham re circulating water tests, flexibility in design & operation of circulating water sys & reliability of facility water reclamation plant.
BINGHAM, W.0 Arizona Public Service Co 82/06/17. 31pp.
13534.286. 24X Fiche. 50-528, 82/06/17, 8206180217.

8206300272 Transcript of B20622 DL hearing in Phoenix, AZ Pp 1,779-2,019
* Atomic Safety and Licensing Board Panel 82/06/22. 212pp.
13633 068 24X Fiche: 50-528, 82/06/22, 8206300272

8206300318 Transcript of B20623 DL evidentiary hearing in Phoenix, AZ Pp 2,020-2,222
* Atomic Safety and Licensing Board Panel 82/06/23 205pp.
13637:164 24X Fiche 50-528, 82/06/23, 8206300318

8206300120 Transcript of B20614 DL hearing in Phoenix, AZ Pp 2,223-2,454
* Atomic Safety and Licensing Board Panel 82/06/24 231pp
13636 069 24X Fiche 50-528, 82/06/24, 8206300120

8206300162 Transcript of B20623 DL evidentiary hearing in Phoenix, AZ. Pp 2,455-2,710
* Atomic Safety and Licensing Board Panel 82/06/25 291pp.
13655:001. 24X Fiche 50-528, 82/06/25, 8206300162.

DOCKET 81N-50-530 PALO VERDE NUCLEAR STATION. UNIT 3

A Application/construction stage documents & correspondence

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54,3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C H
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044. 24X Fiche. 50-000, 82/04/29, 8206230007

--B201280005 Requests response for completing generic technical issue A-17 re sys interaction Response required to define NRC position for establishing what plants would be required to perform sys interaction analyses
TEDESCO, R L Assistant Director for Licensing. 81/12/11
EISENHUT, D G Division of Licensing 3pp 13606 154 24X
Fiche 50-000, 82/04/29, 8206230007

8206010722 Forwards Human Factors Engineering Branch status rept on control room design review Comments should be received by B20615
MIRAOLIA, F J Licensing Branch 3 82/05/11 VAN BRUNT, E E.
Arizona Public Service Co. 35pp. 13331 165 24X
Fiche 50-528, 82/05/11, 8206010722

8206250350 Notification of cancellation of B20629-0702 seismic qualification site audit in Maricopa County, AZ
LICITRA, E A Licensing Branch 3 82/05/21 MIRAOLIA, F J.
Licensing Branch 3 3pp 13629 360 24X Fiche. 50-528, 82/05/21, 8206250350

8206010321 Advises that response to NRC 820510 request for addl info re plant shutdown given postulated loss of essential spray pond spray nozzles will be provided by B20730.
VAN BRUNT, E E Arizona Public Service Co 82/05/24, TEDESCO, R. L
Assistant Director for Licensing 2pp 13311:351. 24X
Fiche 50-528, 82/05/24, 8206010321

8206040246 Forwards response to NRC B11202 ltr re compliance w/10CFR20, 50 & 100.
VAN BRUNT, E. E, Arizona Public Service Co. 82/06/01 MIRAOLIA, F. J.
Licensing Branch 3 22pp 13358:255. 24X Fiche 50-528, 82/06/01, 8206040246

8206080829 Forwards operations organizational chart & corporate QA dept organization chart, reflecting changes in QA organization structure
WOODS, T O Arizona Public Service Co 82/06/01, TEDESCO, R L
Assistant Director for Licensing ENGELKEN, R. Region 5, Office of Director 2pp 13422 001 24X Fiche: 50-528, 82/06/01, 8206080829

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna. Rept documents findings re cause of event. W/o encl.
EISENHUT, D. G Division of Licensing. 82/06/09, HAUSPURG, A.
Consolidated Edison Co. of New York. 13pp 13537:349. 24X
Fiche: 50-000, 82/06/09, 8206090153

8206150180 Discusses recent discovery of possible fault scarps in area of Hassayampa River 12 miles northeast of Palo Verde site Further study of area including trenching will be undertaken to develop necessary data to resolve issue.
VAN BRUNT, E E, Arizona Public Service Co. 82/06/10, DENTON, H. R
Office of Nuclear Reactor Regulation, Director. 5pp. 13503,341.
24X Fiche: 50-528, 82/06/10, 8206150180.

8206250012 Summary of B20316-19 site visit by Caseload Forecast Panel to assess const progress for each unit. Fuel load dates for Units 1 & 2 will be later than projected dates.
LICITRA, E. A. Licensing Branch 3. 82/06/11. Licensing Branch 3.
9pp 13583:068 24X Fiche: 50-528, 82/06/11, 8206250012

8206170133 Forwards program plan for independent QA evaluation of facilities for review prior to 820629 meeting.
VAN BRUNT, E E Arizona Public Service Co 82/06/15 DENTON, H R
Office of Nuclear Reactor Regulation, Director 1p 13540 136 24X
Fiche 50-528, 82/06/15, 8206170133

--8206170136 Program plan for independent QA evaluation of facilities
+ Torrey Pines Technology 82/06/30 40pp 13540 137 24X
Fiche 50-528, 82/06/15, 8206170133

8206220085 Responds to 820512 memo re control of occupational doses by prevention of transport & buildup of radioactive crud by removal of radionuclide deposits & minimization of failure of major plant components
DIRCKB, M J Office of the Executive Director for Operations 82/06/15 SHEHMON, P B ACRS - Advisory Committee on Reactor Safeguards. 15pp 13585 177 24X Fiche 50-000, 82/06/15, 8206220085

8206180004 Informs of latest developments re possible fault scarps in area of station, as followup to util 820610 ltr to NRC. Excavations showed positive evidence that faulting could not be cause of scarps
VAN BRUNT, E E Arizona Public Service Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13551 340 24X Fiche 50-528, 82/06/16, 8206180004

8206210024 Summary of 820608 meeting w/util in Bethesda, MD re program for emergency operating procedures & minimizing operator stress in emergencies. Comments will be provided following procedures generation package review in Aug.
LICITRA, E A Licensing Branch 3 82/06/14 Licensing Branch 3 3pp 13582 329 24X Fiche 50-528, 82/06/16, 8206210024

8206210452 Requests clarification of items discussed in NRC 820511 status rept on control room design review per NUREG-0700. Agreed verification of similarity between plant simulator & control rooms necessary
VAN BRUNT, E E Arizona Public Service Co 82/06/16 TEDESCO, R L Assistant Director for Licensing 3pp 13568 282. 24X
Fiche 50-528, 82/06/16, 8206210452

8206210124 Informs that util believes Reg Guide 1.27 & General Design Criterion 44 satisfied since regional aquifer provides assured source of UHS makeup supply & detailed procedures written
VAN BRUNT, E E Arizona Public Service Co 82/06/17 TEDESCO, R L Assistant Director for Licensing 5pp. 13559 229. 24X
Fiche 50-528, 82/06/17, 8206210124

8206290175 Summarizes investigations of scarp-like features near Hassayampa River in vicinity of facilities. Scarps are nontectonic in origin
MENGES, C M Arizona, State of 82/06/18 LEFEVRE, H NRC - No Detailed Affiliation Given 3pp. 13634 305 24X
Fiche 50-528, 82/06/18, 8206290175

8206250359 Forwards request for addl info re certain geologic features around site. Data by which addl info should be submitted should be provided within 1 wk of receipt of ltr.
MIRAGLIA, F J Licensing Branch 3 82/06/21 VAN BRUNT, E E Arizona Public Service Co 3pp 13630 001 24X
Fiche 50-528, 82/06/21, 8206250359

E NRC Safety Evaluation Report (SER), suppl & correspondence

8206010099 Forwards Suppl 2 to NRR SER concerning review of DL application w/o encl
MIRAGLIA, F J Licensing Branch 3 82/05/17 VAN BRUNT, E E Arizona Public Service Co 2pp. 13331-220 24X
Fiche 50-528, 82/05/17, 8206010099

8206150277 Notifies that util review of SER NUREG-0857 re historical seismicity in State of AZ complete. Approach used to define regional seismicity & develop seismic design criteria conservative. Item 2 of SER considered resolved
VAN BRUNT, E E Arizona Public Service Co 82/05/21, TEDESCO, R L Assistant Director for Licensing 3pp. 13495 343. 24X
Fiche 50-528, 82/05/21, 8206150277

8206090227 SAFETY EVALUATION REPORT RELATED TO THE OPERATION OF PALO VERDE NUCLEAR GENERATING STATION, UNITS 1, 2 & 3 Docket Nos. STN 50-528, STN 50-529 & STN 50-530, (Arizona Public Service Company)
* Office of Nuclear Reactor Regulation, Director. NUREG-0857 802, 82/05/31 31pp Available at NTIS. \$3.00. 13457, 311. 24X
Fiche 50-528, 82/05/31, 8206090227

8206150302 Forwards revised Pages 7-13 to Palo Verde SER.
TAYLOR, T T Battelle Memorial Institute, Pacific Northwest Laboratory 82/06/11 HUM, M Materials Engineering Branch 8pp 13506 028 24X Fiche 50-528, 82/06/11, 8206150302

F Security, medical, emergency & fire protection plans

8206280581 Notification of cancellation of 820629-0701 fire protection site audit in Maricopa County, AZ
LICITRA, E A Licensing Branch 3 82/05/17 MIRAGLIA, F J Licensing Branch 3 3pp 13630 128 24X Fiche 50-528, 82/05/17, 8206280581

8206150424 Requests addl info re alternate safe shutdown capability in event of fire. Shutdown sys does not include capability to monitor reactivity nor verify adequate core cooling during natural circulation flow
MIRAGLIA, F J Licensing Branch 3 82/06/11 VAN BRUNT, E E Arizona Public Service Co 3pp 13525 238 24X
Fiche 50-528, 82/06/11, 8206150424

G Adjudicatory correspondence

8206010288 Motion for leave to file new contentions & for independent investigation re problems in electrical sys & falsification of records. Good cause shown for late filing of contentions
BERNABEI, L Hourihan, P BERNABEI, L Harmon & Weiss. 82/05/24 Atomic Safety and Licensing Board Panel 8pp 13301 086 24X
Fiche 50-528, 82/05/24, 8206010288

--8206010294 Motion for protective order re worker who detailed electrical sys deficiencies & falsifications re electrical work. Worker life threatened & other workers blackballed from jobs in similar circumstances. Certificate of Svc encl
BERNABEI, L Hourihan, P BERNABEI, L Harmon & Weiss. 82/05/24 Atomic Safety and Licensing Board Panel 3pp 13301 094 24X
Fiche 50-528, 82/05/24, 8206010288

8206010316 Responds to util 820511 ltr requesting NRC investigation of PL Hourihan allegations re electrical sys deficiencies. Motion to be filed for leave to file new contention based on deficiencies
BERNABEI, L Harmon & Weiss. BERNABEI, L Hourihan, P 82/05/24 PALLADINO, N J Commissioners 3pp 13300 060 24X
Fiche 50-528, 82/05/24, 8206010316

8206040086 Notice of resumption of hearing on 820622 in Phoenix, AZ
LAZO, R M Atomic Safety and Licensing Board Panel 82/06/01 1p 13347 240 24X Fiche 50-528, 82/06/01, 8206040086

8206090019 Memorandum & order denying intervenor 820514 motion for reconsideration of ASLB 820427 ruling denying admissibility of potential effects of Pima-Maricopa Indian Community lawsuit on source of water & contract for effluent
LAZO, R M Atomic Safety and Licensing Board Panel 82/06/04 Hourihan, P 8pp 13439 328 24X Fiche 50-528, 82/06/04, 8206090019

8206170124 Advises that NRC intends to have R Gonzalez introduce previously filed testimony during hearings scheduled to commence on 820622. Rebuttal testimony not presently contemplated
DEWEY, L S Hearing Branch 3 82/06/11 LAZO, R M, COLE, R F, CALLAHAN, D Atomic Safety and Licensing Board Panel. 2pp 13530 170 24X Fiche 50-528, 82/06/11, 8206170124

8206170213 Forwards JJ Lemmon testimony & application for subpoena directed to JR McCain
BERNABEI, L A Harmon & Weiss. 82/06/15 LAZO, R M, COLE, R F, CALLAHAN, D Atomic Safety and Licensing Board Panel 1p 13535 046 24X Fiche 50-528, 82/06/15, 8206170213

--8206170228 Application for issuance of subpoena directed to JR McCain to appear on 820622. McCain can testify on contract under which Joint Applicants hope to provide cooling water for plants. Proposed subpoena & Certificate of Svc encl
BERNABEI, L Hourihan, P BERNABEI, L Harmon & Weiss. 82/06/15 Atomic Safety and Licensing Board Panel 5pp 13535 150 24X
Fiche 50-528, 82/06/15, 8206170213

8206230155 Petition for directed certification re ASLB exclusion of evidence about invalidity of util contract for effluent & likely effects of Pima-Maricopa Indian lawsuit on assured water supply
BERNABEI, L Hourihan, P BERNABEI, L Harmon & Weiss. 82/06/21 Atomic Safety and Licensing Board Panel 11pp 13586:359 24X
Fiche 50-528, 82/06/21, 8206230155

--8206230162 Application for issuance of subpoena directed to RK Ewanson, Director, Ambient Water Quality Unit, AZ Dept of Health Svcs, to appear at 820622 hearing to testify about groundwater pollution. Draft subpoena encl
BERNABEI, L Hourihan, P BERNABEI, L Harmon & Weiss. 82/06/21 Atomic Safety and Licensing Board Panel 4pp 13587:008. 24X
Fiche 50-528, 82/06/21, 8206230155

DOCKETED ITEMS

39

--B206230144 Application for issuance of subpoena directed to JJ Lemmon, AZ Dept of Health Svcs, to appear at B20622 hearing to testify about groundwater pollution Proposed subpoena & Certificate of Svc encl
BERNABEI, L Hourihan, P BERNABEI, L Harmon & Weiss 82/06/21
Atomic Safety and Licensing Board Panel 5pp 13587 012 24X
Fiche 50-528, 82/06/21, B206230155

Q Inspection reports, IE Bulletins & correspondence

B206020500 Forwards IE Insp Repts 50-528/82-08, 50-529/82-04 & 50-530/82-04 on B20301-0402 No noncompliance noted
BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 82/05/10 VAN BRUNT, E E Arizona Public Service Co 2pp 13324 354 24X Fiche 50-528, 82/05/10, B206020500

--B206020507 IE Insp Repts 50-528/82-08, 50-529/82-04 & 50-530/82-04 on B20301-0402 No noncompliance noted Major areas inspected const activities associated w/installation of Unit 1 Train A diesel generator control cabinets
VORDERBRUEGGEN, ECKHARDT, J H Division of Resident, Reactor Project & Engineering Programs 82/05/06 8pp 13324 356 24X Fiche 50-528, 82/05/10, B206020500

B202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147

B204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice 82-17, "Overpressurization of RCB " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance, 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383,

B204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

S Reportable occurrences, LERs & related correspondence

B206150139 Final deficiency rept re low pressure safety injection pump & containment spray pump potentially loose antirotation pins Loose pins will be tack welded Deficiency not reportable per 10CFR50 55(e)
VAN BRUNT, E E Arizona Public Service Co 82/05/26 BISHOP, T W Region 5, Office of Director 5pp 13505 099 24X
Fiche 50-528, 82/05/26, B206150139.

B206150184 Interim deficiency rept re failure of design spec drawings for instrument clamps to show locknuts per ASME III code requirements, initially reported in B20303 telcon Final rept due by B20826 due to extensive investigation.
VAN BRUNT, E E Arizona Public Service Co 82/05/26 BISHOP, T W Region 5, Office of Director 2pp 13501 362 24X
Fiche 50-528, 82/05/26, B206150184

B206180136 Revised interim deficiency rept re failure of turbine driven pump to provide auxiliary feedwater flow within 10-s of motor driven pump failure, initially reported on B10626 C-E/
Bechtel final rept will be submitted by B20923
VAN BRUNT, E E Arizona Public Service Co 82/06/04 BISHOP, T W Region 5, Office of Director, 3pp. 13552 006, 24X
Fiche 50-528, 82/06/04, B206180136

B206180168 Final deficiency rept re omission of eight reinforcing bars from fuel transfer tube insp station, initially reported B20406 Deficiency not reportable Eight reinforcing bars installed Personnel reviewed rept to preclude recurrence
VAN BRUNT, E E Arizona Public Service Co 82/06/04 BISHOP, T W Region 5, Office of Director, 3pp. 13552 177 24X
Fiche 50-530, 82/06/04, B206180168.

B206250261 Final Deficiency Rept DER 81-10 re use of hardened brass washers in lieu of steel washers Encl ASME B20118 ltr indicates that use of hardened brass washer acceptable Condition evaluated as not reportable under 10CFR50 55(a)
VAN BRUNT, E E Arizona Public Service Co 82/06/04 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 5pp. 13613 186 24X Fiche. 50-528, 82/06/04, B206250261

B206250148 Interim deficiency rept re weld procedure not qualified by Ametek-Stryza for reactor hot leg pipe stops, initially reported on B20814 Final rept expected by B20917
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W Region 5, Office of Director 3pp 13613 326 24X
Fiche 50-528, 82/06/08, B206250148

B206250189 Revision 1 to final deficiency rept re pipe supports fabricated w/o required weld joint preparation, initially reported B10618 Dummy stub pipe no longer welded to run pipe Drawings revised Not reportable per 10CFR50 55(e)
VAN BRUNT, E E Arizona Public Service Co 82/06/08 BISHOP, T W Region 5, Office of Director 4pp 13613 270 24X
Fiche 50-528, 82/06/08, B206250189

B206250191 Final deficiency rept re instrument clamps installed w/o calculations for thermal expansions, initially reported B20326 All clamps will be reinstalled Responsible persons have reviewed problem Spec change will be issued.
VAN BRUNT, E E. Arizona Public Service Co 82/06/08 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs, 3pp 13613 259 24X Fiche 50-528, 82/06/08, B206250191

B206250186 Interim deficiency rept re Class IE motor control ctr by OE burned out due to protruding screw puncturing cable insulation, Bechtel currently completing investigation Evaluation & submittal of final rept expected by B20819
VAN BRUNT, E E Arizona Public Service Co 82/06/09 BISHOP, T W Division of Resident, Reactor Project & Engineering Programs 4pp. 13613 274 24X Fiche. 50-528, 82/06/09, B206250186.

T Hearing transcripts on non-antitrust matters

B206020045 Transcript of B20525 OL hearing in Phoenix, AZ Pp 982-1, 137.
* Atomic Safety and Licensing Board Panel 82/05/25 160pp 13323 001 24X Fiche 50-528, 82/05/25, B206020045.

B206020368 Transcript of B20526 evidentiary hearing in Phoenix, AZ. Pp 1, 138-1, 337
* Atomic Safety and Licensing Board Panel 82/05/26 201pp 13320 003 24X Fiche. 50-528, 82/05/26, B206020368

B206020050 Transcript of B20527 OL hearing in Phoenix, AZ Pp 1, 338-1, 571
* Atomic Safety and Licensing Board Panel 82/05/27 240pp 13322 001, 24X Fiche. 50-528, 82/05/27, B206020050

B206020327 Transcript of B20528 hearing in Phoenix, AZ Pp 1, 572-1, 778.
* Atomic Safety and Licensing Board Panel. 82/05/28 208pp 13323, 138 24X Fiche. 50-528, 82/05/28, B206020327

B206170213 Forwards JJ Lemmon testimony & application for subpoena directed to JR McCain
BERNABEI, L A Harmon & Weiss 82/06/15 LAZO, R M Atomic Safety and Licensing Board Panel, 1p. 13335 046 24X
Fiche. 50-528, 82/06/15, B206170213

--B206170220 Testimony of JJ Lemmon re contamination of groundwater in Phoenix area & possible adverse impact on available water supplies to municipalities in foreseeable future Supporting documentation encl
LEMMON, J J Hourihan, P. 82/06/15. 80pp. 13335 047 24X
Fiche 50-528, 82/06/15, B206170213

B206180202 Forwards testimony of EK Swanson re groundwater contamination in Phoenix, AZ area
BERNABEI, L Harmon & Weiss 82/06/16 LAZO, R M., COLE, R F, CALLAHAN, D Atomic Safety and Licensing Board Panel 1p. 13553, 241, 24X Fiche. 50-528, 82/06/16, B206180202

DOCKETED ITEMS

8206300272 Transcript of 820622 DL hearing in Phoenix, AZ
Pp 1,779-2,019.
* Atomic Safety and Licensing Board Panel 82/06/22 212pp
13653 068 24X Fiche 50-528,82/06/22,8206300272

8206300318 Transcript of 820623 DL evidentiary hearing in Phoenix, AZ
Pp 2,020-2,222.
* Atomic Safety and Licensing Board Panel 82/06/23 205pp
13657 164 24X Fiche 50-528,82/06/23,8206300318

8206300120 Transcript of 820614 DL hearing in Phoenix, AZ Pp 2,223-2,454
* Atomic Safety and Licensing Board Panel 82/06/24 231pp
13656 069 24X Fiche 50-528,82/06/24,8206300120

8206300162 Transcript of 820625 DL evidentiary hearing in Phoenix, AZ
Pp 2,455-2,710.
* Atomic Safety and Licensing Board Panel 82/06/25 291pp
13655 001 24X Fiche 50-528,82/06/25,8206300162

DOCKET 50-537 CLINCH RIVER BREEDER REACTOR

A Application/construction stage documents & correspondence

8206100207 Amend to application for CP, consisting of Amend 2 to "Statement of General Info Pursuant to 10CFR50.33 of NRC Regulations"
BREWINGTON, P Energy, Dept of ROLF, W F Project Management Corp
HILLIS, W F Tennessee Valley Authority 82/05/26 DENTON, H R
Office of Nuclear Reactor Regulation, Director. 70pp 13453 242
24X Fiche 50-537,82/05/26,8206100207

8206100156 Forwards info certifying compliance w/Natl Historic Preservation Act
LONGENECKER, J Energy, Dept of 82/05/27 CHECK, P S Clinch
River Breeder Reactor Program Office 18pp 13444 198 24X
Fiche 50-537,82/05/27,8206100156

--8206100160 "Historical Rept on CRBR Site"
SCHAFFER, D Tennessee Valley Authority. 82/05/27 23pp
13444 218 24X Fiche 50-537,82/05/27,8206100160

--8206100165 "Archeological Investigations in CRBR Project Area 1981-82."
JOLLEY, R L Building Technology, Inc 82/05/27 83pp
13444 242. 24X Fiche 50-537,82/05/27,8206100165

8206020442 Forwards addl info in response to request for alternative siting analysis including possible presence of 11 species of endangered freshwater mussels in vicinity of facility
LONGENECKER, J Energy, Dept of 82/05/28 CHECK, P S Clinch
River Breeder Reactor Program Office 39pp 13326 198 24X
Fiche 50-537,82/05/28,8206020442

8206080034 Responds to NRC 820325 request for addl info re core performance. Responses will be incorporated into PSAR Amend 69, scheduled for submittal in late June
LONGENECKER, J Energy, Dept of 82/06/01. CHECK, P. S. Clinch
River Breeder Reactor Program Office 61pp 13422 306. 24X
Fiche: 50-537, 82/06/01, 8206080034

8206080129 Forwards responses to NRC 820226, 0311, 15, 23 & 0409 requests for addl info Responses will be incorporated into Amend 69 to PSAR.
LONGENECKER, J Energy, Dept. of 82/06/01 CHECK, P S Clinch
River Breeder Reactor Program Office. 22pp. 13423 026 24X
Fiche. 50-537, 82/06/01, 8206080129.

8206080225 Forwards responses to NRC 820323 request for addl info re core performance. Addl responses will be provided by 820604 Responses will also be incorporated in PSAR Amend 16
LONGENECKER, J. Energy, Dept. of. 82/06/01. CHECK, P S. Clinch
River Breeder Reactor Program Office 30pp. 13421:305. 24X
Fiche. 50-537, 82/06/01, 8206080225

8206080292 Responds to NRC 810226, 0323 & 0409 requests for addl info. Responses to Questions CS 210 1,3 & 7; 250, 4,5,6,7,8; & 9; 491,3; 410,18 & 230 3 will be incorporated into PSAR Amend 69 scheduled for submittal later in June
LONGENECKER, J. Energy, Dept of. 82/06/02. CHECK, P. S. Clinch
River Breeder Reactor Program Office. 18pp. 13420:112. 24X
Fiche. 50-537, 82/06/01, 8206080292.

8206080410 Forwards responses to Questions CS 220 4,7,8,9,11-14,16-19, 23,26,28,29,31,32,33,36,37,38,40-43, re seismic design per 820226 request Responses will be incorporated into PSAR Amend 69 scheduled for late June.
LONGENECKER, J. Energy, Dept of. 82/06/01. CHECK, P. S. Clinch
River Breeder Reactor Program Office 98pp. 13416 281. 24X
Fiche: 50-537, 82/06/01, 8206080410

8206070147 Summary of 820325 & 0427 meetings w/DOE, util & Project Mgt Corp in Bethesda, MD re progress in review in areas of steel relocation & plugging, neutronic worth uncertainties & fission plenum gas during LOF for CRBR
STARK, R M Clinch River Breeder Reactor Program Office. 82/06/02
Clinch River Breeder Reactor Program Office App. 13427 015 24X
Fiche 50-537,82/06/02,8206070147

8206080038 Responds to NRC 820316 request for addl info re power sys Question CS 430 4 deleted Response to Question 430 39 will be supplied in separate ltr Responses will be incorporated into future PSAR amend
LONGENECKER, J Energy, Dept of 82/06/08 CHECK, P S Clinch
River Breeder Reactor Program Office 225pp 13422 058 24X
Fiche 50-537,82/06/08,8206080038

8206150225 Forwards response to Questions CS 220 2,6,20,21,22,24,27 & 39 re structural engineering Responses will be incorporated into PSAR Amend 69
LONGENECKER, J Energy, Dept of 82/06/08 CHECK, P S Clinch
River Breeder Reactor Program Office 62pp 13505 012 24X
Fiche 50-537,82/06/08,8206150225

8206150243 Forwards formal response to 820409 request for addl info re geology & seismology, Questions CS 230 1,2,4 & 5 & CS 231, 1, 2 & 3 Response will be incorporated into PSAR Amend 69
LONGENECKER, J Energy, Dept of 82/06/08 CHECK, P S Clinch
River Breeder Reactor Program Office 75pp 13497 284 24X
Fiche 50-537,82/06/08,8206150243

8206150322 Forwards responses to Questions CS 421 7 & CS 491 7, per 820323 & 0409 requests for addl info re instrumentation & control sys circuits, electrical isolation capability & source range flux monitoring sys
LONGENECKER, J Energy, Dept of 82/06/08 CHECK, P S Clinch
River Breeder Reactor Program Office 7pp 13505 244 24X
Fiche 50-537,82/06/08,8206150322

8206160002 Notification of 820623 meeting w/DOE in Bethesda, MD to discuss fuel failure monitoring sys
STARK, R M Clinch River Breeder Reactor Program Office 82/06/08
CHECK, P S Clinch River Breeder Reactor Program Office 4pp.
13525 247 24X Fiche 50-537,82/06/08,8206160002

8206140248 Notification of 820622-24 meetings w/DOE, util & Project Mgt Corp in Oradell, NJ to perform seismic & structural engineering audit of calculations
STARK, R M Clinch River Breeder Reactor Program Office 82/06/09
CHECK, P. S Clinch River Breeder Reactor Program Office 3pp.
13493 349 24X Fiche: 50-537, 82/06/09, 8206140248

8206140257 Clarifies basis for proposing addl experiments to confirm structural capability of vessel head to accommodate core disruptive accidents & to benchmark analytical models used to analyze vessel head response & failure modes
CHECK, P. S. Clinch River Breeder Reactor Program Office 82/06/09.
LONGENECKER, J. Energy, Dept of, Clinch River Breeder Reactor Plant
App 13507:159. 24X Fiche 50-537,82/06/09,8206140257

8206140262 Notification of 820616-17 meetings w/DOE in Bethesda, MD to discuss SMRDB review
STARK, R M Clinch River Breeder Reactor Program Office 82/06/09.
CHECK, P S. Clinch River Breeder Reactor Program Office. 4pp
13507:153 24X Fiche 50-537,82/06/09,8206140262

8206140265 Forwards request for addl info re design layout drawings.
CHECK, P. S Clinch River Breeder Reactor Program Office 82/06/09.
LONGENECKER, J. Energy, Dept of 3pp. 13507,152. 24X
Fiche 50-537,82/06/09,8206140265

8206140347 Forwards request for addl info re nuclear design in order to complete review of CP application
CHECK, P. S. Clinch River Breeder Reactor Program Office 82/06/09
LONGENECKER, J Energy, Dept. of, Clinch River Breeder Reactor Plant
3pp 13510 185 24X Fiche 50-537,82/06/09,8206140347

8206180440 Notification of canceled 820616-17 meetings w/DOE in Bethesda, MD to discuss SMRDB review
STARK, R M Clinch River Breeder Reactor Program Office 82/06/09
CHECK, P S Clinch River Breeder Reactor Program Office 4pp
13569:337 24X Fiche. 50-537, 82/06/09, 8206180440

8206150240 Forwards Westinghouse "Verification of Natural Circulation in CRBR Plant - Update," incorporating FFTF test data Rept should increase NRC confidence in natural circulation as viable mode of decay heat removal
LONGENECKER, J Energy, Dept. of 82/06/10 CHECK, P S Clinch
River Breeder Reactor Program Office. 1p 13498,265. 24X
Fiche 50-537,82/06/10,8206150240.

DOCKETED ITEMS

392

--B206150243 "Verification of Natural Circulation in CRBR Plant - Update"
LOHRIE, R R, EVERSON, W J Westinghouse Electric Corp 82/05/31
47pp 13498 266 24X Fiche 50-537, 82/06/10, B206150240

B206170239 Forwards responses to NRC Feb, Mar & Apr requests for addl info to be incorporated into Amend 69 to PSAR
LONGENECKER, J Energy, Dept. of, Clinch River Breeder Reactor Plant.
82/06/14 CHECK, P S Clinch River Breeder Reactor Program Office.
100pp 13533 029 24X Fiche 50-537, 82/06/14, B206170239

B206230364 Notification of B20630 & 0701 meetings w/DOE in Bethesda, MD to discuss SMRDR review
STARK, R M Clinch River Breeder Reactor Program Office 82/06/16
CHECK, P S Clinch River Breeder Reactor Program Office 4pp
13594 352 24X Fiche 50-537, 82/06/16, B206230364

B206210319 Forwards response to questions in NRC B20226, 0311 & 0409 ltrs re prototype test program Responses will be incorporated in Amend 69 to PSAR
LONGENECKER, J Energy, Dept. of, Clinch River Breeder Reactor Plant.
82/06/17 CHECK, P S Clinch River Breeder Reactor Program Office
68pp 13558 228 24X Fiche 50-537, 82/06/17, B206210319

B206210541 Responds to NRC 761201 request for addl info to Question 110 78 re dynamic & static analysis used to determine structural & functional integrity of selected seismic Category 1 components
LONGENECKER, J Energy, Dept. of, Clinch River Breeder Reactor Plant
82/06/17 CHECK, P S Clinch River Breeder Reactor Program Office
61pp 13564 232 24X Fiche 50-537, 82/06/17, B206210541

B206210563 Forwards revised responses to Questions CS 210 1 & CS 250. 4 per NRC B20602 request & ES-LPD-B2-007, "CRBR Transition", "ES-LPD-B2-008, "CRBR Matls", "ES-LPD-B2-009, "CRBR Special", "ES-LPD-B2-011, "CRBR Special"
LONGENECKER, J Energy, Dept. of 82/06/17 CHECK, P S Clinch River Breeder Reactor Program Office 3pp 13562 050. 24X
Fiche 50-537, 82/06/17, B206210563

--B206210572 "CRBR Transition Joints," CRBR engineering study rept
DIAMOND, B, HALLETT, R H Westinghouse Electric Corp ES-LPD-B2 007
82/04/30, 130pp 13562 053 24X Fiche 50-537, 82/06/17, B206210563

--B206210582 "CRBR Matls Data Base," CRBR engineering study rept
DIAMOND, B, HALLETT, R H Westinghouse Electric Corp
ES-LPD-B2-008 82/05/31, 262pp 13562 197 24X
Fiche 50-537, 82/06/17, B206210563

--B206210595 "CRBR Special Matls Considerations," CRBR engineering study rept
DIAMOND, B, HALLETT, R H Westinghouse Electric Corp
ES-LPD-B2-011 82/05/31, 44pp 13563 089 24X
Fiche 50-537, 82/06/17, B206210563

--B206210603 "CRBR Special Stress & Criteria Considerations," CRBR engineering study rept
DIAMOND, B, HALLETT, R H Westinghouse Electric Corp.
ES-LPD-B2-009 82/05/31, 76pp 13563 133. 24X
Fiche 50-537, 82/06/17, B206210563

B206280439 Forwards response to Questions CS 430.89 & 490 24 re MSIV steam or feed line pipe break event, per B20316 & 25 requests Info will be incorporated into PSAR Amend 69, scheduled for Jul 1982
LONGENECKER, J Energy, Dept. of, 82/06/18 CHECK, P S Clinch River Breeder Reactor Program Office, 17pp, 13621.333 24X
Fiche 50-537, 82/06/18, B206280439

B206240270 Forwards "Probabilistic Risk Assessment Program Plan" for CRBR Plan will be incorporated into PSAR & will fulfill NUREG-0718, Item II, B, 8 requirement.
LONGENECKER, J Energy, Dept. of 82/06/21 CHECK, P S Clinch River Breeder Reactor Program Office 1p, 13597 116. 24X
Fiche 50-537, 82/06/21, B206240270

--B206240272 "Probabilistic Risk Assessment Program Plan."
* Energy, Dept. of 82/06/18, 29pp, 13597.117. 24X
Fiche 50-537, 82/06/21, B206240270

B206240363 Forwards responses to Questions CS 760 15-18, 59-78, 80-88, 91, 101 & 104 re fuel rod bowing & max transient temp, per B20430 request Questions will be incorporated into PSAR Amend 69.
LONGENECKER, J Energy, Dept. of, 82/06/21, CHECK, P S Clinch River Breeder Reactor Program Office 37pp, 13596 023. 24X
Fiche 50-537, 82/06/21, B206240363.

B206290580 Forwards request for addl info re technical bases for core disruptive accident energetics analyses
CHECK, P S Clinch River Breeder Reactor Program Office 82/06/21
LONGENECKER, J Energy, Dept. of, Clinch River Breeder Reactor Plant
3pp 13659 097 24X Fiche 50-537, 82/06/21, B206290580

B206280545 Forwards general schedule for const activities supplementing noise data listed in environ rept Table 4 1 5
LONGENECKER, J Energy, Dept. of 82/06/22 CHECK, P S Clinch River Breeder Reactor Program Office 2pp 13625, 258 24X
Fiche 50-537, 82/06/22, B206280545.

B206290616 Forwards FR notice re revised site suitability rept, (NUREG-0786), for plant
CHECK, P S Clinch River Breeder Reactor Program Office 82/06/22
LONGENECKER, J Energy, Dept. of, Clinch River Breeder Reactor Plant.
3pp 13658 126 24X Fiche 50-537, 82/06/22, B206290616

--B206290618 Notice of availability of site suitability rept (NUREG-0786) for plant
CHECK, P S Clinch River Breeder Reactor Program Office 82/06/22
2pp 13658 129 24X Fiche 50-537, 82/06/22, B206290616

B206300367 Forwards documents requested in NRDC & Sierra Club interrogatories that are not yet placed in PDR Encl documents include draft "Reactor Safety Study Consequence Model COMD Computer Code Users Manual"
SHEENY, M F Hearings Division, 82/06/24 SCOTT, B, Document Management Branch 2pp 13676 099. 24X Fiche 50-000, 82/06/24, B206300367.

--B206300373 Draft "Reactor Safety Study Consequence Model COMD Computer Code Users Manual"
* NRC - No Detailed Affiliation Given. 77/01/06 200pp.
13677 347. 24X Fiche 50-000, 82/06/24, B206300367

--B110220069 Forwards first CRBR Program Dfc status rept, as of 810915
CHECK, P S Clinch River Breeder Reactor Program Office 81/10/13, DENTON, H R Office of Nuclear Reactor Regulation, Director 7pp
13677 340. 24X Fiche 50-000, 82/06/24, B206300367.

--B206300381 Revised "Final Program Rept"
WELSH, E J United Power Association, C00-631-93, 74/12/26
130pp 13677-211. 24X Fiche 50-000, 82/06/24, B206300367

--B206300389 "Retirement of Enrico Fermi Atomic Power Plant," Suppl 1
* Energy Research & Development Admin (Presently DOE), NP-20047
B01 75/10/31, 120pp. 13677:100. 24X Fiche 50-000, 82/06/24, B206300367

--B206300394 "Rept on Retirement of Hallam Nuclear Facility" Four oversize drawings encl. Aperture cards available in PDR
* Rockwell International Corp AI-AEC-12709 70/03/15 400pp.
13676 101 24X Fiche 50-000, 82/06/24, B206300367.

B206290217 Forwards one oversize P&ID & one oversize instrument loop diagram providing addl info re turbine bypass sys, in response to Question CS430, 100. Aperture cards are available in PDR
LONGENECKER, J Energy, Dept. of, 82/06/25. CHECK, P S Clinch River Breeder Reactor Program Office 1p, 13634 304. 24X
Fiche 50-537, 82/06/25, B206290217

8206250048 ESTIMATED RECURRENCE FREQUENCIES FOR INITIATING ACCIDENT CATEGORIES ASSOCIATED WITH THE CLINCH RIVER BREEDER REACTOR PLANT DESIGN
COPUS, E R Sandia Laboratories. FIN A-1197 NUREG/CR-2681
82/06/30 Office of Nuclear Regulatory Research, Director 170pp
Available at NTIS 13627 031 24X Fiche 50-537, 82/06/30, 8206250048

D Utility Preliminary Safety Analysis Report, amends

8206010456 Forwards Amend 6B to PSAR
LONGENECKER, J Energy, Dept of 82/05/28 CHECK, P S Clinch
River Breeder Reactor Program Office 4pp 13308 001 24X
Fiche 50-537, 82/05/28, 8206010456

--8206010461 Amend 6B to PSAR.
* Energy, Dept of 82/05/31 256pp 13308 005 24X
Fiche: 50-537, 82/05/28, 8206010456

8206080139 Forwards affidavit confirming distribution of Amend 6B to PSAR Certificate of Svc encl W/O affidavit
LONGENECKER, J Energy, Dept. of. 82/06/02 DENTON, H R Office of
Nuclear Reactor Regulation, Director 2pp 13423 335 24X
Fiche: 50-537, 82/06/02, 8206080139

C Utility Environmental Report (ER), amends & correspondence

8206080259 Forwards revised description of economic & social effects of CRBR const & operation reflecting latest plant cost info
Info will be included in Amend 14 to environ rept
LONGENECKER, J Energy, Dept of 82/06/01 CHECK, P S Clinch
River Breeder Reactor Program Office 41pp 13419 045 24X
Fiche: 50-537, 82/06/01, 8206080259

8206070201 Forwards Amend 14 to environ rept
LONGENECKER, J Energy, Dept of 82/06/04 CHECK, P S Clinch
River Breeder Reactor Program Office 4pp 13369 008 24X
Fiche 50-537, 82/06/04, 8206070201

--8206070206 Amend 14 to environ rept
* Energy, Dept of 82/05/31. 200pp 13369 012. 24X
Fiche 50-537, 82/06/04, 8206070201.

8206100275 Discusses Amend XIII to environ rept re species which may occur in impact area Further comments will be provided to NRC upon completion of biological assessment
HICKLING, W C Interior, Dept. of Fish & Wildlife Service. 82/06/07
BREWINGTON, P Energy, Dept of, Clinch River Breeder Reactor Plant
1p 13458 189 24X Fiche: 50-537, 82/06/07, 8206100275

8206150239 Forwards Certificate of Svc confirming distribution of environ rept, Amend 14, to local public officials & representatives of govt agencies.
LONGENECKER, J Energy, Dept of 82/06/10 DENTON, H Office of
Nuclear Reactor Regulation, Director 6pp. 13496. 348 24X
Fiche, 50-537, 82/06/10, 8206150239

F Security, medical, emergency & fire protection plans

8206110351 Notification of 820618 meeting w/DOE in Bethesda, MD to discuss sodium fire protection
STARAK, R M Clinch River Breeder Reactor Program Office 82/06/07
CHECK, P S Clinch River Breeder Reactor Program Office 5pp
13490: 226 24X Fiche 50-537, 82/06/07, 8206110351

G. Adjudicatory correspondence

8206100305 Forwards signed & notarized affidavits of NRC staff who participated in updating answers to interrogatories & requests for admissions prior to Apr 1977 or who answered NRDC & Sierra Club 820318 & 26 interrogatories
SWANSON, D T. Hearing Branch 1 82/05/14 WEISS, E R Natural Resources Defense Council. 76pp 13451 251. 24X
Fiche: 50-537, 82/05/14, 8206100305

8206100309 Forwards signed & notarized affidavits of NRC staff who participated in updating answers to interrogatories & requests for admissions prior to Apr 1977 or who answered NRDC & Sierra Club 820318 & 26 interrogatories
SWANSON, D. T. Hearing Branch 1 82/05/17 BRECKENRIDGE, L Tennessee, State of. 76pp. 13451: 173. 24X Fiche, 50-537, 82/05/17, 8206100309

8206040014 Response to 820415 second set of interrogatories Affidavits & Certificate of Svc encl. Related correspondence.
SMALLIDGE, R J., COHAN, P H., FAUST, L. Oak Ridge, TN. 82/05/26, Office of the Executive Legal Director 22pp 13348: 330. 24X
Fiche: 50-537, 82/05/26, 8206040014.

8206040090 Protective order granting applicant 820504 motion for protective order re Interrogatories B(b) & (c) in NRDC & Sierra Club eighteenth set of interrogatories
Info not necessary to resolve issues in Contention 6
MILLER, M E Atomic Safety and Licensing Board Panel 82/05/27, Energy, Dept of 3pp 13350 052 24X Fiche 50-537, 82/05/27, 8206040090

8206040183 Confirms 820518, 25 & 27 discussions w/NRDC re discovery in CRBR proceedings List of contentions & Certificate of Svc encl Related correspondence
EDGAR, O L Morgan, Lewis & Bockius 82/05/28 FINAMORE, B A Natural Resources Defense Council 6pp 13360 098 24X
Fiche 50-537, 82/05/28, 8206040183

8206040200 Forwards unclassified summaries of classified CRBR safeguard studies re shortest possible sabotage paths, sabotage vulnerability study & sabotage analysis Certificate of Svc encl
EDGAR, O L Morgan, Lewis & Bockius 82/05/28 GREENBERG, E V, Tuttle & Taylor 20pp 13359 171 24X Fiche 50-537, 82/05/20, 8206040200

--8206040205 "Safeguards Sys Effectiveness Modeling"
BOOZER, D D, HULME, B L, DANIEL, S L Sandia Laboratories
SAND74-0428 82/05/28 11pp 13359 191 24X
Fiche 50-537, 82/05/28, 8206040200

--8206040218 "SPTH3 Subroutine for Finding Shortest Sabotage Paths"
HULME, B, HOLDRIDGE, D B Sandia Laboratories SAND77-1060
82/05/28 36pp 13359 202 24X Fiche 50-537, 82/05/28, 8206040200

8206070124 Third set of interrogatories & requests for admissions
MIZUNO, G B Hearing Branch 1 82/06/03 Oak Ridge, TN 11pp
13369. 259 24X Fiche 50-537, 82/06/03, 8206070124

--8206070129 Second round of interrogatories & requests for admissions Certificate of Svc encl
MIZUNO, G B Hearing Branch 1 82/06/03 Natural Resources Defense Council 16pp 13369 270 24X Fiche 50-537, 82/06/03, 8206070124

8206070469 Responds to 820601 discussion, listing activities Project Mgt Corp is willing to undertake to complete discovery Certificate of Svc encl
EDGAR, O L Morgan, Lewis & Bockius. 82/06/03 FINAMORE, B A Natural Resources Defense Council 5pp 13375 015 24X
Fiche 50-537, 82/06/03, 8206070469

8206090089 Request for admissions & interrogatories Certificate of Svc encl
EDGAR, O L Project Management Corp 82/06/04 Natural Resources Defense Council 15pp 13422 025 24X Fiche 50-537, 82/06/04, 8206090089

8206080099 Twenty-fifth set of interrogatories to NRC Related correspondence
FINAMORE, B A, WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/04 Office of the Executive Legal Director 40pp 13423 169 24X Fiche, 50-537, 82/06/04, 8206080099

--8206080101 Nineteenth set of interrogatories to applicants Related correspondence
FINAMORE, B A, WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/04 Joint Applicants-Clinch River Breeder Reactor 28pp 13423 209. 24X
Fiche 50-537, 82/06/04, 8206080099

--8206080104 Tenth request for admissions to NRC Related correspondence
FINAMORE, B A, WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/04 Office of the Executive Legal Director 11pp 13423 234 24X Fiche: 50-537, 82/06/04, 8206080099

--8206080108 Tenth request for admissions from applicants Related correspondence.
FINAMORE, B A, WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/04 Joint Applicants-Clinch River Breeder Reactor 10pp. 13423 245 24X
Fiche: 50-537, 82/06/04, 8206080099

--8206080117 Second request for production of documents from NRC Related correspondence
FINAMORE, B A, WEISS, E R Natural Resources Defense Council.
FINAMORE, B A Sierra Club 82/06/04 Office of the Executive Legal Director 5pp 13423 255 24X Fiche 50-537, 82/06/04, 8206080099

--B206080124 Seventh request for production of documents from applicants Certificate of Svc encl Related correspondence
FINAMORE, B A , WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/04 Joint Applicants-Clinch
River Breeder Reactor 10pp 13423 240 24X
Fiche 50-537, 82/06/04, B206080099

B206140032 Errata to NRDC & SC discovery documents filed w/NRC on B20604 Certificate of Svc encl
FINAMORE, B A , WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/08 Office of the Executive
Legal Director 5pp 13484 320 24X Fiche 50-537, 82/06/08, B206140032

B206170150 Confirms B20609 discussion re discovery
FINAMORE, B A Natural Resources Defense Council 82/06/09
EDGAR, G L Morgan, Lewis & Bockius EDGAR, G L Joint
Applicants-Clinch River Breeder Reactor 1p 13534 058 24X
Fiche 50-537, 82/06/09, B206170150

--B206170154 Confirms B20609 discussion that NRC will depose T Cochran on B20622 in Washington, DC Certificate of Svc encl
FINAMORE, B A Natural Resources Defense Council 82/06/09
SWANSON, D Hearing Branch 1 4pp 13534 059 24X
Fiche 50-537, 82/06/09, B206170150

B206170191 Confirms B20609 agreements, listing depositions of applicant witnesses to be taken. Certificate of Svc encl Related correspondence
EDGAR, G L Morgan, Lewis & Bockius 82/06/10 FINAMORE, B A
Natural Resources Defense Council 5pp 13534 299 24X
Fiche 50-537, 82/06/10, B206170191

B206160064 Forwards NRDC/Sierra Club petition to Commissioners to exercise inherent supervisory authority to delineate scope of LWA proceeding Proceedings presently so restrictive to make inquiry hypothetical & answers meaningless
FINAMORE, B A , WEISS, E R Natural Resources Defense Council
WEISS, E R Harmon & Weiss 82/06/11 PALLADINO, N J , QILINSKY, V ,
AHERNE, J F Commissioners 2pp 13517, 115 24X
Fiche 50-537, 82/06/11, B206160064

--B206160068 Petition to exercise inherent supervisory authority to delineate scope of LWA proceeding Limits on scope of LWA proceeding re Contentions 1, 2 & 3 prevent compliance w/NEPA Portions of transcripts & Certificate of Svc encl
WEISS, E R , FINAMORE, B A Natural Resources Defense Council,
WEISS, E R Harmon & Weiss 82/06/11 Commissioners 163pp
13517 117 24X Fiche 50-537, 82/06/11, B206160064

B206170261 Forwards site suitability rept re site suitability from point of radiological health & safety concerns. Rept supersedes NRC Mar 1977 site suitability rept, reflecting changes in info Conclusions remain same W/o encl
SWANSON, D T Hearing Branch 1 82/06/11 MILLER, M , HANCOCK, C H ,
LINENBERGER, G Atomic Safety and Licensing Board Panel 2pp
13533 178 24X Fiche 50-537, 82/06/11, B206170261

B206230170 Response to NRC B20603 third set of interrogatories. Certificate of Svc encl, Related correspondence
MORRIS, W D , FAUST, L. , HARLESS, J. D. Oak Ridge, TN. 82/06/17
Office of the Executive Legal Director 30pp 13586 317 24X
Fiche 50-537, 82/06/17, B206230170

B206240165 Response to NRDC & Sierra Club seventh request for production of documents Certificate of Svc encl
BERGHOLZ, W E Energy, Dept of EDGAR, G L. Project Management
Corp 82/06/18 Natural Resources Defense Council 5pp,
13599 280 24X Fiche 50-537, 82/06/18, B206240165

B206240176 Response to NRDC & Sierra Club tenth request for admissions Certificate of Svc encl
ISAAC, T H , FORSYTHE, L A , THOMPSON, R C. Joint Applicants-Clinch
River Breeder Reactor 82/06/18 Natural Resources Defense
Council 24pp 13599 347 24X Fiche 50-537, 82/06/18, B206240176

B206240209 Response to licensee B20604 request for admissions & interrogatories
FINAMORE, B A , WEISS, E R Natural Resources Defense Council.
FINAMORE, B A Sierra Club 82/06/18 Joint Applicants-Clinch
River Breeder Reactor 30pp, 13598 029 24X Fiche 50-537, 82/06/18, B206240209

--B206240215 Responses to NRC second round of interrogatories & requests for admissions Certificate of Svc encl
FINAMORE, B A , WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/18 Office of the Executive
Legal Director 22pp 13598 059 24X Fiche 50-537, 82/06/18, B206240209.

B206240244 Responses to NRDC & Sierra Club nineteenth set of interrogatories Certificate of Svc encl
DICKSON, P W , QILBERT, F , ISAAC, T. H. Joint Applicants-Clinch River
Breeder Reactor 82/06/18 Natural Resources Defense Council
60pp 13597 228 24X Fiche 50-537, 82/06/18, B206240244

B206300224 Motion to compel applicant to provide complete response to intervenor B20604 nineteenth set of interrogatories.
Interrogatory 27. Response evasive & incomplete Certificate of Svc encl Related correspondence
FINAMORE, B A , WEISS, E R Natural Resources Defense Council
FINAMORE, B A Sierra Club 82/06/28 Atomic Safety and Licensing
Board Panel 6pp 13634 276 24X Fiche 50-537, 82/06/28, B206300224.

H General correspondence

B206160091 Expresses belief that significant new info & circumstances arisen since 1977 require NRC to suppl FES New developments to be considered listed
LEVENTHAL, P Nuclear Club, Inc , The 82/06/14 PALLADINO, N J
Commissioners 1p 13517 320 24X Fiche 50-537, 82/06/14, B206160091

G Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, B202040147.

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527-150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11,
106pp 13675 258. 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl.
DEYOUNG, R C. Director's Office, Office of Inspection and
Enforcement. 82/06/11. 120pp 13675-189 24X
Fiche 50-000, 82/06/11, B204210384

T. Hearing transcripts on non-antitrust matters

B206030139 Transcript of NRC B20517 public meeting in Washington, DC re DOE request for reconsideration of CRBR exemption Pp 1-12
* Commissioners 82/05/17. 15pp. 13362:218 24X
Fiche 50-537, 82/05/17, B206030139

B206030010 Transcript of ACRB Subcommittee on CRBR B20601 meeting in Washington, DC Pp 1-290 Viewgraphs encl
* ACRB - Advisory Committee on Reactor Safeguards. 82/06/01.
291pp 13335.001 24X Fiche 50-537, 82/06/01, B206030010

DOCKET 50-538 MEMPHIS STATE UNIV. RESEARCH REACTOR

F Security, medical, emergency & fire protection plans

B206070344 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 JONES, D W. Memphis State Univ. 1p 13363 242 24X
Fiche 50-538, 82/05/12, B206070344.

DOCKET 50-536 MARBLE HILL NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna. Rept documents findings re cause of event W/o encl
EISENHUT, D Q Division of Licensing. 82/06/09. HAUSPURG, A.
Consolidated Edison Co. of New York. 13pp 13557:349. 24X
Fiche 50-000, 82/06/09, B206090153

8206250385 Summary of 820603 meeting w/util in Bethesda, MD re util request for exemption from 10CFR50.34(g), requiring applicants to evaluate differences from SRP
DOOLITTLE, E. L. Licensing Branch 1 82/06/15. Licensing Branch 1
4pp. 13630 076 24X Fiche 50-546, 82/06/15, 8206250385

H General correspondence

8206230076 Notification of administrative changes, creating nuclear div administration manager position & merging quality verification & project records groups into records mgmt group
SHIELDS, S. D. Public Service Co. of Indiana, Inc. 82/06/18
DENTON, H. R. Office of Nuclear Reactor Regulation, Director 1p
13988 248 24X Fiche 50-546, 82/06/18, 8206230076

8206280210 Expresses concern that facilities are not being constructed w/safety design features warranted as result of reactor operating experience & increased knowledge of unresolved safety issues
FREY, D. O. Sassafras Audubon Society 82/06/21. YOUNGBLOOD, B. J. Licensing Branch 1 5pp 13624 194 24X Fiche: 50-546, 82/06/21, 8206280210

G Inspection reports, IE Bulletins & correspondence

8206070697 Forwards IE Insp Repts 50-546/82-09 & 50-547/82-09 on 820401-30 No noncompliance noted
STREETER, J. F. Division of Project & Resident Programs 82/05/24
SHIELDS, S. W. Public Service Co. of Indiana, Inc. 2pp 13390 259 24X Fiche 50-546, 82/05/24, 8206070697

--8206070705 IE Insp Repts 50-546/82-09 & 50-547/82-09 on 820401-30 No noncompliance noted. Major areas inspected: chipping & patching of concrete, installation & welding of piping sys, control rod drive mechanisms & electrical hanger supports
HARRISON, J. J., KONKLIN, J. E. Division of Project & Resident Programs 82/05/17 9pp 13390 261 24X Fiche 50-546, 82/05/24, 8206070697

8206040147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp. 13426 095 24X Fiche: 50-000, 82/05/28, 8206040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp. 13440 264 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/02 108pp. 13527 150 24X Fiche 50-000, 82/06/02, 8204210380

8206070804 Ack receipt of 820511-17 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-546/81-22 & 50-547/81-22.
SPESBARD, R. L. Division of Project & Resident Programs, 82/06/03.
SHIELDS, S. W. Public Service Co. of Indiana, Inc. 1p 13388, 001. 24X Fiche 50-546, 82/06/03, 8206070804

--8206070814 Responds to NRC 820413 ltr re violations noted in IE Insp Repts 50-546/81-22 & 50-547/81-22. Corrective actions: PMP 1 04 will be revised to include new employee required training notice.
SHIELDS, S. W. Public Service Co. of Indiana, Inc. 82/05/11
KEPPLER, J. O. Region 3, Office of Director 33pp 13988:002 24X Fiche: 50-546, 82/06/03, 8206070804.

--8206070821 Revises 820511 response to NRC 820413 ltr re violations noted in IE Insp Repts 50-546/81-22 & 50-547/81-22.
SHIELDS, S. W. Public Service Co. of Indiana, Inc. 82/05/17
KEPPLER, J. O. Region 3, Office of Director 2pp. 13388, 035. 24X Fiche 50-546, 82/06/03, 8206070804.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance. 82/06/11. 106pp 13675 258 24X Fiche: 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers." Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/06/11. 120pp 13673, 189. 24X Fiche: 50-000, 82/06/11, 8204210384.

B Reportable occurrences, LERs & related correspondence

8206170293 Final deficiency rept re fillet welds omitted from HVAC ductwork stiffeners, initially reported on 820305 Vendor instructed to complete welds as originally designed
Also reported per Part 21
SHIELDS, S. W. Public Service Co. of Indiana, Inc. 82/06/14
KEPPLER, J. O. Region 3, Office of Director 2pp 13529 139 24X Fiche 50-546, 82/06/14, 8206170293

DOCKET SYN-50-547 MARBLE HILL NUCLEAR STATION, UNIT 2

A Application/construction stage documents & correspondence

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101 Forwards documents listed in app
FELTON, J. M. Division of Rules and Records 82/06/07 DQ1, K
Critical Mass Energy Project 2pp 13678 215 24X Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations 82/03/19
AHEARNE, J. Commissioners 2pp 13678 237 24X Fiche 50-000, 82/06/07, 8206300392

8206090153 Generic Ltr 82-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event w/o encl
EISENHUT, D. O. Division of Licensing 82/06/09 HAUSPURG, A
Consolidated Edison Co. of New York 13pp 13557 349 24X Fiche 50-000, 82/06/09, 8206090153.

8206250385 Summary of 820603 meeting w/util in Bethesda, MD re util request for exemption from 10CFR50.34(g), requiring applicants to evaluate differences from SRP
DOOLITTLE, E. L. Licensing Branch 1 82/06/15 Licensing Branch 1
4pp 13630 076 24X Fiche 50-546, 82/06/15, 8206250385

H General correspondence

8206230076 Notification of administrative changes, creating nuclear div administration manager position & merging quality verification & project records groups into records mgmt group
SHIELDS, S. D. Public Service Co. of Indiana, Inc. 82/06/18
DENTON, H. R. Office of Nuclear Reactor Regulation, Director 1p
13988 248 24X Fiche 50-546, 82/06/18, 8206230076

8206280210 Expresses concern that facilities are not being constructed w/safety design features warranted as result of reactor operating experience & increased knowledge of unresolved safety issues.
FREY, D. O. Sassafras Audubon Society 82/06/21 YOUNGBLOOD, B. J. Licensing Branch 1 5pp 13624 194 24X Fiche 50-546, 82/06/21, 8206280210

G Inspection reports, IE Bulletins & correspondence

8206070697 Forwards IE Insp Repts 50-546/82-09 & 50-547/82-09 on 820401-30. No noncompliance noted
STREETER, J. F. Division of Project & Resident Programs. 82/05/24
SHIELDS, S. W. Public Service Co. of Indiana, Inc. 2pp 13390 259. 24X Fiche: 50-546, 82/05/24, 8206070697

--8206070705 IE Insp Repts 50-546/82-09 & 50-547/82-09 on 820401-30. No noncompliance noted. Major areas inspected: chipping & patching of concrete, installation & welding of piping sys, control rod drive mechanisms & electrical hanger supports
HARRISON, J. J., KONKLIN, J. E. Division of Project & Resident Programs 82/05/17 9pp. 13390 261 24X Fiche 50-546, 82/05/24, 8206070697

8202040147 IE Info Notice 82-15, "Notification of NRC " Bvc list encl
DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X Fiche: 50-000, 82/05/28, 8202040147.

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Bvc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264. 24X Fiche: 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8206070804 Ack receipt of 820511-17 ltrs informing NRC of steps taken to correct violations noted in IE Insp Repts 50-546/81-22 & 50-547/81-22
SPEBBARD, R L Division of Project & Resident Programs, 82/06/03
SHIELDS, S W Public Service Co. of Indiana, Inc ip 13388 001
24X Fiche 50-546, 82/06/03, 8206070804

--8206070814 Responds to NRC 820413 ltr re violations noted in IE Insp Repts 50-546/81-22 & 50-547/81-22 Corrective actions: FMP 1 04 will be revised to include new employee required training notice
SHIELDS, S W Public Service Co of Indiana, Inc 82/05/11
KEPPLER, J G Region 3, Office of Director 33pp, 13388-002 24X
Fiche 50-546, 82/06/03, 8206070804

--8206070821 Revises 820511 response to NRC 820413 ltr re violations noted in IE Insp Repts 50-546/81-22 & 50-547/81-22
SHIELDS, S W Public Service Co of Indiana, Inc 82/05/17
KEPPLER, J G Region 3, Office of Director 2pp 13388-035 24X
Fiche 50-546, 82/06/03, 8206070804

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206020410 Interim deficiency rept re spalling on underside of Unit 2 auxiliary bldg 401-ft elevation floor slab, initially reported on 820423. Calculations performed by Sargent & Lundy to ensure reinforcing steel integrity. Next rept by 820723
SHIELDS, S W Public Service Co of Indiana, Inc, 82/05/24, 24X
KEPPLER, J G Region 3, Office of Director, ip 13325 320
Fiche 50-547, 82/05/24, 8206020410

8206170293 Final deficiency rept re fillet welds omitted from HVAC ductwork stiffeners, initially reported on 820305. Vendor instructed to complete welds as originally designed
Also reported per Part 21
SHIELDS, S W Public Service Co of Indiana, Inc 82/06/14
KEPPLER, J G Region 3, Office of Director 2pp, 13527, 139, 24X
Fiche 50-546, 82/06/14, 8206170293

DOCKET 50-549 FORT CALHOUN STATION, UNIT 2

F Security, medical, emergency & fire protection plans

8206090002 Responds to FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys. Forwards documents listed in App A Documents also available in PDR
FELTON, J M Division of Rules and Records 82/05/11, REYNOLDS, N. B. Debovoise & Liberman 3pp 13494, 003 24X Fiche 50-000, 82/05/11, 8206090002

--8206090174 Advises of licensee compliance w/820201 deadline for prompt notification sys
COLLINS, J. T. Region 4, Office of Director 82/02/09, CRINES, B. K. Division of Emergency Preparedness, ip, 13454, 248, 24X
Fiche 50-000, 82/05/11, 8206090002

DOCKET STN-50-553 PHIPPS BEND NUCLEAR STATION, UNIT 1

A Application/construction stage documents & correspondence

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 800101. Forwards documents listed in app
FELTON, J M Division of Rules and Records, 82/06/07, DOI, K Critical Mass Energy Project, 2pp 13678 215, 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K Office of the Executive Director for Operations 82/03/19 AHEARNE, J. Commissioners 2pp 13678 237, 24X
Fiche 50-000, 82/06/07, 8206300392

G. Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F J Division of Project & Resident Programs 82/05/20
PARRIS, H. G Tennessee Valley Authority 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted
LENAHAN, J J Division of Project & Resident Programs 82/05/18 9pp 13374, 258, 24X Fiche: 50-000, 82/05/20, 8206070482

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl.
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11, 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010197 Sixth interim deficiency rept re reactor protection sys panel design Const deferred. Final rept will be submitted when final decision re projects made
MILLS, L M Tennessee Valley Authority, 82/05/18, O'REILLY, J. P. Region 2, Office of Director ip, 13307, 178, 24X
Fiche 50-000, 82/05/18, 8206010197

8206010508 Fourth interim deficiency rept re reactor core isolation cooling steam line break, initially reported on 810630. Const activities deferred. Final rept will not be submitted
MILLS, L M Tennessee Valley Authority, 82/05/18, O'REILLY, J. P. Region 2, Office of Director ip, 13307, 316 24X
Fiche 50-000, 82/05/18, 8206010508

8206010216 Deficiency rept re failure of Transamerica Delayal to promptly correct deficiencies, initially reported 820114. Completion date of corrective actions delayed to 820630. Also reportable per Part 21.
MILLS, L M Tennessee Valley Authority 82/05/20, O'REILLY, J. P. Region 2, Office of Director ip 13300, 086 24X
Fiche 50-000, 82/05/20, 8206010216

8206010349 Second interim deficiency rept re Atlas QA documentation for auxiliary & fuel bldgs structural steel, initially reported 81113 Const activities for plants deferred. Final rept to be submitted after final decision re completion of projects
MILLS, L M Tennessee Valley Authority 82/05/20, O'REILLY, J. P. Region 2, Office of Director, ip, 13301, 004 24X
Fiche 50-000, 82/05/20, 8206010349

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811027 Final rept submitted on 820208. Corrective action expected to be completed on or before 820730
MILLS, L M Tennessee Valley Authority, 82/05/25, O'REILLY, J. P. Region 2, Office of Director ip 13368, 212 24X
Fiche 50-000, 82/05/25, 8206070104

B206070628 Second interim deficiency rept re check valve leak in air start sys of standby diesel generators, initially reported B20209 Evaluation by vendor underway Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 1p 13387 356 24X
Fiche 50-000, 82/05/28, B206070628

B206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported B11020, Procedures revised Next rept by B21206
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 3pp 13390 270 24X
Fiche 50-000, 82/05/28, B206070665

B206110282 Second interim deficiency rept re review of purchase requisitions, initially reported B20120 Study being conducted of procurement process including all aspects of sys Next rept due by B20916
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 1p 13466 162 24X
Fiche: 50-000, 82/06/01, B206110282

B206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on B20120 QA training completed B20318 & technical training ongoing Administrative Instruction QES-A1 104 implemented
MILLS, L. M. Tennessee Valley Authority 82/06/03, O'REILLY, J. P.
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, B206110159

B206210111 Fourth interim deficiency rept re link rod assembly-Delaval diesels Due to const deferment final deficiency rept will not be issued pending final decision on future of projects Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/06/11 O'REILLY, J. P.
Region 2, Office of Director 1p 13559 352 24X
Fiche 50-000, 82/06/11, B206210111

B206240326 Part 21 rept re pneumatic actuator yoke failure List of other projects w/similar equipment encl
WILSON, A. K. Henry Pratt Co 82/06/18 KEPLER, J. Q. Region 3,
Office of Director 3pp. 13603 189 24X Fiche 50-000, 82/06/18, B206240326

B206300192 Part 21 rept re potential defect in couplings drive element of DBRV or DBR standby diesel generator Affected licensees will be notified no later than B20715
MILLS, L. M. Transamerica Delaval, Inc 82/06/23 Director's
Office, Office of Inspection and Enforcement 2pp. 13653: 328 24X
Fiche 50-000, 82/06/23, B206300192

DOCKET STN-50-554 PHIPPS BEND NUCLEAR STATION, UNIT 2

A Application/Construction stage documents & correspondence

B206300392 Addl response to FDIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since B00101 Forwards documents listed in app
FELTON, J. M. Division of Rules and Records 82/06/07 DOI, K.
Critical Mass Energy Project 2pp 13678-215 24X
Fiche 50-000, 82/06/07, B206300392

--B206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K. Office of the Executive Director for Operations
82/03/19 AHEARNE, J. Commissioners 2pp 13678 237 24X
Fiche: 50-000, 82/06/07, B206300392

G Inspection reports, IE Bulletins & correspondence

B206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F. J. Division of Project & Resident Programs 82/05/20,
PARRISH, H. O. Tennessee Valley Authority 3pp. 13374, 255 24X
Fiche 50-000, 82/05/20, B206070482

--B206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02, No noncompliance noted.
LENAHAN, J. J. Division of Project & Resident Programs 82/05/18
9pp. 13374: 258. 24X Fiche, 50-000, 82/05/20, B206070482

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl.
DEVOUNO, R. C. Director's Office, Office of Inspection and
Enforcement 82/05/28. 107pp 13426 095. 24X
Fiche: 50-000, 82/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R. C. Director's Office, Office of Inspection and
Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, B204210380

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl
JORDAN, E. L. Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEVOUNO, R. C. Director's Office, Office of Inspection and
Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, B204210384

S Reportable occurrences, LERs & related correspondence

B206010197 Sixth interim deficiency rept re reactor protection sys panel design Const deferred Final rept will be submitted when final decision re projects made
MILLS, L. M. Tennessee Valley Authority 82/05/18 O'REILLY, J. P.
Region 2, Office of Director 1p 13307 178 24X
Fiche 50-000, 82/05/18, B206010197

B206010508 Fourth interim deficiency rept re reactor core isolation cooling steam line break, initially reported on B10630 Const activities deferred Final rept will not be submitted
MILLS, L. M. Tennessee Valley Authority 82/05/18 O'REILLY, J. P.
Region 2, Office of Director 1p 13307 316 24X
Fiche: 50-000, 82/05/18, B206010508

B206010216 Deficiency rept re failure of Transamerica Delaval to promptly correct deficiencies, initially reported B20114 Completion date of corrective actions delayed to B20630 Also reportable per Part 21
MILLS, L. M. Tennessee Valley Authority 82/05/20 O'REILLY, J. P.
Region 2, Office of Director 1p 13300 086 24X
Fiche 50-000, 82/05/20, B206010216

B206010349 Second interim deficiency rept re Atlas QA documentation for auxiliary & fuel bldgs structural steel, initially reported B11113 Const activities for plants deferred Final rept to be submitted after final decision re completion of projects
MILLS, L. M. Tennessee Valley Authority 82/05/20 O'REILLY, J. P.
Region 2, Office of Director 1p 13301 004. 24X
Fiche 50-000, 82/05/20, B206010349

B206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on B11027 Final rept submitted on B20208 Corrective action expected to be completed on or before B20730
MILLS, L. M. Tennessee Valley Authority 82/05/25 O'REILLY, J. P.
Region 2, Office of Director 1p 13368 212 24X
Fiche 50-000, 82/05/25, B206070104

B206070628 Second interim deficiency rept re check valve leak in air start sys of standby diesel generators, initially reported B20209 Evaluation by vendor underway Also reported per Part 21
MILLS, L. M. Tennessee Valley Authority 82/05/28, O'REILLY, J. P.
Region 2, Office of Director 1p 13387 356 24X
Fiche 50-000, 82/05/28, B206070628

B206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported B11020, Procedures revised Next rept by B21206
MILLS, L. M. Tennessee Valley Authority 82/05/28 O'REILLY, J. P.
Region 2, Office of Director 3pp 13390 270 24X
Fiche 50-000, 82/05/28, B206070665

B206110282 Second interim deficiency rept re review of purchase requisitions, initially reported B20120 Study being conducted of procurement process including all aspects of sys Next rept due by B20916
MILLS, L. M. Tennessee Valley Authority 82/06/01 O'REILLY, J. P.
Region 2, Office of Director 1p 13466, 162 24X
Fiche 50-000, 82/06/01, B206110282

B206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on B20120 GA training completed B20318 & technical training ongoing Administrative Instruction QEB-A1 104 implemented. MILLS, L M Tennessee Valley Authority B2/06/03 O'REILLY, J P Region 2, Office of Director 2pp 13466 323 24X Fiche 50-000, B2/06/03, B206110159

B206210111 Fourth interim deficiency rept re link rod assembly-Delaval diesels Due to const deferment final deficiency rept will not be issued pending final decision on future of projects Also reportable per Part 21 MILLS, L M Tennessee Valley Authority B2/06/11 O'REILLY, J P Region 2, Office of Director 1p 13559 352 24X Fiche 50-000, B2/06/11, B206210111

B206240326 Part 21 rept re pneumatic actuator yoke failure List of other projects w/similar equipment encl MILSON, A K Henry Pratt Co B2/06/18 KEFFLER, J G Region 3, Office of Director 3pp 13603 189 24X Fiche 50-000, B2/06/18, B206240326

B206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than B20715 MILLS, L M Transamerica Delaval, Inc B2/06/23 Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X Fiche 50-000, B2/06/23, B206300192

DOCKET STN-50-556 BLACK FOX STATION, UNIT 1

A Application/construction stage documents & correspondence

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl EISENHUT, D G Division of Licensing B2/06/09 HAUSPURG, A Consolidated Edison Co of New York VANDEWALLE, D J Consumers Power Co RQDT, L D Iowa Electric Light & Power Co 13pp 13557 349 24X Fiche 50-000, B2/06/09, B206090153

G Adjudicatory correspondence

B206040162 Forwards JB West B20527 affidavit on NRC concerns expressed during B20517 site visit re potential offsite environ impact of erosion & siltation in areas of inclined reactor pressure vessel haul road from barge slip facilities GALLO, J Isham, Lincoln & Beale, GALLO, J Public Service Co of Oklahoma B2/05/28 WOLFE, S, SHON, P J, PURDOM, P W Atomic Safety and Licensing Board Panel 2pp 13357 238 24X Fiche 50-556, B2/05/28, B206040162

--B206040173 Affidavit of JB West on NRC concerns expressed during B20517 site visit re potential offsite environ impact of erosion & siltation in area of inclined reactor pressure vessel haul road leading from barge slip facilities WEST, J B Public Service Co of Oklahoma B2/05/24 3pp, 13359 240 24X Fiche 50-556, B2/05/28, B206040162

B206040113 Reply to ASLB B20429 order re site restoration Withdrawal of application should be w/o prejudice & w/conditions designed to prevent future environ harm. THESSIN, J H Hearing Branch 2 B2/06/02 Atomic Safety and Licensing Board Panel 8pp 13345 338 24X Fiche 50-556, B2/06/02, B206040113

--B206040116 Affidavit of G LaRoche Requirement to stabilize soils in areas listed where erosion has occurred will provide adequate protection for site & surrounding area from detrimental environ impacts Certificate of Svc encl LAROCHE, G Environmental Engineering Branch B2/06/02 8pp, 13345 346 24X Fiche 50-556, B2/06/02, B206040113

B206210221 Memorandum & order denying w/o prejudice applicant B20406 motion for termination of proceeding & withdrawal of application insufficient info exists to grant motion since until undecided on future plans for site WOLFE, B J Atomic Safety and Licensing Board Panel B2/06/18 Public Service Co of Oklahoma 5pp 13360 336 24X Fiche 50-556, B2/06/18, B206210221

B206300032 Notice of appearance in proceeding Certificate of Svc encl. CHAN, E I Hearing Branch 2 B2/06/23 3pp 13656 025, 24X Fiche 50-556, B2/06/23, B206300032

L Limited work authorization & related correspondence

B206250361 Ack receipt of B20409 ltr re withdrawal of CP application NRC responded in timely manner to util given TH1 accident & need to ensure implementation of lessons learned from accident DENTON, H R Office of Nuclear Reactor Regulation, Director B2/06/22 WALSKIE, C Atomic Industrial Forum 2pp 13630 004 24X Fiche 50-556, B2/06/22, B206250361

G Inspection reports, IE Bulletins & correspondence

B202040147 IE Info Notice B2-15, "Notification of NRC " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/05/28 107pp 13426 095 24X Fiche 50-000, B2/05/28, B202040147

B204210378 IE Info Notice B2-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance B2/05/28 103pp 13440 264 24X Fiche 50-000, B2/05/28, B204210378

B204210380 IE Bulletin B2-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants," Svc list encl. DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/02 108pp, 13527 150 24X Fiche 50-000, B2/06/02, B204210380

B204210383 IE Info Notice B2-17, "Overpressurization of RCS " Svc list encl JORDAN, E L Division of Engineering & Quality Assurance B2/06/11 106pp 13675 258 24X Fiche 50-000, B2/06/11, B204210383

B204210384 IE Info Notice B2-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl DEYOUNG, R C Director's Office, Office of Inspection and Enforcement B2/06/11 120pp 13675 189 24X Fiche 50-000, B2/06/11, B204210384

DOCKET STN-50-557 BLACK FOX STATION, UNIT 2

A Application/construction stage documents & correspondence

B206090153 Generic Ltr B2-11 to all LWR reactor plant licensees & applicants re transmittal of NUREG-0916 relative to restart of RE Ginna Rept documents findings re cause of event W/o encl EISENHUT, D G Division of Licensing B2/06/09 HAUSPURG, A Consolidated Edison Co of New York BITCHNUTH, D R Iowa-Illinois Gas & Electric BURSTEIN, S Wisconsin Electric Power Co 13pp 13557 349 24X Fiche 50-000, B2/06/09, B206090153

G Adjudicatory correspondence

B206040162 Forwards JB West B20527 affidavit on NRC concerns expressed during B20517 site visit re potential offsite environ impact of erosion & siltation in areas of inclined reactor pressure vessel haul road from barge slip facilities GALLO, J Isham, Lincoln & Beale, GALLO, J Public Service Co of Oklahoma B2/05/28 WOLFE, S, SHON, P J, PURDOM, P W Atomic Safety and Licensing Board Panel 2pp 13359 238 24X Fiche 50-556, B2/05/28, B206040162

--B206040173 Affidavit of JB West on NRC concerns expressed during B20517 site visit re potential offsite environ impact of erosion & siltation in area of inclined reactor pressure vessel haul road leading from barge slip facilities WEST, J B Public Service Co of Oklahoma B2/05/24 3pp, 13359 240 24X Fiche 50-556, B2/05/28, B206040162

B206040113 Reply to ASLB B20429 order re site restoration Withdrawal of application should be w/o prejudice & w/conditions designed to prevent future environ harm THESSIN, J H Hearing Branch 2 B2/06/02 Atomic Safe Licensing Board Panel 8pp 13345 338 24X Fiche 50-556, B2/06/02, B206040113

--B206040116 Affidavit of G LaRoche Requirement to stabilize areas listed where erosion has occurred will provide adequate protection for site & surrounding area from detrimental environ impacts Certificate of Svc encl LAROCHE, G Environmental Engineering Branch B2/06/02 8pp, 13345 346 24X Fiche 50-556, B2/06/02, B206040113

8206210221 Memorandum & order denying w/o prejudice applicant 820406 motion for termination of proceeding & withdrawal of application insufficient info exists to grant motion since until decided on future plans for site
WOLFE, S J Atomic Safety and Licensing Board Panel 82/06/18
Public Service Co of Oklahoma 5pp 13560 335 24X
Fiche 50-556, 82/06/18, 8206210221

8206300032 Notice of appearance in proceeding Certificate of Svc encl
CHAN, E I Hearing Branch 2 82/06/23 3pp 13656 025 24X
Fiche 50-556, 82/06/23, 8206300032

L Limited work authorization & related correspondence

8206250361 Act receipt of 820409 ltr re withdrawal of CP application NRC responded in timely manner to until given TMI accident & need to ensure implementation of lessons learned from accident
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/06/22
WALSKE, C Atomic Industrial Forum 2pp 13630 004 24X
Fiche 50-556, 82/06/22, 8206250361

O Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET 50-558 MAANSHAN NUCLEAR STATION, UNIT 1

S Reportable occurrences, LERs & related correspondence

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715
MILLS, L L Transamerica Delaval, Inc 82/06/23, Director's Office, Office of Inspection and Enforcement 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50-559 MAANSHAN NUCLEAR STATION, UNIT 2

S Reportable occurrences, LERs & related correspondence

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator. Affected licensees will be notified no later than 820715
MILLS, L L Transamerica Delaval, Inc. 82/06/23, Director's Office, Office of Inspection and Enforcement. 2pp 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET 50N-566 YELLOW CREEK NUCLEAR PLANT, UNIT 1

A Application/construction stage documents & correspondence

8206300392 Addl response to FOIA request for documents re cancellation, postponement, termination or deferral of nuclear plant const since 820101. Forwards documents listed in app
FELTON, J H Division of Rules and Records 82/06/07 DOI, K Critical Mass Energy Project 2pp 13678 215 24X
Fiche 50-000, 82/06/07, 8206300392

--8206300409 Forwards estimate of units to be canceled or indefinitely deferred, per request
CORNELL, K Office of the Executive Director for Operations 82/03/19
AHEARNE, J Commissioners 2pp 13678 237 24X
Fiche 50-000, 82/06/07, 8206300392

O Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F J Division of Project & Resident Programs 82/05/20
PARRIS, H O Tennessee Valley Authority 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted
LENAHAN, J J Division of Project & Resident Programs 82/05/10 7pp 13374 258 24X Fiche 50-000, 82/05/20, 8206070482

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11 106pp 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Matl by Workers " Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

S Reportable occurrences, LERs & related correspondence

8206010216 Deficiency rept re failure of Transamerica Delaval to promptly correct deficiencies, initially reported 820114
Completion date of corrective actions delayed to 820630.
Also reportable per Part 21
MILLS, L M Tennessee Valley Authority 82/05/20 O'REILLY, J P
Region 2, Office of Director 1p 13300 086 24X
Fiche 50-000, 82/05/20, 8206010216

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records, initially reported on 811027 Final rept submitted on 820208 Corrective action expected to be completed on or before 820730
MILLS, L M Tennessee Valley Authority 82/05/25 O'REILLY, J P
Region 2, Office of Director 1p 13368 212 24X
Fiche 50-000, 82/05/25, 8206070104

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences, initially reported 811020 Procedures revised Next rept by 821206
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 3pp 13390 270 24X
Fiche 50-000, 82/05/28, 8206070665

8206110282 Second interim deficiency rept re review of purchase requisitions, initially reported 820120 Study being conducted of procurement process including all aspects of sys. Next rept due by 820916
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower, initially reported on 820120 QA training completed 820318 & technical training ongoing. Administrative instruction GED-A1 104 implemented
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, 8206110159

8206210536 Final deficiency rept re QA deficiencies at Morgan Engineering, Inc. initially reported on 820512 Contract w/Morgan Engineering canceled due to deferred status of const
MILLS, L M Tennessee Valley Authority 82/06/10 O'REILLY, J P
Region 2, Office of Director 2pp 13565 173 24X
Fiche 50-566, 82/06/10, 8206210536

8206300205 Seventh interim deficiency rept for Deficiencies 2, 3, 5 & 14 re QA audit M80-7, initially reported 800923 Const activities deferred until sufficient info compiled
MILLS, L M Tennessee Valley Authority 82/06/22 O'REILLY, J P
Region 2, Office of Director 1p 13654 341 24X
Fiche 50-566, 82/06/22, 8206300205

DOCKET STN-50-567 YELLOW CREEK NUCLEAR PLANT, UNIT 2

A Inspection reports, IE Bulletins & correspondence

8206070482 Forwards IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02
LONG, F J Division of Project & Resident Programs 82/05/20
PARRIS, H Q Tennessee Valley Authority 3pp 13374 255 24X
Fiche 50-000, 82/05/20, 8206070482

--8206070496 IE Insp Repts 50-327/82-09, 50-328/82-08, 50-390/82-16, 50-391/82-13, 50-438/82-10, 50-439/82-10, 50-518/82-05, 50-519/82-05, 50-520/82-05, 50-521/82-05, 50-553/82-01, 50-554/82-01, 50-566/82-02 & 50-567/82-02 No noncompliance noted.
LENAHAN, J J Division of Project & Resident Programs 82/05/18
9pp 13374 258 24X Fiche 50-000, 82/05/20, 8206070482

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp, 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCB." Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11 106pp, 13675 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

B. Reportable occurrences, LERs & related correspondence

8206010216 Deficiency rept re failure of Transamerica Delayal to promptly correct deficiencies; initially reported 820114 Completion date of corrective actions delayed to 820630 Also reportable per Part 21.
MILLS, L M Tennessee Valley Authority. 82/05/20 O'REILLY, J P.
Region 2, Office of Director 1p 13300 086 24X
Fiche 50-000, 82/05/20, 8206010216.

8206070104 Supplemental final deficiency rept re receiving, checking & controlling records; initially reported on 811027. Final rept submitted on 820208 Corrective action expected to be completed on or before 820730.
MILLS, L M Tennessee Valley Authority. 82/05/25 O'REILLY, J P.
Region 2, Office of Director 1p 13368 212 24X
Fiche 50-000, 82/05/25, 8206070104.

8206070665 Fourth interim deficiency rept re absence of div of engineering design sys to ensure issuance of QA procedures before work commences; initially reported 811020. Procedures revised. Next rept by 821206
MILLS, L M Tennessee Valley Authority 82/05/28 O'REILLY, J P
Region 2, Office of Director 3pp 13390 270 24X
Fiche 50-000, 82/05/28, 8206070665.

8206110282 Second interim deficiency rept re review of purchase requisitions; initially reported 820120 Study being conducted of procurement process including all aspects of sys Next rept due by 820916
MILLS, L M Tennessee Valley Authority 82/06/01 O'REILLY, J P
Region 2, Office of Director 1p 13466 162 24X
Fiche 50-000, 82/06/01, 8206110282

8206110159 Second interim deficiency rept re regional quality engineering branch insp of manpower; initially reported on 820120 QA training completed 820318 & technical training ongoing Administrative Instruction GEB-A1 104 implemented
MILLS, L M Tennessee Valley Authority 82/06/03 O'REILLY, J P
Region 2, Office of Director 2pp 13466 323 24X
Fiche 50-000, 82/06/03, 8206110159.

8206210536 Final deficiency rept re QA deficiencies at Morgan Engineering, Inc. initially reported on 820512 Contract w/Morgan Engineering canceled due to deferred status of const
MILLS, L M Tennessee Valley Authority 82/06/10 O'REILLY, J P
Region 2, Office of Director 2pp 13565 173 24X
Fiche 50-566, 82/06/10, 8206210536

8206300205 Seventh interim deficiency rept for Deficiencies 2, 3, 5 & 14 re QA audit M80-7, initially reported 800923 Const activities deferred until sufficient info compiled
MILLS, L M Tennessee Valley Authority 82/06/22 O'REILLY, J P
Region 2, Office of Director 1p 13654 341 24X
Fiche 50-566, 82/06/22, 8206300205

DOCKET STN-50-573 KO-RI, UNIT 2

S Reportable occurrences, LERs & related correspondence

8206300192 Part 21 rept re potential defect in couplings drive element of DSRV or DSR standby diesel generator Affected licensees will be notified no later than 820715
MILLS, L M Transamerica Delayal, Inc 82/06/23 Director's Office, Office of Inspection and Enforcement 2pp, 13653 328 24X
Fiche 50-000, 82/06/23, 8206300192

DOCKET STN-50-592 PALO VERDE NUCLEAR STATION, UNIT 4

A Application/construction stage documents & correspondence

8206180004 Informs of latest developments re possible fault scarps in area of station, as followup to util 820610 ltr to NRC Excavations showed positive evidence that faulting could not be cause of scarps.
VAN BRUNT, E E Arizona Public Service Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp 13551 360 24X Fiche 50-528, 82/06/16, 8206180004

DOCKET STN-50-593 PALO VERDE NUCLEAR STATION, UNIT 5

A Application/construction stage documents & correspondence

8206180004 Informs of latest developments re possible fault scarps in area of station, as followup to util 820610 ltr to NRC Excavations showed positive evidence that faulting could not be cause of scarps.
VAN BRUNT, E E Arizona Public Service Co 82/06/16 DENTON, H R
Office of Nuclear Reactor Regulation, Director 4pp, 13551 360 24X Fiche 50-528, 82/06/16, 8206180004

DOCKET STN-50-599 CARROLL FACILITY 1

G Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints." Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28 103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378.

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants." Svc list encl
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380.

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp 13675 258 24X Fiche 50-000, 82/04/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOCKET STN-50-600 CARROLL FACILITY II

Q Inspection reports, IE Bulletins & correspondence

8202040147 IE Info Notice 82-15, "Notification of NRC " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/05/28 107pp 13426 095 24X
Fiche 50-000, 82/05/28, 8202040147

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/05/28
103pp 13440 264 24X Fiche 50-000, 82/05/28, 8204210378

8204210380 IE Bulletin 82-02, "Degradation of Threaded Fasteners in Reactor Coolant Pressure Boundary of PWR Plants " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/02 108pp 13527 150 24X
Fiche 50-000, 82/06/02, 8204210380

8204210383 IE Info Notice 82-17, "Overpressurization of RCS " Svc list encl
JORDAN, E L Division of Engineering & Quality Assurance 82/06/11
106pp, 13675, 258 24X Fiche 50-000, 82/06/11, 8204210383

8204210384 IE Info Notice 82-18, "Assessment of Intakes of Radioactive Mat'l by Workers " Svc list encl
DEVOUNO, R C Director's Office, Office of Inspection and Enforcement 82/06/11 120pp 13675 189 24X
Fiche 50-000, 82/06/11, 8204210384

DOMESTIC LICENSING OF SPECIAL NUCLEAR MATERIAL DOCKET 70-0008 BATTTELLE MEMORIAL INSTITUTE, COLUMBUS, OH

8204010093 Informs of 10CFR170, Category 13 fee requirement for 820324 request for approval of route to be used for shipment of spent fuel to Pleasanton, CA
MILLER, W O License Fee Management Branch 82/05/24, EMSWILER, T.
Battelle Memorial Institute, Columbus Laboratories 1p, 13331, 222

DOCKET 70-0011 ARMY, DEPT OF, ABERDEEN, MD

8206290061 Discusses IE Insp Rept 70-0011/82-01 conducted on 820525 No noncompliance noted. Major areas inspected, activities re Pu/be sealed source, source
MARTIN, T T Division of Engineering & Technical Programs 82/06/22,
EICHELSBERGER, R Army, Dept of 2pp 13634 352

DOCKET 70-0025 ROCKWELL INTERNATIONAL CORP., CANOGA PARK, CA

8206010705 Confirms 820112 telcon re effective dates of certain license conditions transmitted by NRC 811230 1tr Page 4 of Encl B to 811230 1tr rewritten to include effective dates Encl Page 4 withheld (ref 10CFR73 21).
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/01/26,
REHLEY, M E Rockwell International Corp. 1p 13331, 315

DOCKET 70-0027 BABCOCK & WILCOX CO., LYNCHBURG, VA

8206040492 Requests submission of updated listing of const-related activities which will not be completed by 820629 re upgrade physical protection plan. Response due by 820415
EVANS, L J Division of Safeguards 82/03/09 CORDANI, R A Babcock & Wilcox Co 1p 13391 346

8206020229 Advises that page changes submitted 820219 to physical protection plan are consistent w/provisions of 10CFR70 32(e). Pages will be inserted into plan as described.
EVANS, L J Fuel Facility Safeguards Licensing Branch. 82/03/23,
CORDANI, R A, Babcock & Wilcox Co. 1p 13340 202

8206090206 Responds to 820330 1tr requesting exemption from 10CFR70 38(e) for 12 g of U-235 Safeguards Amend MPP-1 to License SNM-42 revised by adding new license condition
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/04/09
KELLY, J W Babcock & Wilcox Co 1p 13456 076

8206010169 Responds to 81111 1tr Acceptance of NRC-R SNM access authorization for areas in which only encapsulated fuel is located will become effective upon receipt & approval of amend to current physical protection plan
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/04/26
CORDANI, R A Babcock & Wilcox Co 3pp 13319 268.

8206040170 Forwards IE Safeguards Insp Rept 70-0027/82-09 on 820405-09 No noncompliance noted
GIBSON, A F Division of Engineering & Technical Programs 82/04/29
ECKERT, J P Babcock & Wilcox Co 3pp 13359 114

--8206040176 IE Safeguards Insp Rept 70-0027/82-09 on 820405-09 No noncompliance noted Major areas inspected facility organization, mgt of mat'l control sys, records & repts & shipping & receiving Details withheld (ref 10CFR2 790)
JONES, D W, LANKFORD, J B, RICHARDS, B L Division of Engineering & Technical Programs 82/04/29 2pp 13359 116

8206070294 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12
ECKERT, J P Babcock & Wilcox Co 1p, 13368 272

8206070594 Forwards IE Insp Rept 70-0027/82-06 on 820426-30 No noncompliance noted
GIBSON, A F Division of Engineering & Technical Programs. 82/03/14
ECKART, J P Babcock & Wilcox Co 2pp 13371 356

--8206070614 IE Insp Rept 70-0027/82-06 on 820426-30. No noncompliance noted Major areas inspected exposure control, radiation protection procedures, posting & labeling, notification & repts & instruments & equipment
WRAY, J R, BARR, K P Division of Engineering & Technical Programs 82/05/13 6pp 13371 358

8206250250 Forwards IE Safeguards Insp Rept 70-0027/82-08 on 820419-22 No noncompliance noted
GIBSON, A F Division of Engineering & Technical Programs 82/05/29
ECKERT, J P Babcock & Wilcox Co. 2pp 13613, 056

--8206250256 IE Safeguards Insp Rept 70-0027/82-08 on 820419-22 No noncompliance noted Major areas inspected, measurement

control program, inventory verification & independent insp effort Details withheld (ref 10CFR73 21)
SABADO, J W, MCALPINE, E J Division of Engineering & Technical Programs 82/05/28 2pp 13613, 058

8206180056 Advises that expenditures required for review of amend re access authorization less than fee paid Div of Accounting & Finance will refund balance
MILLER, W O License Fee Management Branch 82/06/04 CORDANI, R A
Babcock & Wilcox Co 1p 13370 102

8206280089 Amend 16 to BW license, authorizing startup & limited operation of new Research Reactor Fuel Element Facility
PADE, R O Uranium Fuel Licensing Branch. 82/06/18 KELLY, J W
Babcock & Wilcox Co 1p, 13630 341

--8206280093 Safety evaluation supporting Amend 16 to License SNM-12
KETZLACH, N, CROW, W T Uranium Fuel Licensing Branch 82/06/18
3pp, 13630 342

DOCKET 70-0033 TEXAS INSTRUMENTS, INC., ATTLEBORO, MA

8206090249 Requests termination of License SNM-23 & release of licensed areas for general use One oversize figure encl. Aperture card is available in PDR.
SHERMAN, F L, SCHMENSEFIR, R. Texas Instruments, Inc. 82/03/17
PADE, R O Uranium Fuel Licensing Branch. 114pp 13453, 001

DOCKET 70-0036 COMBUSTION ENGINEERING, INC., WINDSOR, CT

8206010701 Informs of deletion of License Condition 6.2 of Amend MPP-3 to License SNM-33. Requests submittal of measured discard & inventory difference data on monthly basis
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/23
ESKRIDGE, H Combustion Engineering, Inc. 1p, 13331 283

8206100376 Notification of contract execution, Mod 1 to "EIA re C-E
SNM License SNM-33 Renewal Action " Contractor Science
Applications, Inc
HAIRSTON, C , FLEENOR, C Technical Assistance Contracts Branch
NRC-02-B1-060 82/05/20 DAVIS, J, LOYSEN, P. Office of Nuclear
Material Safety & Safeguards, Director 1p 13469 263

--8206100386 Mod 1, extending period of performance to 820930, to "EIA re
C-E SNM License SNM-33 Renewal Action "
FINDLEY, D E Science Applications, Inc HAQAN, T Division of
Contracts NRC-02-B1-060 82/05/20 1p 13469 264

8206140267 Requests that amend to License SNM-0033 be processed to
incorporate radiological contingency plan as license
condition
FISHER, F D Uranium Fuel Licensing Branch. 82/06/08 CROW, W T
Uranium Fuel Licensing Branch 1p 13507 072

--8206140272 Safety evaluation supporting proposed amend to License
SNM-0033, incorporating radiological contingency plan
DECKER, T R, FISHER, F D Uranium Fuel Licensing Branch 82/06/08
4pp 13507 073

8206290009 Amend 8 to C-E license, revising Condition 12 & adding
Condition 24 to incorporate radiological contingency plan
dtd 820127
PAGE, R O Uranium Fuel Licensing Branch 82/06/09 LICHTENBERGER
Combustion Engineering, Inc 2pp 13661 098

--8206290013 Safety evaluation supporting Amend 8 to License SNM-0033
DECKER, T R, FISHER, F D Uranium Fuel Licensing Branch 82/06/09
3pp 13661 100

DOCKET 70-0123 PENNSYLVANIA, UNIV OF, PHILADELPHIA, PA

8206290170 Discusses IE Insp Rept 70-0123/82-01 conducted on 820511. No
noncompliance noted Major areas inspected activities re
Pu/Be sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/22
THOMAS, J W Pennsylvania, Univ of 2pp 13634 314

DOCKET 70-0135 BABCOCK & WILCOX CO., APOLLO, PA

8206070539 Forwards detailed description of methods employed & results
of measurements of residual high enriched U for Facility
Encl assessment serves as overcheck of high enriched U
holdup valves determined by B&W.
MARTIN, T T Division of Engineering & Technical Programs 82/05/18.
CARLSON, R V Babcock & Wilcox Co 23pp 13374:044

8206110030 Forwards Amend 12 to License SNM-145 Amend eliminates Air
Sampling Station 4 & removes requirements for determination
of particle size & solubility in environ air samples Safety
evaluation encl.
PAGE, R O Uranium Fuel Licensing Branch 82/05/28 AUSTIN, M A
Babcock & Wilcox Co. 2pp. 13493 126

--8206110031 Amend 12 to License SNM-145, eliminating Air Sampling Station
4 & removing requirements for determination of particle size
& solubility in environ air samples
PAGE, R O Uranium Fuel Licensing Branch 82/05/28 7pp.
13493 128

--8206110035 Safety evaluation supporting Amend 12 to License SNM-145, to
eliminate particle size & solubility analyses on U collected
from environ air monitoring stations
NIXON, W A Uranium Fuel Licensing Branch. 82/05/28 3pp.
13493 135

8206290455 Ack receipt of 820601 ltr informing NRC of steps taken to
correct violation noted in IE Insp Rept 70-0135/82-04
MARTIN, T T Division of Engineering & Technical Programs 82/06/22
CARLSON, R V Babcock & Wilcox Co 1p 13632:383

--8206290459 Responds to NRC 820514 ltr re violation noted in IE Insp
Rept 70-0135/82-04 Corrective actions schedule established &
implemented for timely completion of evaluation of all
permanently mounted air samplers
AUSTIN, M A Babcock & Wilcox Co 82/06/01. MARTIN, T T Division
of Engineering & Technical Programs 2pp 13632 354.

DOCKET 70-0143 NUCLEAR FUEL SERVICES, INC, ERWIN, TN

8206020225 Requests listing of const-related items which cannot be
provided according to original schedule, alternative measures
meeting regulatory requirement for each listed item &
revised schedule
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/05
MICHEL, C J Nuclear Fuel Services, Inc (subs. of Getty Oil Co)
1p 13340 201

8206010184 Responds to 820108 & 11 ltrs re revisions to Chapter 8 0 &
App B of fundamental nuclear matl control plan. Revised
License Condition 2 1 of Safeguards Amend MPP-1 encl
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/08
HENSLEY, K D Nuclear Fuel Services, Inc (subs. of Getty Oil Co)
2pp. 13319 264

8206020217 Requests revised Section 11 of upgrade physical protection
plan containing info outlined in 10CFR11.11 Applications
for access authorizations must be submitted within 60 days
after amend approval
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/17
MICHEL, C J Nuclear Fuel Services, Inc. (subs of Getty Oil Co)
1p 13340 199

8206020007 Notifies that submittal time for upgrade physical protection
plan has been extended until 820315.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/26
MICHEL, C J Nuclear Fuel Services, Inc. (subs of Getty Oil Co).
1p 13332 360

8206020190 Responds to 820219 ltr transmitting Revision 33 to Chapter
1 0 of fundamental nuclear matl control plan Licenses
Condition 2 1 of safeguards Amend MPP-1 to License SNM-124
revised to incorporate revision.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/24
HENSLEY, K Nuclear Fuel Services, Inc (subs of Getty Oil Co)
2pp 13340 173

8206090199 Responds to 820301 & 02 ltrs transmitting revisions to
fundamental nuclear matl control plan Chapters 3 0 & 4 0
License Condition 2 1 of Amend MPP-1 to License SNM-124 is
revised
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/04/05
HENSLEY, K Nuclear Fuel Services, Inc (subs of Getty Oil Co.)
2pp 13454 359

8206010704 Notifies that 820106 request for exemption from regulation
re waste shipments acceptable Exemption being incorporated
in form of new License condition 6 7 to Amend MPP-1 to
License SNM-124, effective immediately
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/05/01
HENSLEY, K D Nuclear Fuel Services, Inc (subs of Getty Oil Co)
2pp 13331 284

8206010712 Advises that 820416 Amend 1 to physical protection plan
should be revised to provide acceptable control over matl
contaminated w/low levels of SNM Encl safeguards info
withheld (ref 10CFR73 21)
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/05/07
MICHEL, C J Nuclear Fuel Services, Inc (subs of Getty Oil Co.),
1p 13331 314

8205280389 Ack receipt of 820416 & 20 ltrs informing NRC of steps
taken to correct violations noted in IE Insp Repts
70-0143/82-05 & 70-0143/82-07
OIBSON, A F. Division of Engineering & Technical Programs. 82/05/10.
MANBER, W.C. Nuclear Fuel Services, Inc (subs. of Getty Oil Co.)
1p. 13283 326

--8205280396 Responds to NRC 820308 ltr re violation noted in IE Insp
Rept 70-0143/82-05 Corrective actions process control will
be attempted to reduce airborne concentrations in tube
cleaning room
MANBER, W.C Nuclear Fuel Services, Inc (subs of Getty Oil Co.)
82/04/16. OIBSON, A F. Division of Engineering & Technical
Programs 3pp 13283:327

--8205280404 Confirms 820405 telcon agreement to allow 14-day extension
for licensee response to IE Insp Rept 70-0143/82-05.
MANBER, W.C Nuclear Fuel Services, Inc. (subs of Getty Oil Co.),
82/04/05. OIBSON, A.F. Division of Engineering & Technical
Programs 1p 13283 330

--8205280410 Forwards IE Insp Rept 70-0143/82-05 on 820201-05 & notice of
violation.
OIBSON, A F Division of Engineering & Technical Programs
82/03/08 MANBER, W.C. Nuclear Fuel Services, Inc (subs. of Getty
Oil Co) 2pp. 13283:331.

--8205280413 Notice of violation from insp on 820201-05
* Region 2, Office of Director. 82/03/08 2pp 13283 333

--B205280421 IE Insp Rept 70-0143/82-05 on B20201-05 Noncompliance noted weekly average concentrations of airborne U exceeded 25% of 10CFR20, App B, Table 1, Column 1 requirements
KAHLE, J B , BARR, K P Division of Engineering & Technical Programs 82/03/05 9pp. 13283 335

B206070403 Forwards IE Insp Rept 70-0143/82-15 on B20419-23 No noncompliance noted
QIBSON, A F Region 2, Office of Director. 82/05/11 MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp. 13371:269.

--B206070404 IE Insp Rept 70-0143/82-15 on B20419-23 No noncompliance noted Major areas inspected, packaging & transportation of radioactive matls
KAHLE, J B Division of Engineering & Technical Programs 82/05/10 8pp 13371 271

B206040354 Forwards IE Safeguards Insp Rept 70-0143/82-14 on B20419-22 No noncompliance noted
QIBSON, A F Division of Engineering & Technical Programs 82/05/12 MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co) 2pp 13350 347

--B206040359 IE Safeguards Insp Rept 70-0143/82-14 on B20419-22 No noncompliance noted Major areas inspected, measurements, measurement control program, independent insp effort & previous insp followup Details withheld (ref 10CFR2 790)
BATES, J W , MCALPINE, E J Division of Engineering & Technical Programs 82/05/11 1p 13350 349

B206070285 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 MANSER, W C Nuclear Fuel Services, Inc (subs. of Getty Oil Co) 1p 1336B 242

B206010019 Advises that Condition 51 of 790316 renewed license to NFB, Inc changed to remove requirements that Pu facility be decontaminated & decommissioned by B20731
NIXON, W A Uranium Fuel Licensing Branch 82/05/19 Uranium Fuel Licensing Branch 1p. 13319:351

B206010071 Revises Condition 485 to exclude Bldg 310 from 250 ft requirement & state that hydrant will be located 300 ft from bldg Adequate hoses will be provided to reach all areas
NIXON, W A Uranium Fuel Licensing Branch 82/05/19 Uranium Fuel Licensing Branch 1p 13331 239

B206070456 Forwards IE Insp Rept 70-0143/82-17 on B20504-07 No noncompliance noted
QIBSON, A F Division of Engineering & Technical Programs 82/05/19 MANSER, W C Nuclear Fuel Services, Inc. (subs. of Getty Oil Co.) 2pp. 13390:345

--B206070663 IE Insp Rept 70-0143/82-17 on B20504-07 No noncompliance noted Major areas inspected, operations, training, nuclear criticality safety, safety committees & licensee event followup
CORVELL, G P , MCALPINE, E J Division of Engineering & Technical Programs. 82/05/18 5pp 13390 347.

B206090254 Amend 14 to Nuclear Fuel Svcs, Inc license, revising Condition 51 to require completion of decontamination & decommissioning of U-233 facilities by B20731
PAGE, R G Uranium Fuel Licensing Branch 82/05/19 1p 13455:115

B206070468 Ack receipt of IE Insp Rept 70-0143/82-12 No proprietary info.
MANSER, W C. Nuclear Fuel Services, Inc (subs of Getty Oil Co). 82/05/24 QIBSON, A F Division of Engineering & Technical Programs 1p 13375 023.

B206100426 Issues Amend 16 to License BNM-124, authorizing use of finishing unit in Bldg 110 not exceeding batch limit of 3 kg U-235.
PAGE, R G Uranium Fuel Licensing Branch 82/05/28. MICHEL, C J NUS Corp 1p 13458 359.

--B206100428 Safety evaluation supporting Amend 16 to License BNM-124, authorizing use of finishing unit in Bldg 110
NIXON, W A Uranium Fuel Licensing Branch 82/05/29 2pp 13458:360

B206220338 Ack receipt of IE Insp Rept 70-0143/82-15, No proprietary info.
MANSER, W C. Nuclear Fuel Services, Inc. (subs of Getty Oil Co). 82/06/01 QIBSON, A F. Region 2, Office of Director. 1p. 13582 077.

B206170163 PNO-11-82-063 on B20608, reporter for Knoxville Journal contacted Region 2 requesting confirmation re inventory differences reported on B20121, 0325 & 0527 at NFB NRC declined to confirm or deny data
CLARK, K M , GILLILAND, J T Region 2, Office of Director 82/06/08 1p 13534 039

B206220405 Ack receipt of B20430 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-0143/81-04
O'REILLY, J P Region 2, Office of Director 82/06/11. MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co) 1p 13578 097

--B206220407 Responds to NRC B11231 ltr re violations noted in IE Insp Rept 70-0143/81-04 Corrective actions contamination control program modified, health & safety personnel added & respiratory protection program upgraded
MANSER, W C Nuclear Fuel Services, Inc (subs of Getty Oil Co) 82/04/30 O'REILLY, J P Region 2, Office of Director 10pp 13578 098

DOCKET 70-0182 NAVY, DEPT OF, BETHESDA, MD

B206290074 Discusses IE Insp Rept 70-0182/82-01 conducted on B20526 No noncompliance noted Major areas inspected activities re Pu/be sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/02 HORGAN, J J National Naval Medical Center Bethesda, MD 2pp. 13635 236

DOCKET 70-0241 BUCKNELL UNIV , LEWISBURG, PA

B206210289 Discusses IE Insp Rept 70-0241/82-01 conducted on B20429 No noncompliance noted Major areas inspected review of activities re Pu/beryllium sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/16 O'BRIEN, D Bucknell Univ 2pp 13559 121

DOCKET 70-0258 ILLINOIS, UNIV. OF, URBANA, IL

B206280047 Ack receipt of application for renewal of License BNM-236 dtd B20525 License shall remain in effect until application for renewal has been finally determined by Commission
SODON, A L Uranium Fuel Licensing Branch 82/06/09 MANDEL, H Illinois, Univ of, Urbana-Champaign. 1p. 13630 354

DOCKET 70-0268 GETTYSBURG COLLEGE, GETTYSBURG, PA

B206290332 Discusses IE Insp Rept 70-0268/82-01 conducted on B20427 No noncompliance noted Major areas inspected outer end cap welds on Pu/Be sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/22 NORRVALL, R C Gettysburg College 2pp. 13632 335

DOCKET 70-0296 FAIRLEIGH DICKINSON UNIV , TEANECK, NJ

B206240292 Discusses IE Insp Rept 70-0296/82-01 conducted on B20604 No noncompliance noted Major areas inspected activities re Pu/Be sealed sources & visual exam w/wipe samples of end cap weld area
MARTIN, T T Division of Engineering & Technical Programs. 82/06/21 ARTHUR, D W Fairleigh Dickinson Univ 2pp. 13597:037.

DOCKET 70-0343 RUTGERS STATE UNIV., NEW BRUNSWICK, NJ

B206290337 Discusses IE Insp Rept 70-0343/82-01 conducted on B20512 No noncompliance noted Major areas inspected outer end cap welds on Pu/Be sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/22 OCHS, R F Rutgers, New Jersey, State Univ of, Busch Campus 2pp. 13632 324

DOCKET 70-0355 NATIONAL AERONAUTICS & SPACE ADMIN , CLEVELAND, OH

B206210345 Identifies individuals discussed in IE Insp Repts 30-03302/82-02 & 70-0355/81-01 for Licenses 29-04236-01 & BNM-331, respectively Personally identifiable info deleted
CAMPBELL, J D NRC - No Detailed Affiliation Given. 82/06/21 KINNEMAN, J D Region 1, Office of Director 1p 13564:224

DOCKETED ITEMS

DOCKET 70-0356 NUCLEAR RESEARCH CORP , DOVER, NJ

8206030102 Forwards IE Insp Repts 30-05302/82-03 & 70-0356/82-02 on 820519 of activities under Licenses 29-04234-01 & SNM-331 No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/05/26
CODLEY, J Nuclear Research Corp 2pp 13337 111

--8206030105 IE Insp Repts 30-05302/82-03 & 70-0356/82-02 on 820519 No noncompliance noted Major areas inspected survey for residual contamination & radiation & removable activity of pipes prior to release of facility for unrestricted use
FRIEDMAN, L F , KINNEMAN, J D Division of Engineering & Technical Programs 82/05/26 9pp 13337 113

DOCKET 70-0364 BABCOCK & WILCOX CO., APOLLO, PA

8206030289 Forwards revised License Condition 2 i 1 of Safeguards Amend MPP-1 to License SNM-414, per licensee 820226 1tr transmitting revised pages to Pu decommissioning fundamental nuclear matl control plan
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/04/30.
AUSTIN, M A Babcock & Wilcox Co 2pp 13361 320

8206070539 Forwards detailed description of methods employed & results of measurements of residual high enriched U for facility Encl assessment serves as overcheck of high enriched U holdup valves determined by B&W
MARTIN, T T Division of Engineering & Technical Programs 82/05/13,
CARLSON, R V Babcock & Wilcox Co 23pp 13374 044

DOCKET 70-0368 NAVY, DEPT OF, ANNAPOLIS, MD

8206290264 Discusses IE Insp Rept 70-0368/82-01 conducted on 820527 No noncompliance noted Major areas inspected: Pu/be sealed sources outer end cap welds per DOE recommendation
MARTIN, T T Division of Engineering & Technical Programs 82/06/22
NELSON, M E U S Naval Academy 2pp 13636 163

DOCKET 70-0371 UNC NAVAL PRODUCTS, INC , UNCASVILLE, CT

8206010707 Notifies that 820215 revision to Ref 27 of emergency evacuation procedure, App 1 of physical protection plan is acceptable
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/04
KIRK, W F United Nuclear Corp 1p 13331:282

8206010162 Requests submittal of updated listing of all const-related activities which will be completed after 820626 & date for completion Response requested no later than 820409
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/05,
KIRK, W F United Nuclear Corp 1p 13319 271.

8206040441 Responds to 820125 & 0223 1trs re fundamental nuclear matl control plan License Condition 2 i of Amend MPP-1 to License SNM-368 revised
EVANS, L J Fuel Facility Safeguards Licensing Branch, 82/04/26
KIRK, W F United Nuclear Corp, 2pp, 13362 361

8206020182 Ack receipt of 820407 1tr & encl re change of equipment listed under upgrade physical protection plan Change considered acceptable for inclusion in plan
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/17,
GUSTAFSON, R B United Nuclear Corp 1p, 13340, 172.

8206080296 Forwards IE Safeguards Insp Rept 70-0371/82-03 on 820413-15. No noncompliance noted
MARTIN, T T Division of Engineering & Technical Programs 82/03/20
AMY, O O United Nuclear Corp, 3pp 13419 313.

--8206080301 IE Safeguards Insp Rept 70-0371/82-03 on 820413-15. No noncompliance noted Major areas inspected, operation, physical inventory & tamper safing practices Details withheld (ref 10CFR73 21)
KUSHNER, W L., COHEN, I., GODY, A T. Division of Engineering & Technical Programs, 82/03/17, 2pp, 13419 315.

8206220069 Forwards IE Safeguards Insp Rept 70-0371/82-04 on 820426-30 & notice of violation. Encls withheld (ref 10CFR73.21).
MARTIN, T. T. Division of Engineering & Technical Programs, 82/06/04
AMY, O. O. United Nuclear Corp 2pp, 13573:001.

DOCKET 70-0374 ST JOSEPH'S COLLEGE, PHILADELPHIA, PA

8206020185 Advises that submittal of upgraded physical protection plan has been deferred to 820421 due to scheduled 820330-31 visit to facility.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/26,
MOWRY, W R QA Technologies, Inc /General Atomic Co 1p 13340, 173

8206070399 Discusses IE insp of Licenses 37-01753-01, 37-01753-02, 37-01753-03 & SNM-343 on 820505 & forwards notice of violation
MARTIN, T T Division of Engineering & Technical Programs 82/05/20,
MACLEAN, D St. Joseph Univ Philadelphia, PA 2pp 13371:283.

--8206070402 Notice of violation from insp on 820505 Noncompliance noted food stored in refrigerator which contained radioactive matl
MARTIN, T T Division of Engineering & Technical Programs 82/05/20 1p 13371:287

8206290094 Ack receipt of 820607 1tr informing NRC of steps taken to correct violations noted in IE insp of Licenses 37-01753-01, 37-01753-02, 37-01753-03 & SNM-343
MARTIN, T T Division of Engineering & Technical Programs 82/06/22
MACLEAN, D St Joseph Univ Philadelphia, PA 1p 13634, 328

--8206290100 Responds to NRC 820520 1tr re violations noted in IE insp of Licenses 37-01753-03 & SNM-343 Corrective actions food removed from refrigerator where radioactive isotopes stored
FELLOWS, R J St Joseph Univ, Philadelphia, PA, 82/06/07
MARTIN, T T Division of Engineering & Technical Programs 1p, 13634, 329

8206290261 Discusses IE Insp Rept 70-0374/82-02 conducted on 820524. No noncompliance noted Major areas inspected Pu/be sealed sources outer end cap welds per DOE recommendation
MARTIN, T T Division of Engineering & Technical Programs, 82/06/22
WALDRON, J St Joseph Univ Philadelphia, PA, 2pp 13636, 165.

DOCKET 70-0391 PRINCETON UNIV , PRINCETON, NJ

8206070382 Ack receipt of 820504 1tr informing NRC of steps taken to correct violations noted in IE Insp Repts 30-00882/82-01, 30-12287/82-01, 40-5259/82-01 & 70-0391/82-01.
MARTIN, T. T. Division of Engineering & Technical Programs, 82/06/03,
MARUCA, A J Princeton Univ 1p 13363:073.

--8206070391 Responds to NRC 820421 1tr re violations noted in IE Insp Repts 30-00882/82-01, 30-12287/82-01, 40-5259/82-01 & 70-0039/82-01. Corrective actions small sealed sources relocated to locked storage cabinet
MARUCA, A J. Princeton Univ. 82/05/04 MARTIN, T T Division of Engineering & Technical Programs, 2pp 13363:074.

8206290453 Discusses IE Insp Rept 70-0391/82-02 conducted on 820518. No noncompliance noted Major areas inspected: activities re Pu/be sealed sources
MARTIN, T T Division of Engineering & Technical Programs, 82/06/22
MAY, R. M. Princeton Univ. 2pp, 13634 178

DOCKET 70-0398 COMMERCE, DEPT. OF, WASHINGTON, DC

DOCKET 70-0478 COMMERCE, DEPT OF, KINOS POINT, NY

8206240284 Discusses IE Insp Rept 70-0478/82-01 conducted on 820603 No noncompliance noted Major areas inspected activities re Pu/Be sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/21
HERTKA, A Commerce, Dept of, Maritime Administration 2pp
13396 160

DOCKET 70-0484 PHILADELPHIA COLLEGE OF PHARMACY, PHILADELPHIA, PA

8206290351 Discusses IE Insp Rept 70-0484/82-01 conducted on 820528 No noncompliance noted Major areas inspected Pu/Be sealed sources outer end cap welds per DOE recommendation
MARTIN, T T Division of Engineering & Technical Programs 82/06/24
CHASE, R Philadelphia College of Pharmacy & Science 2pp
13632.346

DOCKET 70-0575 LEBANON VALLEY COLLEGE, ANNVILLE, PA

8206230115 Discusses IE Insp Rept 70-0575/82-01 conducted on 820429 No noncompliance noted Major areas inspected activities re Pu/Be sealed sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/17
RILEY, R C Lebanon Valley College. 2pp. 13591 053

DOCKET 70-0600 SEATTLE UNIV, SEATTLE, WA

8206150464 Requests addl info re outlined topics to assist in evaluation of license renewal request per 820521 telcon Info should be submitted by 820630
KOSLA, B Uranium Fuel Licensing Branch 82/06/01 VALENTE, F A
Seattle Univ 2pp 13523 099

DOCKET 70-0687 UNION CARBIDE CORP, TUXEDO, NY

8206020020 Informs that License Condition 2 of Amend MPP-3 to License SNM-639 has been deleted Revised instructions specifying time intervals for discard & inventory difference rept will be issued later
EVANS, L J Fuel Facility Safeguards Licensing Branch. 82/02/25
MCGOVERN, J J Union Carbide Corp 1p 13333.055

8206080040 Notification of contract execution Mod 1 to "Environ Assessment Relative to Union Carbide Application for Renewal of License SNM-639 " Contractor Science Applications, Inc
HAIRSTON, C, FLEENOR, C Administrative Contracts Branch
NRC-02-81-034 82/05/18 DAVIS, J Office of Nuclear Material Safety & Safeguards, Director LOYSEN, P NRC - No Detailed Affiliation Given. 1p 13441.152

--8206080049 Mod 1, extending period of performance to 821031, to "Environ Assessment Relative to Union Carbide Application for Renewal of License SNM-639 "
FINDLEY, D E Science Applications, Inc HAGEN, T F
Administrative Contracts Branch. NRC-02-81-034 82/05/18 1p
13441 151.

8206030221 Ack receipt of 820318 & 0512 ltrs informing NRC of steps taken to correct violations noted in IE Insp Rept 70-0687/81-06
MARTIN, T T Division of Engineering & Technical Programs 82/05/21.
MCGOVERN, J J Union Carbide Corp 2pp 13337.166

--8206030224 Responds to NRC 820226 ltr re violations noted in IE Insp Rept 70-0687/81-06 Corrective actions posted estimated U content for each drum which is then corrected after actual content is determined.
MCGOVERN, J J Union Carbide Corp 82/03/18 MARTIN, T T
Division of Engineering & Technical Programs 2pp. 13337 168

--8206030229 Suppls 820318 response to IE Insp Rept 70-0687/81-06 Corrective actions, changes to health physics procedures will be submitted to nuclear safeguards committee by 820630 Revisions as result of initial review anticipated.
MCGOVERN, J J Union Carbide Corp 82/05/12. MARTIN, T T
Division of Engineering & Technical Programs 1p. 13337 170

DOCKET 70-0728 UTAH, UNIV OF, SALT LAKE CITY, UT

8206230157 Forwards current rosters for univ committees affected by state licenses
HOFFMAN, R J Utah, Univ of 82/05/14 WALKER, W J Division of
Fuel Cycle & Material Safety 4pp 13592 308 24X
Fiche 50-072.82/05/14.8206230157

DOCKET 70-0734 GENERAL ATOMIC CO, SAN DIEGO, CA

8206020236 Confirms 820303 telcon w/E Guimby & D Carlson re submittal of revised upgrade physical protection plan Plan will be submitted by 820331
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/08
MOWRY, W R QA Technologies, Inc /General Atomic Co 1p 13334 289

8206070195 Informs of proposal to amend matl & plant protection Amend MPP-1 to License SNM-696 by establishing encl requirements for transfer of SNM from present location to newly constructed vaults H/o encl
EVANS, L J Division of Safeguards 82/03/16 MOWRY, W R QA
Technologies, Inc /General Atomic Co 1p 13427 312

DOCKET 70-0749 MARYWOOD COLLEGE, SCRANTON, PA

8206210641 Discusses IE Insp Rept 70-0749/82-01 conducted on 820513 No noncompliance noted Major areas inspected visual exam of outer end cap welds of all Pu/Be sources
MARTIN, T T Division of Engineering & Technical Programs 82/06/11
BRENNAN, T J Marywood College, PA 2pp 13561 093

DOCKET 70-0754 GENERAL ELECTRIC CO, PLEASANTON, CA

8206010090 Informs of 10CFR170, Category 13 fee requirement for 820128 request for approval of route to be used for shipment of spent fuel
MILLER, W D License Fee Management Branch 82/05/24 KIRKLAND, M M
General Electric Co 1p 13331 223

DOCKET 70-0817 CHESTNUT HILL COLLEGE, PHILADELPHIA, PA

8206290416 Discusses IE Insp Rept 70-0817/82-01 conducted on 820525 No noncompliance noted Major areas inspected activities conducted under License SNM-771 re Pu/Be sealed sources
MARTIN, T T Division of Engineering & Technical Programs. 82/06/22
MCLEOD, M Chestnut Hill College 2pp 13634 302.

DOCKET 70-0820 UNITED NUCLEAR CORP., WOOD RIVER JCT., RI

8206090233 Forwards revised Amend MPP-2 to License SNM-777 to correct oversight which inadvertently omitted License Condition 3 3 from 820209 revision
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/04/05
OREGO, R United Nuclear Corp 1p 13455.134

--8206090239 Revised Amend MPP-2 to United Nuclear Corp license, adding License Condition 3 3 inadvertently omitted from 820209 revision
* Fuel Facility Safeguards Licensing Branch 82/04/05. 3pp.
13455 135

8206030126 Forwards "Detailed Soil Decontamination Plan." Projected schedule for completion of decontamination activities is 820901.
HELQESON, K A United Nuclear Corp 82/04/20 CROW, W T NRC - No Detailed Affiliation Given 1p 13342.326

--8206030133 "Detailed Soil Decontamination Plan "
* United Nuclear Corp 82/04/12 22pp. 13342 327

8206030006 Application for amend of License SNM-777 Conditions 22 & 24 to remove monthly sampling of leak detection sys requirement & to delete Wells A & 11 from well sampling program
OREGO, R J United Nuclear Corp 82/04/28 CROW, W T NRC - No Detailed Affiliation Given 3pp 13361.334

8206160455 Forwards survey plan for unrestricted areas of United Nuclear Corp facility in Wood River Junction, RI. Plan incorporates comments from state
BERGER, J D Oak Ridge Univ. 82/05/03 WILDE, R M Division of
Fuel Cycle & Material Safety 24pp 13542 176

DOCKETED ITEMS

41

8206070038 Forwards response to 820209 ltr re proposed mod to decommissioning fundamental nuclear matl control plan involving handling of grit drums License Condition 2 i will be revised & new License Condition 3 3 to Amend MPP-2 added EVANS, L J Division of Safeguards 82/05/10 GREGG, R United Nuclear Corp 3pp 13426 289

8206230233 Comments on Mar 1982 draft agreement between NRC & State of RI re decommissioning of UNC recovery sys Substantive requirements to be imposed erroneous, unjustified & objectionable Requests notification upon formal submittal SHEA, K H Lowenstein, Newman, Reis, Axelrad & Toll. 82/05/13 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 2pp 13592 280

8206280698 Responds to 820513 ltr re draft agreement between State of RI & NRC regarding decommissioning of United Nuclear Corp recovery sys Will notify when draft document received from state for comment W/o encl CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 82/06/07 SHEA, K H Lowenstein, Newman, Reis, Axelrad & Toll 1p 13630 355

8206280107 Forwards comments on United Nuclear Corp recovery sys "Detailed Soil Decontamination Plan," dtd 820412 & submitted in util 820420 ltr Application for termination of license supported CROW, W T Uranium Fuel Licensing Branch 82/06/11. GREGG, R. United Nuclear Corp 5pp 13630 345

DOCKET 70-0824 BABCOCK & WILCOX CO , LYNCHBURG, VA

8206040367 Forwards IE Safeguards Insp Rept 70-0824/82-03 on 820422-23 No noncompliance noted QIBSON, A F Division of Engineering & Technical Programs 82/05/07 ENGELDER, T C Babcock & Wilcox Co 2pp 13350 327

--8206040374 IE Safeguards Insp Rept 70-0824/82-03 on 820422-23 No noncompliance noted Major areas inspected records & repts Details withheld (ref 10CFR2 790) LANKFORD, J B , MCALPINE, E J Division of Engineering & Technical Programs 82/05/07. 1p. 13350 329

8206070321 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0849. "Agency Procedures For NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl STQHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 ENGELDER, T C Babcock & Wilcox Co 1p 13363 022

DOCKET 70-0892 WISCONSIN, UNIV OF, STEVENS POINT, WI

8206030135 Application for renewal of License BNM-808 LOKKEN, R A Wisconsin, Univ of, Stevens Point 82/03/17 Licensing Management Branch 6pp 13342 314

--8206030136 Amend 1 to License BNM-808 for Univ of WI/Stevens Point authorizing use of 32 g Pu-239 in howitzer for lab research & student instruction BROWN, J M Radioisotopes Licensing Branch (Pre 790501). 77/07/21 6pp 13342,320

DOCKET 70-0867 ARMY, DEPT OF, ABERDEEN, MD

8206230207 Discusses IE Insp Rept 70-0867/82-01 conducted on 820523 No noncompliance noted Major areas inspected, outer end cap welds on Pu/Be sources MARTIN, T T Division of Engineering & Technical Programs. 82/06/17. KNEESBY, A D Army, Dept of 2pp 13586, 291

DOCKET 70-1029 EAST STROUDSBURG STATE COLLEGE, EAST STROUDSBURG, PA

8206290445 Discusses IE Insp Rept 70-1029/82-01 conducted on 820512. No noncompliance noted Major areas inspected activities conducted under license re Pu/Be sealed sources. MARTIN, T T Division of Engineering & Technical Programs. 82/06/22. LEARN, Q A East Stroudsburg State College ES, Pennsylvania 2pp 13634 168

DOCKET 70-1050 ST. FRANCIS COLLEGE, LORETTA, PA

8206290167 Discusses IE Safety Insp Rept 70-1050/82-01 conducted on 820427 No noncompliance noted Major areas inspected activities re Pu/Be sealed sources. MARTIN, T T Division of Engineering & Technical Programs. 82/06/22 ORAVIC, C R St Francis College Loretto, PA 2pp. 13634 354

DOCKET 70-1100 COMBUSTION ENGINEERING, INC , WINDSOR, CT

8206020003 Advises that Section 6.2 i 3, Page 6.4 of fundamental nuclear matl control plan is no longer valid Addendum to revised instructions specifying time intervals for discard & inventory difference repts will be issued later EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/26 LICHTENBERGER Combustion Engineering, Inc 1p 13332 356

8206100310 Forwards revised application for renewal of License SNM-1067 LICHTENBERGER Combustion Engineering, Inc 82/05/14 PAGE, R O. Uranium Recovery Licensing Branch 1p 13468 235

--8206100316 Revision 2 to application for renewal of License SNM-1067 One oversize figure encl Aperture card is available in PDR. * Combustion Engineering, Inc 82/04/06 200pp 13468 236

8206250306 Forwards IE Safeguards Insp Rept 70-1100/82-03 on 820426-30. No noncompliance noted MARTIN, T T Division of Engineering & Technical Programs 82/06/08. LICHTENBERGER Combustion Engineering, Inc 2pp. 13617 235

--8206250310 IE Safeguards Insp Rept 70-1100/82-03 on 820426-30. No noncompliance noted Major areas inspected measurement controls, shipping & receiving & inventory verification. Details withheld (ref 10CFR2 790) ZIBULSKY, H , COHEN, I , GODY, A T Division of Engineering & Technical Programs 82/05/28. 1p 13617 237

8206290247 Forwards IE Insp Rept 70-1100/82-02 on 820224-26 & notice of violation MARTIN, T T. Division of Engineering & Technical Programs 82/06/08 LICHTENBERGER Combustion Engineering, Inc 2pp 13636, 309

--8206290250 Notice of violation from insp on 820224-26 MARTIN, T T Region 1, Office of Director 82/06/08 1p. 13636 311

--8206290254 IE Insp Rept 70-1100/82-02 on 820224-26 Noncompliance noted failure to leak test Pu sources at required Tech Spec frequency & failure to properly issue radiation work permit for nonroutine operations in contaminated area CLEMONS, P , GREENMAN, E G. Division of Engineering & Technical Programs 82/06/07. 5pp 13636 312

DOCKET 70-1113 GENERAL ELECTRIC CO , WILMINGTON, NC

8206010180 Responds to 811207 & 820126 ltrs re changes to fundamental nuclear matl control plan Approves plan Revised sections encl EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/24. VAUGHN, C M General Electric Co. 6pp 13319, 184

8206010700 Notifies that proposed matl control & accounting plan for new incinerator acceptable New license condition being added to safeguards Amend MPP-3 to License BNM-1097, effective immediately EVANS, L J Fuel Facility Safeguards Licensing Branch. 82/02/26. VAUGHN, C M General Electric Co 1p 13331, 286

8206020221 Ack receipt of 820318 ltr Grants exemption from certification requirement for working stds contained in Section 4 2 i 2 of fundamental nuclear matl control plan. EVANS, L J. Fuel Facility Safeguards Licensing Branch 82/04/21. VAUGHN, C M General Electric Co 1p 13340, 200

8206040397 Forwards IE Safeguards Insp Rept 70-1113/82-08 on 820405-09. No noncompliance noted QIBSON, A F Division of Engineering & Technical Programs. 82/04/27. LONG, J A General Electric Co 2pp 13355, 344

--8206040403 IE Safeguards Insp Rept 70-1113/82-08 on 820405-09. No noncompliance noted Major areas inspected, lab enrichment analyzer, U dioxide fuel rod verification & Fat Albert Details withheld (ref 10CFR2 790). CLAY, E L , MCALPINE, E J. Division of Engineering & Technical Programs 82/04/27. 1pp 13355, 346

8206010624 Advises of issuance of Amend 18 to License BNM-1097 adding Pu, unsealed alpha sources & 10 uCi to Items 6, 7 & 8 PAGE, R O Uranium Fuel Licensing Branch. 82/05/11. VAUGHN, C M General Electric Co 1p. 13331, 309.

8206070313 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency w/o encl. STORR, J. P. Division of Emergency Preparedness & Operational Support 82/05/12 LONG, J. A. General Electric Co. 1p 13363 287

8206230355 Notification of contract execution, Mod 1 to "EIA re GE SNM License SNM-1097" Contractor Science Applications, Inc. FLEENOR, C. Technical Assistance Contracts Branch NRC-02-B1-05B 82/05/24 DAVIS, J., LOYSEN, P. Office of Nuclear Material Safety & Safeguards, Director 1p 13603 347

--8206230357 Ltr contract NRC-02-B1-05B, Mod 1 directing work stoppage to "EIA re GE SNM License SNM-1097" Accepted by DE Findlay on 820524. HAQAN, T. F. Technical Assistance Contracts Branch NRC-02-B1-05B 82/05/14 FINDLEY, D. E. Science Applications, Inc. 1p. 13603 348

8206030030 Advises that fees submitted for Amends 19, 21 & 25 to License SNM-1097 are at max. No addl. fees required. MILLER, W. G. License Fee Management Branch. 82/05/27 VAUGHAN, C. M. General Electric Co. 1p 13361 346

8206250160 Forwards IE Safeguards Insp Rept 70-1113/82-11 on 820503-07 No noncompliance noted. O'BSON, A. F. Division of Engineering & Technical Programs 82/06/02 LONG, J. A. General Electric Co. 3pp 13613 053

--8206250167 IE Safeguards Insp Rept 70-1113/82-11 on 820503-07 No noncompliance noted. Major areas inspected measurement control program, followup on previous insp findings & independent insp findings. Details withheld (ref 10CFR2 790). BATES, J. W., JONES, D. W., MCALPINE, E. J. Division of Engineering & Technical Programs. 82/06/02 2pp 13613 055

DOCKET 70-1143 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

8206020192 Responds to 820225 ltr transmitting Revision 10 to fundamental nuclear matl control plan. Changes considered acceptable & License Condition 21 of Amend MPP-1 to License SNM-1120 will be revised. EVANS, L. J. Fuel Facility Safeguards Licensing Branch 82/03/24 NARDI, A. J. Westinghouse Electric Corp. 1p 13340 184.

8206010708 Advises that Safeguards Amend MPP-1 to License SNM-1120 revised, per 820406 request to use computer generated forms in lieu of Forms DOE/NRC-742, "Matl Balance Rept." & 742C, "Physical Inventory Listing". EVANS, L. J. Fuel Facility Safeguards Licensing Branch. 82/03/07 NARDI, A. J. Westinghouse Electric Corp. 1p 13329 211

8206140359 Forwards Revision 13 to application for amend to License SNM-1120 deleting segments of radiological contingency plan description. NARDI, A. J. Westinghouse Electric Corp. 82/05/17 ROUSE, L. C. Division of Fuel Cycle & Material Safety 2pp 13509 143

--8206140366 Revision 13 to application for amend to License SNM-1120, deleting segments of radiological contingency plan. * Westinghouse Electric Corp. 82/05/31 10pp 13509 145.

8206220045 Forwards Amend 6 to License SNM-1120 ROUSE, L. C. Advanced Fuel & Spent Fuel Licensing Branch 82/06/09 NARDI, A. J. Westinghouse Electric Corp. 2pp 13585 006

--8206220053 Amend 6 to Westinghouse license, deleting segments that describe specific aspects of radiological contingency plan. ROUSE, L. C. Advanced Fuel & Spent Fuel Licensing Branch 82/06/09 6pp. 13585 008.

--8206220058 Application for amend to License SNM-1120 * Westinghouse Electric Corp. 82/05/31. 9pp 13585 014

DOCKET 70-1151 WESTINGHOUSE ELECTRIC CORP., PITTSBURGH, PA

8206020011 Notifies of approval of 811208 requested revisions to fundamental nuclear matl control plan Safeguards Amend MPP-1 to License SNM-1120 revised. EVANS, L. J. Fuel Facility Safeguards Licensing Branch 82/02/26 NARDI, A. J. Westinghouse Electric Corp. 1p 13332 361

8206230283 Submits addl info re 810109 application for amend to upgrade License SNM-1107 Submittal adds demonstration section for IDR conversion process. NARDI, A. J. Westinghouse Electric Corp. 82/03/26 DAVIS, J. O. Office of Nuclear Material Safety & Safeguards, Director. PAGE, R. O. Uranium Fuel Licensing Branch 2pp 13592 209

8206250283 Forwards IE Safeguards Insp Rept 70-1151/82-04 on 820222-26 & notice of violation Encls withheld (ref 10CFR2 790). O'REILLY, J. P. Region 2, Office of Director 82/04/05 D'AMORE, M. Westinghouse Electric Corp. 2pp 13613 018

8206010174 Advises that extension date for upgraded fuel rod accountability sys has been granted Safeguards Amend MPP-1 to License SNM-1107 is revised. EVANS, L. J. Fuel Facility Safeguards Licensing Branch 82/04/15 NARDI, A. J. Westinghouse Electric Corp. 1p 13319 267

8206030302 Advises that Safeguards Amend MPP-1 to License SNM-1107 revised by adding new License Condition 61, per licensee 820406 ltr requesting continued use of computer generated forms in lieu of Forms DOE/NRC-742 & 742C. EVANS, L. J. Fuel Facility Safeguards Licensing Branch 82/05/05 NARDI, A. J. Westinghouse Electric Corp. 1p 13362 264

8206070289 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan" Plan should be of benefit to understanding of NRC response to emergency w/o encl. STORR, J. P. Division of Emergency Preparedness & Operational Support 82/05/12 D'AMORE, M. Westinghouse Electric Corp. 1p 13368 271

8206070446 Forwards IE Insp Rept 70-1151/82-06 on 820412-16 No noncompliance noted. O'BSON, A. F. Division of Engineering & Technical Programs 82/05/14 D'AMORE, M. Westinghouse Electric Corp. 2pp 13391 355

--8206070453 IE Insp Rept 70-1151/82-06 on 820412-16 No noncompliance noted. Major areas inspected radiation protection procedures, instrumentation, external & internal exposure control & posting & labeling. PEERY, W. W., BARR, K. P. Division of Engineering & Technical Programs 82/05/13 6pp 13391 357

8206250282 Forwards IE Safeguards Insp Rept 70-1151/82-10 on 820430-0504 No noncompliance noted. O'BSON, A. F. Division of Engineering & Technical Programs 82/06/02 D'AMORE, M. Westinghouse Electric Corp. 2pp. 13617 181

--8206250286 IE Safeguards Insp Rept 70-1151/82-10 on 820430-0504 No noncompliance noted. Major areas inspected physical inventory observation details withheld (ref 10CFR2 790). TODD, G. A., LANFORD, J. B., MCALPINE, E. J. Division of Engineering & Technical Programs 82/06/02 1p 13617 183

8206250101 Ack receipt of 820521 ltr informing NRC of steps taken to correct violations noted in IE Insp Rept 70-1151/82-04. O'BSON, A. F. Division of Engineering & Technical Programs 82/06/04 D'AMORE, M. Westinghouse Electric Corp. 1p 13613 051

--8206250109 Responds to NRC 820405 ltr re violations noted in IE Insp Rept 70-1151/82-04 Corrective actions withheld (ref 10CFR2 790). D'AMORE, M. Westinghouse Electric Corp. 82/05/21 O'REILLY, J. P. Region 2, Office of Director 1p 13613 052.

8206110363 Approves until 820326 request to withhold Mar 1982 rept, "Description of Criticality Safety Models for IDR Process Equipment." (ref 10CFR2 790). CUNNINGHAM, R. E. Division of Fuel Cycle & Material Safety 82/06/07 WIESEMAN, R. A. Westinghouse Electric Corp. 2pp 13490 251

DOCKET 70-1193 KERR-MCGEE NUCLEAR CORP., OKLAHOMA CITY, OK

8206010742 Informs of issuance of Amend 6 to License SNM-1174, authorizing exception to License Condition 21 to allow reduction of contaminated liquid vol in ion exchange sys & subsequent handling of contaminated matl disposal. ROUSE, L. C. Division of Fuel Cycle & Material Safety. 82/04/23 SHELLEY, W. J. Kerr-McGee Corp. 2pp 13319 285.

--8206010743 Forwards review of license amend application re liquid waste vol reduction using ion exchange equipment. Recommends amend be issued. BURKHARDT, W., ROUSE, L. C. Division of Fuel Cycle & Material Safety. 82/04/23 Division of Fuel Cycle & Material Safety 3pp 13319 287

DOCKET 70-1201 BABCOCK & WILCOX CO , LYNCHBURG, VA

B206030292 Advises that listed license condition added to Amend MPP-2 of License SNM-1168, per licensee B20125 ltr requesting 14-day extension for reconciliation of inventory data & reporting physical inventory results per 10CFR70.51(e)(4).
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/01
FORD, J T Babcock & Wilcox Co 1p 13361 328

B206030275 Advises that listed license condition added to Amend MPP-2 of License SNM-1168, per licensee B20115 request for approval of alternative method to verify SNM content of three fuel rods for physical inventory.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/01
FORD, J T Babcock & Wilcox Co 1p 13362 261

B206020016 Notifies of approval of B11214 requested revisions to fundamental nuclear matl control plan License Condition 2.1 of Amend MPP-2 to License SNM-1168 revised.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/25
FORD, J T Babcock & Wilcox Co 1p 13333 006

B206020232 Advises that License Condition 2.1 of Safeguards Amend MPP-2 to License SNM-1168 is revised, per B11112 & B20219 submittals.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/03/18
FORD, J T Babcock & Wilcox Co 1p 13340 203

B206030279 Approves Revision 1 to security plan for low enriched U activities submitted on B20407 Approval security plan for protection of SNM of low strategic significance consists of 800916 document & B10507, 0707 & B20407 revisions.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/05/04
FORD, J T Babcock & Wilcox Co 2pp 13362 259

B206040333 Forwards IE Safeguards Insp Rept 70-1201/82-07 on B20419-21. No noncompliance noted.
O'BRIEN, A F Division of Engineering & Technical Programs 82/05/07
ALTO, R A Babcock & Wilcox Co 2pp 13354 039

--B206040335 IE Safeguards Insp Rept 70-1201/82-07 on B20419-21. No noncompliance noted. Major areas inspected, records & reports details withheld (ref 10CFR73.21).
LANFORD, J B, MCALPINE, E J Division of Engineering & Technical Programs 82/05/07 1p, 13354 041

B206070329 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0843, "Agency Procedures for NRC Incident Response Plan." Plan should be of benefit to understanding of NRC response to emergency w/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12
ALTO, R A Babcock & Wilcox Co 1p 13363 269

B206080323 Ack receipt of B20503 ltr informing NRC of steps taken to correct violation noted in IE Safeguards Insp Rept 70-1201/82-05.
O'BRIEN, A F Division of Engineering & Technical Programs 82/05/19
ALTO, R A Babcock & Wilcox Co 1p, 13420 039.

--B206080325 Responds to NRC B20407 ltr re violation noted in IE Safeguards Insp Rept 70-1201/82-05. Corrective actions: personnel re-instructed re procedures for corrections to accountability ledgers.
ALTO, R A Babcock & Wilcox Co. 82/05/03, O'BRIEN, A F Division of Engineering & Technical Programs 2pp 13420 040

--B206080327 Forwards IE Safeguards Insp Rept 70-1201/82-05 on B20308-12 & notice of violation. Encls withheld (ref 10CFR2.790).
O'BRIEN, A F Division of Engineering & Technical Programs. 82/04/07
ALTO, R A Babcock & Wilcox Co 2pp 13420 042.

DOCKET 70-1251 ALBRIGHT COLLEGE, READING, PA

B206290448 Discusses IE Insp Rept 70-1251/82-01 conducted on B20430 noncompliance noted. Major areas inspected, activities re PUs/sealed sources.
MARTIN, T T Division of Engineering & Technical Programs 82/06
KREMSER, T Albright College 2pp 13634 166

DOCKET 70-1257 EXXON NUCLEAR CO , INC , RICHLAND, WA

B206010191 Notifies of completion of review of B20113 ltr re change in procedures for physical protection plan for matl of low strategic significance. Revised procedures consistent w/ requirements of 10CFR73.67.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/02/22
HANSEN, L E Exxon Nuclear Co , Inc (subs of Exxon Corp) 1p 13319 266

B206090181 Confirms verbal consent allowing use of Exxon license paper format in preparing design info questionnaire License Condition 2.7 to Amend MPP-2 to License SNM-1227 submitted.
BURNETT, R F Division of Safeguards 82/04/14
SCHNEIDER, R A Exxon Nuclear Co , Inc (subs of Exxon Corp) 1p 13436 087

B206040438 Advises that License SNM-1227 is amended Amend adds License Condition 2.1.1 & revises existing Condition 2.2 re US/IAEA Safeguards Agreement.
EVANS, L J Fuel Facility Safeguards Licensing Branch 82/04/30
SCHNEIDER, R A. Exxon Nuclear Co , Inc (subs of Exxon Corp) 2pp 13391 206

B206040158 Forwards IE Safeguards Insp Rept 70-1257/82-04 on B20414-21. No noncompliance noted.
NORDERHAUG, L R Division of Radiological Safety & Safeguards Program 82/05/24
NILSON, R Exxon Nuclear Co , Inc (subs. of Exxon Corp) 1p 13344 243

--B206040163 IE Safeguards Insp Rept 70-1257/82-04 on B20414-21. No noncompliance noted. Major areas inspected physical inventory on verification per IAEA safeguards agreement. Details withheld (ref 10CFR2.790 & 10CFR73.21).
NILSON, R B, NORDERHAUG, L R Division of Radiological Safety & Safeguards Program 82/05/24. 1p 13344 244

DOCKET 70-1308 GENERAL ELECTRIC CO , SAN JOSE, CA

B206290003 Informs that no addl Category 1H(a) fee will be required for 70027 renewal application for License SNM-1265. Max fee, per 10CFR170.31, paid.
MILLER, W D License Fee Management Branch 82/06/22
DAWSON, D M General Electric Co 1p 13661 095

DOCKET 70-1334 AVCO EVERETT RESEARCH LABORATORY, INC , EVERETT, MA

B206290656 Informs of amend to License SNM-1308 deleting Item 4. W/o Nov 1976 "Guidelines for Decontamination of Facilities & Equipment Prior to Release for Unrestricted Use or Termination of Licenses for Byproduct Source of SNM".
PAGE, R O Uranium Fuel Licensing Branch 82/06/10
SCHLIER, R E Avco Everett Research Laboratory 1p 13658 158

DOCKET 70-1359 IRT CORP. , SAN DIEGO, CA

B206250226 IE Insp Findings & Licensee Ack dtd B20506 of License SNM-1405 Insp findings no noncompliance noted.
* Region 5, Office of Director 82/05/06 1p 13613 232

B206080186 Forwards renewed License SNM-1405, extending license full 5-yr term, expiring on B70531 & safety evaluation.
PAGE, R O. Uranium Fuel Licensing Branch. 82/05/28
CROSBIE IRT Corp. 1p 13613 012

DOCKETED ITEMS

DOCKET 70-1994 STEVENS INSTITUTE OF TECHNOLOGY, HOBOKEN, NJ

B206290355 Discusses IE Insp Rept 70-1994/B2-01 conducted on B20601
No noncompliance noted Major areas inspected Pu/Be
sealed sources outar end cap welds per DOE recommendation
HARTIN, T T Division of Engineering & Technical Programs 82/06/24
BYLVESTER, S Stevens Institute of Technology 2pp 13632 348

DOCKET 70-2205 ST LUKE'S HOSP, MILWAUKEE, WI

B206070873 Discusses IE insp of Licenses 48-01338-01 & SNM-1638 on
B20518 & forwards notice of violation
WIEDEMAN, D G Division of Engineering & Technical Programs
82/06/01 SCHWARTZ, J N St Luke's Hosp Milwaukee, WI 1p
13387 350

--B206070876 Notice of violation from insp on B20518 Noncompliance noted
dose calibrator not tested for linearity since Dec 1981
WIEDEMAN, D G Division of Engineering & Technical Programs
82/06/01 1p 13387 351

DOCKET 70-2375 PACIFIC GAS & ELECTRIC CO, SAN FRANCISCO, CA

B206140328 Notifies that Amend B to License SNM-1667 granted Amend
changes expiration date to B20630 or upon conversion of CP
CPR-69 to OL Safety evaluation encl
PAQUE, R G Uranium Fuel Licensing Branch 82/05/28 HANEATIS, O A
Pacific Gas & Electric Co 1p 13910 150

--B206140344 Safety evaluation supporting Amend B to License SNM-1667
BIDINGER, O H Uranium Fuel Licensing Branch 82/05/28 1p
13910 151

DOCKET 70-2483 DOYLESTOWN HOSP., DOYLESTOWN, PA

B206040129 Discusses IE insp of Licenses 37-13232-01 & SNM-1765 on
B20422 & forwards notice of violation
HARTIN, T T Division of Engineering & Technical Programs 82/05/18
HARCK, J Doylestown Hosp Doylestown, PA 2pp 13347 234

--B206040135 Notice of violation from insp on B20422 Noncompliance noted
radiation levels of 4 m/h existed in storage room adjacent
to nuclear medicine lab for several hours on B20422
HARTIN, T T Division of Engineering & Technical Programs
82/05/18 2pp 13347 236

DOCKET 70-2801 ST MARY'S HOSP, MILWAUKEE, WI

B206070443 Discusses IE insp of Licenses 48-01828-01 & SNM-1804 on
B20518 No noncompliance noted Major areas inspected:
radiation safety & compliance w/Commission rules &
regulations
WIEDEMAN, D G Region 3, Office of Director 82/06/01 ROBERTS, J
St. Mary's Hosp Milwaukee, WI 1p 13374 236

DOCKET 70-2815 NEW BRITAIN GENERAL HOSP., NEW BRITAIN, CT

B206290269 Ack receipt of B20608 ltr informing NRC of steps taken to
correct violations noted in IE insp of License 06-02388-01 &
SNM-1816
HARTIN, T T Division of Engineering & Technical Programs 82/06/22
SHEPARD, S W New Britain General Hosp New Britain, CT 1p
13636 339

--B206290271 Responds to NRC B20506 ltr re violation noted in IE insp
of Licenses 06-02388-01 & SNM-1816 Corrective actions,
syringe shields will be used during preparation of kits &
doses.
SHEPARD, S W New Britain General Hosp New Britain, CT 82/06/08
HARTIN, T T Division of Engineering & Technical Programs 1p
13636 340

DOCKET 70-2830 BURNHAM CITY HOSP, CHAMPAIGN, IL

B206070633 Ack receipt of B20519 ltr informing NRC of steps taken to
correct violations noted in IE insp of Licenses 12-03243-02
& SNM-1812 on B20430
WIEDEMAN, D G Division of Engineering & Technical Programs
82/06/01 GOSCHY, P E Burnham City Hosp Champaign, IL 1p
13389 288

--B206070638 Responds to NRC B20513 ltr re violations noted in IE insp
of Licenses 12-03243-02 & SNM-1812 on B20430 Corrective
actions acquired two calibr survey meters from State of IL &
purchased two survey meters
GOSCHY, P E, HAYDEL, R W Burnham City Hosp Champaign, IL
82/05/19 WIEDEMAN, D G Division of Engineering & Technical
Programs 2pp 13389 289

DOCKET 70-2884 LONG ISLAND LIGHTING CO, HICKSVILLE, NY

B206010734 Forwards SP 98 007 01, Revision 5, "Inventory Status &
Control of SNM " All requirements necessary for issuance of
Part 70 license have been completed
SMITH, J L Long Island Lighting Co 82/05/13 DAVIS, J O Office
of Nuclear Material Safety & Safeguards, Director 1p 13330 272

--B206010735 Revision 3 to Procedure 5B 007 01, "Inventory Status &
Control of SNM "
* Long Island Lighting Co 82/05/12 48pp 13330 273

DOCKET 70-2909 WESTINGHOUSE ELECTRIC CORP, PRATTVILLE, AL

B206040233 Approves Westinghouse B10610 request for withdrawal of
application for SNM license for AL nuclear fuel fabrication
plant near Prattville, AL Motion to dismiss instant
adjudatory proceeding will be filed
TUCK, S E Hearing Branch 1 82/06/02 WOLF, J F, FOREMAN, H,
STEINDLER, H J Atomic Safety and Licensing Board Panel 1p
13355 269

DOCKET 70-2915 PRINCETON GAMMA-TECH, INC, PRINCETON, NJ

B206210606 Discusses IE Insp Rept 70-2915/B2-01 conducted on B20611 No
noncompliance noted Major areas inspected Pu/Be
sealed sources end cap welds per DOE recommendations
HARTIN, T T Division of Engineering & Technical Programs 82/06/16
BAICKER, J A Princeton Gamma-Tech, Inc 2pp 13961 100

DOCKET 70-2949 ARIZONA PUBLIC SERVICE CO, PHOENIX, AZ

B206020397 Forwards C-E responses to Questions 10 & 11 in NRC B20108
ltr & amended pages to until B20217 submittal supporting
application to receive, store, inspect & transport SNM
ANDOGNINI, O C Arizona Public Service Co 82/04/23 KETZLACH, N
Office of Nuclear Material Safety & Safeguards, Director 19pp
13339 078

DOCKET 70-2961 UNION ELECTRIC CO, ST LOUIS, MO

B206030119 Forwards Revision 1 to application for SNM license,
consisting of addition of fuel fabricator & two fission
counters & changes in type of extinguishers in railroad bay,
new fuel container storage & unloading area
SCHNELL, D F Union Electric Co 82/05/13 DAVIS, J O Office of
Nuclear Material Safety & Safeguards, Director 3pp 13362 170

--B206030129 Revision 1 to application for SNM license, consisting of
addition of fuel fabricator, changes in type of extinguishers
in railroad bay, new fuel container storage & unloading area
& addition of two fission counters
* Union Electric Co 82/05/13 6pp 13362 173

PACKAGING OF RADIOACTIVE MATERIAL FOR TRANSPORT AND
TRANSPORTATION OF RADIOACTIVE MATERIAL UNDER CERTAIN
CONDITIONS

DOCKET 71-0210 GULF NUCLEAR, INC

B206220011 Discusses B20302 applications requesting approval to use
Models GNO-20, GNM-20, 20-VB, 40-VB & R Current NRC approved
QA program does not cover design & fabrication activities
MACDONALD, C E Transportation Branch 82/06/04 PAYNE, A E Gulf
Nuclear, Inc 1p 13583 359

DOCKET 71-0236 AMERICAN AIRLINES

B206040012 Forwards Revision 1 to QA program for packaging of
radioactive matl for transport
MCLOURE, R D American Airlines, Inc 82/05/11 MACDONALD, C E
Transportation Branch 1p 13362 352

--B206040015 Revision 1 to QA program for packaging of radioactive matl
for transport
* American Airlines, Inc 82/05/11 4pp 13362 353

DOCKETED ITEMS

41

B206240108 Ack receipt of Revision 1 to approved QA Program 0236.
Revision 0 Review of revisions indicates no changes in
commitment or actions required.
MACDONALD, C E Transportation Branch 82/06/18 MCLURE, R D
American Airlines, Inc 1p 13607 239

DOCKET 71-0374 NUCLEAR SOURCES & SERVICES, INC

B206230225 Forwards revised QA program for radioactive matl shipping
containers
GALLAGHER, R D Nuclear Sources & Services Corp 82/05/20 Office
of Nuclear Material Safety & Safeguards, Director 1p 13593 238

--B206230226 QA program for radioactive matl shipping containers
* Nuclear Sources & Services Corp 82/05/20 23pp 13593 239

DOCKET 71-0454 ATOMIC ENERGY OF CANADA, LTD.

B206220130 Forwards Revision 2 to QA program for design, testing &
fabrication of radioactive matl transport packages
RIDDOUT, E F Atomic Energy of Canada, Ltd 82/06/03 MACDONALD, C E
Transportation Branch 2pp 13591 260

--B206220133 Revision 2 to QA program for design, testing & fabrication of
radioactive matl transport packages
BARRETT, H J, BROWN, M F Atomic Energy of Canada, Ltd 81/10/08
20pp 13591 262

DOCKET 71-0473 PITTSBURGH-DES MOINES CORP

B206230095 Forwards QA program approval for Radioactive Matl Package
0473, Revision 0
MACDONALD, C E Transportation Branch, 82/06/15 PROSCH, A A
Pittsburgh-Des Moines Corp 1p 13592 342.

--B206230104 QA program approval for Radioactive Matl Package 0473,
Revision 0
MACDONALD, C E Transportation Branch 82/06/19 1p 13592 343

DOCKET 71-0474 NAVY, DEPT OF

B206110408 Forwards QA program approval for Radioactive Matl Package
0474, Revision 0
MACDONALD, C E Transportation Branch 82/05/26 MCMAHON, V L
Navy, Dept of 1p 13490 311

--B206110410 QA program approval for Radioactive Matl Package 0474,
Revision 0
MACDONALD, C E Transportation Branch 82/05/26 1p. 13490 312

DOCKET 71-0475 TUSKEGEE INSTITUTE

B206010738 Requests approval of encl QA program to ship fuel to ORNL
during dismantling of teaching reactor
LORETAN, P A Tuskegee Inst. 82/05/11 GORDON, L. Transportation
Branch 1p 13319 279

--B206010739 QA program for shipment of fuel to ORNL
* Tuskegee Inst 82/05/11 3pp 13319 280

B206110411 Forwards QA program approval for Radioactive Matl Package
0475, Revision 0
MACDONALD, C E Transportation Branch 82/05/26 LORETAN, P. A
Tuskegee Inst 1p 13490 317

--B206110412 QA program approval for Radioactive Matl Package 0475,
Revision 0
MACDONALD, C E Transportation Branch 82/05/26 1p. 13490 318

DOCKET 71-0476 TEXAS, STATE OF

B206080012 Forwards TX Dept of Health radioactive matl license which
includes broad base program to assure quality safety &
training of personnel, per B20427 request, w/o encl
BLAKE, C L Midwest Insp Services, Inc 82/05/20. MACDONALD, C E
Transportation Branch 1p 13441 051

DOCKET 71-0477 WILSON INSPECTION SERVICE

B206240179 Requests registration as user of Models 650 & 660
WILSON, J C Wilson Inspection Services, Inc 82/06/14
MACDONALD, C E Transportation Branch, 1p 13620 092

--B206240187 QA program, USNEX License 35-19632-01
WILSON, J C Wilson Inspection Services, Inc 82/06/14 3pp
13620 093

DOCKET 71-4909 MODEL OR-5, COMBUSTION ENGINEERING CO , INC.

B206220004 Advises that Certificate of Compliance 4909, Revision 0, for
Model OR-5 packaging expired B20531
MACDONALD, C E Transportation Branch 82/06/04 LICHTENBERGER
Combustion Engineering, Inc 1p 13584 317

DOCKET 71-4986 MODEL RA-2, RA-3, RA-J, GENERAL ELECTRIC CO

B206010692 Notification of registration as user of Model RA-2 in
response to B20420 request
MACDONALD, C E Transportation Branch 82/05/25 NARDI, A J
Westinghouse Electric Corp 1p 13331 313

B206290005 Informs that no addl Category 11B fee will be required for
B20111 application for Revision 13 to Certificate of
Compliance 4986 Max fee, per 10CFR170 31, paid
MILLER, W D License Fee Management Branch 82/06/22 BROWN, C D
Exxon Nuclear Co, Inc (subs of Exxon Corp), 1p 13661:097

DOCKET 71-5461 MODEL, ORNL TRU, ENERGY, DEPT OF

B206110405 Forwards Revision 0 to Certificate of Compliance 5461 for
Model TRU Curium
MACDONALD, C E Transportation Branch 82/06/01 ROSS, D M Energy,
Dept. of 1p 13490 347

--B206110407 Certificate of Compliance 5461, Revision 0, for Model TRU
Curium
MACDONALD, C E Transportation Branch 82/06/01 4pp 13490:348

DOCKET 71-5608 MODEL BR 63-0101, ENERGY, DEPT OF

B206080171 Forwards request for addl info re Model BR 63-0101
packaging Schedule for submittal of info should be provided
in 30 days
MACDONALD, C E Transportation Branch 82/05/27 ROSS, D M Energy,
Dept of 3pp 13441 203

DOCKET 71-5768 MODEL BB-250-2, COMBUSTION ENGINEERING CO , INC

B206080374 Forwards request for addl info re BB-250-2 packaging
Schedule for submittal should be provided within 30 days
MACDONALD, C E Transportation Branch 82/05/27 AUSTIN, K A
Babcock & Wilcox Co 3pp 13442 152

DOCKET 71-5805 MODEL: VANDENBURGH, CHEM-NUCLEAR SYSTEMS, INC

--

DOCKET 71-5874 MODEL WAPD-40, ENERGY, DEPT OF

8206100486 Forwards Revision 1 to "WAPD-40 Cask SAR for Packaging," & Certificate of Compliance 5874, Revision 1
ENGEL, W F Energy, Dept of 82/04/20 MACDONALD, C E
Transportation Branch 1p 13541 121

--8206100487 Certificate of Compliance 5874, Revision 1, for Model WAPD-40
VAUGHAN, J W Energy, Dept of 82/04/15 3pp 13541 122.

--8206100491 "WAPD-40 Cask SAR for Packaging"
Westinghouse Electric Corp WAPD-REC(C)-270 R01 82/03/31
283pp 13541 125.

DOCKET 71-5908 MODEL DOT-6M TYPE B, BARCOCK & WILCOX CO

8206230090 Requests registration as user of Model DOT-6M Type B
GALLAGHER, R D. Nuclear Sources & Services Corp 82/05/21 Office
of Nuclear Material Safety & Safeguards, Director 1p 13592 360

DOCKET 71-6003 MODEL M-130, ENERGY, DEPT OF

8206090200 Forwards Revision 1 to Certificate of Compliance 6003 for
Model M-130
MACDONALD, C E Transportation Branch 82/05/21 ENGEL, W F
Energy, Dept of 1p 13456 077

--8206090203 Certificate of Compliance 6003, Revision 1, for Model M-130
MACDONALD, C E Transportation Branch 82/05/21 5pp 13456 078

DOCKET 71-6400 MODEL 6400, WESTINGHOUSE ELECTRIC CORP

8206230159 Forwards amend to Certificate of Compliance 6400,
authorizing shipment of up to 314 g Pu oxide as add'l
contents, per Westinghouse 820602 ltr
MACDONALD, C E Transportation Branch 82/06/18 NARDI, A J
Westinghouse Electric Corp 1p 13592 312

--8206230161 Amend to Certificate of Compliance 6400, authorizing
shipment of up to 314 g Pu oxide as add'l contents, per
Westinghouse 820602 ltr
MACDONALD, C E Transportation Branch. 82/06/18 2pp 13592 313

DOCKET 71-6574 MODEL: HN-200, HITTMAN NUCLEAR & DEVELOPMENT CORP

8206010017 Forwards Revision 7 to Certificate of Compliance 6574 for
Model HN-200
MACDONALD, C E Transportation Branch 82/05/20 BILLYMAN, D
Hittman Nuclear & Development Corp. (subs. Hittman Corp) 3pp
13331 334

--8206010019 Certificate of Compliance 6574, Revision 7, for Model HN-200
MACDONALD, C E Transportation Branch 82/05/20 4pp 13331 337

DOCKET 71-6601 MODEL: CNS 8-120, CHEM-NUCLEAR SYSTEMS, INC.

8206030335 Requests registration as user of Model CNS 8-120
KALIVIANAKIS, N Commonwealth Edison Co. 82/05/03 MACDONALD, C E.
Transportation Branch 1p. 13361 360

8206070176 Notification of registration as user of Models CNS 8-120,
CNS-1600, CNS-60A, OE-1600, CNS 14-193-H & CNS 21-300 in
response to 820430 request.
MACDONALD, C E Transportation Branch 82/05/25 NICHOLS, T C
South Carolina Electric & Gas Co 2pp 13427 284

8206110409 Notification of registration as user of Models Vandenberg,
CNS 14-193-H, CNS 6-80-2, CNS 8-120 & CNS 21-300 in response
to 820512, 19 & 25 requests
MACDONALD, C E Transportation Branch 82/06/03 SCOTT, D J
Commonwealth Edison Co 1p 13490 313.

DOCKET 71-6679 MODEL 6679, U S ECOLOGY

8206100437 Discusses analysis of Half Superlight shipping package re
25 psig external pressure requirements Proposed certificate
of compliance encl
HIPHER, W M. US Ecology, Inc. (Formerly Nuclear Engineering)
82/05/19 MACDONALD, C E Transportation Branch 8pp 13543 165.

DOCKET 71-6717 MODEL 6717-B, GAMMA INDUSTRIES

8206100415 Requests registration as user of Models 6717-B, 100, 100A, 209,
200A, C-B, C-1 & Spec 2-T
MILLER, J E Bill Miller, Inc 82/05/24 MACDONALD, C E
Transportation Branch 2pp 13458 340

8206100686 Notification of registration as user of Models 6717-B, 650,
660 & 715 in response to 820506 request
MACDONALD, C E Transportation Branch 82/05/25 STIGER, M H
Pittsburgh-Des Moines Corp 1p 13331 311

8206110401 Notification of registration as user of Models 6717-B, 100,
100A, 200 & 200A in response to 820428 request
MACDONALD, C E Transportation Branch 82/05/27 PETERSON, J N
Energy, Dept of 1p 13490 308

8206110404 Notification of registration as user of Models 6717-B, C-1 &
Spec 2-T in response to 820514 request
MACDONALD, C E Transportation Branch 82/05/27 HEAD, K Y H&H
X-Ray Services, Inc 1p 13490 310

DOCKET 71-6722 MODEL BS-33-180, TENNESSEE VALLEY AUTHORITY

8206110176 Requests amend to Certificate of Compliance 6722 to remove
restrictions imposed by Items 5 d 2(i) & d re Type A
sole-use package
MILLS, L M Tennessee Valley Authority 82/05/21 MACDONALD, C E
Transportation Branch 1p 13493 270

8206230087 Forwards Revision 5 to Certificate of Compliance 6722 for
Model BS-33-180
MACDONALD, C E Transportation Branch 82/06/15 MILLS, L M
Tennessee Valley Authority 1p 13592 355

--8206230089 Certificate of Compliance 6722, Revision 5, for Model
BS-33-180
MACDONALD, C E Transportation Branch 82/06/15 4pp 13592 356

DOCKET 71-9001 MODEL IF-300, GENERAL ELECTRIC CO

8206220126 Requests cancellation of registration as user of Models
BHI-1 & AP-101.0E continues as user of Models IF-300,
NSF-4, NL1-1/2 & FBV-1
DAWSON, D M General Electric Co 82/06/01 MACDONALD, C E Uranium
Fuel Licensing Branch 1p 13591 249

DOCKET 71-9006 MODEL 500-BU, AUTOMATION INDUSTRIES, INC

8206230175 Discusses current shipping packages including use of drum
overpack & shipping two sources within source changer
SANTORO, M P Automation Industries, Inc 82/05/27 RAWL, R R
Transportation, Dept of 8pp. 13592 302

8206240090 Forwards response to 820527 ltr re shipment of Model 500-BU
source changer w/two sealed sources & use of overpack for
certain shipments Amend to certificate of compliance must be
obtained prior to use of modified packaging & contents
MACDONALD, C E Transportation Branch 82/06/15 SANTORO, M P
Automation Industries, Inc 1p 13607 308.

DOCKET 71-9032 MODEL 650, TECHNICAL OPERATIONS, INC

8206100686 Notification of registration as user of Models 6717-B, 650,
660 & 715 in response to 820506 request.
MACDONALD, C E Transportation Branch 82/05/25 STIGER, M H
Pittsburgh-Des Moines Corp 1p. 13331 311

8206230234 Requests registration as user of Models 650 & 660
WILSON, J C Wilson Inspection Services, Inc 82/06/08
MACDONALD, C E Transportation Branch 1p 13592 243.

--8206230236 QA program for radioactive matl shipping packages
WILSON, J C Wilson Inspection Services, Inc 82/06/08 4pp.
13592 244

DOCKET 71-9033 MODEL 660 & 660E, TECHNICAL OPERATIONS, INC

8206010686 Notification of registration as user of Models 6717-B, 650, 660 & 715 in response to 820506 request
MACDONALD, C E Transportation Branch 82/05/25 STIGER, M H
Pittsburgh-Des Moines Corp Ip 13331 311

8206230234 Requests registration as user of Models 650 & 660
WILSON, J C Wilson Inspection Services, Inc 82/06/08
MACDONALD, C E Transportation Branch Ip 13592 243

--8206230236 GA program for radioactive matl shipping packages
WILSON, J C Wilson Inspection Services, Inc 82/06/08 4pp
13592 244

DOCKET 71-9034 MODEL TRIQA-1, GENERAL ATOMIC CO

8206230270 Requests registration of Exxon Nuclear Co as user of Models
TRIQA I & TRIQA II
PRICHARD, R P Energy, Dept of 82/06/07 MACDONALD, C E
Transportation Branch Ip 13592 226

DOCKET 71-9036 MODEL C-1, SOURCE PRODUCTION & EQUIPMENT CO

8206100415 Requests registration as user of Models 6717-B, 100, 100A, 200,
200A, C-B, C-1 & Spec 2-T
MILLER, J E Bill Miller, Inc 82/05/24 MACDONALD, C E
Transportation Branch 2pp 13458 340

8206110404 Notification of registration as user of Models 6717-B, C-1 &
Spec 2-T in response to 820514 request
MACDONALD, C E Transportation Branch 82/05/27 HEAD, K Y H&H
X-Ray Services, Inc Ip 13490 310

DOCKET 71-9037 MODEL TRIQA-2, GENERAL ATOMIC CO.

8206230270 Requests registration of Exxon Nuclear Co as user of Models
TRIQA I & TRIQA II
PRICHARD, R P Energy, Dept of 82/06/07. MACDONALD, C E
Transportation Branch Ip 13592 226.

DOCKET 71-9039 MODEL 715, TECHNICAL OPERATIONS, INC

8206010686 Notification of registration as user of Models 6717-B, 650,
660 & 715 in response to 820506 request
MACDONALD, C E Transportation Branch 82/05/25 STIGER, M H
Pittsburgh-Des Moines Corp Ip 13331 311

DOCKET 71-9044 MODEL OE-1600, GENERAL ELECTRIC CO

8206070176 Notification of registration as user of Models CNS B-120,
CNS-1600, CN6-80A, OE-1600, CNS 14-195-H & CNS 21-300 in
response to 820430 request
MACDONALD, C E Transportation Branch 82/05/25 NICHOLS, T C.
South Carolina Electric & Gas Co 2pp 13427 284

DOCKET 71-9056 MODEL: SPEC 2-T, SOURCE PRODUCTION & EQUIPMENT CO

8206100415 Requests registration as user of Models 6717-B, 100, 100A, 200,
200A, C-B, C-1 & Spec 2-T
MILLER, J E Bill Miller, Inc 82/05/24. MACDONALD, C E
Transportation Branch, 2pp. 13458 340.

8206110404 Notification of registration as user of Models 6717-B, C-1 &
Spec 2-T in response to 820514 request
MACDONALD, C E Transportation Branch 82/05/27. HEAD, K Y. H&H
X-Ray Services, Inc. Ip. 13490 310.

DOCKET 71-9070 MODEL: N-55, ENERGY, DEPT OF

8206010115 Notification of registration as user of Model N-55, in
response to 820428 request.
MACDONALD, C E Transportation Branch 82/05/20 GADDIS, C K
Energy, Dept of Ip 13319 293

8206090253 Forwards Revision 7 to Certificate of Compliance 9070 for
Model N-55
MACDONALD, C E Transportation Branch 82/05/24 SIMCHUK, J D
Nuclear Packaging, Inc 2pp 13456 049

--8206090255 Certificate of Compliance 9070, Revision 7, for Model N-55
MACDONALD, C E Transportation Branch 82/05/24 4pp 13456 051

8206220155 Requests registration as user of Model N-55 overpack
shipping container
NORMAN, D R Dresser Industries, Inc 82/05/28 BROWN, J M NRC -
No Detailed Affiliation Given 3pp 13591 310

8206110406 Notification of registration as user of Model N-55 in
response to 820428 request
MACDONALD, C E Transportation Branch 82/06/01 LAUDE, L L
Westinghouse Electric Corp Ip 13490 314

8206160197 Forwards "10CFR71 App E-Acceptance Criteria-Transportation
Packages for Normal/Special Form Radioactive Matl"
Document acceptable for establishing GA programs for
normal/special form matl w/o encl
MACDONALD, C E Transportation Branch 82/06/01. ZEHNER, L R
Nuclear Support Svcs Inc Ip 13538 325

8206230102 Notification of registration as user of Model N-55 in
response to 820528 request
MACDONALD, C E Transportation Branch 82/06/18 GOLDINO, W D
Dresser Industries, Inc Ip 13592 352

DOCKET 71-9079 MODEL HN-100, SERIES 2 & 2A, HITTMAN NUCLEAR

8206160468 Requests expiration date for Certificate of Compliance 9079
be extended to 821231 Extension will allow time for physical
upgrading of HN-100 Series 2 casks Upgraded casks will be
operated under Certificate of Compliance 9151.
MALLORY, C W Hittman Nuclear & Development Corp (subs Hittman
Corp). 82/05/21 MACDONALD, C Transportation Branch. Ip
13543 213

8206080409 Forwards request for addl info re 820506 application for
approval of Amend & to Certificate of Compliance 9079.
Submittal schedule should be provided within 30 days
MACDONALD, C E Transportation Branch. 82/05/27 HEPsher, W M. US
Ecology, Inc. (Formerly Nuclear Engineering) Ip. 13442 171

DOCKET 71-9081 MODEL CNS-1600, CHEM-NUCLEAR SYSTEMS, INC

8206070176 Notification of registration as user of Models CNS B-120,
CNS-1600, CN6-80A, OE-1600, CNS 14-195-H & CNS 21-300 in
response to 820430 request
MACDONALD, C E Transportation Branch 82/05/25 NICHOLS, T. C.
South Carolina Electric & Gas Co 2pp 13427 284

8206210083 Advises that Certificate of Compliance 9081 for Model
CNS-1600 shipping container expires 820731. Consolidated
application including drawings & incorporating all previous
submittals, except GA program requested
MACDONALD, C E Transportation Branch 82/06/04 MARSH, C A
Chem-Nuclear Systems, Inc. Ip 13583 067

DOCKET 71-9084 MODEL: HN-100, SERIES 1, HITTMAN NUCLEAR & DEV CORP.

8206160169 Informs that preparation of consolidated application using
format specified in Reg Guide 7.9 is underway & will be
submitted by 820715
MALLORY, C W Hittman Nuclear & Development Corp. (subs Hittman
Corp). 82/05/21. MACDONALD, C Transportation Branch Ip.
13538 309

DOCKET 71-9088 MODEL NLS-RF, SCHLUMBERGER WELL SERVICES

8206220613 Requests registration as user of Model NLS-RF.
GALLAGHER, R D. Nuclear Sources & Services Corp. 82/05/21.
MACDONALD, C E Transportation Branch Ip. 13591 347.

DOCKET 71-9091 MODEL: 30A & 30B, GULF NUCLEAR, CO

8206230230 Ack receipt of 820513 ltr concurring w/evaluation that
renewal of Certificate of Compliance 1091 not necessary
VAUGHAN, C M General Electric Co. 82/05/24. MACDONALD, C E.
Transportation Branch. 2pp. 13592 278.

DOCKET 71-9094 MODEL CNS 14-195-H, CHEM-NUCLEAR SYSTEMS, INC

8206070176 Notification of registration as user of Models CNS 8-120, CNS-1600, CN6-80A, GE-1600, CNS 14-195-H & CNS 21-300 in response to 820430 request
MACDONALD, C E Transportation Branch 82/05/25 NICHOLS, T C
South Carolina Electric & Gas Co 2pp 13427,284

8206110409 Notification of registration as user of Models Vandenberg, CNS 14-195-H, CNS 6-80-2, CNS 8-120 & CNS 21-300 in response to 820512, 19 & 25 requests
MACDONALD, C E Transportation Branch 82/06/03 SCOTT, D J
Commonwealth Edison Co 1p 13490 313

DOCKET 71-9096 MODEL CNS 21-300, CHEM-NUCLEAR SYSTEMS, INC

8206020596 Requests registration as user of Model 21-300
KALIVIANAKIS, N Commonwealth Edison Co 82/05/05 MACDONALD, C E
Transportation Branch 1p 13339 077

8206040030 Requests registration as user of Model CNSI 21-300 shipping cask
SCOTT, D J Commonwealth Edison Co 82/05/19 MACDONALD, C E
Transportation Branch 1p 13362 359

8206010690 Notification of registration as user of Model CNS-21-300 in response to 820504 request
MACDONALD, C E Transportation Branch 82/05/25 GRAESSER, K L
Commonwealth Edison Co 1p 13331 312

8206070176 Notification of registration as user of Models CNS 8-120, CNS-1600, CN6-80A, GE-1600, CNS 14-195-H & CNS 21-300 in response to 820430 request
MACDONALD, C E Transportation Branch 82/05/25 NICHOLS, T C
South Carolina Electric & Gas Co 2pp 13427 284

8206110402 Notification of registration as user of Model CNS 21-300 in response to 820505 request
MACDONALD, C E Transportation Branch 82/05/27 KALIVIANAKIS, N
Commonwealth Edison Co 1p 13490 309

8206110409 Notification of registration as user of Models Vandenberg, CNS 14-195-H, CNS 6-80-2, CNS 8-120 & CNS 21-300 in response to 820512, 19 & 25 requests
MACDONALD, C E Transportation Branch 82/06/03 SCOTT, D J
Commonwealth Edison Co 1p 13490 313

DOCKET 71-9111 MODEL CNS 6-80-2, CHEM-NUCLEAR SYSTEMS, INC

8206040443 Requests registration as user of Model CN6-80A
SCOTT, D J Commonwealth Edison Co 82/05/20 MACDONALD, C E
Transportation Branch 1p 13362 360.

8206070176 Notification of registration as user of Models CNS 8-120, CNS-1600, CN6-80A, GE-1600, CNS 14-195-H & CNS 21-300 in response to 820430 request
MACDONALD, C E Transportation Branch 82/05/25 NICHOLS, T C
South Carolina Electric & Gas Co 2pp 13427 284

8206110409 Notification of registration as user of Models Vandenberg, CNS 14-195-H, CNS 6-80-2, CNS 8-120 & CNS 21-300 in response to 820512, 19 & 25 requests
MACDONALD, C E Transportation Branch 82/06/03 SCOTT, D J
Commonwealth Edison Co 1p 13490 313

8206230106 Notification of registration as user of Model CNS 6-80-2 in response to 820515 request
MACDONALD, C E Transportation Branch 82/06/18 GRAESSER, K L
Commonwealth Edison Co 1p 13592 333

DOCKET 71-9127 MODEL 100, 100A, 200, 200A, GAMMA INDUSTRIES

8206100415 Requests registration as user of Models 6717-B, 100, 100A, 200, 200A, C-B, C-1 & Spec 2-T
MILLER, J E Bill Miller, Inc. 82/05/24 MACDONALD, C E
Transportation Branch 2pp 13458,340.

8206110401 Notification of registration as user of Models 6717-B, 100, 100A, 200 & 200A in response to 820428 request
MACDONALD, C E Transportation Branch 82/05/27 PETERSON, J H
Energy, Dept of 1p 13490,308

DOCKET 71-9128 MODEL C-B, GAMMA INDUSTRIES

8206100415 Requests registration as user of Models 6717-B, 100, 100A, 200, 200A, C-B, C-1 & Spec 2-T
MILLER, J E Bill Miller, Inc. 82/05/24 MACDONALD, C E
Transportation Branch 2pp 13458 340

DOCKET 71-9132 MODEL T-3, ENERGY, DEPT OF

8206020001 Amends Certificate of Compliance 7132 to authorize shipment of eight FFIF type irradiated fuel pins per 820423 ltr
MACDONALD, C E Transportation Branch 82/04/28 PETERSON, J H
Energy, Dept of 1p 13332 355

DOCKET 71-9136 MODEL GE 9136, GENERAL ELECTRIC CO

8206220122 Application for extension of Certificate of Compliance 913A until 821231 due to delays caused by inclement weather & problems w/outside contractors
CUNNINGHAM, G E General Electric Co 82/05/21 MACDONALD, C E
Transportation Branch 1p 13591 248

8206230092 Notification of registration as user of Models GE-9136-01, GE-9136-02 & GE-9136-03 in response to 820521 request
MACDONALD, C E Transportation Branch 82/06/15 CUNNINGHAM, G E
General Electric Co 2pp 13592 361

DOCKET 71-9152 MODEL CNS I-13CII, CHEM-NUCLEAR SYSTEMS, INC

8206160120 Notifies that possible typographical error has been noted in Certificate of Compliance 9152, Revision Q, issued 820404
Actual rate to be used for leak testing referenced cask requested
MARSH, C A Chem-Nuclear Systems, Inc 82/05/20 MACDONALD, C E
Transportation Branch 5pp 13338 038

8206090219 Forwards Revision I to Certificate of Compliance 9152 for Model CNS I-13C II.
MACDONALD, C E Transportation Branch 82/05/21 MARSH, C A
Chem-Nuclear Systems, Inc 1p 13455 129

--8206090223 Certificate of Compliance 9152, Revision I, for Model CNS I-13C II.
MACDONALD, C E Transportation Branch 82/05/21 4pp 13455 130

8206300418 Informs that invoice for approval fee for 810618 application is forthcoming
MILLER, W D License Fee Management Branch 82/06/04, MARSH, C A
Chem-Nuclear Systems, Inc 1p 13661 359

DOCKET 71-9160 MODEL 20-VS & 40-VS, GULF NUCLEAR CO

8206080413 Forwards request for addl info re 820302 application for approval of Model 20-VS & 40-VS packaging Submittal schedule should be provided within 30 days.
MACDONALD, C E Transportation Branch 82/05/27 PAYNE, A E Gulf Nuclear, Inc 3pp 13442 168

8206220011 Discusses 820302 applications requesting approval to use Models QN0-20, QNM-20, 20-VS, 40-VS & R Current NRC approved QA program does not cover design & fabrication activities
MACDONALD, C E Transportation Branch 82/06/04 PAYNE, A E Gulf Nuclear, Inc 1p 13583 359

DOCKET 71-9161 MODEL R, GULF NUCLEAR CO

8206080414 Forwards request for addl info re 820302 application for approval of Model R packaging. Submittal schedule should be provided within 30 days
MACDONALD, C E Transportation Branch 82/05/27 PAYNE, A E Gulf Nuclear, Inc 3pp 13442,165.

8206220011 Discusses 820302 applications requesting approval to use Models QN0-20, QNM-20, 20-VS, 40-VS & R Current NRC approved QA program does not cover design & fabrication activities.
MACDONALD, C E Transportation Branch 82/06/04 PAYNE, A E Gulf Nuclear, Inc. 1p 13583 359.

DOCKET 71-9162 MODEL QNN-20, GULF NUCLEAR CO

B206220011 Discusses B20302 applications requesting approval to use Models QNC-20, QNM-20, 20-VS, 40-VS & R Current NRC approved GA program does not cover design & fabrication activities
MACDONALD, C E Transportation Branch 82/06/04 PAYNE, A E Gulf Nuclear, Inc 1p 13583 359

DOCKET 71-9163 MODEL QNQ-20, GULF NUCLEAR CO

B206220011 Discusses B20302 applications requesting approval to use Models QNQ-20, QNM-20, 20-VS, 40-VS & R Current NRC approved GA program does not cover design & fabrication activities
MACDONALD, C E Transportation Branch 82/06/04 PAYNE, A E Gulf Nuclear, Inc 1p 13583 359

DOCKET 71-9165 MODEL 855, TECH/OPS

B206220598 Forwards BAR, supporting request for issuance of certificate of compliance for Tech/Ops Model 855 Type B package -- source changer
MACDONALD, C E Tech/Ops (Technical Operations, Inc) 82/05/21 MUNRO, J J Transportation Branch 2pp 13591 177

--B206220600 "BAR for Tech/Ops Model 855 Type B(U) Package "
MUNRO, J J Tech/Ops (Technical Operations, Inc) 82/05/21 63pp 13591 179

DOCKET 71-9510 MODEL QPHS, ENERGY, DEPT OF

B206300071 Forwards BAR for Certificate of Compliance 9310 & engineering evaluation of BAR
PRICHARD, R P Energy, Dept. of 82/06/01 MACDONALD, C E Transportation Branch 3pp 13684 001

--B206300076 "BAR for Packaging (SARP) General Purpose Heat Source Modul. 750-Watt Shipping Container "
WHITNEY, M A , BURGAN, C E , BLAUVELT, R K Monsanto Research Corp MLM-2857 81/10/15 68pp 13684 004

DOCKET 71-9931 MODEL C47, C47 EXT D , C47 SHORT & C47H, ENERGY, DEPT

B206080428 Forwards request for addl info re 760503 application for Models C47V, C47V extended, C47V short & C47H packaging Submittal schedule should be provided within 30 days
MACDONALD, C E Transportation Branch, 82/03/27 ROSS, D M Energy, Dept of 2pp 13442 193

LICENSING OF INDEPENDENT SPENT FUEL STORAGE

DOCKET 72-0001 MORRIS OPERATIONS, GENERAL ELECTRIC CO

B206290003 Informs that no addl Category 1H(a) fee will be required for 790227 renewal application for License 5NM-1265 Max fee, per 10CFR170 31, paid
MILLER, W D License Fee Management Branch 82/06/22 DAWSON, D M General Electric Co 1p 13661.095

NONDOCKETED ITEMS

10CFR COMMISSION MEETING RECORDS

B201200511 Forwards various documents provided at Commission B20108 briefing by NRC, ACRS & vendors re status of programs on water level indicators. Comments on documents must be submitted by B20201.
CHILK, S. J. Office of the Secretary of the Commission B2/01/15
Metropolitan Edison Co 1p 11622 251.

--B201200516 Expounds on comments made at B20108 meeting re water level indicator problem. List of most probable accident sequences should be produced & points of ambiguity in mgt of accident should be identified.
LEWIS, H. W. ACRS - Advisory Committee on Reactor Safeguards B2/01/09
PALLADING, N. J. Commissioners 3pp 11622 252.

--B201200521 Lists parties that will be making presentation during B20108 meeting on reactor vessel water level indicator.
CHILK, S. J. Office of the Secretary of the Commission B2/01/07
PALLADING, N. J., OILINSKY, V., BRADFORD, P. Commissioners 1p.

--B201200529 Recommends Commission direct NRC to order all B&W reactor licensees to conclude conceptual designs & to submit detailed engineering, procurement & installation schedules for RCS level monitoring concept by B20501.
DIRCKS, W. J. Office of the Executive Director for Operations B1/12/29
Commissioners. 70pp 11622 254

--B201200534 Transcript of Commission B20108 meeting in Washington, DC re reactor vessel water level indicators Pp 1-165.
* Commissioners B2/01/08 167pp. 11756 001

B206020556 Transcript of B20523 briefing on Human Factors Soc rept in Washington, DC Pp 1-82. Viewgraphs encl.
* Commissioners. B2/05/25. 103pp 13339.093

--B203270499 SECY-B2-178
Provides Commissioners w/advance copies of Human Factors Soc draft rept, "Comprehensive Human Factors Plan for Nuclear Reactor Regulation." Meeting can be arranged for Soc to present overview of recommendations.
DIRCKS, W. J. Office of the Executive Director for Operations. B2/04/26. 11pp. 13339 200.

B206030014 Staff requirements memo re B20511 briefing on status of regionalization Commission to be updated periodically on status of program to transfer functions to regional ofcs.
CHILK, S. J. Office of the Secretary of the Commission. MB20511A. B2/05/27. DIRCKS, W. J. Office of the Executive Director for Operations. 1p. 13361 339

B206030018 Staff requirements memo re B20511 briefing on long-range research plan NUREG-0784. Ofc of Nuclear Regulatory Research to incorporate Commission comments into memo on pending SECY-B2-189 when paper acted on.
CHILK, S. J. Office of the Secretary of the Commission. MB20511B. B2/05/27. DIRCKS, W. J. Office of the Executive Director for Operations 1p. 13361 343

B206030336 Staff requirements memo re B20510 briefing on results of Ofc of Executive Director for Operations task group study of existing value-impact guidelines & recommendations. Ofc of Policy Evaluation & Commissioner Ahearns comments provided.
CHILK, S. J. Office of the Secretary of the Commission. B2/05/26
Office of the Secretary of the Commission. 1p. 13361 361.

B206040474 Transcript of B20601 public meeting in Washington, DC re final rule: "Environ Qualification of Safety-Related Electric Equipment for Nuclear Power Plants." Pp 1-125.
* Commissioners. B2/06/01. 127pp 13424 079.

--B206040481 SECY-B2-207
Requests approval for FR publication of notice of final rulemaking issue re environ qualification of safety-related electric equipment.
DIRCKS, W. J. Office of the Executive Director for Operations B2/05/24. 73pp 13424 223

B206040486 Transcript of B20601 public meeting in Washington, DC re mid-yr resource & program review Pp 1-109. Viewgraphs encl.
* Commissioners B2/06/01. 95pp 13391 075

B206070015 Transcript of B20519 public meeting in Washington, DC re status rept on capability of reactors to go to cold/hot shutdown Pp 1-68. Viewgraphs encl.
* Commissioners B2/05/19 74pp 13426 204

B206080014 Transcript of B20828 affirmation/discussion session in Washington, DC re SECY B2-208 Pp 1-2
* Commissioners B2/05/28. 6pp 13441 041.

--B206080018 SECY-B2-208
Approves employment of Frager as Commissioner Assistant secretary & permits access to natl security info & restricted data before security investigation is completed & evaluated. Prof qualifications encl.
DIRCKS, W. J. Office of the Executive Director for Operations. B2/05/26 3pp. 13441 046.

B206080147 Transcript of ACRS & Commission B20604 public meeting in Washington, DC. Pp 1-64
* ACRS - Advisory Committee on Reactor Safeguards *
Commissioners B2/06/04 66pp. 13423 093.

B206080313 Transcript of B20820 public meeting in Washington, DC re emergency preparedness appraisal program Pp 1-52. Viewgraphs encl.
* Commissioners B2/05/20 67pp. 13440 134

--B203270735 SECY-B2-179
Informs Commission of emergency preparedness onsite appraisals at licensee & applicant facilities & generic problems that exist in response to Chairman Pallading request.
DIRCKS, W. J. Office of the Executive Director for Operations. B2/05/16 14pp. 13440 203.

B206080518 Transcript of B20415 affirmation/discussion session in Washington, DC. Pp 1-5.
* Commissioners ALAB-653 B2/04/15. 5pp. 13468 041

B206180114 Transcript of B20611 affirmation session in Washington, DC re med to emergency preparedness regulations & South TX refusal proceedings Pp 1-10
* Commissioners B2/06/11 13pp 13570 087.

B206210013 Transcript of B20610 public meeting in Washington, DC re briefing on industry activities concerning operator qualification training & related matters Pp 1-95
* Commissioners B2/06/10 97pp 13582 201

B206230099 Unofficial transcript of B20617 affirmation/discussion session in Washington, DC on SECY B2-133 re employee protection Pp 1-4
* Commissioners B2/06/17 8pp 13592 344

B206240436 Transcript of B20622 public meeting in Washington, DC re emergency response facilities Pp 1-92
* Commissioners. B2/06/22 93pp 13619 198

B206250088 Staff requirements memo re B20611 affirmation session on SECY-B2-185 containing final amend to 10CFR30 & App E Commission approved final amend to regulations Marked-up version of final rule encl
CHILK, S J Office of the Secretary of the Commission B2/06/17
DIRCKS, W J Office of the Executive Director for Operations.
BICKWIT, L Office of the General Counsel. FOUCHARD, J Office of Public Affairs 26pp 13627.001

B206250093 Staff requirements memo re B20610-11 briefing on reactor operator qualifications
CHILK, S J Office of the Secretary of the Commission. MB20611A B2/06/18 DIRCKS, W J Office of the Executive Director for Operations. 1p 13626 350

B206300106 Unofficial transcript of B20624 public meeting in Washington, DC re decision dates for effectiveness of ASLB decision for authorization of full power licenses Pp 1-72
* Commissioners B2/06/24 73pp. 13684 293.

ACRS ADVISORY COMMITTEE ON REACTOR SAFEGUARDS

B206020264 Summary of ACRS Nuclear Safety Research Program B20106 meeting in Washington, DC re FY83 budget for NRC safety research programs
* ACRS - Advisory Committee on Reactor Safeguards B2/01/12.
ACRS - Advisory Committee on Reactor Safeguards 48pp 13342-076

B206020406 Transcript of ACRS Subcommittee on Class 9 Accidents B20528 meeting in Washington, DC Pp 1-281 Supportive viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards B2/05/28 438pp. 13327-044.

B206040009 Transcript of ACRS Subcommittee on Safety Research Program B20602 meeting in Washington, DC, Pp 1-314, Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards B2/04/02 320pp 13346.001.

B206060033 Summary of 258th ACRS meeting on B11015-17 in Washington, DC, Apps encl
* ACRS - Advisory Committee on Reactor Safeguards B2/05/18
ACRS - Advisory Committee on Reactor Safeguards 51pp 13526.001

B206070002 Summary of ACRS Subcommittee on Nuclear Safety Research Programs B11209 meeting in Washington, DC re preliminary FY83 NRC safety research program budget info & draft of NUREG-0864, ACRS rept to Congress
* ACRS - Advisory Committee on Reactor Safeguards B2/01/04
ACRS - Advisory Committee on Reactor Safeguards. 38pp. 13424-267.

--B206070008 Forwards comments re "Rept of Special Review Group on Fast Reactor Safety Research" dtd B1120
BABBETT, D E Office of Nuclear Regulatory Research, Director. B1/12/07 ROSS, D F. Division of Accident Evaluation. 6pp 13424:307.

B206070072 Transcript of ACRS 266th general meeting on B20603 in Washington, DC, Pp 1-168 Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/03 210pp. 13367:320.

B206080147 Transcript of ACRS & Commission B20604 public meeting in Washington, DC, Pp 1-64.
* ACRS - Advisory Committee on Reactor Safeguards. * Commissioners B2/06/04 66pp. 13423.093

B206090003 Transcript of ACRS 266th general meeting on B20604 in Washington, DC Pp 169-370 Supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards B2/06/04 295pp 13433 075

B206100301 Transcript of ACRS Subcommittee on Waste Mgt B20608 meeting in Washington, DC Pp 1-242 Viewgraphs & supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/08 360pp 13443 032

B206110134 Transcript of B20609 ACRS joint meeting of Subcommittee on Site Evaluation & Subcommittee on Reactor Radiological Effects in Washington, DC Pp 1-245 Viewgraphs & supporting documentation encl
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/09 400pp 13460 011.

B206140044 Comments on P Jennings ltr re proposed changes in seismic design methodology, per NRC B11203 request Recommends that Jennings suggestions be considered within context of broad review of NRC current seismic design practices.
SHEHMON, P ACRS - Advisory Committee on Reactor Safeguards B2/06/08 GILINSKY, V Commissioners 1p. 13487-110

B206140045 Discusses pressurized thermal shock (PTS) problem per ACRS 266th meeting on B20603-05. Immediate plant mods not needed to permit continued operation of plants having potential PTS problem Beneficial short-term actions submitted.
SHEHMON, P ACRS - Advisory Committee on Reactor Safeguards. B2/06/07 PALLADINO, N J. Commissioners. 2pp. 13487-108.

B206150168 Transcript of ACRS Subcommittee on Metal Components B20607 meeting in Palo Alto, CA Pp 1-250, Viewgraphs encl
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/07. 30pp 13496 001

B206230031 Transcript of ACRS Subcommittee on ECCS B20617 meeting in Idaho Falls, ID Pp 184-349 Viewgraphs encl
* ACRS - Advisory Committee on Reactor Safeguards B2/06/17 200pp. 13590 013

B206230097 Transcript of ACRS Subcommittee on ECCS B20616 meeting in Idaho Falls, ID, Pp 1-183 Viewgraphs encl
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/16. 210pp. 13588.250.

B206250081 Transcript of ACRS Subcommittee on Reactor Radiological Effects & Subcommittee on Site Evaluation B20623 meeting in Washington, DC, Pp 1-293 Supporting documentation encl.
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/23. 336pp. 13615.058.

B206280285 Transcript of ACRS Subcommittee on CRBR/Site Evaluation B20624 meeting in Washington, DC, Pp 1-341, Viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards. B2/06/24. 400pp 13622-001

B206290177 Transcript of ACRS Subcommittee on CRBR B20625 meeting in Washington DC, Pp 342-588, Viewgraphs encl.
* ACRS - Advisory Committee on Reactor Safeguards B2/06/25. 400pp 13633.001.

COMMISSION NRC COMMISSIONERS

B206010126 Forwards NRC quarterly rept on nondisclosure of safeguards info for period ending B20331, per B00630 Public Law 96-295, W/o encl.
PALLADINO, N J Commissioners. B2/05/12. BUSH, G. H. W. Senate, President of the Senate. 1p 13329.212

--B206010132 Forwards NRC quarterly rept on nondisclosure of safeguards info for period ending B20331, per B00630 Public Law 96-295 W/o encl.
PALLADINO, N J Commissioners. B2/05/12 O'NEILL, T. P House of Rep., Speaker of the House. 1p. 13329.213.

--B206010137 Forwards NRC quarterly rept on nondisclosure of safeguards info for period ending B20331, per B00630 Public Law 96-295 W/o encl.
PALLADINO, N J. Commissioners. B2/05/12. MOFFETT, T. House of Rep., Government Operations 1p. 13329:214

--B206010139 Forwards NRC quarterly rept on nondisclosure of safeguards info for period ending B20331, per B00630 Public Law 96-295 W/o encl.
PALLADINO, N J. Commissioners. B2/05/12. OTTINGER, R. L. House of Rep., Energy & Commerce. 1p. 13329:215.

--8206010143 Forwards NRC quarterly rept on nondisclosure of safeguards info for period ending 820331, per 800630 Public Law 96-295.
W/o encl
PALLADINO, N J Commissioners 82/05/12 UDALL, M K House of Rep., Interior & Insular Affairs 1p 13329 216

--8206010148 Forwards NRC quarterly rept on nondisclosure of safeguards info for period ending 820331, per 800630 Public Law 96-295
PALLADINO, N J Commissioners 82/05/12 SIMPSON, A Senate, Environment & Public Works App 13329 217

8206010154 Comments on H R 6005 to discontinue or amend certain requirements for NRC repts to Congress, in response to 820414 request Supports Subsections 121(a) & (b) Subsection 121(c) should be deleted Requirements in Section 170 appropriate
PALLADINO, N J Commissioners 82/05/12 BROOKS, J House of Rep., Government Operations 1p 13329 238

--8206010157 Forwards H R 6005 discontinuing or amending certain requirements for NRC repts to Congress Comments requested
BROOKS, J House of Rep., Government Operations. 82/04/14
PALLADINO, N J Commissioners. 45pp 13329:239.

8206010165 Forwards ninth NRC/FEMA joint monthly rept to Congress on emergency preparedness for Mar 1982, in response to 810608 1tr Current emergency preparedness rules will not be changed
PALLADINO, N J Commissioners GIUFFRIDA, L.O. Federal Emergency Management Agency 82/05/10, SIMPSON, A K Senate, Environment & Public Works 70pp 13329 284

8206010179 Forwards NRC proposed bill authorizing appropriations for FY84, per Section 607 of Congressional Budget & Impoundment Control Act of 1974 W/o encl.
PALLADINO, N J Commissioners. 82/05/14 BUSH, G H W, Senate, President of the Senate. 1p 13329 357

--8206010183 Forwards NRC proposed bill authorizing appropriations for FY84, per Section 607 of Congressional Budget & Impoundment Control Act of 1974 W/o encl.
PALLADINO, N J Commissioners 82/05/14, O'NEILL, T.P. House of Rep., Speaker of the House 1p. 13329:358.

--8206010188 Forwards NRC proposed bill authorizing appropriations for FY84, per Section 607 of Congressional Budget & Impoundment Control Act of 1974, W/o encl.
PALLADINO, N.J. Commissioners. 82/05/14 UDALL, M K. House of Rep., Interior & Insular Affairs 1p. 13329.359

--8206010192 Forwards NRC proposed bill authorizing appropriations for FY84, per Section 607 of Congressional Budget & Impoundment Control Act of 1974 W/o encl
PALLADINO, N J Commissioners. 82/05/14. OTTINGER, R L. House of Rep., Energy & Commerce 1p. 13329:360

--8206010195 Forwards NRC proposed bill authorizing appropriations for FY84, per Section 607 of Congressional Budget & Impoundment Control Act of 1974, NRC analysis of proposed bill encl
PALLADINO, N.J. Commissioners. 82/05/14. SIMPSON, A. Senate, Environment & Public Works. 5pp 13329:361.

8206070138 Weekly info rept for wk ending 820521
REHM, T A Office of the Executive Director for Operations 82/05/26. 36pp. 13427:228

8206130052 Responds to 820507 memo re NRC activities that concern private sector initiatives NRC does not participate in program due to agency independent status
PALLADINO, N.J. Commissioners 82/06/03 MOORHEAD, J President of US & Executive Offices. 8pp. 13675:328

8206130054 Ack recommendation that NRC hold public meeting in area of Harrisburg, PA, Matter not decided.
PALLADINO, N J Commissioners. 82/06/07. MINNICH, J.E. Dauphin County, PA. 1p. 13696:008.

8206130056 Comments on H R 6144 re disposal of low level radwaste in ocean waters, in response to 820429 request. Enactment of bill does not appear to be intended to have any direct impact on NRC activities.
WICKHIT, L. Office of the General Counsel 82/06/11 JONES, W.B. House of Rep., Merchant Marine & Fisheries. 2pp. 13675:319

--8206300435 Requests views on encl Bill H.R. 6144 re disposal of low level radwaste in ocean waters.
JONES, W.B. House of Rep., Merchant Marine & Fisheries. 82/04/29.
HENDRIE, J. Commissioners. 7pp 13675:321.

8206130058 Forwards NRC rept on AOs at licensed nuclear facilities per Section 208 of Energy Reorganization Act of 1974 (PL 93-438) for fourth calendar quarter 1981.W/o encl.
PALLADINO, N.J. Commissioners. 82/06/15 BUSH, G H Senate, President of the Senate 1p 13696:009

8206140116 Weekly info rept for wk ending 820604
REHM, T A Office of the Executive Director for Operations 82/06/09 44pp 13507 232

8206230118 Public version of weekly info rept for wk ending 820611
REHM, T A Office of the Executive Director for Operations 82/06/16 50pp 13593 341

8206290093 Responds to 820308 request for info re NRC plans for & status of work on revisions to App K of 10CFR50
DIRCKS, W.J. Office of the Executive Director for Operations 82/06/02 AHEARNE Commissioners. 8pp 13661 299.

8206290520 Public version of weekly info rept for wk ending 820618
REHM, T A Office of the Executive Director for Operations. 82/06/24 55pp 13660:107.

CONTRACT NRC CONTRACTS AND MODIFICATIONS

8205130485 Notification of contract execution, Mod 4 to "Methodology & Results of Assessing Regional Economic Consequences of Accidents " Contractor, Dept of Commerce
FIELDS, J.A. Technical Assistance Contracts Branch NRC-03-81-117 82/04/14 VOLLMER, R.H., RICHTER, B Division of Engineering 1p 13095.046.

--8205130491 Mod 4, providing addl funding, to "Methodology & Results of Assessing Regional Economic Consequences of Accidents "
REED, C Commerce, Dept of. MATTIA, M J Technical Assistance Contracts Branch. NRC-03-81-117 82/04/14. 1p 13095 047

8206020579 Notification of contract execution, Mod 8 to "Consultant Svcs in Field of Hydrologic Engineering " Contractor Nunn, Snyder & Assoc
MCLEAREN, T. Technical Assistance Contracts Branch FIN B-5067. NRC-03-74-058 82/05/26. DENTON, H.R. Office of Nuclear Reactor Regulation, Director 1p 13339.347.

--8206020580 Mod 8, deobligating unliquidated balance, to "Consultant Svcs in Field of Hydrologic Engineering."
NUNN, D.E. Nunn, Snyder & Associates. HAGAN, T F NRC - No Detailed Affiliation Given. FIN B-5067 NRC-03-74-058. 82/05/26 1p. 13339.348

8206030050 Notification of contract execution: "Maint & Operation of LPDRs" awarded to Pottstown, PA Public Library
LITTLE, M Administrative Contracts Branch. NRC-10-82-414 82/05/26 FELTON, J.M., BOUDER, J. Division of Rules and Records. 1p. 13361:347.

--8206030053 Contract. "Maint & Operation of LPDRs" awarded to Pottstown, PA Public Library.
BURRY, D Pottstown, PA LEBD, C D. Division of Contracts NRC-10-82-414 82/05/26 9pp. 13361.348.

8206040007 Notification of grant execution. "Conference on Thermal Hydraulics " Grantee ANS
BAIRDEN, L Research Contracts Branch FIN Q-1032 NRC-0-04-82-001 82/05/24. BATSON, W., JUPITER, C. Office of Nuclear Regulatory Research, Director 1p. 13427 029.

--8206070074 Mod 1, changing method of payment from reimbursement by treasury check to advance by treasury check, to "Conference on Thermal Hydraulics "
MORTON, K.V. NRC - No Detailed Affiliation Given FIN Q-1032. NRC-0-04-82-001 82/05/24 1p. 13427:030

8206040029 Notification of contract execution, Mod 1 to "Support for Region I Independent Measurements (Nondestructive Exam) "
Contractor: Dept of Commerce, NBS
GUSTAVE, R. Research Contracts Branch. FIN B-1273 NRC-05-81-249. 82/05/24 COBB, L.I., TRIPP, L. Director's Office, Office of Inspection and Enforcement. 1p 13362:357.

--8206040033 Mod 1, providing incremental funding to "Support for Region I Independent Measurements (Nondestructive Exam) "
* Commerce, Dept of. National Bureau of Standards. MORTON, K.V. NRC - No Detailed Affiliation Given. FIN B-1273. NRC-05-81-249. 82/05/24 1p 13362:358.

8206070148 Notification of contract execution, Mod 3 to "Definition of Bounding Physical Tests Representative of Transport Accidents Rail & Truck" Contractor Ridihaigh, Eggers & Associates
HOLLETT, B Research Contracts Branch FIN B-6621 NRC-04-80-18P
82/05/18 FOREHAND, W Office of Nuclear Regulatory Research,
Director LAHS, W NRC - No Detailed Affiliation Given 1p
13427 020

--8206070153 Mod 3, extending performance period from 820430 to 0630, to "Definition of Bounding Physical Tests Representative of Transport Accidents Rail & Truck"
EGGERS, P E Ridihaigh, Eggers & Associates MORTON, K V Research Contracts Branch FIN B-6621 NRC-04-80-182 82/05/18 1p
13427 021.

8206070194 Directs that all work on Contract NRC-02-81-045 be stopped
Kerr-McGee must amend application for raffinade disposal
HAGAN, T F Technical Assistance Contracts Branch 82/05/14
FINDLEY, D E Science Applications, Inc 1p 13427 311

8206070207 Notification of contract execution, Mod 1 to "Ad Hoc Committee for Review of Nuclear Reactor Licensing Reform Proposals" Contractor RF Redmond, OH State Univ
LITTLE, M Administrative Contracts Branch FIN B-8179
NRC-18-82-481-0 82/05/28 ROTHSCCHILD, T Office of the General Counsel 1p 13424 338

--8206070212 Mod 1, providing monthly payments to contractor, to "Ad Hoc Committee for Review of Nuclear Reactor Licensing Reform Proposals"
REDMOND, R F Ohio State Univ REBELLO, J E Administrative Contracts Branch. FIN B-8179 NRC-18-82-481-0 82/05/28 1p
13424 339

8206070215 Notification of contract execution, Mod 2 to "Ad Hoc Committee for Review of Nuclear Reactor Licensing Reform Proposals." Contractor G Charnoff
LITTLE, M Administrative Contracts Branch FIN B-8179
NRC-18-82-481-0 82/05/28 ROTHSCCHILD, T Office of the General Counsel. 1p 13424 340

--8206070219 Mod 2, providing for monthly payments to contractor, to "Ad Hoc Committee for Review of Nuclear Reactor Licensing Reform Proposals"
CHARNOFF, G Affiliation Unknown REBELLO, J E Administrative Contracts Branch. FIN B-8179 NRC-18-82-481-0 82/05/28. 1p
13424 341

8206080009 Notification of contract execution, Mod 1 to "Hurricane Surge Flooding Study" Contractor, US Army Corp of Engineers.
SILVUS, R. M. Research Contracts Branch FIN B-1008. 82/05/20,
BATSON, W Office of Nuclear Regulatory Research, Director 1p
13441 052

--8206080019 Mod 1, desobligating funding to enable closeout, to "Hurricane Surge Flooding Study"
WARE, A Army, Dept of, Corps of Engineers. MORTON, K V. Research Contracts Branch FIN B-1008 NRC-01-76-169 82/05/20. 1p
13441.053

8206080432 Notification of contract execution, Mod 1 to "Ad Hoc Committee for Review of Nuclear Reactor Licensing Reform Proposals" Contractor A Roisman, Trial Lawyers for Public Justice.
LITTLE, M. Administrative Contracts Branch. FIN B-8179
NRC-18-82-481-0. 82/05/28 ROTHSCCHILD, T Office of the General Counsel 1p 13441.004.

--8206080433 Mod 1, providing monthly payments to contractor, to "Ad Hoc Committee for Review of Nuclear Reactor Licensing Reform Proposal."
ROISMAN, A Trial Lawyers for Public Justice. REBELLO, J E. Administrative Contracts Branch. FIN B-8179 NRC-18-82-481-0. 82/05/28 1p 13441.005.

8206080436 Notification of contract execution, Mod 1 to "Unsaturated Flow & Transport Through Fractured Rock Related to High Level Waste Repositories" Contractor Univ of AZ
JACOBS, A Research Contracts Branch. FIN B-7291 NRC-04-81-224. 82/05/28 BATSON, W Office of Nuclear Regulatory Research, Director NICHOLSON, T J. NRC - No Detailed Affiliation Given 1p. 13441.014.

--8206080439 Mod 1, designating items of property procured or fabricated, to "Unsaturated Flow & Transport Through Fractured Rock Related to High Level Waste Repositories."
CARR, B E Arizona, Univ. of GUSTAVE, R. P Research Contracts Branch FIN B-7291 NRC-04-81-224 82/05/28 2pp 13441:015

8206090221 Notification of contract execution. "Tenth Water Reactor Research Meeting," awarded to SA Brawlewick
COLEMAN, R Administrative Contracts Branch NRC-04-82-014. 82/05/21 BASSETT, O E; BATSON, W Division of Accident Evaluation 1p 13455 138

--8206090224 Contract. "Tenth Water Reactor Research Meeting," awarded to SA Brawlewick.
Brawlewick, S A LEBB, O D. Division of Contracts. NRC-04-82-014 82/05/21 28pp. 13455 139.

8206100006 Notification of contract execution, Mod 1 to "Statistical Analysis of Cumulative Shipper-Receiver Difference Data." Contractor Boeing Computer Svc Co
GUSTAVE, R P Research Contracts Branch. FIN B-1076. NRC-01-81-012-0. 82/05/28 FOREHAND, W; BRANSCOME, J Office of Nuclear Regulatory Research, Director 1p 13469 301

--8206100184 Mod 1, extending period of performance to 820816 to, "Statistical Analysis of Cumulative Shipper-Receiver Difference Data"
JONES, R L. Boeing Computer Services, Inc (subs of Boeing Co.). GUSTAVE, R P. Research Contracts Branch FIN B-1076 NRC-01-81-012 82/05/28 1p. 13469 302

8206100012 Notification of contract execution, Mod 3 to "Source Term Characterization Resulting from Explosively-Caused Secondary Violations of Spent Fuel Shipping Casks." Contractor BML
HOLLETT, B Research Contracts Branch. FIN B-6710 NRC-04-80-180. 82/06/02 BATSON, W; LAHS, B. Office of Nuclear Regulatory Research, Director 1p 13474 169

--8206100019 Mod 3, extending period of performance to 820930 to, "Source Term Characterization Resulting From Explosively-Caused Secondary Violations of Spent Fuel Shipping Casks"
LURZ, F J Battelle Memorial Institute, Columbus Laboratories GUSTAVE, R P. Research Contracts Branch. FIN B-6710 NRC-04-80-180 82/06/02 1p. 13474 171.

8206100407 Notification of contract execution: "Technical Assistance in Hydrogeology," awarded to Williams-Robinette & Associates
HAIRSTON, C; MILES, E B Technical Assistance Contracts Branch. NRC-02-82-028-05. 82/05/20. DAVIS, J. Office of Nuclear Material Safety & Safeguards, Director. JOHNSON, B. NRC - No Detailed Affiliation Given 1p 13458.303

--8206100409 Contract: "Technical Assistance in Hydrogeology," awarded to Williams-Robinette & Associates
WILLIAMS, R E Williams-Robinette & Associates, Inc. MATTIA, M J. Technical Assistance Contracts Branch. NRC-02-82-028-05. 82/05/20 17pp. 13458 304.

8206100412 Notification of contract execution. "Licensing Assistance/ Tailings Mgt Program Technical Evaluation," awarded to Simons, Li & Associates, Inc.
HAIRSTON, C; FIELD, J. A. Technical Assistance Contracts Branch NRC-02-79-031-06. 82/05/27 DAVIS, J.; GILLEN, D Office of Nuclear Material Safety & Safeguards, Director 1p 13458:326

--8206100417 Contract: "Licensing Assistance/Tailings Mgt Program Technical Evaluation," awarded to Simons, Li & Associates, Inc
SIMONS, D. B. Simulation Associates MATTIA, M J Technical Assistance Contracts Branch. NRC-02-79-031-06. 82/05/27 12pp. 13458.327.

8206100421 Notification of contract execution, Mod 13 to "FLECHT-SEABET." Contractor: Westinghouse/EPRI
HOLLETT, B Research Contracts Branch. FIN B-6204 NRC-04-77-127. 82/06/07. BATSON, W; LEE, R Office of Nuclear Regulatory Research, Director. 1p. 13458:354

--8206100423 Mod 13, providing addl funds, to "FLECHT-SEABET." AGATE, D Westinghouse Electric Corp. MORTON, K. V. Research Contracts Branch. FIN B-6204. NRC-04-77-127 82/06/07 1p 13458:355.

8206100432 Notification of contract execution, Mod 6 to "Vol Reduction Techniques in Low Level Radwaste Mgt." Contractor: Teknekron Research, Inc.
MCLEAREN, T. Technical Assistance Contracts Branch. NRC-02-79-024. 82/06/02. DAVIS, J. O. Office of Nuclear Material Safety & Safeguards, Director., JOHNSON, T. Division of Waste Management 1p. 13468:093

--8206100435 Mod 6, providing reimbursement for labor overhead & general & administrative expenses, to "Vol Reduction Techniques in Low Level Radwaste Mgt." MOSCATI, A F Teknekron, Inc., HAGAN, T. F. Division of Contracts. NRC-02-79-024. 82/06/02. 1p. 13468:094.

8206110003 Notification of contract execution, Mod 8 to "Technical Assistance to Support NRC IE Personnel in Investigation of Incidents " Contractor Parameter, Inc
WOLLETT, S Research Contracts Branch FIN B-1013 NRC-05-80-251
82/05/27 BLAHA, J L, LAUDAN, W Program Support Branch 1p
13493 139

--8206110007 Mod 8, increasing funds for Task Order B & Task Order I, to "Technical Assistance to Support NRC IE Personnel in Investigation of Incidents "
e Parameter, Inc GUSTAVE, R Division of Contracts FIN B-1013
NRC-05-80-251 82/05/27 1p 13493 139

8206110010 Notification of contract execution, Mod 13 to "Post-Failure Phenomena in LMFBR Top Accidents " Contractor Univ of VA
MCLEAREN, T Technical Assistance Contracts Branch FIN B-1103
NRC-03-72-198 82/06/02 MEYER, J Reactor Systems Branch 1p
13493 339

--8206110013 Mod 13, deobligating unliquidated balance remaining in contract, to "Post-Failure Phenomena in LMFBR Top Accidents "
JENNINGS, D W Virginia, Univ of HAOAN, T F Division of
Contracts FIN B-1103 NRC-03-72-198 82/06/02 1p 13493 340

8206110044 Notification of contract execution, Mod 12 to "FLECHT-SEASET " Contractor Westinghouse
WOLLETT, S Research Contracts Branch FIN B-6204 NRC-04-77-127
82/06/02 BATSON, W, LEE, R Office of Nuclear Regulatory Research,
Director 1p 13493, 172

--8206110048 Mod 12, applying existing program funds to projected cost growth, to "FLECHT-SEASET "
RYTKONEN, B B Electric Power Research Institute MOORE, J
Westinghouse Electric Corp MORTON, K V Research Contracts
Branch FIN B-6204 NRC-04-77-127 82/06/02 5pp 13493 173

8206110076 Notification of contract execution, Mod 5 to "Post-Licensing Studies of Socioeconomic Impacts of Nuclear Power Station Siting," Contractor Mountain West Research, Inc
WOLLETT, S Research Contracts Branch, FIN B-6268 NRC-04-78-192
82/05/24 BATSON, W, PRICHARD, C Office of Nuclear Regulatory
Research, Director 1p 13493, 253

--8206110078 Mod 5, providing incremental funding to "Post-Licensing Studies of Socioeconomic Impacts of Nuclear Power Station Siting "
CHALMER, P M, Mountain West Research, Inc MORTON, K V NRC - No
Detailed Affiliation Given, FIN B-6268 NRC-04-78-192 82/05/24
1p 13493, 254.

8206110090 Notification of contract execution, Mod 2 to "Inservice Insp Courses," Contractor Rockwell Intl Corp,
JACOBS, A Research Contracts Branch FIN B-1274, NRC-05-81-243,
82/05/28 COBB, L I Training & Administration Staff FOX, E NRC
- No Detailed Affiliation Given 1p 13493, 255.

--8206110093 Mod 2, rescheduling FY82 course date until 820802-06, to "Inservice Insp Courses "
JOHNSON, R A, Rockwell International Corp, GUSTAVE, R P, Research
Contracts Branch, FIN B-1274, NRC-05-81-243 82/05/28 1p,
13493, 256

8206110096 Notification of contract execution, Mod 3 to "Radio & TV Monitoring Svcs " Contractor, JR Birmingham Co.
SMITH, P A Division of Contracts, NRC-10-80-388, 82/06/02
DORIE, W, Office of Administration ORDAZ, O, NRC - No Detailed
Affiliation Given 1p 13493 257.

--8206110102 Mod 3, deobligating remaining funds for closeout, to:
"Radio & TV Monitoring Svcs."
DESMOND, J A, J R Birmingham Co, SMITH, P A Division of
Contracts, NRC-10-80-388, 82/06/02, 1p, 13493, 258

8206110372 Notification of grant execution "Partial Support of Committee on Seismology," awarded to Natl Academy of Sciences,
HAQAN, T F Research Contracts Branch, FIN B-1028, NRC-0-04-81-023
82/04/02, BATSON, W, MURPHEY, A Office of Nuclear Regulatory
Research, Director, 1p, 13490, 290

8206110375 Notification of contract execution, Mod 6 to "Geotechnical Engineering Svcs," Contractor: Dept of Army,
MCLEAREN, T Technical Assistance Contracts Branch FIN B-1134
NRC-03-77-002, 82/06/04 VOLLMER, R H, HELLER, L, Division of
Engineering, 1p, 13490, 294,

--8206110377 Mod 6, deobligating unliquidated balance remaining in contract, to "Geotechnical Engineering Svcs "
FRIEDENWALD, R Army, Dept of, Corps of Engineers HAOAN, T F,
Division of Contracts, FIN B-1134 NRC-03-77-002 82/06/04 1p,
13490, 295.

8206110380 Notification of contract execution, Mod 2 to "Technical Assistance in Support of NRC Reactor Licensing Actions - Program II " Contractor Science Applications, Inc
HAQAN, T F Technical Assistance Contracts Branch FIN B-8609
NRC-03-82-096 82/05/12 EISENHUT, D, SILVER, H Division of
Licensing 1p 13490 319

--8206110385 Mod 2, incorporating award fee earned for 811123-820228, accounting for fee not earned & providing incremental funding, to "Technical Assistance in Support of NRC Reactor Licensing Actions - Program II "
* Science Applications, Inc MATTIA, M J Division of Contracts
FIN B-8609 NRC-03-82-096 82/05/12 2pp 13490 320

8206140011 Notification of contract execution, Mod 15 to "Technical Support in Reviewing & Appraising Applications for Licensing of Nuclear Facility Sites " Contractor Dept of Army, Corps of Engineers
MCLEAREN, T Technical Assistance Contracts Branch FIN B-9190
NRC-03-73-037 82/06/04 VOLLMER, R H, HELLER, L Division of
Engineering 1p 13510 189

--8206140014 Mod 15, deobligating unliquidated balance, to "Technical Support in Reviewing & Appraising Applications for Licensing of Nuclear Facility Sites "
FRIEDENWALD, R Army, Dept of, Corps of Engineers HAOAN, T F
Division of Contracts, FIN B-9190 NRC-03-73-037 82/06/04 1p
13510 190

8206150034 Notification of contract execution, Mod 1 to "General & Refresher Courses in Concrete Technology Codes "
Contractor Portland Cement Assoc
WOLLETT, S Research Contracts Branch FIN B-1275 NRC-05-81-244
82/06/01 COBB, L I, FOX, E, Division of Fuel Facilities, Materials
& Safeguards 1p 13523 116

--8206150039 Mod 1, exercising option for addl courses & obligating funds to "General & Refresher Courses in Concrete Technology Codes "
PARIS, O H Portland Cement Association GUSTAVE, R P Research
Contracts Branch FIN B-1275 NRC-05-81-244 82/06/01 1p,
13523, 117

8206150041 Notification of contract execution, Mod 4 to "Environ Monitoring Program W/State of SC " Contractor State of SC
WOLLETT, S Research Contracts Branch FIN B-5112 NRC-05-80-273
82/06/08 COBB, L I, COHEN, L K Division of Fuel Facilities,
Materials & Safeguards 1p 13523 131

--8206150045 Mod 4, deobligating funds, to "Environ Monitoring Program W/State of SC."
DANTZLER, M U South Carolina, State of GUSTAVE, R P Research
Contracts Branch FIN B-5112 NRC-05-80-273 82/06/08 2pp
13523 132

8206150048 Notification of contract execution, Mod 1 to "Resolution of Shipper-Receiver Differences " Contractor BNWL
WOLLETT, S Research Contracts Branch FIN B-8103 NRC-01-81-012
82/06/04 FOREHAND, W, BRANSCOME, J Office of Nuclear Regulatory
Research, Director, 1p, 13523, 133

--8206150051 Mod 1, extending period of performance through 820624 at no addl cost, to "Resolution of Shipper-Receiver Differences "
HAVERFIELD, A J Battelle Memorial Institute, Pacific Northwest
Laboratory, MORTON, K V, Research Contracts Branch FIN B-8103
NRC-01-81-012, 82/06/04 1p 13523, 136.

8206150054 Notification of contract execution, Mod 4 to "Graphics/Photographic Svcs," Contractor Robert Charles Moles & Associates,
PERLMAN, J Administrative Contracts Branch NRC-05-81-257
82/05/24 COBB, L, THAYER, C Training & Administration Staff 1p
13523, 342

--8206150056 Mod 4, obligating funds, to "Graphics/Photographic Svcs. "
* Robert Charles Moles & Associates, SMITH, P A Administrative
Contracts Branch, NRC-05-81-257 82/05/24 2pp 13523, 343

8206150055 Notification of contract execution, Mod 5 to "Evaluation of Gross Operator Error Rates Based on Past Experience in Nuclear Power Plants," Contractor IA State Univ
SILVIE, R M Research Contracts Branch FIN B-6305 NRC-04-78-221
82/06/09 BATSON, W, COLLINGFORD, M Office of Nuclear Regulatory
Research, Director 1p, 13524, 007.

--8206150058 Ltr Contract NRC-04-78-221, Mod 5, deobligating funds, to
"Evaluation of Gross Operator Error Rates Based on Past Experience in Nuclear Power Plants."
MORTON, K V Research Contracts Branch, FIN B-6305
NRC-04-78-221 82/03/03 LANSHINO, R Iowa State Univ 1p,
13524, 008.

8206150059 Notification of contract execution, Mod 9 to "Coordination of Federal/State Radiation Control Activities & Assistance in Solving Radiation Control Problems " Contractor Food & Drug Administration
GILDENHORN, A J Administrative Contracts Branch FIN B-1620
NRC-06-76-247 82/04/20 KERR, G.W., YOUNG, F.W. Office of State Programs, Director 1p 13523 345

--8206150061 Mod 9, extending period of performance to 821231 & increasing funds, to "Coordination of Federal/State Radiation Control Activities & Assistance in Solving Radiation Control Problems "
CROWN, H M Food & Drug Administration LEBG, C D Administrative Contracts Branch FIN B-1620 NRC-06-76-247 82/04/20 2pp 13523 346

8206150062 Notification of contract execution, Mod 3 to "Understanding of Regulatory Process " Contractor USDA Graduate School
DORSEY, M Administrative Contracts Branch NRC-10-BI-388 82/05/10 DORIE, W., BASSIN, C Office of Administration 1p 13523 348

--8206150064 Mod 3, extending period of performance to 830131 & providing up to five addl training sessions, to "Understanding of Regulatory Process "
VARNER, L B Graduate School, Agriculture, Dept of, SMITH, P. A Administrative Contracts Branch NRC-10-BI-388 82/05/10 1p 13523 349

8206150212 Notification of contract execution, Mod 2 to "Environ Assessment of Raffinate Study Disposal at Kerr-McGee Bequayah Facility, Gore, OK " Contractor: Science Applications, Inc
HAIRBTON, C., FLEENDOR, C. Technical Assistance Contracts Branch, NRC-02-BI-045 82/05/20 DAVIS, J., NIXON, W. Office of Nuclear Material Safety & Safeguards, Director, 1p 13540.084

8206150348 Notification of contract execution, Mod 2 to "Analysis of NRC Document Control Sys. " Contractor Dept of Air Force
SMITH, P A Division of Contracts, NRC-10-BI-410 82/05/28 DORIE, W., ROWE, P Office of Administration, 1p 13539.229

--8206150351 Mod 2, debloating balance of remaining funds, to "Analysis of NRC Document Control Sys. "
BLAIR, R L Air Force, Dept of SMITH, P A. Division of Contracts NRC-10-BI-410 82/05/28 1p 13539 230.

8206180034 Notification of contract execution, Mod 20 to "Review & Evaluation of Approx 500 Pending Operating Reactors Licensing Actions " Contractor: Franklin Research Ctr
HAGAN, T F. Technical Assistance Contracts Branch, FIN B-6590 NRC-03-79-118 82/05/18 EISENHUT, D Q Division of Licensing BAUHA, S NRC - No Detailed Affiliation Given 1p 13570.081

--8206180037 Mod 20, correcting accounting & appropriation data & incorporating award fee earned for Jul-Dec 1981, to "Review & Evaluation of Approx 500 Pending Operating Reactors Licensing Actions "
* Franklin Institute/Franklin Research Center, MATTIA, M J Division of Contracts FIN B-6590, NRC-03-79-118 82/05/18 2pp 13570 082

8206210045 Notification of contract execution, Mod 5 to "Structural Geologic Study of Southeastern MO " Contractor: MO Dept of Natural Resources
WOLLETT, S. Research Contracts Branch FIN B-6294 NRC-04-78-206 82/06/15 BATSON, W., SCHMIDT, T. Office of Nuclear Regulatory Research, Director 1p. 13582:326

--8206210052 Mod 5, extending period of performance from 820630 to 830630, at no addl cost, to "Structural Geologic Study of Southeastern MO "
* Missouri, State of MORTON, K V. Research Contracts Branch FIN B-6294 NRC-04-78-206 82/06/15 1p 13582:327

8206230299 Notification of contract execution, Mod 3 to "Technical Assistance for Repository Design. " Contractor Golder Associates, Inc
FIELD, J A Technical Assistance Contracts Branch FIN B-6983-2 NRC-02-BI-037 82/06/09. DAVIS, J., HARTUNG, L. Office of Nuclear Material Safety & Safeguards, Director, 1p. 13592 221.

--8206230307 Mod 3, changing due dates for repts & increasing funding, to "Technical Assistance for Repository Design "
WEST, P J Golder Associates HAGAN, T F. NRC - No Detailed Affiliation Given. FIN B-6983-3 NRC-02-BI-037 82/06/09. 2pp 13592.222

8206230302 Notification of contract execution, Mod 10 to "Study of Pattern & Ages of Post-Metamorphic Faults in Part of Northern Piedmont of VA & NC " Contractor VA Polytechnic Inst & State Univ
JACOBS, A Research Contracts Branch FIN A-9027, NRC-04-75-237 82/06/04 BATSON, W., MURPHY, A Office of Nuclear Regulatory Research, Director 1p 13594 325

--8206230305 Mod 10, providing addl funds & workscope & extending period of performance to 830516, to "Study of Pattern & Ages of Post-Metamorphic Faults in Part of Northern Piedmont of VA & NC "
RIDENOUR, M E Virginia Tech GUSTAVE, R P Research Contracts Branch FIN A-9027 NRC-04-75-237 82/06/04 App. 13594 326

8206230313 Correction 2 for notification of contract execution "Long-Term Performance of Matl Used for High Level Waste Packaging," awarded to BMNL Corrects previous 255 B&R number
HAGEY, H Research Contracts Branch FIN B-6764 NRC-04-82-015 82/04/09 BATSON, W., KIM, K Office of Nuclear Regulatory Research, Director 1p 13594 349

8206230320 Notification of contract execution, "Records Holding Area Support Svcs," awarded to SBA/Maxima Corp
BAZIN, J Administrative Contracts Branch NRC-10-B2-396, 82/05/13 BEBAH, W J., SCOTT, R. S Division of Technical Information & Document Control 1p 13603 216

--8206230326 Contract "Records Holding Area Support Svcs," awarded to SBA/Maxima Corp.
HILL, D Maxima Corp LEBG, C D Administrative Contracts Branch NRC-10-B2-396 82/05/13 15pp. 13603 217

8206230343 Notification of grant execution, Mod 1, to "Geomorphic Aspects of Nuclear Waste Disposal," Grantee CO State Univ.
BAIDEN, L Research Contracts Branch, FIN Q-1010 NRC-Q-04-BI-008 82/06/14 BATSON, W., DOYLE, F Office of Nuclear Regulatory Research, Director, 1p 13594 333

--8206230348 Mod 1, extending grant period to 820930, to "Geomorphic Aspects of Nuclear Waste Disposal "
BRDWN, J F Colorado State Univ MORTON, K V. Research Contracts Branch FIN Q-1010 NRC-Q-04-BI-008 82/06/14 1p 13594 336

8206240007 Notification of contract execution, Mod 6 to "Study of Near Surface Geology of Reelfoot Lake District of New Madrid Earthquake Region " Contractor: Vanderbilt Univ.
BILVIE, R M Research Contracts Branch, FIN B-5960 NRC-04-76-299 82/06/16, BATSON, W., STEUER, N Office of Nuclear Regulatory Research, Director, 1p. 13607 347.

--8206240011 Ltr Contract NRC-04-76-299, Mod 6, debloating balance of funds to "Study of Near Surface Geology of Reelfoot Lake District of New Madrid Earthquake Region "
MORTON, K V Research Contracts Branch, FIN B-5960 NRC-04-76-299, 82/03/18, APPLESON, R.R. Vanderbilt Univ 1p. 13607:348

8206240017 Notification of contract execution, Mod 5 to "PWR Vortex Technology," Contractor, Univ of IA
MCLEAREN, T Technical Assistance Contracts Branch, FIN B-6462, NRC-03-78-130 82/06/16 MATTSON, R J., NOVAK, T M Division of Systems Integration (post 811003) 1p. 13607:358

--8206240020 Mod 5, establishing final overhead rate, to "PWR Vortex Technology "
MOBBMAN, R. B. Iowa, Univ. of HAGAN, T F. Technical Assistance Contracts Branch, FIN B-6462 NRC-03-78-130, 82/06/16 1p. 13607 359.

8206240087 Notification of contract execution, Mod 3 to "Career Counseling " Contractor: Binder, Elster, Mendelson & Wheeler.
PAGE, M Administrative Contracts Branch NRC-10-B2-358, 82/06/10 DORIE, W., VAN SANTEN, L.W. Office of Administration, 1p. 13607.305.

--8206240089 Mod 3, providing liaison w/regional career counselors, to "Career Counseling."
MENDELSON, I. N Binder, Elster, Mendelson & Wheeler, Inc. SMITH, P A NRC - No Detailed Affiliation Given. NRC-10-B2-358 82/06/10 2pp. 13607.306.

8206240097 Notification of contract execution, Mod 14 to "On-Call Maint for NRC Computer Peripheral Equipment " Contractor, Computer Sys Support Corp
GILDENHORN, A J. Administrative Contracts Branch, NRC-10-79-395 82/06/10 DORIE, W., JOHNSON, C Office of Administration 1p. 13607.227

NONDOCKETED ITEMS

--8206240102 Mod 14, adding addl equipment to coverage, to "On-Call Maint for NRC Computer Peripheral Equipment"
RODT, L. E. Computer Systems Support Corp NRC-10-79-375
82/06/10 1p 13607 228

8206240100 Notification of contract execution, Mod 5 to "Development of Nuclear Reactor Plant Data Bank" Contractor: Technology Development of CA
JACOBS, A. Research Contracts Branch FIN B-7077. NRC-04-80-215
82/06/15 BATSON, W., LEE, T. Office of Nuclear Regulatory Research, Director 1p 13607 229

--8206240104 Mod 5, deleting Clause A to General Provision 1 17, to "Development of Nuclear Reactor Plant Data Bank"
* Small Business Administration * Technology Development of California, Inc. MORTON, K. V. Research Contracts Branch FIN B-7077 NRC-04-80-215 82/06/15 2pp 13607 230

8206240107 Notification of contract execution, Mod 10 to "Stenographic Reporting Svcs" Contractor Alderson Reporting Co, Inc
PAGE, M. Administrative Contracts Branch FIN B-1311
NRC-17-80-488. 82/06/11 CHILK, S. J., SULLIVAN, P. Office of the Secretary of the Commission MCNAMARA, P. Atomic Safety and Licensing Board Panel 1p 13607 233.

--8206240110 Mod 10, extending period of performance to 820806, to "Stenographic Reporting Svcs"
SHARR, R. A. Alderson Reporting SMITH, P. A. NRC - No Detailed Affiliation Given FIN B-1311. NRC-17-80-488 82/06/11 1p 13607 234

8206240414 Notification of contract execution, Mod 3 to "Seismicity & Earthquake Hazard Research in Northern AL" Contractor: Geological Survey of AL
WOLLETT, S. Research Contracts Branch FIN B-6674 NRC-04-80-220
82/06/10 BATSON, W., MURPHY, A. Office of Nuclear Regulatory Research, Director 1p. 13619 170.

--8206240419 Mod 3, adding third yr funding & workscope, to "Seismicity & Earthquake Hazard Research in Northern AL"
MANCINI, E. A. Alabama. State of GUSTAVE, R. Research Contracts Branch FIN B-6674 NRC-04-80-220 82/06/10 7pp 13619 171.

8206240444 Notification of contract execution, Mod 6 to "Publication Distribution Svcs" Contractor Computer Data Sys.
PAGE, M. Administrative Contracts Branch. NRC-10-80-362 82/06/02 DORRY, W. Office of Administration SCOTT, B. Document Management Branch 1p 13619 357

--8206240447 Mod 6, establishing monthly billing rate, to "Publication Distribution Svcs"
JOHNSON, H. J. Computer Data Systems, Inc SMITH, P. A. Division of Contracts NRC-10-80-362 82/06/02. 3pp. 13619 358

8206240449 Notification of contract execution, Mod 1 to "Geophysical-Geological Studies of Possible Extensions of New Madrid Fault Zone." Contractor: Purdue Research Foundation
WOLLETT, S. Research Contracts Branch FIN B-8077 NRC-04-81-195
82/06/04. BATSON, W., SCHMITT, T. Office of Nuclear Regulatory Research, Director. 1p 13620 001

--8206240472 Mod 1, changing project officers, to "Geophysical-Geological Studies of Possible Extensions of New Madrid Fault Zone."
* Purdue Research Foundation GUSTAVE, R. P. Division of Contracts. FIN B-8077 NRC-04-81-195 82/06/04 1p. 13620 002.

8206240479 Notification of contract execution, Mod 1 to "Shuttle Bus Svc." Contractor: Beltway Limousine, Inc
PERLMAN, J. Administrative Contracts Branch NRC-10-82-378
82/06/02. CORLEY, J., GRANT, L. Division of Facilities & Operations 1p. 13620 026

--8206240481 Mod 1, correcting ceiling amount of contract, to "Shuttle Bus Svc."
ROBERTSON, J. Beltway Limousine Service, Inc. SMITH, P. A. Division of Contracts. NRC-10-82-378 82/06/02 1p. 13620 027

8206250028 Notification of contract execution, Mod 5 to "Fire Protection Research Program." Contractor: UL.
WOLLETT, S. Research Contracts Branch. FIN B-6197. NRC-04-77-122
82/06/08 BATSON, W., FEIT, R. Office of Nuclear Regulatory Research, Director. 1p 13628 088.

--8206250032 Mod 5, extending period of performance to 820930, to "Fire Protection Research Program."
BARTON, R. D. Underwriters Laboratory. MORTON, K. V. Division of Contracts FIN B-6197 NRC-04-77-122 82/06/08 1p. 13628 089.

8206250039 Notification of contract execution "Fundamentals of Bias Correction Problems," awarded to BHI
BAIDEN, L. Research Contracts Branch FIN B-8105 NRC-04-82-012
82/05/25 FOREHAND, W., RIVERS, J. D. Office of Nuclear Regulatory Research, Director 1p 13628 101

--8206250043 Contract "Fundamentals of Bias Correction Problems," awarded to BHI Detailed contract analysis encl
HAVERFIELD, A. J. Battelle Memorial Institute, Pacific Northwest Laboratory MORTON, K. V. Division of Contracts FIN B-8105
NRC-04-82-012 82/05/25. 67pp 13628 102

8206250051 Notification of grant execution "Development of Radiation Protection Svcs," awarded to Intl Commission on Radiological Protection
BAIDEN, L. Research Contracts Branch FIN Q-1035 NRC-0-04-82-004
82/06/14 BATSON, W., FOULKE, J. Office of Nuclear Reactor Regulation, Director 1p 13628 202

--8206250059 Grant: "Development of Radiation Protection Svcs," awarded to Intl Commission on Radiological Protection
BOWBY, F. D. International Commission on Radiological Protection MORTON, K. V. Research Contracts Branch FIN Q-1035
NRC-0-04-82-004. 82/06/14 2pp 13628 203

8206250068 Notification of contract execution, Mod 1 to "Geotechnical Engineering Casework Review - II" Contractor Dept of Army
EDENWORTH, P. Technical Assistance Contracts Branch NRC-03-82-102
82/06/04 VOLLNER, R., LEAR, O. Division of Engineering 1p 13628 298

--8206250071 Mod 1, correcting phraseology, to "Geotechnical Engineering Casework Review - II"
* Army, Dept of, Corps of Engineers MATTIA, M. J. Division of Contracts NRC-03-82-102. 82/06/04 2pp 13628 299

8206250077 Notification of contract execution "Geotechnical Engineering Casework Review - II," awarded to Dept of Army
EDENWORTH, P. Technical Assistance Contracts Branch FIN B-8027
NRC-03-82-102 82/05/24 VOLLNER, R., LEAR, O. Office of Nuclear Reactor Regulation, Director 1p 13628 308

--8206250084 Ltr Contract NRC-03-82-102, "Geotechnical Engineering Casework Review - II" Accepted by RL Friedenwald, US Army
Corps of Engineers, on 820326.
MATTIA, M. J. Division of Contracts FIN B-8027 NRC-03-82-102. 82/04/08 FRIEDENWALD, R. Army, Dept of, Corps of Engineers. 11pp 13628 309

8206280012 Notification of grant execution, Mod 1 to "Workshop to Increase Involvement of Historically Black Colleges & Univs in Research & Knowledge Dissemination of Safety." Grantee Natl Assoc for Equal Opportunity in Higher Ed.
BAIDEN, L. Research Contracts Branch FIN Q-1034. NRC-0-04-82-003
82/06/16. BATSON, W., LARKINS, J. Office of Nuclear Regulatory Research, Director 1p. 13630 323

--8206280014 Mod 1, changing period of performance, to "Workshop to Increase Involvement of Historically Black Colleges & Univs in Research & Knowledge Dissemination of Safety Assessment Sys & Technologies Used in Nuclear Power Applications"
* National Assoc for Equal Opportunity in Higher Education MORTON, K. V. Research Contracts Branch. FIN Q-1034.
NRC-0-04-82-003 82/06/16. 1p 13630 324

8206280017 Corrected notification of contract execution, Mod 5 to "Development of Nuclear Reactor Plant Data Bank."
Contractor: Technology Development of CA
JACOBS, A. Research Contracts Branch. FIN B-7077 NRC-04-80-215.
82/06/13 BATSON, W., LEE, T. Office of Nuclear Regulatory Research, Director. 1p 13630 325.

8206280019 Notification of contract execution, Mod 6 to "Disease Incidence Rates From Occupational Exposure to Hazardous Substances." Contractor: BHI.
WOLLETT, S. Research Contracts Branch FIN B-10660 NRC-01-80-016
82/06/14 FOREHAND, W., ROECKLEIN, A. Office of Nuclear Regulatory Research, Director 1p 13630 326

--8206280022 Mod 6, extending period of performance w/o cost increase, to "Disease Incidence Rates From Occupational Exposure to Hazardous Substances"
LUKZ, F. J. Battelle Memorial Institute, Columbus Laboratories GUSTAVE, R. P. Research Contracts Branch. FIN B-10660
NRC-01-80-016 82/06/14 1p 13630 327

8206280108 Notification of contract execution, Mod 13 to "Improved Ultrasonic Nondestructive Testing of Pressure Vessels." Contractor: Univ of MI.
JACOBS, A. Research Contracts Branch FIN A-4047 NRC-04-75-182.
82/06/21. FOREHAND, W., MUSCARA, J. Office of Nuclear Regulatory Research, Director 1p 13630 269

--B206280126 Mod 13, providing funding for research for Jan-Dec 1982, to "Improved Ultrasonic Nondestructive Testing of Pressure Vessels " BRINCKERHOFF, J Michigan, Univ of GUSTAVE, R P Research Contracts Branch FIN A-4017 NRC-04-75-182 82/06/21 7pp 13630 267

B206280131 Notification of contract execution, Mod 14 to "Improved Ultrasonic Nondestructive Testing of Pressure Vessels " Contractor Univ of MI JACOBBS, A Research Contracts Branch FIN B-7233 NRC-04-75-182 82/05/21 FOREHAND, W, MUSCARA, J Office of Nuclear Regulatory Research, Director 1p 13630 262

--B206280136 Mod 14, reimbursing Univ of MI for cost share of ADP equipment & vesting title to all equipment acquired under contract, to "Improved Ultrasonic Nondestructive Testing of Pressure Vessels " DALRYMPLE, J T Michigan, Univ of GUSTAVE, R P Research Contracts Branch FIN B-7238 NRC-04-75-182 82/06/21 3pp 13630 263

B206280573 Notification of contract execution, Mod 1 to "Demographic Projections & Regional Economic Impacts of Accidents " Contractor Dept of Commerce FIELDS, J A Technical Assistance Contracts Branch NRC-03-82-112 82/05/17 VOLLMER, R H, SINISGALLI, A Division of Engineering 1p 13630 126

--B206280579 Mod 1, amending reporting requirements re monthly business ltr, to "Demographic Projections & Regional Economic Impact of Accidents " TROTT, E A Commerce, Dept of HAGAN, T F Technical Assistance Contracts Branch NRC-03-82-112 82/05/17 1p 13630 127

B206290002 Notification of contract execution "Fuel Cycle Analysis-Spain," awarded to Nuclear Assurance Corp MCNULTY, A Purchasing Section FIN B-7374-2 NRC-02-82-048 82/06/18 BROWN, R S, THOMAS, J H Program Support Branch 1p 13661 090

--B206290007 Contract "Fuel Cycle Analysis-Spain," awarded to Nuclear Assurance Corp SMITH, R L Nuclear Assurance Corp REBELLO, J E Administrative Contracts Branch FIN B-7374-2 NRC-02-82-048 82/06/18 App. 13661 091

B206290044 Notification of contract execution "Study of Effects of Several Parameters on Penetration of Low Energy Photons Into Tissue Slabs," awarded to Univ of IL at Urbana-Champaign HAGEY, H, BRONBERG, B Research Contracts Branch FIN B-8101 NRC-04-82-008 82/06/21 FOREHAND, W, DEINIS, N A Office of Nuclear Regulatory Research, Director 1p 13661 199

--B206290048 Contract "Study of Effects of Several Parameters on Penetration of Low Energy Photons Into Tissue Slabs," awarded to Univ of IL at Urbana-Champaign BRADY, R W Illinois, Univ of, Urbana-Champaign MORTON, K V Research Contracts Branch FIN B-8101, NRC-04-82-008 82/06/21, 7pp 13661 196

B206290581 Notification of contract execution, Mod 5 to "TVA Edgemont Tailings Mgt Evaluation " Contractor Geotechnical Engineers, Inc MCLEAREN, T Technical Assistance Contracts Branch FIN B-6994-0 NRC-02-80-077 82/06/23 DAVIS, J, CASTRO, O Office of Nuclear Material Safety & Safeguards, Director 1p 13659 102

--B206290584 Mod 5, deobligating funds to "TVA Edgemont Tailings Mgt Evaluation," CASTRO, O Geotechnical Engineers, Inc HAGAN, T F Technical Assistance Contracts Branch FIN B-6994-0 NRC-02-80-077, 82/06/23 1p 13659 103

B206290586 Notification of contract execution, Mod 1 to "Maint & Operation of LPDRs " Contractor Oconee, SC County Library LITTLE, M Administrative Contracts Branch NRC-10-81-381 82/06/10 FELTON, J M, SCUDER, J Division of Rules and Records 1p 13688 105

--B206290591 Mod 1, extending period of performance for 1 yr & increasing monetary value, to "Maint & Operation of LPDRs " Oconee County, SC REBELLO, J NRC - No Detailed Affiliation Given NRC-10-81-381 82/06/10 1p 13658 104

B206290601 Notification of contract execution, Mod 1 to "Task Analysis of Nuclear Power Plant Control Room Crews " Contractor General Physics Corp JACOBBS, A Research Contracts Branch FIN B-7491, NRC-04-82-005 82/06/15 FOREHAND, W, JENKINS, J Office of Nuclear Regulatory Research, Director 1p 13698 140

--B206290645 Mod 1, adding extra tasks plus funds, to "Task Analysis of Nuclear Power Plant Control Room Crews " WHITNEY, J W General Physics Corp GUSTAVE, R P Research Contracts Branch FIN B-7491 NRC-01-82-005 82/06/15 2pp 13658 141

B206290649 Notification of contract execution, Mod 25 to "Downcomer Effects Experimental Program " Contractor CREAPE, Inc WOLLETT, S Research Contracts Branch FIN A 1070 NRC-04-75-182 82/06/16 BATSON, W, REYES, J Office of Nuclear Regulatory Research, Director 1p 13658 151

--B206290665 Mod 25, providing addl funding to cover within scope changes & extending period of performance to 6/12/81, to "Downcomer Effects Experimental Program " HICKIN, R A Cigare, Inc MORTON, K V Research Contracts Branch FIN A-4070 NRC-04-75-182 82/06/16 6pp 13658 152

FOIA FREEDOM OF INFORMATION ACT REQUESTS AND RELEASES

B104100137 Forwards summary of ongoing & planned activities re safety implications of control sys Primary goal of Task A-47 is in development of comprehensive & consistent set of design criteria & requirements for existing & future LWRs ROSA, F Power Systems Branch ICB-79-27 81/03/20 KERR, W ACRB - Advisory Committee on Reactor Safeguards 7pp 65237 029

B206010005 FOIA request for all info re petition for rulemaking PRM-35-1 filed 790328 by GV Taplin KRONZEK, A L FOI Services 2132 82/03/11 Division of Rules and Records 1p 13328 120

B206010035 Response to FOIA request for all info re petition for rulemaking PRM-35-1 filed 790328 by GV Taplin Documents listed in App A encl Documents listed in App B withheld from public disclosure FELTON, J M Division of Rules and Records 2132 82/04/16 KRONZEK, A L FOI Services 3pp 13328 121

--B206010075 Disagrees w/new restrictions on certain medical licenses which limit use of approved radiopharm to routes of administration & for applications listed in mfg product insert TAPLIN, O V California, Univ of, Los Angeles 79/03/08 PODOLAK, E Office of Standards Development, Director 3pp 13328 124

--B206010085 Petitions for revision of recent changes in license conditions to limit use of approved radiopharm to routes of administration & for applications listed in mfg product insert TAPLIN, O V California, Univ of, Los Angeles 79/03/28 Docketing & Services Branch 2pp 13328 127

--B206010094 Forwards FR notice re GV Taplin petition for rulemaking for signature Notice may be dispatched upon signature w/o encl. FELTON, J M Division of Rules and Records 79/04/30 CHILK, S J Office of the Secretary of the Commission 1p 13328 129

--B206010106 Responds to 790328 petition re request for NRC to amend regulation, 10CFR35, "Human Uses of Byproduct Matl " Addl info may be required as review progresses on petition FELTON, J M Division of Rules and Records 79/05/10 TAPLIN, O V California, Univ of, Los Angeles 1p 13328 130

--B206010117 Responds to request for info re petition on use of radioactive aerosols Paper will be submitted to Commission by end of Mar 1981 for decision in Apr 1981 CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 10118 81/02/12 DAVIS, J O NRC - No Detailed Affiliation Given. 3pp 13328 134

--B206010125 Discusses petition re use of radioactive aerosols. Status 1 plans for resolving issue requested by B10212 DAVIS, J O NRC - No Detailed Affiliation Given 10118 81/02/89 CUNNINGHAM, R E NRC - No Detailed Affiliation Given 3pp, 13328 137

--B206010149 Responds to 790703 telcon re plans to continue development of mobile radioaerosol administration equipment including suitable shielding of nebulizer bag & bacteria filter Such shielding needed to satisfy requirements TAPLIN, O V California, Univ of, Los Angeles 79/07/03 LIEBERMAN, E Affiliation Unknown 2pp 13328 140

--B206010158 Discusses issue of NRC jurisdiction over use of radioactive aerosol & failure of NRC to discuss O Taplin petition at 800118 medical advisory committee meeting LIEBERMAN, E Affiliation Unknown 80/01/30 OILMAN, B House of Rep App. 13328 149

NONDOCKETED ITEMS

42

- B206010176 Ack receipt of B00110 ltr re difficulties encountered by nuclear medicine practitioners in using radiopharm for indications not expressly stated in package insert Use of Tc-99m DTPA considered in compliance by NRC
HALPERIN, J A Food & Drug Administration 80/02/11
FRIEDLANDER, M Polyclinic Medical Center Harrisburg, PA 2pp
13328 193
- B206010187 Ack receipt of WJ Dircks ltr to BA Gilman & JA Halperin ltr to M Friedlander re use of radioactive aerosol
LIEBERMAN, E Cadema Medical Devices, Inc 80/04/08 GILMAN, B A
House of Rep 1p 13328 155
- B206010200 Approves marketing of lung aerosol unit Ltr does not construe approval of device or labeling
LINK, D M Food & Drug Administration K800023A 80/04/29
LIEBERMAN, E Cadema Medical Devices, Inc 2pp 13328 196
- B206010209 Responds to B10401 memo re Taplin petition Paper will be redrafted to allow use of Tc-99m DTPA by aerosol administration while maintaining policy of controlling route of administration of radiopharms in general
CUNNINGHAM, R E Division of Fuel Cycle & Material Safety 81/04/06
DAVIS, J G NRC - No Detailed Affiliation Given 1p
13328 158
- B206010214 Forwards paper re QV Taplin petition for review w/view toward supporting petition or mod rather than denial
W/O encl
DAVIS, J G NRC - No Detailed Affiliation Given 81/04/01.
CUNNINGHAM, R E. Division of Fuel Cycle & Material Safety 2pp
13328 159
- B206010226 Forwards estimate of radiation dose in lung imaging procedures w/radiopharm Tc-99m DTPA radioaerosols Dose to various organ tissues calculated by J Coffey w/Oak Ridge Associated Univ computer
BOONQ, A Uranium Fuel Licensing Branch 81/06/09. PODOLAK, E
Office of Nuclear Regulatory Research, Director 2pp 13328 161
- B206010236 Discusses Taplin petition & clarifies points re use of Ga-67 citrate & Tc-99m sulfur colloid & routes of administration
BOZIK, D A Health Effects Branch 81/09/17 CONWAY, J. J
Children's Memorial Hosp Chicago, IL 1p 13328 163.
- B206010254 Requests review & comments or concurrence in recommendation that Commission approve notice of proposed rulemaking to revise 10CFR35 to permit use of Tc-99m pentatate sodium (DTPA) for lung function studies. Draft Commission paper encl
ARSENAULT, F. Division of Health, Biting & Environment 81/10/02
KERR, Q W Office of State Programs, Director DAVIS, J. G. Office of Nuclear Material Safety & Safeguards, Director STELLD, B
Director's Office, Office of Inspection and Enforcement. 53pp
13328 164
- B206010267 Draft Commission paper to obtain approval of notice of proposed rulemaking to grant part petition PRM-35-1 by providing an exception to NRC regulations for certain radioactive drug Recommends approval
DIRCKS, W J. Office of the Executive Director for Operations. 81/10/02. 51pp. 13328 166
- B206010278 Requests guidance for most expeditious method to obtain permission to perform radionuclide cystograms.
MURPHY, M P. Hinsdale Sanitarium & Hosp Hinsdale, IL 81/12/31.
BOZIK, D. Office of Nuclear Regulatory Research, Director 1p
13328 217
- B206010284 Decries NRC inability to address minor item & make any decision re use of technetium DTPA aerosols in medicine.
LIEBERMAN, E. Affiliation Unknown. 81/12/23. PALLADINO, N
Commissioners. 4pp. 13328:218.
- B206010295 Responds to B10519 inquiry re response to constituent E Lieberman over delay in decisions on use of radioactive aerosols Proposed disposition of Taplin petition referred back to NRC for revision
KAMMERER, C Office of Congressional Affairs. 81/06/08 GILMAN, B
House of Rep. 1p. 13328 222
- B206010301 Forwards minutes of Advisory Committee on Medical Uses of Isotopes B10831 meeting.
KAMMERER, C. Office of Congressional Affairs 81/11/19 GILMAN, B.
House of Rep. 1p. 13328:223.
- B206010304 Incomplete transcript of Advisory Committee on Medical Uses of Isotopes B10831 meeting in Des Plaines, IL. Pp 1-140.
* ACRS - Advisory Committee on Reactor Safeguards. 81/08/31.
17pp. 13328:224.
- B001130180 Responds to 791031 inquiry re NRC opinion on FDA issuance of "Notice of Claimed Investigational Exemption for New Drug," to physicians Physicians encouraged to use radiopharms. to enable FDA to accumulate data
QOSSICK, L V Office of the Executive Director for Operations 79/11/26 GILMAN, B A House of Rep 1p 13329 177
- B004240382 Discusses Lieberman concern re QV Taplin petition to remove NRC restrictions on use of radioactive drugs by physicians
Proposed response to petition will be presented to Commission in one month Related documents encl
DIRCKS, W J Office of the Executive Director for Operations 80/03/27 GILMAN, B A House of Rep 4pp 13329 165
- B004290395 Ack receipt of Taplin's slides Discusses need to continue Taplin's work in aerosol scanning
FRIEDLANDER, M Polyclinic Medical Center Harrisburg, PA 80/01/10
LIEBERMAN, E Affiliation Unknown 1p 13329 179
- B009040013 Requests change in B00529 draft denial of petition for rulemaking PRM 35-1, indicating that public announcement unnecessary
INGRAM, F Office of Public Affairs 80/06/12. COLLIER, K R.
Division of Biting, Health & Safeguards Standards 1p 13329 159
- B103310070 Responds to E Lieberman B10120 ltr re status of QV Taplin petition for rulemaking NRC recommendations re disposition of petition scheduled for presentation by end of Mar 1981
SMITH, R G Office of Standards Development, Director 81/03/02
LIEBERMAN, E Affiliation Unknown 4pp 13329 194
- B103310082 Discusses QV Taplin 790328 petition to rescind & reconsider amend to 10CFR35, "Human Uses of Byproduct Matl " Supportive matl encl
LIEBERMAN, E Affiliation Unknown 81/01/20 ANEARNE, J F.
Commissioners 3pp 94661 197
- B103310089 Forwards comments re petition for rulemaking, PRM-50-24
W/O encl
FELTON, J M Division of Rules and Records 79/08/23. TAPLIN, Q V
California, Univ of, Los Angeles 1p. 13329 176
- B103310094 Ack receipt of 791031 ltr, discussing E Lieberman interest in petition PRM-35-1
KAMMERER, C. Office of Congressional Affairs. 79/11/07 GILMAN, B
House of Rep. 1p 13329 188
- B104060372 Forwards draft Commission paper which recommends denial of QV Taplin petition re 10CFR35, "Human Uses of Byproduct Matl " Background info, draft ltr to FDA, FR notice & compendium of public comments provided
SMITH, R G Office of Standards Development, Director 81/03/24
DIRCKS, W. J. Office of the Executive Director for Operations 6pp
13329 101
- B104060385 Concurs w/draft Commission paper to deny petition for rulemaking PRM 35-1 re exemption from NRC restrictions on physician use of FDA approved radioactive drugs for clinical procedures not FDA approved.
RYAN, R G Office of State Programs, Director 80/06/20
COLLIER, K R Division of Biting, Health & Safeguards Standards 1p 13329:177

--B206010341 Discusses Taplin petition re Tc-99m used in lung function studies. Recommends Commission publish proposed rule to grant exception to restrictions for Tc-99m pentetate sodium as aerosol for lung function studies. MINOQUE, R B Office of Nuclear Regulatory Research, Director 81/11/12 DIRCKS, W J Office of the Executive Director for Operations 2pp 13328 324

--B206010353 Responds to questions re QV Taplin petition on human uses of byproduct matl. Last sentence of first full paragraph on Page 4 remains correct. FDA has not adopted strong deregulatory mood in regulating mfg & distribution of drugs. MINOQUE, R B Office of Nuclear Regulatory Research, Director 82/02/05 ROBERTS, T Commissioners 2pp 13328 326

--B206010360 Submits criteria & procedures for evaluating exceptions to 10CFR35.14 re Taplin petition. MINOQUE, R B Office of Nuclear Regulatory Research, Director 82/02/24 DIRCKS, W J Office of the Executive Director for Operations 5pp 13328 328

--B206010366 Comments on petition for rulemaking PRM-35-1 re physician judgment in use of byproduct matl. Supports petition. O'MARA, R E Society of Nuclear Medicine 44FR26817 002 79/05/25 Docketing & Services Branch 1p 13329 025

--B206010370 Comments on petition for proposed rulemaking PRM-35-1 re use of Tc-99m DTPA. Supports petition; however, opposes NRC assuming physicians responsibility. * Children's Memorial Hosp Chicago, IL 44FR26817 035 79/06/22 Docketing & Services Branch 1p 13329 094

--B206010372 Comments on petition for rulemaking PRM-35-1 re use of Tc-99m DTPS. Supports petition. SECKER-WALKER St Louis Univ Medical Center St Louis, MO 44FR26817 036 79/06/25 CHILK, S J Docketing & Services Branch 1p 13329 095

--B206010483 Requests briefing re SECY 81-707. AHEARNE, J Commissioners 82/01/22 Office of the Executive Director for Operations 3pp 13329 160

--B206010495 Responds to 811223 inquiry re decision on how NRC proposes to handle Taplin petition on use of Tc-99m DTPA as aerosol for lung function studies. Recent proposed rulemaking would grant exception for use of Tc-99m DTPA. MINOQUE, R B Office of Nuclear Regulatory Research, Director 82/04/02 LIEBERMAN, E Affiliation Unknown 1p 13329 163

B206010087 FOIA request for repts filed by NRC personnel on Bumpass Cove, TN. STORY, R Bumpass Cove Citizens Group 82/04/15 FELTON, J M Division of Rules and Records 1p 13331 316

B206010092 Responds to FOIA request for repts filed by NRC personnel on Bumpass Cove, TN. JC Howell B10409 memo to CE Alderson encl. FELTON, J M Division of Rules and Records 82/04/30 STORY, R Bumpass Cove Citizens Group 1p 13331 317

--B206010095 Forwards details of B10223-0306 inquiry into concerns re possible illegal & hazardous disposal of radwaste in Unicoi County, TN. No positive indication of radioactive matls established. HOWELL, J C Region 2, Atlanta, Office of the Director (81/03/01) 81/04/09 ALDERSON, C E Enforcement & Investigation Staff (Pre 820201) 14pp 13331 318

B206010720 FOIA request for intelligence-type records re TX Mobilization for Survival. LAVINE, R I Lavine, R I 82/04/20. NRC - No Detailed Affiliation Given 1p 13330 004

B206010721 Responds to FOIA request for intelligence-type records re TX Mobilization for Survival. NRC has no documents subj to request. FELTON, J M Division of Rules and Records 82/05/13 LAVINE, R I Lavine, R I 1p 13330 005

B206010725 Responds to FOIA request for info re Hayward Tyler Pump Co & related documents. Forwards documents listed in app. Info partially & entirely withheld (ref FOIA Exemptions 6 & 7). W/o app & encls. FELTON, J M Division of Rules and Records 82/05/06 LODGE, B Dallas Morning News 2pp 13330 006

B206010730 FOIA request for draft insp & investigation repts, complaints submitted to NRC & identity of persons present at 820212 meeting re Hayward Tyler Pump Co. documents referring to M Rowden since June 1977 & related info. LODGE, B Dallas Morning News 82/04/08 WISNER, C Region 4, Office of Director 1p 13330 008

B203120172 Forwards Commission 820126 memo re enforcement actions for violation of 820201 deadline for physical completion & initial testing of prompt notification sys. Recommendations should be submitted after 820201. LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/01/28 HAYNES, R Region 1, Philadelphia, Office of the Director (81/03/01) 2pp 13342 266

--B203120178 Discusses actions to be taken for failure to meet 820201 deadline for installation of prompt notification sys. DIRCKS, W J Office of the Executive Director for Operations 82/01/26 Commissioners 2pp 13342 268

--B206020049 Discusses policy re inquires concerning effectiveness of early warning & notification sys. Info presented should be provided to state licensee & FEMA for evaluation during forthcoming effectiveness test. STOHR, J P Division of Emergency Preparedness & Operational Support 82/02/23 Division of Emergency Preparedness & Operational Support 1p 13342 271

B206020066 FOIA request for info on reprioritization of generic safety issues presented to Commission on 820413. CONNOR, L Affiliation Unknown 82/05/10 FELTON, J M NRC - No Detailed Affiliation Given 2pp 13339 216

B206020068 Responds to FOIA request for info on reprioritization of generic safety issues presented to Commission on 820413. FELTON, J M Division of Rules and Records 82/05/17 CONNOR, L Affiliation Unknown 1p 13339 309

8005300621 Discusses coordination of Div & vendor responses to Commission request for info re inerting & hydrogen concentration which differ from SECY-80-107. Info re Mark I & II containment inerting will be transmitted 800408 & 11. DENISE, R P Assistant Director for Reactor Safety 80/04/08. GRAY, A P General Electric Co 1p 13334 023

--B104280072 SECY-81-245. Recommends Commission approval of FR publication of encl. Interim amends to 10CFR30 re hydrogen control & degraded core considerations. FR notice of proposed rulemaking & summary of public comments encl. DIRCKS, W J Office of the Executive Director for Operations 81/04/17. 75pp 13334 039.

--B206020117 "Interim Requirements Related to Hydrogen Control & Certain Degraded Core Considerations for Nuclear Power Plants," final rule. CHILK, S J Office of the Secretary of the Commission 82/02/22 31pp 13334 067

--B104280076 Value/impact statement for interim amends to regulations re hydrogen control & degraded core considerations. * NRC - No Detailed Affiliation Given 81/04/17 8pp 13334 154

--8009290492 SECY-80-409. Recommends publication of encl. FR notice of proposed rulemaking to amend 10CFR30 re ATWS requirements. Draft reg guide for public comment will be published concurrently. Related matl encl. DENTON, H R Office of Nuclear Reactor Regulation, Director 80/09/04 28pp 13334 164

--B206020125 "Domestic Licensing of Production & Utilization Facilities: Acceptance Criteria for Protection Against ATWS Events for Light Water Cooled Nuclear Power Plants," proposed rule. * Office of the Secretary of the Commission 82/02/22 20pp 13334 171

--B206020130 GSB 6-2. "Control of Combustible Gas Concentrations in Containment Following LOCA." * NRC - No Detailed Affiliation Given 82/02/22 15pp 13334 191

--B206020133 Discusses response of thermocouples located in incore monitoring tubes to temp excursion inside BWR bundle per requests BWR simulation - trump code charts encl. MEELER, C L Battelle Memorial Institute, Pacific Northwest Laboratory 81/04/06 JOHNSTON, W V Core Performance Branch 11pp 13334 206

--B206020139 SLI-8121. Draft "Thermal Analysis of In-Core Thermocouples in BWRs." GILLIS, J C, HENCH, J E, ADAMS, F A 8 Levy, Inc. 81/11/30. 35pp 13334 217

--B206020145 "Evaluation of Need for BWR Core Thermocouples." * General Electric Co 81/11/16. 37pp 13334 252

NONDOCKETED ITEMS

431

- 8206020200 FOIA request for documents re NRC investigation of overexposure to two Automation Industries, Inc employees
FORD, S M Wright, Manning & Sagendorph 81/08/18 THOMPSON, D
Director's Office, Office of Inspection and Enforcement 1p
13340 209
- 8206020203 Responds to FOIA request for documents re NRC investigation re overexposure of two Automation Industries, Inc employees
Forwards documents listed in App A
FELTON, J M Division of Rules and Records 81/10/30 FORD, S M
Wright, Manning & Sagendorph 5pp 13340 210
- 8206020210 Discusses 810202 rept of radiation overexposure to two employees involved w/cleaning Ir-192 sources No estimate of dose available
FRIEDMAN, L F NRC - No Detailed Affiliation Given 81/02/02
KINNEMAN, J D NRC - No Detailed Affiliation Given 1p
13340 217
- 8206020213 Notifies of apparent excess radiation exposure to thumb & fingernail of two radiation technicians working in restricted area. Cause under investigation Personally identifiable info deleted
BANTORD, M P Automation Industries, Inc 81/02/03, GRIER, B H
Region 1, Philadelphia, Office of the Director 1p 13340 218
- 8206020218 Forwards proposed order suspending license & show cause order re possible radiation damage to two employees reported 810203. Licensee was aware of physical injury as early as Oct 1980 & took steps to conceal info during insp
GRIER, B H Region 1, Philadelphia, Office of the Director
81/02/05 THOMPSON, D Office of Inspection & Enforcement, Office of the Director 7pp 13340 222
- 8206020222 Confirms 810202 agreement to act as medical consultant in NRC investigation of probable radiation injury to two employees Incident description & statements by MP Bantord & S Boyko encl Info partially withheld (ref 10CFR2 770)
GRIER, B H Region 1, Philadelphia, Office of the Director
81/02/05 WALD, N Pittsburgh, Univ of 5pp 13340 231
- 8206020228 IE Investigation Rept 30-05998/81-02 on 810203-12 No noncompliance noted Major areas investigated: circumstances surrounding notification of NRC re suspected radiation exposure of two plant employees Investigation continuing
MATAKAS, R A, CHRISTOPHER, R, ALLAN, J M Region 1, Philadelphia, Office of the Director 81/02/17 11pp 13340 274
- 8206020235 Forwards IE Insp Rept 30-05998/76-02 on 760721 No noncompliance noted W/O encl.
NELSON, P R Region 1, Philadelphia, Fuel Facility & Materials Safety Branch 76/08/12 BANTORD, M Automation Industries, Inc 16pp. 13340 285
- 8103090099 Forwards order suspending License 37-00611-09 & to show cause why suspension of license should not be continued
STELLO, V Director's Office, Office of Inspection and Enforcement.
EA-81-25 81/02/17 DWIGHT, J Automation Industries, Inc. 2pp
13340 266
- 8206020243 IE Insp Rept 30-05998/81-02 on 810203, 05 & 06 Noncompliance noted: exposure in excess of regulatory limits to three individuals, failure to provide dosimetry & failure to make immediate notification
CHRISTOPHER, R, COSTELLO, F, MATAKAS, R Region 1, Philadelphia, Office of the Director. 81/02/18 21pp 13340 244
- 8103090104 Order suspending License 37-00611-09 & to show cause why suspension should not be continued. Cites careless disregard for NRC requirements in failing to rept radiation incident & to protect workers' health & safety
STELLO, V Director's Office, Office of Inspection and Enforcement
EA-81-25 81/02/17 Automation Industries, Inc 6pp
13340 268.
- 8104080391 Provides assessment of excessive hand exposures at Automation Industries per 810207 memo Vendor practices extremely shoddy & site visit prior to approval of revised procedures anticipated No generic problem determined
CUNNINGHAM, R E Division of Fuel Cycle & Material Safety.
81/03/20 DAVIS, J G Office of Nuclear Material Safety & Safeguards, Director. 1p 13341 125.
- 8104160651 Forwards request for amend of Matl/Byproduct License 37-00611-09. Organizational changes & procedures for Ir-192 leak test encl
MORELAND, P E. Automation Industries, Inc 07221. 81/03/19.
HICKEY, J. Licensing Management Branch. 15pp. 13341 110
- 8104290387 Forwards preliminary procedure for Ir-192 sealed source decontamination & leak testing using semiautomatic motor driven mechanism, per 810319 application & subsequent 810324 revision for amend of Matl/Byproduct License 37-00611-09
MORELAND, P E Automation Industries, Inc 0645 81/04/03
HICKEY, J Licensing Management Branch 8pp 13341 135
- 8206020263 Addendum to IE Investigation Rept 30-05998/81-02 on 810223
No noncompliance noted. Major areas inspected completion of review initiated on 810223 re suspected concealment of radiation exposure to two employees
MATAKAS, R A, CHRISTOPHER, R, ALLAN, J M Region 1, Philadelphia, Office of the Director 81/02/23 11pp 13340 331
- 8206020277 Forwards revised detailed chart, reflecting changes in organization, facilities & procedures, in response to NRC suspension of License 37-00611-09
DWIGHT, J E Automation Industries, Inc 81/02/23 STELLO, V
Office of Nuclear Reactor Regulation, Director 5pp 13340 355
- 8206020279 Draft response to order suspending License 37-00611-09 & to show cause why suspension of license should not be continued, pending further order Accusations admitted & denied in part
TURETSKY, M D Automation Industries, Inc EA-81-25 81/02/24
NRC - No Detailed Affiliation Given 7pp 13340 360
- 8206020280 Forwards draft rept re Automation Industries case re radiation overexposure. Further refinement of dose estimates does not seem possible
KINNEMAN, J D Region 1, Philadelphia, Office of the Director
81/02/24 WALD, N Pittsburgh, Univ. of 15pp 13341 006
- 8206020281 Forwards licensee response to Enforcement Action 81-25 suspending License 37-00611-09
TURETSKY, M D Automation Industries, Inc EA-81-25 81/02/27
STELLO, V Office of Inspection & Enforcement, Office of the Director 1p 13341 046
- 8206020284 Forwards voucher for prof svcs re work associated w/ Automation Industries Incident
GRIER, B H Region 1, Philadelphia, Office of the Director
(81/03/01). 81/03/02 WALD, N Pittsburgh, Univ of 1p
13341 076
- 8206020332 Forwards proposed rescission of NRC 810217 suspension order & transmittal ltr to licensee. Proposed corrective actions adequate
GRIER, B H Region 1, Philadelphia, Office of the Director
(81/03/01) 81/03/04 THOMPSON, D Enforcement & Investigation Staff (Pre 820201) 6pp 13341 077
- 8206020334 Requests extension of time to file supplemental rept re overexposure incident
TURETSKY, M D Automation Industries, Inc EA-81-25 81/03/04
STELLO, V Director's Office, Office of Inspection and Enforcement
ALLEN, J. Region 1, Philadelphia, Office of the Director
(81/03/01). 3pp 13341 083.
- 8206020336 Confirms 810304 telcon granting licensee 30-day extension from date of lifting license suspension to provide supplemental rept of incident.
TURETSKY, M D Miller & Turetsky EA-81-25 81/03/05 ALLAN, J M
Region 1, Philadelphia, Office of the Director (81/03/01) 1p.
13341 086.

- B206020467 Advises that licensee has experienced no loss of business resulting from license suspension per B10227 telcon
COSTELLO, F M Materials Radiological Protection Section
81/03/17 KINNEMAN, J D Materials Radiological Protection
Section 1p 13341 103
- B206020473 Requests extension to B10518 to provide radiation exposure evaluation repts per 10CFR20 405, in response to NRC B10312 ltr
TURETSKY, M D Miller & Turetsky 81/03/18 STELLQ, V Director's Office, Office of Inspection and Enforcement 3pp 13341 104
- B206020482 Forwards list of svcs provided to Automation Industries, Inc by Radiation Mgt Corp as part of corrective procedures contained in B10217 answer to order suspending license
TURETSKY, M D Miller & Turetsky 81/03/18 THOMPSON, D Director's Office, Office of Inspection and Enforcement 3pp 13341 107
- B206020498 Approves B10318 request for extension until B10518 for filing repts re radiation overexposure incident to NRC per 10CFR20 405
STELLQ, V Director's Office, Office of Inspection and Enforcement
81/03/27 TURETSKY, M D Miller & Turetsky 1p 13341 134
- B206020515 Forwards proposed enforcement ltr & notice of proposed imposition of civil penalties in amount of \$20,000 based on violations contained in IE Insp Rept 30-03998/B1-02
GRIER, B H Region 1, Philadelphia, Office of the Director (81/03/01) 81/04/07 THOMPSON, D Enforcement & Investigation Staff (Pre B20201) 8pp. 13341 143
- B206020537 Forwards description of potential AQ re hand overexposures for inclusion in First Quarter CY81 Rept to Congress
GRIER, B H Region 1, Philadelphia, Office of the Director (81/03/01) 81/04/09 THORNBURG, H D Division of Resident, Reactor Projects & Engineering Inspection 3pp. 13341 151
- B206020548 Forwards confidential sworn statements taken during investigation of hand exposure incident in support of addl enforcement action re overexposure incident Personally identifiable info deleted
GRIER, B H Region 1, Philadelphia, Office of the Director (81/03/01) 81/04/09 THOMPSON, D Enforcement & Investigation Staff (Pre B20201). 8pp 13341 154.
- B206020555 Forwards repts re Automation Industries, Inc case re radiation overexposure incident Rept withheld (ref 10CFR2 790)
KINNEMAN, J D Materials Radiological Protection Section
81/04/10 WALD, N Pittsburgh, Univ. of 1p 13341 162
- B206020558 Opposes consideration of civil penalties for licensee Actions taken by licensee have already accomplished suggested bases for penalties
METZGER, J R Enforcement & Investigation Staff (Pre B20201) 81/04/24 THOMPSON, D Enforcement & Investigation Staff (Pre B20201) 2pp 13341 163
- B206020564 Requests addl info to review B10319 & 0403 applications to amend License 37-00611-09. Sealed sources which will be cleaned & leak tested should be specified by model number
HICKEY, J W Material Control Licensing Branch 81/06/02 MORELAND, P E Automation Industries, Inc 2pp 13341 174.
- B206020567 Forwards proposed enforcement ltr & notice of violation based on info contained in IE Insp Rept 30-03998/B1-02.
GRIER, B H Region 1, Philadelphia, Office of the Director (81/03/01). 81/06/30. THOMPSON, D Enforcement & Investigation Staff (Pre B20201). 4pp. 13341 181.
- B206020568 Provides addl clarification re proposed amend to License 37-00611-09, in response to NRC B10602 request.
MORELAND, P E. Automation Industries, Inc 81/08/21. HICKEY, J Material Control Licensing Branch. 19pp. 13341 185.
- B206030033 Addl response to FOIA request for any or all records re license held by NY Shipbuilding Corp Document list encl
FELTON, J M Division of Rules and Records 82/01/25. SCHIFF, R F Washington Service Bureau, Inc. 4pp 13360 116
- B206030039 Transcript of 610124 prehearing conference in Camden, NJ, Pp 1-37
* Atomic Energy Commission 61/01/24 37pp 13360 121.
- B206030046 Transcript of 610224 prehearing conference in Germantown, MD Pp 38-97.
* Atomic Energy Commission 61/02/24 59pp. 13360 159
- B206030055 Transcript of 610324 prehearing conference in Camden, N.J. Pp 98-152
BOND, J D. Atomic Energy Commission. 61/03/24 54pp 13360 220
- B206030058 Forwards info detailing findings re Ir-192 which was over allowable limits of removable contamination reported in 661228 ltr Source & exposure device returned 670123 by Gamma Industries Device will be leak tested every 2 wks
SANDBERG, H M New York Shipbuilding Corp 67/01/24 PAGE, R O Atomic Energy Commission 2pp 13360 276
- B206030061 Returns leaking source repts w/Items 7 & 12 completed per 670112 ltr Complete repts will be forwarded upon receipt of results from Gamma Industries tests
SANDBERG, H M New York Shipbuilding Corp 67/01/16 PAGE, R O Atomic Energy Commission 2pp 13360 278
- B206030070 Compliance Inquiry Memo on 661230 received 661228 ltr from Licensee 29-2204-2 notifying Commission of leaktest on 69 Ci Ir-192 source in Model NYS 1-100 Iriditron & found greater than 0.005 uc of removable contamination
RYAN, A F Atomic Energy Commission 67/01/16 Atomic Energy Commission 1p 13360 280
- B206030078 Ack receipt of 661228 ltr re leak test which revealed presence of removable contamination on Ir-192 source
Leaking source repts form should be completed & returned w/o encl
PAGE, R O Atomic Energy Commission 67/01/12 SANDBERG, H M New York Shipbuilding Corp 1p. 13360 281
- B206030086 Confirms 660104 telcon & forwards three samples taken from camera 11 & associated equipment Activity of samples determined using end-window 0 M detector w/Br-90 efficiency & confirmed in magnitude by single & multi-channel analyzer.
ELDRIDGE, B. E New York Shipbuilding Corp 67/01/08 DICHARRY, R. F Gamma Corp 5pp 13360 282
- B206030091 Advises that Co-60 & Ir-192 sealed sources were leak tested on 661227 Ir-192 source found to have contained more than allowable 0.005 mCi Leak test certificate encl
SANDBERG, H M New York Shipbuilding Corp 66/12/28 Atomic Energy Commission. 2pp 13360 287
- B206030130 Discusses improper item of noncompliance issued to License 29-2204-2 re inadequacy of licensee surveys to find radiation levels of 300 m/h at surface of radiographic projector. Item not contrary to 10CFR20 201(b)
PAULUS, R C Atomic Energy Commission. 64/01/14 CLEVELAND, R B Atomic Energy Commission 1p 13360 298
- B206030132 Requests info re License 29-2204-02 repts of leaking Co-60 source found during leak test on 620814
CAVANAUGH, R O. Atomic Energy Commission. 62/09/14 KIRKMAN, R W Atomic Energy Commission 1p 13360 300.
- B206030137 Advises that Co-60 sealed sources were leak tested 650814 by Budd Co Model 151 multitron containing sealed source C-228 found to contain more than allowable 0.005 uCi of removable contamination Use of multitron stopped
SANDBERG, H M New York Shipbuilding Corp 62/08/30. Atomic Energy Commission. 1p 13360 301.
- B206030142 Advises that License 29-2204-2 was inspected 610703, 05, 06 & 0807 & again on 620213-14. No noncompliances noted during either Insp. Form AEC-591 encl
DUBINKIN, L Atomic Energy Commission. 62/03/13 PRICE, E R Atomic Energy Commission. 1p. 13360 302.
- B206030152 Decision granting Exception 1 of AEC staff & Exception 6 of respondent w/respect to first issue set forth in Commission 610630 order
SEABRO, O. T., HAWORTH, L. J., GRAHAM, J. B Atomic Energy Commission. 61/08/08. 6pp 13360 306
- B206030156 Exception to 610531 intermediate decision & order of hearing examiner. Certificate of Svc encl.
CONNER, T. B., KESTENBAUM, L Atomic Energy Commission 61/07/20 Atomic Energy Commission 31pp. 13360 313.
- B206030159 Forwards exceptions to intermediate decision & order of presiding officer & supporting brief.
HECKER, B. A Affiliation Unknown. 61/07/20. MCCOOL, W. B. Atomic Energy Commission. 1p. 13360 344.
- B206030161 Exceptions to 610529 intermediate decision & order of presiding officer, issued 610531
* Manning, Hollinger & Shea. 61/07/20. Atomic Energy Commission. 9pp. 13360 345.
- B206030164 Brief supporting respondents exceptions to 610529 intermediate decision & order of presiding officer, issued 610531
* Manning, Hollinger & Shea 61/07/20. 42pp 13360 354

NONDOCKETED ITEMS

4

- 8206030166 Confirms 610630 telcon re oral directive to perform immediate insp of NY Shipbuilding Corp & that insps of licensee be conducted at monthly intervals thereafter
PRICE, H L Atomic Energy Commission 61/07/05 LDU, L D Atomic Energy Commission 1p 13361 034
- 8206030170 Rept of insp per 810630 Commission Order that License 29-2204-2 be inspected immediately & every month thereafter
Certificate of Bvc encl
PRICE, H L Atomic Energy Commission 61/07/19 2pp 13361 039
- 8206030181 Discusses findings of insp of License 29-2204-2 on 631212-13 Citation based on judgment that licensee failure to conduct surveys adequate to note 300 m/h at surface of projector was inadequate evaluation of hazard
CLEVELAND, R S Atomic Energy Commission 64/01/16 PAULUS, R C, LDU, L D, DUBINSKI, L Atomic Energy Commission 1p 13361 037
- 8206030203 Compliance insp rept of License 29-2204-3 on 610809
KNAPP, P J, KIRKMAN, R W Atomic Energy Commission 62/01/16 18pp 13361 044
- 8206030249 Documents 650321 incident re personnel exposure of two radiographers to 15 Ci Ir-192 resulting in approx 1,500 mrad dose to each individual
RYAN, A F Atomic Energy Commission 65/04/09 Atomic Energy Commission 1p 13361 070
- 8206030250 Forwards WR Lorenz 621019 memo re NY Shipbuilding Corp leaking Co-60 sealed source & radiation exposure resulting from loose Ir-192 sealed source
ROEDER, J R Atomic Energy Commission 62/10/24 QUTTEN, E Atomic Energy Commission 1p 13361 076
- 8206030252 Discusses 621018 rept from NY Shipbuilding Corp re leaking Co-60 sealed source & radiation exposure resulting from loose Ir-192 sealed source
LORENZ, W R Atomic Energy Commission 62/10/19 ROEDER, J R Atomic Energy Commission 2pp 13361 077
- 8206030254 Certification of record attesting that documents listed in encl App A constitute full record of proceedings re License 29-02204-02
BOND, J D Atomic Energy Commission 61/06/30 3pp 13361 079
- 8206030257 Discusses Amend 9 to License 29-2204-2 which disallowed requested increase in possession limits. Action may have created conflict w/earlier conditions of license
DUBINSKI, L Atomic Energy Commission 61/08/21 KIRKMAN, R W Atomic Energy Commission 1p 13361 082
- 8206030260 Matl/Byproduct License 29-2204-2 for NY Shipbuilding Corp authorizing Co-60 in sealed sources for use in open air techniques for performance of industrial radiography
MASON, J R Atomic Energy Commission 59/05/17 2pp 13361 083
- 8206030261 Rept of insp pursuant to Commission 610630 order re NY Shipbuilding Corp & immediate insp of License 29-2204-2
Certificate of Bvc encl
PRICE, H L Atomic Energy Commission 61/07/19 2pp 13361 085
- 8206030263 Advises that 610809 insp of License 29-2204-2 revealed no items of noncompliance
Atomic Energy Commission 61/08/17 DUBINSKI, L Atomic Energy Commission 1p 13361 089
- 8206030266 Ack receipt of 631115 ltr re exposure of five employees to radiation.
PRICE, E R Atomic Energy Commission 63/11/21 ANDERSON, E P, New York Shipbuilding Corp 1p 13361 090
- 8206030268 Submits info re personnel overexposures & excessive levels of concentration on 631025
ANDERSON, E P, New York Shipbuilding Corp 63/11/15 Atomic Energy Commission 4pp 13361 091
- 8206030035 Responds to FOIA request for records re 741009 ltr re Brown & Root & meetings referenced in ltr. No records subj to request located.
FELTON, J M Division of Rules and Records 82/05/25 WISZ, D, Varum, Riddering, Wierenga & Christenson 1p 13362 213
- 8206030037 FOIA request for documents re encl 741009 ltr & any meetings held subsequent thereto
WISZ, D, Varum, Riddering, Wierenga & Christenson 82/05/13 Division of Rules and Records 2pp 13362 214
- 8206030041 Requests joint meeting w/antitrust section of AEC to get clarification re estimate of 28,000 manhours as total Brown & Root nuclear staff alleged to need to be viable entrant in nuclear engineering field
Cahill, Gordon & Reindel 74/10/09 FAVRETTO, R J Justice, Dept of 2pp 13362 216
- 8206030044 FOIA request for research repts, memos & other documents related to recent research results suggesting that nuclear waste or spent fuel may react w/salt to form sodium
WEISS, E R Harmon & Weiss 82/05/05 FELTON, J M Division of Rules and Records 1p 13362 001
- 8206030048 Responds to FOIA request for research repts, memos or other documents related to recent research results suggesting that nuclear waste or spent fuel may react w/salt to form sodium
Documents listed in App A encl
FELTON, J M Division of Rules and Records 82/05/24 WEISS, E R Harmon & Weiss 2pp 13362 002
- 8206030052 "Ltr Rept on Acceptability of Corrosion Data & on Use of TiCode-12 in Salt Repositories"
SCHWEITZER, D G, DAVIS, M S Brookhaven National Laboratory 82/02/03 4pp 13362 004
- 8206030056 Rept entitled "Alpha Spectrum Profiling of Pu in Leached Simulated High Level Waste Glass," submitted to ORNL
801209-12 Conference on Leachability of Radioactive Solids in Gatlinburg, TN
DIAMOND, R, FRIEDMAN, A M Argonne National Laboratory 80/12/09 21pp 13362 007
- 8206030057 "Corrosion Considerations for Nuclear Waste Isolation Containers," article from "Scientific Basis for Nuclear Waste Mgt," Vol 1
BRAITHWAITE, J, MAGNANI, N J Sandia Laboratories 82/05/27 5pp 13362 028
- 8206030060 "Application of Physical Chemistry of Fluids in Rock Salt at Elevated Temp & Pressure to Repositories for Radwaste," article from "Scientific Basis for Nuclear Waste Mgt," Vol 1
STEWART, D B, POTTER, R W Interior, Dept of, Geological Survey 82/05/27 14pp 13362 034
- 8206030059 "Radiation Damage Studies on Natural & Synthetic Rock Salt for Waste Disposal Applications," article from "Scientific Basis for Nuclear Waste Mgt," Vol 1
SHYLER, R J, KLAFFKY, R W, LEVY, P W Brookhaven National Laboratory 82/05/27 6pp 13362 048
- 8206030066 "Recent Studies in Radiation Damage Formation in Synthetic Sodium Chloride & Natural Rock Salt for Radwaste Disposal Applications," article from "Scientific Basis for Nuclear Waste Mgt," Vol 1
SHYLER, R J, KLAFFKY, R W, LEVY, P W Brookhaven National Laboratory 82/05/27 9pp 13362 055
- 8206030072 "Radiation Hardening of Rocksalt," article from "Scientific Basis for Nuclear Waste Mgt," Vol 3
ARNOLD, O W Sandia Laboratories 82/05/27 6pp 13362 063
- 8206030075 "Radiation-Enhanced Saline Leaching of Silicate Glasses," PRIMAK, W Argonne National Laboratory 82/05/27 30pp 13362 069

B206040502 FOIA request for travel records of NRC employees who have traveled on supersonic transports to or from Europe since 810101.
YELLEN, L. Better Government Association 82/05/05 NRC - No Detailed Affiliation Given 1p. 13391 345

B206040506 Responds to FOIA request for NRC-10-82-358 Contract & mods available at PDR.
FELTON, J. M. Division of Rules and Records 82/05/21 HERMAN, N Swanson Environmental, Inc 1p 13391 268.

B206040508 FOIA request for NRC-10-82-358
HERMAN, N Swanson Environmental, Inc. 82/05/05 Division of Contracts 1p 13391 269

B202120314 Forwards addl telexes containing recent info on problems at foreign facilities re tube failure of preheater type steam generator
LAFLEUR, J. D. Office of International Programs, Director 81/11/19
REYTON, K. R. Office of Nuclear Reactor Regulation, Director 1p 13391 233 24X Fiche 50-000, 82/05/25, B206040511

B206090001 FOIA request for documents re Commission decision to extend deadline for licensees to implement prompt notification sys
REYNOLDS, N. B. Debevoise & Liberman 82/04/13 FELTON, J. M. Division of Rules and Records 2pp 13454 001

B206090024 Comments in support of proposed rule 10CFR50 to extend deadline for implementing prompt notification sys until 820201
POPEO, D. J., KAMENAR, P. D., CALIO, N. E. Washington Legal Foundation 46FR46587 008 81/10/21 11pp. 13454 107.

--B206090026 Comments in opposition to proposed rule 10CFR50 re proposed extension until 820201 for implementation of prompt notification sys Demand for stress greatly exceeds supply
UTLEY, E. E. Carolina Power & Light Co 46FR6587 013 81/10/22 Docketing & Services Branch 2pp 13454 122

--B206090027 Comments in support of proposed rule 10CFR50 re proposed extension of deadline for implementing prompt notification sys Extension will provide sufficient time for compliance w/operational notification sys requirements
O'BRIEN, D. C. Southern Co. Services, Inc 46FR46587 014 81/10/21 Docketing & Services Branch 1p 13454 124

--B206090078 Requests verification of licensee prompt notification sys by 820201 Questionnaire encl.
SPRESSARD, R. L. Division of Resident & Project Inspection 82/01/14 Division of Resident & Project Inspection 7pp. 13454 137

--B206090085 Forwards RE Trojanowski 820122 memo to JF Stohr re State of FL & licensee emergency planning Full field exercise scheduled for 820210-13
STOHR, J. P. Emergency Preparedness & Program Support Branch 82/01/25 GRIMES, B. K. Division of Emergency Preparedness 2pp 13454 158 24X Fiche 50-000, 82/05/11, B206090002

--B206090090 Discusses status of emergency planning in State of FL re St Lucie facilities County does not wish to participate in exercise scheduled for 820210
TROJANOWSKI, R. Division of Engineering & Technical Inspection 82/01/22 STOHR, J. P. Emergency Preparedness & Program Support Branch 4pp 13454 160 24X Fiche 50-000, 82/05/11, B206090002

--B206090009 Forwards first monthly rept re status of prompt notification sys implementation at facilities Meteorological programs, emergency response facilities & research reactors need addl mgt attention & clarification
O'REILLY, J. P. Region 2, Atlanta, Office of the Director (81/03/01). 81/01/08 DEYOUNG, R. C. Director's Office, Office of Inspection and Enforcement. 4pp. 13454 167 24X Fiche 50-000, 82/05/11, B206090002.

B206090209 Responds to appeal re denial of FOIA request for documents on SECY-B1-588 on investigative jurisdiction of Ofc of Inspector & Auditor & IE Documents 1,3,5 & 7 withheld & Document 6 partially withheld (ref Exemptions 5 & 7)
CHILK, S. J. Office of the Secretary of the Commission 82/04/27 DEVINE, T. Government Accountability Project 3pp 13456 152

B206090209 Responds to appeal re denial of FOIA request for documents on SECY-B1-588 on investigative jurisdiction of Ofc of Inspector & Auditor & IE Documents 1,3,5 & 7 withheld & Document 6 partially withheld (ref Exemptions 5 & 7)
CHILK, S. J. Office of the Secretary of the Commission 82/04/27 DEVINE, T. Government Accountability Project 3pp 13456 152

--B206090217 Requests written comments on SECY-B1-588 re jurisdiction of IE & Ofc of Inspector & Auditor
AHEARNE, J. Commissioners 81/10/14 Office of Inspector & Auditor 1p 13456 162

--B206090220 Suggests meeting re investigative jurisdiction of Ofc of Inspector & Auditor & IE
OILINSKY, V. Commissioners 81/10/29 PALLADINO, N., BRADFORD, P., AHEARNE, J. Commissioners 1p 13456 163

--B206090222 Comments on SECY-B1-588 re investigative jurisdiction of IE & Ofc of Inspector & Auditor Confidential info deleted.
CURMINGS, J. J. Office of Inspector & Auditor 81/10/26 PALLADINO, N., OILINSKY, V., BRADFORD, P. Commissioners 3pp 13456 164

--B206090225 Discusses NRC 800121 meeting re bulk transfers of Xe-133 by Nuclear Pharmacy, Inc to customers Transfers did not violate any license conditions or NRC regulations Confidential info deleted
LIPPE, L. Justice, Dept of 80/03/07 SNIEZEK, J. Division of Fuel Facility & Materials Safety 4pp 13456 167

--B206090226 Discusses possible criminal prosecution in matter involving Nuclear Pharmacy, Inc & NRC concession at 800125 meeting. Nuclear Pharmacy bulk transfer of Xenon did not violate any license conditions or NRC regulations
LIPPE, L., GREENSPUN, J. Justice, Dept. of 80/03/07 DIRCKS, W. Office of the Executive Director for Operations. 6pp 13456 173

--7903140406 Responds to President Carter's 781213 memo directing extension of Inspector General program throughout federal govt Forwards resource analysis & planned approach Pertinent correspondence encl W/o encls
HENDRIE, J. M. Commissioners 79/02/15 GRANGUIST, W. G. Office of Management & Budget 1p 13456 181

--B206090231 Executive order re integrity & efficiency in Federal programs
READMAN, R. President of US & Executive Offices 81/03/26 3pp 13456 182

B206090214 Appeals denial of FOIA request for SECY-B1-588 & all other info re investigative jurisdiction of Ofc of Inspector & Auditor & IE
DEVINE, T., ROSENTHAL, J. Government Accountability Project 82/02/10 CHILK, S. J. Office of the Secretary of the Commission. 3pp 13456 155

B206140361 FOIA request for public release of SECY-B2-86 re nuclear power plant working hours & B20226 memo to WJ Dircks.
MEYER, D. W. Lowenstein, Newman, Reis, Axelrad & Toll 82/04/09 Office of Administration. 1p 13510 283

B206140363 Responds to FOIA request for public release of SECY-B2-86 re nuclear power plant staff working hours & B20226 memo to WJ Dircks. Forwards documents.
FELTON, J. M. Division of Rules and Records 82/06/02 MEYER, D. W. Lowenstein, Newman, Reis, Axelrad & Toll 1p 13510 284

--B205050579 Weekly info rept for wk ending 820326.
REHM, T. A. Office of the Executive Director for Operations 82/03/31 2pp. 13510 285.

--B206140367 Advises of Commission approval of proposed revision to NUREG-0737, Item I A 1 2 re nuclear power plant staff working hours V Oilinsky disapproved
CHILK, S. J. Office of the Secretary of the Commission. 82/03/26 DIRCKS, W. J. Office of the Executive Director for Operations. 1p. 13510 287

--B203120418 Informs of NRC actions taken in response to Secretary B11104 memo re plant staff working hours, & requests approval of wording changes to NUREG-0737, Item I. A. 1.3
DIRCKS, W. J. Office of the Executive Director for Operations. 82/03/01 9pp. 13510 288.

NONDOCKETED ITEMS

- 8206140371 Addl response to FOIA request for eight categories of documents Forwards K Canady 810423 memo to Subcommittee on Sys Interactions
FELTON, J M Division of Rules and Records 82/06/04 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 1p
13510 297
- 8206140375 Forwards summary of Subcommittee on Sys Interactions 810401 meeting in Bethesda, MD re draft NRC summary rept on sys interaction
CANADY, K Atomic Industrial Forum 81/04/23 Atomic Industrial Forum 11pp 13510 303
- 8206140376 Summary of 810415 meeting w/AIF in Bethesda, MD re industry comments on 810219 ltr rept, "Sys Interaction Branch Approach to Sys Interactions in LWRs " List of attendees encl
COFFMAN, F D Division of Systems Integration (pre 811005)
81/04/15 RUBENSTEIN, L S Division of Systems Integration (pre 811005) 5pp 13510 314
- 8206140385 Addl response to FOIA request for six categories of documents Forwards SECY-81-362, SECY-81-422 & SECY-81-509
FELTON, J M Division of Rules and Records 82/06/02 GHOLLY, B C
Union of Concerned Scientists 1p 13510 191
- 8106300007 SECY-81-362
Seeks Commission approval to fund technical assistance contract for implementation of emergency preparedness requirements at facilities by BNWL Recommends Commission approval
DIRCKS, W J Office of the Executive Director for Operations 81/06/08 3pp 13510 193
- 8106300008 Summarizes 810410 Senior Contract Review Board meeting to review FIN B-2311, "Technical Assistance in Implementing Emergency Preparedness Requirements "
BECKWITH, C A Office of the Controller FIN B-2311 81/04/15
DIRCKS, W J, CORNELL, E K Office of the Executive Director for Operations BARRY, L W Office of the Controller 5pp 13510 196
- 8107310272 SECY-81-422
Seeks Commission approval of FR notice soliciting comments on proposed rule re TMI-related requirements for OL applications
DIRCKS, W J Office of the Executive Director for Operations 81/07/15, 15pp 13510 201
- 8109150031 SECY-81-509
Requests approval to process & approve licensee requests for exceptions to locations & backup criteria of NUREG-0696 for emergency operations facilities.
DIRCKS, W J Office of the Executive Director for Operations 81/08/24 4pp 13510 216.
- 8206150010 FOIA request for SECY-82-72A
WATKINS, K A Lowenstein, Newman, Reis, Axelrad & Toll. 82/04/23
Office of Administration, 1p 13523 351.
- 8206150011 Responds to FOIA request for SECY-82-72A, Forwards document
FELTON, J M Division of Rules and Records 82/06/03 WATKINS, K A
Lowenstein, Newman, Reis, Axelrad & Toll 1p. 13523 352.
- 8206150014 FOIA request for documents re siren sys installed to provide early notification to populace in plume exposure pathway zone around nuclear power sites in US
WADE, J Public Interest Research Group, New York 82/03/18
FELTON, J Division of Rules and Records, 1p. 13524 009
- 8206150016 Responds to FOIA request for documents re siren sys installed to provide early notification to populace in plume exposure pathway around nuclear reactor sites in US, Forwards documents listed in App A
FELTON, J M Division of Rules and Records 82/04/21 WADE, J.
Public Interest Research Group, New York, 7pp. 13524 010 24X
Fiche: 50-000, 82/04/21, 8206150016.
- 8201250015 Forwards Central Files version of revised emergency plan implementing procedures, including revised page list, Pages App III 23-III.24 re distribution of public emergency alerting sys & revised alerting sys map
GARRITY, J. H. Maine Yankee Atomic Power Co JHO-82-12 82/01/19
Office of Nuclear Reactor Regulation, Director 3pp. 13524.112.
24X Fiche: 50-000, 82/04/21, 8206150016
- 8202180137 Forwards final rept on case study re reactor vessel level instrumentation in BWRs, consisting of findings & conclusions re 810120 & 0313 events, w/o encl
DIRCKS, W. J. Office of the Executive Director for Operations 82/02/02 FALLADINO, N. J Commissioners. 1p. 13524 279 24X
Fiche 50-000, 82/04/21, 8206150016
- 8202260161 Comments on proposed prompt public notification sys for 1 25-mile radius of plume exposure pathway emergency planning zone Proposal unacceptable, per NUREG-0396 & NUREG-0654 Five & 30-mile zones required by 820201
GRIMES, B K Division of Emergency Preparedness 82/01/08
LINDER, F Duke Power Co 2pp 13524 069 24X
Fiche 50-000, 82/04/21, 8206150016
- 8203040508 Submits list of facilities that have filled exemption requests from 820201 prompt notification deadline
Exemption requests will be denied
EISENHUT, D G Division of Licensing 82/02/03 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13524 280
24X Fiche 50-000, 82/04/21, 8206150016
- 8206150033 Responds to 81127 memo suggesting use of local telephone sys as prompt notification method Method not selected by licensees due to high cost involved
RAMOS, B L Emergency Preparedness Development Branch (Pre 820201) 82/01/04. MORRIS, C Reliability & Risk Assessment Branch. 1p 13524 020
- 8206150038 Requests verification re completed prompt notification sys testing at facilities List of licensees failing to meet deadline requested on 820201
GRIMES, B K Division of Emergency Preparedness 82/01/29
Region 1, Philadelphia, Office of the Director (81/03/01) 1p 13524 245
- 8206150052 Requests encl info sheets by 820211 re facilities expected to miss 820201 deadline for prompt notification sys
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 82/04/21 Region 1, Office of Director 5pp 13524 269
- 8206150053 Discusses initial testing of prompt notification sys scheduled for 820201 installation Sys should be tested w/all sirens in simultaneous operation
KENDRICK, J L Battelle Memorial Institute, Pacific Northwest Laboratory 82/01/06 RAMOS, B Emergency Preparedness Development Branch (Pre 820201) 3pp 13524 048
- 8206150063 Requests confirmatory action ltr be negotiated from licensees re deficiencies in initial testing of prompt notification sys prior to 820601 Actions taken should be provided by 820204
GRIMES, B K Division of Emergency Preparedness 82/02/03
Region 1, Office of Director 1p 13524 286
- 8206150066 Provides summary of problems & progress re implementation of prompt public notification sys Request for extension until 820415 reiterated
HOWARD, J E Boston Edison Co 82-33 82/01/29 HAYNES, R C.
Region 1, Philadelphia, Office of the Director (81/03/01) 4pp 13524 187 24X Fiche: 50-000, 82/04/21, 8206150016
- 8206150085 Forwards current status of exemption requests re alert notification sys.
GRIMES, B K Division of Emergency Preparedness. 82/02/10
DIRCKS, W J Office of the Executive Director for Operations 2pp 13525 003
- 8206150084 Responds to 820212 request for assistance in developing warning device NRC does not provide funds for specified project.
GRIMES, B K Division of Emergency Preparedness 82/03/10
WEISENBERGER, R Affiliation Unknown 2pp 13525 158.
- 8206150090 PNO-II-82-031 on 820321, Brunswick County, NC sheriff u/c incorrectly activated emergency warning sys sirens No emergency condition occurred NRC Incident Response Ctr notified.
BURGER, C W Region 2, Office of Director 82/03/22 1p 13525 196. 24X Fiche 50-000, 82/04/21, 8206150016
- 8206150353 Responds to FOIA request for documents made available in response to CM McMurray FOIA request designated FOIA-82-176
Forwards NRC 820528 ltr to CM McMurray.
FELTON, J M Division of Rules and Records 82/05/28 ELLIS, T. S
Huntton & Williams. 1p 13523 322
- 8206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app. Financial info in Documents 3-34, 3-55 & 5-11 deleted.
FELTON, J M Division of Rules and Records. 82/04/29 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp.
13604:044 24X Fiche: 50-000, 82/04/29, 8206230007.
- 7910030713 Forwards proposed Reg Guide 1.XXX & GA branch comments re summary of significant items in App A not included in App B & App A/App B GA issues, w/o encl
HAAESS, W. P. Quality Assurance Branch 79/09/06. VASSALLO, D. B.
Division of Project Management 1p. 13609:038.

NONDOCKETED ITEMS

- 7910220506 Submits preliminary thoughts re meeting to discuss GA study 10CFR50, Apps A & B Forwarded for discussion purposes
LIEDERBACH, F J Quality Assurance Branch 79/10/02 HAAS, W P
Quality Assurance Branch 2pp 13605 039
- 8004010193 Requests review of proposed rulemaking re clarification of GA requirements for nuclear power plant structures, sys & components important to safety Draft values/impact statement & FR notice encl
MORRISON, W M Assistant Director for General Engineering Standards 80/02/12 DIRCKS, W J Office of the Executive Director for Operations 18pp 13604 221
- 8004020854 Forwards two pages w/suggested wording changes re notice modifying language of 10CFR50 App A per 800320 meeting
HAAS, W P Quality Assurance Branch 80/03/21 RICHARDSON, S D
Reactor Systems Standards Branch 3pp 13605.048
- 8005220800 Advises that util conforming to new requirements of GA program established after TMI accident All other OL & near-term OL facilities should be required to implement new GA requirements as soon as possible
HAAS, W P Quality Assurance Branch 80/02/26 SKOVHOLT, D J Assistant Director for Quality Assurance & Operations. 2pp 13605 083
- 800707006B Discusses 800404 telcon w/R Mattson re schedule for implementation of Task I F of TMI action plan & GA Branch concern in support of authorization to restart
SKOVHOLT, D J Assistant Director for Quality Assurance & Operations 80/02/27 MATTSOHN, R J Division of Systems Safety 1p 13605 086
- 8011200273 Draft Commission paper providing comments on Ofc for Analysis & Evaluation of Operational Data recommendation that steam generator transients be designated as unresolved safety issue Discussions of two issues encl
DENTON, H R Office of Nuclear Reactor Regulation, Director. 80/11/07 13pp 13606 127
- 8012160186 Forwards marked-up Draft 2 of Document P827 "Criteria for Determining Requirements for Sys Important to Safety"
Comments requested by 801003
GALLAGHER, J M Westinghouse Electric Corp ESD&D-JMG-397 80/09/11 WENZINGER, E Reactor Systems Standards Branch 42pp 13604 093
- 8101160049 Forwards addl info re Generic Task A-17, "Sys Interaction in Nuclear Power Plant," linked w/FOIA 80-555, not available in PDR
ANGELD, J Generic Issues Branch. 80/12/01. BERKOW, H N Management Analysis Branch. 1p. 13606 125.
- 8102190076 Forwards summary of 801112 peer review meeting w/BNL & LLL in Bethesda, MD to discuss state-of-the-art evaluations & recommendations of sys interaction methods for near-term OLs Attendance list & agenda encl
COFFMAN, F D Systems Interaction Branch 80/12/02 STOLZ, J F Systems Interaction Branch 3pp 13604:085
- 8102190081 Summary of 801112 peer review meeting w/BNL & LLL in Bethesda, MD to discuss state-of-the-art evaluations & recommendations of sys interaction methods for near-term OLs
* Systems Interaction Branch 80/12/02. Systems Interaction Branch 3pp. 13604.092
- 8103060256 Objects to proposed amend to 10CFR50 App A re clarification of GA program requirements. Alternative proposal & excerpt of JH Conran testimony re classification of sys & components important to safety encl
ROSS, D F Division of Systems Integration (pre 811005). 81/01/29 DENTON, H R Office of Nuclear Reactor Regulation, Director 8pp. 13604 214
- 8103120318 Comments on proposed Commission paper re clarification of relationship between general design criteria & GA criteria in 10CFR50. Paper does not focus on lack of definition for terms important to safety & safety-related in App A & B
STOLZ, J F Systems Interaction Branch 81/01/09. RUBENSTEIN, L B Assistant Director for Core & Containment Systems. 1p. 13605:152
- 8103230706 Forwards draft rept describing approach to evaluating sys interactions in LWRs
STOLZ, J F Systems Interaction Branch 81/02/19 ROSE, B Atomic Industrial Forum 1p 13606:358
- 8103230710 Draft staff summary ltr rept, "Sys Interaction Branch Approach to Sys Interactions in LWRs."
* Systems Interaction Branch. 81/02/28 18pp. 13606:359
- 8103310281 Forwards "Draft Staff Summary Ltr Rept, Sys Interaction Branch Approach to Sys Interactions in LWRs," re development of regulatory guidance Requests comments on areas of mutual interest
STOLZ, J F Systems Interaction Branch 81/03/05 MICHELBON, C Director's Office 3pp 13604 064
- 8103310289 "Draft Staff Summary Ltr Rept, Sys Interaction Branch Approach to Sys Interactions in LWRs"
* Systems Interaction Branch 81/02/28 18pp 13604 067
- 8104100137 Forwards summary of ongoing & planned activities re safety implications of control sys Primary goal of Task A-47 goals in development of comprehensive & consistent set of design criteria & requirements for existing & future LWRs
ROSA, F Power Systems Branch IEB-79-27 81/03/20 KEHR, W ACRS - Advisory Committee on Reactor Safeguards 9pp 13606 022
- 8104100265 Suggests that A-17 "Sys Interaction in Nuclear Power Plants" is not ready to be removed from unresolved safety issue list Discusses basis for suggestion
STOLZ, J F NRC - No Detailed Affiliation Given 81/03/17 KNIEL, K NRC - No Detailed Affiliation Given 1p 13606 124
- 8106100183 Discusses comments on draft power reactor events re steam generator overfill Proposed ltr to licensees recommending that action be taken to provide operators w/training to deal w/transients written & under review
MURLEY, T E Division of Safety Technology 81/05/26. NOVAK, T M Assistant Director for Licensing 6pp 13606 014
- 8106100241 Summarizes status of activities initiated in response to rept, "AEDD Observations & Recommendations Re Problem of Steam Generator Overfill & Combined Primary & Secondary Side Blowdown"
DENTON, H R Office of Nuclear Reactor Regulation, Director 81/05/27 MICHELBON, C Director's Office 3pp 13606 010
- 8106110210 Forwards comments on proposed amend to 10CFR50, Apps A & B to clarify GA requirements, per 801222 request
DENTON, H R Office of Nuclear Reactor Regulation, Director 81/05/18 MINOQUE, R B Office of Nuclear Regulatory Research, Director 7pp 13604 223
- 8108110050 Summary of 810618 meeting w/Ofc of Nuclear Regulatory Research re plans & short-term activities for safety implications of control sys (Unresolved Safety Issue A-47) List of attendees encl
SZULKIEWICZ, A J Generic Issues Branch. 81/07/10 KNIEL, K Generic Issues Branch 3pp. 13606 004
- 8109230783 Responds to 810715 memo re clarification of relationship between 10CFR50, App A & App B, design & GA criteria for nuclear plants Certain changes should be made before presentation of proposed rule to Commission.
STELLO, V Director's Office, Office of Inspection and Enforcement 81/08/07 COLLIER, K R Division of Facility Operations. 3pp 13604.253
- 8109230784 Forwards for review & concurrence, Commission paper recommending approval of amend to clarify relationship between 10CFR50 App A & App B GA program criteria required by App A are App B criteria.
COLLIER, K R Division of Facility Operations. 81/07/15 STELLO, V Director's Office, Office of Inspection and Enforcement SHAPAR, H Office of the Executive Legal Director DENTON, H R Office of Nuclear Reactor Regulation, Director. App. 13604.162
- 8110130118 Submits AEDD preliminary rept - safety concern associated w/reactor vessel level instrumentation in BWRs, dtd Sept 1981. Agrees w/conclusion that postulated control sys protection sys interaction not immediate concern.
EIBENHUT, D O Division of Licensing. 81/09/11 DENTON, H R Office of Nuclear Reactor Regulation, Director. 8pp. 13607 201
- 8110190120 Comments on case study rept re safety concern associated w/reactor vessel instrumentation in BWRs. Instrumentation & Controls criteria not proper std for conducting piping sys evaluations
IPPOLITO, T A Operating Reactors Branch 2 81/09/23 OLSHINSKI, J A Operating Reactors Assessment Branch. 1p 13607 200.
- 8110230007 Requests translation of encl German rept on TMI Rept findings, conclusions & recommendations should be reviewed for possible application to NRC regulatory process.
HALLER, N Commissioners. 81/07/07. DIRCKS, W J Office of the Executive Director for Operations. 1p 13605:353.

- B110230119 Comments on program plan to resolve Task A-47, safety implications of control sys Task resolution should include definition of role & regulatory requirements for licensees/applicants
BASICKAS, D L Instrumentation & Control Branch 81/10/14
SZUKIEWICZ, A Generic Issues Branch 2pp 13605 351
- B110290599 Discusses status on blue ticket request DL 95 re control sys Ofc of Nuclear Regulatory Research will be willing to expand program to incorporate work re Unresolved Safety Issue A-47 Different plant selections should be made
NOWAK, T Assistant Director for Operating Reactors 81/10/21
EISENHUT, D G Division of Licensing 1p 13605 350
- B11030647 Discusses review of proposed rule on GA changing General Design Criterion 1 & App B to 10CFR50 to broaden applicability of GA program Rule does not clarify "important to safety"
VOLLMER, R H Division of Engineering 81/07/27 DENTON, H R
Office of Nuclear Reactor Regulation, Director 2pp 13604 226
- B111040455 Forwards discussion of activities re Unresolved Safety Issue A-47 re safety implications of control sys interfacing essential to ensure development of consistent & comprehensive set of requirements
SZUKIEWICZ, A J Generic Issues Branch 81/09/24 MURLEY, T E
Division of Safety Technology 9pp 13605 355
- B111300131 Discusses proposed amend to 10CFR50 transmitted by Collier 810719 memo W/o reg guide & explicit proposals on type of GA to be applied to each safety-related sys; meaningful comments on value/impact of proposed rule will not be elicited
DENTON, H R Office of Nuclear Reactor Regulation, Director 81/10/30 MINOQUE, R B Office of Nuclear Regulatory Research, Director 2pp 13605 107
- B112010779 Provides basis for next step in resolution of Unresolved Safety Issue A-17 re sys interaction in nuclear power plants Recommends selection of small number of plants to apply existing interim guidance
MURLEY, T E Division of Safety Technology 81/10/30 DENTON, H R
Office of Nuclear Reactor Regulation, Director 12pp 13606 156
- B112040131 Forwards comments on preliminary rept re safety concern on reactor vessel level instrumentation in BWRs Comments deal w/appropriateness of applying electrical design criteria to piping sys & concept of passive vs active failures
DENTON, H R Office of Nuclear Reactor Regulation, Director 81/10/30 MICHELSON, C Director's Office 4pp 13607 196
- B201300092 Submits WA Branch response to comments on statement of work for identification & ranking of plant items & development of graded GA requirements
HAASS, W P Quality Assurance Branch 81/12/30 MORRISON, W M
Division of Facility Operations 2pp 13605 295
- B202030144 Forwards comments on procedures guide, NUREG/CR-2300 Comments based on recommendations submitted to steering committee by review committees following IEEE Oct meeting
ERNST, M L Assistant Director for Technology Review 81/12/15
RICHARDS, NUB Corp 11pp 13606 224
- B202160018 Comments on proposed resolution to A-47 safety implications of control sys. Analyses based on non-mechanistic failure modes to assess unwarranted challenges are meaningless. W/o analyses of frequency of event
JENSEN, W Reactor Systems Branch 81/12/30 SZUKIEWICZ, A
Generic Issues Branch 2pp 13605 342
- B204190068 Concurs in principle w/recommendations of Ofc for Analysis & Evaluation of Operational Data Jan 1982 rept on safety concern re reactor vessel level instrumentation in BWRs
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/03/19, MICHELSON, C Director's Office 3pp 13607 194
- B204190140 Responds to B20305 proposal to meet w/NRC to discuss safety classification details & standardizing definitions Details of NUPPSCD terminology sys & outstanding concerns should be provided.
HANAUER, B H Division of Safety Technology 82/03/22
COOPER, L J American Nuclear Society 1p 13604 137
- B204210755 Endorses ORNL research program to develop hybrid simulation model to study control sys for PWRs OE plant analysis to be performed at INEL Sandia Labs proposed research activities too vague & cannot be endorsed
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/03/24, MINOQUE, R B Office of Nuclear Regulatory Research, Director 3pp 13605 337
- B204220374 Comments on errors in BWR vessel water level indications, per T Speis 820115 memo
FRAHM, R K Operating Reactors Assessment Branch 82/02/26
GRAVES, C Operating Reactors Assessment Branch 3pp 13607 203
- B204230023 Submits background matl for inclusion in safety classification terminology package, including NRC testimony & early version of proposed rule amend addressing scope of 10CFR50, App B GA program
* NRC - No Detailed Affiliation Given 81/08/05 NRC - No Detailed Affiliation Given 2pp 13604 155
- B204230026 Requests comments on concurrence package
CONRAN, J NRC - No Detailed Affiliation Given 82/03/18
COFFMAN, J, THADANI, A, ERNST, H NRC - No Detailed Affiliation Given 1p 13604 158
- B204230029 Comments on S Hanauer draft ltr to NUPPSCD Committee Alternative safety classification terms do not require redefinition
CONRAN, J NRC - No Detailed Affiliation Given 82/03/18
COFFMAN, F NRC - No Detailed Affiliation Given 2pp 13604 159
- B204230035 Draft Commission paper requesting approval for publication of proposed amend in FR for clarification of relationship between 10CFR50, Apps A & B
DIRCKS, W J Office of the Executive Director for Operations 81/07/15 26pp 13604 163
- B204230038 Requests B20316 meeting w/ANS Nuclear Power Plant Stds Committee Ad Hoc Committee on Sys Important to Safety in Bethesda, MD to discuss definitions of classification terms & delineation of requirements
COOPER, L J American Nuclear Society 82/03/05 HANAUER, B H
Division of Human Factors Safety 3pp 13604 190
- B204230041 Requests guidance re discussion w/ANS Nuclear Power Plant Stds Committee Related info encl
JOHNSON, C NRC - No Detailed Affiliation Given 82/03/09
CONRAN, J NRC - No Detailed Affiliation Given 21pp 13604 193
- B204230042 Provides comments on proposed std definitions re safety classification terminology per B10724 meeting.
"Safety-grade" is not defined explicitly in regulations or regulatory guides
NOWAK, T H Assistant Director for Operating Reactors 81/09/28
EISENHUT, D G Division of Licensing 1p 13604 204
- B204230052 Forwards info re latest development in safety classification terminology W/o encl
CONRAN, J H NRC - No Detailed Affiliation Given 81/10/14
DORIAN, T Office of the Executive Legal Director 1p 13604 220
- B204230055 Requests Commission approval for publication of proposed amend to 10CFR30, App A to clarify GA program requirements
DIRCKS, W J Office of the Executive Director for Operations 82/04/29 21pp 13604 229
- B204230057 Forwards info to resolve Ofc of Executive Legal Director comments re proposed rule change to 10CFR50, Apps A & B
BELKE, H NRC - No Detailed Affiliation Given 81/08/07 NRC - No Detailed Affiliation Given 3pp 13604 250
- B204230045 Comments on B10609 draft Commission paper re clarification of relationship between 10CFR50, Apps A & B. Licensees will need addl GA resources to implement program for addl balance of plant items
PERANICH, M W Director's Office, Office of Inspection and Enforcement 81/06/25 RICHARDSON, S Office of Nuclear Regulatory Research, Director 2pp 13604 255
- B204230049 Forwards Working Papers B & C for draft Reg Guide RG 704-4 "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants." Consolidated set of comments requested.
LIEDERBACH, F J NRC - No Detailed Affiliation Given 77/04/19
MORRISON, W M NRC - No Detailed Affiliation Given 1p 13604 261
- B204230074 Working Paper B of Reg Guide RG 704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants."
* NRC - No Detailed Affiliation Given 77/04/14 19pp 13604 262
- B204230078 Working Paper C of draft Reg Guide RG 704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants."
* NRC - No Detailed Affiliation Given 77/04/14 1p 13604 281

- 8206230081 Draft Reg Guide RS 704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " BECKHAM, D NRC - No Detailed Affiliation Given 78/01/26 7pp 13604 291
- 8206230082 Requests comments on encl info re QA program for structures, sys & components which must remain functional in event of SSE Related info encl. * Quality Assurance Branch. 79/06/26 ALLENSPACH, F, BELKE, W, CLAYTON, H NRC - No Detailed Affiliation Given 34pp 13604 298
- 8206230086 Draft Reg Guide RS 704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " * NRC - No Detailed Affiliation Given 79/06/19 8pp 13604 332
- 8206230093 Forwards revised draft Reg Guide 1.XYZ, "Nuclear Power Plant Structures, Sys Components & Activities Subj to QA Program " SKOVHOLT, D J Assistant Director for Quality Assurance & Operations 78/03/24 ARLOTT, O A. Division of Engineering Standards 2pp 13604:340
- 8206230094 Draft Reg Guide 1 XYZ, "Nuclear Power Plant Structures, Sys Components & Activities Subj to QA Program " * NRC - No Detailed Affiliation Given 78/03/24, 30pp 13604 342
- 8206230096 Summary of Licensing Schedule Review Committee 790125 meeting re status of plant reviews. ROSS, D F NRC - No Detailed Affiliation Given 79/01/30 BOYD, R B Division of Project Management DEYOUNG, R C Division of Site Safety & Environmental Analysis MATTEON, R J Division of Systems Safety 15pp 13605 010
- 8206230117 Comments on proposed Commission paper recommending change to 10CFR50 App A. Changes should be made to App B to eliminate ambiguities re important to safety & safety-related. HAASB, W P Quality Assurance Branch. 81/01/09 VOLLMER, R H Division of Engineering. 2pp 13605:090
- 8206230122 Forwards marked-up pages from 810609 Commission paper on Apps A & B issue, per request HAASB, W P Quality Assurance Branch 81/06/19 RICHARDSON, B. Human Factors Engineering Branch 11pp 13605 092
- 8206230124 Submits marked-up comments on proposed amend to 10CFR50 to clarify relationship between Apps A & B Comment on cost & manpower impact of proposed rule should be requested. DENTON, H R Office of Nuclear Reactor Regulation, Director 81/09/15 MINOQUE, R B Office of Standards Development, Director 2pp, 13605 105.
- 8206230132 Requests comments on proposed contract w/Sandia Labs to identify & rank importance of sys equipment important to safety SILVER, D Research & Standards Coordination Branch 81/10/16, HAASB, W Quality Assurance Branch BOBNAK, R, KIRKWOOD, R. Mechanical Engineering Branch. 1p, 13605 109
- 8206230134 Requests comments on encl statement of work to expedite development of guidance & release of proposed Apps A & B rule HAASB, W. Quality Assurance Branch 81/11/19 NRC - No Detailed Affiliation Given 6pp, 13605 110.
- 8206230138 Comments on Commission paper re clarification of relationship between 10CFR50 Apps A & B Results of change in App B to replace term "safety-related" w/ "important to safety" unclear. Related info encl. DENTON, H R Office of Nuclear Reactor Regulation, Director. 82/04/29. GOLLER, K R. Office of Nuclear Regulatory Research, Director. 23pp, 13605:129.
- 8206230141 Forwards draft listing of structures, sys & components for QA program review. HAASB, W P. Quality Assurance Branch 82/04/29 Quality Assurance Branch. 18pp, 13605:133.
- 8206230158 Forwards Sandia Lab 810820 slide presentation for program in support of TMI Action Plan Item I F 1 SILVER, D NRC - No Detailed Affiliation Given. 81/08/31 COFFMAN, F, CONRAN, J NRC - No Detailed Affiliation Given 1p, 13605 252
- 8206230160 Draft Reg Guide 1 28, Revision 3, "QA Program Requirements (Design & Const) " * Office of Standards Development, Director 81/09/02 29pp, 13605 266
- 8206230165 Addresses comments on App A/B concurrence package NRC intends to increase scope of QA program review Related info encl CONRAN, J NRC - No Detailed Affiliation Given 81/09/18 THADANI, A NRC - No Detailed Affiliation Given 12pp, 13605 303
- 8206230168 Task Action Plan A-47, "Safety Implications of Control Sys " KNIEL, K, SZUKIEWICZ, A J Generic Issues Branch. 82/04/20 24pp 13605:315
- 8206230173 Responds to 811120 request for review of Task A-47, "Safety Implications of Control Sys." Interaction between control sys should be identified in problem resolution section. BEARD, J T Assistant Director for Operating Reactors 81/11/27 Assistant Director for Operating Reactors 3pp, 13605:344
- 8206230205 Summary of 810720 meeting w/consultants re Unresolved Safety Issue A-47, "Safety Implications of Control Sys." H/o encls. SZUKIEWICZ, A Generic Issues Branch 81/08/24 KNIEL, K. Generic Issues Branch 3pp 13606 001
- 8206230208 Forwards conceptual outline of task action plan for Unresolved Safety Issue A-47 for comment SZUKIEWICZ, A Generic Issues Branch. 81/06/29. RUBSCHER, O E. Battelle Memorial Institute, Pacific Northwest Laboratory. 1p, 13606 007.
- 8206230211 Forwards addl comment re steam generator overfill from draft paper entitled, "Power Reactor Events." Vol 3, number 2, in response to 810306 memo NOVAK, T M Assistant Director for Operating Reactors. 81/03/26 HELTEMES, C. J. Director's Office 1p 13606:012.
- 8206230214 Comments on power reactor events re steam generator overfill. Consideration of seismic event w/flooded main steam is not appropriate based upon low probability of simultaneous occurrence VOLLMER, R. M. Division of Engineering. 81/03/13. NOVAK, T Assistant Director for Operating Reactors. 1p 13606:013.
- 8206230217 Responds to 810506 request for views re inclusion of "Steam Generator Overfill" in "Power Reactor Events." Vol 3, Number 2 Article not directly associated w/operating event at power plant. CHECK, F B Assistant Director for Plant Systems. 81/03/13 NOVAK, T. M Assistant Director for Operating Reactors. 1p 13606:018
- 8206230220 Comments on ORNL proposal for study of control sys & plant dynamics. Final decision on level of ORNL involvement should be delayed until unresolved safety issue plan is completed Related info encl ROSA, F Instrumentation & Control Systems Branch. 81/03/30. KNIGHTON, O W Research & Standards Coordination Branch. 22pp 13606:019.
- 8206230222 "Effects of Control Sys Failures." * NRC - No Detailed Affiliation Given. 82/04/29. 10pp, 13606:064.
- 8206230238 Comments on draft staff summary ltr rept "Sys Interaction Branch Approach to Sys Interactions in LWRs." PELTRO, P., GALLUCCI, R Battelle Memorial Institute, Pacific Northwest Laboratory. 81/03/11 WIDRIO, D Battelle Memorial Institute, Pacific Northwest Laboratory 19pp, 13606:231.
- 8206230240 Comments on "Staff Summary Ltr Rept on Sys Interactions Branch Approach " Formal definition of sys interaction should be revised. PAPAIOLOU, I, ATEFI, B, BUSLIK, A Brookhaven National Laboratory 81/04/21 BARI, R. A Brookhaven National Laboratory. 6pp 13606:270
- 8206230242 Draft Branch Technical Position B18 1-1, "Guidelines for Development & Conduct of Sys Interaction Program for Nuclear Power Plants." * Systems Interaction Branch. 82/04/29 10pp, 13606:276.

--8206230245 Forwards ltr repte re approach to sys interactions in LHRs, for comment w/o encl Related info encl
HURLEY, T E Division of Safety Technology. 82/04/29 Division of Safety Technology 2pp 13606 286

--8206230248 Forwards interpretation of single failure criterion for sys interaction analysis & sys interaction analysis demonstration example
GALLUCCI, R Battelle Memorial Institute, Pacific Northwest Laboratory 81/05/06 COFFMAN, F Systems Interaction Branch, 60pp 13606 288

--8206230251 Forwards comments on 810625 memo re approach to sys interaction Selecting sys by distinguishing between safety-grade & nonsafety-grade is not straightforward. Related info encl
LAINAS, G C Division of Licensing 81/07/17 ERNST, M L Assistant Director for Safety Assessment 2pp 13606:355

--8206230266 Forwards Sys Interaction Branch request for addl info re util sys interaction program, including objective scope, organization & criteria used to postulate interactions. Marked-up responses & related info encl
RUBENSTEIN, L S Assistant Director for Plant Systems 80/12/01, TEDESCO, R. L. Assistant Director for Licensing 20pp 13607 121.

--8206230268 Marked-up SRP Section 3 10, "Seismic & Dynamic Qualification of Mechanical & Electrical Equipment"
* NRC - No Detailed Affiliation Given PSRP-3 10 0. 81/06/01 4pp 13607, 141.

8206240031 Ack receipt of addl documents in response to FOIA request for info re Hayward Tyler Pump Co
LIEBOLD, W. C. Affiliation Unknown 82/05/31 FELTON, J M Division of Rules and Records 1p, 13608 159.

8206240033 Addl response to FOIA request for documents re Hayward Tyler Pump Co. Forwards JT Boese 820518 & 26 ltrs
FELTON, J. M. Division of Rules and Records 82/06/08 LIEBOLD, W. C. Affiliation Unknown 1p, 13608 161.

--8206240037 Objects to release of items 14, 15, 21, 32 & 33, in response to FOIA Requests 82-117 & 82-193 re GA practices at Hayward Tyler Pipe Co. Premature release may mislead public re ongoing nature of investigation.
BOESE, J T Fried, Frank, Harris, Shriver & Kampelman 82/05/26, FELTON, J. M. Division of Rules and Records 2pp 13608 162

--8206240039 Objects to FOIA release of NRC draft insp & investigation repts re GA practices at Hayward Tyler Pump Co. Requests reft of separate investigation be placed in PDR to mitigate misleading info Related ltr encl
BOESE, J T Fried, Frank, Harris, Shriver & Kampelman. 82/05/18, BEYQUINO, R. C. Director's Office, Office of Inspection and Enforcement. 3pp, 13608 164.

--8206240042 "Analysis of Draft Insp & Investigation Repts to NRC re Hayward Tyler Pump Co GA Program."
* Fried, Frank, Harris, Shriver & Kampelman. 82/05/18. 62pp, 13608 167.

8206240045 Responds to FOIA request for four categories of info re "safe end" technique for joining or repairing piping in BWRs. Forwards representative list of Category 3 records.
FELTON, J. M. Division of Rules and Records. 82/06/11. JAY, M. C. Affiliation Unknown. 2pp, 13607:315.

--8206240050 "Bibliography & Refs"
* NRC - No Detailed Affiliation Given. 82/06/11. 8pp, 13607, 317.

8206240052 Addl response to FOIA request for draft insp & investigation repts provided to Hayward Tyler Pump Co Forwards JT Boese 820518 & 26 ltrs w/o encls
FELTON, J. M. Division of Rules and Records. 82/06/08 LODGE, B Dallas Morning News 1p, 13607:313

8206240055 FOIA request for investigation repts re improper, illegal or inadvertent disposal of radwaste at sea or in Great Lakes.
SULLIVAN, J. W. Affiliation Unknown. 82/05/03. FELTON, J M. Division of Rules and Records. 1p, 13607:311.

8206240058 Responds to FOIA request for investigation repts re improper, illegal or inadvertent disposal of radwaste at sea or in Great Lakes. Listed documents referred to Public Health Bvc for direct response
FELTON, J. M. Division of Rules and Records 82/06/08. SULLIVAN, J W Affiliation Unknown. 1p, 13607 312

8206240063 Responds to FOIA request for disclosable info on govt contracts w/ARCO re development of nuclear batteries & documentation concerning NUPEC contract. NRC has no documents subj to request Recommends contacting DOE
FELTON, J M Division of Rules and Records 82/06/08 SMITH, K R Medtronic, Inc 1p 13607 310

8206240064 FOIA request for disclosable info on govt contracts w/ARCO re development of nuclear batteries & documentation concerning NUPEC contract.
SMITH, K R Medtronic, Inc. 82/05/24. Division of Rules and Records 1p 13607 309

8206240069 FOIA request for eight categories of documents re nuclear waste mgmt.
SULLIVAN, J W Affiliation Unknown 82/05/27 FELTON, J M Division of Rules and Records 2pp 13608 287

8206240073 Responds to FOIA request for eight categories of documents re nuclear waste mgmt Items 1, 2, 3, 5 & 6 will be reproduced on microfiche. Items 4 & 7 unavailable
FELTON, J M Division of Rules and Records 82/06/07 SULLIVAN, J W Affiliation Unknown 1p 13608 289

8206240076 FOIA request for list of 514 licenses issued by NRC to components of DOD
DEAL, R L Chem-Nuclear Systems, Inc 82/05/21 FELTON, J M Division of Rules and Records 1p 13608 230

8206240077 Responds to FOIA request for list of 514 licenses issued by NRC to components of DOD Forwards list of DOD licenses
FELTON, J M Division of Rules and Records 82/06/07 DEAL, R L Chem-Nuclear Systems, Inc 1p 13608 231.

--8206240080 "Active Licenses for Air Force, Army & Navy"
* NRC - No Detailed Affiliation Given 82/06/03 55pp 13608 232

8206240093 FOIA request for three categories of records re Invitation for Bid RS-SECY-82-471, "Stenographic Reporting Svcs"
GALLO, J. Isham, Lincoln & Seale 82/03/15 FELTON, J. M. Division of Rules and Records 2pp 13620 049

8206240099 Responds to FOIA request for three categories of records re Invitation for Bid RS-SECY-82-471, "Stenographic Reporting Svcs." Forwards documents listed in app info in Records 1/3 & 6 partially deleted.
FELTON, J M Division of Rules and Records 82/06/07 GALLO, J Isham, Lincoln & Seale. 2pp 13620 045

--8206240101 Forwards project descriptive summary, "Stenographic Reporting Svcs."
SULLIVAN, P. A. Administrative & Logistical Support Branch FIN B-1311 81/10/27 BECKWITH, C A Division of Contracts 8pp, 13620 048

--8206240114 Responds to 81029 request for info re stenographic reporting svcs. Incumbent contractor was small business when contract was awarded, but is now large.
LEBO, C D Administrative Contracts Branch. 81/11/05 HALMAN, E L Division of Contracts. 4pp, 13620 056

--8206240122 Summary of Senior Contract Review Board 81028 meeting to review project, "Stenographic Reporting Svcs." Info deleted.
BECKWITH, C A. Division of Contracts FIN B-1311 81/11/05, CORNELLE, E K Office of the Executive Director for Operations, BARRY, L W Office of the Controller, DONOHUE, D. J. Office of Administration. 2pp 13620 060.

--8206240125 Advises that NRC Reporter Contract Solicitation should not be limited to small businesses.
FITTE, C. J. Atomic Safety and Licensing Board Panel. 82/01/19, LEBO, C D. Administrative Contracts Branch 1. 13620 063

--8206240129 Forwards profiles on small businesses having capabilities in "Stenographic Reporting Svcs."
* NRC - No Detailed Affiliation Given. 82/02/19 FLYNN, M Division of Contracts. 14pp 13620 064.

--8206240133 Informs of change re status of project SECY-82-471, "Stenographic Reporting Svcs." Recent developments suggest small business set-aside should be changed to unrestricted competition.
LEBO, C D Administrative Contracts Branch. FIN B-1311. 82/03/05 BECKWITH, C. A. Division of Contracts 2pp 13620:081.

--B206240141 Forwards J Gallo B20310 ltr re decision to change Invitation for Bid RS-SECY-B2-371, "Stenographic Reporting Svcs," from small business set-aside to unrestricted action
LEBO, C D Administrative Contracts Branch 82/03/12 KERR, W
Ofc of Email & Disadvantage Business Utilization 1p 13620 085

--B206240145 Urges that NRC stand by judgment re determination to establish procurement as total small business set-aside concerning Invitation for Bid RS-SECY-Q2-471, "Stenographic Reporting Svcs"
GALLAGHER, J Lham, Lincoln & Beale 82/03/10 LEBO, C D
Administrative Contracts Branch 3pp 13620 086

B206240475 FOIA request for documents re exemption from 10CFR50 App E emergency planning & preparedness requirements
WATKINS, M Debovoise & Liberman 82/03/04 FELTON, J M Division
of Rules and Records 2pp 13620 008

B206250352 Responds to FOIA request for all info re contracts for development of nuclear pacemakers by Arco Medical Products
Co NRC has no documents subj to request
FELTON, J M Division of Rules and Records 82/06/15 SMITH, K R
Medtronic, Inc 1p 13629 084

B206250357 FOIA request for all info re contracts for development of nuclear pacemakers by Arco Medical Products Co
SMITH, K R Medtronic, Inc 82/05/20 NRC - No Detailed
Affiliation Given 1p 13629 093

B206280071 Addl response to FOIA request for eight categories of documents Forwards documents listed in App A Documents listed in App B available in PDR Confidential Financial info deleted
FELTON, J M Division of Rules and Records 82/05/12 MCHURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 095 24X Fiche 90-000, 82/05/12, B206280071

--7911190277 Forwards NRC 790829 & 31 memos re several concerns about applicability of 10CFR50, App A & B to safety-related sys & components Recommends all such sys be covered by licensee NRC approved QA program for const &/or operations
HOBEL, N C Division of Reactor Operations Inspections
79/09/11 VASSALLO, D B. Division of Project Management 2pp
13497, 357

--B006230315 Comments on proposed IEEE std re criteria for determining requirements for sys important to safety. Suggests eliminating probabilistic approach. Mod instructions will be helpful to working group
MEDEIROS, M B Office of Standards Development, Director
80/04/23 STOLT, H K Institute of Electrical & Electronic
Engineers 3pp 13642 327

--B007300327 Requests info re reactor control sys failures which could lead to accident sequences that have not been anticipated Recommendations requested re need for power derating while matter is under review
UDALL, M K House of Rep., Interior & Insular Affairs 80/02/07
AHEARNE, J. Commissioners. 1p. 13639 038.

--B008080199 Discusses problems encountered at second working group meeting of NRC/IEEE re development of std for classifying instrumentation, control & electrical equipment important to safety.
MEDEIROS, M B Reactor Systems Standards Branch 80/07/22
WENZINGER, E C Reactor Systems Standards Branch. 7pp 13638 123

--B010280520 Requests assistance in reviewing Draft 2, PB27 criteria for determining requirements for sys important to safety, dtd 800911. Comments requested by 800930
MORRISON, W M Assistant Director for General Engineering
Standards 80/09/23, MURLEY, T E Office of Nuclear Regulatory
Research, Director 2pp 13638:127.

--B010300355 Comments on draft IEEE Std P-827, "Criteria for Determining Requirements for Sys Important to Safety" Control sys failure should be considered
ROSSI, C E Instrumentation & Control Systems Branch 80/09/30
KNIGHTON, Q W Research & Standards Coordination Branch 3pp
13642 382.

--B010500099 Comments on IEEE Std PB27, "Criteria for Determining Requirements for Sys Important to Safety," per 800911 request New std preserves unnecessary barriers between two classes of instrumentation, control & electrical equipment.
MEDEIROS, M B Office of Standards Development, Director
80/10/03, GALLAGHER, J M Institute of Electrical & Electronic
Engineers. 3pp 13642:313.

--B010270484 Summarizes direction taken by IEEE in PB27, "Criteria for Determining Requirements for Sys Important to Safety" Encl Table 3-1 lists sys important to safety but not covered by IEEE
ROSSI, C E Instrumentation & Control Systems Branch 80/11/14
Instrumentation & Control Systems Branch 11pp 13642 342

--B0102180246 Comments re proposed amend to 10CFR50 App A, intended to clarify QA program requirements Proposed amend insufficient
ROSSI, C E Instrumentation & Control Systems Branch 80/12/16
KNIGHTON, Q W Research & Standards Coordination Branch 3pp
13638 323

--B0103030110 Comments on effect of interim plant power departings on consequences resulting from control sys failures, in response to B01204 memo Westinghouse designs have excess interaction between control sys & safety & should be improved
HARAUER, S H Division of Human Factors Safety 80/12/15
DENTON, H R Office of Nuclear Reactor Regulation, Director 2pp
13639 237

--B010340705 Notifies of Instrumentation & Control Sys Branch request for addl info from DL applicants re concerns on failures inhibiting safe reactor shutdown, safety equipment designs & control sys failures from high energy line breaks
CHECK, P S Assistant Director for Plant Systems IER-79-27
81/03/06 TEDESCO, R L Assistant Director for Licensing 8pp
13639 160

--B0103250472 Responds to B01212 memo re candidate criteria for control sys Criteria appear to be perceptive & well thought out Criterion 1 should be expanded to include not frequent challenge requirement
BEARD, J T Operating Reactors Assessment Branch 81/03/02
ROSSI, C E Instrumentation & Control Systems Branch 3pp,
13643 322

--B0103300203 Forwards memo re topics for Electrical Sys Subcommittee 810325 meeting. Subcommittee requests written summary of recent activity in advance of meeting w/o encl
ZECH, Q Q Technical Support Branch 81/03/09 ROSA, F. Power
Systems Branch 1p 13639 247

--B0109080323 Forwards US comments on Technical Review Committee approved version of 80-DB, "Safety-Related Instrumentation & Control," on behalf of R Minogue, US representative on SAQ
WENZINGER, E C NRC - No Detailed Affiliation Given. 81/06/25
JANSZ, I E International Atomic Energy Agency (Austria). 8pp
13645, 092

--B01120323 Notifies of appointment of DL Basdekas as member of Ad Hoc Committee on Classification of Sys Important to Safety, in response to B01009 invitation Participation does not connote agency agreement w/or endorsement of committee decisions
MINOGUE, R B Office of Nuclear Regulatory Research, Director.
81/10/26 DOHLING, E F. Institute of Electrical & Electronic
Engineers. 1p 13638 135

--B012030223 Forwards F Rose memo transmitting affidavits of CE Rossi in response to ALAB-685 Items 1 & 3 re recommendations in BAW-1564 & safety-grade anticipatory reactor trip, respectively. Final drafts by B01113 Requests timely review of affidavits
CAPRA, R. Division of Systems Integration (post B01005) 81/11/12
STOLT, J Operating Reactors Branch 4 1p. 13639 235

--B020180094 Forwards supporting statement for OMB clearance for NUREG-0737, revised to reflect info requested in B01117 memo Concurrence requested.
DENTON, H R. Office of Nuclear Reactor Regulation, Director.
81/12/21 STELL, V Regional Operations & Generic Requirements.
3pp. 13639:112

--B020190627 Discusses problems to be addressed re identification of sys important to safety.
KNIGHTON, Q W. Research & Standards Coordination Branch. 81/11/25
NORBERG, J A. Human Factors Branch. 2pp. 13645:219.

--B020180429 Forwards case study "Safety Concern Associated W/Reactor Vessel Level Instrumentation in BWR." Review has shown several cases where interaction between plant control sys are evident.
MICHELS, C Director's Office. 82/01/20 DENTON, H R. Office of
Nuclear Reactor Regulation, Director 2pp. 13640:253

--B020190419 Requests endorsement of research programs re safety implications of control sys & study Programs respond to ACRS Recommendations 1 & 2 for addressing issues & supporting resolution of Unresolved Safety Issues Tasks A-47 & A-49
MINOGUE, R B Office of Nuclear Regulatory Research, Director. FIN
A-1324. 82/01/27. DENTON, H R. Office of Nuclear Reactor
Regulation, Director 7pp. 13639 033

NONDOCKETED ITEMS

44

- B203100411 Forwards LER 82-002/03L-0 Detailed event analysis submitted
MATTINGE, J J Sacramento Municipal Utility District 82/02/24
ENGLKERN, R H Region 9, Office of Director. 2pp 13640 085
- B203240360 Comments on Ad Hoc Committee on Classification of Sys Important to Safety 820225 meeting Sys covered by IEEE Std 603 should be considered within scope of IEEE P-827.
BASDEKAS, D L Instrumentation & Control Branch 82/03/03
DOHLING, E F Babcock & Wilcox Co 4pp. 13638 133
- B204090165 Forwards responses to Genator Mitchell questions to NRC re facility control sys in terms of 780320 event & general requirements of control sys
ROSA, F Instrumentation & Control Systems Branch 82/03/08
STOLZ, J F Operating Reactors Branch 4 5pp 13639 063
- B205130530 Comments on Task Action Plan for Unresolved Safety Issue A-47, "Safety Implications of Control Sys"
ROSA, F Instrumentation & Control Systems Branch 82/04/15.
KNIEL, K Generic Issues Branch. 3pp 13639 046
- B206280102 Responds to 780407 memo re extent of applicability of App B to 10CFR50 to structures, sys & components of nuclear power plants Resolution is as much policy decision as legal interpretation Related info encl
JAKEL, E E Office of the Executive Legal Director 78/07/25,
KEHNEMUYI, M. Assistant Director for General Engineering Standards 6pp 13639, 002.
- B206280106 Requests comments on encl proposal for study of "Control Sys & Plant Dynamics " Related info encl
WATT, J NRC - No Detailed Affiliation Given. 81/03/11 ROSA, F
SPEIS, T., MOORE, V NRC - No Detailed Affiliation Given 12pp 13639 008
- B206280121 Excerpt from minutes of 235th ACRS meeting on 791108-10 re potential unresolved safety questions on interactions between nonsafety-grade sys & safety-grade sys.
* ACRS - Advisory Committee on Reactor Safeguards. 79/11/10.
ACRS - Advisory Committee on Reactor Safeguards. 1p 13639.045.
- B206280129 Advises that Draft 3 of IEEE P-827 does not adequately deal w/instrumentation, control & electrical sys that place demand on safety sys.
WEISS, E W Reactor Systems Standards Branch. 81/01/19
GALLAGHER, J M. Westinghouse Electric Corp. 3pp 13638 099
- B206280132 Forwards EW Weiss 810118 memo to IEEE Working Group on Classification re technical issue concerning criteria for determining requirements for sys important to safety in nuclear power generating stations
MEDEIROS, M. B NRC - No Detailed Affiliation Given 81/02/02
CONRAN, J. NRC - No Detailed Affiliation Given 4pp. 13638.098
- B206280143 Recommends discussion to determine method of closing out integrated control sys issue for B&W facilities
CAPRA, R. NRC - No Detailed Affiliation Given. 82/01/07
MATTSON, R. NRC - No Detailed Affiliation Given 1p 13639.111.
- B206280154 Forwards input to 1981 annual rept
ROSA, F Instrumentation & Control Systems Branch. 81/09/14.
FINE, P NRC - No Detailed Affiliation Given. 4pp 13639 138
- B206280158 Forwards info re control sys failures issue. W/o encls
ROSSI, C. E NRC - No Detailed Affiliation Given. 81/04/16
MATTSON, R. NRC - No Detailed Affiliation Given 2pp 13639.143
- B206280159 Forwards summary of meeting 82-1 of Ad Hoc Committee on Classification of Sys Important to Safety. Related info encl.
DOHLING, E F. Institute of Electrical & Electronic Engineers 82/03/23.
Institute of Electrical & Electronic Engineers. 7pp 13638.129.
- B206280171 Forwards draft outline for reg guide on classification & design requirements of instrumentation & control sys important to safety for review & comment
BASDEKAS, D. L. Office of Nuclear Regulatory Research, Director 81/06/17
WENZINGER, E C., WEISS, E., MEDEIROS, M. Office of Nuclear Regulatory Research, Director 5pp. 13638.159
- B206280175 Forwards project status rept for 810203 meeting of ACRS Subcommittee on Plant Features Important to Safety.
MAJOR, R. NRC - No Detailed Affiliation Given 81/01/27 WARD, D.
ACRS - Advisory Committee on Reactor Safeguards 4pp 13638.178.
- B206280178 Responds to 801117 request for comments on current usage of definitions for "safety-grade," "safety-related" & "important to safety." Definitions used w/current terminology lack clarity Related info encl
FRALY, R F ACRS - Advisory Committee on Reactor Safeguards 81/03/24 RUBENSTEIN, L S Assistant Director for Core & Containment Systems 15pp 13638 182
- B206280181 Ack receipt of HR Denton memo re std definitions for commonly used safety classification terms No extensive revision effort to current regulatory guidance documents expected
MAJOR, R NRC - No Detailed Affiliation Given 81/11/30 WARD, D
ACRS - Advisory Committee on Reactor Safeguards 1p 13638 212
- B206280185 Discusses activities of ACRS Subcommittee on Plant Features Important to Safety re definitions of safety-grade, safety-related & important to safety Recommends meeting to further discussion
BOEHNER, P ACRS - Advisory Committee on Reactor Safeguards 80/12/16 WARD, D ACRS - Advisory Committee on Reactor Safeguards 2pp 13638 213
- B206280188 Draft "QA Requirements for Nuclear Power Plant Items Which Are Important to Safety," 10CFR50 proposed rule Draft preliminary value impact assessment encl
* NRC - No Detailed Affiliation Given 80/03/28 13pp 13638 216
- B206280194 Forwards revised affidavits in response to ALAB-655, Items 1 & 4
CAPRA, R A Division of Systems Integration (post 811005)
ALAB-655 81/12/11. STOLZ, J F Operating Reactors Branch 4 1p 13639 270 24X Fiche 50-000, 82/05/12, B206280071
- B206280198 Forwards affidavit of E Rossi in response to ALAB-655 Items 1 & 3.
CAPRA, R A Division of Systems Integration (post 811005)
ALAB-655 81/12/04. STOLZ, J F Operating Reactors Branch 4 1p 13639 221
- B206280199 Comments on 810609 draft Commission paper re clarification of relationship between 10CFR50, Apps A & B Explanation of why previously proposed guidance failed to obtain staff approval should be included
PERANICH, M. W Director's Office, Office of Inspection and Enforcement. 81/06/25, RICHARDSON, B. Director's Office. 2pp. 13638.257.
- B206280207 Forwards std order for DOE work, "Identification & Ranking of Plant Structures, Sys & Components & Graded QA Requirements," issued to INEL W/o std order Statement of work encl.
VOLLNER, R. H Division of Engineering. 82/04/13 WILLIAMS, C. E Energy, Dept. of. 7pp. 13638 259
- B206280211 Discusses extent of applicability of App B to 10CFR50 to structures, sys & components of nuclear power plants. Comments requested by 780428
KEHNEMUYI, M Assistant Director for General Engineering Standards 78/04/07. MALSCH, M Office of the Executive Legal Director 2pp. 13638; 266
- B206280216 Forwards draft Commission paper re clarification of relationship between 10CFR50 Apps A & B for final comment & concurrence
RICHARDSON, S D Reactor Systems Standards Branch 80/12/22
DENTON, H R Office of Nuclear Reactor Regulation, Director.
STELLO, V. Office of Inspection & Enforcement; Office of the Director
SHAPER, H Office of the Executive Legal Director. 1p 13638; 268
- B206280223 Draft Commission paper for amend to clarify relationship between 10CFR50 App A, "General Design Criteria for Nuclear Power Plants" & App B, "QA Criteria for Nuclear Power Plants & Fuel Reprocessing Plants."
DIRCKS, W J Office of the Executive Director for Operations 82/05/12 23pp. 13638 269.
- B206280226 Forwards draft project & budget proposal for NRC work, "Identification of Equipment Important to Safety"
NORBERG, J A. Human Factors Engineering Branch 81/10/08.
KNIGHTON, G. W. Research & Standards Coordination Branch. 8pp 13638.292
- B206280231 Draft Commission paper for amend to clarify relationship between 10CFR50 App A, "General Design Criteria for Nuclear Power Plants" & App B, "QA Criteria for Nuclear Power Plants & Fuel Reprocessing Plants."
DIRCKS, W J. Office of the Executive Director for Operations. 82/06/09 23pp 13638.300

- 8206280239 Discusses control sys failures which challenge safety sys Criteria developed by IEEE Working Group & marked-up memos encl
ROSSI, C.E. NRC - No Detailed Affiliation Given 80/10/16
DUNNING, T., MORRIS, B., BATTERFIELD, R. NRC - No Detailed Affiliation Given 9pp 13639 259
- 8206280242 Comments on DRNL study proposal, "Control Sys & Plant Dynamics." Careful consideration must be given to benefits of real time simulation in developing new computer code
THADANI, A.C. Reliability & Risk Assessment Branch 81/05/22
KNIGHTON, G.W. Research & Standards Coordination Branch 2pp 13639 268
- 8206280245 Draft Reg Guide 1 XYZ, "Nuclear Power Plant Structures, Sys, Components & Activities Subj to QA Program."
* Assistant Director for Quality Assurance & Operations.
78/03/24. 28pp 13638 333
- 8206280247 Forwards task action plan for Unresolved Safety Issues A-47, "Safety Implications of Control Sys."
HANAUER, B.H. Division of Safety Technology. 82/05/12
DENTON, H.R. Office of Nuclear Reactor Regulation, Director. 24pp 13643 295
- 8206280254 Comments on proposal, "Control Sys & Plant Dynamics." Exam of overcooling transients from feedwater sys is duplication of effort
SPEIS, T.P. Reactor Systems Branch 81/04/30 KNIGHTON, G.
Research & Standards Coordination Branch 1p 13643:321
- 8206280256 Draft "Nuclear Power Plant Regulations for Instrumentation & Control Sys."
ROSSI, C.E. NRC - No Detailed Affiliation Given. 81/11/16 9pp 13639 285
- 8206280259 "Philosophy on Separation of Protection & Control."
* NRC - No Detailed Affiliation Given. 81/03/23 4pp. 13639 294
- 8206280262 "Safety Implications of Control Sys."
* NRC - No Detailed Affiliation Given 81/02/16 29pp 13639 298
- 8206280266 Testimony of NRC staff in response to Chairman Ahearne & Commissioner Hendrie 810128 request for date of compliance w/items contained in NUREG-0694 & NUREG-0737 Certificate of Bvt encl.
CUTCHIN, J.H. Office of the Executive Legal Director. 81/02/12 8pp 13643:330. 24X Fiche: 50-000, 82/05/12, 8206280071
- 8206280273 Forwards suggestions for applicant under review re effects of control sys failures
ROSSI, E. NRC - No Detailed Affiliation Given. 80/12/16.
DUNNING, T., BATTERFIELD, R. NRC - No Detailed Affiliation Given. 5pp 13640, 041
- 8206280275 "N898 Approach to Equipment Qualification." presented at IEEE 1978 Symposium on Nuclear Power Sys, 781018-20.
MILLER, R.B., QARBER, I. Westinghouse Electric Corp. 78/10/20 7pp. 13643:351
- 8206280276 Discusses safety implications of control sys & plant dynamics Failure mode & effects analysis of control sys for each plant operating or under license review should be performed Related info encl
BASDEXAS, D.L. Experimental Fast Reactor Safety Research Branch. 79/09/04 AHEARNE, J.F. Commissioners. 33pp 13640:048
- 8206280279 Discusses alternative to Table 4-3 in current draft of PB27. Calibr statements require fine tuning.
JACOBBS, I.H. General Electric Co. XL-387-00102. 80/10/15.
ROSSI, C.E., MEDEIRDS, H.B. NRC - No Detailed Affiliation Given. 4pp. 13643:358
- 8206280287 Forwards status rept on NRC QA workgroup study to examine possibility of developing addl guidance on applicability of App B to 10CFR50
BECKHAM, D. Reactor Systems Standards Branch. KLINGLER, G.R. Office of Inspection & Enforcement, Office of the Director
LIEDERBACH, NRC - No Detailed Affiliation Given 77/02/28 NRC
- No Detailed Affiliation Given. 4pp 13640:110
- 8206280291 Forwards draft Commission paper re clarification of QA criteria of 10CFR50, App B to 10CFR50, App A Marked-up version encl
SMITH, R.Q. Office of Standards Development, Director 80/11/18.
DIRCKS, W.J. Office of the Executive Director for Operations 7pp 13643.362
- 8206280292 Working Paper A to Reg Guide RB-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants."
* NRC - No Detailed Affiliation Given 77/02/23 25pp 13640 114
- 8206280293 Draft 5 of ANS-50, Policy 2.3, "Equipment Classification for LWR Power Plants."
CAMPBELL, D.A. American Nuclear Society CAMPBELL, D.A.
Westinghouse Electric Corp 77/11/30. 37pp 13644 007
- 8206280295 Summary of 770124-31 & 0209 meetings of NRC QA Workgroup or applicability of App B to 10CFR50 Includes info re functional criteria for determining candidate items subj to QA program & graded approach to QA
LIEDERBACH, F. NRC - No Detailed Affiliation Given 82/05/12
NRC - No Detailed Affiliation Given. 2pp. 13640, 141
- 8206280297 Summary of 770117 QA Workgroup meeting on applicability of App B to 10CFR50 per proposed Reg Guide 1 XYZ Draft basis for regulatory position & related info encl
LIEDERBACH, F.J. NRC - No Detailed Affiliation Given 77/01/31
NRC - No Detailed Affiliation Given 83pp 13640 143.
- 8206280299 Forwards comments on proposed rule re clarification of relationship between Apps A & B of 10CFR50 Specific actions expected to affect applicants/licenses should be listed w/estimated costs of actions.
CAWLEY, J.T. Division of Rules and Records 81/08/06
RICHARDSON, S.D. Office of Nuclear Reactor Regulation, Director 30pp 13644 045
- 8206280302 Draft Commission paper requesting publication of proposed amend re clarification of relationship between 10CFR50 Apps A & B
DIRCKS, W.J. Office of the Executive Director for Operations. 82/05/12 27pp 13640 226
- 8206280303 Requests designation change on proposed rule to 10CFR50 financial qualification rule: 50.55(f) to 50.55(g)
CAWLEY, J.T. Division of Rules and Records 81/10/19. PETERSON, J.
Office of State Programs, Director. 2pp 13644 076
- 8206280306 Forwards draft rulemaking entry for regulatory agenda re applicability of App B to App A QA criteria in 10CFR50.
PHILLIPS, J.D. Division of Rules and Records 81/10/13 NRC - No Detailed Affiliation Given. 3pp. 13644:079.
- 8206280307 Forwards marked-up version of 810609 draft FR notice re clarification of relationship between Apps A & B w/ suggested style & format changes
CAWLEY, J.T. Division of Rules and Records. 81/06/19.
RICHARDSON, S. Office of Nuclear Regulatory Research, Director. 4pp. 13644:081.
- 8206280310 "FY82 Program Statement of Work: Classification of Equipment Important to Safety." Related info encl
BELKE, W. NRC - No Detailed Affiliation Given. FIN A-1393.
82/04/05. NRC - No Detailed Affiliation Given. 71pp 13644:101
- 8206280313 "Summary of Significant Items in App A Not Included in App B." Related info encl
* NRC - No Detailed Affiliation Given 82/05/12 12pp. 13644 272.
- 8206280314 Forwards Draft 3 of IEEE P627 criteria for determining requirements for sys important to safety for review in preparation of NPEC 801030 meeting
GALLAGHER, J. Institute of Electrical & Electronic Engineers. ESD&D-JM9-406 80/10/20. WENZINGER, E.C. NRC - No Detailed Affiliation Given 42pp 13640 294
- 8206280317 Forwards background matl for 800221 ACRS Plant Arrangements Subcommittee meeting. Meeting will address 13 ACRS generic items assigned to subcommittee for review.
MAJOR, R. NRC - No Detailed Affiliation Given. 80/02/06.
BENDER, H. NRC - No Detailed Affiliation Given 27pp. 13641.014
- 8206280318 Draft summary of 810820 meeting w/Sandia Lab.
* NRC - No Detailed Affiliation Given. 81/08/21. NRC - No Detailed Affiliation Given. 7pp. 13641:056.
- 8206280319 Draft project & budget proposal for NRC work, "Identification of Equipment Important to Safety."
RICHARDSON, S.D., VARNADO, Q.B. Sandia Laboratories. 81/10/01. 7pp 13641:068.

- 8206280320 Draft Reg Guide RS-704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " BECKHAM, D NRC - No Detailed Affiliation Given 78/06/26 10pp. 13644.284
- 8206280322 Provides status summary for 820226 meeting of ACRS Subcommittee on Safety Philosophy, Technology & Criteria ORIESMEYER, J.M NRC - No Detailed Affiliation Given. 82/02/12 OKRENT, D, BENDER, M, EBERSOLE, J ACRS - Advisory Committee on Reactor Safeguards 3pp 13643 146.
- 8206280323 Draft Reg Guide RS-704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " Related info encl * NRC - No Detailed Affiliation Given 82/05/12 59pp. 13644 293
- 8206280324 Forwards info re sys interaction analysis discussed during ACRS 261st meeting on 820107-09 W/o encl BAVIO, R ACRS - Advisory Committee on Reactor Safeguards 82/02/04. FRALEY, R F NRC - No Detailed Affiliation Given 1p 13643 150
- 8206280326 Forwards draft statement of work for identification & ranking of nuclear plant structures, sys & components re items & development of graded GA requirements. Related info encl HAASS, W P Quality Assurance Branch 81/11/19 MORRISON, W, RICHARDSON, S, TAYLOR, J NRC - No Detailed Affiliation Given 10pp 13644.352
- 8206280335 Forwards draft Commission paper recommending amend to FR to clarify relationship between 10CFR50, Apps A & B QOLLER, K R. Division of Facility Operations. 81/07/31. BTELLO, V Director's Office, Office of Inspection and Enforcement. BHAPAR, H. Office of the Executive Legal Director. DENTON, H R. Office of Nuclear Reactor Regulation, Director 1p 13645 026
- 8206280336 Requests comments on encl draft entitled, "Application of GA Requirements for Nuclear Safety-Related Equipment " MORRISON, W M Assistant Director for General Engineering Standards 81/02/25 HAASS, W, PERANICH, M, CAMPBELL, W NRC - No Detailed Affiliation Given 2pp 13645.027
- 8206280339 "Application of GA Requirements for Nuclear Safety-Related Equipment " DYCK, N P Public Service Electric & Gas Co. of New Jersey FLUGGER, F O, GREEN, F. Florida Power & Light Co 80/06/30 9pp 13645 029
- 8206280358 Forwards info re establishment of research review group to coordinate research efforts concerning identification of equipment important to safety QOLLER, K R NRC - No Detailed Affiliation Given 81/01/06. RICHARDSON, S, NORBERG, J A, MORRISON, W M NRC - No Detailed Affiliation Given. 1p. 13641.075
- 8206280361 Discusses establishment of research review group to coordinate various research efforts concerning identification of equipment important to safety. QOLLER, K R. Division of Facility Operations. 82/05/12 WENZINGER, E, SULLIVAN, D, MORRISON, W NRC - No Detailed Affiliation Given 7pp. 13641:076.
- 8206280371 Draft memo re establishment of research group to coordinate various research efforts re identification of equipment important to safety. Addl draft versions encl. QOLLER, K R. Division of Facility Operations. 82/05/12 SULLIVAN, D, WENZINGER, E, MORRISON, W. NRC - No Detailed Affiliation Given 43pp 13641:098
- 8206280375 "Methods for Modeling & Simulation of Nuclear Sys Reliability & Safety " TILLMAN, L A Kansas State Univ. 81/10/07 60pp 13641:140.
- 8206280387 Forwards HR Denton 810819 draft memo re proposed App A - App B rule change CLEVELAND, D. NRC - No Detailed Affiliation Given 81/08/20. BELKE, B NRC - No Detailed Affiliation Given. 1p 13645:038.
- 8206280388 Forwards apps from ANS draft Btids 51 1 & 51 2 re reclassification of BWR & PWR equipment. Related info encl. JOHNSON, C. NRC - No Detailed Affiliation Given 82/02/01. KIRKWOOD, B Office of Nuclear Reactor Regulation, Director ANDERSON, B. Office of Nuclear Regulatory Research, Director 47pp. 13641.231
- 8206280397 Comments on draft Commission paper re clarification of relationship between 10CFR50, Apps A & B Proposed rule does not significantly clarify term, important to safety DENTON, H R Office of Nuclear Reactor Regulation, Director 81/08/19 QOLLER, K R Division of Facility Operations 1p 13645 039
- 8206280402 Marked-up version of draft Commission paper requesting approval for FR publication of proposed amend to 10CFR50, App A to clarify GA program requirements MINOQUE, R B. Office of Standards Development, Director 80/09/12 23pp 13642 089
- 8206280408 Marked-up version of draft Commission paper requesting FR publication of proposed amend to 10CFR50, App A to clarify GA program requirements Related info encl MINOQUE, R B. Office of Standards Development, Director 80/09/12 33pp 13642 112
- 8206280413 Marked-up draft Commission paper requesting FR publication of proposed amend to 10CFR50, App A to clarify GA program requirements MINOQUE, R B. Office of Standards Development, Director 80/09/24 20pp 13642.145
- 8206280415 Draft "Advance Notice of Proposed Rulemaking on Qualification of Equipment Important to Safety in Nuclear Power Plants," to 10CFR50 DIRCKB, W J. Office of the Executive Director for Operations 82/03/18 1pp 13645 101
- 8206280417 Forwards draft Commission paper re applicability of 10CFR50, App B to 10CFR50, App A for preliminary input Related info encl. RICHARDSON, S Reactor Systems Standards Branch 80/09/24 DORTAN, T. Office of the Executive Legal Director PHILLIPS, J Office of Administration OWENS, P Office of Public Affairs 3pp 13642 166
- 8206280422 Forwards FY82 program statement of work for "Identification of Equipment Important to Safety " Related info encl BELKE, W NRC - No Detailed Affiliation Given FIN A-1353 82/02/12. RICHARDSON, S, NORBERG, T, MORRISON, D NRC - No Detailed Affiliation Given. 73pp 13645 112
- 8206280423 Marked-up draft Commission paper requesting FR publication of proposed amend to 10CFR50, App B to clarify program requirements. MINOQUE, R B. Office of Standards Development, Director 80/09/24 22pp 13642 169
- 8206280432 Discusses continued development of proposed amend to 10CFR50 to clarify relationship between Apps A & B. Preliminary indication & limited feedback from industry to value of proposed rule will be provided MINOQUE, R B. Office of Nuclear Regulatory Research, Director 82/02/04 DENTON, H R. Office of Nuclear Reactor Regulation, Director 3pp 13642 191
- 8206280435 Draft summary of 811216 meeting re Bandia Lab proposal concerning identification of equipment important to safety. Related info encl. * NRC - No Detailed Affiliation Given 81/12/16 NRC - No Detailed Affiliation Given

NONDOCKETED ITEMS

- B206280453 Draft Commission paper requesting FR publication of proposed amend to clarify relationship between 10CFR50, Apps A & B
DIRCKS, W J Office of the Executive Director for Operations
81/06/09 24pp 13642 199.
- B206280458 Forwards marked-up Commission paper re amend to cla. fy relationship between Apps A & B to 10CFR50 & terms, safety-related & important to safety, for review & approval w/o encl
MINOQUE, R B Office of Nuclear Regulatory Research, Director
82/05/12 DIRCKS, W J Office of the Executive Director for Operations DENTON, H R Office of Nuclear Reactor Regulation, Director 21pp 13642 222.
- B206280467 Requests comments on encl draft Reg Guide RB-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
BECKHAM, D NRC - No Detailed Affiliation Given 78/01/12.
MORRISON, W M NRC - No Detailed Affiliation Given 1p.
13645 221
- B206280470 Forwards Commission paper on clarification of relationship between 10CFR50, Apps A & B for concurrence w/o encl.
BECKE, W Human Factors Branch 81/07/08 RICHARDSON, S D ; NORBERG, J ; MORRISON, W. NRC - No Detailed Affiliation Given 1p
13642 243
- B206280477 Marked-up Working Paper F of draft Reg Guide RB-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants."
* NRC - No Detailed Affiliation Given 78/01/12 9pp.
13645 222
- B206280481 Advises that Draft 3 of IEEE P-827 does not adequately address instrumentation, control & electrical sys that can place demand on safety sys Related info encl
WEISS, E W Institute of Electrical & Electronic Engineers.
WEISS, E W Reactor Systems Standards Branch 81/01/19
GALLAGHER, J M. Westinghouse Electric Corp 66pp 13642 244
- B206280484 Marked-up version of Working Paper A of draft Commission paper, requesting publication of proposed amend to clarify QA program requirements of Apps A & B to 10CFR50
MINOQUE, R B Office of Standards Development, Director. 79/09/04 12pp 13645 231.
- B206280487 Draft plan of action for resolving NRR comments on proposed App A/B rule
* NRC - No Detailed Affiliation Given. 82/02/08 4pp
13642 309
- B206280491 Forwards WP Haass 790724 memo to W Morrison re App A vs App B issue, in response to 791030 request w/o memo Related info encl.
HAASS, W P Assistant Director for Quality Assurance & Operations. 79/10/31 PERANICH, M Office of Inspection & Enforcement, Office of the Director 3pp 13645 243
- B206280498 Responds to B00212 request for comment on proposed rulemaking to clarify applicability of QA requirements in 10CFR50, App B to items in App A Criterion 1 of App A should be consistent w/App B language
SKOVHOLT, D J Assistant Director for Quality Assurance & Operations. 80/02/28 MORRISON, W M Assistant Director for General Engineering Standards. 3pp. 13645 246.
- B206280501 Forwards "QA Requirements for Nuclear Power Plant Items Which Are Important to Safety," draft 10CFR50 proposed rule
ARLOTTO, O A Division of Engineering Standards 80/05/30.
FRALEY, R F ACRS - Advisory Committee on Reactor Safeguards. 1p.
13645 249.
- B206280506 Working Paper A to draft Reg Guide RB 120-3, for method for determining relative importance to safety of instrumentation, control & electrical sys for applying graded requirements to sys
* NRC - No Detailed Affiliation Given. 80/08/15 9pp.
13642 318.
- B206280508 "QA Requirements for Nuclear Power Plant Items Which Are Important to Safety," 10CFR50 proposed rule.
CHILK, S J Office of the Secretary of the Commission. 80/05/28 18pp. 13645 250
- B206280510 "NRC Work Item Tracking Sys."
* NRC - No Detailed Affiliation Given 82/04/06 2pp
13642 330.
- B206280514 Draft Commission paper requesting publication of proposed amend to 10CFR50 App A to clarify QA program requirements
MINOQUE, R B. Office of Standards Development, Director. 82/05/12 12pp. 13645 267
- B206280517 Forwards draft advance notice of proposed rulemaking for equipment qualification Rulemaking should be added to CRQR meeting agenda after B20517 Draft memo encl
MINOQUE, R B Office of Nuclear Regulatory Research, Director
82/04/08 DENTON, H R Office of Nuclear Reactor Regulation, Director DEYOUNG, R C Director's Office, Office of Inspection and Enforcement MURLEY, T E Regional Operations & Generic Requirements 2pp 13642 332
- B206280519 Draft Reg Guide 1 XYZ, "Nuclear Power Plant Structures, Sys, Components & Activities Subj to QA Program."
* NRC - No Detailed Affiliation Given 76/03/24 31pp
13645 280
- B206280524 Draft "Advance Notice of Proposed Rulemaking on Qualification of Equipment Important to Safety in Nuclear Power Plants"
* NRC - No Detailed Affiliation Given. 82/03/22. 4pp.
13642 334
- B206280528 Working Paper H to draft Reg Guide RB-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
BECKHAM, D NRC - No Detailed Affiliation Given 78/02/08 7pp.
13645 307
- B206280529 Comments on B10625 summary ltr rept re approach to sys interactions in LWRs Overlapping safety reviews, reanalysis or ratchets should be integrated.
ROWSOME, F H Division of Risk Analysis 81/07/14. MURLEY, T E Division of Safety Technology 2pp 13642 340
- B206280535 Discusses need for NRC/IEEE agreement, clarifying JT Bostiger 800922 memo Issuance of PB27 as approved draft may be delayed due to technical problems
WEISS, E W. NRC - No Detailed Affiliation Given. 80/09/30
WENZINGER, E C. NRC - No Detailed Affiliation Given. 2pp.
13642 359
- B206280538 Responds to 790724 comments re proposed Reg Guide RB 704-4 "Applicability of QA Criteria of App A to 10CFR50..."
Clarifying amend will be issued to incorporate comments.
MORRISON, W M. Assistant Director for General Engineering Standards. 79/08/31 HAASS, W Quality Assurance Branch. 1p.
13645 314
- B206280539 Advises that IEEE does not see need for formal agreement w/NRC re use of Draft PB27 in draft reg guide, in response to B00820 memo Related info encl.
BOETTGER, J T Institute of Electrical & Electronic Engineers. 80/09/22 WEISS, E NRC - No Detailed Affiliation Given. 38pp
13642 361
- B206280540 Requests comments on Reg Guide 1 XXX, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants," w/o reg guide Related info encl.
WILLIAMS, F J Assistant Director for Light Water Reactors. 77/07/21 VABBALLO, D ; SKOVHOLT, D ; DENISE, R. NRC - No Detailed Affiliation Given 1p 13645 315
- B206280543 Summary of B00514 meeting w/Bandia Labs to discuss further technical assistance on Task A-17
ZUMOR, D J ACRS - Advisory Committee on Reactor Safeguards. 80/05/21 OKRENT, D ACRS - Advisory Committee on Reactor Safeguards. 2pp 13643 037
- B206280547 Forwards two versions of Working Paper B to draft Reg Guide RB-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants," for consolidated comments
LIEDERBACH, F. NRC - No Detailed Affiliation Given. 77/04/18.
MORRISON, W M NRC - No Detailed Affiliation Given 1p.
13645 317
- B206280562 Forwards comments on proposed reg guide, "Nuclear Power Plant Structures, Sys, Components & Activities Subj to QA Program" Quality Group D components should be included in App B to maintain consistency.
MORRISON, W M. NRC - No Detailed Affiliation Given. 75/12/03
VOLLMER, R H NRC - No Detailed Affiliation Given. 6pp
13645 346.
- B206280565 Requests comments re extent of applicability of App B to 10CFR50 to structures, sys & components of nuclear power plants for reg guide by 780428.
KEHNEMUYI, M Assistant Director for General Engineering Standards 78/04/07. MALSCH, M. Office of the Executive Legal Director 2pp. 13645 352

- 8206280568 Comments on Sandia Labs draft project & budget proposal re identification of equipment important to safety. Project is duplicative of joint NRC/IEEE effort to develop Matl Std, IEEE P-827
SULLIVAN, D F Electrical Engineering Branch 81/10/15
NORBERG, J A Human Factors Branch 1p 13645-384
- 8206280576 Responds to 811008 request for comments on Sandia Lab proposal re identification of equipment important to safety. Definition of different equipment grades should be compared w/those used by NRC
BHAGIL, C Division of Engineering Technology 81/11/09
NORBERG, J A Human Factors Branch 2pp 13645-355
- 8206280578 Recommends formulation of systematic approach to interactions between safety & nonsafety sys for use in licensing process guidance listed
FRALLEY, R F Office of the Executive Director for Operations 81/08/12
DENTON, H R Office of Nuclear Reactor Regulation, Director, 1p 13643 078
- 8206280580 Forwards list of topics for use in sys interaction studies of limited scope & in cases where available resources would not support broad based study
SAVID, R ACRS - Advisory Committee on Reactor Safeguards, 82/03/03
ACRS - Advisory Committee on Reactor Safeguards App 13643 079.
- 8206280582 Comments on Sandia Lab proposal for identification of equipment important to safety. Program appears to be duplicative of work in progress & does not provide needed info in timely manner
HAAEB, W F Quality Assurance Branch 81/10/21
SILVER, R D Research & Standards Coordination Branch 1p 13645-357
- 8206280591 Comments on Sandia proposed, "Identification of Equipment Important to Safety." Research effort overlaps technical assistance programs already completed, currently underway or planned
THADANI, A. C. Reliability & Risk Assessment Branch, 81/11/18
SILVER, D Research & Standards Coordination Branch 1p 13643-358
- 8206280600 Forwards Working Paper D to draft Reg Guide RS-704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants," for comment by 770805
KEPPEMUYI, M. Assistant Director for General Engineering Standards 77/07/18
LEVINE, S Office of Nuclear Regulatory Research, Director
MANAUER, S H Office of the Executive Director for Operations, MATTSO, R. Division of Systems Safety, 2pp, 13643 359.
- 8206280606 Working Paper D of draft Reg Guide RS-704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
* NRC - No Detailed Affiliation Given 77/06/28 6pp 13643 361
- 8206280607 Draft Commission paper requesting FR publication of proposed amend to 10CFR50, App A to clarify GA program requirements.
MINOQUE, R. B. Office of Standards Development, Director, 82/05/12 18pp 13643 106.
- 8206280613 Draft Commission paper requesting FR publication of proposed amend to clarify relation between 10CFR50, App A "General Design Criteria for Nuclear Power Plants" & App B, "GA Criteria for Nuclear Power Plants & Fuel"
DIRCKS, W. J. Office of the Executive Director for Operations, 82/05/12, 21pp, 13643 125.
- 8206280615 Draft Reg Guide RS-704-4, "Applicability of GA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
* NRC - No Detailed Affiliation Given. 78/02/08, 8pp 13646:004
- 8206280621 Draft Commission paper requesting FR publication of proposed amend to 10CFR50 App A to clarify GA program requirements
MINOQUE, R. B. Office of Standards Development, Director 80/10/30 21pp 13646:012
- 8206280670 Marked-up version of draft Commission paper requesting FR publication of proposed amend to clarify relationship between 10CFR50 APPS A & B
DIRCKS, W. J. Office of the Executive Director for Operations, 82/05/12, 23pp, 13643:262.
- 8206280646 Forwards guidelines for participation in research review groups, including purpose, organization & recordkeeping.
LEVINE, S. Office of Nuclear Regulatory Research, Director, 79/07/03, Office of Nuclear Regulatory Research, Director, App 13641-084.
- 8206280554 FOIA request for all correspondence between NRC & Dow Chemical Co re incineration of lab wastes contaminated w/low level radiation in 1974
WILSON, A K Affiliation Unknown 82/05/04 Division of Fuel Cycle & Material Safety 1p. 13637 296
- 8206280561 Responds to FOIA request for all correspondence between NRC & Dow Chemical Co re incineration of lab wastes contaminated w/low level radiation in 1974 Portions of NRC 800902 ltr to Dow & 780615 renewal withheld (ref FOIA Exemption 6)
FELTON, J M Division of Rules and Records 82/06/10. WILSON, A K Affiliation Unknown 2pp 13637 297
- 8206280564 Corrected supplemental sheet to Amend 39 to Matl/Byproduct License 21-00265-06
HALLETT, B S Division of Fuel Cycle & Material Safety 81/10/14 2pp 13637 299
- 8206280570 Amend 38 to Matl/Byproduct License 21-00265-06, authorizing disposal of licensed matl by incineration
HALLETT, B S Division of Fuel Cycle & Material Safety 81/07/31 1p 13637 301
- 8104210021 Matl/Byproduct License 21-00265-06 for Dow Chemical US Area is amended per 800902 ltr Amend 38 changes name of licensee from Dow Chemical Co & authorizes users designated by radiation safety committee
QUINN, P R Licensing Management Branch, 81/02/24 1p 13637-302
- 8008120232 Matl/Byproduct License 21-00265-06 for Dow Chemical Co is amended per 800313 ltr Amend 37 changes reading of Condition 17 re possession & use of licensed matl.
PETTIOHN, B L Region 3, Chicago, Office of the Director 80/09/01 1p 13637 303
- 7910010172 Matl/Byproduct License 21-00265-06 for Dow Chemical Co is amended per 790628 ltr Amend 36 authorizes use of Cm-244 in sealed sources for use in R&D
QUINN, P R Licensing Management Branch 79/09/05 1p 13637-304
- 8206280597 Amend 35 to Matl/Byproduct License 21-00265-06, amending license in entirety.
QUINN, P R, Radioisotopes Licensing Branch (Pre 790301) 78/10/17 4pp, 13637 305
- 8206280602 Amend 12 to Matl/Byproduct License 21-00265-01 revising Conditions 12, 14, 17 & 19 re place of use
MASON, J R Atomic Energy Commission, 82/02/23 1p 13637-309
- 8206280608 Amend 9 to Matl/Byproduct License 21-00265-01, amending license in entirety.
MASON, J R Atomic Energy Commission 80/07/29 4pp 13637 310
- 8206280617 Amend 3 to Matl/Byproduct License 21-00265-01, amending license in entirety
* Atomic Energy Commission, 58/07/31, 2pp 13637 314
- 8206280628 Forwards Amend 38 to Matl/Byproduct License 21-00265-06, authorizing incineration of radwaste per procedures listed in 801029 & 810413 ltrs.
HALLETT, B S, Region 3, Chicago, Office of the Director (81/03/01), 81/07/31 PARSONS, T W, Dow Chemical Co 1p, 13637-316
- 8101280002 Requests amend of Matl/Byproduct License 21-00265-06 to permit disposal of low level radwaste by incinerator.
RAMPEY, L W, Dow Chemical Co 04113, 80/10/29 KEPPLER, W, Region 3, Chicago, Office of the Director 2pp, 13637 317
- 7908300712 Requests amend of Matl/Byproduct License 21-00265-06 to include Cm-244 as sealed sources w/max amount possessed not to exceed 5 Ci
PARSONS, T. W, Dow Chemical Co 79/06/28 QUINN, P. R Licensing Management Branch, 1p 13637:324
- 8206280641 Responds to 780921 ltr Item 6(b) should read as listed Proposed field studies utilizing radioactive matl will be performed in research work on pesticides or herbicides
BARSTEN, D L, Dow Chemical Co, 95118 78/09/28, QUINN, P R, Radioisotopes Licensing Branch (Pre 790301) 14pp 13637:325
- 8206280649 Ack receipt of application for renewal of Matl/Byproduct License 21-00265-06 Application deemed timely filed so that license will not expire until final action taken by NRC.
COMBS, F, Radioisotopes Licensing Branch (Pre 790301) 78/06/23, LANGNER, R R, Dow Chemical Co 1p 13637-339

NONDOCKETED ITEMS

- B206280656 Requests addl info re 780614 application for renewal of License 21-00265-06
QUINN, P R Radioisotopes Licensing Branch (Pre 790501), 95118
78/09/21 LANONER, R R Dow Chemical Co 2pp 13637 340
- B206280660 Forwards application for renewal of Matl/Byproduct License 21-00265-06
LANONER, R R, Dow Chemical Co 95118, 78/06/15 Radioisotopes
Licensing Branch (Pre 790501) 1p 13637 342
- B206280664 Application for renewal of Matl/Byproduct License 21-00265-06
* Dow Chemical Co 95118 78/06/15 48pp 13637 343
- B206280672 Forwards Amend 11 to Matl/Byproduct License 21-00265-01, in response to 610927 & 1004 ltrs W/O encl
BRINKMAN, R E Atomic Energy Commission 61/10/25 BEAMER, W H
Dow Chemical Co 1p 13638 042
- B206280678 Supplies info per 580709 telcon request re application for renewal of Matl/Byproduct License 21-00265-01
BEAMER, W H Dow Chemical Co 58/07/11 BOWYER, J F Atomic
Energy Commission 9pp 13638 043
- B206280683 Application for matl/byproduct license to possess listed matls for use in R&D lab tracer studies & in instruments.
BEAMER, W H Dow Chemical Co. 66/06/10 3pp 13638 052
- B206290072 Responds to B20525 & 26 FOIA requests for records re ANL preparation of preliminary DES for Rare Earth Facility.
Extension of 10-day response deadline requested. Response will be delivered by B20625
FELTON, J M Division of Rules and Records 82/06/13 SPELMAN, H J
Harold J Spelman & Associates 1p 13661 272
- B206290501 FOIA request for nonproprietary versions of technical proposals submitted in response to RFP RS-NMS-82-026 by Science Applications, Inc & Roy F Weston, Inc
KINCHELOE, M L General Research Corp 82-404 82/05/06
SMITH, P A Division of Technical Information & Document Control 1p 13660 165
- B206290505 Responds to FOIA request for nonproprietary versions of technical proposals submitted in response to RFP RS-NMS-82-026 by Science Applications, Inc & Roy F Weston, Inc Forwards documents.
FELTON, J M Division of Rules and Records 82/06/04
KINCHELOE, M L General Research Corp 1p 13660 166
- B206290511 Nonproprietary version of "Proposal to Prepare Environ Assessments & Impacts Statement for Low Level Waste Disposal Facilities"
ARNOLD, H L Science Applications, Inc RS-NMS-82-026, 81/07/28 25pp 13660, 167
- B206290516 Forwards Scientific Applications 810914 ltr proposing new project director for basic ordering agreement program per RFP RS-NMS-82-026 Comments requested by 811009
SMITH, P A Technical Assistance Contracts Branch. 81/09/23
HAWKINS, E F Office of Nuclear Material Safety & Safeguards, Director 2pp 13660 288
- B206290518 Requests project manager for RFP RS-NMS-82-026 be changed from R Starosteki to M Spaeth
PASQUA, M P Science Applications, Inc, MP1014, 81/09/14.
SMITH, P A Division of Technical Information & Document Control 1p 13660 289
- B206290523 Nonproprietary version of "Proposal for Environ Assessments & Impact Statements for Low Level Waste Disposal Facilities."
GREELEY, R B, Roy F Weston, Inc RS-NMS-82-026 81/07/29, 125pp, 13660 290
- B206290527 Responds to FOIA request for internal study on steam generator tube problems Forwards NUREG-0886 W/O encl
FELTON, J M Division of Rules and Records, 82/06/23 BINCLAIR, M.
Affiliation Unknown 1p 13660 163
- B206290530 FOIA request for internal study on steam generator tube problems Midland Daily News 820531 article re NRC staff rept on tubes encl
BINCLAIR, M Affiliation Unknown 82/06/15, DENTON, H R, Office of Nuclear Reactor Regulation, Director 2pp, 13660 162.
- B206290532 Responds to FOIA request for comments by United Kingdom Atomic Energy Authority on NUREG-0880 Document available in PDR.
FELTON, J M Division of Rules and Records, 82/06/24, WEISS, E R Harmon & Weiss 1p 13658 223
- B206290536 FOIA request for comments by United Kingdom Atomic Energy Authority on NUREG-0880
WEISS, E R Harmon & Weiss 82/06/11, FELTON, J M, Division of Rules and Records 1p 13658 222
- B203240145 Forwards info re LWA & 50 12 exemptions, requested in B20219 telcon
DIRCKS, W J Office of the Executive Director for Operations 82/03/08 AHEARNE, J F Commissioners 13pp 13678 224
- GEN TEC IS GENERIC TECHNICAL ISSUES
- B205180029 Forwards info re pressurized thermal shock issue Responses further support Commission view that operation of nuclear facilities can continue pending resolution of pressurized thermal issue
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/04/13 LEWIS, M I Affiliation Unknown 2pp 13204 307
- B204300009 Notifies that Task Action Plan for Unresolved Safety Issue A-49, "Pressurized Thermal Shock," has been developed & approved Comments have been incorporated in task action plan & are encl
HANAUER, S H Division of Safety Technology FIN B-0119 82/03/26 DENTON, H R Office of Nuclear Reactor Regulation, Director 28pp 13204 309
- B205050135 Responds to request re pressurized thermal shock problem PALLADINO, N J Commissioners 82/04/06, UDALL, M K House of Rep, Interior & Insular Affairs 7pp 13204 338
- B205050143 Responds to request for differing prof opinion re pressurized thermal shock
DIRCKS, W J Office of the Executive Director for Operations 81/10/08 PALLADINO, Commissioners 15pp, 13204, 340
- B205000156 Requests info re pressurized thermal shock issue UDALL, M K House of Rep 82/02/09, PALLADINO, M, Commissioners, 19pp 13204, 361.
- B206070097 Forwards supplemental info re reactor vessel integrity for Westinghouse operating plants Rept undertaken to provide more complete foundation for conclusion stated in WCAP-10019 that no safety concern exists
KINGSLEY, O D Alabama Power Co 00-70 82/05/28 DENTON, H R, Office of Nuclear Reactor Regulation, Director, 2pp, 13370-193
- B206070099 "Summary of Evaluation re Reactor Vessel Integrity," performed for Westinghouse owners group.
* Westinghouse Electric Corp 2072Q 1 82/05/28 123pp 13370 195
- B206110018 Advises that NRC has approved designation of pressurized thermal shock concern as Unresolved Safety Issue A-49, per Section 210 of Energy Reorganization Act of 1974 Final generic resolution scheduled for Summer 1983.
DENTON, H R Office of Nuclear Reactor Regulation, Director 82/04/19 BIRKBECK, A Senate, Environment & Public Works, HOFFETT, T House of Rep, Government Operations UDALL, M. K. House of Rep, Interior & Insular Affairs, 2pp, 13493, 191
- B206110020 Task Action Plan A-49, "Pressurized Thermal Shock," WOODS, R, KNIEL, K Generic Issues Branch 82/03/26, 23pp 13493 193.
- 8112300139 SECY-81-687
Requests approval for designation of pressurized thermal shock safety concern as Unresolved Safety Issue A-49. Preliminary discussion of proposed scope encl
DIRCKS, W J Office of the Executive Director for Operations 81/12/08 14pp, 13493 216
- B206140045 Discusses pressurized thermal shock (PTB) problem per ACRS 266th meeting on B20603-05, Immediate plant mods not needed to permit continued operation of plants having potential PTB problem Beneficial short-term actions submitted.
SHEWMON, P ACRS - Advisory Committee on Reactor Safeguards 82/06/07 PALLADINO, N J Commissioners 2pp, 13487, 108
- B206170128 Forwards viewgraphs presented during B20609 meeting re pressurized thermal shock. No near-term pressurized thermal shock concern exists for any C-E designed NBSB unit
BASKIN, K C-E Operating Plants Owners Group, 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 7pp 13530:235.

NONDOCKETED ITEMS

4

8206230007 Addl response to FOIA request for eight categories of documents. Forwards documents listed in app Financial info in Documents 3-34, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp
13604 044 24X Fiche 50-000, 82/04/29, 8206230007

--8206230245 Forwards ltr rept re approach to sys interactions in LWRs, for comment w/o encl Related info encl
MURLEY, T E Division of Safety Technology. 82/04/29 Division
of Safety Technology 2pp 13606 285

--8206230168 Task Action Plan A-47 "Safety Implications of Control Sys"
KNIEL, K, SZUKIEWICZ, A J Generic Issues Branch 82/04/20 24pp
13605 315

--8206230173 Responds to 811120 request for review of Task A-47, "Safety Implications of Control Sys" Interaction between control sys should be identified in problem resolution section
BEARD, J T Assistant Director for Operating Reactors 81/11/2/
Assistant Director for Operating Reactors 3pp 13605 344

--8206230205 Summary of 810720 meeting w/consultants re Unresolved Safety Issue A-47, "Safety Implications of Control Sys"
W/o encl
SZUKIEWICZ, A Generic Issues Branch 81/08/24, KNIEL, K Generic
Issues Branch, 3pp 13606 001

--8206230208 Forwards conceptual outline of task action plan for Unresolved Safety Issue A-47 for comment
SZUKIEWICZ, A Generic Issues Branch 81/06/29 RUBSCHER, G E
Battelle Memorial Institute, Pacific Northwest Laboratory 1p
13606 007

8206230234 Comments on, "Current NRC Staff Considerations of Possible Recommendations for Pressurized Shock Requirements." Use of appropriately based screening criterion is acceptable plan
Plan must not be overly conservative
PARKER, W D Duke Power Co. 82/06/21 DENTON, H R Office of
Nuclear Reactor Regulation, Director 3pp 13617 193

8206280071 Addl response to FOIA request for eight categories of documents. Forwards documents listed in App A Documents listed in App B available in PDR Confidential financial info deleted
FELTON, J M Division of Rules and Records. 82/05/12. MCMURRAY, C M
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp
13638 035 24X Fiche 50-000, 82/05/12, 8206280071

--8206280543 Summary of 800514 meeting w/Bandia Labs to discuss Further technical assistance on Task A-17
ZUKOR, D J. ACRS - Advisory Committee on Reactor Safeguards
80/05/21 OKRENT, D ACRS - Advisory Committee on Reactor
Safeguards 2pp 13643 037.

--8206280247 Forwards task action plan for Unresolved Safety Issue A-47, "Safety Implications of Control Sys"
HANAUER, S H Division of Safety Technology. 82/05/12
DENTON, H R Office of Nuclear Reactor Regulation, Director 24pp
13643 285

--8206280262 "Safety Implications of Control Sys"
* NRC - No Detailed Affiliation Given 81/02/16 29pp,
13639 298

8206300068 Summary of 820609 meeting w/PHR industry representatives in Bethesda, MD re pressurized thermal shock issue Viewgraphs encl
VIERING, O S Operating Reactors Branch 4 82/06/17 Operating
Reactors Branch 4 46pp 13683 317.

I&E INSPECTION AND ENFORCEMENT

8107230049 IE Info Notice 81-37 Revision 1, "Unnecessary Radiation Exposure to Public & Workers During Events Involving Thickness & Level Measuring Devices."
* Director's Office, Office of Inspection and Enforcement.
82/02/09, 2pp 13523 341

8204210378 IE Info Notice 82-16, "HPCI/RCIC High Steam Flow Setpoints" Bvc list encl
JORDAN, E L Division of Engineering & Quality Assurance. 82/05/28
103pp 13440 264 24X Fiche, 50-000, 82/05/28, 8204210378

8204210383 IE Info Notice 82-17, "Overpressurization of RCS." Bvc list encl.
JORDAN, E L Division of Engineering & Quality Assurance. 82/06/11.
106pp 13675 298 24X Fiche, 50-000, 82/06/11, 8204210383.

8205100297 EN-82-014 on 820507, notice of violation & proposed imposition of civil penalties to be issued in amount of \$50,000 re positive access control to vital areas & util tendency to react only to specific NRC findings.
FASANO, D Director's Office, Office of Inspection and Enforcement
82/05/04 1pp 13011 152

8206040247 PND-11-82-058 on 820523, licensee reported that reactor overpressure protection sys was inoperable 820519-22 w/reactor in cold shutdown RCS was in solid water condition on 820521-22 Sys not actuated during period
JULIAN, C A Region 2, Office of Director 82/05/25 2pp
13355 267

8206040351 PND-111-82-051 on 820528, applicant informed of plans to suspend const work pending investigation of 820527 incident in which three GC inspectors were doused w/water Cause of incident being investigated
CHRISTIANSON, F Region 3, Office of Director 82/05/28 1p
13350 362

8206080239 PND-111-82-050 on 820601, GC inspector killed in traffic accident No evidence suggests any connection between traffic accident & 820527 incident in which three facility GC inspectors were doused w/water
SCHWEIBINZ, E Region 3, Office of Director 82/06/02 1p
13422 015

8206090036 EN-82-018 on 820608, notice of violation & proposed imposition of civil penalties will be issued in amount of \$500 Action based on unauthorized distributions & transfers of gauges containing licensed matl State of OH notified
FLACK, E, LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/06/08. 1p. 13436 183

8206100290 PND-111-82-052 on 820602, C inbound MSIV would not intake reactor protection sys trip at 10% closure On 820603, C switch speed controller unit Allen screw found sheared off a 1/16th-inch crack discovered in valve MSIV could not reopen
CLARDY, L. Region 3, Office of Director. 82/06/04 1p 13453 357.

8206150236 PND-111-82-054 on 820610, moisture/density gauge containing 8 mCi Cs-137 & 40 mCi Am-241 run over by heavy piece of equipment at const site. Radiation measurements performed & HI Dept of Public Health notified.
LASUK, B R, SRENIANSKI, D J Region 3, Office of Director 82/06/10 1p 13494 336

8206160104 EN-82-004A on 820312, notice of violation & proposed imposition of civil penalties to be issued based on violations re individual w/c required training in use of radiography equipment
FLACK, E, LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/06/14 1p 13517 322

8206170049 PND-11-82-062 on 820603, two inspectors dispatched to plant to suppl resident staff in monitoring operations if hurricane hit plant Inspectors equipped w/high frequency radio unit for communicating during adverse weather
BANKS, C T. Region 2, Office of Director. 82/06/04 1p 13529 330

8206170103 EN-81-029A on 820615, order will be issued rescinding order to show cause why License 34-13774-01 should not be revoked for failure to conduct survey & to make payments & for assets being placed in receivership Corrective action taken
FLACK, E, LIEBERMAN, J Director's Office, Office of Inspection and Enforcement 82/06/15 1p 13530 097.

8206170163 PND-11-82-063 on 820608, reporter for Knoxville Journal contacted Region 2 requesting confirmation re inventory differences reported on 820121, 0325 & 0527 at NRS, NRC declined to confirm or deny data
CLARK, K M Region 2, Office of Director. 82/06/08 1p. 13534 039.

8206210515 PND-1-82-043 on 820614, leak from trucks carrying U hexafluoride for export under License XENM-1913 noticed at truck stop in Keyzers Ridge, MD Trucks & liquid surveyed No abnormal radiation levels found
KINEMAN, J. Region 1, Office of Director. 82/06/15 1p.
13568 092

8206220132 PND-V-82-027 on 820615, minor earthquake occurred at site. No seismic instrumentation triggered & no damage or injuries observed, "Unusual event" declared & reported to headquarters duty officer.
KIRCH, D Region 5, Office of Director. 82/06/16 1p 13571 347.

8206230130 PND-TMI-82-014 on 820617, employee contaminated both hands w/Cs-137 on palms Decontamination efforts effected. Person wearing proper respiratory protection equipment at time of incident Individual exposures within planned ALARA limits
O'NEILL, B., BARRETT, L TMI Program Office 82/06/18. 1p.
13591 034

NONDOCKETED ITEMS

8204240293 PNO-I-82-044 on 820619, w/Unit 3 at full power, HPCI & reactor core isolation cooling sys injected water to core for 30-s before safety injection verified unnecessary. Caused by degradation of power supply unit
MCCABE, E Region 1, Office of Director 82/06/21 2pp 13597-035

8206250159 PNO-III-82-056 on 820620, truck containing Troxler soil moisture density gauge was stolen from job site in Detroit. Gauge contains one 8 mCi Cs-137 source & one 40 mCi Am-241 source. Sources locked in shielded position
WIEDEMAN, D O Region 2, Office of Director. 82/06/21 1p 13616 313

8206280069 PNO-I-82-046 on 820611, plugged vent filter caused backflow of condensate water & resin beads into svc air sys in new radwaste facility
THOMAS, J Region 1, Office of Director 82/06/22 1p 13624; 292

8206290236 PNO-THI-82-015C on 820625, axial power shaping rod testing completed. Rods 64 & 69 did not move. Rod 68 inserted to 22.9% from bottom position & Rod 67 inserted to position 1 1% from bottom. No changes in neutron population occurred
THOMAS, L THI Program Office 82/06/28 2pp 13636 317

8206300187 PNO-II-82-068 ON 820617, stop work order issued on use of Class 2 & 3 4-1/2 inch or larger piping spool pieces supplied by Pullman Power Products due to presence of surface defects. Audit to be performed at fabrication shop
ROGGE, J Region 2, Office of Director. 82/06/17 1p 13652 347

8206300313 PNO-II-82-071 on 820610, licensee reported to State of NC that five sealed sources packaged in one container were missing from shipment from Amersham Corp, Arlington Heights, IL. Search underway
WOODRUFF, R L, TROJANOWSKI, R Region 2, Office of Director 82/06/22 1p 13656 349

MISC PUBLIC DOCUMENT ROOM MISCELLANEOUS

8206290042 Forwards survey re motor-operator events reported in LER sys during 1978-1980
MICHELSON, C. Director's Office. 82/05/28 DENTON, H R Office of Nuclear Reactor Regulation, Director DEYOUNG, R.C. Director's Office, Office of Inspection and Enforcement MINOQUE, R.B. Office of Nuclear Regulatory Research, Director 2pp 13661 030

--8206180032 ARDD/C203
"Survey of Valve Operator-Related Events Occurring During 1978, 1979 & 1980"
BROWN, E J., ABHE, F B. Director's Office 82/05/31. 58pp 13661:032

8206290603 Notification of 820616 meeting w/John Henry Assoc for demonstration of steam generator tube leak detection & snubber testing methods.
IPPOLO, T A Operating Reactors Assessment Branch 82/06/11
LAINAS, G C Assistant Director for Safety Assessment 2pp. 13658 121

NUREG NUREG REPORTS AND RELATED CORRESPONDENCE

8201200511 Forwards various documents provided at Commission 820108 briefing by NRC, ACRS & vendors re status of programs on water level indicators. Comments on documents must be submitted by 820201
CHILK, B J. Office of the Secretary of the Commission. 82/01/15. Metropolitan Edison Co 1p. 11622.251.

--8201200529 Recommends Commission direct NRC to order all B&W reactor licensees to conclude conceptual designs & to submit detailed engineering, procurement & installation schedules for RCS level monitoring concept by 820501.
DIRCKS, W.J. Office of the Executive Director for Operations. 81/12/29. Commissioners 70pp. 11622:254

8206010488 Summary of CROR 820512 Meeting 13 in Bethesda, MD re final rule on environ qualification of electrical equipment. List of attendees encl
STELLO, V. Regional Operations & Generic Requirements. CLI-80-21 82/05/19. DIRCKS, W.J. Office of the Executive Director for Operations 3pp 13313 272

8206010553 Comments on NUREG-0880, NRC policy statement on safety goals re nuclear power plant accidents. Statement vague & statistics used questionable.
DENISON, J Nebraska for Peace. 45FR71023 063 82/05/13. Docketing & Services Branch 2pp 13315.344

8206020104 NUREG-0849

STANDARD REVIEW PLAN FOR THE REVIEW AND EVALUATION OF EMERGENCY PLANS FOR RESEARCH AND TEST REACTORS
BATES, E F, GRIMES, B K, RAMOS, S L Director's Office, Office of Inspection and Enforcement 82/05/31 37pp Available at NTIS 13332 318

8206030018 Staff requirements memo re 820511 briefing on long-range research plan NUREG-0784 Ofc of Nuclear Regulatory Research to incorporate Commission comments into memo on pending SECY-82-189 when paper acted on
CHILK, B J. Office of the Secretary of the Commission 8205118 82/05/27 DIRCKS, W J Office of the Executive Director for Operations 1p 13361 343

8206040091 Comments supporting NUREG-0880, NRC policy statement on safety goals
MITTL, R L Public Service Electric & Gas Co of New Jersey 45FR71023 136. 82/05/25 CHILK, B J Office of the Secretary of the Commission. 2pp 13350 050

8206040099 Comments in support of petition for rulemaking FRM-80-31 re emergency preparedness zones
MITTL, R L Public Service Electric & Gas Co of New Jersey 47FR12639 066 82/05/26 CHILK, B J. Office of the Secretary of the Commission 2pp 13348 252

8206040357 Forwards comments from K Cohen re NUREG-0880, proposed safety goal & draft Nuclear Standardization Act of 1982
PALLADINO, N J Commissioners 45FR71023 137. 82/05/27 REMICK, F J Office of Policy Evaluations TOURELLOTTE NRC - No Detailed Affiliation Given 1p 13350 330

--8206040361 Comments supporting NUREG-0880, NRC policy statement on safety goals & draft Nuclear Standardization Act of 1982.
COHEN, K Affiliation Unknown 45FR71023 82/05/21 PALLADINO, N J Commissioners 6pp. 13350 331.

8206070002 Summary of ACRS Subcommittee on Nuclear Safety Research Programs 811209 meeting in Washington, DC re preliminary FY83 NRC safety research program budget info & draft of NUREG-0864, ACRS rept to Congress.
+ ACRS - Advisory Committee on Reactor Safeguards. 82/01/04 ACRS - Advisory Committee on Reactor Safeguards. 38pp. 13424-269

--8206070008 Forwards comments re "Rept of Special Review Group on Fast Reactor Safety Research" dtd 811120.
BASSETT, D E. Office of Nuclear Regulatory Research, Director 81/12/07 ROSS, D F Division of Accident Evaluation 6pp. 13424 307

8206070278 Package of two comments on NUREG-0880, NRC policy statement on safety goals Supports policy.
BRADBURY, R B Stone & Webster Engineering Corp. COREY, D R Affiliation Unknown. 45FR71023. 82/06/01. Docketing & Services Branch 6pp 13368 262

8206070334 Package of two comments on NUREG-0880, NRC policy statement on safety goals Opposes policy.
NICHOLS, T.C. South Carolina Electric & Gas Co. LEWIS, M.I. Lewis, M. 47FR71023 82/06/01 CHILK, B J Office of the Secretary of the Commission. 3pp 13366:069.

8206070508 Comments opposing proposed rule 10CFR50 re interim requirements related to hydrogen control.
MILLS, L M Tennessee Valley Authority. 46FR62281 035 82/05/28 Docketing & Services Branch 4pp 13374:327.

8206070605 Comments supporting draft NUREG-0880, NRC policy statement on safety goals
FISHER, C R OA Technologies, Inc /General Atomic Co. 45FR71023 135 82/05/19 Docketing & Services Branch. 3pp. 13371.353

8206070621 Forwards comments offering suggestions for addition of clarifying info re proposed rule on draft NUREG-0880, NRC policy statement on safety goals.
GILMAN, L Affiliation Unknown 45FR71023 134. 82/05/18 REMICK, F Office of Policy Evaluations. 1p. 13390:109.

--8206070627 Forwards comments suggesting addl topics proposed for incorporation in draft NUREG-0880, NRC policy statement on safety goals
GILMAN, L Affiliation Unknown. 45FR71023. 82/05/17. Docketing & Services Branch. 21pp. 13390:110.

8206080160 Responds to 820426 ltr re severe accident issues. Div of priorities between core-melt prevention & protecting public being studied
HAYTSON, R J Division of Systems Integration (post 811005) 82/05/24 FRAUENHOLD, L H. Affiliation Unknown 2pp. 13441 346.

NONDOCKETED ITEMS

- 8206090115 NUREQ/CR-2279
WATER RELEASE FROM HEATED CONCRETES
KENT, L. A. Sandia Laboratories FIN A-1054 SANDB1-1732 82/05/31
Office of Nuclear Regulatory Research, Director 30pp Available
at NTIS 13442 309
- 8206090117 NUREQ/CR-2713
VAPOR DEPOSITION VELOCITY MEASUREMENTS AND CORRELATIONS FOR
12) AND Csl
NICLOSI, B. L., BAYBUTT, P. Battelle Memorial Institute, Columbus
Laboratories FIN B-6747 BML-2091 82/05/31 Division of
Accident Evaluation 42pp Available at NTIS 43 00 13457 008
- 8206090119 NUREQ/CR-2299 V04
AEROSOL RELEASE AND TRANSPORT PROGRAM Quarterly Progress
Report For October-December 1981
ADAMS, R. E., TOBIAS, M. L. Oak Ridge National Laboratory FIN B-0121
ORNL/TM-8307 82/06/30 Office of Nuclear Regulatory Research,
Director 43pp Available at NTIS 13442 309
- 8206090120 Comments on NUREQ-0880, proposed policy statement on safety
goals for nuclear power plants
SHERWOOD, O. O. General Electric Co 45FR71023 142 82/05/27
Docketing & Services Branch 7pp 13439 258.
- 8206090122 NUREQ/CR-2353 V02
SPECIFICATION AND VERIFICATION OF NUCLEAR POWER PLANT
TRAINING SIMULATOR RESPONSE CHARACTERISTICS Part II
Conclusions And Recommendations
HAAS, P. M., KERLIN, T. W., SELBY, D. L. Oak Ridge National Laboratory
FIN B-0421. ORNL/TM-7985/P2 82/05/31 Office of Nuclear
Regulatory Research, Director 76pp Available at NTIS 13436 185
- 8206090123 Comments on NUREQ-0880, NRC policy statement on safety
goals Requests extension of submittal date to 820604
BARBER, R. W. Energy, Dept. of 45FR71023 143 82/05/18 CHILK, S. J.
Office of the Secretary of the Commission 1p 13439 334
- 8206090125 NUREQ/CR-2518
THERMODYNAMIC PROPERTIES OF WATER FOR COMPUTER SIMULATION OF
POWER PLANTS.
KUCK, I. Z. Arizona, Univ. of FIN A-4065 82/05/31 Division of
Accident Evaluation 66pp Available at NTIS 44 50. 13456 304
- 8206090129 NUREQ/CR-2525 V02
ORNL ROD BUNDLE HEAT TRANSFER TEST DATA, Volume 2 - Thermal -
Hydraulic Test Facility Experimental Data Report for Test
3 03 6AR - Transient Film Boiling In Upflow
MULLINS, C. B., FELDE, D. K., BUTTON, A. O. Oak Ridge National Laboratory
FIN B-0125 ORNL/NUREG/TM-4 82/05/31 249pp Available at NTIS
13435 164
- 8206090132 NUREQ/CR-16B1
WRAP-PWR VERIFICATION STUDIES
OREGORY, M. V., BERANEK, F., AMES, P. L. Savannah River Laboratory FIN
B-4126 DPST-80-4 82/05/31. Office of Nuclear Regulatory
Research, Director 110pp Available at NTIS. 13442.197
- 8206090135 NUREQ/CR-2525 V01
ORNL ROD BUNDLE HEAT TRANSFER TEST DATA Volume 1-ORNL Small
Break LOCA Test Series I: Experimental Data Report
ANKLAM, T. M., HUNT, D. F., THOMPSON, M. B. Oak Ridge National Laboratory
FIN B-0125 ORNL/NUREG/TM-4 82/05/31. Office of Nuclear
Regulatory Research, Director. 107pp Available at NTIS.
13454 254
- 8206090211 NUREQ/CR-2019
THIRD PHASE OF POCKET-SIZED ELECTRONIC DOSIMETER TESTING.
FOX, R. A., HOOKER, C. D., MOGAN, B. T. Battelle Memorial Institute,
Pacific Northwest Laboratory FIN B-2127 PNL-3762 82/05/31
Division of Facility Operations 25pp Available at NTIS 42.75.
13457 285.
- 8206090216 NUREQ/CR-2516 V01 N1
CHARACTERIZATION OF TMI-TYPE WASTES AND SOLID PRODUCTS
Quarterly Progress Report, April-September 1981.
SHYLER, K. J., WEISS, A. J. Brookhaven National Laboratory. FIN A-3236.
BNL-NUREG-51499 82/05/31. Office of Nuclear Regulatory
Research, Director. 48pp Available at NTIS. 13456 260
- 8206090230 NUREQ-0837 V01 N03
NRC TLD DIRECT RADIATION MONITORING NETWORK, Progress Report,
July-December 1981.
COSTELLO, F., THOMPSON, T., COHEN, L. K. Region 1, Office of Director.
82/05/31 200pp. Available at NTIS. 47.00 13457 343.
- 8206100007 NUREQ/CR-2473
AQUEOUS IODINE CHEMISTRY IN LWR ACCIDENTS. Review And
Assessment.
BELL, J. T., PALMER, R. A., CAMPBELL, D. A. Oak Ridge National Laboratory
FIN B-0453. ORNL-5824 82/05/31 Office of Nuclear Regulatory
Research, Director 77pp Available at NTIS. 13474 029.
- 8206100010 NUREQ/CR-2314
AGING WITH RESPECT TO FLAMMABILITY AND OTHER PROPERTIES IN
FIRE-RETARDED ETHYLENE PROPYLENE RUBBER AND CHLOROSULFONATED
POLYETHYLENE
SALAZAR, E. A., BOUCHARD, D. A., FURGAL, D. T. Sandia Laboratories FIN
A-1051 SANDB1-1906 82/04/30. Office of Nuclear Regulatory
Research, Director 65pp Available at NTIS 13490 001
- 8206100013 NUREQ-0485 V04 N04
SYSTEMATIC EVALUATION PROGRAM STATUS SUMMARY REPORT Data As
Of April 30, 1982 (Buff Book)
* Management Information Branch 82/05/31 97pp Available at
NTIS 13475 136
- 8206100017 NUREQ/CR-2543
A STUDY OF THE FEASIBILITY OF MICROWAVE DIELECTRIC HEATING
FOR LMFR TRANSITION PHASE ACCIDENT SEQUENCE BOILING
STUDIES
MAKOWITZ, H., QINSBERG, T. Brookhaven National Laboratory FIN
A-3024 BNL-NUREG-51506 82/05/31. Office of Nuclear Regulatory
Research, Director 121pp. Available at NTIS 13475 234
- 8206100021 NUREQ/CR-2238 V01
ADVANCED REACTOR SAFETY RESEARCH Quarterly Report, January-
March 1981
* Sandia Laboratories FIN A-1016 SANDB1-1529 V01 82/06/30
Office of Nuclear Regulatory Research, Director 142pp Available
at NTIS 13473 024
- 8206100022 NUREQ/CR-2494
OR-FLAW A FINITE ELEMENT PROGRAM FOR DIRECT EVALUATION OF
K-FACTORS FOR USER-DEFINED FLAWS IN PLATES, CYLINDERS AND
PRESSURE-VESSEL NOZZLE CORNERS
ATLURI, S. N., BRYSON, J. W., BASS, B. R. Oak Ridge National Laboratory.
FIN B-0119 ORNL/CSD/TM-165 82/05/31 Office of Nuclear
Regulatory Research, Director 82pp Available at NTIS 13473 309
- 8206100024 NUREQ/CR-2700
PARAMETERS FOR CHARACTERIZING SITES FOR DISPOSAL OF LOW-
LEVEL RADIOACTIVE WASTE
LUTTON, R. J., MALONE, P. O., MEADE, R. B. Army, Dept. of, Army Engineer
Waterways Experiment Station FIN B-7324 82/05/31 Division of
Waste Management 84pp.. Available at NTIS 44.75 13475 051
- 8206100030 NUREQ/CR-2141 V04
HEAVY-SECTION STEEL TECHNOLOGY PROGRAM Quarterly Progress
Report For October-December 1981.
WHITMAN, O. D., BRYAN, R. H. Oak Ridge National Laboratory FIN B-0119
ORNL/TM-8252 82/05/31 Office of Nuclear Regulatory Research,
Director 145pp Available at NTIS. 13472.155
- 8206100031 NUREQ/CR-1233 V04
THE STRUCTURED ASSESSMENT APPROACH VERSION 1, COMPUTATIONAL
ANALYSIS PACKAGE
PARZIALE, A. A., PATENAUDE, C. J., RENARD, P. A. Lawrence Livermore
Laboratory. FIN A-0115 UCID-18146 82/04/30 145pp. Available
at NTIS 47 50 13474:172
- 8206100034 NUREQ/CR-2317 V01 N3
CONTAINER ASSESSMENT-CORROSION STUDY OF HLW CONTAINER
MATERIALS, Quarterly Progress Report, July-September 1981.
AHN, T. H., BOD, P. Brookhaven National Laboratory. FIN A-3237
BNL-NUREG-51449. 82/05/31 Office of Nuclear Regulatory Research,
Director 21pp Available at NTIS 13474 320
- 8206100036 NUREQ/CR-2637
EMERGENCY RESPONSE CAPABILITIES AND EXAMPLE ASSESSMENTS FOR
AIRBORNE RADIOCLIDE DISCHARGES
START, O. E., GATE, J. H., ACKERMANN, O. R. Commerce, Dept. of, National
Oceanographic & Atmospheric Administration. FIN B-7120 82/05/31.
Division of Health, Biting & Environment 32pp. Available at NTIS
42.75 13474 354.
- 8206100038 NUREQ/CR-2416
INITIAL QUANTIFICATION OF HUMAN ERROR ASSOCIATED WITH
SPECIFIC INSTRUMENTATION AND CONTROL SYSTEM COMPONENTS IN
LICENSED NUCLEAR POWER PLANTS
LUKAS, W. J., LETTIERI, V., HALL, R. E. Brookhaven National Laboratory.
FIN A-3219 BNL-NUREG-51480. 82/05/31 Office of Nuclear
Regulatory Research, Director 20pp. Available at NTIS. 13475 020.
- 8206100042 NUREQ-0748 V02 N04
OPERATING REACTOR LICENSING ACTIONS SUMMARY Data As Of April
30, 1982 (Orange Book)
* Management Information Branch 82/05/31 239pp Available at
NTIS 13477:045
- 8206100043 NUREQ/CR-2220 V02
THE IMPACT OF ENTRAINMENT AND IMPINGEMENT ON FISH
POPULATIONS IN THE HUDSON RIVER ESTUARY.
BARNTHOUSE, L. W., VAN WINKLE, W., COLUMBEN, J. Oak Ridge National
Laboratory FIN B-0165 ORNL/NUREG/TM-3 82/05/31. Office of
Nuclear Regulatory Research, Director. 163pp. Available at NTIS.
13476.023

8206100048 NUREQ/CR-2653

EARTH RESISTIVITY AS A TOOL FOR SHALLOW EXPLORATION IN THE
REELFOOT LAKE AREA, TENNESSEE
STEARNS, R. O., HASELTON, T. M., TSAV, J. Vanderbilt Univ. FIN B-5960.
82/05/31 Division of Health, Siting & Environment 131pp
Available at NTIS \$6.00. 13478 330

8206100050 NUREQ/CR-2736

TRANSPORTATION OF RADIOACTIVE MATERIAL IN MICHIGAN September
1980-August 1981
MCCARTY, M. J., HENNIGAN, J. M., BRUCHMANN, O. W. Michigan, State of FIN
B-1612 82/05/31 Office of State Programs, Director 98pp
Available at NTIS \$5.00 13479 100

8206100053 NUREQ/CR-2597

STEADY-STATE PRESSURE LOSSES FOR MULTIROD BURST TEST (MRBT)
BUNDLE B-5
BAILEY, P. T. Babcock & Wilcox Co. FIN B-0120 ORNL/SUB/80-404
82/05/31 Office of Nuclear Regulatory Research, Director 107pp
Available at NTIS 13472 004

8206100054 NUREQ/CR-2204 V04

ADVANCED TWO-PHASE FLOW INSTRUMENTATION PROGRAM Quarterly
Progress Report, October-December 1981
HARDY, J. E., ROGERS, B. C., MILLER, O. N. Oak Ridge National Laboratory
FIN B-0401 ORNL/TM-8231. 82/05/31 Office of Nuclear Regulatory
Research, Director 26pp Available at NTIS 13471 341

8206100058 NUREQ/CR-2605

THE SNAP OPERATING SYSTEM REFERENCE MANUAL
SABUDA, J. D., POLITO, J., WALKER, J. L. Sandia Laboratories FIN
A-1060 SAND82-7019 82/05/31 Office of Nuclear Regulatory
Research, Director 268pp Available at NTIS 13467 137

8206100059 NUREQ/CR-2496

HUMAN ENGINEERING DESIGN CONSIDERATIONS FOR CATHODE RAY
TUBE-GENERATED DISPLAYS
BANKS, W. W., OERTMAN, D. I., PETERSEN, R. J. EQ&O, Inc. FIN A-6308
82/05/31 Office of Nuclear Regulatory Research, Director. 125pp.
Available at NTIS 13470 093

8206100060 NUREQ/CR-2193 V01 N2

PROPERTIES OF RADIOACTIVE WASTES AND WASTE CONTAINERS
Quarterly Progress Report, April-June 1981.
MORCOS, N., WEISS, A. J. Brookhaven National Laboratory. FIN A-3027
BNL-NUREG-51410 82/05/31 Office of Nuclear Regulatory Research,
Director 77pp Available at NTIS. 13480:292.

8206100062 NUREQ/CR-2632

RESPONSE OF CENTRIFUGAL BLOWERS TO SIMULATED TORNADO
TRANSIENTS July-September 1981.
IDAR, E. S., MARTIN, R. A., OREGORY, W. S. Los Alamos Scientific
Laboratory FIN A-7028 LA-9276-BR. 82/05/31 Office of Nuclear
Regulatory Research, Director 22pp Available at NTIS 13467 116

8206100063 NUREQ/CR-2417

IDENTIFICATION AND ANALYSIS OF HUMAN ERRORS UNDERLYING PUMP
AND VALVE RELATED EVENTS REPORTED BY NUCLEAR POWER PLANT
LICENSEES.
SPEAKER, D. M., THOMPSON, S. R., LUCKAS, W. J. Brookhaven National
Laboratory FIN A-3219. BNL-NUREG-51481 82/05/31 Office of
Nuclear Regulatory Research, Director 31pp. Available at NTIS.
13475:355.

8206100064 NUREQ/CR-2059

COMPILATION OF DATA CONCERNING KNOWN AND SUSPECTED WATER
HAMMER EVENTS IN NUCLEAR POWER PLANTS (CY 1969-MAY 1981)
CHAPMAN, R. L., CHRISTENSEN, D., DAFDE, R. E. EQ&O, Inc. FIN A-6451
EQO-CAAD-5629 82/05/31 Office of Nuclear Regulatory Research,
Director 100pp. Available at NTIS \$8.00. 13481:006

8206100087 NUREQ/CR-2542

SENSITIVITY STUDY USING THE FRANTIC CODE FOR THE
UNAVAILABILITY OF A SYSTEM TO THE FAILURE CHARACTERISTICS
OF THE COMPONENTS AND THE OPERATING CONDITIONS
QUINZBERO, T., DICKY, J. H., HALL, R. E. Brookhaven National Laboratory.
FIN A-3230 BNL-NUREG-51504 82/05/31 Office of Nuclear
Regulatory Research, Director 114pp Available at NTIS
13480 145

8206100089 NUREQ/CR-2192 V01 N2

EVALUATION OF ISOTOPE MIGRATION-LAND BURIAL, Quarterly
Progress Report, April-June 1981
CZYSCINSKI, K. S., PIETRIAK, R. F., WEISS, A. J. Brookhaven National
Laboratory FIN A-3042 82/05/31 Office of Nuclear Regulatory
Research, Director 35pp Available at NTIS 13480 259.

8206100439 Comments on proposed NUREQ-0856, "Draft Technical Position

on Documentation of Models," announced in 820107 FR Requests
documentation requirements set forth in draft position not
serve as precedent for other NRC activities
KARP, J. Edison Electric Institute 82/05/27. BELL, M. H. High Level
Waste Licensing Management Branch 2pp 13468:096.

8206100001 NUREQ/CR-2173

SUMMARY AND BIBLIOGRAPHY OF SAFETY-RELATED EVENTS AT
PRESSURIZED-WATER NUCLEAR POWER PLANTS AS REPORTED IN 1980
MCCORMACK, K. E., GALLAHER, R. B. Oak Ridge National Laboratory
ORNL/NSIC-196 82/05/31 Office of Nuclear Regulatory Research,
Director 270pp Available at NTIS 13491 189

8206100002 NUREQ/CR-2173 ERR

SUMMARY AND BIBLIOGRAPHY OF SAFETY-RELATED EVENTS AT
PRESSURIZED-WATER NUCLEAR POWER PLANTS AS REPORTED IN 1980
MCCORMACK, K. E., GALLAHER, R. B. Oak Ridge National Laboratory FIN
B-0126 ORNL/NSIC-196 82/05/10 Office of Nuclear Regulatory
Research, Director 1p Available at NTIS 13493:284.

8206100004 NUREQ/CR-2403 901

SURVEY OF INSULATION USED IN NUCLEAR POWER PLANTS AND THE
POTENTIAL FOR DEBRIS GENERATION
KOLBE, R., GAHAN, E. Burns & Roe Co. FIN B-6220. SAND82-0927.
82/05/31 Division of Safety Technology 100pp Available at
NTIS 13492 273

8206100003 NUREQ/CR-2345

DESIGN CONCEPT AND TESTING OF AN IN-BUNDLE GAMMA
DENSITOMETER FOR SUBCHANNEL VOID FRACTION MEASUREMENTS IN
THE THW ELECTRICALLY HEATED ROD BUNDLE
FELDE, D. K. Oak Ridge National Laboratory. FIN B-0125. 82/05/31.
Office of Nuclear Regulatory Research, Director 26pp. 13493:301

8206100006 NUREQ/CR-2692

AN INTEGRATED SYSTEM FOR FORECASTING ELECTRIC ENERGY
AND LOAD FOR STATES AND UTILITY SERVICE AREAS.
CHERN, W. S., GALLAHER, C. A., TEPEL, R. C. Oak Ridge National
Laboratory. FIN B-0190 ORNL/TM-7947. 82/05/31 Office of
Nuclear Regulatory Research, Director 58pp Available at NTIS
13493 016

8206100008 NUREQ-0580 V11 N01-4

DRAFT REGULATORY LICENSING STATUS SUMMARY REPORT, Data as of
January 1 - April 19, 1982. (Blue Book)
* Management Information Branch 82/05/31. 75pp Available at
NTIS 13492 196

8206100009 NUREQ/BR-0025 V08 N7

INFORMATION REPORT ON STATE LEGISLATION.
KERR, Q. W., LANDAU, M. Office of State Programs, Director. 82/06/01
7pp Available at NTIS 13493 329

8206100011 NUREQ/CR-2172

SUMMARY AND BIBLIOGRAPHY OF SAFETY-RELATED EVENTS AT
BOILING-WATER NUCLEAR POWER PLANTS AS REPORTED IN 1980.
MCCORMACK, K. E., GALLAHER, R. B. Oak Ridge National Laboratory FIN
B-0126 ORNL/NSIC-193. 82/05/31 Office of Nuclear Regulatory
Research, Director 199pp Available at NTIS. 13490:352

8206100012 NUREQ/BR-0051 V04 N1

POWER REACTOR EVENTS, November-December 1981.
HASSARD, S. A., RIZZO, J. Director's Office 82/05/31 15pp
13493:285

8206100015 NUREQ/CR-2633

CONTAINMENT REACTOR CAVITY SUBCOMPARTMENT ANALYSIS
PROCEDURES FOR A BOILING WATER REACTOR
TURK, W. V., QIDDO, R. Q., LI, C. Y. Los Alamos Scientific Laboratory. FIN
A-7119 LA-9277-M8 82/05/31. Division of Systems Integration
(post 811005) 32pp. Available at NTIS \$2.75 13492:163.

NONDOCKETED ITEMS

8206110016 NUREG/CR-2000 VOI N3
LICENSEE EVENT REPORT (LER) COMPILATION For Month of March
1982
* Oak Ridge National Laboratory FIN B-1583 GRNL/N91C-200
82/05/31 Director's Office 61pp Available at NTIS.
13492 101

8206110178 NUREG/CR-2625 ERR
CRITICAL PATHWAYS OF RADIONUCLIDES TO MAN FROM
AOR-ECOSYSTEMS Annual Progress Report October 1980 -
September 1981
* Savannah River Laboratory 82/05/17 Division of Health,
Siting & Environment 2pp 13493 265

8206110325 NUREG/CR-2359
ATMOSPHERIC STRUCTURE PRIOR TO TORNADOES AS DERIVED FROM
PROXIMITY AND PRECEDENT UPPER AIR SOUNDINGS
TAYLOR, O E, DARKOW, O L. Missouri, Univ of, Columbia FIN B-6196
82/05/31 Division of Health, Siting & Environment 106pp
Available at NTIS \$5 50 13490 087

8206110312 NUREG/CR-2639
HISTORICAL EXTREME WINDS FOR THE UNITED STATES-ATLANTIC AND
GULF OF MEXICO COASTLINES
CHANDERY, M J Commerce, Dept of, National Oceanographic &
Atmospheric Administration, FIN B-1031 82/05/31 Division of
Health, Siting & Environment 156pp Available at NTIS. \$6 00
13508 239

8206110327 NUREG/CR-2172 ERR
SUMMARY AND BIBLIOGRAPHY OF SAFETY-RELATED EVENTS AT
BOILING-WATER NUCLEAR POWER PLANTS AS REPORTED IN 1980
* Oak Ridge National Laboratory 82/05/10 Office of Nuclear
Regulatory Research, Director 1p 13509 048

8206110333 NUREG/CR-2133
BWR REFILL-RELOAD PROGRAM TASK 4 4 - 30 SSTF DESCRIPTION
DOCUMENT.
BARTON, J E, SCHUMACHER, D O, FINDLAY, J A General Electric Co FIN
B-3012, EPRI NP-1584, 82/05/31 Division of Accident Evaluation
115pp Available at NTIS \$7 00, 13508 065

8206110336 Forwards comments on preliminary draft of NRC branch
technical position re waste classification. Intensive waste
classification sampling program questionable.
STANFORD, R E L. Edison Electric Institute 82/05/21, SMITH, D. Low
Level Waste Licensing Branch 3pp 13509 077

8206110363 Responds to FOIA request for public release of SECY-82-86
re nuclear power plant staff working hours & 820226 memo to
WJ Dirks Forwards documents.
FELTON, J M. Division of Rules and Records 82/06/02, MEYER, D. W.
Lowenstein, Neuman, Reis, Axelrad & Toll. 1p 13510.284

---8206110367 Advises of Commission approval of proposed revision to
NUREG-0737, Item I A 1 2 re nuclear power plant staff working
hours. V Oilinsky disapproved.
CHILK, S J. Office of the Secretary of the Commission. 82/03/26,
DIRCKS, W J. Office of the Executive Director for Operations 1p
13510:287.

---8203120418 Informs of NRC actions taken in response to Secretary
B11104 memo re plant staff working hours, & requests
approval of wording changes to NUREG-0737, Item I A 1 3
DIRCKS, W. J. Office of the Executive Director for Operations
82/03/01 9pp. 13510.288

8206110385 Addl response to FOIA request for six categories of
documents. Forwards SECY-81-362, SECY-81-422 & SECY-81-509.
FELTON, J. M. Division of Rules and Records 82/06/02, SHOLLY, B. C.
Union of Concerned Scientists 1p 13510:191

---8109150031 SECY-81-509
Requests approval to process & approve licensee requests for
exceptions to locations & backup criteria of NUREG-0496 for
emergency operations facilities
DIRCKS, W. J. Office of the Executive Director for Operations
81/08/24 4pp 13510 216.

8206130016 Responds to FOIA request for documents re siren sys
installed to provide early notification to populace in
plume pathway around nuclear reactor sites in US Forwards
documents listed in App A.
FELTON, J. M. Division of Rules and Records 82/04/21, WADE, J
Public Interest Research Group, New York. 7pp 13524.010. 24X
Fiche. 50-000, 82/04/21, 8206130016.

---8202260161 Comments on proposed prompt public notification sys for
1 25-mile radius of plume exposure pathway emergency
planning zone Proposal unacceptable, per NUREG-0396 &
NUREG-0454 Five & 30-mile zones required by 920201
GRIMES, B. K. Division of Emergency Preparedness 82/01/08
LINDER, F. Duke Power Co 2pp 13524 069 24X
Fiche 50-000, 82/04/21, 8206130016

8206150452 NUREG/CR-1492 ERR
Errata, changing report number to NUREG/CR-2582 to, RADIATION
CAPABILITIES OF THE SANDIA HIGH INTENSITY ADJUSTABLE COBALT
ARRAY
* Sandia Laboratories SAND81-2566 82/06/07 Office of Nuclear
Regulatory Research, Director. 1p 13523 091

8206160054 NUREG/CR-2582
RADIATION CAPABILITIES OF THE SANDIA HIGH INTENSITY
ADJUSTABLE COBALT ARRAY
BUCKALEW, W. H., THONE, F. V. Sandia Laboratories SAND81-2655
82/06/30 Office of Nuclear Regulatory Research, Director. 62pp
Available at NTIS 13538 042

8206160292 Comments on NUREG-0880 re proposed policy statement on
safety goals for nuclear power plants Commission should not
take final action on adopting policy until time has been
given to evaluation & agreement on implementation
SHEHMON, P. ACRS - Advisory Committee on Reactor Safeguards.
47FR71023 144 82/06/09, PALLADINO, N J Commissioners 13pp
13521 307

8206160322 Comments on NUREG-0880 re proposed policy statement on
safety goals for nuclear power plants NRC should use
comparability std between plants & other activities that
impose geographical nonuniform risk on individuals.
GRIFITH, J D Energy, Dept of 45FR71023 145 82/06/11
CHILK, S J Office of the Secretary of the Commission 1p
13521 287

8206170046 NUREG/CR-2685
EVALUATION OF CONCURRENT PEAK RESPONSES
WANG, P C, CURRERI, M, SHOOMAN, M. Brookhaven National Laboratory
FIN A-3558 DNL-NUREG-51927, 82/05/31, Division of Accident
Evaluation 90pp Available at NTIS \$6.00, 13543 001

8206170048 NUREG-0891
NUCLEAR PROPERTY INSURANCE STATUS AND OUTLOOK
LONG, J D Office of State Programs, Director. 82/05/31. 115pp
Available at NTIS \$6 00 13543 233.

8206170269 Submits suppl to evaluation of NUREG-0737, Item I E 4 2(7)
"Containment Isolation Dependability - Isolation on High
Radiation " Calculation of acceptable offsite doses is
acceptable alternative to NRC position
DENTE, T J BWR Owners Group, BWR00-8222. 82/06/14 EISENHUT, D O
Division of Licensing 8pp 13532 272

---8206170274 Summary of B1119 meeting w/BWR owners group re containm
vent/purge isolation on high containment radiation.
REEVES, E A. NRC - No Detailed Affiliation Given 81/12/03
- No Detailed Affiliation Given 8pp 13532 283

8206170387 NUREG/CR-2651
ACCIDENT GENERATED PARTICULATE MATERIALS AND THEIR
CHARACTERISTICS-A REVIEW OF BACKGROUND INFORMATION
BUTTER, S L Battelle Memorial Institute, Pacific Northwest
Laboratory FIN B-2287 PNL-4154 82/05/31. Division of Risk
Analysis 97pp. 13557 179.

8206180200 Comments on NUREG-0880 re NRC proposed policy statement on
safety goals for nuclear power plants Opposes statement.
JAFFER, J. Affiliation Unknown 45FR71023 146 82/05/16 REMICK,
Office of Policy Evaluations. 3pp 13554:274.

8206180340 NUREG-0868
A COLLECTION OF MATHEMATICAL MODELS FOR DISPERSION IN
SURFACE WATER AND GROUNDWATER.
CODELL, R B Division of Engineering KEY, K. J, WHELAN, O Battelle
Memorial Institute, Pacific Northwest Laboratory 82/06/30 180pp
Available at NTIS. \$8.00 13549 044.

8206210616 Comments on NUREG-0880 re proposed policy statement on
safety goals for nuclear power plants. NUREG-0880 Supports
statement.
MARIANI, L P. American Nuclear Insurers 45FR71023 147, 82/06/14,
Office of the Secretary of the Commission. 36pp. 13561:311

8206210619 Informs of intention to dismantle full-scale test facility
by end of June 1982 Notification requested by 820621 if
dismantling believed to be inappropriate. Release of Suppl 1
to NUREG-0661 prior to above date would be helpful.
PFEFFERLEN, H C General Electric Co. MFN-079-82, 82/06/14,
IPDLITO, T A Operating Reactors Branch 2 1p 13563 333.

- 8204210630 Ack receipt of ltr expressing concern re licensing & operation of nuclear power plants cited in NUREQ-0880 re proposed policy statement on safety goals
STRASNA, J. Region 3, Office of Director 45FR71023 82/05/14
CHOWNING, E. Affiliation Unknown 1p 13561 118
- 8204210632 Expresses opposition re licensing nuclear power plants
CHOWNING, E. Affiliation Unknown 45FR71023 82/05/12 Region 3, Office of Director 6pp 13561 119
- 8204220005 NUREQ/CR-2334
INTERPHASE TRANSPORT IN HORIZONTAL STRATIFIED CONCURRENT FLOW
JENSEN, R. J., YUEN, M. C. Northwestern Univ. FIN B-6188 82/05/31 197pp Available at NTIS \$6 50 13583 128
- 8204220017 NUREQ/CR-2544
TWO-PHASE MASS FLUX UNCERTAINTY ANALYSIS FOR THERMAL-HYDRAULIC TEST FACILITY INSTRUMENTED SPOOL PIECES
CHEN, N. C., FELDE, D. K. Oak Ridge National Laboratory FIN B-0125 ORNL/TM-7899 82/06/30 Office of Nuclear Regulatory Research, Director 40pp Available at NTIS 13584 324
- 8204220025 NUREQ/CR-2000 V01 N4
LICENSEE EVENT REPORT (LER) COMPILATION For Month Of April 1982
* Oak Ridge National Laboratory, FIN B-1583 ORNL/NSIC-200, 82/06/30 Director's Office 120pp Available at NTIS 13584 001
- 8204220029 NUREQ/CR-2584
METEOROLOGICAL CONSIDERATIONS IN THE DEVELOPMENT OF A REAL-TIME ATMOSPHERIC DISPERSION MODEL FOR REACTOR EFFLUENT EXPOSURE PATHWAY
VAN DER HOVEN Commerce, Dept. of, National Oceanographic & Atmospheric Administration FIN B-7120 82/05/31 Division of Health, Siting & Environment, 20pp Available at NTIS, 13583 329
- 8204220101 NUREQ/CR-2221 V04
HIGH-TEMPERATURE GAS-COOLED REACTOR SAFETY STUDIES FOR THE DIVISION OF REACTOR SAFETY RESEARCH, Quarterly Progress Report, October 1-December 31, 1981.
BALL, B. J., CLEVELAND, J. C., HARRINGTON, R. M. Oak Ridge National Laboratory FIN B-0122, ORNL/TM-8260 82/06/30 Office of Nuclear Regulatory Research, Director, 23pp. Available at NTIS 13585 023
- 8204220206 Advises that guidance for development of Tech Specs required by NUREQ-0737 for PHRs & BWRs will be provided by 820716, in response to NRC 820511 & 0602 requests
SZALAY, R. Atomic Industrial Forum 82/06/18 EISENHUT, D. G. Division of Licensing 1p 13572 331
- 8204230007 Add'l response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J. M. Division of Rules and Records 82/04/29 MCMURRAY, C. M. Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044, 24X Fiche 50-000, 82/04/29, 8204230007.
- 8204260018 Comments on proposed resolution to A-47 safety implications of control sys Analysis based on non-mechanistic failure modes to assess unwarranted challenges are meaningless W/o analyses of frequency of event
JENSEN, W. Reactor Systems Branch, 81/12/30 SZUKIEWICZ, A. Generic Issues Branch, 2pp 13605 342.
- 8204290144 Forwards comments on procedures guide, NUREQ/CR-2300. Comments based on recommendations submitted to steering committee by review committees following IEEE Oct meeting.
ERNST, M. L. Assistant Director for Technology Review, 81/12/15 RICHARDS NUS Corp 11pp 13606 224
- 8204230027 NUREQ/CR-2471 ERR
ANALYSIS OF THE PULSED NEUTRON ACTIVATION TECHNIQUE
PEREZ-ORJFFO, M., BLOCK, R. C., LAHEY, R. T., EQ&O, Inc. EQQ-2160, 82/03/10, Division of Accident Evaluation, 1p 13594 072.
- 8204230030 Responds to 820210 memo, "Transportation Article in Newsletter of COEP" & to criticisms of newsletter by Nuclear Assurance Corp Requests that comments be forwarded to Commissioners
REBNIKOFF, M. Council on Economic Priorities 43FR29849 82/05/14, DIRCKS, W. J. Office of the Executive Director for Operations 21pp, 13594 028.
- 8204230033 Ack receipt of 800502 ltr re spent fuel shipping casks & critical ad matl Discusses question of max possible internal temp. Response to Nuclear Assurance Corp comments on transport newsletter encl.
REBNIKOFF, M. Council on Economic Priorities, 81/06/08, EISENBERG, N. Office of Standards Development, Director, 23pp, 13594 049.
- 8204230031 NUREQ/CR-2470
THERMOMETRY IN THE MULTIROD BURST TEST PROGRAM
ANDERSON, R. L., CARR, R. R., KOLLIET, G. Oak Ridge National Laboratory FIN B-0120 ORNL/TM-8024 82/06/30 Office of Nuclear Regulatory Research, Director 91pp Available at NTIS 13593 146
- 8204230080 NUREQ-0304 V07 N01
REGULATORY AND TECHNICAL REPORTS Compilation For First Quarter 1982
SAVOLAINEN, A. Division of Technical Information & Document Control 82/05/31, 143pp Available at NTIS, 13593 001
- 8204230319 NUREQ/CR-2223
AN EVALUATION OF THE SOLID ANGLE METHOD USED IN NUCLEAR CRITICALITY SAFETY
THOMAS, J. T. Oak Ridge National Laboratory FIN B-0419 ORNL/CSD/TM-158 82/06/30 Division of Engineering Technology, 107pp Available at NTIS \$5 50 13603 232
- 8204230328 NUREQ/CR-2652
EVALUATION AND PERFORMANCE OF CLOSED-CIRCUIT BREATHING APPARATUS
HACK, A., TRUJILLO, A., CARTER, K. Los Alamos Scientific Laboratory, FIN A-7005 LA-9266-MS 82/06/30, Office of Nuclear Regulatory Research, Director 23pp Available at NTIS 13594 295
- 8204230340 NUREQ/CR-2301
FRACTURE MECHANICS MODELS DEVELOPED FOR PIPING RELIABILITY ASSESSMENT IN LIGHT WATER REACTORS
WOOD, H. H. Los Alamos Scientific Laboratory LIM, E. Y., DEDHIA, D. D. Science Applications, Inc. FIN A-0363 UCRL-15490 82/06/30 Division of Engineering Technology 237pp Available at NTIS \$7 00 13595 001
- 8204230346 NUREQ-0580 V11 N05
REGULATORY LICENSING STATUS SUMMARY REPORT, Data As Of May 15, 1982 (Blue Book)
* Management Information Branch 82/06/30 53pp. Available at NTIS, 13595 292
- 8204230352 NUREQ/CR-2495
CHARACTERIZATION OF SOIL TO PLANT TRANSFER COEFFICIENTS FOR STABLE CESIUM AND STRONTIUM
HOFFMAN, L. O., KELLER, J. H. Exxon Nuclear Co., Inc (subs. of Exxon Corp), FIN A-6416, 82/06/30, Division of Systems Integration (post 811005) 53pp Available at NTIS, \$3 25, 13595 239.
- 8204240030 NUREQ-0485 V04 N05
SYSTEMATIC EVALUATION PROGRAM STATUS SUMMARY REPORT, Data As Of May 31, 1982, (Buff Book)
* Management Information Branch, 82/06/30 99pp. Available at NTIS 13612 166
- 8204240036 NUREQ/CR-2525 V03
ORNL RDD BUNDLE HEAT TRANSFER TEST DATA Volume 3-Thermal-Hydraulic Test Facility Experimental Data Report For Test 3, 06 4B-Transient Film Boiling In Upflow
MULLINS, C. B., ODWALD, B. S., FELDE, D. K. Oak Ridge National Laboratory FIN B-0125, ORNL/NUREG/TM-4, 82/06/30, Office of Nuclear Regulatory Research, Director 260pp. Available at NTIS, 13610 076
- 8204240041 NUREQ/CR-2588
SECURITY OFFICER RESPONSE STRATEGIES (SECURORS).
ROUNTREE, S. L. K. Sandia Laboratories, FIN A-1060 SAND82-0410 82/06/30 Office of Nuclear Regulatory Research, Director 46pp. Available at NTIS, 13609 299
- 8204240054 NUREQ/CR-1890
ABS, SRBS AND CDF RESPONSE COMBINATION EVALUATION FOR MARK III CONTAINMENT AND DRYWELL STRUCTURES.
PHILIPPACPOULO Brookhaven National Laboratory FIN A-0329 BNL-NUREG-01328, 82/06/30, Division of Engineering, 200pp. Available at NTIS, \$10 00 13611 001.
- 8204240059 NUREQ/CR-2612
VARIABILITY IN DOSE ESTIMATES ASSOCIATED WITH THE FOOD CHAIN TRANSPORT AND INGESTION OF SELECTED RADIONUCLIDES
HOFFMAN, F. O., GARDNER, R. H., ECKERMAN, K. F. Oak Ridge National Laboratory, FIN B-0748, ORNL/TM-8099 82/06/30, Division of Systems Integration (post 811005), 80pp Available at NTIS \$4 75 13608 290
- 8204240066 NUREQ/CR-2636
EXPERIMENTAL DATA REPORT FOR AIR-WATER FLOODING TESTS OF THE FLECHT-SEASET PROGRAM BET FACILITY VESSEL UPPER PLENUM
ANDERSON, J. L., FOODALL, S. P., EQ&O, Inc. FIN A-6038, EQQ-2183, 82/06/30 Office of Nuclear Regulatory Research, Director 99pp. Available at NTIS, 13609 007

NONDOCKETED ITEMS

8206240072 NUREQ/CR-2717
EXPERIMENT DATA REPORT FOR LOFT ANTICIPATED TRANSIENT
WITHOUT SCRAM EXPERIMENT L9-3.
BAYLESS, P. D., DIVINE, J. M. EQ&O, Inc. FIN A-6048 EQG-2195
82/06/30 Office of Nuclear Regulatory Research, Director 187pp
Available at NTIS 13609 106

8206240078 NUREQ/CR-2696
CALCULATIONS OF TWO SERIES OF EXPERIMENTS PERFORMED AT THE
POOLSIDE FACILITY USING THE OAK RIDGE RESEARCH REACTOR
MAERKER, R. E., WILLIAMS, M. L. Oak Ridge National Laboratory FIN
B-0415 ORNL/TM-8326 82/06/30 Office of Nuclear Regulatory
Research, Director, 36pp Available at NTIS 13607 244

8206240082 NUREQ-0923
ADVANCE NOTIFICATION OF SHIPMENTS OF NUCLEAR WASTE AND SPENT
FUEL Guidance
* Office of Nuclear Material Safety & Safeguards, Director
82/06/30 22pp Available at NTIS #2.50 13607 281

8206250010 NUREQ/CR-2473
SIMMER ANALYSIS OF PROMPT BURST ENERGETICS EXPERIMENTS
HITCHCOCK, J. T. Sandia Laboratories FIN A-1181 SAND82-0933
82/06/30, Office of Nuclear Regulatory Research, Director 48pp
Available at NTIS 13620,307

8206250015 NUREQ/CR-2039
DYNAMIC COMBINATIONS FOR MARK II CONTAINMENT STRUCTURES
PHILIPPACPOULO, REICH, M. Brookhaven National Laboratory FIN
A-3330 BNL-NUREG-51366 82/06/30 Division of Engineering,
170pp Available at NTIS #6.50 13627 203

8206250018 NUREQ-0406 V04 N02
UNRESOLVED SAFETY ISSUES SUMMARY, Data As Of May 21, 1982
(Aqua Book)
* Office of Resource Management, Director, 82/06/30 51pp
Available at NTIS, 11361,363.

8206250033 NUREQ/CR-1851
REACTOR PHYSICS DESIGN CALCULATIONS FOR THE ACPR UPGRADE,
PICKARD, P. B., ODOM, J. P. Sandia Laboratories FIN A-1032
SAND80-0764, 82/06/30 Office of Nuclear Regulatory Research,
Director 171pp. Available at NTIS, 13620, 137.

8206250040 NUREQ/CR-2551
RANK ORDERING OF VITAL AREAS WITHIN NUCLEAR POWER PLANTS,
RICHARDSON, J. M. Sandia Laboratories, FIN A-1060 SAND82-0332,
82/06/30, Office of Nuclear Regulatory Research, Director 38pp.
Available at NTIS 13628,168

8206250064 Responds to 820407 questions re NUREQ-0859, "Compliance
Determination Procedures for Environ Radiation Protection
Bids for U Recovery Facilities 40CFR190 " W/o encl Reg Guide
3 81,
SCARANO, R. A. Uranium Recovery Licensing Branch, 82/05/11
FERMAN, J. W. Minnesota Pollution Control Agency, 3pp, 13628 293

8206250243 Comments on systematic assessment of licensee performance
program, Supports program
SHIELDS, S. W. Public Service Co of Indiana, Inc. 47FR12240 Q02,
82/06/16, Docketing & Services Branch, 2pp 13613,167,

8206250312 Suppls ANS 820518 ltr commenting on NUREQ-0880, NRC
proposed policy statement re safety goals. Need for
publication of safety goal implementation provisions for
public comment prior to adoption re-emphasized.
MUNTZING, L. M. American Nuclear Society, 45FR71023 149, 82/06/17,
PALLADINO, N. J. Commissioners, 2pp 13617 238

8206250315 Comments on NUREQ-0880, NRC proposed policy statement re
safety goals, Supports statement.
SHIELDS, S. W. Public Service Co of Indiana, Inc 45FR71023 150
82/06/16, Docketing & Services Branch 2pp, 13617,179

8206250332 Comments on NUREQ-0856, "Draft Technical Position on
Documentation of Models," Rept generally acceptable for
facilitating exchange of modeling-related info between NRC &
DOE
BALLARD, W. W. Energy, Dept. of 82/06/08 MARTIN, J. B. Division of
Waste Management, 5pp, 13629,072

8206280071 Addl response to FOIA request for eight categories of
documents, Forwards documents listed in App A, Documents
listed in App B available in PDR Confidential financial
info deleted.
FELTON, J. M. Division of Rules and Records 82/05/12, MCMURRAY, C. M.
Kirkpatrick, Lockhart, Hill, Christopher & Phillips 28pp,
13638,055, 24X Fiche: 50-000, 82/05/12, 8206280071

--8206280266 Testimony of NRC staff in response to Chairman Ahearns &
Commissioner Hendrie 810128 request for date of compliance
w/items contained in NUREQ-0694 & NUREQ-0737 Certificate of
Svc encl
CUTCHIN, J. M. Office of the Executive Legal Director 81/02/12
8pp 13643 330 24X Fiche 50-000, 82/05/12, 8206280071

--8201180094 Forwards supporting statement for OMB clearance for
NUREG-0737, revised to reflect info requested in B1117 memo
Concurrence requested.
DENTON, H. R. Office of Nuclear Reactor Regulation, Director
81/12/21 STELLON, V. Regional Operations & Generic Requirements
33pp 13639 112

8206280383 Confirms that Equation 2 to Section 9 2 5 of BRP is
correct, per 820623 telcon
SCHAFFER, A. Nuclear Associates International 1000-66 82/06/24
HERMIEL, J. Auxiliary Systems Branch 1p 13621 353

8206290049 NUREQ/CR-2546
REACTOR SAFEGUARDS AGAINST INSIDE SABOTAGE
BENNETT, H. A. Sandia Laboratories FIN A-1060 SAND82-0319
82/06/30 Office of Nuclear Regulatory Research, Director 104pp
Available at NTIS 13661 165

8206290509 NUREQ/CR-2485 ERR
ULTRASONIC BEAM SPREAD MEASUREMENTS IN THICK PRESSURE
VESSEL TYPE STEEL
COOK, K. V., LATIMER, P. J., MCCLUNG, R. W. Oak Ridge National Laboratory
FIN B-0103 ORNL/TM-8157 82/05/28 NRC - No Detailed
Affiliation Given 3pp Available at NTIS 13660 102,

8206290519 NUREQ/CR-2629
INTERIM SOURCE TERM ASSUMPTIONS FOR EMERGENCY PLANNING AND
EQUIPMENT QUALIFICATION,
NIEMCYK, S. J. Oak Ridge National Laboratory FIN B-0767,
ORNL/TM-8274 82/06/30, Division of Systems Integration (post
811005) 141pp Available at NTIS #7.50 13646,160

8206290527 Responds to FOIA request for internal study on steam
generator tube problems Forwards NUREQ-0886, W/o encl
FELTON, J. M. Division of Rules and Records 82/06/23 SINCLAIR, M.
Affiliation Unknown 1p 13660,163

8206290529 NUREQ/CR-2704
U S REACTOR SPENT-FUEL STORAGE CAPABILITIES,
LEE, H. J., HOFFMAN, C. C., CAVINESS, C. K. Nuclear Assurance Corp FIN
B-7395 82/06/30 Division of Fuel Cycle & Material Safety,
56pp, Available at NTIS #5.00 13660 001

8206290532 Responds to FOIA request for comments by United Kingdom
Atomic Energy Authority on NUREQ-0880 Document available in
PDR
FELTON, J. M. Division of Rules and Records 82/06/24 WEISS, E. R.
Harmon & Weiss, 1p 13658,223,

8206290536 FOIA request for comments by United Kingdom Atomic
Energy Authority on NUREQ-0880
WEISS, E. R. Harmon & Weiss, 82/06/11 FELTON, J. M. Division of
Rules and Records, 1p 13658 222,

8206290543 NUREQ-0090 V04 N04
REPORT TO CONGRESS ON ABNORMAL OCCURRENCES Quarterly Report,
October-December 1981.
* Director's Office 82/05/31 30pp, Available at NTIS #3.00
13658 321,

8206290546 NUREQ-0750 V14 I01
INDEXES TO NUCLEAR REGULATORY COMMISSION ISSUANCES July-
September 1981.
* Division of Technical Information & Document Control, 82/06/28,
70pp Available at NTIS 13658,159,

8206290552 NUREQ-0903
SURVEY OF INDUSTRY AND GOVERNMENT PROGRAMS TO COMBAT DRUG
AND ALCOHOL ABUSE,
ALTHAM, W., BROWN, W., BUSH, G. Director's Office, Office of Inspecti
and Enforcement 82/06/30 78pp, Available at NTIS #4.75,
13658 357

8206300190 Forwards comments on draft NUREQ-0880, NRC policy statement
on safety goals, for review & consideration,
O'REILLY, J. P. Region 2, Office of Director 45FR71023 151,
82/06/15, REMNICK, F. Office of Policy Evaluations 1p, 13683,33

--8206300191 Comments on draft NUREQ-0880, NRC policy statement on saf
goals, Suggests reorganization of safety goals & deletion of
plant performance guideline concept,
MCDONALD, J. Region 2, Office of Director, 45FR71023 151
82/05/27 QUICK, D. Division of Project & Resident Programs, 3p
13653,333

8206300289 Forwards K Cohen comments on draft NUREG-0880, NRC policy statement on safety goals & draft Nuclear Standardization Act of 1982 for review & appropriate action
PALLADINO, N J. Commissioners 47FR24044 002 82/05/27
REINICK, F J. Office of Policy Evaluations. TOURTELLOTTE, J. Regulatory Reform Task Force 1p 13652 339

--8206300297 Comments on draft NUREG-0880, NRC policy statement on safety goals for nuclear power plants & draft Nuclear Standardization Act of 1982 Opposes policy statement
COHEN, K. Affiliation Unknown 47FR24044 002 82/05/21.
PALLADINO, N J. Commissioners 7pp 13652 340.

ORG CORRESPONDENCE WITH OTHER ORGANIZATIONS

8204210383 IE Info Notice 82-17. "Overpressurization of RCS " Bvz list encl
JORDAN, E.L. Division of Engineering & Quality Assurance 82/06/11
106pp 13675 298 24X Fiche 50-000, 82/06/11, 8204210383

8206010165 Forwards ninth NRC/FEMA joint monthly rept to Congress on emergency preparedness for Mar 1982, in response to B10608
1st. Current emergency preparedness rules will not be changed.
PALLADINO, N J. Commissioners QUTFRIDA, L O. Federal Emergency Management Agency 82/05/10 81PP80N, A K. Senate, Environment & Public Works 70pp 13329 284

8206070300 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency, W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 Health & Human Services, Dept of. 1p 13363 044

8206070303 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency, W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 LANGFORD, D. Environmental Protection Agency 1p 13363 303

8206070307 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency, W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12, WEBB, R C. Energy, Dept of, Clinch River Breeder Reactor Plant 1p 13363, 005

8206070397 Forwards Region 2 incident response plan dtd Mar 1982, Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan, " Plan should be of benefit to understanding of NRC response to emergency, W/o encl.
STOHR, J P. Division of Emergency Preparedness & Operational Support. 82/05/12 CLARK, R. Labor, Dept of 1p 13371 289.

8206070398 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan, " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 RHONE, D H. Labor, Dept of, Occupational Safety & Health Admin. 1p 13371 288.

8206070400 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan, " Plan should be of benefit to understanding of NRC response to emergency, W/o encl.
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 GORDON, W W. Labor, Dept of, Occupational Safety & Health Admin 1p. 13371, 284.

8206070423 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency, W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 HIBBITS, H W. Energy, Dept of. 1p. 13371 156

8206070429 Forwards Region 2 incident response plan dtd Mar 1982, Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 HALL, A. Transportation, Dept. of. 1p. 13371:155.

8206070433 Forwards Region 2 incident response plan dtd Mar 1982, Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency, W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support. 82/05/12 EICHORST, B D. Food & Drug Administration 1p 13374 207

8206070444 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support. 82/05/12. MAY, H P. Federal Emergency Management Agency. 1p. 13374 235.

8206070445 Forwards Region 2 incident response plan dtd Mar 1982, Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P. Division of Emergency Preparedness & Operational Support 82/05/12 BRUCKER, J W. Federal Emergency Management Agency 1p 13374 234

8206100416 Forwards request for OMB review & supporting statement covering reporting requirements of IE bulletin re degradation of threaded fasteners in RCPB components of PWR plants
NORRY, P O. Office of Administration. 82/05/24 STRASSER, A. Office of Management & Budget 1p 13458 342

8206180172 Responds to 820427 request for findings & determinations re prompt protective action decisionmaking in States of VT, NH & MA FEMA interim finding is that current prompt protective action decisionmaking adequate Deficiencies listed
KRIMH, R W. Federal Emergency Management Agency 82/06/11.
GRIMES, B. Division of Emergency Preparedness Rpp. 13552:195

8206220206 Advises that guidance for development of Tech Specs required by NUREG-0737 for PWRs & BWRs will be provided by 820716, in response to NRC B20511 & 0602 requests
SZALAY, R. Atomic Industrial Forum 82/06/18 EISENHUT, D O. Division of Licensing. 1p. 13572:331

8206250001 Advises of review of draft rept "Nuclear Power & Radiation: Matter of Fact," prepared for FEMA by Nancy Low & Associates, Inc. No technical comments on rept
MATTSON, R J. Division of Systems Integration (post B11005) 82/05/19. SCHWARTZ, B. Division of Emergency Preparedness. 1p. 13627, 027

PR PROPOSED RULE

8206010732 Transcript of Natl Voluntary Lab Accreditation Program: Technical Workshop for Personnel Dosimetry Processors 820412 meeting in Gaithersburg, MD, Pp 1-248.
* NRC - No Detailed Affiliation Given. * Commerce, Dept of, National Bureau of Standards 82/04/12. 249pp 13330:022.

8206040093 Package of three comments supporting proposed rule 10CFR50, "Tech Specs for Nuclear Power Plants,"
KOSTER, O L. Kansas Gas & Electric Co. MITTL, R L. Public Service Electric & Gas Co. of New Jersey. GALLAGHER, J W. Philadelphia Electric Co 47FR13369 82/05/28. CHILK, S J. Office of the Secretary of the Commission 9pp. 13330:043.

8206040345 Package of two comments on proposed rule 10CFR34 re certification of industrial radiographers.
RUSSELL, H K. Mississippi X-Ray Service. BENSON, L. Southern Boiler & Tank Works, Inc. 47FR19152 82/05/28 Docketing & Services Branch. App. 13352:346

8206040368 Comments on proposed rule 10CFR35, Opposes reinsp of source exposure mechanism.
GARDNER, T A. Franklin Hosp. Franklin, PA 47FR15798 024 82/05/18, Docketing & Services Branch. 1p. 13354, 322

8206070001 Forwards background info re 10CFR100, "Reactor Site Criteria,"
SWEENEY, M. Office of the Executive Legal Director. 82/05/14 SCOTT, B. Distribution Services Branch. 1p 13427, 329.

--8206070003 Forwards "Reactor Site Criteria: Rept to Director of Regulation by Director, Licensing & Regulation,"
MCODOL, W B. Atomic Energy Commission. 61/02/11 Atomic Energy Commission. 1p. 13427:330.

--8206070004 "Reactor Site Criteria: Rept to Director of Regulation by Director, Licensing & Regulation,"
* Atomic Energy Commission 61/02/11. 128pp. 13427:331.

NONDOCKETED ITEMS

- 8206070005 Forwards general manager 591116 memo & rept of ad hoc committee on reactor safety criteria
MCCOOL, W B Atomic Energy Commission 60/12/13 Atomic Energy Commission 1p 13428 131
- 8206070006 Forwards & comments on rept of Ad Hoc Committee on Reactor Safety Criteria Sept 1960 rept. "Recommendations on Regulatory Processes & Safety Considerations re Nuclear Power Reactors"
* Atomic Energy Commission 60/11/09 MCCONE, GRAHAM, OLSON
Atomic Energy Commission 3pp 13428 132.
- 8206070007 Recommends study of available info on reactor safety in order to determine if knowledge is sufficient to evaluate hazards of reactor facilities
MCCULLOUGH, C.R ACRB - Advisory Committee on Reactor Safeguards 59/11/16 MCCONE, J A Atomic Energy Commission 2pp 13428 135
- 8206070010 Forwards Ad Hoc Committee on Reactor Safety Criteria rept, "Recommendations on Regulatory Processes & Safety Considerations re Nuclear Power Reactors"
BECK, C K Affiliation Unknown 60/09/29 LUEDECKE, A R Atomic Energy Commission. 1p 13428 137
- 8206070012 "Recommendations on Regulatory Processes & Safety Considerations re Nuclear Power Reactors."
* Affiliation Unknown 60/09/29 26pp. 13428 138
- 8206070014 Forwards "Reactor Site Criteria: Rept to General Manager by Director, Div of Licensing & Regulation"
MCCOOL, W B Atomic Energy Commission 60/12/10 Atomic Energy Commission 1p 13428 164
- 8206070016 "Reactor Site Criteria Rept to General Manager by Director, Div of Licensing & Regulation"
* Atomic Energy Commission 60/12/12 33pp 13428 165
- 8206070018 Forwards ACRB 611213 ltr to AEC Chairman re reactor site criteria.
MCCOOL, W B Atomic Energy Commission. 61/12/16, Atomic Energy Commission. 1p 13428 218
- 8206070021 Comments on reactor site criteria App calculations should be replaced by technical info document which shows applicant how to develop values for exclusion distance, low population zone & population ctr distance
THOMPSON, T. J ACRB - Advisory Committee on Reactor Safeguards 61/12/13, SEABORG, O. T. Atomic Energy Commission 2pp 13428 219
- 8206070022 Forwards AIF 610809 & OB ltrs re proposed reactor site criteria
MCCOOL, W. B Atomic Energy Commission. 61/09/05, Atomic Energy Commission 1p. 13428 221
- 8206070024 Forwards example of calculation of reactor siting distances. Example should be attached to redrafted criteria under 610606 cover ltr. Criteria should be published w/o example calculations.
DAVIS, W K Atomic Industrial Forum 61/08/09 PRICE, H. L. Atomic Energy Commission. 6pp. 13428 222.
- 8206070027 Lists points for further AEC consideration re proposed reactor site criteria. Guidelines will have tremendous impact overseas. Addl experimental data needed to eliminate assumptions presently used
DAVIS, W. K. Atomic Industrial Forum. 61/08/08 PRICE, H. L. Atomic Energy Commission. 2pp 13428 228.
- 8206070031 Forwards "Amend to 10CFR50, 'Licensing of Production & Utilization Facilities' / Rept to Acting Director of Regulation by Acting Director, Div of Licensing & Regulation."
MCCOOL, W. B. Atomic Energy Commission. 61/08/09, Atomic Energy Commission 1p. 13428 230.
- 8206070035 "Amend to 10CFR50, 'Licensing of Production & Utilization Facilities' / Rept to Acting Director of Regulation by Acting Director, Div of Licensing & Regulation."
* Atomic Energy Commission. 61/08/09. 16pp 13428 231
- 8206070037 Forwards JT Ramsy of Joint Committee on Atomic Energy 610308 ltr to AR Luedcke w/HL Price 610320 response.
MCCOOL, W. B. Atomic Energy Commission 61/03/29 Atomic Energy Commission. 1p. 13428 247.
- 8206070041 Advises that extensive comments expected re Commission proposed site criteria published 610211 in FR Rulemaking procedure adopted should satisfy purpose of proposed public hearing
PRICE, H. L. Atomic Energy Commission 61/03/20 RAHEY, J T Congress (Joint & Rotating Committees, etc) 1p 13428 248
- 8206070044 Requests comments on O Jounsend, Director of Atomic Development of State of NY, suggestion that Joint Committee on Atomic Energy hold hearings re Commission proposed site criteria
RAHEY, J T Congress (Joint & Rotating Committees, etc) 61/03/08 LUEDECKE, A R Atomic Energy Commission. 1p 13428 249
- 8206070048 Forwards Assistant Secretary of Interior 610314 ltr re effect of proposed nuclear plants on fish & wildlife resources
MCCOOL, W B Atomic Energy Commission 61/03/17, Atomic Energy Commission 1p 13428 250
- 8206070050 Proposes meeting to discuss procedures to ensure DOI opportunity to study & rept findings & recommendations re effect of proposed nuclear projects on fish & wildlife resources. "Fish & Wildlife Coordination Act" encl
* Interior, Dept of. 61/03/14 LUEDECKE, A R Atomic Energy Commission 8pp. 13428 251
- 8206070054 Forwards "Amend to 10CFR50 'Licensing of Production & Utilization Facilities' / Rept to Acting Director of Regulation by Acting Director, Div of Licensing & Regulation"
MCCOOL, W B Atomic Energy Commission 61/03/15 Atomic Energy Commission 1p 13428 259
- 8206070058 "Amend to 10CFR50 'Licensing of Production & Utilization Facilities' / Rept to Acting Director of Regulation by Acting Director, Div of Licensing & Regulation"
* Atomic Energy Commission 61/03/15 22pp 13428 260
- 8206070060 Forwards "Reactor Site Criteria: Rept to General Manager by Director, Div of Licensing & Regulation"
MCCOOL, W. B. Atomic Energy Commission. 61/01/27 Atomic Energy Commission. 1p. 13428 283
- 8206070063 "Reactor Site Criteria Rept to General Manager by Director, Div of Licensing & Regulation."
* Atomic Energy Commission 61/01/27. 17pp. 13428 284
- 8206070066 Forwards L Silverman, ACRB chairman, 601022 ltr to JA McCone
MCCOOL, W B Atomic Energy Commission. 60/10/22, Atomic Energy Commission 1p 13428 300
- 8206070069 Advises that any quantitative limits on variables involved in site evaluations would be premature & would discourage flow of ideas. Owner site analysis is balanced against hypothetical generalized accident in evaluation
SILVERMAN, L. ACRB - Advisory Committee on Reactor Safeguards 60/10/22 MCCONE, J. A Atomic Energy Commission. 6pp. 13428 301.
- 8206070071 Forwards AIF "Suggested Redraft of Reactor Site Criteria"
WK Davis 610606 transmittal ltr
MCCOOL, W B Atomic Energy Commission. 61/06/08 Atomic Energy Commission 1p. 13428 307
- 8206070011 Forwards AIF redraft of AEC reactor site criteria.
DAVIS, W. K Atomic Industrial Forum 61/06/06, PRICE, H. L. Atomic Energy Commission. 34pp 13428 308.
- 8206070013 Forwards R Lowenstein, Div of Licensing & Regulation, 610400 memo to WB McCool w/draft of request to reactor licensees for info re status of & plans for operating organizations.
MCCOOL, W. B. Atomic Energy Commission 61/04/03, Atomic Energy Commission 1p. 13428 342
- 8206070017 Forwards draft request to reactor licensees for info re staffing. Criteria for min size of operating staffs to be developed
LOWENSTEIN, R. Atomic Energy Commission. 61/04/03, MCCOOL, W. B Atomic Energy Commission. 2pp 13428 343.
- 8206070019 Forwards proposed amend to 10CFR50 'Licensing of Production & Utilization Facilities, Reactor Site Criteria'
MCCOOL, W B Atomic Energy Commission. 60/12/10, Atomic Energy Commission. 1p 13428 345.
- 8206070023 "Licensing of Production & Utilization Facilities, Reactor Site Criteria," proposed amend to 10CFR50
* Atomic Energy Commission 60/09/20, 12pp. 13428 346

NONDOCKETED ITEMS

- 8206070026 Forwards "Proposed Amendments to Part 50 of Regulations, 'Licensing of Production & Utilization Facilities' Rept to Acting Director of Regulation by Acting Director, Div of Licensing & Regulation"
MCCOOL, W. B. Atomic Energy Commission 61/04/05 Atomic Energy Commission 1p 13428 358
- 8206070029 "Proposed Amendments to Part 50 of Regulations, 'Licensing of Production & Utilization Facilities' Rept to Acting Director, Div of Licensing & Regulation"
* Atomic Energy Commission 61/04/05 7pp 13428 359
- 8206070033 Forwards HL Price 610810 ltr to Congressional Joint Committee on Atomic Energy transmitting comments on proposed reactor site criteria
MCCOOL, W. B. Atomic Energy Commission 61/08/16 Atomic Energy Commission 1p 13429 004
- 8206070036 Forwards selected comments received as of 610725 on Commission proposed site criteria W/o encl
PRICE, H. L. Atomic Energy Commission 61/08/10 RAHEY, J. T. Congress (Joint & Rotating Committees, etc) 1p. 13429 005
- 8206070040 Forwards L Silverman 601213 ltr transmitting ACRS 601213 "Site Criteria for Nuclear Reactors."
MCCOOL, W. B. Atomic Energy Commission 60/12/16 Atomic Energy Commission 2pp 13429 006
- 8206070043 Forwards site criteria for nuclear reactors Publication of detailed quantitative site criteria would be premature at this time
SILVERMAN, L. ACRS - Advisory Committee on Reactor Safeguards 60/12/13 MCCONE, J. A. Atomic Energy Commission. 1p. 13429 008
- 8206070047 "Site Criteria for Nuclear Reactors"
* ACRS - Advisory Committee on Reactor Safeguards 60/12/13 5pp 13429 009.
- 8206070051 Forwards "Reactor Site Criteria Rept to General Manager by Director, Div of Licensing & Regulation"
MCCOOL, W. B. Atomic Energy Commission 61/01/30 Atomic Energy Commission 1p 13429 014
- 8206070055 "Reactor Site Criteria Rept to General Manager by Director, Div of Licensing & Regulation"
* Atomic Energy Commission 61/01/30 23pp 13429 015.
- 8206070061 Forwards "Notice of Proposed Rulemaking (1959 Issuances)" & excerpts from public comments received on proposed reactor site rulemaking
MCCOOL, W. B. Atomic Energy Commission. 60/12/10. Atomic Energy Commission 1p 13429 038
- 8206070065 "Notice of Proposed Rulemaking (1959 Issuances)" Excerpts from public comments on proposed reactor site rulemaking encl
LUEDECKE, A. R. Atomic Energy Commission. 60/12/10. 26pp. 13429 039
- 8206070092 Comments on proposed rule 10CFR50 re LER sys. Startup testing before initial criticality should be excluded from reporting requirements
BERNATH, L. San Diego Gas & Electric Co. 47FR19543 001. 82/05/26 Docketing & Services Branch 1p. 13368 277
- 8206070309 Comments on proposed rule 10CFR35 re insp of source exposure mechanism. Opposes rule
GARDNER, T. A. Franklin Hosp Franklin, PA. 47FR18131 001. 82/05/18 Docketing & Services Branch 1p. 13363 004
- 8206070314 Comments on proposed rule 10CFR35 re physician use of radioactive drugs. Supports rule
BARAK, M. Med-Physics, Inc. 47FR19798 026 82/05/24. Docketing & Services Branch 2pp. 13363 010.
- 8206070331 Comments on proposed rule 10CFR35 re physician use of radioactive drugs. Opposes proposed mechanism for procedure
SWANSON, D. P. Michigan, Univ of Medical School. 47FR19798 027. 82/05/25. Docketing & Services Branch. 11pp 13363 258
- 8206070375 Comments on proposed rule 10CFR34 re certification of industrial radiographers.
WENDT, K. M. Bucyrus-Erie Co. 47FR19152 011. 82/06/01. Docketing & Services Branch 3pp 13363 332.
- 8206070380 Comments on proposed rule 10CFR34 re certification of industrial radiographers. Opposes rule.
MILLER, O. L. Bingham-Willamette Co. 47FR19152 010. 82/06/01. Office of the Secretary of the Commission. 2pp. 13363 026
- 8206070384 Comments on proposed rule 10CFR50 re Tech Specs for nuclear power reactors
NICHOLS, T. C. South Carolina Electric & Gas Co. 47FR13369 023 82/05/27 CHILK, S. J. Office of the Secretary of the Commission 2pp 13363 080
- 8206070407 Package of four comments supporting proposed rule 10CFR50 re Tech Specs for nuclear power plants
RAHE, E. P. Westinghouse Electric Corp CARR, A. V. Duke Power Co
LEBOEUF, LeBoeuf, Lamb, Leiby & MacRae 47FR13369 82/06/03 CHILK, S. J. Office of the Secretary of the Commission 46pp 13371 223
- 8206070409 Package of three comments supporting proposed rule 10CFR50 re Tech Specs for nuclear power plants.
BOUCHEY, O. D. Washington Public Power Supply System THORPE, J. R. General Public Utilities - GPU Service Corp SULLIVAN, T. J. Consumers Power Co 47FR13369 82/06/02 Docketing & Services Branch 7pp 13371 216
- 8206070412 Package of two comments on proposed rule 10CFR50 re Tech Specs for nuclear power plants
VHRIO, R. E. Florida Power & Light Co MULLER, O. E. Illinois Power Co 47FR13369 82/06/01 Docketing & Services Branch 4pp 13371 212
- 8206070416 Package of seven comments supporting proposed rule 10CFR50 re Tech Specs for nuclear power plants.
REYNOLDS, N. B. Debevoise & Liberman COUNCIL, H. Q. Northeast Utilities Service Co WITHERS, B. D. Portland General Electric Co 47FR13369 82/06/01 Docketing & Services Branch 33pp 13371 158
- 8206070421 Comments on proposed rule 10CFR50 re Tech Specs for nuclear power plants Opposes rule.
BRADBURY, R. B. Stone & Webster Engineering Corp 47FR13369 004 82/05/21 Docketing & Services Branch. 2pp 13371 153
- 8206070508 Comments opposing proposed rule 10CFR50 re interim requirements related to hydrogen control
MILLS, L. M. Tennessee Valley Authority. 46FR62281 035 82/05/28. Docketing & Services Branch 4pp 13374 327.
- 8206070589 Comments on proposed rule 10CFR50 re Tech Specs for nuclear power plants. Supports rule.
JOHNSON, P. H. Division of Resident, Reactor Project & Engineering Programs 47FR13369 003 82/05/21. CHILK, S. J. Office of the Secretary of the Commission 2pp. 13374 028
- 8206070610 Package of two comments in favor of proposed rule 10CFR35 re use of Tc-99m pentastate sodium as aerosol for lung function.
JAFFER, F., FRAZER, M. D. Affiliation Unknown 47FR19798 82/05/20 Docketing & Services Branch 2pp 13373 094
- 8206070629 Comments on proposed rule 10CFR50 re delineating requirements on classification of components in nuclear power plants. Discussions should be initiated w/appropriate ANS & ASME std committees
MALLAY, J. F. American Nuclear Society 47FR15801 001 82/05/27 PALLADINO, N. J. Commissioners. 1p 13389 294
- 8206070643 Discusses proposed rule 10CFR50 re classification of components for nuclear power plants.
MALLAY, J. F. American Nuclear Society. 47FR15801 82/05/27. MINOQUE, R. Office of Nuclear Regulatory Research, Director. 2pp. 13389 295
- 8206070636 Comments supporting proposed rule 10CFR35 re use of Tc-99m pentastate sodium
HINES, H. H. California, Univ of Davis. 47FR15798 023. 82/05/17. Docketing & Services Branch. 1p 13389 287
- 8206070644 Comments on proposed rule 10CFR34 re certification of industrial radiographers. Opposes rule.
RAND, O. Choctaw Services, Inc. 47FR19152 009. 82/05/31. Docketing & Services Branch 2pp. 13390 210
- 8206070662 Comments on proposed rule 10CFR34 re certification of industrial radiographers Supports rule.
GRABER, H. C. Babcock & Wilcox Co. 47FR19152 003 82/05/14. Docketing & Services Branch 6pp 13390 103.
- 8206070691 Package of two comments on proposed rule 10CFR34 re certification of industrial radiographers.
MOBS, J. C. Tulsa Gamma Ray, Inc. OETGER, D. A. Space Science Services, Inc. 47FR19152. 82/05/27. Docketing & Services Branch. 3pp. 13390 256.

NONDOCKETED ITEMS

49

8206090024 Comments in support of proposed rule 10CFR50 to extend deadline for implementing prompt notification sys until 820201
POPEO, D J, KAMENAR, P D, CALID, N E Washington Legal Foundation
46FR46987 008 81/10/21 11pp 13454 107

--8206090026 Comments in opposition to proposed rule 10CFR50 re proposed extension until 820201 for implementation of prompt notification sys Demand for sirens greatly exceeds supply
UTLEY, E E Carolina Power & Light Co 46FR46987 013 81/10/22
Docketing & Services Branch 2pp 13454 122

--8206090029 Comments in support of proposed rule 10CFR50 re proposed extension of deadline for implementing prompt notification sys Extension will provide sufficient time for compliance w/operational notification sys requirements
OIBBS, D C Southern Co Services, Inc 46FR46987 014 81/10/21
Docketing & Services Branch 1p 13454 124

8206090098 Comments on proposed rule 10CFR34 re certification of industrial radiographers by third party Opposes rule
HICKS, J C Florida Power & Light Co 47FR19152 012 82/06/01
Docketing & Services Branch 1p 13438 331

8206090105 Comments on proposed rule 10CFR50 re Tech Specs for nuclear power plants Supports rule
OPREA, Q W Houston Lighting & Power Co 47FR13369 026 82/06/01
CHILK, S J Docketing & Services Branch 2pp 13439 344

8206090110 Comments on proposed rule 10CFR35 re use of radioactive drugs Supports rule
DENARD, Q L Society of Nuclear Medicine 47FR15798 028 82/06/02
Docketing & Services Branch 1p 13439 324

8206090113 Comments on proposed rule 10CFR35 re use of Tc-99m pentastate sodium as aerosol for lung function Supports rule
HARNED, R K Nebraska, Univ of 47FR15798 025 82/05/21
Docketing & Services Branch 2pp 13439 265

8206090114 Comments on proposed rule 10CFR50 re Tech Specs for nuclear power plants Supports rule
CLAYTON, F L Alabama Power Co 47FR13369 027 82/06/01
CHILK, S J Office of the Secretary of the Commission 4pp 13438 344.

8206090116 Comments on proposed rule 10CFR50 re Tech Specs for nuclear power plants Supports rule.
COUNSEL, W G Northeast Utilities Service Co 47FR13369 029 82/05/28
CHILK, S J Office of the Secretary of the Commission 3pp 13439 335.

8206090124 Comments on proposed rule 10CFR34 re certification of industrial radiographers Supports rule Outline of radiography program proposed by state encl
SPELL, W H Louisiana, State of 47FR19152 004 82/05/20
Docketing & Services Branch 6pp 13439 247

8206090126 Advises recipients of comments on proposed rule 10CFR35 that Comment Number 24 was miscoded. Number 24 will not be used again
* Docketing & Services Branch 47FR15798 82/06/02 Docketing & Services Branch 1p 13439 318

8206090130 Package of three comments on proposed rule 10CFR34 re third party certification program for certifying radiographers.
WILSON, H Independent Testing Laboratories DAVIDSON, C T Babcock & Wilcox Co WOOD, B O Process Fabricators, Inc. 47FR19152.
82/06/07 Docketing & Services Branch 8pp 13435 310

8206090131 Package of two comments on proposed rule 10CFR34 re third party certification of industrial radiographers. Opposes rule
HOLMBERG, R L Mason & Hanger - Silas Mason Co., Inc. MILLS, T Bristol Steel & Iron Works, Inc. 47FR19152 82/06/07 Docketing & Services Branch 6pp 13438 331

8206100228 Comments on proposed rule 10CFR35 re physicians use of radioactive drugs. Govt intrusion into selection & administration of radiopharmas approved for medical use will contribute little toward effective medical care
LINTON, D W American College of Radiology 47FR15798 029.
82/06/09. Docketing & Services Branch 1p 13453 343

8206100235 Comments on proposed rule 10CFR50, "Tech Specs for Nuclear Power Reactors." Rule should be revised to reduce burden on licensed operators. Operator must have clear definition of reporting requirements.
TIERNAN, J A Baltimore Gas & Electric Co 47FR13369 028. 82/05/28.
CHILK, S J Office of the Secretary of the Commission 2pp.
13439 337.

8206100239 Package of three comments on proposed rule 10CFR34 re certification of industrial radiographers
FORBES, J R Law Engineering Testing Co FISHER, G A Midland-Ross Corp HIGGINBOTHAM, T J A Jones Construction Co 47FR19152
82/06/09 Docketing & Services Branch 11pp 13453 320

8206100273 Forwards FR notice re proposed rule on teletherapy room radiation monitors Comments should be made per notice instructions W/o encl
BURNS, S G Rulemaking & Enforcement Division 82/04/24
HUBBARD, L B American Association of Physicists in Medicine 1p 13444 179

8206100263 Package of three comments supporting proposed rule 10CFR50 re codes & stds for nuclear power plants
COOPER, L J American Nuclear Society RAHE, C P Westinghouse Electric Corp 47FR15801 82/06/14 PALLADINO, N J Commissioner.
11pp 13522 048

8206100268 Package of two comments supporting proposed rule 10CFR50 re codes & stds for nuclear power plants
BRADURY, R B Stone & Webster Engineering Corp DOUGL, H F, LING, J American Society of Mechanical Engineers 47FR15801 82/06/14
Docketing & Services Branch 4pp 13521 334

8206100270 Comments on proposed rule 10CFR50 re revision of LER sys
SWAIN, A D Sandia Laboratories 47FR19543 002 82/06/09
Docketing & Services Branch 2pp 13521 358

8206100275 Comments on proposed rule 10CFR50 re codes & stds for nuclear power plants Supports rule
TIERNAN, J A Baltimore Gas & Electric Co 47FR15801 002 82/06/10
CHILK, S J Office of the Secretary of the Commission 2pp
13521 360

8206100279 Comments on proposed rule 10CFR35 re exempting Tc-99m from certain regulatory requirements. Supports rule
SHOOP, J D American College of Nuclear Physicians 47FR15798 031
82/06/10 CHILK, S J Office of the Secretary of the Commission 1p 13521 362

8206100281 Comments on proposed rule 10CFR34 re certification of industrial radiographers Opposes rule
COLLINS, L E Bristol Steel & Iron Works, Inc 47FR19152 82/06/08
Docketing & Services Branch 8pp 13522 001

8206100296 Comments on proposed rule 10CFR34 re radiation safety Opposes rule
DEAIRD, R Riley-Baird 47FR19152 024 82/06/08 Docketing & Services Branch 1p 13521 301

8206100299 Comments on proposed rule 10CFR35 re teletherapy room radiation monitors. Opposes rule
MATTHEW, D C Latter Day Saints Hosp Salt Lake City, UT 47FR18131 003 82/06/10 Docketing & Services Branch 2pp 13521 299

8206100304 Comments on proposed rule 10CFR35 re use of Tc-99m DTPA or pentastate for aerosol lung scans Supports rule
HAYES, M Memorial Hosp Medical Center Long Beach, CA 47FR15798 030 82/06/09 Docketing & Services Branch 1p 13521 297

8206100315 Comments on proposed rule 10CFR35 re teletherapy room radiation monitors Accuracy of timer on Co-60 teletherapy equipment is equally important as calibr
GLASSER, H Nuclear Associates, Inc. 47FR18131 002 82/06/07
Docketing & Services Branch 2pp 13521 325

8206100327 Package of four comments supporting proposed rule 10CFR71 re use, maint & shipment of radioactive matl packages
MUNRO, J J Tech/Ops (Technical Operations, Inc.) OAINES, T M Industrial Nuclear Co. KOVACH, B. Foster Wheeler Corp 47FR21269
82/06/14 Docketing & Services Branch 6pp 13521 275

8206100329 Comments on proposed rule 10CFR71 re use, maint & shipment of radioactive matl. Supports rule
TROWBRIDGE, C D St. Louis Testing Labs, Inc 47FR21269 001.
82/06/08 Docketing & Services Branch. 1p 13521 274.

8206100331 Comments on proposed rule 10CFR34 re certification of industrial radiographers
MOTLEY, J B. Intercontinental Manufacturing Co. 47FR18131 002 82/06/07.
Docketing & Services Branch. 2pp. 13521 274.

8206100334 Comments on proposed rule 10CFR34 re certification of industrial radiographers.
MANLY, P J Gamma Corp. 47FR19152 022. 82/05/28.
Services Branch 4pp. 13521 340

8204180209 Package of two comments opposing proposed rule 10CFR50 re deletion of exemption from code requirement that code symbols be applied to components built to Section 3 of ASME code
PILANT, J M Nebraska Public Power District SCHMIDT, H C Texas Utilities Services, Inc 47FR15801 82/06/16 Docketing & Services Branch App 13594 281

8206180233 Comments on proposed rule 10CFR35 re use of Tc-99m pentastate sodium for lung function studies Supports rule
WILLIAMS, J L Temple Univ Hosp Philadelphia, PA 47FR15798 032 82/06/10 Docketing & Services Branch 1p 13554.317

8206180298 Comments on proposed rule 10CFR71 amending regulations to require licensee to possess only drawings & documentation re use & maint of shipping package Supports proposed rule
WITHERS, B D Portland General Electric Co 47FR21269 006 82/06/09 Docketing & Services Branch 1p. 13545.339

8206180312 Forwards matl inadvertently omitted from 820607 ltr commenting on proposed rule 10CFR35 re Co-60 teletherapy equipment
GLASSER, H Nuclear Associates, Inc 47FR18131 002 82/06/10 Docketing & Services Branch 16pp 13547 262

8204210474 Comments supporting proposed rule 10CFR50 re Use of Tc-99m pentastate sodium as aerosol for lung function studies
VINCENT, N R., LANGE, R C St Vincent Hosp Bridgeport, CT. 47FR15801 010 82/06/11 Office of the Secretary of the Commission 3pp 13593 083

--8206210483 Forwards application for amend to License 06-00843-03, under App F, for radionuclide imaging of acute myocardial infarction
VINCENT, N R St. Vincent Hosp Bridgeport, CT 76/04/20 WADE, L Radioisotopes Licensing Branch (Pre 790501) 5pp 13583 086

--8206210495 Forwards application for amend to License 06-00843-03, under App F, for use of Tc-99m sulphur colloid to assess intracavity distribution of P-32 chromic phosphate
VINCENT, N R. St Vincent Hosp Bridgeport, CT 76/04/20 WADE, L Radioisotopes Licensing Branch (Pre 790501) 5pp 13583 091

--8206210500 Requests evidence that procurement preparation & use of matl will be in accordance w/Federal Food, Drug & Cosmetic Act & Public Health Svc Act
BOWYER, J E Division of Fuel Cycle & Material Safety 76/05/06 VINCENT, N R. St. Vincent Hosp. Bridgeport, CT. 1p 13583 096.

--8206210510 Responds to 760506 ltr requesting evidence re use procurement & preparation of matl in accordance w/Federal rules & regulations Matls received in sterile, hydrogen-free form from Medi-Physics, Inc & have N D A status
VINCENT, N R St. Vincent Hosp Bridgeport, CT. 76/05/12. BOWYER, J E. Division of Fuel Cycle & Material Safety 1p 13583 097

--8206210517 Forwards WJ Oyarfas ltr re use of approved drugs such as Tc-99m sulfur colloid & Tc-99m pyrophosphate, for unapproved uses Supports use of approved drugs
VINCENT, N R St Vincent Hosp Bridgeport, CT 76/07/29. BOWYER, J E Division of Fuel Cycle & Material Safety. 1p. 13583.101.

--8206210522 Requests evidence that FDA has accepted IND to use approved radionuclides for other procedures License will be amended accordingly.
BOWYER, J E Division of Fuel Cycle & Material Safety. 76/11/09 St Vincent Hosp Bridgeport, CT 1p. 13583 102

8206210476 Comments supporting proposed rule 10CFR50 re incorporating by ref Section III provisions of ASME boiler & pressure vessel code
HELFRICH, R E Yankee Atomic Electric Co 47FR15801 008 82/06/14 Docketing & Services Branch. App 13568 337.

8206210553 Advises recipients of comments on proposed rules 10CFR19 & 20 that Comment Number 44 was miscoded Requests removal of comment from file Number will not be used again
* Docketing & Services Branch 44FR10388 82/06/17. Docketing & Services Branch. 1p 13563 273

8206210609 Comments on proposed rule 10CFR50, "LER Sys." Supports NRC attempt to improve reliability data base for operational experience at power plants Rule should be modified to clarify ultimate public availability of data under LER sys
GOLDENMITH, M W Energy Research Group, Inc 47FR19543 003 82/06/18. CHILK, B J Office of the Secretary of the Commission 1p. 13563.338

8206220332 Comments on proposed rule 10CFR34 re certification of industrial radiographers Opposes rule
BNEAL, L P Benjamin F Shaw Co (subs of Blount, Inc) 47FR19152 026 82/06/07 Docketing & Services Branch 2pp 13582 134

8206220414 Comments on proposed rule 10CFR35 re physician use of radioactive drugs Supports rule
PETERSON, C D Affiliation Unknown 47FR15798 033 82/06/13. Docketing & Services Branch 1p 13577 057

8206220513 Comments on proposed rule 10CFR35 re use of Tc-99m pentastate sodium as aerosol for lung function Studies support rule
FLOYD, J H Affiliation Unknown 47FR15798 034 82/06/15 Docketing & Services Branch 1p 13581 136

8206220519 Comments on proposed rule 10CFR50 re classification of components for nuclear power plant Agrees that application of Class 2 & 3 ASME Boiler & Pressure Vessel Code appropriate, however disagrees w/extension of 10CFR50 55a
SCHERER, A E Combustion Engineering, Inc 47FR15801 013 82/06/14 Docketing & Services Branch 2pp. 13581 134

8206250164 Package of three comments supporting proposed rule 10CFR71, "General License for Shipment in Packages Approved for Use by Another Person"
NILSON, R. Exxon Nuclear Co, Inc (subs of Exxon Corp) SPELL, W H Louisiana. State of POPPEL, K Chem-Nuclear Systems, Inc. 47FR21269 82/06/21. CHILK, B J Office of the Secretary of the Commission 4pp. 13616.309

8206250271 Comments supporting proposed rule 10CFR35 re use of Tc-99m pentastate sodium as aerosol for lung function studies
VINCENT, N R., LANGE, R C. St Vincent Hosp Bridgeport, CT 47FR15798 035 82/06/11 Office of the Secretary of the Commission 3pp 13617 252

--8206250279 Forwards application for amend to License 06-00843-03, under App F, for radionuclide imaging of acute myocardial infarction
VINCENT, N R. St Vincent Hosp. Bridgeport, CT 76/04/20 WADE, L Radioisotopes Licensing Branch (Pre 790501). 5pp 13617.255

--8206250281 Forwards application for amend to License 06-00843-03, under App F, for use of Tc-99m sulphur colloid to assess intracavity distribution of P-32 chromic phosphate
VINCENT, N R. St. Vincent Hosp Bridgeport, CT. 76/04/20 WADE, L Radioisotopes Licensing Branch (Pre 790501) 4pp 13617.260

--8206250285 Requests evidence that procurement preparation & use of matl will be in accordance w/Federal Food, Drug & Cosmetic Act & Public Health Svc Act
BOWYER, J E Division of Fuel Cycle & Material Safety. 71607 76/05/06 VINCENT, N R St Vincent Hosp Bridgeport, CT. 1p 13617.265

--8206250295 Responds to 760506 ltr requesting evidence re use, procurement & preparation of matl in accordance w/Federal rules & regulations Matls received in sterile, hydrogen-free form from Medi-Physics, Inc & have N D A status
VINCENT, N R. St Vincent Hosp Bridgeport, CT. 76/05/12. BOWYER, J E Division of Fuel Cycle & Material Safety 4pp. 13617.266

--8206250301 Forwards WJ Oyarfas ltr re use of approved drugs such as Tc-99m sulfur colloid & Tc-99m pyrophosphate, for unapproved uses Supports use of approved drugs
VINCENT, N R St. Vincent Hosp. Bridgeport, CT 76/07/29. BOWYER, J E Division of Fuel Cycle & Material Safety. 1p. 13617.270

--8206250307 Requests evidence that FDA has accepted IND to use approved radionuclides for other procedures License will be amended accordingly
BOWYER, J E. Division of Fuel Cycle & Material Safety 76/11/09. St. Vincent Hosp. Bridgeport, CT 1p 13617.271

8206250276 Comments on proposed rule 10CFR34 re certification of industrial radiographers Opposes rule
ROBISON, W Kelsey-Hayes Co. (subs of Fruehauf Corp) 47FR19152 027. 82/06/16 CHILK, B J Office of the Secretary of the Commission. 2pp 13617.186.

8206250284 Comments on proposed rule 10CFR34 re certification of industrial radiographers Opposes rule.
INABINETTE, W N Nondestructive Technical Services, Inc. 47FR19152 028 82/06/17. Docketing & Services Branch 1p 13613.049.

NONDOCKETED ITEMS

8206070282 Forwards petition for rulemaking PRM-71-B re recordkeeping requirements for transportation of licensed natl Comments requested H/o encl
MINDOUE, R B Office of Nuclear Regulatory Research, Director
45FR39519 82/05/25 KOVACS, B Foster Wheeler Corp ip
13368 268

8206070296 Package of two comments opposing petition for rulemaking PRM-50-31 re expansion of emergency planning requirements
LEBOEUF, LAMB, LEIBY LeBoeuf, Lamb, Leiby & MacRae 47FR12639
82/05/27 CHILK, S J Office of the Secretary of the Commission
Spp 13363 082

8206070318 Comments on petition for rulemaking PRM-50-31 re extension of emergency planning zone
DALE, L F Mississippi Power & Light Co 47FR12639 031 82/05/19
Office of the Secretary of the Commission 3pp 13363 277

8206070323 Comments on petition for rulemaking PRM-50-31 re emergency preparedness
LITTLE, J A Affiliation Unknown 47FR12639 023 82/05/18
Docketing & Services Branch 2pp 13363 275

8206070327 Comments on petition for rulemaking PRM-50-31 re emergency preparedness Opposes petition
SILBERO, J E Shaw, Pittman, Potts & Trowbridge 47FR12639 069
82/06/02 Docketing & Services Branch ip 13363 021

8206070513 Comments on petition for rulemaking PRM-35-2 re dosimetry sys calibr intervals
VILLFORTH, J C Health & Human Services, Dept of, 47FR4311 017
82/05/20 Docketing & Services Branch 3pp 13375 001

8206070548 Package of two comments on petition for rulemaking PRM-50-31 re expansion of emergency planning zone around nuclear plants from 10 to 20 miles Opposes petition
RUFF, E T Duke Power Co HELFRICH, R E Yankee Atomic Electric Co
47FR12639 82/05/26 Docketing & Services Branch 14pp
13372 189

8206070565 Package of seven comments on petition for rulemaking PRM-50-31 re expansion of emergency planning zone around nuclear plants from 10 to 20 miles Supports petition
FRISCO, D C Coalition for Nuclear Power Plant Postponement
BRIGGS-DAMFORD Affiliation Unknown LODGE, T J Toledo Coalition for Safe Energy 47FR12639 82/05/24 Office of the Secretary of the Commission 80pp 13372 240

8206070600 Package of seven comments on petition for rulemaking PRM-50-31 re expansion of emergency planning zone around nuclear plants from 10 to 20 miles Opposes petition
PARKYN, J D, MOSES, G T Affiliation Unknown BAUSER, M A Louenstein, Neuman, Reis, Axrad & Toll 47FR12639 82/05/24
Docketing & Services Branch 51pp 13371 334

8206070607 Comments on petition for rulemaking PRM-50-31 re emergency planning zone limits Supports petition
ROBINSON, S Affiliation Unknown 47FR12639 021 82/05/17
Office of the Secretary of the Commission ip 13373 316

8206070612 Comments on petition for rulemaking PRM-50-31 re emergency planning zone Supports petition
PEVEAR, R C New Hampshire, State of 47FR12639 011 82/05/10
Docketing & Services Branch 2pp 13371 351

8206070641 Package of three comments on petition for rulemaking PRM-50-31 re expansion of emergency planning zone around nuclear plants from 10 to 20 miles Supports petition
ORSULAK, K Community Energy Action Network JOHNS, B Ashtabula County, OH SALAVA, M E Affiliation Unknown 47FR12639, 82/05/26
Docketing & Services Branch 10pp 13390 084

8206070718 Package of three comments on petition for rulemaking PRM-50-31 re plume exposure pathway emergency planning zone Opposes petition
MCORRY, J M Debovoise & Liberman OIBS, D C Atomic Industrial Forum SPELL, W H Louisiana, State of 47FR12639 82/05/25
CHILK, S J Office of the Secretary of the Commission 20pp
13390 184

8206070109 Comments on petition for rulemaking PRM-50-31 re extending emergency planning zone from 10 miles to 20 miles Opposes petition
PLUNKETT, T F Illinois Power Co 47FR12639 071 82/05/13
Docketing & Services Branch 2pp 13438 338

8206070112 Comments on petition for rulemaking PRM-50-31 re extending 10-mile emergency planning zone to 20 miles Petition has no technical basis Opposes petition
WELLS, R A Consumers Power Co 47FR12639 070 82/06/02
Docketing & Services Branch 2pp 13439 340

8206070118 Advises recipients of comments on petition for rulemaking PRM-50-31 that Comment Number 25 was miscoded Number 25 will not be used again
* Docketing & Services Branch 47FR12639 82/06/08 Docketing & Services Branch ip 13439 325

8206160323 Comments on petition for rulemaking PRM-50-31 re extending present emergency planning zone from 10 to 20 miles Opposes petition
MILLS, L M Tennessee Valley Authority 47FR12639 074 82/06/10
Docketing & Services Branch 2pp 13521 285

8206160326 Package of two comments opposing petition for rulemaking PRM-50-31 re emergency preparedness
SILBERO, J E Shaw, Pittman, Potts & Trowbridge HOWARD, J E Boston Edison Co 47FR12639 82/06/11 Docketing & Services Branch
5pp 13521 280

8206160364 Requests provisions of 10CFR73 which would be modified should petition for rulemaking PRM-73-6 be granted, be suspended pending disposition of petition
SILBERO, J E Shaw, Pittman, Potts & Trowbridge 47FR6659 013
82/06/10 Docketing & Services Branch, 2pp 13512 226

8206210621 Comments on petition for rulemaking PRM 20-13 re proposed change to 10CFR20 eliminating 5(N-18) rule Opposes rule
Existing stds should not be changed w/o clear risk-benefit & cost-benefit justification
GORE, J W Baltimore Gas & Electric Co 44FR11284 058 79/04/19
Docketing & Services Branch ip 13563 334

8206300281 Advises recipients of comments on petition for rulemaking PRM-20-13 that Comment 98 was miscoded Number 98 will not be used again
* Docketing & Services Branch 44FR11284 82/06/25 Docketing & Services Branch ip 13652 322.

PROJ PROJECTS - PREDOCKET LICENSING

8206040211 Answer to applicant motion to withdraw & terminate proceeding & intervenor answers to motion Applicant motion should be granted w/appropriate terms & conditions for document preservation Certificate of Svc encl
VOGLER, B H Hearing Branch 2 IBSUANCES A 82/05/28, Atomic Safety and Licensing Board Panel 18pp 13359 153

8206070098 Forwards QA plan for design & fabrication of REA 2023 dry storage casks for spent fuel Chapter 11 of forthcoming topical rept
PARKER, P E Ridihalgh, Eggers & Associates 20664 82/05/06
ROUSE, L C Advanced Fuel & Spent Fuel Licensing Branch 2pp.
13426 292

--8206070103 QA plan for design & fabrication of REA 2023 dry storage casks for spent fuel Chapter 11 of forthcoming topical rept
* Ridihalgh, Eggers & Associates, 20664, 82/05/06 65pp
13426 294

8206170081 Memorandum & order directing parties to advise judge within 15 days after svc of order when parties expect to confer on withdrawal motion & rept results, as well as tentative time & place for oral argument
MARGULIES, M B, Atomic Safety and Licensing Board Panel.
76-334-07-AN, 82/06/10, Office of the Executive Legal Director
2pp, 13527 353

NONDOCKETED ITEMS

4

B206270324 Responds, for all parties, to ASLB B20610 order re util motion for withdrawal Agreement on form of order concerning preservation of evidence possible No agreement possible on whether withdrawal should be permitted
STRUPWASSER, H California, State of ISSUANCES A B2/06/25
MAROUILLIES, M B Atomic Safety and Licensing Board Panel 2pp
13634 125

PT21 NONCOMPLIANCE REPORTS AND RELATED CORRESPONDENCE

B206010570 Potential Part 21 rept re Robertshaw Controls Co completely backed-off nut in temp control valve Models 12B4 & 1825 Owners notified to inspect valve & provide results of verification
FALTER, H W Morrison Knudsen Co, Inc B2/05/17 O'REILLY, J P
Region 2, Office of Director 4pp 13315 150

B206100277 Part 21 rept re certain metal seated valves which may experience excessive seat leakage of incomplete shifting Svc bulletin & lubrication kits sent to all customer recipients Svc bulletin & catalog encl
GUTHREAU, L Automatic Switch Co PT21 B2-623-000 B2/06/04
Director's Office, Office of Inspection and Enforcement 19pp
13458 167

B206230043 Forwards Part 21 rept re reportable defects on certain low voltage power circuit breakers & ground break relay components
DIXON, D J General Electric Co PT21 B2-6B2-000 B2/06/15
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 1p 13590 294

--B206230048 Part 21 rept re electrically operated AKR-30 & AKR-50 low voltage power circuit breakers which failed to open
Caused by incompletely hardened steel part Part replaced
DIXON, D J General Electric Co PT21 B2-6B2-000 B2/06/15
DEYOUNG, R C Director's Office, Office of Inspection and Enforcement 2pp 13590 295

QA999 QUALITY ASSURANCE INSPECTIONS

B206020316 Forwards QA Program Insp Rept 99900019/B2-01 on B20316-10 & notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs B2/05/14
KINO, A K ITT Grinnell Industrial Piping, Inc (subs. of ITT) 2pp
13322 254

--B206020318 Notice of nonconformance from insp on B20316-18
* Division of Vendor & Technical Programs B2/05/14 2pp
13322 256

--B206020319 QA Program Insp Rept 99900019/B2-01 on B20316-18
Noncompliance noted radiography of pipe welds w/wall thickness of less than 1/2 inch was not performed w/ sufficient technique to display penetrometer image
ROBERDS, H W., CONWAY, J T, BARNES, I Division of Vendor & Technical Programs B2/05/06 10pp 13322 258

B206020450 Ack receipt of B11019, 121B, B20225 & 0511 ltrs informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900294/B1-01
POTAPQVS, U Division of Vendor & Technical Programs. B2/05/27
HOOVER, D L Westinghouse Electric Corp 1p 13326 339

--B206020452 Responds to NRC B20326 ltr re nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective actions two correction tags processed & repair verified & corrective action commitments reviewed at staff meetings.
MCKEEVER, R F Westinghouse Electric Corp B2/05/11 POTAPQVS, U
Division of Vendor & Technical Programs. 1p 13326 336

--B206020454 Ack receipt of B11019, 121B & B20225 ltrs informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective actions in response to Items 4 & 5 & preventive action re Item 6 required.
POTAPQVS, U Division of Vendor & Technical Programs B2/03/26
HOOVER, D L Westinghouse Electric Corp. 1p 13326 337

--B206020456 Responds to NRC B20126 ltr re nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective actions missing change notices for General Order BU01882 added to records & exception specs added to shop order folder.
MCKEEVER, R F, Westinghouse Electric Corp. B2/02/25 POTAPQVS, U
Division of Vendor & Technical Programs. 2pp. 13326 338

--B206020463 Ack receipt of B11019 & 121B ltrs informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective action for Items 1,2,3,4 & 5 & steps taken to assure commitment re Item F required
POTAPQVS, U Division of Vendor & Technical Programs B2/01/26
HOOVER, D L Westinghouse Electric Corp 1p 13326 340

--B206020472 Responds to NRC ltr re nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective actions nuclear orders processed through apparatus marketing sys. mercury certification documented & inspectors reinstructed
MCKEEVER, R F Westinghouse Electric Corp B1/12/18 POTAPQVS, U
Vendor Inspection Branch 7pp 13326 341

--B206020476 GC Instruction 7, "Sampling Bulk Metals"
SCHRAVEN, J O, MCKEEVER, R F Westinghouse Electric Corp
7/9/12/10 1p 13326 348

--B206020483 Ack receipt of B11019 ltr informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective action in response to Items 1,2,3,4 & 5 & preventive measures re Item F required
POTAPQVS, U Vendor Inspection Branch B1/11/27 HOOVER, D L
Westinghouse Electric Corp 1p 13326 349

--B206020488 Responds to NRC ltr re nonconformance noted in QA Program Insp Rept 99900294/B1-01 Corrective actions orders for safety-related motors entered in apparatus marketing sys & discrepant matl clearance procedures revised
MCKEEVER, R F Westinghouse Electric Corp B1/10/19 POTAPQVS, U
Vendor Inspection Branch 4pp 13326 350

B206020484 Ack receipt of B20510 ltr informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900767/B2-01
POTAPQVS, U Division of Vendor & Technical Programs B2/05/27
HESS, L R Pacific Air Products Co 1p 13325 346

--B206020471 Responds to NRC B20415 ltr re nonconformance noted in QA Program Insp Rept 99900767/B2-01 Corrective actions drawing spec checklist to be developed by B20510
CONLON, T E Pacific Air Products Co NCR-2 B2/05/10
POTAPQVS, U, ROBERDS, H W Division of Vendor & Technical Programs
4pp 13325 347

B206020481 Ack receipt of B20202 & 0421 ltrs informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900053/B1-01
POTAPQVS, U Division of Vendor & Technical Programs B2/05/27
MARLATT, J W Anchor/Darling Valve (subs Anchor/Darling Industries) 1p 13325 294

--B206020489 Responds to NRC B20226 request for addl info re nonconformance noted in QA Program Insp Rept 99900053/B1-01.
Corrective actions reanalysis performed on yoke mounting flange flange ring rigidity can withstand seismic loads
KNICER, O W Anchor/Darling Valve (subs Anchor/Darling Industries) B2/04/21 POTAPQVS, U. Division of Vendor & Technical Programs 1p 13325 295.

--B206020492 Ack receipt of B20202 ltr informing NRC of steps taken to correct nonconformance noted in QA Program Insp Rept 99900053/B1-01 Addl info re Item 2 on design of yoke mounting flange requested within 25 days
POTAPQVS, U. Division of Vendor & Technical Programs. B2/02/26
MARLATT, J W Anchor/Darling Valve (subs Anchor/Darling Industries) 1p 13325 294

- B206080267 Notice of nonconformance from insp on B20209-12
* Division of Vendor & Technical Programs 82/05/19 1p
13420 096
- B206080271 QA Program Insp Rept 99900285/B2-01 on B20209-12
Noncompliance noted verification in accordance
w/requirements of product drawings not performed
ELLERSHAU, L. E., BARNES, I Division of Vendor & Technical Programs
82/05/15 12pp 13420 097
- B206080291 Forwards QA Program Insp Rept 99900503/B2-01 on B20223 &
0315-1B & notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs 82/05/19
HENDRICKSON, T Burns & Roe Co 2pp 13420 129
- B206080295 Notice of nonconformance from insp on B20223 & 0315-1B
* Division of Vendor & Technical Programs 82/05/19 3pp
13420 131
- B206080300 QA Program Insp Rept 99900503/B2-01 on B20223 & 0315-1B
Noncompliance noted failure to obtain latest issue 10CFR21
for inclusion in project version of Procedure ED-003 &
failure to ensure revisions received by designated persons
FOX, D F., HALE, C J Division of Vendor & Technical Programs
82/05/17 14pp 13420 134
- B206080332 Forwards QA Program Insp Rept 99900003/B2-01 on B20308-12
& notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs 82/05/21
LONG, J A General Electric Co 3pp 13416 246
- B206080333 Notice of nonconformance from insp on B20308-12
* Division of Vendor & Technical Programs 82/05/21 1p
13416 249
- B206080334 QA Program Insp Rept 99900003/B2-01 on B20308-12
Noncompliance noted failure to document temp profile
verification for four of five autoclaves
MCNEILL, W M., BARNES, I Region 4, Office of Director 82/05/10
7pp 13416 250
- B206080422 Forwards QA Program Insp Rept 99900771/B2-01 on B20322-26 &
notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs 82/05/24
FERDINAND, C M Comslp, Inc 2pp 13416 197
- B206080426 Notice of nonconformance from insp on B20322-26
* Region 4, Office of Director 82/05/24 4pp 13416 199
- B206080429 QA Program Insp Rept 99900771/B2-01 on B20322-26
Noncompliance noted procedure & qualification record of gas
metal arc weld process did not address progression to be
used during vertical position welding
ELLERSHAU, L. E., BARNES, I Region 4, Office of Director 82/05/20
7pp 13416 203
- B206100236 Ack receipt of B20204 & 0510 ltrs informing NRC of steps
taken to correct nonconformance noted in QA Program Insp
Rept 99900279/B1-01
POTAPQVS, U Division of Vendor & Technical Programs, 82/06/07
KENNEDY, G P Gould, Inc 1p 13458 243
- B206100243 Responds to NRC B20503 ltr re nonconformance noted in QA
Program Insp Rept 99900279/B1-01 Addl design requirements
not imposed re starters & contractors for safety-related
equipment & Part 21 not imposed.
KENNEDY, G P., Gould, Inc 820510 82/05/10 POTAPQVS, U
Division of Vendor & Technical Programs 1p 13458 244
- B206100246 Ack receipt of B20204 ltr informing NRC of steps taken to
correct nonconformance noted in QA Program Insp Rept
99900279/B1-01 Response requested within 25 days describing
whether Part 21 contractually imposed
POTAPQVS, U Division of Vendor & Technical Programs 82/05/03
KENNEDY, G Gould, Inc 1p 13458 245
- B206100252 Responds to NRC ltr re nonconformance noted in QA
Program Insp Rept 99900279/B1-01 Corrective actions, original
statement of conformance filed. No corrective action required
for posting info re Part 21 due to exemption
* Gould, Inc 82/02/04 POTAPQVS, U Division of Vendor &
Technical Programs 2pp 13458 246
- B206100009 Forwards QA Program Insp Rept 99900349/B2-01 on B20405-08
No noncompliance noted
POTAPQVS, U Division of Vendor & Technical Programs 82/05/26,
ALLEN, W T Corner & Lada Co, Inc 2pp, 13487 021
- B206140010 QA Program Insp Rept 99900349/B2-01 on B20405-08 No
noncompliance noted Major areas inspected status of previous
identified findings, nonconformance/corrective action &
review of vendor activities
SUTTON, J W., BARNES, I Division of Vendor & Technical Programs
82/05/20 6pp 13487 023
- B206140048 Forwards QA Program Insp Rept 99900017/B2-01 on B20329-0402
& notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs 82/05/26
ANDERSON, K Dravo Corp 2pp 13487 093
- B206140049 Notice of nonconformance from insp on B20329-0402
* Division of Vendor & Technical Programs 82/05/26, 1p
13487 095
- B206140051 QA Program Insp Rept 99900017/B2-01 on B20329-0402
Noncompliance noted certain insp & verification operations
signed-off as completed although nameplates were not
attached to welded piping subassemblies
ROBERTS, H W., CONWAY, J., BARNES, I Division of Vendor & Technical
Programs 82/05/20 8pp 13487 096
- B206140062 Forwards QA Program Insp Rept 99900521/B2-01 on B20308-12 &
22-26 & notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs 82/05/27
MOROWSKI, J V Bechtel Corp 2pp 13484 276
- B206140063 Notice of nonconformance from insp on B20308-12 & 22-26
* Region 4, Office of Director 82/05/27 2pp 13484 278
- B206140066 QA Program Insp Rept 99900521/B2-01 on B20308-12 & 22-26
Noncompliance noted no dept, project or const managers
attended pre & post-audit conferences for mgt audit of Ben
Onfre 2 & 3 engineering ofc
COSTELLO, J R., HALE, C J Region 4, Office of Director 82/05/25
16pp 13484 280
- B206140067 Forwards QA Program Insp Rept 99900514/B2-01 on B20406-08
& notices of violation & nonconformance
POTAPQVS, U Division of Vendor & Technical Programs 82/05/26
BOTS, W V Energy Incorporated 2pp, 13487 145
- B206140068 Notice of violation from insp on B20406-08
* Division of Vendor & Technical Programs 82/05/26 1p,
13487 147
- B206140069 Notice of nonconformance from insp on B20406-08
* Division of Vendor & Technical Programs 82/05/26, 1p
13487 148
- B206140070 QA Program Insp Rept 99900514/B2-01 on B20406-08
Noncompliance noted failure to post regulations/procedures &
specify applicable provisions of 10CFR21 on purchase orders
of safety-related equipment
BRICKLEY, R H., HALE, C J, Division of Vendor & Technical Programs
82/05/20 9pp 13487 149
- B206140082 Forwards QA Program Insp Rept 99900522/B2-01 on B20419-23
No noncompliance noted
POTAPQVS, U Division of Vendor & Technical Programs 82/05/27
STATTON, C D Bechtel Corp 2pp 13484 165
- B206140084 QA Program Insp Rept 99900822/B2-01 on B20419-23 No
noncompliance noted Major areas inspected procedures,
representative records, interviews w/personnel & observations
by inspector
COSTELLO, J R., HALE, C J, Division of Vendor & Technical Programs
82/05/26 11p 13484 167
- B206150286 Forwards QA Program Insp Rept 99900403/B2-01 on B20222-26
& notice of nonconformance
POTAPQVS, U Division of Vendor & Technical Programs, 82/05/27,
BRUGGERMAN, W H, General Electric Co, 3pp 13503 252
- B206150291 Notice of nonconformance from insp on B20222-26
* Division of Vendor & Technical Programs 82/05/27, 2pp,
13503 253
- B206150300 QA Program Insp Rept 99900403/B2-01 on B20222-26,
Noncompliance noted: failure to sign final test rept for
fire test & failure to release assembly instruction manual
to station where specified task was being performed.
CHAMBERLAIN, D., FOSTER, W. E., HALE, C. J Division of Vendor &
Technical Programs 82/05/26, 22pp 13503 257
- B206210613 Forwards QA Program Insp Rept 99900225/B2-01 on B20406-08
No noncompliance noted
POTAPQVS, U Division of Vendor & Technical Programs, 82/06/03
LEATHERS, F Foxboro Corp, 2pp, 13561 104.

#

NONDOCKETED ITEMS

- B206090101 Comments on draft Reg Guide IC 126-5, "Instrument Sensing Lines " Opposes guide
DELEGEORGE, L O Commonwealth Edison Co 82/05/28 Docketing & Services Branch 2pp 13439 326
- B206090107 Comments on draft Reg Guide HF 60B-4, re training & certification of ISFSI Operators Program should address training in emergency responses & actions
BRADBURY, R B Stone & Webster Engineering Corp 82/05/19 Docketing & Services Branch 1p 13439 346
- B206090121 Package of four comments supporting draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program"
LANO, J C California Univ of San Diego VILLAFANA, T Temple Univ Hoop Philadelphia, PA SEDERIS, A J Hoffman-La Roche, Inc (subs of F Hoffman-La Roche & Co, Ltd) 82/06/07 CHILK, S J Office of the Secretary of the Commission 5pp, 13439 253
- B206090136 Comments on draft Reg Guide IC 131-5, "Installation of Transducers"
SALDARINI, J C Ebasco Services, Inc (subs of Enserch Corp) 82/05/27 Docketing & Services Branch 2pp 13438 327
- B206090138 Comments on draft Reg Guide IC 126-5, "Instrument Sensing Lines"
SALDARINI, J C Ebasco Services, Inc (subs of Enserch Corp) 82/05/27 Docketing & Services Branch 4pp 13438 325
- B206160310 Comments on draft Reg Guide OP 722-4, "Qualification for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program" Opposes guide
MARTIN, N D Kettering Medical Center Kettering, OH 82/06/04 Docketing & Services Branch 1p 13512 070
- B206160332 Comments on draft Reg Guides IC 131-5, "Installation of Transducers," & draft Reg Guide IC 126-5, "Instrument Sensing Lines" Supports guides
SPENCER, W C Virginia Electric & Power Co 82/06/04 Docketing & Services Branch 1p 13521 271
- B206160336 Comments on draft Reg Guide TM 60B-4, "Guide for Preparation of Application for Licenses in Medical Teletherapy Programs"
PURDY, J A Washington Univ 82/06/08 Docketing & Services Branch 1p 13512 069
- B206160337 Comments on draft Reg Guide OP 722-4 & value/impact statement, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program"
JAROBE, H J St Francis General Hosp. Pittsburgh, PA 82/06/04 Docketing & Services Branch 1p 13521 270
- B206160350 Package of two comments on draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program" Supports guide
BHATNAGAR, J P Mercy Hosp Pittsburgh, PA ROBBERS, J A Chevron Oil Co (subs of Standard Oil Co of California), 82/06/14 Docketing & Services Branch 2pp 13521 268
- B206160352 Comments on draft Reg Guide IC 126-5, "Instrument Sensing Lines" Opposes guide
THORPE, J R General Public Utilities - GPU Service Corp, 47FR14816 82/06/10 CHILK, S J Office of the Secretary of the Commission 1p 13518 333
- B206160353 Comments on draft Reg Guide IC 131-5, "Installation of Transducers" Supports guide
MILLS, L M Tennessee Valley Authority 82/06/09 Docketing & Services Branch 3pp 13518 334
- B206160473 Comments on draft Reg Guide TM 60B-4, "Guide for Preparation of Application for Licenses in Medical Teletherapy Programs."
BOLLINGER, L J Air Force, Dept of 82/06/04 Docketing & Services Branch 1p 13512-071
- B206180195 Comments on draft Reg Guide OP 722-4 & impact statement, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program." American Board of Radiology certification should be included
RANDALL, O J New Britain General Hosp New Britain, CT, 82/06/14 Docketing & Services Branch, 1p 13554-285,
- B206210632 Comments on draft Reg Guide IC 126-5, "Instrument Sensing Lines." Draft should be consistent w/Reg Guide 1.1, "Instrument Lines Penetrating Primary Reactor Containment"
MILLS, L M Tennessee Valley Authority 82/06/14 Docketing & Services Branch 3pp 13564:069
- B206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 HCMURRAY, C H Kirkpatrick, Lockhart, Hill, Christopher & Phillips 2pp 13604 044 24X Fiche 90-000, 82/04/29, B206230007
- B206230160 Draft Reg Guide 1 2B, Revision 3, "QA Program Requirements (Design & Const)"
* Office of Standards Development, Director 81/09/02 29pp, 13605 266
- 7910030713 Forwards proposed Reg Guide 1 XXX & QA branch comments re summary of significant items in App A not included in App B & App A/App B QA issue w/c encl
HAASS, W P Quality Assurance Branch 79/09/06 VASSALLO, D B Division of Project Management 1p 13605 038
- B206230093 Forwards revised draft Reg Guide 1 XYZ, "Nuclear Power Plant Structures, Sys Components & Activities Subj to QA Program"
SKOVHOLT, D J Assistant Director for Quality Assurance & Operations 78/03/24 ARLOTTO, G A Division of Engineering Standards, 2pp 13604 340
- B206230074 Working Paper B of Reg Guide RB 704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
* NRC - No Detailed Affiliation Given 77/04/14 19pp 13604 262
- B206230078 Working Paper C of draft Reg Guide RB 704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
* NRC - No Detailed Affiliation Given 77/04/14 1p 13604:281
- B206230081 Draft Reg Guide RB 704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
BECKHAM, D NRC - No Detailed Affiliation Given 78/01/26 7pp 13604 291
- B206230086 Draft Reg Guide RB 704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
* NRC - No Detailed Affiliation Given 79/06/19, 8pp, 13604 332
- B206230094 Draft Reg Guide 1 XYZ, "Nuclear Power Plant Structures, Sys Components & Activities Subj to QA Program."
* NRC - No Detailed Affiliation Given 78/03/24, 30pp 13604 342
- B206250154 Comments on draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program" Suggests amend to list in Table 1 re training & experience.
GERRITSON, F W Loyola Univ of Chicago 82/06/30 Docketing & Services Branch 2pp 13616 054
- B206250273 Ack receipt of draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program" No comments offered
STILL, E T Kerr-McGee Corp 82/06/10 BELL, J M NRC - No Detailed Affiliation Given 1p 13617-188,
- B206250292 Comments on draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program"
RENGAN, K Eastern Michigan Univ 82/06/14 Docketing & Services Branch 3pp 13613 033
- B206280297 Summary of 770117 QA Workgroup meeting on applicability of App B to 10CFR50 per proposed Reg Guide 1 XYZ Draft basis for regulatory position & related info encl
LIEBERBACH, F J NRC - No Detailed Affiliation Given 77/01/31 NRC - No Detailed Affiliation Given 83pp, 13640, 143,
- B206280245 Draft Reg Guide 1 XYZ, "Nuclear Power Plant Structures, Sys Components & Activities Subj to QA Program"
* Assistant Director for Quality Assurance & Operations, 78/03/24, 28pp, 13638 333
- B206280292 Working Paper A to Reg Guide RB-704-4, "Applicability of Criteria of App B to Structures, Sys & Components of Nuclear Power Plants"
* NRC - No Detailed Affiliation Given, 77/02/23, 23pp 13640 114

NONDOCKETED ITEMS

--8206280320 Draft Reg Guide RS-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " BECKHAM, D NRC - No Detailed Affiliation Given 78/06/26 10pp 13644 284

--8206280323 Draft Reg Guide RS-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " Related info encl * NRC - No Detailed Affiliation Given 82/05/12 59pp 13644 293

--8206280506 Working Paper A to draft Reg Guide RS 120-5, for method for determining relative importance to safety of instrumentation, control & electrical sys for applying graded requirements to sys * NRC - No Detailed Affiliation Given 80/08/15 9pp 13642 318

--8206280528 Working Paper H to draft Reg Guide RS-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " BECKHAM, D NRC - No Detailed Affiliation Given 78/02/08 7pp 13645 307

--8206280606 Working Paper D of draft Reg Guide RS-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " * NRC - No Detailed Affiliation Given 77/06/28 6pp 13645 361

--8206280615 Draft Reg Guide RS-704-4, "Applicability of QA Criteria of App B to Structures, Sys & Components of Nuclear Power Plants " * NRC - No Detailed Affiliation Given 78/02/08 8pp 13646 004

8206300182 Comments on draft Reg Guide OP 722-4, "Qualification For Radiation Safety Officer " Suggested qualifications should be amended PAUL, J M Affiliation Unknown 82/06/30 Docketing & Services Branch 2pp 13653 339.

8206300184 Ack receipt of draft staff Technical Position WH-8201, "Hydrologic Design Criteria for Tailings Retention Sys." Paper modifies Reg Guide 3 11 requests reg guide revisions from NRC in future ROSSILLON, J Dravo Corp 82/06/21 Docketing & Services Branch 1p 13653 338

8206300280 Comments on draft Reg Guide IC 126-5, "Design of Instrument Sensing Lines " Opposes proposed reg guide ROBERTSON, C G Houston Lighting & Power Co 8T-HL-AE-840 82/06/22 CHILK, S J Office of the Secretary of the Commission 1p 13652 323

8206300292 Comments on draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program " NRC overestimated value of health physics or radiological health degrees. MATTOX, A H Brandeis Univ 82/05/17 Docketing & Services Branch 1p 13658 067

8206300300 Package of two comments on draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program " Supports draft guide WIATROWSKI, W A Vet Admin Medical Center San Antonio, TX. LINTON, G W American College of Radiology 82/06/24 Office of the Secretary of the Commission 4pp 13658 060

8206300311 Comments on draft Reg Guide OP 722-4, "Qualifications for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program." Qualifications would be more complete if American Board of Radiology certification included. SALADINO, T New Britain General Hosp New Britain, CT. 82/06/18 Docketing & Services Branch, 1p. 13656 354

8206300322 Package of two comments supporting draft Reg Guide OP 722-4, "Qualification for Radiation Safety Officer in Large-Scale Non-Fuel-Cycle Radionuclide Program " LEMBAREG, N Christ Hosp, Oaklawn, IL KALUSKAR, A G, Louis A Weiss Memorial Hosp, Chicago, IL. 82/06/23 Office of the Secretary of the Commission, 4pp. 13658 056

RES RESEARCH AND TECHNICAL ASSISTANCE REPORTS

8206020260 "Thermal Hydraulic LMFBR & LWR Safety Experiments," monthly highlight ltr for Mar 1982 GINSBERG, T, GREENE, G, A Brookhaven National Laboratory. FIN A-3024 82/03/31. CURTIS, R, T. Severe Accident Assessment Branch. 3pp 13334:330

8206020268 "U Recovery Research Sponsored by NRC at BNWL," quarterly progress rept for Jan-Mar 1982 SCHWENDIMAN, L, OEE, G W, HARTLEY, J N Battelle Memorial Institute, Pacific Northwest Laboratory PNL-A105-2 82/04/30 Office of Nuclear Regulatory Research, Director 74pp 13341 214

8206020283 "Super Sys Code Development, Verification & Application," monthly highlights for Mar 1982 GUFFY, J O Brookhaven National Laboratory FIN A-3015 82/04/13 CURTIS, R T Office of Nuclear Regulatory Research, Director 7pp 13342 235

8206020287 "Investigation of Ventilation Component Response to Large Pressure Pulses," informal monthly progress rept for Apr 1982 GREGORY, W S Los Alamos Scientific Laboratory FIN A-7028 82/05/12 SILBERG, D E Transportation & Materials Risk Branch 5pp 13342 229

8206020290 "LWR Code Assessment & Application," monthly highlight ltr for Feb 1982 SAHA, P Brookhaven National Laboratory FIN A-3215 82/02/28 ODAR, F Analytical Models Branch 6pp 13342 223

8206020295 "RAMONA-3B Code Mod & Evaluation," monthly highlight ltr for Feb 1982 SAHA, P Brookhaven National Laboratory FIN A-3014 82/02/28 ZUBER, N Analytical Models Branch 5pp 13342 218

8206020297 "Aerosol Release & Transport Program," foreign trip rept KRESS, T S Oak Ridge National Laboratory FIN B-0121 82/04/28 SILBERBERG, M Fuel Behavior Branch 30pp 13342 188

8206080086 "Investigation of Accident-Induced Flow & Matl Transport in Nuclear Facilities," progress rept for Apr 1982 MARTIN, R A, GREGORY, W S Los Alamos Scientific Laboratory FIN A-7029 8-6-312 (R673) 82/06/01 BERNSTEIN, S Transportation & Materials Risk Branch 17pp 13441 159

8206070234 "LWR Code Assessment & Application," monthly highlights for Apr 1982 SAHA, P Brookhaven National Laboratory FIN A-3215 82/04/30 ODAR, F Analytical Models Branch 6pp 13456 090

8206100217 "Durat Strength of Zircaloy Tubing W/Embedded Thermocouples," internal technical rept OLSEN, C B, RUSSELL, M L, POINTER, T F EQ&O, Inc FIN A-6043 82/04/29 NRC - No Detailed Affiliation Given 44pp 13471 045

8206100324 "HTOR Safety Program," monthly highlights for Apr 1982 SABRE, C Brookhaven National Laboratory FIN A-3016. 82/05/12 FOULDS, R Office of Nuclear Regulatory Research, Director 4pp 13469 323

8206100339 "LOFT Monthly Progress Rept Mar 1982," interim rept LEACH, L P, EQ&O, Inc FIN A-6110 EQO-LOFT-5846 82/04/30 MCPHERSON, G D Office of Nuclear Regulatory Research, Director TILLER, R E Energy, Dept of 73pp 13469 339.

8206100346 "Advanced Instrumentation for Reflood Studies (AIRB) Program," rept of foreign travel MCCOLLUGH, N D Oak Ridge National Laboratory FIN B-0413 82/05/20 RHEE, G B Division of Accident Evaluation 8pp 13470 052.

8206100350 "Integration of Nondestructive Exam Reliability & Fracture Mechanics," monthly progress rept for Apr 1982 DOCTOR, S R Battelle Memorial Institute, Pacific Northwest Laboratory FIN D-2289 82/05/21 MUSCARA, J Materials Engineering Branch 30pp 13470 060

8206100351 "Intl Std Problem 11 (LOFT Experiment L3-6/LB-1)," preliminary comparison rept. PETERSON, A C, COOK, C EQ&O, Inc. FIN A-6047 EQO-CAAD-5852 82/04/30 ODAR, F. Office of Nuclear Regulatory Research, Director. 253pp 13471 088

8206100362 "NEPTUN Data Processing at EQ&O ID, Inc (Sys 00)," interim rept GRUETTER, H P, EQ&O, Inc. FIN A-6033. EQO-LOFT-5807. 82/05/31 MCPHERSON, G, D. Office of Nuclear Regulatory Research, Director. TILLER, R E Energy, Dept. of. 62pp 13469, 161.

8206100363 Forwards second semiannual rept on "Planning for Nuclear Emergencies," for Dec 1981-May 1982 under contract to NRR. MOELLER, D W Harvard Univ 82/06/01. FOULKE, J D Office of Nuclear Regulatory Research, Director 1p 13468:115

NONDOCKETED ITEMS

- 8206100367 8206100363
"Planning for Nuclear Emergencies," second semiannual rept for Dec 1981-May 1982 WHO B10826 ltr re B11123-27 intl meeting in Brussels, Belgium to discuss justification for public health actions in radiation accidents encl MOELLER, D W Harvard Univ 82/06/01 Office of Nuclear Regulatory Research, Director 11p 1346B 116
- 8206100370 8206100363
Forwards repts on emergency planning levels distributed by representatives from various countries during WHO working group B11123-27 meeting in Brussels, Belgium re basis for public health actions in radiation accidents MOELLER, D W Harvard Univ 81/12/14 GRIMES, B Division of Emergency Preparedness 1p 1346B 127
- 8206100372 8206100363
Rept entitled "Intervention Levels, Projected Doses," presented at WHO working group B11123-27 meeting in Brussels, Belgium BENINSON Argentina 81/11/24 1p 1346B 128
- 8206100374 8206100363
Rept entitled "Regulations & Provisions for Event of Radiation Accidents in Czechoslovakia," presented at WHO working group B11123-27 meeting in Brussels, Belgium Pamphlet re emergency ref levels encl * Czechoslovakia 81/11/23 14pp 1346B 129
- 8206100377 8206100363
Rept entitled "Emergency Strategy Within Federal Republic of Germany," presented at WHO working group B11123-27 meeting in Brussels, Belgium * Germany, Federal Republic of 81/11/24 2pp 1346B 141
- 8206100380 8206100363
Rept entitled "Ref Levels in Federal Republic of Germany," presented at WHO working group B11123-27 meeting in Brussels, Belgium * Germany, Federal Republic of 81/11/25 1p 1346B 143
- 8206100381 8206100363
Rept entitled "Statutory Bases for Public Health Actions To Be Taken in Case of Radiation Accident in Hungary," presented at WHO working group B11123-27 meeting in Brussels, Belgium SZTANYIK, L B Hungary 81/11/25 4pp 1346B 144
- 8206100383 8206100363
Rept entitled "Public Health Aspects of Offsite Emergency Planning in India," presented at WHO working group B11123-27 meeting in Brussels, Belgium SHAH, V R, SUBBARATNAM, T India 81/11/23 13pp 1346B 148
- 8206100385 8206100363
Rept entitled "Emergency Ref Levels (Japan 1980)," presented at WHO working group B11123-27 meeting in Brussels, Belgium * Japan 81/11/23 1p 1346B 161
- 8206100388 8206100363
Rept entitled "Emergency Ref Levels, NCRP - Ministry of Public Health of USSR 1981," presented at WHO working group B11123-27 meeting in Brussels, Belgium MOISEEV Union of Soviet Socialist Republics 81/11/25 1p 1346B 162
- 8206100390 8206100363
"Projection of Public in Event of Radiation Accidents," Draft 3 ICRP 820104 ltr requesting assistance in preparation of rept encl MOELLER, D W Harvard Univ 81/12/05 Office of Nuclear Regulatory Research, Director 29pp 1346B 163
- 8206100365 "Redundant Decay Heat Removal Capability, Kewaunee Nuclear Power Plant," preliminary technical evaluation rept UDY, A C EG&O, Inc EGO-EA-9855 82/04/30 DUNOHEW, J N Division of Licensing 23pp 1346B 224
- 8206100369 "Evaluation of LOFT Experiment LB-1 Heatup Rates (Sys 14)," interim rept CORVELL, E W EG&O, Inc FIN A-600B EGO-LOFT-8790 82/09/31 MCPHERSON, O D Office of Nuclear Regulatory Research, Director 16pp 1346B 246
- 8206100410 "Thermal-Hydraulic LMFBR & LWR Safety Experiments," monthly highlights for Apr 1982 OINBERG, T, GREENE, O A Brookhaven National Laboratory, FIN A-3024 82/04/30 CURTIS, R T Severe Accident Assessment Branch 5pp 1345B 321
- 8206110184 "RAMONA-3B Code Mod & Evaluation," monthly highlights for Apr 1982 SAHA, P Brookhaven National Laboratory FIN A-3014 82/04/30 ZUBER, N Analytical Models Branch 5pp 1349B 279
- 8206110413 "Short Segmented Cask Development, Validation & Application" & "Generic Balance of Plant Modeling," monthly highlights for Apr 1982 GUPPY, J O Brookhaven National Laboratory FIN A-3015 82/05/10 CURTIS, R T, Severe Accident Assessment Branch 8pp 1349B 339
- 8206140261 "Acoustic Emission Characterization of Flaw Growth in A533B Pressure Vessel Steel," monthly ltr rept for Apr-May 1982 HUTTON, P H, KURTZ, R J Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-2088 82/06/04 MUSCARA, J Materials Engineering Branch 11pp 1349B 352
- 8206140270 "Near Field Repository Conditions in Basalt & Salt," interim rept SISKIND, B, HSEH, D Brookhaven National Laboratory FIN A-3164 BNL-NUREG-31049 82/03/31 WICK, E A Division of Waste Management 40pp 1350B 093
- 8206140277 "Uniform & Pitting Corrosion Data Requirements for TiCode-12 High Level Waste Containers," interim rept SHAG, J Brookhaven National Laboratory 800, P New Brunswick Laboratories FIN A-3164 BNL-NUREG-31048 82/03/30 WICK, E A Division of Waste Management 45pp 1350B 303
- 8206140360 "Accident Aerosol Characterization," monthly progress rept for May 1982 OHZARSKI, P C Battelle Memorial Institute, Pacific Northwest Laboratory FIN B-2287 82/06/04 BERNSTEIN, S Division of Risk Analysis 9pp 1350B 238
- 8206140368 "HTGR-QT, Exploratory Code for Analysis of Transient Thermohydraulics in Direct Cycle HTGR w/ Gas Turbine," interim rept. KROEGER, P O Brookhaven National Laboratory, FIN A-3016 BNL-NUREG-30328 81/11/30 FOULDS, R B Office of Nuclear Regulatory Research, Director 90pp 1350B 155
- 8206140377 "NRC Nuclear Waste Mgt Technical Support in Development of Nuclear Waste Form Criteria," interim rept BIDA, G, EASTWOOD, E A Brookhaven National Laboratory FIN A-3167, BNL-NUREG-31078 82/03/31 WICK, E A High Level Waste Licensing Management Branch 52pp 1350B 248
- 8206140398 "Seismic Analysis of Piping Sys Subjected to Independent Support Excitations by Using Response Spectrum & Time History Methods," informal rept SUBUDHI, M, BEZLER, P, WANG, Y K Brookhaven National Laboratory FIN A-3225 BNL-NUREG-31296 82/04/30 O'BRIEN, J, HARTZMAN, M NRC - No Detailed Affiliation Given 53pp 1351B 064
- 8206150050 "Boric Acid Corrosion of Ferrite Reactor Components," informal rept for Mar 1982 CZAJKOWSKI, C Brookhaven National Laboratory FIN A-3380, BNL-NUREG-31098 82/03/31 TURQVILIN, B. Chemical Engineering Branch 22pp 1351B 339
- 8206220048 "Review of Status of CRBR Licensing Technical Issues re Heat Removal Sys & Severe Accident Analysis" BARI, R A, AGRAWAL, A. K., BUSLIK, A J Brookhaven National Laboratory FIN A-3360 BNL-NUREG-31297 82/04/30 MORRIS, W Clinch River Breeder Reactor Program Office 97pp 1358B 079
- 8206240441 "Adapting Aerosol Transport Code HAARM-3 to BWR Containment & Bldg Conditions for S A S A Program," interim rept DAVIS, W Oak Ridge National Laboratory, FIN B-0127 82/06/30 Office of Nuclear Regulatory Research, Director 41pp 1361B 309

NONDOCKETED ITEMS

8206240470 "Environ Assessments of Fuel Cycle Facilities," monthly progress rept for Apr 1982
KELLY, M J Oak Ridge National Laboratory FIN B-0279
ORNL/ED/E18-173 82/04/30 GILLEN, D M Uranium Recovery Licensing Branch 6pp 13620 003

8206250060 "ORNL Programs for NRC Ofc of Nuclear Regulatory Research," monthly highlights rept for Apr 1982
LGTYS, A L, STEVENS, J A, HODMAN, F J Oak Ridge National Laboratory 82/05/24 Office of Nuclear Regulatory Research, Director 90pp 13628 205

REVIEW ORP NRC RESEARCH REVIEW GROUPS

8206010488 Summary of CROR 820512 Meeting 13 in Bethesda, MD re final rule on environ qualification of electrical equipment List of attendees encl
STELLO, V Regional Operations & Generic Requirements CLI-80-21 82/05/19 DIRCKS, W J Office of the Executive Director for Operations 3pp 13313 272

8206010553 Comments on NUREG-0880, NRC policy statement on safety goals re nuclear power plant accidents Statement vague & statistics used questionable
DENISON, J Nebraska for Peace 45FR71023 Q63 82/05/13 Docketing & Services Branch 2pp 13315 344

8206040091 Comments supporting NUREG-0880, NRC policy statement on safety goals
MITTL, R L Public Service Electric & Gas Co of New Jersey 45FR71023 136 82/05/25 CHILK, S J Office of the Secretary of the Commission 2pp 13350 050

8206040124 Forwards CROR activities monthly rept for 820424-0927 & open items from previous meetings Rept will be included in weekly rept to Commission for wk ending 820528
SCHWINK, W B Regional Operations & Generic Requirements 82/06/02 Committee to Review Generic Requirements 4pp 13347 287

8206040357 Forwards comments from K Cohen re NUREG-0880, proposed safety goal & draft Nuclear Standardization Act of 1982
PALLADINO, N J, Commissioners 45FR71023 137 82/05/27 REMICK, F J Office of Policy Evaluations TOURTELLOTTIE NRC - Nn Detailed Affiliation Given 1p 13350 330

--8206040361 Comments supporting NUREG-0880, NRC policy statement on safety goals & draft Nuclear Standardization Act of 1982.
COHEN, K Affiliation Unknown 45FR71023 82/05/21 PALLADINO, N J, Commissioners. 6pp 13350 331

8206070278 Package of two comments on NUREG-0880, NRC policy statement on safety goals Supports policy
BRADBURY, R B Stone & Webster Engineering Corp COREY, O R Affiliation Unknown. 45FR71023 82/06/01 Docketing & Services Branch 6pp 13368 262

8206070334 Package of two comments on NUREG-0880, NRC policy statement on safety goals Opposes policy
NICHOLS, T C South Carolina Electric & Gas Co LEWIS, M I Lewis, M 47FR71023, 82/06/01 CHILK, S J Office of the Secretary of the Commission 3pp 13363 067

8206070605 Comments supporting draft NUREG-0880, NRC policy statement on safety goals.
FISHER, G R QA Technologies, Inc /General Atomic Co 45FR71023 135 82/05/19 Docketing & Services Branch 3pp 13371 353

8206070621 Forwards comments offering suggestions for addition of clarifying info re proposed rule on draft NUREG-0880, NRC policy statement on safety goals.
GILMAN, L Affiliation Unknown 45FR71023 134 82/05/18 REMICK, F J Office of Policy Evaluations 1p 13390 109

--8206070627 Forwards comments suggesting addl topics proposed for incorporation in draft NUREG-0880, NRC policy statement on safety goals.
GILMAN, L Affiliation Unknown 45FR71023, 82/05/17 Docketing & Services Branch 2pp 13390 110.

8206080384 Summary of 820520 Meeting 14 of CROR List of attendees encl
STELLO, V, Committee to Review Generic Requirements. 82/05/27, DIRCKS, W J Office of the Executive Director for Operations 3pp 13416 001

8206090120 Comments on NUREG-0880, proposed policy statement on safety goals for nuclear power plants
SHERWOOD, O G General Electric Co 45FR71023 142 82/05/27 Docketing & Services Branch 7pp 13439 258

8206090123 Comments on NUREG-0880, NRC policy statement on safety goals Requests extension of submittal date to 820604
BARBER, R W Energy, Dept of 45FR71023 143 82/05/18 CHILK, S J Office of the Secretary of the Commission 1p 13439 334

8206160292 Comments on NUREG-0880 re proposed policy statement on safety goals for nuclear power plants Commission should not take final action on adopting policy until time has been given to evaluation & agreement on implementation.
SHEWMON, P ACRS - Advisory Committee on Reactor Safeguards 47FR71023 144 82/06/07 PALLADINO, N J Commissioners 13pp 13521 307

8206160322 Comments on NUREG-0880 re proposed policy statement on safety goals for nuclear power plants NRC should use comparability std between plants & other activities that pose geographical nonuniform risk on individuals
GRIFITH, J D Energy, Dept of 45FR71023 145 82/06/11 CHILK, S J Office of the Secretary of the Commission 1p 13521 287

8206160409 Notice of proposed legislation re "Nuclear Standardization Act of 1982"
CHILK, S J Office of the Secretary of the Commission 82/05/27 71pp 13542 291

8206180200 Comments on NUREG-0880 re NRC proposed policy statement on safety goals for nuclear power plants Opposes statement
JAFFER, J Affiliation Unknown 45FR71023 146 82/05/16 RENICK, F J Office of Policy Evaluations 3pp 13554 276

8206210616 Comments on NUREG-0880 re proposed policy statement on safety goals for nuclear power plants, NUREG-0880 Supports statement
MARIANI, L P American Nuclear Insurers 45FR71023 147 82/06/14 Office of the Secretary of the Commission 36pp. 13561 311

8206210630 Ack receipt of ltr expressing concern re licensing & operation of nuclear power plants cited in NUREG-0880 re proposed policy statement on safety goals
STRASMA, J Region 3, Office of Director 45FR71023 82/06/14 CHOWNING, E Affiliation Unknown 1p. 13561 118

--8206210632 Expresses opposition re licensing nuclear power plants
CHOWNING, E Affiliation Unknown 45FR71023 82/05/12 Region 3, Office of Director. 6pp 13561 119.

8206250265 Notification of 820707 CROR Meeting 15 in Bethesda, MD to consider proposed guidance for implementing SRP rule
Requests that attendance be limited to participants who will be addressing agenda
STELLO, V Regional Operations & Generic Requirements 82/06/24 EISENHUT, D O Division of Licensing JORDAN, E L Director's Office, Office of Inspection and Enforcement, HAUSHARDT, D B Office of Nuclear Material Safety & Safeguards, Director 1p 13613 185

8206250312 Suppls ANB 820518 ltr commenting on NUREG-0880, NRC proposed policy statement re safety goals Need for publication of safety goal implementation provisions for public comment prior to adoption re-emphasized
MUNTZING, L M American Nuclear Society 45FR71023 149, 82/06/17, PALLADINO, N J, Commissioners 2pp 13617 238

8206250315 Comments on NUREG-0880, NRC proposed policy statement re safety goals Supports statement
SHIELDS, B W Public Service Co of Indiana, Inc. 45FR71023 150 82/06/16 Docketing & Services Branch 2pp 13617 179

8206300190 Forwards comments on draft NUREG-0880, NRC policy statement on safety goals, for review & consideration
O'REILLY, J P Region 2, Office of Director 45FR71023 151 82/06/15 REMICK, F. Office of Policy Evaluations 1p 13653 332

--8206300191 Comments on draft NUREG-0880, NRC policy statement on safety goals Suggests reorganization of safety goals & deletion of plant performance guideline concept
MCDONALD, J. Region 2, Office of Director. 45FR71023 151 82/05/27 QUICK, D Division of Project & Resident Programs 3pp 13653 333

8206300289 Forwards K Cohen comments on draft NUREG-0880, NRC policy statement on safety goals & draft Nuclear Standardization Act of 1982 for review & appropriate action
PALLADINO, N J, Commissioners 47FR24044 002, 82/05/27, REMICK, F J, Office of Policy Evaluations TOURTELLOTTIE, J Regulatory Reform Task Force 1p 13652 339

NONDOCKETED ITEMS

--8206300277 Comments on draft NUREG-0880, NRC policy statement on safety goals for nuclear power plants & draft Nuclear Standardization Act of 1982 Opposes policy statement
COHEN, W Affiliation Unknown 47FR24044 002 82/05/21
PALLADINO, N J Commissioners 7pp 13652 340

8206300324 Responds to 820616 request for matl published in 820602 FR re Regulatory Reform Task Force FR available at nearest local library
TOURTELLOITE, J Regulatory Reform Task Force 47FR24044 001 82/06/23 LEWIS, M I Lewis, M 1p 13658 048

--8206300332 Requests separate views of Commissioners Ahern & Roberts & two members of Regulatory Reform Task Force that provided separate views
LEWIS, M I Lewis, M 47FR24044 001 82/06/15 SCOTT, R S NRC - No Detailed Affiliation Given 2pp 13658 047

SECY POSITION PAPERS BEFORE THE COMMISSION

8201200529 Recommends Commission direct NRC to order all BWR reactor licensees to conclude conceptual designs & to submit detailed engineering, procurement & installation schedules for RCS level monitoring concept by 820501
DIRCKS, W J Office of the Executive Director for Operations 81/12/27 Commissioners 70pp 11622 254

8204160252 SECY-82-133
Responds to Commission request for revised paper re employee protection
DIRCKS, W J Office of the Executive Director for Operations 82/03/29 56pp 13603 349

8205240553 SECY-82-185
Requests Commission approval re publication of final amend to 10CFR50 & App E concerning mod to emergency preparedness regulations relating to low power operation.
DIRCKS, W J Office of the Executive Director for Operations 82/05/03 43pp 13569 003

8206040474 Transcript of 820601 public meeting in Washington, DC re final rule, "Environ Qualification of Safety-Related Electric Equipment for Nuclear Power Plants " Pp 1-123
* Commissioners 82/06/01 127pp 13424 079

--8206040481 SECY-82-207
Requests approval for FR publication of notice of final rulemaking issue re environ qualification of safety-related electric equipment
DIRCKS, W J Office of the Executive Director for Operations 82/05/24 73pp 13424 223

8206080014 Transcript of 820528 affirmation/discussion session in Washington, DC re SECY 82-208 Pp 1-2
* Commissioners 82/05/28 6pp 13441 041

--8206080018 SECY-82-208
Approves employment of Fraser as Commissioner Asseltine secretary & permits access to natl security info & restricted data before security investigation is completed & evaluated. Prof qualifications encl
DIRCKS, W J Office of the Executive Director for Operations. 82/05/26 3pp 13441 046

8206080513 Transcript of 820520 public meeting in Washington, DC re emergency preparedness appraisal program. Pp 1-52 Viewgraphs encl
* Commissioners 82/05/20 67pp 13440 134

emergency preparedness onsite
significant facilities & generic
* Palladino

or Operations.

--8112300139 SECY-81-687
Requests approval for designation of pressurized thermal shock safety concern as Unresolved Safety Issue A-49
Preliminary discussion of proposed scope encl
DIRCKS, W J Office of the Executive Director for Operations 81/12/08 14pp 13493 216

8206140363 Responds to FOIA request for public release of SECY-82-B6 re nuclear power plant staff working hours & 820226 memo to WJ Dircks Forwards documents
FELTON, J M Division of Rules and Records 82/06/02 MEYER, D W Lowenstein, Newman, Reis, Axelrad & Toll 1p 13510 284

--8203120418 Informs of NRC actions taken in response to Secretary 811104 memo re plant staff working hours, & requests approval of wording changes to NUREG-0737, Item I A 1 3
DIRCKS, W J Office of the Executive Director for Operations 82/03/01 7pp 13510 208

8206140385 Addl response to FOIA request for six categories of documents Forwards SECY-81-362, SECY-81-422 & SECY-81-909
FELTON, J M Division of Rules and Records 82/06/02 SHOLLY, B C Union of Concerned Scientists 1p 13510 191

--8106300007 SECY-81-362
Seeks Commission approval to fund technical assistance contract for implementation of emergency preparedness requirements at facilities by BNWL Recommends Commission approval
DIRCKS, W J Office of the Executive Director for Operations 81/06/08 3pp 13510 193

--8107310272 SECY-81-422
Seeks Commission approval of FR notice soliciting comments on proposed rule re TMI-related requirements for QL applications
DIRCKS, W J Office of the Executive Director for Operations 81/07/13 15pp 13510 201

--8109150031 SECY-81-909
Requests approval to process & approve licensee requests for exceptions to locations & backup criteria of NUREG-0676 for emergency operations facilities
DIRCKS, W J Office of the Executive Director for Operations 81/08/24 4pp 13510 216

8206180355 SECY-82-185 ERR
Errata, replacing cover page of request for Commission approval of final amend to 10CFR50 & App E re mod to emergency preparedness regulations concerning low power operation
DIRCKS, W J Office of the Executive Director for Operations 82/05/06 2pp 13569 001

STATE PROG STATE PROGRAMS

8206010035 Response to FOIA request for all info re petition for rulemaking PRM-35-1 filed 790328 by QV Taplin Documents listed in App A encl Documents listed in App B withheld from public disclosure
FELTON, J M Division of Rules and Records 2132 82/04/16 KRONZEK, A L FOI Services 3pp 13328 121

--8104060385 Concurs w/draft Commission paper, to deny petition for rulemaking PRM 35-1 re exemption from NRC restrictions on physician use of FDA approved radioactive drugs for clinical procedures not FDA approved.
RYAN, R O Office of State Programs, Director 80/06/20 COLLIER, K R Division of Siting, Health & Safeguards Standards 1p 13329 157

8206020261 Advises of plans to fill staffing vacancies in radiation control program noted in NRC review Review showed no deficiency in regulation of radwaste burial site
MARTELLE, A R Nevada, State of 81/11/09 KERR, G W Office of State Programs, Director 1p 13334:335

8206070227 Remarks by GW Kerr at Fourteenth Annual Natl Conference of Radiation Control on 820524 in Portland, ME
KERR, G W Office of State Programs, Director. 82/05/24 6pp 13427 219

8206070401 Forwards Region 2 incident response plan dtd Mar 1982. Plan issued as Suppl 2 to NUREG-0843, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl.
STOHR, J P Division of Emergency Preparedness & Operational Support 82/05/12 PRICE, C R Virginia, State of. 1p 13371.283

NONDOCKETED ITEMS

41

B206070411 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 GRAHAM, J A Tennessee, State of 1p 13371 191

B206070413 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 SHEALY, H South Carolina, State of 1p 13371 152

B206070415 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 BROWN, D H North Carolina, State of 1p 13371 200

B206070417 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 JERRETT, L Florida, State of 1p 13371 207

B206070418 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 SETSER, J L Georgia, State of 1p 13371 137

B206070419 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 OODWIN, A Alabama, State of 1p 13371 206

B206070426 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 PAYNE, D Georgia, State of 1p 13371 197

B206070434 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 FRANCIS, D Virgin Islands 1p 13374 206

B206070436 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 West Virginia, State of 1p 13374, 205

B206070437 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 AAROE, W H West Virginia, State of 1p 13374 204

B206070441 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 DUEND, J R Puerto Rico 1p 13374 241

B206070448 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 BLONE, S B Alabama, State of 1p 13374 231

B206070453 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 JONES, B M Georgia, State of, 1p 13374 228

B206070455 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 HANFIELD, R Florida, State of 1p 13374 225

B206070457 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 WISER, G R South Carolina, State of 1p 13374 221

B206070460 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 KELLY, D E North Carolina, State of 1p 13374 220

B206070463 Forwards Region 2 incident response plan dtd Mar 1982 Plan issued as Suppl 2 to NUREG-0845, "Agency Procedures for NRC Incident Response Plan " Plan should be of benefit to understanding of NRC response to emergency W/o encl
STOHR, J P Division of Emergency Preparedness & Operational Support
82/05/12 TANNER, E P Tennessee, State of 1p 13374 217

B206070710 Confirms recent conversation re NRC review of State of SC radiation control program for agreement matl scheduled for 820611-18 NRC representative, RL Woodruff, would like to discuss results of review during afternoon of 820618
O'REILLY, J P Region 2, Office of Director 82/05/21 JACKSON, R L South Carolina, State of 1p 13390 162

B206070761 Confirms discussion between NRC & state staff following NRC review & evaluation of state radiation control program Adequacy of program for regulation of agreement matl not determined Comments on technical aspects of program encl
O'REILLY, J P Region 2, Office of Director 82/05/21 STUMBU, W O Kentucky, State of 7pp 13389 323

-B206070769 Responds to NRC 010601 ltr to W3 Stumbo re recent review of radiation control program Addl field staff being trained to perform certain radioactive matl insps Fee schedule for radioactive matls & radiation machines under review
ALEN, U T Kentucky, State of 81/06/24 KERR, G W Office of State Programs, Director 1p 13389 330

B206100050 NUREG/CR-2736
TRANSPORTATION OF RADIOACTIVE MATERIAL IN MICHIGAN September 1980-August 1981
MCARTY, M J, HENNIGAN, J M, BRUCHMANN, O W Michigan, State of FIN B-1612 82/05/31 Office of State Programs, Director 98pp Available at NTIS \$5 00 13479 100

B206110009 NUREG/DR-0025 VOB N7
INFORMATION REPORT ON STATE LEGISLATION
KERR, G W, LANDAU, M Office of State Programs, Director 82/06/01 9pp Available at NTIS 13493 329.

B206140238 Comments on 820212 draft, "Mid-Atlantic Low Level Redwaste Compact "
KERR, G Office of State Programs, Director 82/05/27 PCERV, R J Southern States Energy Board 31pp 13507, 007

--B206140241 Ack receipt of request for stds re extremity dosimetry & pocket dosimeters ANSI Std N13 5 & N13 27 should be reviewed
RICH, B L Health Physics Society, 82/03/19 ALEXANDER, R, Occupational Protection Branch 3pp 13507 051

--B206140243 "Personal Dosimetry Performance Testing, Pilot Study," results of Test 3
PLATO, P, MIKLOS, J Michigan, Univ of 82/03/02, 18pp 13507 054

B206150041 Notification of contract execution, Mod 4 to "Environ Monitoring Program W/State of SC " Contractor, State of SC
WOLLETT, S Research Contracts Branch FIN B-5112 NRC-05-80-2" 82/06/08 COBB, L I, COHEN, L K Division of Fuel Facilities Materials & Safeguards, 1p 13523 131.

--B206150045 Mod 4, deobligating funds, to "Environ Monit W/State of SC "
DANTZLER, M U South Carolina, State of GUSTAVE, Contracts Branch FIN B-5112 NRC-05-80-273, 85 13523 132

NONDOCKETED ITEMS

8206150059 Notification of contract execution; Mod 9 to "Coordination of Federal/State Radiation Control Activities & Assistance in Solving Radiation Control Problems " Contractor Food & Drug Administration
GILDEHORN, A. J. Administrative Contracts Branch FIN B-1420
NRC-06-76-247 82/04/20 KERR, O. W., YOUNG, F. W. Office of State Programs, Director 1p 13523 345

--8206150061 Mod 9, extending period of performance to 821231 & increasing funds, to "Coordination of Federal/State Radiation Control Activities & Assistance in Solving Radiation Control Problems "
CROWN, H. M. Food & Drug Administration LE80, C. D. Administrative Contracts Branch FIN B-1420 NRC-06-76-247 82/04/20 2pp.
13523 344

8206160022 Forwards "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-8203 W/o encl
SCARANO, R. A. Uranium Recovery Licensing Branch 82/06/01
MARTIN, J. B. Uranium Recovery Licensing Branch 1p 13525 316

--8206160041 Forwards, for info & transmittal to Agreement States, "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-8203
SCARANO, R. A. Uranium Recovery Licensing Branch. 82/06/01
KERR, O. W. Office of State Programs, Director 1p 13525 321

TOPREP VENDOR REPORTS AND RELATED CORRESPONDENCE

8206270295 Forwards list of major applications & requests for review scheduled prior to 1985
RAHE, E. P. Westinghouse Electric Corp. NS-EPR-2592 82/05/04
FUNCHES, J. Office of Management and Program Analysis 3pp
13563 002

8206010632 Approves Revision 11 to YGAP-1-A re operational QA, reflecting editorial changes
HAASS, W. P. Quality Assurance Branch 82/05/24 JOHNSON, H. P.
Yankee Atomic Electric Co. 1p 13331 308

8206010641 Approves Revision 4 to XN-NF-1A, "QA Program Topical Rept for Nuclear Fuel Design & Fabrication," reflecting organizational clarifications, commitment to current reg guides & minor changes
HAASS, W. P. Quality Assurance Branch 82/05/24 VOLMER, C. J. Exxon Nuclear Co., Inc. (subs. of Exxon Corp.) 1p. 13331 307.

8206020224 Trip rept of 811027-28, 28-29 & 1102 visits to Seattle, WA, Richland, WA & Idaho Falls, ID for workshop re development of modeling for high level waste form performance, waste mgt organization & waste mgt activities, respectively.
CDDK, F. R. High Level Waste Licensing Management Branch 82/05/05
BELL, M. J. High Level Waste Licensing Management Branch 4pp
13341, 300.

--8206020238 ENIC0-1048
"Final BAR for Fifth Calcined Solids Storage Facility "
* Exxon Nuclear Co., Inc. (subs. of Exxon Corp.), UC-70
82/01/31. 8pp 13341 351

8206020554 Summary of 820314 meeting w/Westinghouse, Duke Power Co. SC Electric & Gas Co. CN Almeraz & CNASCO in Bethesda, MD re resolution of accelerated tube wear experienced on operating plants w/Model D steam generators. W/attendance list
KANE, W. F. Licensing Branch 1. 82/05/20 YOUNGBLOOD, B. J. Licensing Branch 1. 5pp 13339 338

8206030109 Forwards table of steam generator secondary side mods performed by Westinghouse in response to T Ippolito request
RAHE, E. P. Westinghouse Electric Corp. NS-EPR-2602 82/05/28
EISENHUT, D. Division of Licensing App 13337.095

8206040259 Responds to questions re C-E reactor vessel level measurement sys using heated junction thermocouple
BASKIN, K. P. C-E Operating Plants Owners Group. 82/06/01
CRUTCHFIELD, D. Operating Reactors Branch 3 23pp 13338-049.

8206040348 Informs of initiation of cooperative seismic monitoring program in presently unmonitored areas of south central KY, middle TN & north central AL.
BARNETT, R. D. Tennessee Valley Authority. 82/06/01 JACKSON, R. E.
Geosciences Branch 1p 13352 345

8206070097 Forwards supplemental info re reactor vessel integrity for Westinghouse operating plants. Rept undertaken to provide more complete foundation for conclusion stated in WCAP-10019 that no safety concern exists
KINGBLEY, D. D. Alabama Power Co. 06-70 82/05/28 DENTON, H. R.
Office of Nuclear Reactor Regulation, Director 2pp 13370.193.

--8206070097 "Summary of Evaluation re Reactor Vessel Integrity," performed for Westinghouse owners group
* Westinghouse Electric Corp. 20720 1 82/05/28 123pp.
13370 195

8206070782 Discusses 820428 meeting re communications w/Region 2 concerning general topics & specifically 10CFR50 55(a) & Part 21 reporting requirements, Meeting beneficial Meeting summary & attendance list encl.
O'REILLY, J. P. Region 2, Office of Director 82/05/13 O'AMBUSSO, A.
Stone & Webster, Inc. 3pp 13359 140

8206080165 Notifies of amount due for NRR review of Amend 5 to BCE-1-A (QA program), submitted 820108 Review of amend completed 820329
MILLER, W. G. License Fee Management Branch 82/04/28 PAPAY, L. T.
Southern California Edison Co. 1p. 13441 345

8206080166 Informs of planned meeting w/BWR owners group in late June to discuss NRC evaluation of owners group rept re radiolytically produced oxygen following LOCA & combustible gas control scheduled for submission by 820607
HOVAK, T. M. Assistant Director for Operating Reactors 82/05/10
DENTE, T. J. BWR Owners Group. 3pp 13441 340

8206080199 Forwards proprietary & nonproprietary descriptions of grid reset model & comparisons w/data. Proprietary description withheld (ref 10CFR2 790) Application for withholding proprietary description encl
RAHE, E. P. Westinghouse Electric Corp. BE-THTA-45 82/05/14
MILLER, J. R., PHILLIPS, L. Standardization & Special Projects Branch 24pp 13419 005.

--8206080202 Application for withholding proprietary description of grid reset model & comparisons w/data
WIESEMAN, R. A. Westinghouse Electric Corp. AW-B2-29 82/05/14
MILLER, J. R. Standardization & Special Projects Branch. 7pp.
13419 029

8206080213 Forwards 820324 organization chart detailing restructure of central procurement.
AMARAL, J. M. Bechtel Corp. 82/06/03. HAASS, W. P. Quality Assurance Branch. 2pp 13422.007.

8206080276 Proposes 820714 meeting to present proposed plan for follow-on plant licensing re NRC review procedures for jet pump BWR reload submittals w/fuel & analyses supplied by Exxon Nuclear Plan outline will be provided by 820701.
CHANDLER, J. C. Exxon Nuclear Co., Inc. (subs. of Exxon Corp.)
JCC.054 82 82/06/04 BERLINGER, C. Core Performance Branch 2pp
13419.310

8206080364 Forwards, "QA Program Topical Rept for Nuclear Fuel Design & Fabrication," XN-NF-1A, Revision 4A.
VOLMER, C. J. Exxon Nuclear Co., Inc. (subs. of Exxon Corp.), 82 00
82/05/27. HAASS, W. P. Quality Assurance Branch 1p 13416.040

--8206080370 XN-NF-1A R04A
"Exxon Nuclear Co. Inc QA Program Topical Rept for Nuclear Fuel Design & Fabrication "
* Exxon Nuclear Co., Inc. (subs. of Exxon Corp.), 82/06/03
77pp. 13416.041.

8206110088 Notifies of organizational change affecting BWR QA program in nuclear power sys div Effective 820601, nuclear program control operation transferred to domestic BWR projects dept Change to be documented in next revision to NEDD-11209-04A
BREED, A. General Electric Co. 82/06/07. HAASS, W. P. Quality Assurance Branch. 1p. 13465 362

8206110326 Forwards prepublication draft, "Emergency Procedure Guidelines, BWR 1 Through 6," Revision 2.
DENTE, T. J. BWR Owners Group BWR00 8219 82/06/01 EISENHUT, D. J.
Division of Licensing 2pp 13465 106

--8206110328 Prepublication draft "Emergency Procedure Guidelines BWR 1 Through 6," Revision 2 Four oversize drawings encl.
Aperture cards are available in PDR
* BWR Owners Group. 82/05/20 55pp 13465 108.

8206110353 Notification of 820527 meeting w/B&W in Bethesda, MD to discuss std plans & topical repts
BERNARD, H. Standardization & Special Projects Branch 82/05/26
TEDESCO, R. L. Assistant Director for Licensing. 7pp. 13490 231

8206110355 Forwards Table 1, Revision 6, of equipment qualification program, provided as update for scheduled documentation submittal dates. Program complies w/IEEE Stds 323-74 & 344-73.
RAHE, E. P. Westinghouse Electric Corp. NS-EPR-2608. 82/06/01.
EISENHUT, D. J. Division of Licensing 8pp 13467 079

8206150335 Corrects coding & input errors in application of updated (Oct 1981 revision) DDVN Transient Analysis Code, confirming B20505 telcon w/Reactor Sys Branch All future licensing calculations will utilize corrected code version
PFEFFERLEN, H C General Electric Co MFN-076-82 82/06/08
EISENHUT, D G Division of Licensing 2pp 13505 356

8206160033 Forwards Endorsements 102 & 103 to NELIA Policy MF-111 & Endorsements 42 & 43 to MAELU Policy MF-85 v
ROTHMAN, J J McDermott, Will & Emery 82/06/10 DINITZ, I Division of Engineering 5pp 13517 104

8206160143 Forwards proprietary & nonproprietary versions of ATC-B019-1, "Atcor Liquid Vol Reduction Process Topical Rept " Proprietary version available in Central Files only
BLEWETT, J A ATCOR ADM-8-823-21 82/06/11 MILLER, J R Standardization & Special Projects Branch 4pp, 13521 129

--8206160148 ATC-B019-1-N
"Topical Rept ATC-B019-1-N for Atcor Liquid Vol Reduction Process " Nonproprietary version
* ATCOR 82/05/31 130pp 13521 133

8206160340 Forwards errata & addenda to Vol 1 of NEDE-23785-1-P, "QESTR-LOCA - Model for Prediction of Fuel Rod Thermal Performance," revising model calibr/qualification data tables & App D Encl withheld (ref 10CFR2 790)
QUIRK, J F General Electric Co MFN-077-82 82/06/10 BERNARD, H Standardization & Special Projects Branch 6pp 13517 357.

8206170128 Forwards viewgraphs presented during 820609 meeting re pressurized thermal shock No near-term pressurized thermal shock concern exists for any C-E designed NBSB unit
BASKIN, K C-E Operating Plants Owners Group 82/06/14 DENTON, H R Office of Nuclear Reactor Regulation, Director 7pp 13530:235

8206170269 Submits suppl to evaluation of NUREG-0737, Item II E 4 2(7), "Containment Isolation Dependability - Isolation on High Radiation " Calculation of acceptable offsite doses is acceptable alternative to NRC position
DENTE, T J BWR Owners Group BWR00-8222 82/06/14 EISENHUT, D G Division of Licensing 8pp 13532 272.

--8206170274 Summary of 81119 meeting w/BWR owners group re containment vent/purge isolation on high containment radiation
REEVES, E A NRC - No Detailed Affiliation Given 81/12/03. NRC
- No Detailed Affiliation Given 3pp 13532 283

8206170318 Forwards Revision 4 to BAW-10096A, "B&W NPGD GA Program for Nuclear Steam Sys & Nuclear Steam Core Product Lines "
TAYLOR, J H Babcock & Wilcox Co 82/05/18, BERGOREN, J B Standardization & Special Projects Branch 1p 13530, 270

--8206170322 BAW-10096A R04
Revision 4 to "B&W NPGD GA Program for Nuclear Steam Sys & Nuclear Steam Core Product Lines "
* Babcock & Wilcox Co 82/03/31 104pp 13530 272.

8206170400 Notifies that Div of Accounting & Financing has been asked to bill util for review of Revision 4 to GA Topical Rept NY-GA-i Fees in accordance w/10CFR170 21, Category F.
MILLER, W O License Fee Management Branch. 82/06/09. COUNSIL, W O Northeast Utilities 1p 13557 348

8206180220 Requests that info re 2-loop plant data acquisition, discussed during 820518 meeting & provided by 820518 ltr be treated as proprietary info Application for withholding per 10CFR2, 790 will be submitted separately
WIEBEMANN, R A Westinghouse Electric Corp AW-82-26 82/05/18
SPEIS, T P. Assistant Director for Reactor Safety 1p 13534 252.

8206180246 Forwards list of proprietary two-loop plant generic data transmitted to NRC during 820518 meeting list withheld (ref 10CFR2, 790).
RAHE, E P Westinghouse Electric Corp. NB-EPR-2599. 82/05/18
SPEIS, T P. Assistant Director for Reactor Safety. 1p 13551 100

8206210358 Confirms invitation to attend 820629 demonstration of graphic display sys for BWR owners group emergency response info sys near Tulsa, OK
QUIRK, J F General Electric Co MFN-081-82. 82/06/16
THOMPSON, H L. Division of Human Factors Safety 1p. 13558, 099

8206210619 Informs of intention to dismantle full-scale test facility by end of June 1982, Notification requested by 820621 if dismantling believed to be inappropriate Release of Suppl 1 to NUREG-0661 prior to above date would be helpful
PFEFFERLEN, H C General Electric Co MFN-079-82 82/06/14
IPPOLITO, T A. Operating Reactors Branch 2 1p 13563:333

8206220220 Forwards Revision 3 to prepublication draft, "Emergency Procedure Guidelines BWR 1 Through 6," originally submitted B20601
DENTE, T J BWR Owners Group BWR00 8220 82/06/08 EISENHUT, D G Division of Licensing 1p. 13571:207

8206220483 Forwards general assessment of Quadrex Corp rept, "Design Review of Brown & Root Engineering Work for South TX Project " W/o encl
SALTARELLI, E A Brown & Root Corp. (subs of Halliburton Corp) 82/05/03 SEYFRIT, K V Region 4, Office of Director PARKER, D G Houston Lighting & Power Co HALL10AN, D W. Bechtel Corp 1p 13581 018.

8206230007 Addl response to FOIA request for eight categories of documents Forwards documents listed in app Financial info in Documents 3-54, 3-55 & 5-11 deleted
FELTON, J M Division of Rules and Records 82/04/29 MCMURRAY, C M Kirkpatrick, Lockhart, Hill, Christopher & Phillips 21pp 13604 044. 24X Fiche 50-000, 82/04/29, 8206230007.

--8004020854 Forwards two pages w/suggested wording changes re notice modifying language of 10CFR50 App A per B00320 meeting
HAASS, W P Quality Assurance Branch 80/03/21 RICHARDSON, S D Reactor Systems Standards Branch. 3pp 13605 048

8206230064 Forwards Westinghouse response re Miller 810531 request for addl info on WCAP-8776, "Failure Mode & Effects Analysis of Solid State Full Length Control Rod Sys "
RAHE, E P Westinghouse Electric Corp NB-EPR-2609 82/06/08
MILLER, J R Standardization & Special Projects Branch TEDESCO, R L Assistant Director for Licensing 8pp 13588 237

8206230098 Forwards NEDO-22155, "Generation & Mitigation of Combustible Gas Mixtures in Inerted BWR Mark I Containments," per final interim hydrogen control rule Existing design adequate for combustible gas control w/o need for recombiners
DENTE, T J BWR Owners Group BWR00 8224 82/06/21. EISENHUT, D G Division of Licensing. 2pp 13589:196

--8206230103 NEDO-22155
"Generation & Mitigation of Combustible Gas Mixtures in Inerted BWR Mark I Containments "
HAYES, F R, NEBBITT, L B, STANCAVADE, P P General Electric Co 82NED0069 82/06/30 46pp 13589:198

8206240035 Summary of 820520-21 meeting w/BWR owners group & GE in Bethesda, MD re emergency procedure guidelines (TMI Action Plan Item I C 1) List of attendees & viewgraphs encl.
KENNEDY, W O. Procedures & Test Review Branch 82/06/10.
ZIEHMANN, D L. Procedures & Test Review Branch 19pp 13609 346.

8206240438 Responds to 820524 memo re performance of wetwell/drywell vacuum breakers in Mark I containments under dynamic loading conditions during pool swell phases of LOCA Meeting not required at this time
NOVAK, T Assistant Director for Operating Reactors 82/06/07
SPEIS, T Assistant Director for Reactor Safety 1p. 13619 308

8206290999 Notification of 820623 meeting w/C-E & C-E owners group to discuss preliminary NRC comments on emergency procedure guidelines, CEN-152, Revision 1, dtd 820430
GOODMAN, M J. Procedures & Test Review Branch 82/06/16
ZIEHMANN, D L. Procedures & Test Review Branch 2pp 13658 119

8206300068 Summary of 820609 meeting w/PWR industry representatives in Bethesda, MD re pressurized thermal shock issue Viewgraphs encl
VISHNIN, G S Operating Reactors Branch 4. 82/06/17 Operating Reactors Branch 4 46pp 13683, 317

8206300176 Forwards Revision 11 to ETR-1001, "Nuclear GA Program Manual," per NRC 820517 ltr of acceptance of proposed changes to listed sections Distribution list encl.
TENZER, W P. Ebasco Services, Inc. (subs of Enserch Corp) 82/06/23 HAASS, W P Quality Assurance Branch 3pp. 13653:010

--8206180038 Comments on Revision 11 to Ebasco GA program Topical Rept ETR-1001 Requests copy of ltr be included in rept, rept be renumbered ETR-1001, Revision 11A & indication made of plants rept is applicable to.
HAASS, W P Division of Engineering 82/05/17. TENZER, B E. Ebasco Services, Inc. (subs of Enserch Corp), 1p. 13653, 013.

--8206300180 ETR-1001 R11
Revision 11 to "Nuclear GA Program Manual." * Ebasco Services, Inc (subs of Enserch Corp.) 82/06/18 54pp 13653 014

NONDOCKETED ITEMS

WASTE MGT NUCLEAR WASTE MANAGEMENT

8206020098 Forwards for review & comment, revised draft of proposed agreement between US DOE & State of WY under U Mill Tailings Radiation Control Act of 1978 Related documents also encl
HARRIS, R A Energy, Dept of 20445 82/09/12 BDA, L D Wyoming, State of 48pp 13332 247

8206020224 Trip rept of 811027-28, 28-29 & 1102 visits to Seattle, WA, Richland, WA & Idaho Falls, ID for workshop re development of modeling for high level waste form performance, waste mgt organization & waste mgt activities, respectively
COOK, F R High Level Waste Licensing Management Branch 82/05/05
BELL, M J High Level Waste Licensing Management Branch App, 13341 300

--8206020231 "Brief Review of Production Processes, Technical Status & Costs for Three Proposed Transuranic Waste Forms Basalt, Fuelup Concrete & Frit"
OWEN, D E NRC - No Detailed Affiliation Given 81/01/31 46pp 13341 304

--8206020238 ENICO-1068
"Final SAR for Fifth Calcined Solids Storage Facility"
Exxon Nuclear Co., Inc (subs of Exxon Corp) UC-70
82/01/31 86p 13341 351

8206090250 Submits fifth status rept re Edgemont cleanup action program Complete details of all radiological surveys encl
SCARANO, R A Uranium Recovery Licensing Branch 82/05/23
MARTIN, J B Division of Waste Management Spp 13456 142

8206100439 Comments on proposed NUREG-0856, "Draft Technical Position on Documentation of Models," announced in 820107 FR Requests documentation requirements set forth in draft position not serve as precedent for other NRC activities
KARP, J Edison Electric Institute 82/05/27 BELL, M H High Level Waste Licensing Management Branch 2pp 13468 076

8206100441 Forwards comments on branch technical position re waste forms
KOH, B Hittman Nuclear & Development Corp (subs Hittman Corp)
HN-EA04 82/05/14 BROWNING, R E Division of Waste Management 9pp 13468 098

8206100443 Comments on draft technical position re radwaste classification, in response to NRC 820331 request
OWEN, J B Dow Chemical Co 82/04/28 SMITH, R D High Level Waste Licensing Management Branch 4pp 13458 295

8206100448 Forwards review of WY Mining Assoc proposal to eliminate quarterly groundwater monitoring in favor of single sample at U in situ sites, as discussed in 820413 meeting w/NRC. Unsound to base groundwater quality on only one sample
ACKERMAN, W C Wyoming, State of 20489 82/05/26 BUDD, W H Wyoming Mining Association 6pp 13458 287

8206101051 Forwards suppl to 820504 comments on draft branch technical position re radwaste classification
WHITBETT, J B Energy, Dept of, Idaho Operations Office, 82/05/04
SMITH, R D High Level Waste Licensing Management Branch, 2pp, 13493 262

8206101053 Comments on 820331 draft technical position on radwaste classification.
MICKLIN, D L Tennessee Valley Authority 82/05/12 SMITH, R D High Level Waste Licensing Management Branch, 1p 13493:264.

820610362 Comments on monthly ltr rept for "Edgemont Remedial Action Program" for Apr 1982 No changes to costs or delivery of contract products authorized
EADIE, G O Uranium Recovery Licensing Branch FIN B-2217
WH-B2-330 82/06/02 WOODMAN, N A Battelle Memorial Institute, thewest Laboratory 2pp.. 13490 235.

Edgemont Remedial Action Program," monthly ltr rept for
WOODMAN, N A, PERKINS, R W Battelle Memorial
cific Northwest Laboratory, FIN B-2217 20433
DIE, G O Uranium Recovery Licensing Branch, 14pp.

of NRC branch
w/ve waste

05/21. SMITH, D. Low

8206140365 Trip rept of 820217 & 18 visit to Santa Fe, NM re clarification on issues associated w/State of NM preliminary draft application for amended agreement
Elaboration of items encl
HAMIL, K J Uranium Recovery Licensing Branch 82/05/28
SCARANO, R A Uranium Recovery Licensing Branch 10pp 13510 129

8206150186 Discusses 820503 meeting w/Central Valley Water Reclamation representatives re objections to onsite stabilization of Vitro tailings
HAMIL, K J Uranium Recovery Licensing Branch 82/05/28 Uranium
Recovery Licensing Branch 1p 13725 219

8206150193 Summary of 820519-21 Second Semiannual Workshop on Leaching Mechanism of Nuclear Waste Forms in Gaithersburg, MD re waste disposal (hydrology & geology) Meeting agenda encl
CHANG, K C High Level Waste Licensing Management Branch 82/05/20
COOK, F R High Level Waste Licensing Management Branch App 13523 220

8206150471 Submits recommended guidelines re burial of C-14 contaminated soil Quantifier of C-14 shall not exceed 10 mCi in vol not less than 25 cubic ft & buried at min depth of 4 ft & 10 ft above highest point of water table
SMITH, R D Low Level Waste Licensing Branch 82/06/02 MILLER, V Division of Fuel Cycle & Material Safety 3pp 13523 101

8206160004 Requests assistance to input into NRC-Brookhaven Computer Sys. two computer programs, "Pathways," & "Dosimetry & Health Effects," acquired from Sandia Natl Labs Programs should be implemented no later than 820623
BELL, M J High Level Waste Licensing Management Branch 82/05/28
SHIELDS, J A System Support Branch 1p 13525 254

8206160019 Notification of 820607 meeting w/QAI, IFCO, Geotrans & DRI in Silver Spring, MD to discuss nature & significance of potential licensing issues re Yucca Mountain site & info needed to resolve issues
COPLAN, B H High Level Waste Technical Development Branch 82/06/01 MILLER, H J High Level Waste Technical Development Branch 3pp 13525 274.

8206160022 Forwards "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203 W/o encl.
SCARANO, R A Uranium Recovery Licensing Branch 82/06/01
MARTIN, J B Uranium Recovery Licensing Branch 1p 13525 216

--8206160026 Forwards, for comment, use & transmittal to member companies, "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203 W/o encl
SCARANO, R A Uranium Recovery Licensing Branch, 82/06/01
BUDD, W H Wyoming Mining Association 1p 13525 217.

--8206160029 Forwards, for comment, use & transmittal to member companies, "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203 W/o encl
SCARANO, R A Uranium Recovery Licensing Branch 82/06/01
BOGGS, L American Mining Congress 1p 13525 218

--8206160036 Forwards, for info, comment & use "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203 W/o encl.
SCARANO, R A Uranium Recovery Licensing Branch, 82/06/01
SUNDIN, R Wyoming, State of 1p 13525 219

--8206160040 Forwards, for info, comment, use & transmittal to member organizations, "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203 W/o encl.
SCARANO, R A Uranium Recovery Licensing Branch 82/06/01
BERICK, D Environmental Policy Center 1p. 13525 220.

--8206160041 Forwards, for info & transmittal to Agreement States, "Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203
SCARANO, R A Uranium Recovery Licensing Branch 82/06/01
KERR, G W Office of State Programs, Director 1p 13525 221.

--8206160044 WM-B203 DRAFT
"Hydrogeologic Characterization of U Solution Mine & Mill Tailings Disposal Sites," draft Technical Position Paper WM-B203
Uranium Recovery Licensing Branch, 82/05/31 31pp, 13525 32

8206160070 Forwards "Review Plan for Site Characterization Repts" & "Siting & Design Suitability Issues at Basalt Waste Isolation Project" Repts ready for transmittal to DOE
WRIGHT, R. J. High Level Waste Technical Development Branch
82/06/01. MILLER, H. J. High Level Waste Technical Development Branch 1p 13538 101

--8206160075 "Review Plan for Site Characterization Repts." Revision 1
* Division of Waste Management 82/05/01 24pp 13538 102

--8206160080 "Siting & Design Suitability Issues at Basalt Waste Isolation Project"
* Division of Waste Management 82/05/31 13pp 13538 126

8206160079 Forwards final radiological assessment of Dawn Mining Co U mill to document technical assistance being provided in connection w/ license renewal. Revisions made per 820129 & 0305 comments. Revised computer printout encl
SCARANO, R. A. Uranium Recovery Licensing Branch 82/06/01
STRONO, T. R. Washington, State of 39pp 13538 140

8206160086 Forwards outline of waste classification demonstration program, per 820520 & 21 telcons
BROWNING, R. E. Division of Waste Management 82/05/24
TARNUZZER, E. C. Yankee Atomic Electric Co 4pp 13525 356

8206160141 Forwards draft chart listing min requirements that impact repository design
GREGG, J. T. High Level Waste Technical Development Branch 82/06/01. High Level Waste Technical Development Branch 2pp 13538 183

8206160456 Comments on draft branch technical position re radwaste classification.
LACKER, D. K. Texas, State of. 82/04/26 SMITH, R. D. Low Level Waste Licensing Branch 2pp 13543 195

8206160458 Comments on draft branch technical position re radwaste classification.
COUNSILL, W. G., CAONETTA, J. P. Northeast Utilities AO2468 82/05/10
SMITH, R. D. Low Level Waste Licensing Branch 3pp 13543 197 24X
Fiche 50-000, 82/05/10, 8206160458

8206160460 Forwards comments on draft branch technical position re radwaste classification, in response to NRC 820331 request. Evaluation of Table 1 requirements on nuclear plant wastes urged.
UFRIO, R. E. Florida Power & Light Co L-82-213 82/05/20
SMITH, R. D. Low Level Waste Licensing Branch. 4pp 13543, 200. 24X
Fiche 50-000, 82/05/20, 8206160460

8206160464 Comments on draft branch technical position re radwaste classification
PARKER, W. D. Duke Power Co. 82/05/03 SMITH, R. D. Low Level Waste Licensing Branch. 2pp. 13543, 204.

8206160465 Comments on draft branch technical position re classification of low level waste. Supports position
POPPER, L. K. Chem-Nuclear Systems, Inc. 82/05/05. SMITH, R. D. Low Level Waste Licensing Branch 5pp. 13543, 206.

8206160467 Comments on draft branch technical position re radwaste classification. Supports position
DAWSON, D. H. General Electric Co. DMD-620. 82/05/25. SMITH, R. D. Low Level Waste Licensing Branch. 2pp 13543 211

8206170393 Forwards recently received info on Oraven U Mill. Union Carbide should be notified to delete U Recovery Licensing Branch from distribution list
SCARANO, R. A. Uranium Recovery Licensing Branch. 82/05/11
HAZLE, A. J. Colorado, State of. 1p 13555, 360

8206220027 Forwards "Project Completion Rept for Remedial Action at Salt Lake County Fire Station 1 & Harmony Park."
RAMSEY, R. W. Energy, Dept of 20469. 82/05/26 MOYTT, W. E. NRC - No Detailed Affiliation Given 1p 13591 068

--8206220032 UMTRA-DOE/ALC-0260
"Project Completion Rept for Remedial Action at Salt Lake County Fire Station 1 & Harmony Park."
* Energy, Dept. of 82/04/30 29pp. 13591-069.

8206220033 Forwards comments on draft branch technical position re radwaste classification, in response to NRC 820331 request.
HARBALL, J. R. Arkansas Power & Light Co. OCA048222. 82/05/21. SMITH, R. D. Low Level Waste Licensing Branch. 3pp. 13585 003

8206220138 Forwards Ofc of Environ Compliance 820521 request for addl info to make prompt NEPA determination for approx 100, vicinity properties in Salt Lake City, UT re need for EIS
RAMSEY, R. W. Energy, Dept of NE-30 1 82/05/26 CAMPBELL, R. H. Energy, Dept of 2pp 13591 284

8206220140 Forwards "Rn-222 Air Sample Rept for Month of Apr 1982 & Cumulative Rept for 1982"
CAIN, J. Cotter Corp 20484 82/05/26 HAZLE, A. J. Colorado, State of 2pp 13591 286

--8206220145 "Rn-222 Air Sample Rept for Month of Apr 1982 & Cumulative Rept for 1982"
* Cotter Corp 20484 82/05/26 1p 13591 288

8206230310 Submits status rept re technical input to reg guide development for 820130-0531 Rept includes planning discussions, scope & schedule reviews, technical & policy reviews of drafts & preparation & transmittal of documents
SCARANO, R. A. Uranium Recovery Licensing Branch FIN B-2406 82/05/28 MARTIN, J. B. Division of Waste Management 5pp 13594, 320.

8206250057 Suggests meeting to resolve memorandum of understanding between State of WY & NRC re U mill tailings & in situ mining
DAVIS, J. O. Office of Nuclear Material Safety & Safeguards, Director 82/02/03 FREUDENTHAL, B. Wyoming, State of 1p 13628 296

8206250064 Responds to 820407 questions re NUREG-0859, "Compliance Determination Procedures for Environ Radiation Protection Stds for U Recovery Facilities 40CFR190" W/o encl Reg Guide 351
SCARANO, R. A. Uranium Recovery Licensing Branch. 82/05/11
FERMAN, J. W. Minnesota Pollution Control Agency 3pp 13628 293

8206250329 Forwards comments on NRC branch positions on site closure & stabilization & on radwaste classification. Acceptable sampling frequency should be established
WHITSETT, J. B. Energy, Dept of 82/06/04 SMITH, R. D. Low Level Waste Licensing Branch 4pp 13629 066

8206250332 Comments on NUREG-0856, "Draft Technical Position on Documentation of Models." Rept generally acceptable for facilitating exchange of modeling-related info between NRC & DOE
BALLARD, W. H. Energy, Dept of 82/06/08 MARTIN, J. B. Division of Waste Management. 5pp 13629 072

8206250344 Forwards summary of 820413-15 meeting re site characterization tests & info needs for license applications
GREGG, J. T. High Level Waste Technical Development Branch 82/05/26 CHASE, L., HARTUNG, L., PRESTHOLT, P. High Level Waste Technical Development Branch 2pp 13629 206.

--8206250347 Summarizes 820413-15 meeting w/ Golder Associates, LBL, US Bureau of Mines, Engineers Intl & Univ of AZ in Washington, DC re technical positions on repository in situ characterization testing
CHASE, L. High Level Waste Technical Development Branch. 82/05/17
MILLER, H. J. High Level Waste Technical Development Branch 75pp 13629, 208

8206280037 Requests info re data sys capability & how NRC may reach agreement w/ DOE to share info on regular basis re tracking generation & disposal of low level waste.
JACKSON, K. C. Low Level Waste Licensing Branch. 82/06/01. JORDAN, E. Energy, Dept. of. 1p 13630, 351

8206280040 Informs that draft branch technical position on radwaste classification is well written & approach to subj matter effectively presented. Specific comments submitted
MANN, B. A. Energy, Dept of 82/06/01 SMITH, R. D. Low Level Waste Licensing Branch. 1p 13630, 352

8206280085 Trip rept of 820507-08 visit to Harrisburg, PA for Heal Physics Soc joint chapter meeting re internal dosimetry & for technical site tour.
DRACONETTE, K. B. Low Level Waste Licensing Branch 82/06/04. SMITH, R. D. Low Level Waste Licensing Branch 3pp. 13630 191

8206280686 Confirms 820511 telcon agreement th samples & perform necessary soil tests at 820512-13.
PERDON, L. S. Low Level Waste Licensing B
US Ecology, Inc. (Formerly Nuclear Engin

8206280492 Comments on public draft version of "Nat'l Plan for Siting High Level Radwaste Repositories & Environ Assessment," describing DOE site screening & selection procedures for finding sites suitable for disposal of commercial radwaste MILLER, H J High Level Waste Technical Development Branch 82-333 82/06/07 BALLARD, W H. Energy, Dept of 3pp. 13630 230

8206280497 Forwards outline of prior hydrogeologic data requests made in connection w/Sept & Jan site characterization rept reviews to assist in planning series of workshops to be held in Richland, WA, per 820112-13 meeting & 820505 ltr WRIGHT, R J High Level Waste Technical Development Branch 82/06/08 GORANSON, R B Energy, Dept of. 6pp 13630 233

8206300093 Forwards revised branch technical position on waste form, superseding 810224 draft version Submittal incorporates recent comments from industry & other interested parties to be incorporated into Nov 1982 reg guide MARTIN, J B Division of Waste Management. 82/06/16 ARSENAULT, F J Waste Management Branch 9pp 136B4 134

XPORTLIC EXPORT AND IMPORT LICENSES

8206010012 Advises that export license issued w/o normal 15-day waiting period due to urgency of export ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 82/05/18 Assistant Director for Export/Import & International Safeguards 1p 13319 341

8206010648 Applies for license to export 2,750 kg cast depleted U ingots, as 5 & 10-ft long O 5-inch bars, to Canada SHERMAN, P Nevada Engineering & Technology Corp R08 8198 82/05/19. HEMBY, E Assistant Director for Export/Import & International Safeguards 1p 13331 306

8206020092 Executive Branch position re QE application to export 3,100 kg U-235, contained in 115,000 kg U to Spain Ltrs of assurance encl License should be granted DEVINE, J B State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 82/05/19 BHEA, J R Office of International Programs, Director 4pp 13332 351

8206020110 License for Matheson Gas Products to export 36 g deuterium, contained in two Number 4 cylinders, to Indonesia. ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 4806X 82/05/21 1p 13333, 120

8206020113 Application for license to export miscellaneous specially designed or prepared parts & components for use in nuclear reactors to Japan. TANIKAWA, K Mitsui & Co (U.S.A.), Inc (Subs. of Mitsui & Co., Ltd.). 82/05/11 2pp 13333, 121

8206020118 License for Westinghouse to export one compensated ionization chamber, Model WL 23944, to France ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZE-40116-1 82/05/21. 1p 13333 123

8206020128 License for Westinghouse to export four compensated ionization chambers, Model WL 23944, to France ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards, ZE-40116-2. 82/05/21 1p. 13333, 198

8206020134 Executive Branch position re QE application to export 4,505 kg U-235, contained in 239,500 kg U, to Spain. Ltrs of assurance encl License should be granted DEVINE, J B State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 82/05/19 BHEA, J R Office of International Programs, Director. 4pp 13333, 248

8206020142 Application for license to export 355 pieces Zircaloy-4 guide thimble tubes to Japan BANGERTER, D H Sandvik Special Metals Corp. B3-6-92 82/05/12. 1p 13333; 252.

8206020209 License for Westinghouse to export 5 g U-235, contained in 110 g U, to Belgium ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 1LB-130 82/05/20 2pp 13340 195

8206020211 License for Eberline Instrument Corp to export 6 437 nanograms Pu-239, contained in Pu-239 alpha check source, to United Kingdom ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 882561 82/05/20 2pp 13340 197

8206020315 Advises of amend to 820407 application for authorization to export 44,810 kg U to Japan Item 17 should be changed to read U oxide as powder WILSON, D D General Electric Co 82/05/12 WRIGHT, B L NRC - No Detailed Affiliation Given 1p 13342 158

8206020317 Requests extension of export license from 820701 to 830101 Extension needed so that hardware can be shipped to Sweden to allow repair of failed fuel assemblies KIEL, G R Exxon Nuclear Co, Inc. (subs of Exxon Corp.) 82/05/11 DEVINE, J B Assistant Director for Export/Import & International Safeguards 1p 13342 159

8206020573 License for Edlow Intl Co to export 372.9 kg U-235, enriched to 3 25% w/o max, to Japan ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. H8A-JA-19 (SUM- 82/05/27 2pp 13339, 343

8206020577 License for Edlow Intl Co to export 250.91 kg U-235, enriched to 3 25% w/o max, to Japan. ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards H8A-JA-19 (SUM- 82/05/27 4pp 13339 345

8206030013 License for NV Engineering & Technology Corp to export 2,750 kg depleted U alloy in form of bar stock as component of phalanx close-in weapon sys penetrators to Canada ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards R08 8198 82/05/26 2pp 13361, 337

8206030021 Forwards application for export license for minor nuclear export Ltr of assurance required. ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 82/05/18 GRIFFIN, J A Energy, Dept of 1p 13361 341

8206030082 Informs that License XBNH-1630 may be issued No matl changed circumstances since issuance of License XBNH-0861, Amend 2 MOORE, R N Assistant Director for Export/Import & International Safeguards 82/05/24 Assistant Director for Export/Import & International Safeguards 1p 13361, 357

8206030092 License for Edlow Intl Co to export 209 70 kg U-235, contained in 7,358 kg U, to Japan ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards H8A-JA-18 (SUM- 82/05/27 2pp. 13362; 181

8206030096 License for QE to export 3,100 kg U-235, contained in 115,000 kg U, to Spain ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards BDH-79246. 82/05/27 2pp. 13362, 179.

8206030273 Amend 3 to QA Co license, increasing quantity of matl authorized for export from 18,978 kg U to 20,545 kg U ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 1EL-1159 82/05/26 1p. 13362 256

8206030274 License for QE to export 4,505 kg U-235, contained in 239,500 kg U, to Spain ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/26 2pp. 13362 257

8206030277 Ltr of assurance re Edlow Intl Co application to export 209.7 kg U-235, contained in 7,358 kg U, to Japan EHTRAKAWA, T. Japan 82/05/21. GRIFFIN, J A. Energy, Dept. of. 1p 13361, 217

8206030300 Executive Branch position re Edlow Intl Co application to amend license, increasing amount of bulk gaseous tritium to be exported to United Kingdom to 600,000 Ci & extending license to 880601. Amend should be granted. DEVINE, J B. State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 82/05/25 BHEA, J R Office of International Programs, Director 2pp. 13362; 262

NONDOCKETED ITEMS

471

8206030314 Executive Branch position re Edlow Intl Co application to extend validity of export license License should be extended
DEVINE, J B State, Dept. of, Bureau of Oceans & Internatl Environ & Scientific Affairs 82/05/25 SHEA, J R Office of International Programs, Director 1p 13342 362

8206030316 Application for amend to import license increasing quantity to be imported to 800 kg U-308 containing 27 2 kg U-235.
KIEL, O R Exxon Nuclear Co, Inc (subs of Exxon Corp) 82/05/20 DEVINE, J B Assistant Director for Export/Import & International Safeguards 1p 13361 358

8206030320 Advises of grant of license to NV Engineering & Technology Corp w/o normal 15-day waiting period Depleted U for non-nuclear end use not subj to 10CFR110 42 criteria
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/26 Assistant Director for Export/Import & International Safeguards 1p 13342 297

8206030325 Forwards application for license to export 45 metric tons, each ton containing 4 kg per metric ton of both natural U & natural thorium
OILLILAND, J C AMAX, Inc 82/04/26 HEMBY, E NRC - No Detailed Affiliation Given 2pp 13342 308

--8206030328 Application for license to export 45 metric tons, each ton containing 4 kg metric ton of both natural U & natural thorium, to United Kingdom
DISLER, W F AMAX, Inc SN-EXP 82/04/26 1p 13342 310

8206030340 Ltr of assurance re Mitsui & Co application to export 210 kg U-235, contained in 6,974 kg U, to Japan
SHIRAKAWA, T Japan 82/05/21 GRIFFIN, J A Energy, Dept of 1p 13361 362

8206040008 Ltr of assurance re Edlow Intl Co application to export 372 9 kg U-235, contained in 11,474 09 kg U, to Japan
SHIRAKAWA, T Japan 82/05/21, GRIFFIN, J A Energy, Dept of 1p 13362 351.

8206040044 Forwards export license application, authorizing export of 9,921 kg U, containing 426 6 kg U-235, to France
HANNETT, B A Transnuclear, Inc. 82/05/24 MOORE, N Office of International Programs, Director. 1p 13362 338.

--8206040048 Application for license to export 9,921 kg U, containing 426 6 kg U-235, to France
HANNETT, B A Transnuclear, Inc 82-093/01 82/05/24. 2pp 13362 339.

8206040059 Ltr of assurance re Edlow Intl Co application to export 250.91 kg U-235, contained in 7,720 41 kg U, to Japan.
SHIRAKAWA, T Japan 82/05/21. GRIFFIN, J A Energy, Dept of 1p 13362 344

8206040100 Forwards petition to intervene
MCDOUGALL, Q Affiliation Unknown. KEENE, D. Q., HENRY, B. Jones, Day, Reavis & Pogue 11002826. 82/06/01. Commissioners. 4pp. 13348. 254

--8206040103 Petition of Lawyer Committee for Civil Rights Under Law representing 11 Congressmen & other parties for leave to intervene & request for hearing Notice of appearance & Certificate of SVC encl
MCDOUGALL, Q J Affiliation Unknown. KEENE, D. Q., HENRY, B L Jones, Day, Reavis & Pogue. 11002826. 82/06/01 Commissioners 90pp. 13348 258.

8206080456 Amend 1 to Exxon Nuclear Co, Inc import license, increasing quantity from 700 kg to 750 kg U-235 authorized for import
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 82/05/28. 1p 13439 361

8206080457 Forwards application for license to export 17,833 kg natural & enriched U hexafluoride to Japan
HATTORI, H Mitsui & Co. (U S A.), Inc. (Subs of Mitsui & Co., Ltd.), 82/05/24. Assistant Director for Export/Import & International Safeguards 1p. 13440 034.

--8206080461 Application for license to export 17,833 kg natural & enriched U hexafluoride to Japan
MONDEN, T Mitsui & Co (U S A.), Inc (Subs. of Mitsui & Co., Ltd) MBK-F1-R8. 82/05/24 1p. 13440:035

8206080464 License for Air Products & Chemicals, Inc to export 1,000 g deuterium to United Kingdom
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 82/06/01. 1p 13440 038.

8206080468 License for Sandvik Special Metals Corp to export 1,666 Zircaloy-4 guide thimble & instrumentation tubes to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards SSM-2857/60/61 82/06/01 1p 13440 040

8206080470 License for Mitsui Air Intl, Inc to export miscellaneous specially designed or prepared parts & components for use in nuclear reactors to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/01 1p 13440 043

8206080492 Application for license to export 3 36 g U-235, contained in 3 62 g U in one Model WK91384 fission chamber, to West Germany
POCHAL, W F Westinghouse Electric Corp ZE10417 82/05/26 1p 13481 301

8206080494 Informs that License XSNM-1928 may be issued No matl changed circumstances since issuance of License XSNM-1908
MOORE, R N Assistant Director for Export/Import & International Safeguards. 82/05/27 Assistant Director for Export/Import & International Safeguards 1p 13440 098

8206080495 Informs that License XSNM-1916 may be issued No matl changed circumstances since issuance of License XSNM-1908
MOORE, R N Assistant Director for Export/Import & International Safeguards 82/05/27 Assistant Director for Export/Import & International Safeguards 1p 13440 099

8206080497 Informs that License XSNM-1915 may be issued No matl changed circumstances since issuance of License XSNM-1908
MOORE, R N Assistant Director for Export/Import & International Safeguards. 82/05/27 Assistant Director for Export/Import & International Safeguards 1p 13440 100

8206080498 Informs that License XSNM-1917 may be issued. No matl changed circumstances since issuance of License XSNM-1908
MOORE, R N Assistant Director for Export/Import & International Safeguards 82/05/27 Assistant Director for Export/Import & International Safeguards 1p. 13440 101

8206080507 License for Sandvik Special Metals Corp to export 14 Zirconium 2 5% niobium tubing to Canada
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. SSM-2858 82/06/01 1p 13440 117.

8206080509 License for Sigma Chemical Co to export 5 0 kg deuterium oxide to Greece.
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. D-93. 82/06/01 1p 13440 118

8206080512 License for Aldrich Chemical Co to export 3,000 kg deuterium oxide to 22 listed countries
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/28 1p 13440 132

8206080515 Amend 1 to Edlow Intl Co export license, increasing amount of matl to be exported from 100,000 to 300,000 Ci tritium, extending expiration date to 840601 & changing name of ultimate consignee
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 82/06/01 1p. 13440:133.

8206090156 Forwards Transnuclear, Inc ltr requesting cancellation of License XBNM-1774. Matl had been approved for export by amends to License XBNM-1686 W/o encl.
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/28 STOIBER, C R. State, Dept. of, Bureau of Oceans & Internatl Environ & Scientific Affairs 1p 13456 089

8206090158 Forwards application for export license for minor nuclear export, Ltr of assurance required, W/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/28 GRIFFIN, J A Energy, Dept of 1p 13456:088.

8206090160 Forwards application for export license for minor nuclear export, Ltr of assurance required W/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/28 GRIFFIN, J A Energy, Dept of 1p 13454 361

8206090162 Forwards application for export license for minor nuclear export Ltr of assurance required W/o encl.
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/05/28 GRIFFIN, J A Energy, Dept of. 1p 13454 362

NONDOCKETED ITEMS

- 8206090164 License for Mitsui & Co (USA), Inc to export 210 kg U-235, contained in 6,974 kg U to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards MBK-H2-RS (B) 82/05/28 2pp. 13456 083
- 8206090167 License for Teledyne Wah Chang Albany to export 11,550 lb Zircaloy-4 reduced seamless tubing to Canada
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 2104 (RFH) 82/06/01 1p 13456,085
- 8206090171 License for Mitsui Air Intl, Inc to export miscellaneous specially designed or prepared parts & components for use in nuclear reactors to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/01 1p 13456 086
- 8206100196 Amend 2 to Marubeni America Corp export license, extending expiration date from 820601 to 831201.
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZH-0119-DW 82/06/03 1p 13469,293
- 8206100206 License for Mitsui & Co (USA), Inc to export 198,000 lb Zircaloy-2 tube shells, containing Hafnium 100 ppm, to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 136219 82/06/03 1p 13469,294
- 8206100226 Forwards application for license to import 1,000 mCi Cs-137, in form of glass beads for density measurement, from West Germany.
VENKAT, C K Wiegand Evaporators, Inc. 465B 82/05/28. MOORE, R N Office of International Programs, Director 1p 13469 311
- 8206100232 Application for license to import 1,000 mCi Cs-137, in form of glass beads for density measurement, from West Germany
VENKATACHALAM Wiegand Evaporators, Inc 82/05/28 1p. 13469,312
- 8206100251 Forwards signed copy of 820526 application for license to import 20 mCi Cs-137, in form of glass beads for density measurement, from West Germany.
VENKAT, C K Wiegand Evaporators, Inc 465B 82/05/28. MOORE, R N Office of International Programs, Director 2pp. 13458:233
- 8206100257 Forwards application for license to import 20 mCi Cs-137, in form of glass beads for density measurement, from West Germany
VENKAT, C K Wiegand Evaporators, Inc. 4654 82/05/26. MOORE, R N Office of International Programs, Director. 2pp 13458:255
- 8206100260 Application for license to import 20 mCi Cs-137, in form of glass beads for density measurement, from West Germany
VENKATACHALAM Wiegand Evaporators, Inc 82/05/26 10pp 13458-257
- 8206100285 Amend 2 to Marubeni America Corp export license, extending expiration date from 820701 to 830101
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZH0126-DW 82/06/03 1p 13469,313
- 8206100403 Application for license to export one small E type gas cylinder w/valve filled w/300 liters deuterium gas, 99.5% purity, to New Zealand
* Liquid Carbonic Corp G.O. 4826A. 82/05/24. 1p. 13458 301
- 8206100405 Ltr of assurance re Westinghouse application to export 110 g U, containing 5 g U-235, to Sweden
MAQNUSON, L. Sweden 82/05/27 GRIFFIN, J.A. Energy, Dept. of. 1p. 13458 302
- 8206100431 License for Liquid Carbonic Corp to export 50 g deuterium, contained in Type E gas cylinder, to New Zealand.
ZIMMERMAN, J.V. Assistant Director for Export/Import & International Safeguards 82/06/02 1p 13468,095
- 8206100433 License for CERAC, Inc, to export 3.77 kg thorium, contained in 5 g thorium fluoride powder, to Italy
ZIMMERMAN, J.V. Assistant Director for Export/Import & International Safeguards 82/06/03 1p. 13458:362.
- 8206100446 Forwards application for license to export incense detector assemblies to West Germany
FOCHLER, D.D. Pacific Scientific 82/05/25 MOORE, R N. Assistant Director for Export/Import & International Safeguards. 1p. 13458:266.
- 8206100449 Application for license to export incense detector assemblies to West Germany
- 8206100447 Forwards application for license to export nuclear fuel assembly components to Spain
HERSCH, M.M. Westinghouse Electric Corp IL8-164 82/05/26
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 1p 13458 268
- 8206100450 Application for license to export nuclear fuel assembly components to Spain
HERSCH, M.M. Westinghouse Electric Corp IL8-164. 82/05/26. 1p 13458 269
- 8206110055 Forwards application for license to export 3.223 kg U, enriched to max 45.40% U-235 & 4.329 kg U, enriched to max 19.95% U-235, to Japan
HANNETT, B.A. Transnuclear, Inc 82/05/28 MOORE, N Office of International Programs, Director 1p 13493 178
- 8206110059 Application for license to export 3.223 kg U, enriched to max 45.40% U-235 & 4.329 kg U enriched to max 19.95% U-235, to Japan End use statement encl
HANNETT, B.A. Transnuclear, Inc (NUK 405) 82-09 82/06/01 2pp 13493,179
- 8206110138 Application for license to export 198,000 lb Zircaloy-2 nuclear fuel cladding tube shells to Japan End use statement encl
BUONOCORE, J.A. Mitsui & Co (U.S.A.), Inc (Subs of Mitsui & Co., Ltd.) 136219 82/05/27 3pp. 13493:259
- 8206110179 Requests Executive Branch position re Westinghouse application for license to export nuclear components to Spain
ZIMMERMAN, J V. Assistant Director for Export/Import & International Safeguards 82/06/02 STOBER, C.R. State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 1p 13493 275
- 8206110337 Submits application to amend export license, authorizing shipment of matl in form of U dioxide powder
WILSON, B.D. General Electric Co BDW-056-82 82/05/28.
WRIGHT, B.L. Office of International Programs, Director 1p 13490 200
- 8206110387 Provides supplemental info to 820507 application to export reactor primary coolant pumps to China
PLAPP, D.P. Borg-Warner Corp. 82/05/25. PETERSON, M. Assistant Director for Export/Import & International Safeguards 3pp 13490-299.
- 8206110388 Forwards application for license to export reactor primary coolant circulating pumps to China
PLAPP, D.P. Borg-Warner Corp 82/05/07 PETERSON, M. Assistant Director for Export/Import & International Safeguards 1p 13490 302
- 8206110391 Application for license to export reactor primary coolant circulating pumps, to China.
PLAPP, D.P. Borg-Warner Corp PV-42704 82/05/07. 1p 13490 303
- 8206110392 Submits application to renew & amend export license, adding dye transfer film & lab reagent quantities of uranyl acetate, uranyl formate & thorium chloranilate to list of products authorized
HARTER, E.B. Eastman Kodak Co 82/05/28. HEMBY, E. Assistant Director for Export/Import & International Safeguards 1p 13490,304
- 8206140019 Submits application to amend export licenses X8NM-1617 & X8NM-1646, extending expiration dates to 831201 & 830101, respectively
YAO, I.H. Marubeni America Corp (subs of Marubeni Corp.) 82/05/28
WRIGHT, B.L. Assistant Director for Export/Import & International Safeguards 1p 13510,188
- 8206140254 Forwards application for export license for minor nuclear export. Ltr of assurance required W/o encl
ZIMMERMAN, J.V. Assistant Director for Export/Import & International Safeguards 82/06/10 GRIFFIN, J.A. Energy, Dept. of. 1p 13507,163
- 8206150415 Forwards application for export license for minor nuclear export. Ltr of assurance required W/o encl
ZIMMERMAN, J.V. Assistant Director for Export/Import & International Safeguards 82/06/07 GRIFFIN, J.A. Energy, Dept of 1p. 13523:111.
- 8206150427 License for Westinghouse to export 5 g U-235, contained in 110 g U, to Sweden.
ZIMMERMAN, J.V. Assistant Director for Export/Import & International Safeguards. IL8-150 82/06/07. 2pp. 13523:109

8206150434 Amend 2 to GE Technical Svcs Co export license, revising description of matl to read U oxide powder, fuel rods or bundles
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards KKL BDW B1008 82/06/08 1p 13523 321

8206150450 Application for amend to export licenses, extending licenses for 2 yrs
HOROENSTERN, A Sigma Chemical Co 82/06/02 2pp. 13523 307

8206150455 Submits application for Amend 2 to export license, extending validity until 830101
YAOI, H Marubeni America Corp (subs of Marubeni Corp) 82/05/20
WRIGHT, B L Assistant Director for Export/Import & International Safeguards 1p 13523 107

8206150459 Submits application for Amend 2 to export license, extending validity until 831201
YAOI, H Marubeni America Corp (subs of Marubeni Corp) 82/05/20
WRIGHT, B L Assistant Director for Export/Import & International Safeguards 1p 13523 108

8206160088 Application for license to export 1 kg deuterium, in 5 kg deuterium oxide, to Taiwan
EDELSTEIN, B Aldrich Chemical Co, Inc (subs of Sigma-Aldrich Corp) 19/82 82/05/27 1p 13529 360

8206160098 Informs of pending Executive Branch review of Edlow Intl Co 820329 & 0416 applications to increase matl authorized for export to 600,000 Ci & to extend expiration date until 880601.
HEMBY, E D Assistant Director for Export/Import & International Safeguards 82/06/07 Assistant Director for Export/Import & International Safeguards 1p 13538 025

8206160100 License for Westinghouse to export 12 BF3 proportional counters to West Germany
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZE 10467 82/06/10 1p 13538 026

8206160102 Application for license to export 5,171 kg enriched U hexafluoride, containing 156 kg U-235, to Japan
MONDEN, T. Mitsui & Co. (U.S.A.), Inc (Subs of Mitsui & Co., Ltd.), MBK-HI-RG (B) 82/06/07 1p. 13538 027

8206160103 License for Sandvik Special Metals Corp to export 355 pieces Zircaloy-4 guide thimble tubes to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards D 3-6-92 82/06/07, 2pp 13538 028

8206160107 Application for license to export 5 kg deuterium oxide liquid over 2-yr period to South Africa
Sigma Chemical Co D-94 82/06/04 1p. 13538 030.

8206160109 Application for license to export 35,275 lb Zircaloy hex to West Germany
AERNI, B L Teledyne Wah Chang Albany 2151 (JFM). 82/06/01 1p 13538 033

8206160114 Application for license to export 2 Model 703 static meters, each containing 200 mCi tritium as ionizing source, to United Kingdom
CERRETO, R TEKNIK, Inc TUK 0696. 82/06/02 1p 13538 034.

8206160274 Requests Executive Branch position re Sanders-Roe Development, Inc application to amend license to export 1,300,000 Ci tritium gas & extend expiration date to 820915
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/09. STOIBER, C R State, Dept. of, Bureau of Oceans & Internatl Environ & Scientific Affairs. 1p. 13540 174

--8206160280 Requests amend to export license, extending expiration date to 830915 & increasing quantity to be shipped to 1,300,000 Ci tritium gas.
PAIBLEY, E J Saunders-Roe Developments, Ltd 82/06/03. 1p. 13540 175.

8206170402 License for Saginaw Steering Gear Div, General Motors Corp to export ball bearing screws & splines used in refueling sys that loads & unloads fuel elements into reactor, to Canada
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 84032-38-39. 82/06/11. 1p. 13557 347.

8206170409 License for Engineering & Consultant Co to export 500 liters deuterium gas to South Korea.
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards. 284-5837 82/06/11. 1p 13555 324

8206180408 Forwards application to export enriched U hexafluoride to Japan End use statement also encl
SHIMA, S Mitsubishi International Corp (subs of Mitsubishi Corp) HSA-5482-04 82/06/03 Assistant Director for Export/Import & International Safeguards App 13570 031

--8206180412 Application for license to export 10,936 kg U, enriched to 268 kg U-235, to Japan
SHIMA, S Mitsubishi International Corp (subs of Mitsubishi Corp) HSA-5482-04 82/06/02 1p 13570 035

8206180427 License for Wiegand Evaporators, Inc to import 1,000 mCi Cs-137 from West Germany
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/11 1p 13569 362

8206180439 Amend 1 to Sigma Chemical Co export license, extending expiration date from 821101 to 841101
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/11 1p 13570 036

8206210028 Ack receipt of JAERI ltr re Niessho Iwai American Corp export license application Requests consideration of issues in course of review of application
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/11 STOIBER, C R State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 1p 13582 334

8206210037 License for Wiegand Evaporators, Inc to import 20 mCi Cs-137 from West Germany.
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/11 1p. 13582 318

8206220137 Forwards application for export license for minor nuclear export Ltr of assurance required W/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/14 ORIFFIN, J A Energy, Dept of 1p. 13591 283

8206220142 Application for license to export 11,590 kg U, enriched to 2.85%, to Japan
SHAW, A Edlow International Co KKL-12 82/06/10 1p 13591 284

8206220186 Application for license to export 10,940 kg U, enriched to 2.85%, to Japan.
SHAW, A Edlow International Co. KKL-13 82/06/10 1p. 13591 314

8206220187 Application for license to export two compensated ionization chambers, Model 8074, to Japan
POCHAL, W F Westinghouse Electric Corp ZE-60244. 82/06/08. 1p 13591 315

8206220197 License for Hoke Inc to export 30 instrument isolating valves & three valve manifolds, to Canada
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 1235 82/06/15. 1p 13585 357.

8206220599 Application for license to export 10,470 kg U hexafluoride, containing 340 kg U, to Japan
SHAW, A Edlow International Co KKL-11. 82/06/10 1p. 13591 322

8206220603 Application for license to export 11,200 kg U hexafluoride, containing 319 kg U, to Japan.
SHAW, A Edlow International Co. KKL-10 82/06/10. 1p. 13591 321

8206220605 Application for license to export 2,002 mCi Cf-252 cermet wire to France.
HAMMETT, B Transnuclear, Inc. 82-12301 82/06/14 1p 13591 323

8206230054 Submits application for license to export instrument isolating valves & three valve manifolds to Canada.
BRUSH, P N Hoke, Inc 11002860 82/06/11. PETERSON, M R. Office of International Programs, Director 1p 13593 329.

8206230060 Submits application for license to export four lots of electric penetration feedthrough module kits & lot tools to Yugoslavia.
MECH, T H Conax Corp. 7-30000. 82/06/02. HEMBAY, E. Office of International Programs, Director. 2pp. 13593 330

--8206230063 Concludes that proposed export of component meets requirements of Section 109b of Atomic Energy License may be processed w/o referral to Executive B
HEMBAY, E Assistant Director for Export/Import & Int Safeguards 82/06/21 Assistant Director for Export/Import & International Safeguards. 1p. 13593 332

NONDOCKETED ITEMS

- 8206230109 Application for license to export SNM in form of U hexafluoride to Japan
HATTORI, M Mitsui & Co (U S A), Inc (Subs of Mitsui & Co , Ltd)
82/06/07 1p 13592 354
- 8206230177 Ltr of assurance re Transnuclear application to export 426.6 kg U-235, contained in 9,921 kg total U, to France
MARCHAL, J European Communities, Commission of 82/06/08
GRIFFIN, J A Energy, Dept of 1p 13592 321
- 8206230178 Ltr of assurance re Westinghouse application to export 3.26 g U-235, contained in 3.62 g total U, to West Germany
MARCHAL, J European Communities, Commission of 82/06/08
GRIFFIN, J A Energy, Dept of 1p 13592 322
- 8206230181 Advice of issuance of export license w/o normal 15-day waiting period due to urgent need for matl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/15 Assistant Director for Export/Import & International Safeguards 1p 13592 323
- 8206230209 Application to amend export license to cover addl std TRIGA fuel elements for TRIGA Mark II reactor in Malaysia
MOWRY, W R QA Technologies, Inc /General Atomic Co IEL-3080
82/06/08 ZIMMERMAN, J Assistant Director for Export/Import & International Safeguards 1p 13592 331
- 8206230213 License for Westinghouse to export 3.36 g U-235, contained in 3.62 g U in one fission chamber, to West Germany
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZE10417 82/06/17 1p 13592 332
- 8206230216 License for Transnuclear, Inc to export 91.434 kg U-235, contained in 98 kg U, to Canada
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards (MISC 390) B1-2 82/06/16 2pp 13592 333
- 8206230277 Ltr of assurance re Marubeni America Corp application to export 90 kg U-235, contained in 2,295 kg U, to Japan
SHIRAKAWA, T Japan 82/06/11 GRIFFIN, J A Energy, Dept of 1p 13592 238
- 8206230282 Application to amend export license, increasing quantity to 100,000 lb Zircaloy tube shell
AERNI, D L Teledyne Wah Chang Albany 82/06/15 DEVINE, J B Assistant Director for Export/Import & International Safeguards 1p 13592 208
- 8206230286 Application to amend export licenses, increasing quantity for License XSNM-1B99 to 94.513 kg U-235 & to 95.446 kg U-235 for License XSNM-1900
BUTENKO, T A Transnuclear, Inc 82/06/08 MOORE, N Office of International Programs, Director 3pp 13592 211
- 8206230287 Application for license to export 0.366 g Thorium 232 metal foil to Vietnam End use statement encl
* Reactor Experiments, Inc 82/06/14 2pp 13594 333
- 8206230287 Ltr of assurance re Marubeni America Corp application to export 190 kg U-235, contained in 4,056 kg U, to Japan
SHIRAKAWA, T Japan 82/06/11 GRIFFIN, J A Energy, Dept of 1p, 13592: 217
- 8206230292 Requests Executive Branch position re Transnuclear, Inc application for license & amend to existing license to export highly enriched U for use in Chalk River reactors
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/18 STOIBER, C R State, Dept of 1p 13592 218
- 8206230301 Ltr of assurance re Mitsui & Co, Inc application to export 887 kg U-235, contained in 29,030 kg U, to Japan
SHIRAKAWA, T Japan 82/06/11 GRIFFIN, J A Energy, Dept of 1p 13592 224
- 8206230304 Ltr of assurance re Mitsui & Co, Inc application to export 202 kg U-235, contained in 6,684 kg U, to Japan
SHIRAKAWA, T Japan 82/06/11 GRIFFIN, J A Energy, Dept of 1p 13594 350
- 8206230308 Ltr of assurance re Edlow Intl Co application to export 334 kg U-235, contained in 11,691 kg U, to Japan
SHIRAKAWA, T Japan 82/06/11 GRIFFIN, J A Energy, Dept of 1p 13594 351
- 8206230339 Amend 1 to Edlow Intl Corp export license, extending expiration date from 820601 to 830603 & changing name of ultimate consignee from Radiochemical Centre Amersham Intl Ltd
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/17 1p 13603 345
- 8206230351 Forwards application for export license for minor nuclear export Ltr of assurance required w/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/17 GRIFFIN, J A Energy, Dept of 1p 13603 346
- 8206230353 Forwards application for export license for minor nuclear export Ltr of assurance required w/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/17 GRIFFIN, J A Energy, Dept of 1p 13594 362
- 8206230356 Forwards application for export license for minor nuclear export Ltr of assurance required w/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/17 GRIFFIN, J A Energy, Dept of 1p 13594 361
- 8206230358 Forwards application for export license for minor nuclear export Ltr of assurance required w/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/17 GRIFFIN, J A Energy, Dept of 1p 13594 360
- 8206230359 Forwards application for export license for minor nuclear export Ltr of assurance required w/o encl
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/17 GRIFFIN, J A Energy, Dept of 1p 13594 359
- 8206240106 License for Pacific Scientific Co to export 67 units of income detector assemblies, to West Germany
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/16 1p 13607, 232.
- 8206240115 Application for license to export 110 pieces Zircaloy-4 seamless tubing weighing 10 lb, to Taiwan
BANGERTER, D H Sandvik Special Metals Corp D3-20-70 82/06/11 1p, 13607 236.
- 8206240407 Addendum to Lawyer Committee for Civil Rights Under Law 820601 petition to intervene & request for hearing, requesting addition of Congressman GW Crockett Certificate of Svc encl
KEENE, D O House of Rep 82/06/23 Commissioners 3pp 13603 071
- 8206240443 Amend 1 to Sigma Chemical Co export license, extending expiration date from 830301 to 850301
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards D-69 82/06/11 1p 13619 354
- 8206240446 Amend 1 to Sigma Chemical Co export license, extending expiration date from 821001 to 841001
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards D-93 82/06/11 1p 13619, 355
- 8206240447 Amend 1 to Sigma Chemical Co export license, extending expiration date from 830301 to 850301
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards, D-66 82/06/11 1p, 13619 356
- 8206250367 License for Teledyne Wah Chang Albany to export 35,275 lb Zircaloy trax tubes to West Germany
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 2151 (JFM) 82/06/23 1p 13630-059.

NONDOCKETED ITEMS

8206250368 License for Teknis, Inc to export 400 mCi tritium, contained in two Model 703 static meters, to United Kingdom
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards TUK 0696 82/06/23 1p 13630 060

8206250369 License for Aldrich Chemical Co. Inc to export 5 kg deuterium oxide to Taiwan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 19/82 82/06/23 1p. 13630 061

8206250373 Amend 1 to Engineering & Consultant Co export license, increasing quantity of matl to be exported from 500 to 1,000 liters deuterium gas to South Korea
PETERSON, M R Assistant Director for Export/Import & International Safeguards 284-5837 82/06/21 1p 13630 062

8206250377 Amend 1 to Teledyne Wah Chang Albany export license, increasing quantity of matl from 65,000 lb Zircaloy-4 tube shells to 100,000 lb Zircaloy-4 tube shells & increasing total value of export to Canada
PETERSON, M R Assistant Director for Export/Import & International Safeguards 1806RFH 82/06/21 1p 13630 065

8206290272 Response opposing Congressman H Wolpe 820601 petition for leave to intervene Petitioners cannot assist Commission in making statutorily mandated determinations W/Certificate of Svc
BETTAUER, R J State, Dept of 82/06/25 Commissioners 12pp 13637: 006

8206290343 Application for license to export 1,050 pieces Zircaloy -4 (17X17) double thimble tubes to Japan
BANGERTER, D H Sandvik Special Metals Corp 88M-2872 82/06/19 1p 13660, 081

8206290348 Forwards application for license to export 26,195 kg U, enriched to 2.65% U hexafluoride, to Japan
SHIMA, B Mitsui & Co (U S A), Inc (Subs of Mitsui & Co , Ltd) HSA-5482-02 82/06/07 Assistant Director for Export/Import & International Safeguards 2pp 13660 077

--8206290353 Application for license to export 26,195 kg U, enriched to 2.65% U hexafluoride, to Japan End use statement encl
SHIMA, B Mitsui & Co (U S A), Inc (Subs. of Mitsui & Co , Ltd) HSA-5482-02 82/06/07 2pp 13660 079

8206290865 Application for license to export 0.1007 mg Np-237, contained in 0.1014 mg neptunium electrodeposited onto nickel disc, to Portugal
HEIMAN, D Reactor Experiments, Inc. PORT-66-82 82/06/16 2pp 13658 295

8206290567 License for Mitsui & Co (USA), Inc to export 887 kg U-235, contained in 29,030 kg U, to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards MBK-F5-R5(A) 82/06/18 2pp 13658 297

8206290568 License for Marubeni America Corp to export 190 kg U-235, contained in 6,056 kg U, to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZH0260-DW 82/06/18 2pp 13659 090

8206290572 License for Mitsui & Co (USA), Inc to export 202 kg U-235, contained in 6,684 kg U, to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards MBK-F5-R5(D) 82/06/18 2pp 13659 092

8206290576 License for Edlow Intl Co to export 334 kg U-235, contained in 11,691 kg U, to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/18 2pp 13659 094

8206290578 Requests Executive Branch position re Mitsubishi Intl Corp application for license to export SNM as initial core to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/14 STOIBER, C R State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 1p 13659 096

8206290595 License for Marubeni America Corp to export 90 kg U-235, contained in 2,295 kg U, to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards ZH0270-DW 82/06/18 2pp 13658 111

8206290598 Requests Executive Branch position re Mitsubishi Intl Corp application for license to export SNM as initial core to Japan
ZIMMERMAN, J V Assistant Director for Export/Import & International Safeguards 82/06/14 STOIBER, C R State, Dept of, Bureau of Oceans & Internatl Environ & Scientific Affairs 1p 13658 118

8206300074 Forwards application for license to export 20,058 kg U, containing 618 kg U-235, to Japan
HATTORI, H Mitsui & Co (U S A), Inc (Subs of Mitsui & Co , Ltd) 82/06/14 Assistant Director for Export/Import & International Safeguards 1p 13684 072

--8206300075 Application for license to export 20,058 kg U, containing 618 kg U-235, to Japan
MONDEN, T Mitsui & Co (U S A), Inc (Subs of Mitsui & Co , Ltd) MBK-H1-R8 (A) 82/06/14 1p 13684 073

PERSONAL AUTHOR INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
AMODT, M	8206040078	50-289 T	AMES, P L	8206090132	NUREG	BAISDEN, L	8206250051	CONTRACT
AMODT, M M	8206040198	50-289 Y	AMSTUTZ, S	8206010186*	50-195 R	BAISDEN, L	8206280012	CONTRACT
ABBOTT, E	8206180308	50-358 A	ANANDAPPA, A N	8206210091*	50-249 S	BAKER, C E	8206090236	40-8681
ABBOTT, E	8206180315*	50-358 A	ANASTASI, F S	8206080179	40-1341	BAKER, C E	8206140348	40-8681
ABELL, Q E	8206140302*	50-270 Q	ANASTASI, F S	8206100413	40-8502	BAKER, C E	8206150156	40-8681
ABELSON, H	8206240442	50-352 A	ANDERSON, D	8206210197*	50-213 R	BAKER, C E	8206230131	40-8681
ACKERMAN, W C	8206040198	WASTE MGT	ANDERSON, E P	8206030268*	FOIA	BAKER, C E	8206230275	40-8681
ACKERMAN, W C	8206220103	40-8743	ANDERSON, J L	8206240066	NUREG	BALFOUR, H	8206030003	50-293
ACKERMAN, W C	8206220171	40-8771	ANDERSON, M E	8206150023*	50-10 F	BALFOUR, H R	8206040293	50-293
ACKERMANN, Q R	8206100036	NUREG	ANDERSON, P	8206250277	50-266 H	BALL, S J	8206220101	NUREG
ADAMS, F A	8206020139*	FOIA	ANDERSON, R L	8206230031	NUREG	BALLARD, W W	8206250332	WASTE M
ADAMS, R E	8206090119	NUREG	ANDONINI, Q C	8206020977	70-2749	BALLINGER, P L	8206010193*	50-298
ADAMSON, R W	8206220383	50-394 W	ANDREWS, D	8206220499*	50-416 Q	BALLINGER, P L	8206010268*	50-298
ADENSAM, E	8206020276*	50-329 A	ANDREWS, D L	8206220480*	50-395 Q	BALLUN, J V	8206160257*	50-329
ADENSAM, E	8206110374	50-522 A	ANG, W P	8206220076*	50-416 Q	BALLNEO, T Q	8206080238	50-329
ADENSAM, E Q	8206010073	50-327 P	ANGELO, J	8101160049*	FOIA	BAMFORD, W H	8206090169*	50-206
ADENSAM, E Q	8206010077	50-390 A	ANKLAM, T M	82060209135	NUREG	BANERJEE, K	8206070167	RECORD
ADENSAM, E Q	8206020009	50-413 A	ARCHITZEL, R E	8206170290*	50-317 Q	BANGERTER, D H	8206020142	XPORTLIC
ADENSAM, E Q	8206020271	50-329 A	ARLOTTO, Q A	8206280501*	FOIA	BANGERTER, D H	8206240115	XPORTLIC
ADENSAM, E Q	8206080128	50-329 F	ARMSTRONG, W Q	8206220497*	50-293 Q	BANGERTER, D H	8206290343	XPORTLIC
ADENSAM, E Q	8206080503	50-327 P	ARNOLD, Q W	8206030072*	FOIA	BANKS, C T	8206170049	50-250
ADENSAM, E Q	8206230088	50-413 A	ARNOLD, H L	8206270511*	FOIA	BANKS, H R	8206220424*	50-400
ADENSAM, E Q	8206240003	50-438 C	ARNOLD, L D	8206220528	50-382 A	BANKS, M W	8206100059	NUREG
ADENSAM, E Q	8206220364	50-369 P	ARENAULT, F	8206010254*	FOIA	BARAK, M	8206070314	FR
ADENSAM, E Q	8206270437	50-413 A	ASHE, F S	8206180032*	MISC	BARAN, R	8206250014*	50-219
ADENSAM, E Q	8206270639	50-413 A	ATCHINSON, C	8206040038	50-443 Q	BARBER, Q	8206040003	50-344
ADLER, J J	8206100069	NUREG	ATEFI, B	8206230240*	FOIA	BARBER, Q	8206240310	50-269
ADLER, R W	8206040040	50-387 Q	ATLURI, S N	8206100022	NUREG	BARBER, R W	8206090123	NUREG
ADLER, R W	8206040199	50-387 Q	AULUCK, R	8206180341	50-397 A	BARDIER, F P	8206180317*	50-320
AERNI, B L	8206020205	XPORTLIC	AULUCK, R	8206270648	50-397 A	BARI, R A	8206220068	REB
AERNI, B L	8206140109	XPORTLIC	AUSTIN, M A	8206290459*	70-135	BARKER, D Q	8206290480	50-498
AERNI, B L	8206230282	XPORTLIC	AUTERINO, L	8206010246*	50-286 R	BARNES, I	8206020319*	QA999
AGATE, D	8206100423*	CONTRACT	AUTIO, H A	8206010044	50-29 S	BARNES, I	8206020543*	QA999
AGRAWAL, A K	8206220068	RES	AUTIO, H A	8206010083	50-29 S	BARNES, I	8206080271*	QA999
AHEARNE, J	8206010483*	FOIA	AUTIO, H A	8206110317	50-29 S	BARNES, I	8206080334*	QA999
AHEARNE, J	8206090217*	FOIA	AUTIO, H A	8206150149	50-29 S	BARNES, I	8206080429*	QA999
AHN, F M	8206100034	NUREG	AUTIO, H A	8206220385	50-29 S	BARNES, I	8206140010*	QA999
AKHENS, P	8206090063	50-309 Q	AUTIO, H A	8206280526	50-29 S	BARNES, I	8206140051*	QA999
AKTAN, A H	8206030283*	40-2225	AXELRAD, M	8206040330	50-498 Q	BARNES, I	8206210628*	QA999
AKSTULEWICZ, F	8206080283*	50-454 Q	AXELRAD, M	8206040330	50-498 Q	BARNES, I	8206250241*	QA999
ALBERT, W Q	8206080315*	50-508 Q	AXELRAD, M	8206080141	50-498 Q	BARNETT, J E	8206220330	70-162
ALBRIGHT, R H	8206070730*	50-261 Q	AXELSON, W L	8206140230*	50-341 F	BARNETT, R O	8206040348	TOPREP
ALDEN, W M	8206180080*	50-277 R	AXELSON, W L	8206220232*	50-315 Q	BARNTHOUSE, L W	8206100043	50-416
ALDERSON, C E	8206220067*	50-400 Q	AXELSON, W L	8206220452*	50-266 Q	BARON, K I	8206070193	RECORD
ALLAN, J M	8206020228*	FOIA	BACHMAN, R Q	8206040236	50-155 T	BARR, K	8206070730*	50-261
ALLAN, J M	8206020263*	FOIA	BACHMAN, R Q	8206280145	50-155 Q	BARR, K	8206300148	50-413
ALLEN, D H	8206070768*	State Prog	BACHMAN, R Q	8206300037	50-155 Q	BARR, K P	8205280421*	70-143
ALLEN, R E	8206040293	RECORD	BACHLEY, B T	8206020350	50-454 D	BARR, K P	8206070373*	50-416
ALLEN, R E	8206040304*	RECORD	BACON, J L	8206280325	50-155 J	BARR, K P	8206070614*	70-27
ALLEN, R E	8206040376	RECORD	BAER, R E	8206070371*	50-220 Q	BARR, K P	8206070653*	70-115
ALLEY, N P	8206270452*	50-267 F	BAILEY, P T	8206100053	NUREG	BARR, K P	8206070725*	50-250
ALZHAN, L	8206110037	50-286 P	BAILEY, R J	8206080317*	50-322 Q	BARR, K P	8206210139	50-327
ALTHAN, W	8206290552	NUREG	BALSDEN, L	8206040007	CONTRACT	BARR, K P	8206220372*	50-321
ALTO, R A	8206080325*	70-1201	BALSDEN, L	8206230343	CONTRACT	BARRETT, D J	8206110193*	50-219
AMARAL, J M	8206080213	TOPREP	BALSDEN, L	8206250039	CONTRACT	BARRETT, H J	8206220133*	71-484

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BARRETT, L	8206230130	1&E	BAXLEY, S X	8206110229*	50-321 S	BERGHOLZ, W E	8206070499	50-201 Q
BARRETT, L	8206250199	50-320 S	BAXTER, G F	8206180319*	50-400 Q	BERGHOLZ, W E	8206090025	50-201 Q
BARRETT, L	8206290236	50-320 S	BAXTER, G F	8206180319*	50-400 Q	BERGHOLZ, W E	8206240165	50-537 Q
BARRETT, L	8206290362	50-320 S	BAXTER, T A	8206180272	50-400 Q	BERKOW, H N	8206070118	50-289 H
BARRETT, L	8206290394	50-320 S	BAXTER, T A	8206180272	50-400 Q	BERKOW, H N	8206070121	50-289 H
BARRETT, L H	8206010009	50-320 P	BAXTER, T A	8206180280*	50-400 Q	BERKOW, H N	8206080191	50-289 H
BARRETT, L H	8206070223	50-320 R	BAXTER, T A	8206180280*	50-400 Q	BERKOWITZ, L	8206170252*	50-409 F
BARRETT, L H	8206080383	50-320 P	BAXTER, T A	8206180289*	50-400 Q	BERNABEI, L	8206010288	50-528 Q
BARRETT, L H	8206090213	50-320 R	BAXTER, T A	8206180289*	50-400 Q	BERNABEI, L	8206010288	50-528 Q
BARRETT, L H	8206290019	50-320 R	BAXTER, T A	8206180292*	50-400 Q	BERNABEI, L	8206010294*	50-528 Q
BARRETT, L H	8206290222	50-289 R	BAXTER, T A	8206180292*	50-400 Q	BERNABEI, L	8206010294*	50-528 Q
BARRY, P S	8206180188	50-322 T	BAXTER, T A	8206180295*	50-400 Q	BERNABEI, L	8206010316	50-528 Q
BARTEN, D L	8206280641*	FOIA	BAXTER, T A	8206180295*	50-400 Q	BERNABEI, L	8206010316	50-528 Q
BARTH, C A	8206090091	50-358 Q	BAXTER, T A	8206180302*	50-400 Q	BERNABEI, L	8206170228*	50-528 Q
BARTH, C A	8206250035	50-400 Q	BAXTER, T A	8206180302*	50-400 Q	BERNABEI, L	8206170228*	50-528 Q
BARTON, J E	8206140333	NUREG	BAXTER, T A	8206230152	50-400 Q	BERNABEI, L	8206180202	50-528 T
BARTON, J J	8206030146	50-320 S	BAXTER, T A	8206230152	50-400 Q	BERNABEI, L	8206230155	50-528 Q
BARTON, J J	8206040111	50-320 R	BAYBUTT, P	8206070117	NUREG	BERNABEI, L	8206230155	50-528 Q
BARTON, J J	8206040117	50-320 P	BAYLESS, P D	8206240072	NUREG	BERNABEI, L	8206230162*	50-528 Q
BARTON, J J	8206070522	50-320 Q	BAYNARD, P Y	8206220215	50-302 P	BERNABEI, L	8206230162*	50-528 Q
BARTON, J J	8206080066	50-320 P	BAYNE, J P	8206020465	50-286 F	BERNABEI, L	8206230164*	50-528 Q
BARTON, J J	8206080360	50-320 S	BAYNE, J P	8206020499	50-333 P	BERNABEI, L	8206230164*	50-528 Q
BARTON, J J	8206100322	50-320 P	BAYNE, J P	8206040343	PRH	BERNABEI, L A	8206170213	50-528 Q
BARTON, J J	8206110291	50-320 S	BAYNE, J P	8206080292	50-333 Q	BERNARD, H	8206010102	50-87 P
BARTON, J J	8206150200	50-320 R	BAYNE, J P	8206110015	50-333 Q	BERNARD, H	8206010108*	50-87 P
BARTON, J J	8206150210*	50-320 Q	BAYNE, J P	82061100296	50-286 P	BERNARD, H	8206070200	50-54 P
BARTON, J J	8206160290	50-320 P	BAYNE, J P	82061100299*	50-286 P	BERNARD, H	8206070213*	50-54 P
BARTON, J J	8206170058	50-320 P	BAYNE, J P	82061100304*	50-286 P	BERNARD, H	8206080067	50-274 F
BARTON, J J	8206180152	50-320 P	BAYNE, J P	82061100304*	50-286 P	BERNARD, H	8206080067	50-274 F
BARTON, J J	8206180314	50-320 F	BAYNE, J P	82061100304*	50-286 P	BERNARD, H	8206080401	50-326 P
BARTON, J J	8206220091	50-320 S	BAYNE, J P	82061100304*	50-286 P	BERNARD, H	8206080404*	50-326 P
BARTON, J J	8206230127	50-320 P	BAYNE, J P	8206170356	50-286 P	BERNARD, H	8206100329	50-20 P
BARTON, J J	8206280355	50-320 S	BAYNE, J P	82062100472*	50-333 Q	BERNARD, H	8206100337*	50-20 P
BARTON, R. D.	8206250032*	CONTRACT	BAYNE, J P	8206220161*	50-247 F	BERNARD, H	8206110353	TOPREP
BASDEKAS, D L	8110230119*	FOIA	BAYNE, J P	8206220269	50-333 Q	BERNARD, H	8206240047	50-54 P
BASDEKAS, D L	8203240360*	FOIA	BAYNE, J P	8206280078	50-333 Q	BERNATH, L	8206070292	PR
BASDEKAS, D L	8206280171*	FOIA	BAYNE, J P	8206280264	50-333 P	BERNHOF, S L	8206170308*	50-305 S
BASDEKAS, D L	8206280276*	FOIA	BAYNE, J P	8206280303	50-333 P	BERNHOF, S L	8206170314*	50-305 S
BASKIN, J P	8206080210	50-206 F	BAYNE, J P	8206280509*	50-333 P	BERNHOF, S L	8206220239*	50-305 S
BASKIN, J P	8206090166	50-206 P	BAYNE, J P	8206290399	50-286 P	BERNHOF, S L	8206240199*	50-305 S
BASKIN, K	8206170128	TOPREP	BAYNE, J P	8206290399	50-286 P	BERNHOF, S L	8206290185*	50-305 S
BASKIN, K D	8206170129	50-206 P	BEAIRD, R	8206160296	PR	BERNHOF, S L	8206290191*	50-305 S
BASKIN, K P	8206020433	50-206 F	BEAHER, W H	8206280478*	FOIA	BESETTE, D E	8206280548*	50-361 Q
BASKIN, K P	8206030069	50-206 P	BEAHER, W H	8206280583*	FOIA	BESETTE, D E	8206280549*	50-361 Q
BASKIN, K P	8206030085	50-206 P	BEARD, J T	8103290472*	FOIA	BESETTE, D E	8206280583*	50-361 Q
BASKIN, K P	8206030179	50-206 P	BEARD, J T	8206230173*	FOIA	BETTAUER, R J	8206290272	XPORTLIC
BASKIN, K P	8206030194	50-206 P	BEATY, W R	8206070296	PRH	BETTENHAUSEN	8206220266*	50-334 Q
BASKIN, K P	8206040239	TOPREP	BECHHOEFER, C	8206070102	50-329 Q	BETTENHAUSEN	8206220347*	50-367 Q
BASKIN, K P	8206040387	50-206 P	BECHHOEFER, C	8206280486	50-498 Q	BETTENHAUSEN, L	8206030237*	50-333 Q
BASKIN, K P	8206040395	50-361 F	BECK, C K	8206030230	50-329 Q	BETTENHAUSEN, L	8206030236*	50-387 Q
BASKIN, K P	8206040400*	50-361 F	BECK, M K	8206070010*	PR	BETTENHAUSEN, L	8206030270*	50-334 Q
BASKIN, K P	8206070699	50-361 P	BECK, M K	8206220171	40-8771	BETTENHAUSEN, L	8206070688*	50-219 Q
BASKIN, K P	8206080309	50-361 P	BECKHAM, D	8206230081*	FOIA	BETTENHAUSEN, L	8206070822*	50-322 Q
BASKIN, K P	8206090161	50-206 P	BECKHAM, D	8206280287*	FOIA	BETTENHAUSEN, L	8206170219*	50-322 Q
BASKIN, K P	8206100237	50-361 P	BECKHAM, D	8206280320*	FOIA	BETTENHAUSEN, L	8206220564*	50-317 Q
BASKIN, K P	8206140005	50-361 P	BECKHAM, D	8206280467*	FOIA	DEVAN, R	8206210015	50-254 P
BASKIN, K P	8206140006	50-361 P	BECKHAM, D	8206280528*	FOIA	DEZLER, P	8206140398	REG
BASKIN, K P	8206140090	50-206 T	BECKHAM, J T	8205110370	50-321 P	BHATNAGAR, J P	8206160350	REQUO
BASKIN, K P	8206180092	50-206 P	BECKHAM, J T	8205110207	50-321 P	BICKWIT, L	8206130056	COMMISSION
BASKIN, K P	8206180104	50-206 P	BECKHAM, J T	8205110218	50-366 P	BICKWIT, L	8206170257*	50-247 Q
BASKIN, K P	8206180310	50-361 P	BECKHAM, J T	8206110258	50-366 P	SIDA, Q	8206140377	REG
BASKIN, K P	8206210498	50-206 P	BECKHAM, J T	8206110290	50-321 F	BIDINGER, G H	8206140344*	70-2375
BASKIN, K P	8206250290	50-361 P	BECKHAM, J T	8206110336	50-321 P	BIELANSKI, A	8206280061	50-454 Q
BASKIN, K P	8206280505	50-206 P	BECKHAM, J T	8206140065*	50-321 Q	BIELANSKI, A	8206280061	50-454 Q
BASKIN, K P	8206300139	50-206 P	BECKHAM, D A	8206030118*	50-245 Q	BIELANSKI, A P	8206010351	50-454 Q
BASS, A. B.	8206280328*	50-155 J	BECKHAM, D A	8206170245*	50-410 Q	BIELANSKI, A P	8206010351	50-454 Q
BASS, B. R.	8206100022	NUREG	BECKWITH, C A	8106300008*	FOIA	BIELANSKI, A P	8206170354	50-454 Q
BASS, K	8206040102*	50-219 S	BECKWITH, C A	8206240122*	FOIA	BIER, J	8206230156*	50-155 Q
BASSETT, Q E	8206070008	ACRS	BECKWITH, C A	8206100143*	50-298 S	BINGHAM, W O	8206180217	50-528 T
BASSO, L	8206230126*	50-318 S	BECKWITH, C A	8206030149	50-206 Q	BINZ, B.	8206030264*	50-219 S
BATCH, S.	8206020310*	50-346 S	BECKWITH, C A	8206280209	50-413 Q	BIRKEL, R	8206220149	50-369 R
BATCH, S.	8206240336*	50-346 S	BELKE, W.	8206230057*	FOIA	BISHOP, T	8206040138	50-275 Q
BATEMAN, W H	8206040325*	50-354 Q	BELKE, W.	8206280310*	FOIA	BISHOP, T. W.	8206020424	50-362 Q
BATEMAN, W H.	8206240213*	50-354 Q	BELKE, W.	8206280422*	FOIA	BISHOP, T. W.	8206020470	50-460 Q
BATES, C W.	8206180243*	50-247 Q	BELKE, W.	8206280448*	FOIA	BISHOP, T. W.	8206020479	50-206 Q
BATES, E F.	8206020104	NUREG	BELKE, W.	8206280470*	FOIA	BISHOP, T. W.	8206020500	50-528 Q
BATES, J. H.	8206040359*	70-143	BELL, J T	8206100007	NUREG	BISHOP, T. W.	8206040145*	50-275 Q
BATES, J. W.	8206250167*	70-1113	BELL, H J	8206160004	HASTE MGT	BISHOP, T. W.	8206080304	50-362 Q
BAUER, E. G.	8205050107*	50-352 A	BELL, H J	8206010286	50-522 Q	BISHOP, T. W.	8206080312	50-508 Q
BAUM, E. A.	8206280459	50-404 A	BENIS, P. R.	8206070497*	50-369 Q	BISHOP, T. W.	8206080328	50-275 Q
BAUNACK, W.	8206280244*	50-286 Q	BENEDETTO, A R	8206070191	REGO	BISHOP, T. W.	8206080398	50-397 Q
BAUSER, M. A.	8206070416	PR	BENINSON	8206100372*	REG	BISHOP, T. W.	8206150315	50-397 Q
BAUSER, M. A.	8206070600	PRH	BENNETT, H A	8206290049	NUREG	BISHOP, T. W.	8206220198	50-460 Q
BAXLEY, S X	8206070117*	50-366 S	BENNETT, H A	8206040345	PR	BISHOP, T. W.	8206220321	50-344 Q
BAXLEY, S X	8206110208*	50-321 S	BERANEK, F.	8206040132	NUREG	BISHOP, T. W.	8206220345	50-508 Q
			BERGER, J. D.	8206160455	70-820	BISHOP, T. W.	8206280472	50-460 Q

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BISHOP, T. W.	8206280520	50-508 S	BOOKER, J. E.	8206100333	50-458 S	BOUCHEY, O. D.	8206210577	50-397
BLAVINS, E. L.	8201200173*	50-389 M	BOOKER, J. E.	8206110124	50-458 S	BOUCHEY, O. D.	8206210584	50-397
BLACK, R. L.	82060400230	50-322 Q	BOOKER, J. E.	8206140016	50-458 A	BOUCHEY, O. D.	8206280396	50-460
BLACK, R. L.	8206170093	50-312 Q	BOOKER, J. E.	8206150144	50-458 S	BOUCHEY, O. D.	8206280496	50-397
BLACK, R. L.	8206170106	50-522 Q	BOOKER, J. E.	8206150149	50-458 S	BOURLAND, P. D.	8206070171	RE000
BLACK, R. L.	8206170231	50-522 Q	BOOKER, J. E.	8206150282	50-458 S	BOWEN, L. A.	8206140190*	50-454
BLACK, B.	8206280381	50-382 A	BOOKER, J. E.	8206210297	50-458 S	BOWYER, J. E.	8206210500*	PR
BLAIL, W. H.	8206210394*	50-247 Q	BOOKER, J. E.	8206210369	50-458 A	BOWYER, J. E.	8206210522*	PR
BLAIR, R. L.	8206160351*	CONTRACT	BOOKER, J. E.	8206210580	50-458 A	BOWYER, J. E.	8206250285*	PR
BLAKE, C. L.	8206080012	71-476	BOOKER, J. E.	8206230221	50-458 S	BOWYER, J. E.	8206250307*	PR
BLAKE, E. L.	8206070596	50-289 Q	BOOKER, J. E.	8206290346	50-458 S	BOYD, D.	8206170342	50-155
BLAKE, E. L.	8206070596	50-289 Q	BOOKER, J. E.	8206290419	50-458 S	BOYD, D. C.	8206020029*	50-255
BLAKE, J. J.	8206070839*	50-261 Q	BOOKER, J. E.	8206290438	50-458 S	BOYD, D. C.	8206020533*	50-155
BLANCHARD, D.	8206100132	40-8743	BOOTH, L. F.	8206100049	NUREQ	BOYD, R. S.	7906110325*	50-404
BLANCHARD, D.	8206160452	40-8743	BOZZER, D. D.	8206040205*	50-537 Q	BOYD, R. S.	7906110326*	50-404
BLANCHARD, D. P.	8206070590*	50-155 T	BORDENICK, B.	8206160054	50-322 Q	BOYDBTUN, J. A.	8206210478*	40-8599
BLAUVELT, R. K.	8206300076*	71-9510	BORDENICK, B.	8206170366	50-322 Q	BOYER, V. S.	8206030262*	50-277
BLESSTING, J.	8206150331*	50-261 P	BORDENICK, B. M.	8206040390	50-322 T	BOYER, V. S.	8206150070*	50-171
BLEWETT, J. A.	8206100143	TOPREP	BORDENICK, B. M.	8206070518	50-322 Q	BOYER, V. S.	8206230201	50-352
BLOCK, P. B.	8206070105	50-266 Q	BORDENICK, B. M.	8206070538	50-322 Q	BOZIK, D. A.	8206210236*	FOIA
BLOCK, P. B.	8206210272	50-266 Q	BORDENICK, B. M.	8206100118	50-322 Q	BRADBURY, R. B.	8206070278	NUREQ
BLOCK, R. C.	8206230027	NUREQ	BORDENICK, B. M.	8206100311	50-322 Q	BRADBURY, R. B.	8206070421	PR
BLOMGREN, J. C.	8206140180*	50-454 Q	BORDENICK, B. M.	8206110051	50-322 Q	BRADBURY, R. B.	8206070107	RE000
BLOUGH, A. R.	8206100166*	50-277 Q	BORDENICK, B. M.	8206230053	50-322 A	BRADBURY, R. B.	8206160268	PR
BLOUBAUGH, R. E.	8206030285	40-3453	BORDENICK, B. M.	8206070581	50-322 Q	BRADFORD, L.	8206210236*	50-289
BLOUBAUGH, R. E.	8206160128	40-3453	BORDINE, T. C.	8206070430	50-155 S	BRADFORD, L.	8206090087	50-289
BLUM, J. M.	8206010272	50-247 Q	BORDINE, T. C.	8206070757	50-155 S	BRADLEY, B.	8206080177*	50-3
BLUM, J. M.	8206010405*	50-247 Q	BORDINE, T. C.	8206100130	50-155 S	BRADLEY, E. J.	8206050100	50-352
BLUM, J. M.	8206010405*	50-247 Q	BORDINE, T. C.	8206100171	50-155 S	BRADLEY, E. J.	8206050107*	50-352
BLUM, J. M.	8206040070	50-247 Q	BORDINE, T. C.	8206150140	50-155 S	BRADLEY, E. J.	8206010529	50-352
BLUM, J. M.	8206040071*	50-247 Q	BORGES, R. J.	8206300178	50-155 P	BRADLEY, E. J.	8206020372	50-352
BLUM, J. M.	8206040073	50-247 Q	BORGES, R. J.	8206270069*	50-243 Q	BRADLEY, E. J.	8206020513	50-277
BLUM, J. M.	8206040123	50-247 Q	BORGES, R. J.	8206270498*	50-213 Q	BRADLEY, E. J.	8206070760	50-352
BLUM, J. M.	8206040123	50-247 Q	BORGHARD, W. O.	8206240359*	50-247 T	BRADLEY, E. J.	8206150295	50-352
BLUM, J. M.	8206110064*	50-247 Q	BORGHANN, E. A.	8205280306	50-358 S	BRADLEY, E. J.	8206150348	50-352
BLUM, J. M.	8206110064*	50-247 Q	BORGHANN, E. A.	8206020466	50-358 K	BRADLEY, E. J.	8206220180	50-352
BLUM, J. M.	8206180328	50-247 Q	BORGHANN, E. A.	8206040125	50-358 S	BRADLEY, E. J.	8206220343	50-352
BLUM, J. M.	8206180328	50-247 Q	BORGHANN, E. A.	8206040153	50-358 A	BRADLEY, E. J.	8206220364	50-352
BLUM, J. M.	8206240239	50-247 Q	BORGHANN, E. A.	8206070370	50-358 S	BRADLEY, O. D.	8206230328	NUREQ
BLUM, J. M.	8206240239	50-247 Q	BORGHANN, E. A.	8206070438	50-358 S	BRADY, R. W.	8206290048*	CONTRACT
BLUM, J. M.	8206280135*	50-247 Q	BORGHANN, E. A.	8206070498	50-358 S	BRAITHWAITE, J.	8206030057*	FOIA
BLUM, J. M.	8206280135*	50-247 Q	BORGHANN, E. A.	8206070776*	50-358 Q	BRAMLETT, L. S.	8206010257*	50-368
BLUMBERG, N.	8206040331*	50-309 Q	BORGHANN, E. A.	8206070806*	50-358 Q	BRANDENBURG, B.	8206010307	50-247
BLUMBERG, N.	8206150304*	50-587 Q	BORGHANN, E. A.	8206080119	50-358 K	BRANDENBURG, B.	8206010338	50-247
BLUMBERG, N. J.	8206040371*	50-272 Q	BORGHANN, E. A.	8206080220	50-358 C	BRANDENBURG, B.	8206010344*	50-247
BLUMBERG, N. J.	8206290411*	50-272 Q	BORGHANN, E. A.	8206080245	50-358 S	BRANDENBURG, B.	8206010347*	50-247
BOARDMAN, J. R.	8206210320*	50-498 Q	BORGHANN, E. A.	8206080321	50-358 S	BRANDENBURG, B.	8206040228	50-247
BOARDMAN, J. R.	8206210428*	50-498 Q	BORGHANN, E. A.	8206130220	50-358 S	BRANDENBURG, B.	8206040238	50-247
BODDY, J. R.	8206030287*	40-3453	BORGHANN, E. A.	8206170132	50-358 S	BRANDENBURG, B.	8206070532	50-247
BODINE, J. C.	8206020202*	50-244 F	BORGHANN, E. A.	8206170187	50-358 S	BRANDENBURG, B.	8206100106	50-247
BODINE, J. C.	8206110288*	50-244 S	BORGHANN, E. A.	8206170277	50-358 S	BRANDENBURG, B.	8206100110	50-247
BOEHMERT, P.	8206280185*	FOIA	BORGHANN, E. A.	8206170286	50-358 S	BRANDENBURG, B.	8206140031	50-247
BOESE, J. T.	8206240037*	FOIA	BORGHANN, E. A.	8206170334	50-358 S	BRANDENBURG, B.	8206170130	50-247
BOESE, J. T.	8206240039*	FOIA	BORGHANN, E. A.	8206170349	50-358 S	BRANDENBURG, B.	8206170157	50-247
BOETTGER, J. T.	8206280539*	FOIA	BORGHANN, E. A.	8206170373	50-358 S	BRANDENBURG, B.	8206170160	50-247
BOGARD, W. T.	8206140203*	50-454 Q	BORGHANN, E. A.	8206210186	50-358 S	BRANDENBURG, B.	8206170230	50-247
BOGART, D.	8206210101*	50-302 R	BORGHANN, E. A.	8206270330	50-358 S	BRANDENBURG, B.	8206180154	50-247
BOGDEN, O.	8206220093	40-1162	BORGHANN, E. A.	8206270363	50-358 S	BRANDENBURG, B.	8206180171*	50-247
BOGDEN, O.	8206230171	40-1162	BOSEMAN, J. J.	8206180193*	50-322 T	BRANDENBURG, B.	8206180214	50-247
BOGDEN, O.	8206230176	40-1162	BOTHMAN, J.	8206160033	TOPREP	BRANDENBURG, B.	8206180257	50-247
BOHLANDER, F. C.	8206240354*	50-247 T	BOUCHARD, D. A.	8206100010	NUREQ	BRANDENBURG, B.	-----	-----
BOLLINGER, L. J.	8206160473	RE000	BOUCHEY, O. D.	8205180100	50-460 K	BRANDENBURG, B.	8206170230	50-247
BOND, J. D.	8206030055*	FOIA	BOUCHEY, O. D.	8205180108*	50-460 K	BRANDENBURG, B.	8206180154	50-247
BOND, J. D.	8206030284*	FOIA	BOUCHEY, O. D.	8205180306	50-460 F	BRANDENBURG, B.	8206180171*	50-247
BOOK, H. E.	8206020460*	50-312 Q	BOUCHEY, O. D.	8206020347	50-397 A	BRANDENBURG, B.	8206180214	50-247
BOOK, H. E.	8206020358	27-48	BOUCHEY, O. D.	8206030002	50-397 A	BRANDENBURG, B.	8206170230	50-247
BOOK, H. E.	8206020363*	27-48	BOUCHEY, O. D.	8206030173	50-508 F	BRANDENBURG, B.	8206180154	50-247
BOOK, H. E.	8206020485	50-312 Q	BOUCHEY, O. D.	8206040338	50-397 E	BRANDENBURG, B. L.	8206180171*	50-247
BOOK, H. E.	8206080190	50-397 Q	BOUCHEY, O. D.	8206040412	50-508 K	BRANDON, R. J.	8206170157	50-247
BOOK, H. E.	8206080194*	50-397 Q	BOUCHEY, O. D.	8206040419*	50-508 K	BRAZELTON, T. B.	8206170160	50-247
BOOK, H. E.	8206080264	50-344 Q	BOUCHEY, O. D.	8206070409	PR	BRAZELTON, T. B.	8206170230	50-247
BOOK, H. E.	8206080289*	50-344 Q	BOUCHEY, O. D.	8206070617	50-397 E	BRAZELTON, T. B.	8206180154	50-247
BOOK, H. E.	8206080408	50-224 Q	BOUCHEY, O. D.	8206080217	50-460 A	BREAUX, D. O.	8206180171*	50-247
BOOK, H. E.	8206220217	50-361 Q	BOUCHEY, O. D.	8206080293	50-460 A	BREED, A.	8206180214	50-247
BOOK, H. E.	8206220223*	50-361 Q	BOUCHEY, O. D.	8206090089	50-397 K	BRENNAN, M.	8206180257	50-247
BOOK, H. E.	8206250239	50-206 Q	BOUCHEY, O. D.	8206140013	50-397 A	BRENNER, L.	8206170230	50-247
BOOK, H. E.	8206280228*	50-142 Q	BOUCHEY, O. D.	8206140020	50-397 E	BRENNER, L.	8206180154	50-247
BOOK, H. E.	8206280322	27-48	BOUCHEY, O. D.	8206140095	50-397 A	BRENNER, L.	8206180171*	50-247
BOOK, H. E.	8206280330*	27-48	BOUCHEY, O. D.	8206140238	50-397 A	BRENNINGTON, P.	8206170157	50-247
BOOKER, J. E.	8206020338	50-458 S	BOUCHEY, O. D.	8206140377*	50-397 F	BREY, H. L.	8206170160	50-247
BOOKER, J. E.	8206020445	50-458 S	BOUCHEY, O. D.	8206210257	50-460 A	BREY, H. L.	8206170230	50-247
BOOKER, J. E.	8206020534	50-458 S	BOUCHEY, O. D.	8206210265	50-397 A	BREY, H. L.	8206180154	50-247
BOOKER, J. E.	8206030115	50-458 S	BOUCHEY, O. D.	8206210271	50-397 A	BREY, H. L.	8206180171*	50-247
BOOKER, J. E.	8206070949	50-458 S	BOUCHEY, O. D.	8206210302	50-460 A	BREY, H. L.	8206170157	50-247
BOOKER, J. E.	8206080244	50-458 S	BOUCHEY, O. D.	8206210567	50-397 A	BRICKLEY, R. H.	8206180257	50-247

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
BRICKLEY, R. H.	B206140070*	GA999	BURGESS, B. L.	B206100208*	50-282 Q	CAREY, J. J.	B206170181*	50-334 P
BRIEN, D. M.	B206300110*	50-344 F	BURGESS, B. L.	B206250219*	50-295 Q	CAREY, J. J.	B206170306*	50-334 P
BRIENBAUGH, D.	B206170238	50-322 T	BURKE, D.	B206220593*	50-324 Q	CAREY, J. J.	B206170310*	50-334 P
BRIENBAUGH, D.	B206170244*	50-322 T	BURKHARDT, M.	B206010743*	70-1193	CAREY, J. J.	B206210087*	50-334 Q
BRIQS-BAMFORD	B206070555	PRM	BURNETT, P. T.	B206070849*	50-369 Q	CAREY, J. J.	B206220154*	50-334 F
BRIGHT, O. D.	B206090023	50-400 Q	BURNETT, R. F.	B206090181	70-1257	CAREY, J. J.	B206220471	50-334 P
BRIGHT, O. D.	B206170079	50-275 Q	BURNETTE, A. L.	B206010198*	50-260 S	CAREY, J. J.	B206250435*	50-334 Q
BRINKERHOFF, J.	B206280126*	CONTRACT	BURNETTE, A. L.	B206210561*	50-259 S	CARLSAUX, J. D.	B206202037*	50-275 Q
BRINKMAN, R. E.	B206280672*	FOIA	BURNS, S. G.	B206100273	PR	CARLSON, R. W.	B206140186*	50-454 Q
BROEHL, D. J.	B206270203	50-344 P	BURNS, S. G.	B206100274	50-293 Q	CARLSON, R. W.	B206140186*	50-454 Q
BROMBERG, B.	B206290044	CONTRACT	BURNS, S. G.	B206100313	50-293 Q	CARPENTER, Q. L.	B206150187*	50-263 S
BROWN, J. C.	B206010245	50-286 S	BURRY, D.	B206030053*	CONTRACT	CARPENTER, J. H.	B206090023	50-400 Q
BROWN, J. C.	B206070707	50-286 S	BURSTEIN, S.	B206150289	50-301 S	CARR, A. V.	B206070407	PR
BROWN, J. C.	B206140134*	50-247 T	BURSTEIN, S.	B206160317	50-266 R	CARR, A. V.	B206160106	50-413 Q
BROWNSON, F. L.	B206100069	NUREQ	BURSTEIN, S.	B206170114	50-266 Q	CARR, A. V.	B206160106	50-413 Q
BROOKS, J.	B206010157*	COMMISSION	BURWELL, S. B.	B206020298	50-445 A	CARR, K. R.	B206230031	NUREQ
BROSS, I. D.	B206100094	50-201 Q	BURWELL, S. B.	B206100020	50-445 A	CARR, B. E.	B206080439*	CONTRACT
BROWN, C. Q.	B206010112*	50-302 S	BURWELL, S. B.	B206100023	50-445 F	CARTEAUX, P.	B206140275*	50-315 F
BROWN, C. Q.	B206010321*	50-302 S	BURWELL, S. B.	B206140232	50-445 A	CARTER, K.	B206230328	NUREQ
BROWN, C. Q.	B206010323*	50-302 S	BUSH, C.	B206290552	NUREQ	CARTER, L. J.	B206280092	50-247 Q
BROWN, C. Q.	B206010339*	50-302 S	BUSH, S. H.	B206040132	50-255 P	CARTER, L. J.	B206170169	50-247 Q
BROWN, C. Q.	B206010376*	50-302 S	BUSLIK, A.	B206230240*	FOIA	CARTER, L. J.	B206170381	50-247 Q
BROWN, C. Q.	B206010387*	50-302 S	BUSLIK, A. J.	B206220068	RES	CARTER, S.	B206010190*	50-296 S
BROWN, C. Q.	B206010393*	50-302 S	BUSS, R.	B206070598*	50-254 S	CARTER, S.	B206010589*	50-259 S
BROWN, C. Q.	B206010491*	50-302 S	BUTCHER, R.	B206070856*	50-416 Q	CARTER, S.	B206010617*	50-260 S
BROWN, C. Q.	B206010498*	50-302 S	BUTENKO, T. A.	B206230286	XPORTLIC	CARTER, S.	B206110198*	50-259 S
BROWN, C. Q.	B206010563*	50-302 S	BUTLER, T. A.	B206170051	50-3 P	CARTER, S.	B206300146*	50-260 S
BROWN, C. Q.	B206010601*	50-302 S	CADA, O. F.	B206100043	NUREQ	CARTWRIGHT, W. R.	B206010277	50-338 S
BROWN, C. Q.	B206010627*	50-302 S	CADMAN, W. K.	B206160024	50-482 R	CARTWRIGHT, W. R.	B206010281*	50-338 S
BROWN, C. Q.	B206010647*	50-302 S	CAFARELLA, P. T.	B206010309*	50-293 P	CARTWRIGHT, W. R.	B206010562*	50-338 R
BROWN, C. Q.	B206110262*	50-302 S	CAGNETTA, J. P.	B206040136	50-213 Q	CARTWRIGHT, W. R.	B206010581	50-338 S
BROWN, C. Q.	B206210056*	50-302 S	CAGNETTA, J. P.	B206040373	50-213 P	CARTWRIGHT, W. R.	B206010595*	50-338 S
BROWN, C. Q.	B206210335*	50-302 S	CAGNETTA, J. P.	B206160458	WASTE MOT	CARTWRIGHT, W. R.	B206010649	50-338 S
BROWN, C. Q.	B206220154*	50-302 S	CAGNETTA, J. P.	B206300219	50-213 V	CARTWRIGHT, W. R.	B206010660*	50-338 S
BROWN, C. Q.	B206300061*	50-302 S	CAHILL, W. J.	B206020575*	50-458 Q	CARTWRIGHT, W. R.	B206010666	50-338 S
BROWN, E. Q.	B206240249	50-361 Q	CAHILL, W. J.	B206020578*	50-458 Q	CARTWRIGHT, W. R.	B206010671*	50-338 S
BROWN, E. J.	B206180032*	MISC	CAHN, A. L.	B206070172	REGOQ	CARTWRIGHT, W. R.	B206070166	50-339 S
BROWN, O. D.	B206010537	40-8550	CAIN, J.	B206220140	WASTE MOT	CARTWRIGHT, W. R.	B206070174*	50-339 S
BROWN, O. D.	B206210313	40-8452	CALIO, N. E.	B206090024*	FOIA	CARTWRIGHT, W. R.	B206070425	50-338 S
BROWN, O. D.	B206210472	40-8579	CALLAN, L. J.	B206010401	50-313 S	CARTWRIGHT, W. R.	B206070427*	50-338 S
BROWN, H. H.	B205040348	50-275 Q	CALLAN, L. J.	B206280190*	50-313 Q	CARTWRIGHT, W. R.	B206070442	50-339 S
BROWN, H. H.	B205040348	50-275 Q	CAMPBELL, D. A.	B206100007	NUREQ	CARTWRIGHT, W. R.	B206070451*	50-339 S
BROWN, J. F.	B206230348*	CONTRACT	CAMPBELL, D. A.	B206280293*	FOIA	CARTWRIGHT, W. R.	B206070670	50-338 S
BROWN, J. M.	B011030374*	50-322 Q	CAMPBELL, D. A.	B206280293*	FOIA	CARTWRIGHT, W. R.	B206070678*	50-338 S
BROWN, J. M.	B206030136*	70-852	CAMPBELL, J. D.	B206210545	70-355	CARTWRIGHT, W. R.	B206110061	50-338 S
BROWN, M. F.	B206220133*	71-454	CAMPBELL, S. M.	B206170262*	50-247 Q	CARTWRIGHT, W. R.	B206110065*	50-338 S
BROWN, R. E.	B206090063	50-309 Q	CANADY, K.	B206140375*	FOIA	CARTWRIGHT, W. R.	B206110147	50-338 S
BROWN, S. L.	B206210279*	50-331 R	CANNON, J. B.	B206100043	NUREQ	CARTWRIGHT, W. R.	B206110152	50-339 S
BROWN, S. L.	B206220310*	50-331 S	CANTER, H.	B206020431*	50-362 Q	CARTWRIGHT, W. R.	B206110158*	50-339 S
BROWN, W.	B206290552	NUREQ	CANTER, H. L.	B206150326*	50-312 Q	CARTWRIGHT, W. R.	B206110160*	50-338 S
BROWNING, R. E.	B206160086	WASTE MOT	CANTER, H. L.	B206280494*	50-312 Q	CARTWRIGHT, W. R.	B206110166	50-338 S
BROWNLEE, V. L.	B206040287	50-425 S	CANTER, H. L.	B206280527*	50-312 Q	CARTWRIGHT, W. R.	B206110168*	50-338 S
BROWNLEE, V. L.	B206070361*	50-348 Q	CANTRELL, F. S.	B206070354*	50-259 Q	CARTWRIGHT, W. R.	B206110171	50-339 S
BROWNLEE, V. L.	B206070637*	50-393 Q	CANTRELL, F. S.	B206070379*	50-416 Q	CARTWRIGHT, W. R.	B206110173	50-339 S
BROWNLEE, V. L.	B206070657*	50-321 Q	CANTRELL, F. S.	B206070790*	50-518 Q	CARTWRIGHT, W. R.	B206110174*	50-339 S
BROWNLEE, V. L.	B206070845*	50-424 Q	CANTRELL, F. S.	B206070841*	50-416 Q	CARTWRIGHT, W. R.	B206110187*	50-339 S
BROWNLEE, V. L.	B206220549*	50-302 Q	CANTRELL, F. S.	B206220424*	50-416 Q	CARTWRIGHT, W. R.	B206210285	50-338 S
BRUCHMANN, O. W.	B206100050	NUREQ	CANTRELL, P. F.	B206150192*	50-304 S	CARTWRIGHT, W. R.	B206210290*	50-338 S
BRUNNER, E. J.	B206170377	50-293 S	CANTRELL, P. F.	B206150214*	50-304 S	CARTWRIGHT, W. R.	B206210311	50-338 S
BRUSH, P. N.	B206230054	XPORTLIC	CAPHTON, D.	B206150304*	50-387 Q	CARTWRIGHT, W. R.	B206210312*	50-338 S
BRYAN, R. H.	B206100030	NUREQ	CAPHTON, D. L.	B206040331*	50-309 Q	CARTWRIGHT, W. R.	B206210488	50-339 S
BRYANT, J.	B206300187	50-424 S	CAPHTON, D. L.	B206220384*	50-29 Q	CARTWRIGHT, W. R.	B206210496*	50-339 S
BRYANT, J. C.	B206040106	50-259 S	CAPHTON, D. L.	B206220404*	50-277 Q	CARTWRIGHT, W. R.	B206210599	50-339 S
BRYANT, J. C.	B206070488*	50-413 Q	CAPHTON, D. L.	B206220465*	50-334 Q	CARTWRIGHT, W. R.	B206210608*	50-339 S
	-----	50-369 Q	CAPRA, R.	B112030223*	FOIA	CARTWRIGHT, W. R.	B206210643	50-338 S
			CAPRA, R.	B206280143*	FOIA	CARTWRIGHT, W. R.	B206210650*	50-338 S
			CAPRA, R. A.	B206110328*	50-404 A	CARTWRIGHT, W. R.	B206240062	50-339 S
			CAPRA, R. A.	B206280194*	FOIA	CARTWRIGHT, W. R.	B206240067*	50-339 S
			CAPRA, R. A.	B206280198*	FOIA	CARTWRIGHT, W. R.	B206240118	50-339 S
			CAREY, J. J.	B206010263	50-334 R	CARTWRIGHT, W. R.	B206240126*	50-339 S
			CAREY, J. J.	B206020544	50-334 P	CARTWRIGHT, W. R.	B206240162	50-338 S
			CAREY, J. J.	B206070083	50-334 F	CARTWRIGHT, W. R.	B206240166*	50-338 S
			CAREY, J. J.	B206070249	50-334 P	CARTWRIGHT, W. R.	B206240295	50-338 S
			CAREY, J. J.	B206070312*	50-334 Q	CARTWRIGHT, W. R.	B206240306	50-338 S
			CAREY, J. J.	B206070319*	50-334 Q	CARTWRIGHT, W. R.	B206240307*	50-338 S
			CAREY, J. J.	B206100169	50-334 P	CARTWRIGHT, W. R.	B206240322	50-338 S
			CAREY, J. J.	B206100170*	50-334 P	CARTWRIGHT, W. R.	B206240324*	50-338 S
			CAREY, J. J.	B206100220	50-334 P	CARTWRIGHT, W. R.	B206240337*	50-338 S
			CAREY, J. J.	B206110111*	50-334 Q	CARTWRIGHT, W. R.	B206240355	50-339 S
			CAREY, J. J.	B206150044*	50-334 F	CARTWRIGHT, W. R.	B206240361*	50-339 S
			CAREY, J. J.	B206150086*	50-334 Q	CARTWRIGHT, W. R.	B206240417	50-338 S
			CAREY, J. J.	B206150128	50-334 R	CARTWRIGHT, W. R.	B206240421*	50-338 S
			CAREY, J. J.	B206150130*	50-334 Q	CARUSO, R.	B206170025	50-29 P
			CAREY, J. J.	B206150298	50-334 P	CARUSO, R.	B206170063	50-29 P
			CAREY, J. J.	B206170180	50-334 P	CARUSO, R.	B206210130	50-29 P

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CARUSO, R	8206220397	50-29 P	CHILDS, W V.	8206080377*	50-333 S	CLARK, R A	8206010085	50-317
CARUSO, R	8206250245	50-29 P	CHILDS, W V.	8206110137*	50-333 S	CLARK, R A	8206010658	50-334
CARUSO, S C	8206140333	NUREQ	CHILDS, W V.	8206110249*	50-333 S	CLARK, R A	8206010667	50-305
CARVER, A M	8206010337*	50-327 S	CHILDS, W V.	8206110318*	50-333 S	CLARK, R A	8206020226*	50-344
CARVER, A M	8206070162*	50-327 S	CHILDS, W V.	8206220530*	50-333 S	CLARK, R A	8206020227*	50-335
CARVER, A M	8206210334*	50-328 S	CHILDS, W V.	8206220537*	50-333 S	CLARK, R A	8206020233*	50-344
CARVER, A M	8206210417*	50-328 S	CHILK, S J	8201200511	50-289 T	CLARK, R A	8206020241*	50-335
CARVER, A M	8206220432*	50-328 S	CHILK, S J	8201200521*	10CFR	CLARK, R A	8206020258*	50-335
CASE, E O	8206230044*	50-289 P	CHILK, S J	8206020106*	50-369 Q	CLARK, R A	8206020589	50-317
CASTRO, O	8206290584*	CONTRACT	CHILK, S J	8206020117*	FOIA	CLARK, R A	8206020594	50-285
CATCHPOLE, O	8206010064	40-8745	CHILK, S J	8206030014	10CFR	CLARK, R A	8206070144	50-335
CATE, J H	8206100036	NUREQ	CHILK, S J	8206030018	10CFR	CLARK, R A	8206080003*	50-332
CAVANAUGH, R O	8206030132*	FOIA	CHILK, S J	8206030036	10CFR	CLARK, R A	8206080027*	50-266
CAVANAUGH, W	8206020371	50-313 P	CHILK, S J	8206070068	50-3	CLARK, R A	8206080035*	50-266
CAVANAUGH, W	8206150167*	50-313 F	CHILK, S J	8206070073	50-443 Q	CLARK, R A	8206080146	50-317
CAVANAUGH, W	8206160333*	50-313 F	CHILK, S J	8206070133	50-466 Q	CLARK, R A	8206080151*	50-317
CAVINESS, C K	8206290529	NUREQ	CHILK, S J	8206070145	50-255 Q	CLARK, R A	8206080157*	50-317
CADLEY, J T	8206280299*	FOIA	CHILK, S J	8206090209	FOIA	CLARK, R A	8206080184*	50-366
CADLEY, J T	8206280303*	FOIA	CHILK, S J	8206100297	50-361 Q	CLARK, R A	8206080189*	50-366
CADLEY, J T	8206280307*	FOIA	CHILK, S J	8206100445	10CFR	CLARK, R A	8206100128	50-336
CERNE, A C	8206170340*	50-443 Q	CHILK, S J	8206110354	10CFR	CLARK, R A	8206110324	50-282
CERRETO, R	8206160114	XPORTLIC	CHILK, S J	8206140036	50-244 Q	CLARK, R A	8206110340*	50-266
CHALMERS, P M	8206110078*	CONTRACT	CHILK, S J	8206140347*	FOIA	CLARK, R A	8206160003	50-317
CHAMBERLAIN, D	8206150300*	GA999	CHILK, S J	8206160096	50-206 Q	CLARK, R A	8206180011	50-344
CHAMBERLAIN, D	8206280542*	GA999	CHILK, S J	8206160101	50-206 Q	CLARK, R A	8206180014*	50-344
CHAMBERLAIN, D	8206280563*	GA999	CHILK, S J	8206160409	REVIEW ORP	CLARK, R A	8206230187	50-266
CHAN, E I	8206300032	50-556 Q	CHILK, S J	8206170078	50-349 Q	CLARK, R A	8206230293	50-344
CHANDLER, J C	8206080276	TOPREP	CHILK, S J	8206170091	50-373 Q	CLARK, R A	8206230333	50-285
CHANDLER, L J	8206040264	50-361 Q	CHILK, S J	8206170109	50-329 Q	CLARK, R A	8206250116	50-344
CHANDLER, L J	8206080120	50-361 H	CHILK, S J	8206210249	50-498 Q	CLARK, R A	8206250137	50-305
CHANDLER, L J	8206110093	50-361 Q	CHILK, S J	8206210268	50-369 Q	CLARK, R A	8206250145	50-344
CHANDLER, L J	8206220074	50-361 Q	CHILK, S J	8206210271	50-293 Q	CLARK, R A	8206250152	50-344
CHANDLER, L J	8206230073	50-361 Q	CHILK, S J	8206220134	50-358 A	CLARK, R A	8206280027	50-344
CHANDLER, L J	8206230110	50-361 Q	CHILK, S J	8206230204	50-395 Q	CLARK, R A	8206290015	50-336
CHANEY, H	8206010644*	50-382 Q	CHILK, S J	8206240391	50-440 Q	CLARK, R A	8206300361	50-285
CHANG, K C	8206190193	WASTE MOT	CHILK, S J	8206250088	10CFR	CLARK, R A	8206300365*	50-285
CHANGERY, M J	8206140312	NUREQ	CHILK, S J	8206230093	10CFR	CLARK, R A	8206300393	50-317
CHAPLIN, B D	8206080365*	50-320 S	CHILK, S J	8206280191	50-373 Q	CLARK, R J	8206010051	50-259
CHAPLIN, B D	8206110295*	50-320 S	CHILK, S J	8206280220	50-369 Q	CLARK, R J	8206040063	50-259
CHAPLIN, B D	8206280367*	50-320 S	CHILK, S J	8206280508*	FOIA	CLARK, R J	8206100419	50-259
CHAPMAN, R L	8206100064	NUREQ	CHILK, S J	8206290564	50-275 T	CLAY, E L	8206040403*	70-111
CHARNEY, J B	8206010547*	50-324 P	CHILK, S J	8206300341	50-155 Q	CLAYTON, F L	8206010208	50-348
CHARNEY, J B	8206010557*	50-324 P	CHONG, L	8206040109	50-443 Q	CLAYTON, F L	8206010597	50-364
CHARNOFF, G	8206070219*	CONTRACT	CHOW, C K	8206230340	NUREQ	CLAYTON, F L	8206010607	50-348
CHASE, J	8206070767*	50-324 Q	CHOWING, E.	8206210632*	NUREQ	CLAYTON, F L	8206010618	50-348
CHASE, J W	8206070594*	50-259 Q	CHRISTA-MARIA	8206010312*	50-155 T	CLAYTON, F L	8206040249	50-348
CHASE, L	8206230347*	WASTE MOT	CHRISTA-MARIA	8206230156*	50-155 Q	CLAYTON, F L	8206070084	50-364
CHASE, M M	8206170162	50-247 Q	CHRISTENBURY, E	8206040255*	50-454 Q	CLAYTON, F L	8206070119	50-348
CHAUDHARY, S K	8206070822*	50-322 Q	CHRISTENSEN, D	8206100064	NUREQ	CLAYTON, F L	8206070245	50-348
CHAVEZ, D	8206040243	50-454 Q	CHRISTENSEN, S	8206100043	NUREQ	CLAYTON, F L	8206070349*	50-348
CHAVEZ, D	8206040243	50-454 Q	CHRISTIANSON, F.	8206040351	50-358 S	CLAYTON, F L	8206080326	50-348
CHECK, P S	8103240705*	FOIA	CHRISTMAN, J N	8206070110	50-322 Q	CLAYTON, F L	8206090114	PR
CHECK, P S	8110220069*	50-537 A	CHRISTMAN, J N	8206070110	50-322 Q	CLAYTON, F L	8206110165	50-348
CHECK, P S	8206140257	50-537 A	CHRISTOFFER, R	8206280577*	50-373 Q	CLAYTON, F L	8206110279	50-348
CHECK, P S	8206140265	50-537 A	CHRISTOFFER, Q	8206020228*	FOIA	CLAYTON, F L	8206140055	50-364
CHECK, P S	8206140347	50-537 A	CHRISTOPHER, R.	8206020243*	FOIA	CLAYTON, F L	8206140124	50-348
CHECK, P S	8206230217*	FOIA	CHRISTOPHER, R	8206020263*	FOIA	CLAYTON, F L	8206210152	50-348
CHECK, P S	8206290580	50-537 A	CHRISTOPHER, W	8206010605*	50-259 S	CLAYTON, F L	8206240381	50-348
CHECK, P S	8206290616	50-537 A	CHRISTOPHER, W	8206070114*	50-259 S	CLAYTON, F L	8206290141	50-364
CHECK, P S	8206290618*	50-537 A	CHRISTOPHER, W	8206070640*	50-294 S	CLAYTON, F L	8206300116	50-348
CHEN, N C	8206220019	NUREQ	CHRISTOPHER, W.	8206210309*	50-259 S	CLEMENTE, O. J.	8206010440	50-201
CHENG, C Y	8206170206*	50-322 T	CHRISTOPHER, W	8206240200*	50-259 S	CLEMENTS, P.	8206150226*	50-272
CHERN, M S	8206110006	NUREQ	CHUNG, J H.	8206030237*	50-333 Q	CLEMENTS, P.	8206150267*	50-272
CERRY, M	8206290183	50-454 Q	CHUNG, J H	8206030270*	50-334 Q	CLEMENTS, P.	8206170111*	50-311
CERRY, M	8206290183	50-454 Q	CHUNG, J H	8206040371*	50-272 Q	CLEMENTS, P.	8206290254*	70-110
CERRY, M	8206290259	50-454 Q	CHUNG, J W	8206290411*	50-272 Q	CLEVELAND, D	8206280387*	FOIA
CERRY, M	8206290259	50-454 Q	CHURCHILL, B. W	8206100314	50-266 Q	CLEVELAND, J. C	8206220101	NUREQ
CERRY, M M	8206290256	50-454 Q	CHURCHILL, B. W	8206100314	50-266 Q	CLEVELAND, R B	8206030181*	FOIA
CERRY, M M	8206290256	50-454 Q	CHURCHILL, B W	8206160082	50-382 Q	CLIFFORD, J W.	8206040414*	50-322
CERRY, M M	8206290294	50-454 Q	CHURCHILL, B W	8206160082	50-382 Q	CLINE, W E.	8206220499*	50-416
CERRY, M M	8206290294	50-454 Q	CHURCHILL, D. W	8206160086*	50-382 Q	COALWELL, T. N.	8206170069	50-264
CERRY, M M	8206290298	50-454 Q	CHURCHILL, D W	8206160056*	50-382 Q	COBB, L	8206290532	NUREQ
CERRY, M M	8206290298	50-454 Q	CHURCHILL, D W	8206180299	50-266 Q	COCKRELL, R O.	8206220556*	50-111
CESNUT, S. H	8206160020	50-454 A	CHURCHILL, B. W.	8206180299	50-266 Q	CODELL, R B.	8206180340	NUREQ
CHESTER, R O.	8206250040	REB	CICHY, Q	8206300121*	50-10 F	COFFMAN, F. D	8102190076*	FOIA
CHIANOTI, N J	8206010237	50-400 S	GILIMBERO, R.	8206150453	50-315 P	COFFMAN, F. D.	8206140376*	FOIA
CHIANOTI, N J	8206010423	50-400 S	GILIMBERO, R. L.	8206030323	50-315 P	COFFMAN, F. E.	8206040039*	50-320
CHIANOTI, N J	8206010509	50-400 S	GILLIS, M.	8206080416*	50-224 G	COGAN, N J	8206040115*	50-317
CHIANOTI, N J	8206010622	50-400 S	GILLIS, M	8206280228*	50-142 G	COGIN, C. L.	8206010239*	50-364
CHIANOTI, N J	8206070687	50-400 S	CLAPP, N E.	8206220101	NUREQ	COGIN, C. L.	8206010642*	50-366
CHIANOTI, N J	8206110188	50-400 S	CLARDY, L.	8206100290	50-331 S	COHAN, P. H.	8206040014	50-537
CHILDS, W V.	8206010459*	50-333 S	CLARDY, L.	8206100330*	50-331 Q	COHEN, I.	8206080301*	70-371
CHILDS, W V.	8206010485*	50-333 S	CLARK, D	8206240389*	50-254 S	COHEN, I.	8206170230*	50-195
CHILDS, W V.	8206080135*	50-333 S	CLARK, K M.	8206170163	70-143	COHEN, I.	8206220309*	50-295
CHILDS, W V.	8206080322*	50-333 S	CLARK, R A	8205190453	50-368 P	COHEN, I.	8206250310*	70-110

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
COHEN, K	8206040361*	NUREG	COOK, J W	8206080256	50-329 E	COUNCIL, W O	8206220454	50-245 P
COHEN, K	8206300297*	NUREG	COOK, J W	8206080340	50-329 A	COUNCIL, W O	8206240279	50-336 P
COHEN, L K	8206090230	NUREG	COOK, J W	8206090010	50-329 A	COUNCIL, W O	8206250298	50-336 P
COLARULLI, P F	8206290301	50-247	COOK, J W	8206100284	50-329 B	COUNCIL, W O	8206280584	50-423 Q
COLARULLI, P F	8206290301	50-247 Q	COOK, J W	8206150312	50-329 E	COUNCIL, W O	8206290489*	50-423 Q
COLBURN, T O	8206080026	50-266 P	COOK, J W	8206170304	50-329 B	COUNCIL, W O	8206300048	50-245 P
COLBURN, T O	8206080505	50-266 P	COOK, J W	8206180084	50-329 A	COUNCIL, W O	8206300127	50-213 P
COLBURN, T O	8206110339	50-266 P	COOK, J W	8206210118	50-329 A	COUNCIL, W O	8206300215	50-213 V
COLBURN, T O	8206280677	50-266 P	COOK, J W	8206220537	50-329 A	COUNCIL, W O	8206300303	50-213 P
COLE, R. F.	8206040011	50-332 Q	COOK, J W	8206220553*	50-329 A	COWGILL, C J	8206100166*	50-277 Q
COLEMAN, R	8206090221	CONTRACT	COOK, J W	8206250246	50-329 A	COWGILL, C J	8206290397*	50-219 Q
COLLIER, D R	8206100268*	50-255 P	COOK, J W	8206280483	50-329 A	COX, H T	8206010105*	50-261 E
COLLINS, J T	8206130379*	50-285 Q	COOK, K V	8206290509	NUREG	COY, S A	8206300101*	50-269 F
COLLINS, J T	8206310478*	50-313 F	COONEY, M J	8206110019*	50-277 B	CRAIG, J	8206180204	50-312 S
COLLINS, J T	8206040299	50-267 Q	COONEY, M J	8206110021*	50-277 B	CRANDALL, J D	8206290676	FRM
COLLINS, J T	8206090174*	50-313 F	COONEY, M J	8206180078	50-277 R	CRANE, P A	8206010314	50-275 Q
COLLINS, J T	8206100175	50-285 Q	COONEY, M J	8206280450	50-277 S	CRANE, P A	8206020490	50-275 F
COLLINS, J T	8206100189*	50-285 Q	COONEY, M J	8206280551	50-278 S	CRANE, P A	8206040363	50-275 R
COLLINS, J T	8206100216	50-313 F	COONEY, M J	8206280557	50-278 S	CRANE, P A	8206070269	50-275 P
COLLINS, J T	8206150057*	50-267 F	COONEY, M J	8206280566*	50-278 S	CRANE, P A	8206090166*	50-137 Q
COLLINS, J T	8206180163	50-313 F	COONEY, M J	8206290149	50-277 S	CRANE, P A	8206160177	50-275 P
COLLINS, J T	8206170326	50-267 F	COONEY, M J	8206290156*	50-277 S	CRANE, P A	8206160190	50-275 R
COLLINS, J T	8206220164	50-298 F	COOPER, J D.	8206290331*	50-155 J	CRANE, P A	8206170418*	50-273 Q
COLLINS, J T	8206230203	50-267 F	COOPER, J H	8206180341*	50-298 P	CRANE, P A	8206180226	50-275 O
COLLINS, J T	8206290368	50-267 F	COOPER, L J	8206180263	PR	CRANE, P A	8206230197	50-275 F
COLLINS, L. E	8206160281	PR	COOPER, L J	8206230038*	FOIA	CRANE, P A	8206240393	50-275 Q
COLLINS, B J	8206220434*	50-271 Q	COOPER, W E	8206230004	50-275 P	CRANE, P A	8206250313	50-275 F
COLLINS, T R	8206070373*	50-416 Q	COOPER, W E	8206230094	50-275 R	CRANE, P A	8206280187	50-273 Q
COLLINS, T R	8206210139	50-327 S	COOPER, W E	8206230098*	50-275 R	CRANE, P A	8206280385	50-275 P
COLOMB, R	8206150281*	50-312 R	COOPER, W E	8206230081	50-275 P	CRANE, P A	8206280395*	50-275 P
COLOMBO, R W	8206010507*	50-312 S	COOPER, W E	8206180128	50-275 R	CRANE, P A	8206280428	50-275 Q
COLOMBO, R W	8206040193*	50-312 S	COPELAND, J Q	8206240400	50-466 Q	CRAWFORD, R M	8206180193*	50-322 T
COMBS, F	8206280649*	FOIA	COPELAND, J Q	8206240400	50-466 Q	CREED, J R	8206290577*	50-373 Q
CONKLIN, J C	8206220101	NUREG	COPLAND, S H	8206160019	WASTE MGT	CRISCIONE, J	8206290468*	50-326 E
CONLON, T E	8206020471*	QA999	COPUS, E R	8206290048	50-537 A	CROCKER	8206100231	50-206 E
CONLON, T E	8206070324*	50-389 Q	CORDES, G A	8206100265*	50-255 P	CROCKER, H W	8206100199*	50-244 Q
CONLON, T E	8206070335*	50-424 Q	COREY, G R	8206070278	NUREG	CROCKER, H W	8206100241*	50-317 Q
CONLON, T E	8206070496*	50-327 Q	CORLEY, W O	8206210578*	50-329 A	CROCKER, H W	8206240375*	50-243 Q
CONLON, T E	8206220258*	50-424 Q	CORTIER, W H	8206140076	50-142 Q	CROCKER, H W	8206240394*	50-219 Q
CONLON, T E	8206220443*	50-414 Q	CORNIER, W H	8206160076	50-142 Q	CROSSMAN, W A	8206010673*	50-490 Q
CONLON, T E	8206220462*	50-395 Q	CORNELL, K	8206300409*	50-491 A	CROSSMAN, W A	8206090057*	50-443 Q
CONLON, T E	8206220546*	50-395 Q	CORREY, D	8206010410*	50-247 Q	CROSSMAN, W A	8206210320*	50-498 Q
CONNAUGHTON, K	8206220219*	50-295 Q	CORREY, D R	8206240257	50-247 Q	CROSSMAN, W A	8206210428*	50-490 Q
CONNAUGHTON, K	8206290215*	50-346 Q	CORRIGAN, F W	8206250154	REGOD	CROSSMAN, W A	8206210468*	50-430 Q
CONNER, E L	8206020038	50-213 P	CORYELL, E W	8206100369	RES	CROUSE, R P	8205110633	50-346 F
CONNER, E L	8206110341*	50-246 P	CORVELL, G P.	8206070643*	70-143	CROUSE, R P.	8206040332	50-346 F
CONNER, E L	8206140101	50-245 P	COSTELLO, F.	8206020243*	FOIA	CROUSE, R P.	8206070090	50-346 P
CONNER, E L	8206140113*	50-245 P	COSTELLO, F.	8206020345*	FOIA	CROUSE, R P.	8206070490*	50-346 P
CONNER, E L	8206180064	50-336 P	COSTELLO, F.	8206020389*	FOIA	CROUSE, R P.	8206080240	50-346 P
CONNER, E L	8206290338	50-336 P	COSTELLO, F.	8206090230	NUREG	CROUSE, R P.	8206080337	50-346 P
CONNER, T B	8206030156*	FOIA	COSTELLO, F. H	8206020467*	FOIA	CROUSE, R P	8206180132	50-346 P
CONNER, T B.	8206070603	50-358 Q	COSTELLO, J R	8206140066*	QA999	CROUSE, R P	8206210363*	50-346 Q
CONNER, T B.	8206070603	50-358 Q	COSTELLO, J R	8206140084*	QA999	CROUSE, R P	8206210368*	50-346 Q
CONNER, T B.	8206210282	50-352 Q	COTTER, B. P.	8206280072	50-454 Q	CROUSE, R P	8206220357	50-346 Q
CONNER, T B	8206210282	50-352 Q	COTTER, B. P.	8206280077	50-482 Q	CROUSE, R P	8206230123	50-346 P
CONNER, T B.	8206240163*	50-358 Q	COTTER, B. P.	8206280077	50-367 Q	CROUSE, R P	8206250264	50-346 Q
CONNER, T B.	8206240163*	50-358 Q	COUNCIL, W O	8201200541*	50-213 F	CROUSE, R P	8206290383	50-346 P
CONNER, T B.	8206280271	50-352 Q	COUNCIL, W O	8206040136	50-213 Q	CROUSE, R P	8206290390*	50-346 P
CONNER, T B.	8206280271	50-352 Q	COUNCIL, W O	8206040352	50-245 P	CROUSE, R P.	8206300129	50-346 P
CONOR, L	8206020066	FOIA	COUNCIL, W O	8206040373	50-213 P	CROUSE, R P	8206300132*	50-346 P
CONRAD, J	8206270253*	50-373 B	COUNCIL, W O	8206070416	PR	CROW, W T.	8206020186	40-6940
CONRAN, J.	8206230026*	FOIA	COUNCIL, W O	8206070576	50-245 P	CROW, W T.	8206030016	40-4318
CONRAN, J.	8206230029*	FOIA	COUNCIL, W O	8206080218*	50-245 Q	CROW, W T.	8206080196*	70-1339
CONRAN, J.	8206230143*	FOIA	COUNCIL, W O	8206080224*	50-245 Q	CROW, W T.	8206280073*	70-27
CONRAN, J.	8206230165*	FOIA	COUNCIL, W O	8206090116	PR	CROW, W T.	8206280109	70-020
CONRAN, J. H	8105200098*	50-482 A	COUNCIL, W O	8206100293	50-213 P	CROW, W T.	8206290362*	40-0406
CONRAN, J. H	8206040420*	50-322 T	COUNCIL, W O	8206100293	50-213 P	CROWELL, J C.	8206010472*	50-239 E
CONRAN, J. H.	8206230052*	FOIA	COUNCIL, W O	8206110281	50-423 A	CROWELL, J C	8206110316*	50-239 E
CONRAN, J. H	8206230271*	50-286 P	COUNCIL, W O	8206140047	50-336 P	CROWLEY, B R	8206220348*	50-369 Q
CONROY, B M.	8206220115	40-8502	COUNCIL, W O	8206140184	50-245 F	CROWIN, H M	8206150061*	CONTRACT
CONTE, R.	8206250199	50-320 S	COUNCIL, W O	8206150080*	50-213 F	CRUTCHFIELD, D	8206030005	50-244 Q
CONTE, R.	8206270362	50-320 S	COUNCIL, W O	8206150080*	50-213 F	CRUTCHFIELD, D	8206030068	50-219 P
CONTE, R.	8206290394	50-320 S	COUNCIL, W O	8206150332	50-336 Q	CRUTCHFIELD, D	8206030120	50-244 P
CONWAY, J	8206140051*	QA999	COUNCIL, W O	8206160368	50-213 P	CRUTCHFIELD, D	8206040110	50-206 P
CONWAY, J T	8206020319*	QA999	COUNCIL, W O	8206160368	50-213 P	CRUTCHFIELD, D	8206040112	50-209 P
CONWAY, R E.	8206070237	50-424 S	COUNCIL, W O.	8206160458	WASTE MGT	CRUTCHFIELD, D	8206040127	50-244 F
CODD, C.	8206100351	RES	COUNCIL, W O.	8206170193	50-245 F	CRUTCHFIELD, D	8206040149	50-244 F
CODD, F. R.	8206020224	WASTE MGT	COUNCIL, W O.	8206170234	50-213 P	CRUTCHFIELD, D	8206040156	50-237 P
CODD, J	8206080366*	50-333 R	COUNCIL, W O.	8206170234	50-213 P	CRUTCHFIELD, D	8206040199*	50-237 P
CODD, J. H	8206110209*	50-295 R	COUNCIL, W O	8206170348	50-245 P	CRUTCHFIELD, D	8206040166*	50-237 P
COOK, J W	8206070379	50-329 S	COUNCIL, W O	8206170369*	50-213 Q	CRUTCHFIELD, D	8206040168	50-10 P
COOK, J. W.	8206080109	50-329 Q	COUNCIL, W O	8206210281	50-245 P	CRUTCHFIELD, D	8206040182	50-219 P
COOK, J. W.	8206080139	50-329 S	COUNCIL, W O	8206210633	50-213 P	CRUTCHFIELD, D	8206040186	50-206 Q
COOK, J. W.	8206080226	50-329 A	COUNCIL, W O	8206210633	50-213 P	CRUTCHFIELD, D	8206040237	50-219 P
COOK, J. W.	8206080238	50-329 S	COUNCIL, W O.	8206220199	50-213 Q	CRUTCHFIELD, D.	8206040245	50-235 P

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
CRUTCHFIELD, D	8206040260	50-255 P	CUNNINGHAM, A L	8206220083*	50-324 Q	DAFOE, R. E.	8206100064	NUREQ
CRUTCHFIELD, D	8206040272	50-206 P	CUNNINGHAM, Q E	8206220122	71-9136	DAIGNEAULT, M. F.	8206070711	PRM
CRUTCHFIELD, D	8206040296	50-219 P	CUNNINGHAM, R E	8104080991*	FOIA	DAINORA, J	8206140102*	50-237
CRUTCHFIELD, D	8206040306	50-244 P	CUNNINGHAM, R E	8204300308*	50-201 Q	DALE, L. F.	8206010381	50-416
CRUTCHFIELD, D	8206040309*	50-244 P	CUNNINGHAM, R E	8204300315*	50-201 Q	DALE, L. F.	8206030180	50-416
CRUTCHFIELD, D	8206040313*	50-244 P	CUNNINGHAM, R E	8206010117*	FOIA	DALE, L. F.	8206030193	50-416
CRUTCHFIELD, D	8206040315	50-10 F	CUNNINGHAM, R E	8206010809*	FOIA	DALE, L. F.	8206030197	50-416
CRUTCHFIELD, D	8206040392	50-237 P	CUNNINGHAM, R E	8206010318*	FOIA	DALE, L. F.	8206070318	PRM
CRUTCHFIELD, D	8206040396*	50-237 P	CUNNINGHAM, R E	8206110363	70-1151	DALE, L. F.	8206070553	50-416
CRUTCHFIELD, D	8206040405*	50-237 P	CUNNINGHAM, R E	8206140346	50-201 Q	DALE, L. F.	8206090051	50-416
CRUTCHFIELD, D	8206070270	50-244 P	CUNNINGHAM, R E	8206150451	50-201 Q	DALE, L. F.	8206090066	50-416
CRUTCHFIELD, D	8206080073	50-155 P	CUNNINGHAM, R E	8206280698	70-820	DALE, L. F.	8206100212	50-416
CRUTCHFIELD, D	8206080142	50-245 P	CURRAN, A B	8206240358*	50-247 T	DALE, L. F.	8206100221	50-416
CRUTCHFIELD, D	8206080246	50-29 P	CURRAN, D	8206030090	50-443 Q	DALE, L. F.	8206110163	50-416
CRUTCHFIELD, D	8206080418	50-29 P	CURRAN, D.	8206030090	50-443 Q	DALE, L. F.	8206110269	50-416
CRUTCHFIELD, D	8206090007	50-206 F	CURRAN, D. J.	8206240252*	50-443 Q	DALE, L. F.	8206140078	50-416
CRUTCHFIELD, D	8206090020	50-206 F	CURRAN, D. J.	8206240252*	50-443 Q	DALE, L. F.	8206140086	50-416
CRUTCHFIELD, D	8206090022	50-409 P	CURRAN, D. J.	8206240258*	50-443 Q	DALE, L. F.	8206140122	50-416
CRUTCHFIELD, D	8206090032	50-237 P	CURRAN, D. J.	8206240258*	50-443 Q	DALE, L. F.	8206140151	50-416
CRUTCHFIELD, D	8206090050	50-206 F	CURRER, M	8206170046	NUREQ	DALE, L. F.	8206140196	50-416
CRUTCHFIELD, D	8206090134	50-219 P	CURTIS, L. H.	8206080238	50-329 B	DALE, L. F.	8206140205	50-416
CRUTCHFIELD, D	8206100321	50-155 F	CURTIS, N. W.	8206010374	50-387 B	DALE, L. F.	8206140219*	50-416
CRUTCHFIELD, D	8206110135	50-206 F	CURTIS, N. W.	8206010301	50-387 B	DALE, L. F.	8206140220	50-416
CRUTCHFIELD, D	8206140107*	50-245 P	CURTIS, N. W.	8206010623	50-387 A	DALE, L. F.	8206140247	50-416
CRUTCHFIELD, D	8206150458	50-249 P	CURTIS, N. W.	8206030255*	50-387 Q	DALE, L. F.	8206160112	50-416
CRUTCHFIELD, D	8206170059	50-155 P	CURTIS, N. W.	8206040324	50-387 B	DALE, L. F.	8206160159	50-416
CRUTCHFIELD, D	8206170074	50-213 P	CURTIS, N. W.	8206040355	50-387 A	DALE, L. F.	8206160167	50-416
CRUTCHFIELD, D	8206170179	50-213 P	CURTIS, N. W.	8206040364	50-387 F	DALE, L. F.	8206160178	50-416
CRUTCHFIELD, D	8206170248	50-409 P	CURTIS, N. W.	8206040407	50-387 A	DALE, L. F.	8206160237	50-416
CRUTCHFIELD, D	8206170319	50-244 P	CURTIS, N. W.	8206040409	50-387 B	DALE, L. F.	8206170295	50-416
CRUTCHFIELD, D	8206170324*	50-244 P	CURTIS, N. W.	8206070220	50-387 A	DALE, L. F.	8206290066	50-416
CRUTCHFIELD, D	8206170327*	50-244 P	CURTIS, N. W.	8206070224	50-387 A	DALE, L. F.	8206290302	50-416
CRUTCHFIELD, D	8206170339	50-213 F	CURTIS, N. W.	8206070280	50-387 K	DALE, L. F.	8206290310	50-416
CRUTCHFIELD, D	8206210177	50-219 P	CURTIS, N. W.	8206070287*	50-387 K	DALE, L. F.	8206290538	50-416
CRUTCHFIELD, D	8206210298	50-219 F	CURTIS, N. W.	8206070572	50-387 A	DALE, L. F.	8206300231	50-416
CRUTCHFIELD, D	8206220218	50-213 P	CURTIS, N. W.	8206070694	50-387 A	DALE, L. F.	8206300283	50-416
CRUTCHFIELD, D	8206220318	50-219 P	CURTIS, N. W.	8206080139	50-387 B	DALRYMPLE, J. T.	8206280136*	CONTRACT
CRUTCHFIELD, D	8206220429	50-219 P	CURTIS, N. W.	8206080153	50-387 A	DALTRUFF, B. L.	82062803018*	50-277
CRUTCHFIELD, D	8206220516	50-219 P	CURTIS, N. W.	8206080161	50-387 A	DALTRUFF, B. L.	8206010561	50-277
CRUTCHFIELD, D	8206220586	50-155 P	CURTIS, N. W.	8206080362	50-387 A	DALTRUFF, B. L.	8206020517*	50-277
CRUTCHFIELD, D	8206240131	50-219 P	CURTIS, N. W.	8206080413	50-387 B	DALTRUFF, B. L.	8206070336	50-277
CRUTCHFIELD, D	8206240134*	50-219 P	CURTIS, N. W.	8206090076	50-387 A	DALTRUFF, B. L.	8206100173	50-277
CRUTCHFIELD, D	8206240138*	50-219 P	CURTIS, N. W.	8206100292	50-387 A	DALTRUFF, B. L.	8206100230*	50-277
CRUTCHFIELD, D	8206240147	50-29 P	CURTIS, N. W.	8206100294*	50-387 A	DALTRUFF, B. L.	8206110219	50-277
CRUTCHFIELD, D	8206240154	50-237 P	CURTIS, N. W.	8206110066	50-387 Q	DALTRUFF, B. L.	8206140276	50-277
CRUTCHFIELD, D	8206240168	50-155 P	CURTIS, N. W.	8206110080	50-387 A	DALTRUFF, B. L.	8206140386*	50-277
CRUTCHFIELD, D	8206240177	50-206 P	CURTIS, N. W.	8206110294	50-387 F	DALTRUFF, B. L.	8206150141	50-277
CRUTCHFIELD, D	8206240189	50-219 P	CURTIS, N. W.	8206140043	50-387 A	DALTRUFF, B. L.	8206150233*	50-277
CRUTCHFIELD, D	8206240201	50-409 P	CURTIS, N. W.	8206140098	50-387 F	DALTRUFF, B. L.	8206150443*	50-277
CRUTCHFIELD, D	8206240233	50-213 P	CURTIS, N. W.	8206140104*	50-387 F	DALTRUFF, B. L.	8206210280	50-277
CRUTCHFIELD, D	8206240234	50-219 P	CURTIS, N. W.	8206150098	50-387 B	DALTRUFF, B. L.	8206220272	50-277
CRUTCHFIELD, D	8206240238	50-206 P	CURTIS, N. W.	8206150148	50-387 A	DALTRUFF, B. L.	8206240081*	50-277
CRUTCHFIELD, D	8206240240	50-235 P	CURTIS, N. W.	8206150237	50-387 E	DALTRUFF, B. L.	8206280507	50-277
CRUTCHFIELD, D	8206240242	50-213 F	CURTIS, N. W.	8206150268	50-387 A	DALTRUFF, B. L.	8206280507	50-277
CRUTCHFIELD, D	8206240261	50-219 P	CURTIS, N. W.	8206160242	50-387 E	DALTRUFF, B. L.	8206290413	50-277
CRUTCHFIELD, D	8206240264	50-244 P	CURTIS, N. W.	8206170038	50-387 A	DAMRON, J.	8206040092*	50-373
CRUTCHFIELD, D	8206240294	50-245 P	CURTIS, N. W.	8206170071	50-387 A	DAMRON, J.	8206170247*	50-373
CRUTCHFIELD, D	8206240301	50-409 P	CURTIS, N. W.	8206170098	50-387 B	DAMRON, J. M.	8206170177*	50-373
CRUTCHFIELD, D	8206240308	50-206 T	CURTIS, N. W.	8206170292	50-387 F	DAMRON, J. M.	8206170352*	50-373
CRUTCHFIELD, D	8206240311	50-219 P	CURTIS, N. W.	8206210276	50-387 A	DAMRON, J. M.	8206170204*	50-373
CRUTCHFIELD, D	8206240321	50-244 P	CURTIS, N. W.	8206210462	50-387 A	DANCE, H. C.	8206040139	50-395
CRUTCHFIELD, D	8206240341	50-213 P	CURTIS, N. W.	8206210525	50-387 A	DANCE, H. C.	8206040247	50-338
CRUTCHFIELD, D	8206240348	50-245 F	CURTIS, N. W.	8206210539	50-387 E	DANCE, H. C.	8206070320	50-389
CRUTCHFIELD, D	8206240356	50-237 P	CURTIS, N. W.	8206220207	50-387 A	DANCE, H. C.	8206070328	50-424
CRUTCHFIELD, D	8206240360	50-29 P	CURTIS, N. W.	8206220331	50-387 A	DANCE, H. C.	8206070350	50-249
CRUTCHFIELD, D	8206240366	50-219 P	CURTIS, N. W.	8206220363	50-387 A	DANCE, H. C.	8206070366	50-269
CRUTCHFIELD, D	8206240473	50-409 F	CURTIS, N. W.	8206220438	50-387 K	DANCE, H. C.	8206070377	50-338
CRUTCHFIELD, D	8206250099	50-244 P	CURTIS, N. W.	8206250309	50-387 A	DANCE, H. C.	8206070491	50-369
CRUTCHFIELD, D	8206250103*	50-244 P	CURTIS, N. W.	8206280124	50-387 B	DANCE, H. C.	8206070493	50-302
CRUTCHFIELD, D	8206250204	50-245 P	CURTIS, N. W.	8206280350	50-387 B	DANCE, H. C.	8206070618	50-280
CRUTCHFIELD, D	8206250272	50-213 F	CURTIS, N. W.	8206290174	50-387 A	DANCE, H. C.	8206070625	50-395
CRUTCHFIELD, D	8206280215	50-219 P	CURTIS, N. W.	8206290267	50-387 A	DANCE, H. C.	8206070648	50-321
CRUTCHFIELD, D	8206290604	50-206 P	CURTIS, B	8206210394	50-366 B	DANCE, H. C.	8206070715	50-250
CRUTCHFIELD, D	8206300052	50-155 F	CYBULSKIE, J. M.	8206280266*	50-289 T	DANCE, H. C.	8206070726	50-261
CRUTCHFIELD, D	8206300060	50-213 P	CYBULSKIE, P	8206240048	50-318 F	DANCE, H. C.	8206070820	50-424
CRUTCHFIELD, D	8206300124	50-409 F	CAJAJA, R. F.	8206040095	50-247 Q	DANCE, H. C.	8206170170	50-338
CRUTCHFIELD, D	8206300165	50-206 P	CAJAJA, R. F.	8206040095	50-247 Q	DANCE, H. C.	8206220222	50-269
CRUTCHFIELD, D	8206300209	50-155 P	CAJAJA, R. F.	8206040184	50-247 Q	DANCE, H. C.	8206220337	50-424
CRUTCHFIELD, D	8206300214	50-155 P	CAJAJA, R. F.	8206140031	50-247 Q	DANCE, H. C.	8206220248	50-424
CRUTCHFIELD, D	8206300330	50-155 P	CAJAJA, R. F.	8206150050	REB	DANCE, H. C.	8206220304	50-335
CRUTCHFIELD, D	8206300347	50-155 P	CIECH, L. B.	8206170243*	50-247 Q	DANCE, H. C.	8206220312	50-280
CRUTCHFIELD, D	8206300351	50-245 P	CIVICKINSKI, K. B.	8206100089	NUREQ	DANCE, H. C.	8206220341	50-389
CULLIS, M	8206080289*	50-344 Q	D'AMORE, M.	8206250109*	70-1151	DANCE, H. C.	8206220350	50-321
CULVER, M. W.	8206210101*	50-302 R	D'ANGELO, A.	8206020431*	50-362 Q	DANCE, H. C.	8206220361*	50-321
CUMMINGS, J. J.	8206090222*	FOIA	D'ANGELO, A.	8206220211*	50-460 Q	DANCE, H. C.	8206220442	50-321

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DANCE, H. C.	8206220453	50-395 G	DEITE, T. J.	8206230098	TOPREP	DEYOUNG, R. C.	8206280045*	50-293 G
DANCE, H. C.	8206220470	50-395 G	DENTON, H. R.	8009270492*	FOIA	DEYOUNG, R. C.	8206300186	50-280 G
DANCE, H. C.	8206220517	50-395 G	DENTON, H. R.	8011200273*	FOIA	DEYOUNG, R. C.	8206300189*	50-280 G
DANCE, H. C.	8206220531*	50-395 G	DENTON, H. R.	8106100241*	FOIA	DIAMOND, S.	8206300056*	FOIA
DANCE, H. C.	8206220576	50-335 G	DENTON, H. R.	8106110210*	FOIA	DIAMOND, S.	8206210572*	50-537 A
DANCE, H. C.	8206300070	50-338 S	DENTON, H. R.	8111300131*	FOIA	DIAMOND, S.	8206210582*	50-537 A
DANIEL, S. L.	8206040205*	50-537 G	DENTON, H. R.	8112040131*	FOIA	DIAMOND, S.	8206210595*	50-537 A
DANIELSON, D. H.	8206020039*	50-346 Q	DENTON, H. R.	8201180094*	FOIA	DICKERSON, M. W.	8206210603*	50-337 A
DANIELSON, D. H.	8206100157*	50-454 Q	DENTON, H. R.	8204190058*	FOIA	DICKERSON, M. W.	8206010452*	50-267 Q
DANIELSON, D. H.	8206240291*	50-341 Q	DENTON, H. R.	8204210755*	FOIA	DICKERSON, M. W.	8206080122*	50-267 Q
DANTZLER, H. U.	8206150045*	CONTRACT	DENTON, H. R.	8205180029*	GEN TEC IS	DICKEY, F.	8204230078*	50-272 S
DARKOW, O. L.	8206110325	NUREG	DENTON, H. R.	8205190357*	50-3 Q	DICKEY, F.	8206210411*	50-272 S
DAVIDOFF, D. B.	8206170243*	50-247 Q	DENTON, H. R.	8205190361*	50-3 Q	DICKEY, F.	8206220375*	50-272 S
DAVIDSON, C. T.	8206090130	PR	DENTON, H. R.	8206010008*	50-313 F	DICKERSON, J. M.	8206100087	NUREG
DAVIDSON, D. R.	8206070450	50-440 S	DENTON, H. R.	8206010074*	50-250 F	DICKHONER, W. H.	8206070609*	50-338 Q
DAVIDSON, D. R.	8206070461	50-440 S	DENTON, H. R.	8206040320*	50-10 F	DICKHONER, W. H.	8206100108	50-338 Q
DAVIDSON, D. R.	8206070511	50-440 S	DENTON, H. R.	8206080192	50-271 F	DICKSON, C. R.	8206100036	NUREG
DAVIDSON, D. R.	8206070669	50-440 S	DENTON, H. R.	8206080195*	50-271 F	DICKSON, P. W.	8206240244	50-537 Q
DAVIDSON, D. R.	8206070877*	50-440 Q	DENTON, H. R.	8206110018	GEN TEC IS	DIETCH, R.	8206010685	50-361 K
DAVIDSON, D. R.	8206080230	50-440 S	DENTON, H. R.	8206140349	50-244 P	DIETCH, R.	8206070221	50-361 K
DAVIDSON, D. R.	8206110220	50-440 A	DENTON, H. R.	8206140351*	50-244 P	DIETRICH, M. A.	8206080238	50-329 S
DAVIDSON, D. R.	8206110230	50-440 A	DENTON, H. R.	8206140356*	50-244 P	DIETZ, C. R.	8206010020	50-324 S
DAVIDSON, D. R.	8206150197	50-440 A	DENTON, H. R.	8206170011	50-309 F	DIETZ, C. R.	8206010114	50-325 S
DAVIDSON, D. R.	8206150234	50-440 E	DENTON, H. R.	8206170012*	50-309 F	DIETZ, C. R.	8206010141	50-324 S
DAVIDSON, D. R.	8206150249*	50-440 A	DENTON, H. R.	8206170412	50-275 Q	DIETZ, C. R.	8206010153	50-325 S
DAVIDSON, D. R.	8206150269	50-440 E	DENTON, H. R.	8206170417*	50-275 Q	DIETZ, C. R.	8206010196	50-324 S
DAVIDSON, D. R.	8206150317	50-440 A	DENTON, H. R.	8206210038*	50-320 P	DIETZ, C. R.	8206010202	50-325 S
DAVIDSON, D. R.	8206150336	50-440 A	DENTON, H. R.	8206230124*	FOIA	DIETZ, C. R.	8206010217	50-325 S
DAVIDSON, D. R.	8206150361	50-440 S	DENTON, H. R.	8206230137	50-155 Q	DIETZ, C. R.	8206010235	50-325 S
DAVIDSON, D. R.	8206170298	50-440 E	DENTON, H. R.	8206230138*	FOIA	DIETZ, C. R.	8206010236	50-324 S
DAVIDSON, D. R.	8206220087	50-440 E	DENTON, H. R.	8206230144*	50-155 Q	DIETZ, C. R.	8206010324	50-324 S
DAVIDSON, D. R.	8206220337	50-440 E	DENTON, H. R.	8206230150*	50-155 Q	DIETZ, C. R.	8206010348	50-324 S
DAVIDSON, D. R.	8206240418	50-440 S	DENTON, H. R.	8206230329*	50-275 P	DIETZ, C. R.	8206010358	50-325 S
DAVIS, J. Q.	8204300306*	50-201 Q	DENTON, H. R.	8206250119	50-509 Q	DIETZ, C. R.	8206010363	50-324 S
DAVIS, J. Q.	8206010125*	FOIA	DENTON, H. R.	8206250129*	50-509 Q	DIETZ, C. R.	8206010394	50-324 S
DAVIS, J. Q.	8206010214*	FOIA	DENTON, H. R.	8206250133*	50-509 Q	DIETZ, C. R.	8206010418	50-325 S
DAVIS, J. Q.	8206140355*	50-201 Q	DENTON, H. R.	8206250361*	50-356 L	DIETZ, C. R.	8206010419	50-324 S
DAVIS, J. Q.	8206150028	50-201 Q	DENTON, H. R.	8206280397*	FOIA	DIETZ, C. R.	8206010486	50-324 S
DAVIS, J. Q.	8206250037	WASTE MGT	DEKRS, P. S.	8206010260*	50-133 R	DIETZ, C. R.	8206010490	50-324 S
DAVIS, M.	8206070711	PRM	DELANDES, K.	8206210308*	50-336 S	DIETZ, C. R.	8206010493	50-325 S
DAVIS, M. S.	8204030052*	FOIA	DESHOND, J. A.	8206110102*	CONTRACT	DIETZ, C. R.	8206010596	50-324 S
DAVIS, S. M.	8206220573*	50-318 S	DEVINCENTIS, J.	8206010007	50-443 A	DIETZ, C. R.	8206010629	50-324 S
DAVIS, V. W.	8206030111	50-443 D	DEVINCENTIS, J.	8206010007	50-443 A	DIETZ, C. R.	8206010635	50-325 S
DAVIS, V. W.	8206220150	40-2061	DEVINCENTIS, J.	8206010470	50-443 A	DIETZ, C. R.	8206010645	50-324 S
DAVIS, W.	8206240441	RES	DEVINCENTIS, J.	8206010470	50-443 A	DIETZ, C. R.	8206010664	50-324 S
DAVIS, W. K.	8206070011*	PR	DEVINCENTIS, J.	8206140089	50-443 A	DIETZ, C. R.	8206070075	50-325 S
DAVIS, W. K.	8206070024*	PR	DEVINCENTIS, J.	8206140089	50-443 A	DIETZ, C. R.	8206070159	50-324 S
DAVIS, W. K.	8206070027*	PR	DEVINCENTIS, J.	8206180003	50-443 A	DIETZ, C. R.	8206070295	50-325 S
DAWSON, D. M.	8206160467	WASTE MGT	DEVINCENTIS, J.	8206180003	50-443 A	DIETZ, C. R.	8206070388	50-325 S
DAWSON, D. M.	8206220126	71-9001	DEVINCENTIS, J.	8206240329*	50-443 A	DIETZ, C. R.	8206110310	50-325 S
DEAL, R. L.	8206240074	FOIA	DEVINCENTIS, J.	8206240329*	50-443 A	DIETZ, C. R.	8206150235	50-324 S
DEBBAGE, A. Q.	8206220311*	50-335 Q	DEVINCENTIS, J.	8206230180	50-443 A	DIETZ, C. R.	8206210228	50-325 S
DEBBAGE, A. Q.	8206220439*	50-400 Q	DEVINCENTIS, J.	8206230180	50-443 A	DIETZ, C. R.	8206210437	50-324 S
DECKER, T. R.	8206140272*	70-36	DEVINE, J. B.	8206200292	XPORTLIC	DIETZ, C. R.	8206210479	50-324 S
DECKER, T. R.	8206290013*	70-36	DEVINE, J. B.	8206200134	XPORTLIC	DIETZ, C. R.	8206210520	50-324 S
DECHIA, D. D.	8206230340	NUREG	DEVINE, J. B.	8206030300	XPORTLIC	DIETZ, C. R.	8206210537	50-325 S
DEFAYETTE, R.	8206080272*	50-454 Q	DEVINE, J. B.	8206030314	XPORTLIC	DIETZ, C. R.	8206220174	50-324 Q
DEFAYETTE, R.	8206170161*	50-461 T	DEVINE, T.	8206090214	FOIA	DIETZ, C. R.	8206220236*	50-324 Q
DEFFERDING, L. J.	8206170176	50-269 P	DEWEY, L. B.	8206170124	50-528 Q	DIETZ, C. R.	8206220344	50-325 S
DELBELLO, A. B.	8206240351*	50-247 T	DEWITT, R. B.	8206170313	50-255 Q	DIETZ, C. R.	8206220389	50-325 S
DELGEORGE, L. O.	8206070189	REGD	DEWITT, R. B.	8206210590	50-329 A	DIETZ, C. R.	8206220486*	50-324 Q
DELGEORGE, L. O.	8206070416	PR	DEWITT, R. B.	8206210611	50-329 F	DIETZ, C. R.	8206240175	50-325 S
DELGEORGE, L. O.	8206070676	PRM	DEWITT, R. B.	8206220491	50-329 E	DIETZ, C. R.	8206240186	50-325 S
DELGEORGE, L. O.	8206070809	50-10 F	DEWITT, R. B.	8206220553*	50-329 A	DIETZ, C. R.	8206300105	50-325 S
DELGEORGE, L. O.	8206070816*	50-373 Q	DEWITT, R. B.	8206290127*	50-255 P	DIQGB, R. M.	8206010010	50-250 P
DELGEORGE, L. O.	8206090101	REGD	DEWITT, R. B.	8206290239*	50-255 P	DIQGB, R. M.	8206300419	50-298 P
DELGEORGE, L. O.	8206170350	50-373 F	DEWITT, R. B.	8206290387*	50-255 P	DIONAN, T. G.	8206140038	50-443 Q
DELGEORGE, L. O.	8206210596*	50-373 Q	DEWITT, R. B.	8206290408*	50-255 P	DIONAN, T. G.	8206140038	50-443 Q
DELGEORGE, L. O.	8206230198*	50-254 Q	DEWITT, R. B.	8206290502*	50-155 P	DIONAN, T. G.	8206140041*	50-443 Q
DELGEORGE, L. O.	8206280315	PR	DEXTER, W. D.	8206160204	40-8743	DIONAN, T. G.	8206140041*	50-443 Q
DELISO, V. A.	8206040427*	50-322 T	DEYOUNG, R. C.	8202040147	50-3 Q	DIONAN, T. G.	8206240373	50-443 Q
DELLA ROCCA, M.	8206140120*	50-247 T	DEYOUNG, R. C.	8203010299*	50-267 F	DIONAN, T. G.	8206240373	50-443 Q
DELLA ROCCA, M.	8206140120*	50-247 T	DEYOUNG, R. C.	8204150006*	50-293 Q	DIONAN, T. G.	8206280523	50-443 Q
DELUCA, J. D.	8206290083	50-397 J	DEYOUNG, R. C.	8204180009*	50-293 Q	DIONAN, T. G.	8206280523	50-443 Q
DENARDO, G. L.	8206090110	PR	DEYOUNG, R. C.	8204210380	50-3 Q	DIRCKS, W. J.	8004240382*	FOIA
DENISE, R. P.	8005300621*	FOIA	DEYOUNG, R. C.	8204210384*	50-3 Q	DIRCKS, W. J.	8104280072*	FOIA
DENISON, E.	8206030182	50-275 R	DEYOUNG, R. C.	8206150029*	50-331 Q	DIRCKS, W. J.	8106300007*	FOIA
DENISON, E.	8206160137	50-275 R	DEYOUNG, R. C.	8206150043*	50-259 Q	DIRCKS, W. J.	8107310272*	FOIA
DENISON, E.	8206160144*	50-275 R	DEYOUNG, R. C.	8206150052*	FOIA	DIRCKS, W. J.	8109150031*	GEN TEC IS
DENISON, E.	8206170299	50-275 P	DEYOUNG, R. C.	8206150089*	50-293 Q	DIRCKS, W. J.	8112300139*	GEN TEC IS
DENISON, E.	8206170303*	50-275 P	DEYOUNG, R. C.	8206150092*	50-293 Q	DIRCKS, W. J.	8201200529*	10CFR
DENISON, J.	8206010953	NUREG	DEYOUNG, R. C.	8206150095*	50-312 Q	DIRCKS, W. J.	8201250483*	FOIA
DENTE, T. J.	8206110326	TOPREP	DEYOUNG, R. C.	8206150097*	50-312 Q	DIRCKS, W. J.	8202180137*	50-260 F
DENTE, T. J.	8206170269	TOPREP	DEYOUNG, R. C.	8206280038*	50-293 Q	DIRCKS, W. J.	8203110473*	50-259 F
DENTE, T. J.	8206220220	TOPREP	DEYOUNG, R. C.	8206280042*	50-293 Q	DIRCKS, W. J.	8203120178*	FOIA

PERSONAL AUTHOR INDEX

489

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
DIRCKS, W J	8203120418*	FOIA	DUBOFF, D	8206170263	50-247 G	EISENHUT, D G.	8206080391	50-312 F
DIRCKS, W J	8203240145*	FOIA	DUBOFF, D B	8206240260	50-247 G	EISENHUT, D G.	8206090127	50-275 G
DIRCKS, W J	8204160252	SECY	DUBOIS, D	8206220279	50-298 S	EISENHUT, D G.	8206090153	50-2 P
DIRCKS, W J	8205050143*	GEN TEC IS	DUBOIS, T J	8206100286*	50-361 F	EISENHUT, D G.	8206110381	50-260 A
DIRCKS, W J	8205060494*	50-171 F	DUFFY, J	8206140280*	50-315 F	EISENHUT, D G.	8206150072*	50-460 F
DIRCKS, W J	82053240553	SECY	DUGSTAD, D	8206150193*	50-282 R	EISENHUT, D G.	8206160118	50-423 A
DIRCKS, W J	8205270499*	10CFR	DUNCAN, C	8206240415	50-382 G	EISENHUT, D G.	8206160125*	50-423 A
DIRCKS, W J	8205270733*	10CFR	DUNDAS, M J	8206040152	50-266 J	EISENHUT, D G.	8206160415	50-461 A
DIRCKS, W J.	8206010267*	FOIA	DUNDHOOD, D T	8206080278*	50-460 A	EISENHUT, D G.	8206160424*	50-461 A
DIRCKS, W J	8206040481*	10CFR	DURHAM, S J	8206220147	40-0743	EISENHUT, D G.	8206160435*	50-461 A
DIRCKS, W J	8206080018*	10CFR	DURR, J	8206100193*	50-317 G	EISENHUT, D G.	8206170398	50-220 H
DIRCKS, W J	8206080175	50-3 H	DURR, J P	8206030185*	50-352 G	EISENHUT, D G.	8206180095*	50-458 F
DIRCKS, W J	8206090088*	50-247 F	DURR, J P	8206100149*	50-352 G	EISENHUT, D G.	8206240480*	50-219 F
DIRCKS, W J	8206110082*	50-201 G	DWIGHT, J E	8206020277*	FOIA	EISENHUT, D G.	8206250205	50-443 A
DIRCKS, W J	8206140340	50-293 H	DYCK, N P	8206280339*	FOIA	EISENHUT, D G.	8206280215*	50-443 A
DIRCKS, W J	8206180355	SECY	DYM, H	8201200168*	50-389 M	EISENHUT, D G.	8206250328	50-312 F
DIRCKS, W J	8206220085	50-470 A	DYM, H	8201200168*	50-389 M	EISENHUT, D G.	8206250366	50-229 Q
DIRCKS, W J	8206230035*	FOIA	DYNES, R R	8206140112	50-247 T	EISENHUT, D G.	8206250395	50-456 A
DIRCKS, W J	8206230055*	FOIA	DYNES, R R	8206140112	50-247 T	EISENHUT, D G.	8206300118*	50-275 Q
DIRCKS, W J	8206250086	50-293 U	EADIE, G	8206090236	40-299	EL-ASHRY, M T	8206070369	50-327 R
DIRCKS, W J	8206280223*	FOIA	EADIE, G. G	8206100116	40-299	EL-ASHRY, M T	8206140121	50-259 B
DIRCKS, W J	8206280231*	FOIA	EADIE, G. G	8206110362	WASTE MOT	EL-ASHRY, M T	8206150022	50-327 B
DIRCKS, W J	8206280302*	FOIA	EADIE, G. G	8206290031	40-299	ELDRIDGE, B E	8206030054*	FOIA
DIRCKS, W J	8206280316*	50-320 F	EAPEN, P. K	8206150304*	50-387 G	ELIN, J G	8206080405*	50-397 G
DIRCKS, W J	8206280419*	FOIA	EAPEN, P. K	8206220404*	50-277 G	ELLERSHAW, L. E	8206080271*	QA999
DIRCKS, W J	8206280453*	FOIA	EAPEN, P. K	8206220463*	50-334 G	ELLERSHAW, L. E	8206080429*	QA999
DIRCKS, W J	8206280613*	FOIA	EARLEY, A F	8206100118	50-322 G	ELLIDOTT, C W	8206210419	50-352 Q
DIRCKS, W J	8206280670*	FOIA	EARLEY, A F	8206160099	50-322 G	ELLIDOTT, P. E	8206280513	50-277 F
DIRCKS, W J	8206290093	COMMISSION	EARLEY, A F	8206160099	50-322 G	ELLIS, J	8206080098	50-445 Q
DIRSCH, D	8206220509	50-361 B	EARLEY, A F	8206170362	50-322 G	ELLIS, J	8206080102*	50-445 Q
DISE, D P	8206070278*	50-220 G	EARLEY, A F	8206240211	50-322 G	ELLIS, J.	8206100126	50-445 Q
DISTLER, W F	8206030328*	XPORTLIC	EARLEY, A F	8206240211	50-322 G	ELLIS, J.	8206100129*	50-445 Q
DIVANE, J M	8206240072	NUREG	EASTWOOD, E A	8206140377	REB	ELLSABBER, T	8206170377	50-293 B
DIXON, B W	8206020024*	50-445 A	EBBERT, E L	8206030282	40-2225	ELLSABBER, T	8206080152	50-293 B
DIXON, B J	8206230043	PT21	EBNETER, S D.	8206030185*	50-352 G	ELLSABBER, T	8206100051	50-293 B
DIXON, D J	8206230048*	PT21	EBNETER, B D.	8206070759*	50-219 G	ELLSABBER, T.	8206220479*	50-423 G
DIXON, D W	8206090058	50-395 A	EBNETER, B D.	8206070822*	50-322 G	ELLSABBER, T C.	8206150018*	50-213 G
DIXON, D W	8206160135	50-395 A	ECCLSTON, K T	8206210041	50-331 P	ELLSABBER, T C	8206210607	50-293 B
DIXON, D W.	8206160316	50-395 A	ECCLSTON, K. T.	8206290023	50-293 P	ELTAWILA, F	8206040432*	50-322 T
DIXON, D W.	8206180009	50-395 E	ECKENRODE, R J	8206040399*	50-322 T	EMCH, R	8206020542	50-155 F
DIXON, D W	8206180016	50-395 E	ECKENRODE, R J	8206040411*	50-322 T	EMCH, R.	8206250269	50-155 F
DIXON, D W	8206180050	50-395 A	ECKENRODE, R J	8206040414*	50-322 T	EMCH, R. E	8206040240*	50-155 T
DIXON, D W.	8206180054	50-395 F	ECKERMAN, K F	8206240059	NUREG	ENGEL, R. E	8206010547*	50-324 P
DIXON, D W	8206210440	50-395 A	ECKHARDT, J. H.	8206020431*	50-362 G	ENGEL, R. E	8206010557*	50-324 P
DIXON, D W	8206210486	50-395 B	ECKHARDT, J. H.	8206020486*	50-206 G	ENGEL, H. P.	8206160486	71-5874
DIXON, D W	8206290491	50-395 A	ECKHARDT, J. H	8206020507*	50-528 G	ENGELKEN, R. H.	8206140284	50-344 G
DOBEL, H F	8206160268	FR	ECKHARDT, J. H	8206080308*	50-362 G	ENGELKEN, R. H.	8206140292*	50-344 G
DOCKOR, B R.	8206100350	REB	ECKHARDT, J. H	8206080329*	50-275 G	ENGELKEN, R. H.	8206250120	50-206 G
DOODS, R. D.	8206020484*	50-460 G	ECKHARDT, J. H	8206080331*	50-275 G	ENGLE, L. B	8206080220	50-339 P
DOODS, R. T.	8206080315*	50-508 G	ECKHARDT, J. H	8206220326*	50-344 G	ENGLE, L. B	8206020286	50-339 P
DOODS, R T	8206080405*	50-397 G	ECONOMOS, N.	8206070360*	50-269 G	ENGLE, L. B.	8206160005	50-338 F
DOODS, R T.	8206150318*	50-397 G	ECONOMOS, N	8206070386*	50-338 G	ERIKSON, W.	8206030127*	50-244 P
DOODS, R T	8206220203*	50-460 G	ECONOMOS, N	8206070839*	50-261 G	ERNST, M. L	8206030144*	FOIA
DOODS, R T	8206220211*	50-460 G	ECONOMOS, N.	8206220076*	50-416 G	ESTRY, H. P.	8206110067	40-8064
DOODS, R. T.	8206220238*	50-508 G	ECONOMOS, N.	8206220348*	50-389 G	EURY, L. W	8206160182	50-261 G
DOODS, R T	8206280478*	50-460 G	ECONOMOS, N.	8206300070	50-338 B	EVANS, C. D.	8206220252*	50-324 Q
DOODS, R T	8206280489*	50-460 G	EDDLEMAN, W	8206010276	50-400 Q	EVANS, C. D	8206220581*	50-335 G
DOERFLEIN, L. T	8206030227*	50-220 G	EDDLEMAN, W	8206040286	PRM	EVANS, L. J	8206010162	70-371
DOERFLEIN, L. T	8206290265*	50-220 G	EDDLEMAN, W	8206110328	50-400 Q	EVANS, L. J	8206010169	70-27
DOERFLEIN, L. T.	8206290467*	50-333 G	EDDLEMAN, W	8206230180	50-400 Q	EVANS, L. J	8206010174	70-1151
DOHERTY, J. F.	8206040047	50-466 G	EDELSTEIN, B.	8206160088	XPORTLIC	EVANS, L. J	8206010180	70-1113
DOHERTY, J. F	8206180301	50-466 G	EDGAR, O L	8206010317	50-322 G	EVANS, L. J	8206010184	70-143
DOHERTY, J. F	8206180346	50-466 G	EDGAR, O L	8206040183	50-337 G	EVANS, L. J	8206010191	70-1237
DOHERTY, J. F	8206210235	50-522 D	EDGAR, O. L.	8206040200	50-537 G	EVANS, L. J.	8206010700	70-1113
DOHERTY, J. F	8206210420	50-522 D	EDGAR, O. L.	8206070469	50-537 G	EVANS, L. J.	8206010701	70-36
DOHERTY, J. F	8206240388	50-466 G	EDGAR, O L	8206080089	50-537 G	EVANS, L. J	8206010704	70-143
DONLON, W J	8206020324*	50-220 I	EDGAR, O. L	8206170191	50-537 G	EVANS, L. J.	8206010705	70-25
DOOLITTLE, E. L	8206250385	50-546 A	EDGAR, O. L	8206240165	50-537 G	EVANS, L. J.	8206010707	70-371
DORSEY, J. A	8206240178	50-352 G	EDGEWORTH, P	8206250068	CONTRACT	EVANS, L. J.	8206010708	70-1143
DORSEY, J. A	8206240198	50-352 G	EDGEWORTH, P.	8206250077	CONTRACT	EVANS, L. J	8206010712	70-143
DORSEY, M	8206190062	CONTRACT	EDISON, O. E	8206020350	50-482 A	EVANS, L. J.	8206020003	70-1100
DOUGHTY, J	8206160071	50-443 H	EDISON, O. E	8206250391	50-482 F	EVANS, L. J	8206020007	70-143
DOULAS, E.	8206170320	50-237 P	EDWARDS, D. W.	8206020405	50-271 P	EVANS, L. J	8206020011	70-1151
DOULAS, E.	8206290488*	50-295 G	EGGER, P. E	8206070153*	CONTRACT	EVANS, L. J	8206020015	70-1201
DOULAS, R. P	8206240343	50-354 V	EICH, E. F	8206010240*	50-247 R	EVANS, L. J	8206020020	70-687
DOULAS, E. F	8206280159*	FOIA	EICH, E. F	8206220416*	50-247 R	EVANS, L. J	8206020182	70-371
DOVEL, C	8206300110*	50-346 F	EISENHUT, D G.	8206010318*	FOIA	EVANS, L. J.	8206020185	70-374
DRAGONETTE, K. B	8206280585	WASTE MOT	EISENHUT, D G.	8206040308*	50-312 F	EVANS, L. J.	8206020190	70-143
DRAKE, J. A	8206100268*	50-255 F	EISENHUT, D G.	8206100313	50-498 A	EVANS, L. J	8206020192	70-1143
CRAPER, D. M	8206210151*	50-315 B	EISENHUT, D G.	8206010004	50-313 F	EVANS, L. J	8206020217	70-143
CRAPER, D. M	8206220593*	50-315 B	EISENHUT, D G.	8206010070	50-250 F	EVANS, L. J.	8206020221	70-1113
CRAPER, D. M	8206290422*	50-315 B	EISENHUT, D G.	8206020044	50-324 F	EVANS, L. J	8206020225	70-143
DREHERY, W. N.	8206290509	NUREG	EISENHUT, D G.	8206020274*	50-329 A	EVANS, L. J	8206020229	70-27
DUBINSKI, L	8206030142*	FOIA	EISENHUT, D G.	8206080282	50-275 R	EVANS, L. J.	8206020232	70-1201
DUBINSKI, L	8206030257*	FOIA	EISENHUT, D. G	8206080380*	50-322 E	EVANS, L. J	8206020236	70-734

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
EVANS, L. J.	8206020255	30-371 C	FELTON, J. M.	8206020059	50-272 F	FELTON, J. M.	8206240052	FOIA
EVANS, L. J.	8206030287	70-364	FELTON, J. M.	8206020062	50-352 A	FELTON, J. M.	8206240058	FOIA
EVANS, L. J.	8206030292	70-1201	FELTON, J. M.	8206020068	FOIA	FELTON, J. M.	8206240061	50-409 F
EVANS, L. J.	8206030295	70-1201	FELTON, J. M.	8206020071	50-315 F	FELTON, J. M.	8206240063	FOIA
EVANS, L. J.	8206030297	70-1201	FELTON, J. M.	8206020072	50-321 F	FELTON, J. M.	8206240073	FOIA
EVANS, L. J.	8206030302	70-1151	FELTON, J. M.	8206020085	50-315 F	FELTON, J. M.	8206240075	50-277 F
EVANS, L. J.	8206040438	70-1257	FELTON, J. M.	8206020087	50-320 F	FELTON, J. M.	8206240079	FOIA
EVANS, L. J.	8206040441	70-371	FELTON, J. M.	8206020094	50-359 P	FELTON, J. M.	8206240099	FOIA
EVANS, L. J.	8206040442	70-27	FELTON, J. M.	8206020108	50-259 F	FELTON, J. M.	8206240112	50-254 F
EVANS, L. J.	8206040492	70-820	FELTON, J. M.	8206020120	50-261 F	FELTON, J. M.	8206240424	50-348 F
EVANS, L. J.	8206070038	70-734	FELTON, J. M.	8206020124	50-373 F	FELTON, J. M.	8206240432	50-255 F
EVANS, L. J.	8206090199	70-143	FELTON, J. M.	8206020131	50-313 F	FELTON, J. M.	8206240483	50-315 F
EVANS, L. J.	8206090206	70-27	FELTON, J. M.	8206020147	50-331 F	FELTON, J. M.	8206250016	50-313 F
EVANS, L. J.	8206090233	70-820	FELTON, J. M.	8206020159	50-266 F	FELTON, J. M.	8206250352	FOIA
EVANS, L. J.	8206210398	50-6 R	FELTON, J. M.	8206020164	50-263 F	FELTON, J. M.	8206280071	50-289 T
EVERETT, R. J.	8206210314	40-8452	FELTON, J. M.	8206020179	50-254 F	FELTON, J. M.	8206280312	50-320 P
EVERSON, W. J.	8206190245	50-537 A	FELTON, J. M.	8206020180	50-321 F	FELTON, J. M.	8206280561	FOIA
EWING, E.	8206080542	50-313 P	FELTON, J. M.	8206020191	50-244 F	FELTON, J. M.	8206280655	50-289 F
EWING, E.	8206110233	50-313 P	FELTON, J. M.	8206020198	50-348 F	FELTON, J. M.	8206280674	50-373 F
EWING, E.	8206140144	50-454 G	FELTON, J. M.	8206020203	FOIA	FELTON, J. M.	8206290072	FOIA
FAHNER, T. C.	8206070275	50-373 A	FELTON, J. M.	8206020258	50-518 A	FELTON, J. M.	8206290505	FOIA
FAIRTILE, M. B.	8206140242	50-321 P	FELTON, J. M.	8206030033	FOIA	FELTON, J. M.	8206290527	FOIA
FAIRTILE, M. B.	8206280002	50-277 P	FELTON, J. M.	8206030035	FOIA	FELTON, J. M.	8206290532	FOIA
FALTER, H. W.	8206010570	PT21	FELTON, J. M.	8206030048	FOIA	FELTON, J. M.	8206290544	50-373 P
FALTER, H. W.	8206070615	50-390 G	FELTON, J. M.	8206030062	50-348 F	FELTON, J. M.	8206290607	50-434 F
FANOK, D. M.	8206280421	50-219 B	FELTON, J. M.	8206040494	FOIA	FELTON, J. M.	8206300004	50-312 F
FARMER, F. O.	8206300334	50-155 P	FELTON, J. M.	8206040506	FOIA	FELTON, J. M.	8206300077	50-234 F
FASANO, A.	8206220264	50-320 G	FELTON, J. M.	8206040511	50-428 P	FELTON, J. M.	8206300085	50-235 F
FASANO, A.	8206220538	50-289 Q	FELTON, J. M.	8206070173	50-373 F	FELTON, J. M.	8206300087	50-244 F
FASANO, A.	8206230130	50-320 S	FELTON, J. M.	8206070185	50-320 F	FELTON, J. M.	8206300095	50-269 F
FASANO, A.	8206250199	50-320 B	FELTON, J. M.	8206070196	50-269 F	FELTON, J. M.	8206300100	50-271 F
FASANO, A.	8206290362	50-320 B	FELTON, J. M.	8206070203	50-313 F	FELTON, J. M.	8206300104	50-346 F
FASANO, A.	8206290394	50-320 S	FELTON, J. M.	8206070211	50-373 P	FELTON, J. M.	8206300112	50-10 F
FASANO, D.	8205100297	1&E	FELTON, J. M.	8206070218	50-373 F	FELTON, J. M.	8206300130	50-285 F
FAULKNER, H. J.	8206110024	50-447 A	FELTON, J. M.	8206070232	50-373 F	FELTON, J. M.	8206300320	50-344 F
FAUST, L.	8206040014	50-537 Q	FELTON, J. M.	8206080016	50-29 F	FELTON, J. M.	8206300333	50-313 F
FAUST, L.	8206230170	50-537 Q	FELTON, J. M.	8206080022	50-373 F	FELTON, J. M.	8206300392	50-491 A
FAY, A.	8206140287	50-266 F	FELTON, J. M.	8206080025	50-263 P	FERRAR, R. L.	8206210270	50-377 A
FAY, A.	8206220143	50-266 P	FELTON, J. M.	8206080028	50-3 F	FERRARI, H. M.	8206140163	50-494 Q
FAY, C. W.	8206020149	50-266 F	FELTON, J. M.	8206080039	50-289 F	FERRARI, H. M.	8206140163	50-494 Q
FAY, C. W.	8206020400	50-266 F	FELTON, J. M.	8206080449	50-10 F	FERRET, R.	8206280431	50-219 B
FAY, C. W.	8206020417	50-266 P	FELTON, J. M.	8206080471	50-321 F	FIEDLER, P. B.	8206010249	50-219 B
FAY, C. W.	8206020461	50-266 P	FELTON, J. M.	8206080493	50-10 F	FIEDLER, P. B.	8206020321	50-219 F
FAY, C. W.	8206070405	50-266 P	FELTON, J. M.	8206090002	50-313 F	FIEDLER, P. B.	8206030088	50-219 P
FAY, C. W.	8206150293	50-301 B	FELTON, J. M.	8206110069	50-409 F	FIEDLER, P. B.	8206030163	50-219 S
FAY, C. W.	8206160324	50-266 R	FELTON, J. M.	8206110074	50-10 F	FIEDLER, P. B.	8206030214	50-219 S
FAY, C. W.	8206210107	50-301 B	FELTON, J. M.	8206140001	50-244 F	FIEDLER, P. B.	8206030259	50-219 S
FAY, C. W.	8206210109	50-301 S	FELTON, J. M.	8206140249	50-309 F	FIEDLER, P. B.	8206040098	50-219 S
FAY, C. W.	8206220213	50-266 P	FELTON, J. M.	8206140259	50-321 F	FIEDLER, P. B.	8206040210	50-219 Q
FAY, C. W.	8206220307	50-266 P	FELTON, J. M.	8206140271	50-315 F	FIEDLER, P. B.	8206040413	50-219 P
FAY, C. W.	8206240214	50-266 P	FELTON, J. M.	8206140283	50-266 F	FIEDLER, P. B.	8206170099	50-219 S
FEE, W. F.	8206170234	50-213 P	FELTON, J. M.	8206140296	50-373 F	FIEDLER, P. B.	8206210284	50-219 B
FEE, W. F.	8206170234	50-213 P	FELTON, J. M.	8206140307	50-320 F	FIEDLER, P. B.	8206210297	50-219 B
FEIERABEND, C. D.	8206100208	50-282 Q	FELTON, J. M.	8206140319	50-321 F	FIEDLER, P. B.	8206210443	50-219 B
FEIL, R. A.	8206150318	50-397 Q	FELTON, J. M.	8206140363	FOIA	FIEDLER, P. B.	8206220386	50-219 Q
FEINBERG, J. D.	8206040126	50-247 Q	FELTON, J. M.	8206140371	FOIA	FIEDLER, P. B.	8206220460	50-219 P
FEINBERG, J. D.	8206040134	50-247 Q	FELTON, J. M.	8206140382	50-277 F	FIEDLER, P. B.	8206230121	50-219 B
FEINBERG, J. D.	8206090028	50-247 Q	FELTON, J. M.	8206140393	FOIA	FIEDLER, P. B.	8206250012	50-219 R
FEINBERG, J. D.	8206090031	50-247 Q	FELTON, J. M.	8206140399	50-295 F	FIEDLER, P. B.	8206280392	50-219 B
FEINBERG, J. D.	8206170166	50-247 Q	FELTON, J. M.	8206140394	50-397 F	FIEDLER, P. B.	8206280427	50-219 B
FEINBERG, J. D.	8206170236	50-247 Q	FELTON, J. M.	8206140399	50-267 F	FIEDLER, P. B.	8206290152	50-219 Q
FEINBERG, J. D.	8206170240	50-247 Q	FELTON, J. M.	8206150011	FOIA	FIEDLER, P. B.	8206290248	50-219 B
FEITKNECHT, C.	8206080311	50-334 R	FELTON, J. M.	8206150016	50-267 F	FIEDLER, P. B.	8206300202	50-219 P
FELDE, D. K.	8206090129	NUREQ	FELTON, J. M.	8206150353	FOIA	FIEDLER, P. B.	8206300207	50-219 F
FELDE, D. K.	8206090135	NUREQ	FELTON, J. M.	8206150442	50-277 F	FIEDLER, J.	8206110231	50-250 J
FELDE, D. K.	8206110005	NUREQ	FELTON, J. M.	8206150444	50-390 F	FIEDLER, J.	8206110243	50-335 J
FELDE, D. K.	8206220019	NUREQ	FELTON, J. M.	8206160146	50-315 F	FIEDLER, J.	8206230010	50-348 J
FELDE, D. K.	8206240036	NUREQ	FELTON, J. M.	8206160160	50-3 F	FIEDLER, J. A.	8206250247	50-327 J
FELDMAN, R.	8206110299	50-387 F	FELTON, J. M.	8206160205	50-230 F	FIELDS, J. A.	8205130486	CONTRACT
FELKINS, L.	8206090122	NUREQ	FELTON, J. M.	8206160228	50-289 F	FIELDS, J. A.	8206080442	50-289 P
FELLOWS, R. J.	8206290100	70-374	FELTON, J. M.	8206160249	50-305 F	FIELDS, J. A.	8206100412	CONTRACT
FELTON, J. M.	8103310089	FOIA	FELTON, J. M.	8206160277	50-315 F	FIELDS, J. A.	8206230299	CONTRACT
FELTON, J. M.	8204220398	50-322 A	FELTON, J. M.	8206160300	50-334 F	FIELDS, J. A.	8206280138	50-289 P
FELTON, J. M.	8204220629	50-404 A	FELTON, J. M.	8206160320	50-315 F	FIELDS, J. A.	8206280573	CONTRACT
FELTON, J. M.	8204300003	50-255 P	FELTON, J. M.	8206160330	50-313 F	FIELDS, M. B.	8206040432	50-322 T
FELTON, J. M.	8205130448	50-301 P	FELTON, J. M.	8206160366	50-369 F	FINAMORE, B. A.	8206080099	50-537 Q
FELTON, J. M.	8206010035	FOIA	FELTON, J. M.	8206230007	50-322 A	FINAMORE, B. A.	8206080099	50-537 Q
FELTON, J. M.	8206010092	FOIA	FELTON, J. M.	8206230014	50-277 F	FINAMORE, B. A.	8206080101	50-537 Q
FELTON, J. M.	8206010094	FOIA	FELTON, J. M.	8206230021	50-10 F	FINAMORE, B. A.	8206080101	50-537 Q
FELTON, J. M.	8206010106	FOIA	FELTON, J. M.	8206230045	50-315 F	FINAMORE, B. A.	8206080104	50-537 Q
FELTON, J. M.	8206010716	50-434 D	FELTON, J. M.	8206240009	50-255 F	FINAMORE, B. A.	8206080104	50-537 Q
FELTON, J. M.	8206010721	FOIA	FELTON, J. M.	8206240018	50-220 F	FINAMORE, B. A.	8206080108	50-537 Q
FELTON, J. M.	8206010725	FOIA	FELTON, J. M.	8206240032	50-10 F	FINAMORE, B. A.	8206080108	50-537 Q
FELTON, J. M.	8206020014	50-171 F	FELTON, J. M.	8206240033	FOIA	FINAMORE, B. A.	8206080117	50-537 Q
FELTON, J. M.	8206020034	50-269 F	FELTON, J. M.	8206240045	FOIA	FINAMORE, B. A.	8206080117	50-537 Q

PERSONAL AUTHOR INDEX

49

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
FINAHORE, B. A	8206080124*	50-537 Q	FORD, S. M	8206020200	FOIA	FRYE, J. H	8206090069	50-142
FINAHORE, B. A	8206080124*	50-537 Q	FORNEY, W. L	8206070346*	50-454 Q	FRYE, J. H	8206210275	50-142
FINAHORE, B. A	8206140032	50-537 Q	FORSYTHE, L. A	8206240176	50-537 Q	FRYE, J. H	8206210277	50-142
FINAHORE, B. A	8206140032	50-537 Q	FOSTER, D. O.	8206070828*	50-424 Q	FRYE, J. H	8206240395	50-358
FINAHORE, B. A	8206160064	50-537 Q	FOSTER, D. O.	8206220240*	50-424 Q	FRYE, J. H	8206240420	50-358
FINAHORE, B. A	8206160068*	50-537 Q	FOSTER, D. O.	8206220243*	50-424 Q	FUGELSD, L. E	8206170051	50-3
FINAHORE, B. A	8206170150	50-537 Q	FOSTER, J. E.	8206070239*	50-373 A	FULLER, C	8206010559	50-267
FINAHORE, B. A	8206170154*	50-537 Q	FOSTER, J. E.	8206070246*	50-373 A	FULLER, C	8206010564*	50-267
FINAHORE, B. A	8206240209	50-537 Q	FOSTER, J. E.	8206070258*	50-373 A	FULLER, C	8206110057*	50-267
FINAHORE, B. A	8206240209	50-537 Q	FOSTER, W. E.	8206150300*	QA999	FULLER, C. H	8206220289*	50-267
FINAHORE, B. A	8206240215*	50-537 Q	FOURNELL, D. W.	8206210490*	50-461 Q	FULLER, C. H	8206220297*	50-267
FINAHORE, B. A	8206240215*	50-537 Q	FOURNELL, D. W.	8206210497*	50-461 Q	FULLER, C. H	8206230235*	50-267
FINAHORE, B. A	8206300224	50-537 Q	FOURNELL, D. W.	8206210506*	50-461 Q	FULLER, C. H	8206230277*	50-267
FINAHORE, B. A	8206300224	50-537 Q	FOX, C. D	8206140105	50-461 Q	FULLER, P. E	8206090121	REG00
FINDLAY, J. A	8206140333	NUREG	FOX, C. D	8206140105	50-461 Q	FURGAL, D. T	8206100016	NUREG
FINDLEY, D	8206070202*	50-387 X	FOX, C. D	8206140108*	50-461 Q	FURR, B. J	8203170522	50-324
FINDLEY, D. E	8206080049*	70-687	FOX, C. D	8206140108*	50-461 Q	FURR, B. J	8206070729*	50-324
FINDLEY, D. E	8206100386*	70-36	FOX, D. F	8206080300*	QA999	FURR, B. J	8206220230*	50-324
FINDLEY, D. E	8206100404*	50-327 X	FOX, D. F	8206260468*	QA999	FURR, B. J.	8206220475*	50-324
FINKEL, A. E.	8206070759*	50-219 Q	FOX, R. A	8206070211	NUREG	FURR, B. J	8206220522*	50-324
FINKEL, A. E.	8206170245*	50-410 Q	FRAHM, R	8206030192*	50-311 B	FURR, B. J	8206220529*	50-324
FIORELLI, O.	8206210598*	50-329 A	FRAHM, R	8206030231*	50-272 B	GAH, R. K	8206140038	50-443
FIORELLI, O.	8206060224	50-328 Q	FRAHM, R	8206030245	50-272 B	GAD, R. K	8206140038	50-443
FIORELLI, O.	8206060224	50-328 Q	FRAHM, R	8206030247*	50-272 B	GAD, R. K	8206140041*	50-443
FIORELLI, O.	8206220371*	50-328 Q	FRAHM, R	8206030265	50-311 B	GAD, R. K	8206140041*	50-443
FISHER, F. D.	8206220223*	50-361 Q	FRAHM, R	8206030269*	50-311 B	GAD, R. K	8206240373	50-443
FISHER, F. D.	8206070605	NUREG	FRAHM, R	8206070577*	50-272 B	GAD, R. K	8206240373	50-443
FISHER, F. D.	8206140267	70-36	FRAHM, R	8206070673*	50-311 B	GAD, R. K	8206280523	50-443
FISHER, F. D.	8206140272*	70-36	FRAHM, R	8206070772*	50-311 B	GAD, R. K.	8206280523	50-443
FISHER, F. D.	8206290013*	70-36	FRAHM, R	8206070813*	50-272 B	GADW, G. R	8206010215*	50-409
FISHER, F. D.	8206100239	PR	FRAHM, R	8206100123*	50-311 B	GAHAN, E	8206110004	NUREG
FITZGERALD, M. J	8206240123*	FOIA	FRAHM, R	8206100142*	50-311 B	GAHES, T. M	8206160327	PR
FITZGERALD, M. J	8206170101*	50-219 B	FRAHM, R	8206100218*	50-311 B	GALLAGHER, C. A	8206110006	NUREG
FITZGERALD, M. J	8206230129*	50-219 B	FRAHM, R	8206100222*	50-311 B	GALLAGHER, J.	8206280314*	FOIA
FITZGERALD, M. J	8206010336	50-237 Q	FRAHM, R	8206100244*	50-272 B	GALLAGHER, J. M	8012160186*	FOIA
FITZGERALD, M. J	8206010336	50-237 Q	FRAHM, R	8206100253*	50-311 B	GALLAGHER, J. W	8206020415	50-277
FITZGERALD, M. J	8206180330	50-237 Q	FRAHM, R	8206100272*	50-272 B	GALLAGHER, J. W	8206040093	PR
FITZGERALD, M. J	8206180330	50-237 Q	FRAHM, R	8206100326*	50-311 B	GALLAGHER, J. W	8206220279	50-277
FITZGERALD, M. J	8206030206*	50-247 B	FRAHM, R	8206110047*	50-272 B	GALLAGHER, R. D.	8206230613	71-9088
FITZPATRICK, R	8206080077*	50-247 B	FRAHM, R	8206150100*	50-311 B	GALLAGHER, R. D.	8206230090	71-5908
FITZPATRICK, R	8206080077*	50-247 B	FRAHM, R	8206150116*	50-311 B	GALLAGHER, R. D.	8206230225	71-394
FLACK, E	8206090036	1&E	FRAHM, R	8206210388*	50-311 B	GALLAGHER, R. B	8206110001	NUREG
FLACK, E	8206160104	1&E	FRAHM, R	8206210460*	50-272 B	GALLAGHER, R. B	8206110002	NUREG
FLACK, E	8206170103	1&E	FRAHM, R	8206220098*	50-311 B	GALLAGHER, R. B	8206110011	NUREG
FLAHERTY, J. A	8206040319*	50-373 P	FRAHM, R.	8206220185*	50-311 B	GALLAGHER, C. O	8206210051*	50-289
FLAHERTY, J. A	8206240191	50-373 P	FRAHM, R.	8206220395*	50-272 B	GALLO, J	8206010269	50-155
FLANAGAN, D. D	8206210454	50-322 Q	FRAHM, R.	8206220459*	50-272 B	GALLO, J	8206010320	50-155
FLANAGAN, D. D	8206210454	50-322 Q	FRAHM, R.	8206220505*	50-311 B	GALLO, J	8206040162	50-556
FLANAGAN, D. D	8206250060	REB	FRAHM, R	8206220552*	50-272 B	GALLO, J	8206040162	50-556
FLEENOR, C.	8206070197	50-387 X	FRAHM, R	8206230112*	50-311 B	GALLO, J	8206070502	50-155
FLEENOR, C.	8206080040	70-687	FRAHM, R	8206290389*	50-311 B	GALLO, J.	8206070502	50-155
FLEENOR, C.	8206100376	70-36	FRAHM, R.	8204220324*	FOIA	GALLO, J.	8206070506*	50-155
FLEENOR, C.	8206100401	50-327 X	FRAHM, R. K.	8206280178*	FOIA	GALLO, J.	8206070547	50-155
FLEENOR, C.	8206160212	CONTRACT	FRALAY, R. F	8206280378*	FOIA	GALLO, J.	8206070557	50-155
FLEENOR, C.	8206230355	70-1113	FRANCIS, E	8206080013	40-8745	GALLO, J.	8206240095	FOIA
FLEISCHAKER, D.	8206030186	50-275 Q	FRANCIS, E	8206080174	40-8745	GALLO, J.	8206240145*	FOIA
FLEISCHAKER, D.	8206040222	50-275 P	FRANK, R. B.	8206090063	50-309 Q	GALLO, J.	8206300242	50-454
FLEISCHAKER, D.	8206140034	50-275 Q	FRANKLIN, L. A	8206070730*	50-261 Q	GALLO, J.	8206300242	50-454
FLEISCHAKER, D.	8206140034	50-275 Q	FRANKLIN, L. A	8206220372*	50-321 Q	GALLO, R. M	8206100200*	50-443
FLEISHER, Z. S	8206040010	50-247 Q	FRANKLIN, L. A	8206040020	50-322 Q	GALLO, R. M	8206170340*	50-443
FLEISHER, Z. S.	8206040084	50-247 Q	FRANTZ, B. P	8206070082	50-322 Q	GALLO, R. M.	8206220434*	50-271
FLEISHER, Z. S.	8206040267	50-247 Q	FRANTZ, B. P.	8206070082	50-322 Q	GALLO, R. M.	8206220518*	50-322
FLEISHER, Z. S.	8206040290	50-247 Q	FRANTZ, B. P.	8206160105	50-322 Q	GALLUCCI, R.	8206230238*	FOIA
FLEISHER, Z. S.	8206090034	50-247 Q	FRANTZ, B. P.	8206160105	50-322 Q	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206090037*	50-247 Q	FRATZER, M. D.	8206070610	P	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206090041*	50-247 Q	FREEMAN, D. W	8206100031	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206160095	50-247 Q	FREEMAN, M. D	8206220156	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206180262	50-247 Q	FRENCH, L. D	8206010088*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206180269*	50-247 Q	FRENCH, L. D	8206150173*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206230166	50-247 Q	FRENCH, L. D.	8206280531*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206230166	50-247 Q	FREY, D. O.	8206280531*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206230166	50-247 Q	FREY, P. R.	8206100067	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206230166	50-247 Q	FRIEDENWALD, R.	8206110377*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206160023	40-8743	FRIEDENWALD, R.	8206140014*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEISHER, Z. S.	8206300123*	50-10 F	FRIEDLANDER, M	8206290399*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLEX, B. L.	8206270483*	50-498 A	FRIEDMAN, A. M	8206030056*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLOYD, C. A	8206100211	40-8584	FRIEDMAN, L. F	8206020210*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLOYD, R. A	8206280278*	50-352 Q	FRIEDMAN, L. F	8206030105*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLOYD, J. H	8206280313	PR	FRISCO, D. C	8206070565*	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLOYD, F. G	8206280339*	FOIA	FRIZZLE, C. D.	8206290295	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FLUTALA, J. J.	8206170193*	50-373 B	FROMER, H. A	8206090143	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FOCKLER, D. D	8206100446	XPORTLIC	FROMUNFELKEN, R.	8206210117	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FOODALL, S. P	8206240066	NUREG	FRY, D. N.	8206250060	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FOLEY, T.	8206250244*	50-286 Q	FRY, E. J.	8206020416	50-311 B	GALLUCCI, R.	8206230248*	FOIA
FORBES, J. R	8206100239	PR	FRYE, J. H	8206090016	50-311 B	GALLUCCI, R.	8206230248*	FOIA

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GARRITY, J H	8206290212	50-307 P	GLEASON, J P	8206170087	50-482 Q	GREEN, F	8206280339*	FOIA
GARRITY, J H	8206290449	50-309 P	GLENN, J E	8206230059*	50-322 Q	GREEN, H J	8206010116	50-327 S
GARRITY, D H	8206220238	50-309 P	GLENN, J E	8206230067*	50-322 A	GREEN, H J	8206010124	50-328 S
GARY, R J	8206070356	50-445 S	GNUGNOLI, G N	8206100391	40-8674	GREEN, H J	8206010155	50-259 S
GARY, R J	8206210550	50-445 S	GODDARD, R	8206070506*	50-155 Q	GREEN, H J	8206010167	50-260 S
GAYNOR, R K	8206110348	27-39	GODDARD, R J	8206040212	50-155 Q	GREEN, H J	8206010182	50-296 S
GEE, G W	8206020268	RES	GODDARD, R J	8206220080	50-155 Q	GREEN, H J	8206010194	50-260 S
GEIGER, D A	8206070491	PR	GODDARD, R J	8206230184	50-237 Q	GREEN, H J	8206010230	50-296 S
GEISLER, C W	8206240197	50-305 S	GODY, A	8206150013	50-333 S	GREEN, H J	8206010265	50-296 S
GEPPERLINE, H F	8206150209	40-8722	GODY, A T	8206040113*	50-317 Q	GREEN, H J	8206010279	50-259 S
GERDEMAN, F W	8206160187	40-8698	GODY, A T	8206080301*	70-371	GREEN, H J	8206010329	50-327 S
GERDEMAN, F W	8206220118	40-8698	GODY, A T	8206080317*	50-322 Q	GREEN, H J	8206010390	50-328 S
GERNER, L F	8206020188*	50-254 F	GODY, A T	8206170230*	50-193 Q	GREEN, H J	8206010413	50-328 S
GERSTNER, H C	8206140030*	50-461 Q	GODY, A T	8206220309*	50-293 Q	GREEN, H J	8206010426	50-259 S
GERSTNER, H C	8206180104	50-461 S	GODY, A T	8206250310*	70-1100	GREEN, H J	8206010435	50-328 S
GERSTNER, H C	8206150150	50-461 S	GOLDBERG, J R	8206010034*	50-289 P	GREEN, H J	8206010442	50-296 S
GERSTNER, H C	8206150357*	50-461 S	GOLDBERG, J R	8206040274	50-289 Q	GREEN, H J	8206010464	50-259 S
GERSTNER, H C	8206150364	50-461 S	GOLDBERG, J R	8206100097	50-289 Q	GREEN, H J	8206010468	50-327 S
GERSTNER, H C	8206210225	50-461 S	GOLDBERG, J R	8206140034	50-289 G	GREEN, H J	8206010494	50-327 S
GERSTNER, H C	8206220127	50-461 S	GOLDBERG, J R	8206250053	50-289 Q	GREEN, H J	8206010511	50-259 S
GERSTNER, H C	8206290115	50-461 S	GOLDBERG, S C	8206040232	50-454 Q	GREEN, H J	8206010512	50-327 S
GERTHAN, D I	8206100059	NUREQ	GOLDBERG, S C	8206080262	50-454 Q	GREEN, H J	8206010514	50-328 S
GERTSCH, A J	8206010333*	50-313 R	GOLDBERG, S C	8206110046	50-454 Q	GREEN, H J	8206010520	50-328 S
GIBBONS, T D	8206070324*	50-389 Q	GOLDBERG, S C	8206160083	50-454 Q	GREEN, H J	8206010522	50-328 S
GIBBS, D C	8206040096	PRM	GOLDBERG, S C	8206160133	50-454 Q	GREEN, H J	8206010534	50-296 S
GIBBS, D C	8206070718	PRM	GOLDEN, J C	8206140153*	50-454 Q	GREEN, H J	8206010542	50-259 S
GIBBS, D C	8206090029*	FOIA	GOLDEN, J C	8206210609	PR	GREEN, H J	8206010543*	50-296 S
GIBSON, A F	8205280389	70-143	GOLIAN, T	8103270333*	50-289 P	GREEN, H J	8206010546	50-296 S
GIBSON, A F	8205280410	70-143	GOLLER, K R	8109230784*	FOIA	GREEN, H J	8206010560	50-259 S
GIBSON, A F	8206040170	70-27	GOLLER, K R	8206280335*	FOIA	GREEN, H J	8206010569	50-259 S
GIBSON, A F	8206040333	70-1201	GOLLER, K R	8206280358*	FOIA	GREEN, H J	8206010572	50-327 S
GIBSON, A F	8206040334	70-143	GOLLER, K R	8206280361*	FOIA	GREEN, H J	8206010577	50-259 S
GIBSON, A F	8206040367	70-824	GOLLER, K R	8206280371*	FOIA	GREEN, H J	8206010586	50-327 S
GIBSON, A F	8206040397	70-1113	GOLUBREK, J	8206100043	NUREQ	GREEN, H J	8206010598	50-259 S
GIBSON, A F	8206070403	70-143	GONZALEZ, A	8206170252*	50-409 P	GREEN, H J	8206010600	50-328 S
GIBSON, A F	8206070594	70-27	GOODIE, J S	8203230211*	50-373 A	GREEN, H J	8206010609	50-260 S
GIBSON, A F	8206070646	70-1151	GOODIE, J S	8206070272*	50-373 A	GREEN, H J	8206010654	50-327 S
GIBSON, A F	8206070656	70-143	GOODMAN, L S	8206100262*	50-409 S	GREEN, H J	8206070085	50-259 S
GIBSON, A F	8206080323	70-1201	GOODMAN, L S	8206100267*	50-409 S	GREEN, H J	8206070197	50-327 S
GIBSON, A F	8206080327*	70-1201	GOODMAN, L S	8206100270*	50-409 S	GREEN, H J	8206070169	50-328 S
GIBSON, A F	8206250101	70-1151	GOODMAN, L S	8206150228*	50-409 S	GREEN, H J	8206070179	50-327 S
GIBSON, A F	8206250160	70-1113	GOODMAN, L S	8206150290*	50-409 R	GREEN, H J	8206070297	50-259 S
GIBSON, A F	8206250250	70-27	GOODMAN, L S	8206170145*	50-409 S	GREEN, H J	8206070414	50-296 S
GIBSON, A F	8206250282	70-1151	GOODMAN, L S	8206220298*	50-409 S	GREEN, H J	8206070440	50-328 S
GIBSON, J E	8206220533*	50-392 A	GOODMAN, L S	8206240194*	50-409 S	GREEN, H J	8206070630	50-296 S
GIDD, R Q	8206110015	NUREQ	GOODMAN, L S	8206240331*	50-409 S	GREEN, H J	8206110058	50-260 S
GIESLER, C W	8206070600	PRM	GOODMAN, L S	8206290350*	50-409 S	GREEN, H J	8206110192	50-259 S
GIESLER, C W	8206110075	50-305 P	GOODMAN, H J	8206290599	TOPREP	GREEN, H J	8206110196	50-328 S
GIESLER, C W	8206140007	50-305 P	GOODYEAR, C P	8206100043	NUREQ	GREEN, H J	8206110214	50-328 S
GIESLER, C W	8206150255	50-305 R	CORE, J W	8206210521	PRM	GREEN, H J	8206110234	50-260 S
GIESLER, C W	8206170301	50-305 S	GORE, J W	8206300194	PR	GREEN, H J	8206110292	50-259 S
GIESLER, C W	8206210273	50-305 P	GOSCHY, P E	8206070638*	70-2830	GREEN, H J	8206110313	50-259 S
GIESLER, C W	8206220233	50-305 S	GOSSTICK, L V	8001130180*	FOIA	GREEN, H J	8206210307	50-259 S
GIESLER, C W	8206230224	50-305 P	GOTCHY, R L	8206100317	50-289 Q	GREEN, H J	8206210329	50-328 S
GIESLER, C W	8206290180	50-305 S	GOULD, S B	8206090129	NUREQ	GREEN, H J	8206210361	50-259 S
GIESLER, C W	8206290194	50-305 F	GOULD, S B	8206090135	NUREQ	GREEN, H J	8206210410	50-328 S
GIESLER, C W	8206290199	50-305 P	GOULD, S B	8206240036	NUREQ	GREEN, H J	8206210463	50-327 S
GILBERT, F	8206240244	50-537 Q	GRABER, H C	8206070662	PR	GREEN, H J	8206210555	50-259 S
GILBERT, L D	8206210466*	50-458 Q	GRABOWSKI, A M	8206180249	50-367 Q	GREEN, H J	8206210591	50-260 S
GILBERT, R	8206080164	50-322 A	GRAESSER, K L	8206020341	50-304 S	GREEN, H J	8206220420	50-328 S
GILBERT, R	8206210002	50-322 A	GRAESSER, K L	8206020351	50-295 S	GREEN, H J	8206240140	50-328 S
GILBERTS, D E	8206070743*	50-263 Q	GRAESSER, K L	8206020545	50-295 S	GREEN, H J	8206240196	50-259 S
GILBERTS, D E	8206110190	50-263 Q	GRAESSER, K L	8206100172	50-304 S	GREEN, H J	8206240312	50-327 S
GILBRETH, T	8206150111*	50-321 R	GRAESSER, K L	8206110206	50-295 R	GREEN, H J	8206240315	50-296 S
GILDENHORN, A J	8206150059	CONTRACT	GRAESSER, K L	8206150181	50-304 S	GREEN, H J	8206240339	50-296 S
GILDENHORN, A J	8206240097	CONTRACT	GRAESSER, K L	8206150204	50-304 S	GREEN, H J	8206240368	50-296 S
GILDNER, M L	8206170095*	50-440 Q	GRAESSER, K L	8206220125	50-295 S	GREEN, H J	8206300137	50-259 S
GILINSKY, V	8206090220*	FOIA	GRAESSER, K L	8206220353	50-304 S	GREEN, H J	8206300142	50-260 S
GILLEN, D M	8206080021	40-8681	GRAHAM, D B	8206030297	40-6264	GREEN, H J	8206300217	50-296 S
GILLILAND, J C	8206030325	XPORTLTC	GRAHAM, J S	8206030152*	FOIA	GREEN, H J	8206300222	50-296 S
GILLILAND, J T	8206170163	70-143	GRAHAM, J L	8206090148*	50-367 Q	GREEN, H J	8206300314	50-327 S
GILLIS, J C	8206020139*	FOIA	GRANT, J M	8206140130*	50-423 A	GREEN, W	8206210110*	50-346 F
GILMAN, F M	8206010637*	50-241 S	GRANT, W B	8206220232*	50-315 Q	GREENE, G A	8206020260	RES
GILMAN, L	8206070621	NUREQ	GRAVES, R H	8206210194	50-213 R	GREENE, G A	8206100410	RES
GILMAN, L	8206070627*	NUREQ	GRAVES, R H	8206220216	50-213 S	GREENMAN, E	8206100056	50-247 S
GILSDORF, C N	8206010016	40-8799	GRAVES, R H	8206240325	50-213 S	GREENMAN, E O	8206070371*	50-220 Q
GILSDORF, C N	8206030330	40-8799	GRAVES, R H	8206240410	50-213 S	GREENMAN, E O	8206150226*	50-272 Q
GINSBERG, T	8206020260	RES	GRAY, E	8206220538*	50-289 Q	GREENMAN, E O	8206170111*	50-311 Q
GINSBERG, T	8206100017	NUREQ	GRAY, E H	8206100149*	50-352 Q	GREENMAN, E O	8206270254*	70-1100
GINSBERG, T	8206100410	RES	GRAY, E H	8206170340*	50-443 Q	GREENSPAN, J	8206090226*	FOIA
GINSBURG, T	8206100087	NUREQ	GRAY, J R	8206170134	50-289 Q	GREEVES, J T	8206160141	WASTE HOT
GIUFFRIDA, L O	8206010165	COMMISSION	GRAY, J R	8206210047	50-289 Q	GREEVES, J T	8206250344	WASTE HOT
GLASIER, O E	8206280033	40-8681	GRAY, R O	8206070191	REGDD	GREGOR, L R	8206110308*	50-461 Q
GLASSER, H	8206160315	PR	GRAYSON, W M	8206280530*	27-48	GREGOR, L R	8206210523*	50-282 Q
GLASSER, H	8206180312	PR	GREGLEY, R S	8206290523*	FOIA	GREGOR, L R	8206280411*	40-3392

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
GREGG, R J	8206030006	70-820	HAASS, W P	8206230145*	FOIA	HALL, W J	8206110236	50-287
GREGORY, M V	8206090132	NUREG	HAASS, W P	8206230338	50-329 A	HALLER, N	8110230007*	FOIA
GREGORY, W S	8206020287	RES	HAASS, W P	8206230326*	FOIA	HALPERIN, J A	8206010176*	FOIA
GREGORY, W S	8206080086	RES	HAASS, W P	8206230491*	FOIA	HAMADA, G H	8206020460*	50-312
GREGORY, W S	8206100062	NUREG	HAASS, W P	8206230582*	FOIA	HAMILL, K	8206140365	WASTE I
GREVE, T	8206020187*	50-321 F	HACK, A	8206230328	NUREG	HAMILL, K J	8206150186	WASTE I
GRIDLEY, R L	8206100103*	50-277 P	HACKER, M G	8206140302*	50-270 Q	HAMMETT, B	8206220605	XPORTL
GRIER, B H	8206020218*	FOIA	HACKNEY, C	8206100189*	50-289 Q	HANAFORD, T D	8206010611*	50-361
GRIER, B H	8206020222*	FOIA	HACKNEY, C A	8206290440	50-267 F	HANAVER, S H	8011180368*	50-266
GRIER, B H	8206020284*	FOIA	HADDENHAN, R R	8206160450	40-8743	HANAVER, S H	8103030110*	FOIA
GRIER, B H	8206020332*	FOIA	HAEHL, J G	8206020324*	50-220 I	HANAVER, S H	8204190140*	FOIA
GRIER, B H	8206020515*	FOIA	HAGAN, T	8206100386*	70-36	HANAVER, S H	8204300009*	GEN TEC
GRIER, B H	8206020537*	FOIA	HAGAN, T F	8206020580*	CONTRACT	HANAVER, S H	8206070163	50-3
GRIER, B H	8206020548*	FOIA	HAGAN, T F	8206070194	CONTRACT	HANAVER, S H	8205280247*	FOIA
GRIER, B H	8206020567*	FOIA	HAGAN, T F	8206070202*	50-387 X	HANCOCK, D	8206280309	50-320
GRIESMEYER, J M	8206280322*	FOIA	HAGAN, T F	8206080049*	50-687	HAND, C H	8206180348	50-361
GRIFFITH, J D	8206160322	NUREG	HAGAN, T F	8206080445*	50-289 P	HANNER, O M	8206100044	NUREG
GRIMES, B K	82062260161*	50-409 F	HAGAN, T F	8206100404*	50-327 X	HANNETT, B A	8206040044	XPORTL
GRIMES, B K	8206030690*	50-219 F	HAGAN, T F	8206100435*	CONTRACT	HANNETT, B A	8206040048*	XPORTL
GRIMES, B K	8206020104	NUREG	HAGAN, T F	8206110013*	CONTRACT	HANNETT, B A	8206110055	XPORTL
GRIMES, B K	8206090179*	50-247 T	HAGAN, T F	8206110377*	CONTRACT	HANNETT, B A	8206110059*	XPORTL
GRIMES, B K	8206190038*	FOIA	HAGAN, T F	8206110380*	CONTRACT	HANSON, L P	8206090128	50-155
GRIMES, B K	8206150063*	FOIA	HAGAN, T F	8206140014*	CONTRACT	HANSON, L P	8206090128	50-155
GRIMES, B K	8206150084*	FOIA	HAGAN, T F	8206180034	CONTRACT	HARDIN, A	8206070886*	50-416
GRIMES, B K	8206150085*	FOIA	HAGAN, T F	8206230307*	CONTRACT	HARDIN, A K	8206040006	50-324
GRUESCH, G L	8206180322	50-382 Q	HAGAN, T F	8206230357*	70-1113	HARDIN, A K	8206070570	50-325
GRUESCH, G L	8206240415	50-382 Q	HAGAN, T F	82062400020*	CONTRACT	HARDIN, A K	8206170125	50-324
GROFF, D W	8206100069	NUREG	HAGAN, T F	8206280144*	50-289 P	HARDING, M R	8206010121*	50-327
GROTHENHUIS, M	8206030291	50-305 P	HAGAN, T F	8206280579*	CONTRACT	HARDING, M R	8206010130*	50-328
GROTHENHUIS, M	8206100285	50-250 P	HAGAN, T F	8206290584*	CONTRACT	HARDING, M R	8206010337*	50-327
GROTHENHUIS, M	8206100291*	50-250 P	HAGNEY, H	8206110372	CONTRACT	HARDING, M R	8206010395*	50-328
GROTHENHUIS, M	8206160050	50-251 P	HAGNEY, H	8206230313	CONTRACT	HARDING, M R	8206010420*	50-328
GROTHENHUIS, M	8206160470	50-305 P	HAGNEY, H	8206230044	CONTRACT	HARDING, M R	8206010439*	50-328
GROTHENHUIS, M	8206230362	50-305 P	HAHNES, H L	8206160302	50-416 J	HARDING, M R	8206010476*	50-327
GRUETTER, H P	8206100362	RES	HAIRSTON, C	8206070197	50-387 X	HARDING, M R	8206010504*	50-327
GUASTAFERRO, C	8206010315*	50-220 P	HAIRSTON, C	8206080040	70-687	HARDING, M R	8206010525*	50-328
GUENTHER, R	8206140231	50-133 P	HAIRSTON, C	8206100376	70-36	HARDING, M R	8206010526*	50-328
GUJDD, D F	8206180230*	50-247 Q	HAIRSTON, C	8206100401	50-327 X	HARDING, M R	8206010532*	50-328
GUJLD, R	8206040028	50-413 Q	HAIRSTON, C	8206100407	CONTRACT	HARDING, M R	8206010579*	50-327
GUJLD, R	8206040028	50-413 Q	HAIRSTON, C	8206100412	CONTRACT	HARDING, M R	8206010592*	50-327
GUINN, P R	7910010172*	FOIA	HAIRSTON, C	8206160212	CONTRACT	HARDING, M R	8206010606*	50-328
GUINN, P R	8104210021*	FOIA	HAIRSTON, W G	8206010210*	50-348 S	HARDING, M R	8206010649*	50-327
GUINIL, P R	8206280597*	FOIA	HAIRSTON, W G	8206010603*	50-364 S	HARDING, M R	8206070162*	50-327
GUINIL, P R	8206280656*	FOIA	HAIRSTON, W G	8206010620*	50-348 S	HARDING, M R	8206070178*	50-328
GULDEMOND, W G	8206020458*	50-373 Q	HAIRSTON, W G	8206010625*	50-348 S	HARDING, M R	8206070188*	50-327
GUMBLE, F W	8206070724*	50-286 S	HAIRSTON, W G	8206020216*	50-348 F	HARDING, M R	8206070449*	50-328
GUPPY, J Q	8206020283	RES	HAIRSTON, W G	8206070087*	50-364 S	HARDING, M R	8206110203*	50-328
GUPPY, J Q	8206110413	RES	HAIRSTON, W G	8206070091*	50-364 S	HARDING, M R	8206110215*	50-328
GUPTA, D C	8206020203*	50-822 A	HAIRSTON, W G	8206070123*	50-348 S	HARDING, M R	8206210334*	50-328
GUSTAVE, R	8206040029	CONTRACT	HAIRSTON, W G	8206070126*	50-348 S	HARDING, M R	8206210417*	50-328
GUSTAVE, R	8206110007*	CONTRACT	HAIRSTON, W G	8206070131*	50-348 S	HARDING, M R	8206210466*	50-327
GUSTAVE, R	8206240419*	CONTRACT	HAIRSTON, W G	8206110167*	50-348 S	HARDING, M R	8206220437*	50-328
GUSTAVE, R	8206290645*	CONTRACT	HAIRSTON, W G	8206110172*	50-348 S	HARDING, M R	8206240144*	50-328
GUSTAVE, R P	8206080439*	CONTRACT	HAIRSTON, W G	8206110175*	50-348 S	HARDING, M R	8206240313*	50-327
GUSTAVE, R P	8206100006*	CONTRACT	HAIRSTON, W G	8206110180*	50-348 S	HARDY, J E	8206100054	NUREG
GUSTAVE, R P	8206100019*	CONTRACT	HAIRSTON, W G	8206140056*	50-364 R	HARLESS, J D	8206230170	50-537
GUSTAVE, R P	8206100184*	CONTRACT	HAIRSTON, W G	8206140127*	50-348 R	HARNED, R K	8206090113	PR
GUSTAVE, R P	8206110093*	CONTRACT	HAIRSTON, W G	8206210157*	50-348 S	HARRAN, P	8206010414*	50-245
GUSTAVE, R P	8206150039*	CONTRACT	HAIRSTON, W G	8206210166*	50-348 S	HARRINGTON, R M	8206220101	NUREG
GUSTAVE, R P	8206150045*	CONTRACT	HAIRSTON, W G	8206210179*	50-348 S	HARRINGTON, W D	8206150102*	50-293
GUSTAVE, R P	8206230305*	CONTRACT	HAIRSTON, W G	8206210444	50-348 S	HARRINGTON, W D	8206210199*	50-293
GUSTAVE, R P	8206240472*	CONTRACT	HAIRSTON, W G	8206300189*	50-348 S	HARRIS, D D	8206230240	NUREG
GUSTAVE, R P	8206280022*	CONTRACT	HAIST, D P	8206280350*	50-508 Q	HARRIS, J R	8206220238*	50-424
GUSTAVE, R P	8206280126*	CONTRACT	HALE, C J	8206080300*	QA999	HARRISON, F	8206150238*	50-324
GUSTAVE, R P	8206280136*	CONTRACT	HALE, C J	8206140066*	QA999	HARRISON, J J	8206070705*	50-346
GUTHREAU, L	8206100277	PT21	HALE, C J	8206140070*	QA999	HARSTEAD, G A	8206230186*	50-237
GUTIERREZ, J M	8206040165	50-309 Q	HALE, C J	8206140084*	QA999	HARTER, E B	8206110392*	XPORTL
GUTIERREZ, J M	8206040227	50-309 Q	HALE, C J	8206150300*	QA999	HARTFIELD, R A	8206010643*	50-313
GUTIERREZ, J M	8206170142	50-461 T	HALE, C J	8206210320*	50-498 Q	HARTLEY, J N	8206020248	REB
HAAS, P H	8206090122	NUREG	HALE, C J	8206280468*	QA999	HARTMAN, C J	8206010181	50-155
HAASS, W P	8206230134*	FOIA	HALE, C J	8206280542*	QA999	HARTMAN, D	8206160447	40-8743
HAASS, W P	7910030713*	FOIA	HALE, C J	8206280563*	QA999	HARTZMAN, M	8206140398	REB
HAASS, W P	8004020854*	FOIA	HALL, B L	8206070385*	50-269 Q	HARTZMAN, R M	8206040082	50-247
HAASS, W P	8005220800*	FOIA	HALL, B L	8206230313*	50-280 Q	HARTZMAN, R M	8206040082	50-247
HAASS, W P	8006230819*	50-327 A	HALL, R E	8206010401	50-313 S	HARTZMAN, R M	8206140103	50-247
HAASS, W P	8006250593*	50-327	HALL, R E	8206080310	50-368 S	HARTZMAN, R M	8206140103	50-247
HAASS, W P	8103270322*	50-289 P	HALL, R E	8206100038	NUREG	HARTZMAN, R M	8206170267	50-247
HAASS, W P	8201300092*	FOIA	HALL, R E	8206100087	NUREG	HARTZMAN, R M	8206170267	50-247
HAASS, W P	8206010632	TOPREP	HALL, R E	8206100288	50-285 S	HARTZMAN, R M	8206240405	50-247
HAASS, W P	8206010641	TOPREP	HALL, R E	8206210095*	50-313 Q	HARTZMAN, R M	8206240405	50-247
HAASS, W P	8206040420*	50-322 T	HALL, R E	8206210108*	50-298 Q	HARTZMAN, R M	8206280137*	50-247
HAASS, W P	8206180038*	TOPREP	HALL, R E	8206210189*	50-285 Q	HARTZMAN, R M	8206280137*	50-247
HAASS, W P	8206230117*	FOIA	HALL, R E	8206210292*	50-285 Q	HASELTON, T M	8206100048	NUREG
HAASS, W P	8206230122*	FOIA	HALL, R E	8206280190*	50-313 Q	HASSELL, D F	8206040143	50-247
HAASS, W P	8206230141*	FOIA	HALL, W J	8206110236	50-287 P	HASSELL, D F	8206040148*	50-247

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HASSELL, D F	8206040151*	50-247 Q	HILL, W M	8206040371*	50-272 Q	HOOD, D S	8206240002	50-329 A
HASSELL, D F	8206040154*	50-247 Q	HILL, W M	8206210320*	50-498 Q	HOOD, D S	8206240044	50-329 A
HASSELL, D F	8206040160*	50-247 Q	HILL, W M	8206210428*	50-498 Q	HOOD, D S	8206270596	50-329 F
HASSELL, D F	8206070175	50-247 T	HILL, W M	8206290411*	50-272 Q	HOOKER, C	8206100189*	50-285 Q
HASSELL, D F	8206160115*	50-247 Q	HIMES, J E	8206210048*	50-289 Q	HOOKER, C	8206100241*	50-317 Q
HATCH, S W	8206240048	50-318 P	HIND, J A	8203110477*	50-237 F	HOOKER, C D	8206090211	NUREQ
HATTORI, H	8206080497	XPORTLIC	HIND, J A	8206070770	50-331 F	HOOKER, F F	8206240420	50-358 Q
HATTORI, H	8206220109	XPORTLIC	HIND, J A	8206090073*	50-315 F	HOPKINS, J B	8206020550	50-482 A
HATTORI, H	8206300074	XPORTLIC	HIND, J A	8206220221	50-315 Q	HOPKINS, J D	8206250391	50-482 F
HAVERFIELD, A J	8206150051*	CONTRACT	HINDS, J M	8206250219*	50-295 Q	HOPKINS, P C	8206070497*	50-369 Q
HAVERFIELD, A J	8206250043*	CONTRACT	HINES, H H	8206070636	PR	HORIN, W A	8206140026	50-445 Q
HAVERKAMP, D	8206220538*	50-289 Q	HINRICH, G	8206010066*	50-247 S	HORIN, W A	8206140026	50-445 Q
HAWKINS, F C	8206250263*	90-483 Q	HINSON, C S	8206170206*	50-322 T	HORIN, W A	8206170190	50-445 Q
HAWORTH, L J	8206030152*	FOIA	HIPSHER, W M	8206110350	27-39	HORIN, W A	8206170190	50-445 Q
HAYDEL, R W	8206070638*	70-2830	HIPSHER, W M	8206160437	71-6679	HORNOR, J W	8206020401*	50-375 Q
HAYES, D H	8206070328*	50-373 A	HIRSCH, D	8206010270	50-142 Q	HORNOR, J W	8206280386*	50-204 Q
HAYES, D H	8206070346*	50-454 Q	HIRSCH, D	8206010342	50-142 Q	HOUSE, R K	8206100265*	50-255 P
HAYES, D W	8206250219*	50-295 Q	HIRSCH, D	8206010346	50-142 Q	HOWARD, J E	8206150666*	50-293 F
HAYES, F	8206180193*	50-322 T	HIRSCH, D	8206040045	50-142 Q	HOWARD, J E	8206160326	PRM
HAYES, F R	8206230103*	TOPREP	HIRSCH, D	8206170280	50-142 Q	HOWARD, J E	8206210371	50-293 P
HAYES, J J	8206080094*	50-454 Q	HIRSCH, D	8206170287	50-142 Q	HOWE, P W	8206010535	50-324 P
HAYES, M	8206160304	PR	HIRSCH, D	8206170291	50-142 Q	HOWE, P W	8206080209	50-261 P
HAYNES, R C	8206210424	40-8610	HIRSCH, D	8206170297	50-142 Q	HOWE, P W	8206100162	50-324 P
HAYNES, R C	8206220188	50-219 Q	HIRSCH, D	8206240372	50-142 Q	HOWE, P W	8206140185	50-324 P
HAYNES, R C	8206290333	50-272 F	HITCHCOCK, J T	8206250010	NUREQ	HOWE, P W	8206170249	50-324 P
HAZELTON, W S	8206170206*	50-322 T	HLUHAN, R A	8206210149*	50-295 P	HOWE, P W	8206210518	50-324 P
HEAD, G F	8206220356*	50-321 Q	HOCH, J B	8206040363	50-275 R	HOWE, P W	8206250118	50-324 Q
HEADRICK, T S	8206030239	50-321 I	HODGES, M W	8206040420*	50-322 T	HOWE, P W	8206250150	50-324 Q
HECKER, B A	8206030159*	FOIA	HODGES, M W	8206170202*	50-322 T	HOWE, P W	8206290486	50-324 P
HEHL, C	8206170100	50-324 S	HOFFMAN, C C	8206290529	NUREQ	HOWELL, J C	8206010095*	FOIA
HEIDER, L H	8206080353	50-271 P	HOFFMAN, F D	8206240059	NUREQ	HSIEH, D	8206030077*	FOIA
HEIMAN, D	8206290565	XPORTLIC	HOFFMAN, L G	8206230352	NUREQ	HSIEH, D	8206140270	REB
HEINB, Q L	8206220593*	50-329 A	HOFFMAN, R J	8206230157	50-72 P	HUBACEK, W Q	8206210320*	50-498 Q
HEISHMAN, R F	8206070222*	50-373 A	HOFKIN, T	8206080389*	50-29 P	HUBACEK, W Q	8206210428*	50-498 Q
HELFRIED, R E	8206070407	PR	HOGAN, D T	8206090211	NUREQ	HUBBARD, R D	8206140059*	50-275 Q
HELFRIED, R E	8206070548	PRM	HOLDER, Q	8206010161*	50-259 S	HUBBARD, R D	8206140059*	50-275 Q
HELFRIED, R E	8206210476	PR	HOLDER, Q	8206010177*	50-260 S	HUBBARD, R D	8206230083*	50-250 F
HELGESEN, K A	8206030126	70-820	HOLDRIEDGE, D B	8206040218*	50-837 Q	HUBBARD, R D	8206020177*	50-263 F
HELLER, J K	8206220563*	50-237 Q	HOLLAND, P	8206020306*	50-249 S	HUBBARD, R D	8206030227*	50-220 Q
HELLSLEY, P S	8206040094	50-440 Q	HOLLAND, P	8206070723*	50-237 S	HUBBARD, R D	8206290265*	50-220 Q
HEMRY, E	8206230063*	XPORTLIC	HOLLAND, P	8206140146*	50-249 S	HUBSPETH, J B	8206020204*	50-348 F
HEMRY, E O	8206160098	XPORTLIC	HOLLEY, W L	8206010373*	50-313 Q	HUBSPETH, J B	8206240427*	50-348 F
HENCH, J E	8206020139*	FOIA	HOLMBERG, R L	8206090131	PR	HUYETER, L J	8206210523*	50-282 Q
HEWDEE, W R	8206070182	REGOD	HOLT, J	8206010272	50-247 Q	HUFFMAN, Q N	8206220075*	50-324 Q
HEWDEE, W R	8206070186*	REGOD	HOLT, J	8206090152	50-247 Q	HUFFMAN, Q N	8206220480*	50-375 Q
HENDRIE, J M	7903140406*	FOIA	HOLT, J	8206110064*	50-247 Q	HUKILL, H D	8206010391	50-289 F
HENNIOAN, J M	8206100050	NUREQ	HOLT, J	8206240263	50-247 Q	HUKILL, H D	8206010463	50-289 F
HENRY, B	8206040100	XPORTLIC	HOLYOAK, R H	8206020138*	50-373 F	HUKILL, H D	8206040172	50-289 P
HENRY, B L	8206040103*	XPORTLIC	HOLYOAK, R H	8206020521	50-373 S	HUKILL, H D	8206070465	50-289 R
HERDT, A R	8206070360*	50-269 Q	HOLYOAK, R H	8206020539	50-373 S	HUKILL, H D	8206080144	50-289 S
HERDT, A R	8206070386*	50-338 Q	HOLYOAK, R H	8206040088	50-373 S	HUKILL, H D	8206080390	50-289 S
HERDT, A R	8206070514*	50-302 Q	HOLYOAK, R H	8206040251	50-373 S	HUKILL, H D	8206150170	50-289 Q
HERDT, A R	8206210029	50-287 S	HOLYOAK, R H	8206070225*	50-373 F	HUKILL, H D	8206150202*	50-289 Q
HERDT, A R	8206220254*	50-424 Q	HOLYOAK, R H	8206070238*	50-373 F	HUKILL, H D	8206160201	50-289 P
HERINO, R F	8206070320	50-315 F	HOLYOAK, R H	8206070722	50-373 S	HUKILL, H D	8206180006	50-289 R
HERINO, R F	8206040214	50-315 P	HOLYOAK, R H	8206070731	50-373 S	HUKILL, H D	8206210069	50-289 P
HERMAN, N	8206040508	FOIA	HOLYOAK, R H	8206070740*	50-373 S	HUKILL, H D	8206210134	50-289 S
HERMAN, R	8206240006	50-329 E	HOLYOAK, R H	8206070764	50-373 S	HULNE, B	8206040218*	50-537 Q
HERMAN, R W	8206210001	50-329 A	HOLYOAK, R H	8206070774	50-373 S	HULNE, B L	8206040205*	50-537 Q
HERMAN, R W	8206250094	50-329 F	HOLYOAK, R H	8206070788	50-373 S	HUM, H R	8206170206*	50-322 T
HERNANDEZ, O	8206080308*	50-352 Q	HOLYOAK, R H	8206170148	50-373 S	HUNNICUTT, D	8206140053*	50-445 Q
HERRICK, R C	8206080389*	50-29 P	HOLYOAK, R H	8206170172	50-373 S	HUNNICUTT, D M	8206010693*	50-498 Q
HERRINGTON, L	8205110121*	50-445 A	HOLYOAK, R H	8206170199	50-373 S	HUNNICUTT, D M	8206210095*	50-313 Q
HERSCH, M M	8206100447	XPORTLIC	HOLYOAK, R H	8206170216	50-373 S	HUNNICUTT, D M	8206210320*	50-498 Q
HERSCH, M M	8206100450*	XPORTLIC	HOLYOAK, R H	8206170242	50-373 S	HUNNICUTT, D M	8206210468*	50-458 Q
HIATT, S L	8206020089	50-369 P	HOLYOAK, R H	8206170266	50-373 S	HUNSTAD, A A	8206100249*	50-306 S
HIATT, S L	8206070115	50-440 Q	HOLYOAK, R H	8206170338	50-373 S	HUNT, D F	8206090135	NUREQ
HIATT, S L	8206070515	50-440 Q	HOLYOAK, R H	8206170345	50-373 S	HUNT, W S	82060403071*	50-348 F
HIATT, S L	8206070565	PRM	HOLYOAK, R H	8206170358	50-373 S	HUNTER, D	8206040351	50-358 S
HIATT, S L	8206180185	50-440 Q	HOLYOAK, R H	8206220172	50-373 S	HUNTER, D	8206080239	50-398 S
HIATT, S L	8206290314	50-440 Q	HOLYOAK, R H	8206220296	50-373 S	HUNTER, D R	8007030473*	50-302 S
HICKEY, J. W.	8206020564*	FOIA	HOLYOAK, R H	8206240397	50-373 S	HUNTER, D R	8204300258*	50-368 S
HICKIN, R A	8206290665*	CONTRACT	HOLYOAK, R H	8206290162	50-373 P	HUNTER, R S	8206020541*	50-319 Q
HICKLING, W C	8206100275	50-537 C	HOLYOAK, R H	8206290246	50-373 S	HUNTER, R S	8206140155	50-315 P
HICKMAN, J B	8206070792*	50-324 Q	HOLYOAK, R H	8206290371	50-373 S	HUNTER, R S	8206150328	50-315 F
HICKS, J C	8206090098	PR	HOLYOAK, R H	8206290417	50-373 S	HUNTER, R S	8206160312	50-315 P
HIESTAND, O S	8206040520	50-201 Q	HOLYOAK, R H	8206290470	50-373 S	HUNTER, R S	8206170300	50-315 F
HIESTAND, O S	8206040520	50-201 Q	HOLYOAK, R H	8206290503	50-373 S	HUNTER, R S	8206180273	50-315 Q
HIESTAND, O S	8206100239	PR	HOLYOAK, R H	8206290525	50-373 S	HUNTER, R S	8206210251	50-315 F
HIESTAND, O S	8206070542*	50-322 Q	HOLYOAK, R H	8206290534	50-373 S	HUNTER, R S	8206290388	50-315 P
HIESTAND, O S	8206070822*	50-322 Q	HOLZMER, H M	8206250263*	50-483 Q	HUNTER, R S	8206290482	50-315 P
HIESTAND, O S	8206220518*	50-322 Q	HOMAN, F J	8206250060	RES	HUNTER, R S	8206290485*	50-315 P
HIESTAND, O S	8206280513*	50-277 P	HOOD, D	8206220627	50-329 A	HURST, P. H.	8206090128	50-155 Q
HIESTAND, O S	8206230326*	CONTRACT	HOOD, D	8206290566	50-329 A	HURST, P. H.	8206090128	50-155 Q
HIESTAND, O S	8206080055*	50-331 S	HOOD, D S	8206080094	50-329 F	HUBAR, I.	8206090192*	50-247 T

PERSONAL AUTHOR INDEX

49

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HUSEBY, D E	8206220194*	50-317 S	JENKINS, G R	8206070831*	50-348 Q	JORDAN, E L	82060402058*	50-346
HUSEBY, D E	8206220573*	50-318 S	JENKINS, G R	8206220075*	50-324 Q	JORDAN, E L	8204210378	50-3
HUTKO, K	8206030218*	50-219 S	JENKINS, G R	8206220480*	50-395 Q	JORDAN, E L	8204210383	50-3
HUTTON, P H	8206140261	RES	JENKINS, G R	8206220499*	50-416 Q	JORDAN, E L	8204210384	50-3
IDEN, C	8206170363*	50-265 S	JENNINGS, D W	8206110013*	CONTRACT	JORDAN, E L	8204210385	50-3
IDAR, E S	8206100062	NUREG	JENNINGS, R	8206080406*	50-317 S	JORDAN, M J	8206070795*	50-10
IGNATONIS, A J	8206040106	50-259 S	JENSEN, R J	8206220005	NUREG	JORDAN, W S	8206010262	50-498
IGNATONIS, A J	8206210029	50-287 S	JENSEN, W	8202160018*	FOIA	JORDAN, W S	8206010262	50-498
IGNABINETTE, W N	8206250284	PR	JENSEN, W L	8206080275*	50-434 Q	JORDAN, W S	8206040137	50-247
INGRAM, F	8009040013*	FOIA	JOHANSEN, F	8206230016	50-344 J	JORDAN, W S	8206040137	50-247
IPPELITO, T A	8110190120*	FOIA	JOHNS, B	8206070641	PRM	JORDAN, W S	8206040273	50-498
IPPELITO, T A	8206290603	MISC	JOHNSON, A D	7911190288*	50-361 A	JORDAN, W S	8206040273	50-498
IRBY, B J	8206010289*	50-239 S	JOHNSON, A D	8206090033*	FOIA	JORDAN, W S	8206040275*	50-498
IRBY, B J	8206010450*	50-276 S	JOHNSON, B D	8206040241	50-235 P	JORDAN, W S	8206040275*	50-498
IRBY, B J	8206010319*	50-239 S	JOHNSON, B D	8206090424*	50-235 G	JORDAN, W S	8206070086	50-259
IRBY, B J	8206010555*	50-274 S	JOHNSON, B D	8206100223	50-253 S	JORDAN, W S	8206070086	50-259
IRBY, B J	8206010582*	50-259 S	JOHNSON, B D	8206100282	50-255 S	JORDAN, W S	8206070319	50-289
IRBY, B J	8206110242*	50-260 S	JOHNSON, B D	8206190145	50-235 P	JORDAN, W S	8206070519	50-289
IRBY, B J	8206210373*	50-259 S	JOHNSON, B D	8206190223	50-255 F	JORDAN, W S	8206170089	50-498
IRBY, B J	8206300140*	50-259 S	JOHNSON, B D	8206160367	50-255 P	JORDAN, W S	8206240248	50-443
IRBY, B J	8206300225*	50-274 S	JOHNSON, B D	8206220295	50-255 S	JORDAN, W S	8206240248	50-443
IRBY, B J	8206300232*	50-274 S	JOHNSON, B W	8206280407	50-244 P	JORDAN, W S	8206240252*	50-443
IRWIN, D P	8206140100	50-322 Q	JOHNSON, C	8206230041*	FOIA	JORDAN, W S	8206240252*	50-443
IRWIN, D P	8206140100	50-322 Q	JOHNSON, C	8206280388*	FOIA	JORDAN, W S	8206240258*	50-443
IRWIN, D P	8206240218	50-322 Q	JOHNSON, C	8206140033*	50-445 Q	JORDAN, W S	8206240258*	50-443
IRWIN, D P	8206240218	50-322 Q	JOHNSON, G E	8206170119	50-413 Q	JORDAN, W S	8206240376	50-445
IRWIN, D P	8206240371	50-322 Q	JOHNSON, G E	8206170251	50-413 Q	JORDAN, W S	8206240376	50-445
IRWIN, D P	8206240371	50-322 Q	JOHNSON, G E	8206170263	50-413 Q	JORDAN, W S	8206240377*	50-445
ISAACS, T H	8206240176	50-537 Q	JOHNSON, G E	8206240068	50-413 Q	JORDAN, W S	8206240377*	50-445
ISAAC, T H	8206240244	50-537 Q	JOHNSON, H J	8206240467*	CONTRACT	JORDAN, W S	8206240380*	50-445
ISABELL-SIROTKIN	8206280309	50-320 P	JOHNSON, M N	8206090211	NUREG	JORDAN, W S	8206240380*	50-445
ISBIN, H S	8206230227	50-244 P	JOHNSON, P H	8206070389	PR	JORDAN, W S	8206240383*	50-445
JACK, H A	8206140352*	50-201 Q	JOHNSON, P H	8206080394*	50-344 Q	JORDAN, W S	8206240383*	50-445
JACK, H A	8206150033*	50-201 Q	JOHNSON, P H	8206150363*	50-344 Q	JORDAN, W S	8206240386*	50-445
JACK, H A	8206230167	50-201 Q	JOHNSON, P H	8206160163	50-247 Q	JORDAN, W S	8206240386*	50-445
JACKIH, I N	8206100135*	50-454 Q	JOHNSON, R	8206290473*	50-373 S	JORDAN, W S	8206280182	50-445
JACKIH, I N	8206290318*	50-373 Q	JOHNSON, R A	8206110093*	CONTRACT	JORDAN, W S	8206280182	50-445
JACKSON, E W	8206020448	50-271 P	JOHNSON, R A	8206080307*	50-454 Q	JORDAN, W S	8206280233	50-445
JACKSON, E W	8206100127	50-271 P	JOHNSON, R G	8206020494	50-263 J	JORDAN, W S	8206280233	50-445
JACKSON, E W	8206140024	50-271 P	JOHNSON, T L	8206080023	40-299	JORGENSEN, B L	8206020029*	50-255
JACKSON, E W	8206140094	50-271 P	JOHNSON, T L	8206090238	40-8745	JOYNER, J	8206100056	50-247
JACKSON, E W	8206190151	50-271 R	JOHNSON, W D	8206080310	50-368 S	JOYNER, J	8206150013	50-233
JACKSON, E W	8206210283	50-271 F	JOHNSON, W P	8206070393*	50-443 Q	JULIAN, C	8206070767*	50-324
JACKSON, E W	8206220317*	50-271 Q	JOHNSON, W P	8206300183	50-29 P	JULIAN, C	8206220508*	50-324
JACKSON, E W	8206290183	50-271 F	JOHNSON, W S	8206280190*	50-313 Q	JULIAN, C	8206220578*	50-111
JACKSON, K C	8206280037	WASTE MGT	JOHNSON, J H	8206210419	50-352 Q	JULIAN, C A	8206040247	50-338
JACKSON, P Q.	8206110364*	WASTE MGT	JOHNSTON, E B	8206180348	50-361 Q	JULIAN, C A	8206170170	50-338
JACOBS, A	8206080436	CONTRACT	JOHNSTON, G	8206020865*	50-528 Q	JURGENSEN, R. W	8206300336	PR
JACOBS, A	8206110090	CONTRACT	JOHNSTON, G	8206220371*	50-528 Q	JURKOWSKI, R. S	8206240350*	50-247
JACOBS, A	8206180005	50-201 P	JOHNSTON, P H	8206150272*	50-528 Q	KAAGAN, L	8206280094*	50-247
JACOBS, A	8206230302	CONTRACT	JOLLEY, R. L	8206100165*	50-537 A	KAAGAN, L	8206280094*	50-247
JACOBS, A	8206240100	CONTRACT	JONES, B. W.	8206040109	50-275 Q	KAAGAN, L	8206280094*	50-247
JACOBS, A	8206280017	CONTRACT	JONES, B. W.	8206250049	50-275 Q	KAAGAN, L	8206280094*	50-247
JACOBS, A	8206280108	CONTRACT	JONES, D. W.	8206040176*	70-27	KAAGAN, L	8206280094*	50-247
JACOBS, A	8206280131	CONTRACT	JONES, D. W.	8206230167*	70-1113	KAEFER, W B	8206010656*	50-275
JACOBS, A	8206290631	CONTRACT	JONES, O T	8206010319	50-259 R	KAEPPLER, F.	8206170174*	50-265
JACOBS, I M	8206280279*	FOIA	JONES, O T	8206010326*	50-259 R	KAHAN, J.	8206280115*	50-247
JACOBSON, R L	8206220158	40-8610	JONES, P M	8206070711	PRM	KAHAN, J.	8206280115*	50-247
JACOBSON, R L	8206220158	40-8610	JONES, R L	820610184*	CONTRACT	KAHAN, J.	8206280115*	50-247
JACQUES, P H	8206100159*	50-316 S	JONES, R Z	8206080027	40-4659	KAHAN, J.	8206280115*	50-247
JAFFE, D H	8206170233*	50-316 S	JONES, S Z	8206080033	40-8102	KAHAN, J.	8206280115*	50-247
JAFFE, D H	8206020582	50-317 P	JONES, S Z	8206090237	40-8102	KAHLE, J B	8206280421*	70-143
JAFFE, D H	8206080168	50-317 P	JONES, V H	8206040403*	50-280 R	KAHLE, J B.	8206070404*	70-143
JAFFE, D H	8206210004	50-317 P	JONES, V H.	8206010406*	50-280 R	KALIVIANAKIS, N	8206020596	71-9096
JAFFE, D H	8206290583	50-317 P	JONES, V H	8206010409*	50-280 R	KALIVIANAKIS, N	8206030335	71-6601
JAFFE, D H.	8206290589	50-317 P	JONES, W B	8206300433*	COMMUNICATION	KALIVIANAKIS, N	8206070887	50-254
JAFFE, F	8206070610	PR	JONES, W C	8206010538	50-285 P	KALIVIANAKIS, N	8206170165	50-265
JAFFER, J	8206180200	NUREG	JONES, W C	8206010645	50-285 H	KALIVIANAKIS, N	8206170185	50-254
JAKEL, E E	8206280102*	FOIA	JONES, W C	8206020349	50-285 P	KALIVIANAKIS, N	8206170192	50-254
JAKUBAITIS, T C	8206020346*	50-304 S	JONES, W C	8206020369	50-285 S	KALIVIANAKIS, N	8206170355	50-265
JAKUBAITIS, T C.	8206020356*	50-295 S	JONES, W C.	8206020523	50-285 P	KALIVIANAKIS, N	8206210350	50-265
JAKUBAITIS, T C	8206020560*	50-295 S	JONES, W C.	8206070080	50-285 P	KALIVIANAKIS, N.	8206240378	50-254
JANG, J. C	8206090498*	50-213 Q	JONES, W C	8206070317	50-285 P	KALMAN, K L	8206070231	40-8380
JANUSKA, A. Q	8206220232*	50-315 Q	JONES, W C	8206070431	50-285 S	KALMAN, K L	8206140383	40-8697
JAPE, F	8206070849*	50-369 Q	JONES, W C	8206070616	50-285 P	KALMAN, K L	8206180333*	40-8697
JAPE, F	8206220446*	50-321 Q	JONES, W C.	8206080237	50-285 P	KALMAN, K L	8206040382	50-443
JAROSZ, M J	8206140337	REGGD	JONES, W C	8206100105	50-285 S	KALUSKAR, A. Q.	8206300322	REGGD
JARRITT, R D	8206070191	REGGD	JONES, W C	8206100120	50-285 S	KAMENAR, P. D.	8206090024*	FOIA
JAUDON, J P	8206110252	50-285 S	JONES, W C	8206100276*	50-285 P	KAMINIKI, M.	8206240362*	50-247
JAUDON, J P	8206210108*	50-298 Q	JONES, W C	8206160198	50-285 P	KAMMER, D. S.	8206030121	50-327
JAUDON, J. P.	8206210292*	50-285 Q	JONES, W C.	8206160288	50-285 P	KAMMER, D. S.	8206080243	50-438
JENKINS, G R	8206070583*	50-324 Q	JONES, W C.	8206220283	50-285 P	KAMMER, D. S.	8206090008	50-260
JENKINS, G R	8206070645*	50-269 Q	JONES, W C	8206240289	50-285 P	KAMMER, D. S.	8206140169	50-239
JENKINS, G R	8206070749*	50-261 Q	JONES, W C.	8206290172	50-285 S	KAMMER, D. S.	8206290281	50-327
JENKINS, G R	8206070792*	50-324 Q	JONES, W C	8206290456	50-285 P			

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
KAMMERER, C	8103310094*	FOIA	KEPPLER, J O	8206040284*	50-295 P	KNIESER, Q W	8206020497*	0A999
KAMMERER, C	8206010295*	FOIA	KEPPLER, J O	8206070679	50-461 C	KNIGHTON, Q W	8201190627*	FOIA
KAMMERER, C	8206010301*	FOIA	KEPPLER, J O	8206070686*	50-461 C	KNOB, R	8206290288	50-373 S
KAMMERER, C	8206020362	REOD	KEPPLER, J O	8206070733	50-263 G	KNOSPEL, P	8206170186*	50-254 S
KANE, W F	8206020272	50-395 A	KEPPLER, J O	8206080056	50-331 P	KNOLL, P	8206080024*	50-373 F
KANE, W F	8206020354	TOPREP	KEPPLER, J O	8206150161	50-373 Q	KNOP, R	8206170342	50-155 S
KANE, W F	8206110329	50-395 A	KEPPLER, J O	8206150350	50-461 Q	KNOP, R	8206290161	50-461 S
KANE, W F	8206160093	50-395 A	KEPPLER, J O	8206220440	50-266 Q	KNOP, R	8206290356	50-461 S
KANTOR, F	8206240375*	50-245 Q	KEPPLER, J O	8206240433	50-373 P	KNOP, R C	8206020025	50-255 Q
KARMAN, H	8206040225	50-482 Q	KEPPLER, J O	8206250134	50-341 Q	KNOP, R C	8206020531	50-153 Q
KARMAN, M	8206250035	50-400 Q	KEPPLER, J O	8206250141	50-358 P	KNOP, R C	8206220563*	50-237 Q
KARMAN, M	8206230044	50-400 Q	KEPPLER, J O	8206250193	50-329 A	KNUBEL, J	8206240276	50-219 P
KARMAN, M	8206300049	50-482 D	KEPPLER, J O	8206280394	50-409 Q	KNUTH, D F	8206070416	PR
KARP, J	8206100439	WASTE MGT	KEPPLER, J O	8206290123	50-409 H	KOCEK, J	8206170225*	50-373 S
KATHIREGAN, K	8206100022	NUREG	KEPPLER, J O	8206290372	50-295 P	KOCH, L J	8206040119*	50-461 Q
KAUCHER, J E	8202080429*	50-336 P	KEPPLER, J O	8206290407	50-295 Q	KOCH, L J	8206040344	50-461 X
KAY, D	8206220183*	50-373 S	KERLIN, T W	8206090122	NUREG	KOCIG, B	8206290379*	50-461 S
KAY, D	8206220301*	50-373 S	KERR, Q	8206140238	State Prog	KODNER, J L	8206070203	50-373 A
KAY, D L	8206070746*	50-373 S	KERR, Q W	8206070227	State Prog	KODNER, J L	8206070565	PRM
KAY, D L	8206290510*	50-373 S	KERR, Q W	8206110009	NUREG	KODNER, J L	8206210246	50-461 Q
KAY, J	8206080372	50-29 F	KERRIGAN, J E	8206030318	40-8355	KOESTER, Q L	8206010631	50-482 Q
KAY, J A	8206080379*	50-29 F	KERRIGAN, J E	8206030322*	40-8355	KOESTER, Q L	8206020333	50-482 Q
KAY, J A	8206170343	50-29 P	KESSLER, J	8206040080	50-247 Q	KOESTER, Q L	8206040093	PR
KAY, J A	8206180191	50-29 P	KESSLER, J	8206170167	50-247 Q	KOESTER, Q L	8206070094	50-482 E
KAY, J A	8206220382*	50-29 P	KESSLER, J	8206300215	50-247 Q	KOESTER, Q L	8206070677	50-482 S
KAY, J A	8206240156	50-29 P	KESTENBAUM, L	8206030156*	FOIA	KOESTER, Q L	8206150446	50-482 S
KAY, J A	8206240357	50-29 P	KETZLACH, N	8206280093*	70-27	KOESTER, Q L	8206290370	50-482 S
KAY, J A	8206250128	50-29 P	KEVERN, T A	8206070645*	50-269 Q	KOH, B	8206100441	WASTE MGT
KAY, J A	8206250211	50-29 P	KEVERN, T A	8206070792*	50-324 Q	KOHRS, R H	8206240073*	50-341 A
KAY, J A	8206250233	50-29 P	KEY, K J	8206180340	NUREG	KOLB, Q D	8206240048	50-310 P
KAY, J A	8206250242	50-29 Q	KEY, W J	8206250263*	50-483 Q	KOLBE, R	8206110004	NUREG
KAY, J A	8206250291	50-29 P	KEL, O R	8206020317	XPORTLIC	KOLLIE, T Q	8206230031	NUREG
KAY, J A	8206280270	50-29 P	KEL, O R	8206030316	XPORTLIC	KONKIN, J E	8206070705*	50-546 Q
KAZA, R N	8206160247*	50-387 E	KIMBRELL, M J	8206080212*	50-333 Q	KONKIN, J E	8206170095*	50-440 Q
KAZA, R N	8206160352*	50-387 E	KIMBRELL, M J	8206080216*	50-333 Q	KONKIN, J E	8206170121*	50-341 Q
KAZA, R N	8206160257*	50-387 E	KINCHELOE, L	8206270901*	FOIA	KONKIN, J E	8206170200*	50-335 Q
KEENE, D Q	8206040100	XPORTLIC	KINGSLEY, O D	8206070097	TOPREP	KONKIN, J E	8206250263*	50-483 Q
KEENE, D Q	8206040103*	XPORTLIC	KINGSLEY, O D	8206290139	50-348 P	KORNEGAY, F C	8206220101	NUREG
KEENE, D Q	8206240407	XPORTLIC	KINNEMAN, J D	8206210915	1&E	KOSCHIK, M Q	8206170305	50-155 S
KEEVER, R E	8206220146*	50-254 Q	KINNEMAN, J D	8206020280*	FOIA	KOSLA, B	8206150464	70-600
KEHNEMUYI, M	8206280211*	FOIA	KINNEMAN, J D	8206020340*	FOIA	KOSLA, B M	8206080196*	70-1357
KEHNEMUYI, M	8206280565*	FOIA	KINNEMAN, J D	8206020555*	FOIA	KOSLA, B M	8206290562*	40-8406
KEHNEMUYI, M	8206280600*	FOIA	KINNEMAN, J D	8206030105*	70-356	KOTTAN, J J	8206090069*	50-245 Q
KELLER, J H	8206090192*	50-247 T	KINNEMAN, J D	8206070671*	40-86	KOVACK, T J	8206020188*	50-254 F
KELLER, J H	8206230352	NUREG	KINNEMAN, J D	8206150203	40-86	KOVACS, B	8206160327	PR
KELLEY, D L	8206080111*	50-445 Q	KINNEY, W	8206100241*	50-317 Q	KRAUSE, D F	8206170288*	50-315 S
KELLEY, D L	8206250173*	50-445 Q	KINNEY, W H	8206240394*	50-219 Q	KREPS, J J	8206180193*	50-322 T
KELLEY, J	82063300267	50-400 Q	KINTNER, L L	8206020846	50-341 A	KRESS, T S	8206020299	RES
KELLEY, J L	8206040013	50-361 Q	KINTNER, L L	8206110177	50-341 E	KRESS, T S	8206250060	RES
KELLEY, J L	8206070140	50-413 Q	KINTNER, L L	8206110394	50-341 A	KRIEGER, R W	8206020361	50-206 P
KELLEY, J L	8206090023	50-400 Q	KIRER, K L	8206160020	50-454 A	KRIEGER, R W	8206170074	50-206 P
KELLEY, J L	8206180348	50-361 Q	KIRK, Q B	8206010395*	50-328 F	KRIMM, R W	8206140060	50-373 F
KELLEY, R H	8206290262	50-249 P	KIRK, Q B	8206010420*	50-328 S	KRIMM, R W	8206180129	50-259 F
KELLY, J A F	8206220170	50-382 F	KIRK, Q B	8206010504*	50-327 S	KRIMM, R W	8206180172	ORO
KELLY, J J	8206110240*	50-287 P	KIRK, Q B	8206070449*	50-328 S	KRIMM, R W	8206180183	50-358 F
KELLY, J J	8206110247*	50-287 P	KIRK, Q B	8206110215*	50-328 S	KRIMM, R W	8206180242	50-313 F
KELLY, M J	8206240470	RES	KIRK, Q B	8206240144*	50-328 S	KRIMM, R W	8206180266	50-373 F
KELLY, M J	8206290308	50-322 Q	KIRKMAN, R W	8206030203*	FOIA	KRIMM, R W	8206180271	50-220 F
KELLY, R B	8206010322*	50-322 Q	KIRKWOOD, R	8206040420*	50-322 T	KRIMM, R W	8206180275	50-327 F
KEMPER, J S	8206030155*	50-352 Q	KIRNER, N P	8206140357	27-48	KRIMM, R W	8206180285	50-409 F
KEMPER, J S	8206030281*	50-352 Q	KIRSCH, D	8206220132	50-361 S	KRIMM, R W	8206180287	50-282 F
KEMPER, J S	8206040322*	50-352 Q	KIRSCH, D F	8206020557*	50-113 Q	KRIMM, R W	8206180290	50-244 F
KEMPER, J S	8206100167*	50-352 Q	KISNER, R A	8206100067	NUREG	KRIMM, R W	8206180297	50-10 F
KEMPER, J S	8206150172*	50-352 Q	KISS, E	8206100183*	50-277 P	KROEGER, P Q	8206140368	RES
KEMPER, J S	8206220228	50-352 A	KISTER, H B	8206030227*	50-220 Q	KROHMER, J S	8206070175	REOD
KENDALL, R	8206170164*	50-461 T	KISTER, H B	8206040187*	50-410 Q	KRONZEK, A L	8206010005	FOIA
KENNEDY, Q P	8206100243*	0A999	KISTER, H B	8206040268*	50-244 Q	KUCHARSKI, S D	8206100265*	50-255 P
KENNEDY, J E	8206080283*	50-454 Q	KISTER, H B	8206290265*	50-220 Q	KUCK, I Z	8206090125	NUREG
KENNEDY, W Q	8206080280*	50-454 Q	KISTER, H B	8206290401*	50-410 Q	KUEHN, N H	8206090132	NUREG
KENNEDY, W Q	8206240035	TOPREP	KISTER, H B	8206290467*	50-333 Q	KUNHIRO, D M	8206220223*	50-361 Q
KENNY, P	8206280024*	50-293 Q	KLAFFKY, R W	8206030059*	FOIA	KURTZ, R J	8206140261	RES
KENNY, P J	8206280015	50-293 Q	KLAFFKY, R W	8206030066*	FOIA	KUBEK, L	8206100131*	50-285 S
KENNY, P J	8206280016*	50-293 Q	KLEINSORGE, W P	8206220254*	50-424 Q	KUSHNER, W L	8206080301*	70-371
KENNY, P J	8206280018*	50-293 Q	KLINDT, K K	8206290509	NUREG	KUSHNER, W L	8206080317*	50-322 Q
KENNY, P J	8206280020*	50-293 Q	KLINER, C	8206240404	50-440 Q	KUZMYCZ, Q	8206290577	50-267 P
KENNY, T J	8206250244*	50-286 Q	KLINE, J R	8206040023	50-255 Q	L'HEUREUX, R W	8206280058*	50-317 S
KENDYER, J L	8206150053*	FOIA	KLINE, J R	8206170079	50-275 Q	LACEY, W S	8205100228*	50-334 S
KENT, Q J	8206010593*	50-344 R	KLINGLER, Q R	8206280287*	FOIA	LACEY, W S	8206080358*	50-334 S
KENT, L A	8206090113	NUREG	KLOPP, Q	8206140128*	50-454 Q	LACEY, W S	8206230111*	50-334 S
KENYON, B D	8206210579*	50-387 Q	KLOPP, Q	8206140160*	50-454 Q	LACEY, W S	8206230229*	50-334 S
KENYON, T J	8206160090	50-390 A	KNAPP, P J	8206030203*	FOIA	LACEY, W S	8206280257*	50-334 S
KENYON, T J	8206290461	50-390 A	KNAPP, P J	8206150267*	50-277 Q	LACEY, W S	8206280334*	50-334 S
KEPPLER, J O	8206020379	50-266 Q	KNIEL, K	8206110020*	GEN TEC IS	LACKER, D K	8206160456	WASTE MGT
KEPPLER, J O	8206020402	50-295 P	KNIEL, K	8206230168*	FOIA	LAFLEUR, J D	8202120314*	50-428 P
KEPPLER, J O	8206040280	50-255 P	KNIESER, Q W	8206020489*	0A999	LAFLEUR, J D	8206040526*	50-465 P

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LAHEY, R T	8206230027	NUREG	LEASBURN, R H	8206140035	50-338 P	LEVY, P W	8206030059*	FOIA
LAHTI, Q P	8206140140*	50-454 Q	LEASBURN, R H	8206130154	50-338 P	LEVY, P W	8206030066*	FOIA
LAHTI, Q P	8206140140*	50-454 Q	LEASBURN, R H	8206160306	50-280 Q	LEVY, P W	8206030081*	FOIA
LAINAS, Q C	8206100275*	50-250 P	LEASBURN, R H	8206170311	50-339 P	LEWIS, H W	8201200516*	NOCR
LAINAS, Q C	8206230231*	FOIA	LEASBURN, R H	8206170331	50-280 P	LEWIS, M I	8206070334	NUREG
LAINAS, Q C	8206240231	50-244 P	LEASBURN, R H	8206210106	50-280 P	LEWIS, M I	8206170203	50-352
LAKASTRA, M A	8206170152*	50-461 T	LEASBURN, R H	8206220391	50-338 Q	LEWIS, M I	8206300332*	REVIEW
LAMB	8206070276	PRM	LEASBURN, R H	8206220412	50-280 Q	LEWIS, R C	8206070345	50-348
LAMB	8206070407	PR	LEASBURN, R H	8206240231	50-280 P	LEWIS, R C	8206070352*	50-348
LAMBERT, T G	8206160184*	50-261 Q	LEASBURN, R H	8206240344	50-280 P	LEWIS, R C	8206070406	50-302
LANDAU, M	8206110009	NUREG	LEASBURN, R H	8206290079	50-280 P	LEWIS, R C	8206070472	50-413
LANDRIEU, P R H	8206220411	50-354 R	LEASBURN, R H	8206300174	50-338 P	LEWIS, R C	8206070480*	50-413
LANG, J C	8206090121	REGGD	LEASER, J D	8206280513*	50-277 P	LEWIS, R C	8206070505	50-259
LANGE, R C	8206210474	PR	LEDO, C D	8206030053*	CONTRACT	LEWIS, R C	8206070526*	50-259
LANGE, R C	8206250271	PR	LEDO, C D	8206150061*	CONTRACT	LEWIS, R C	8206070551	50-259
LANGNER, R R	8206280660*	FOIA	LEDO, C D	8206230026*	CONTRACT	LEWIS, R C	8206070713	50-269
LANKFORD, J B	8206040176*	70-27	LEDO, C D	8206240114*	FOIA	LEWIS, R C	8206070719	50-324
LANKFORD, J B	8206040335*	70-1201	LEDO, C D	8206240133*	FOIA	LEWIS, R C	8206070732*	50-269
LANKFORD, J D	8206040374*	70-824	LEDO, C D	8206240141*	FOIA	LEWIS, R C	8206070736*	50-324
LANKFORD, J D	8206250286*	70-1151	LEDO, C D	8206090224*	CONTRACT	LEWIS, R C	8206070817	50-369
LANKSBURY, R	8206290318*	50-373 Q	LEDOUEF	8206070296	PRM	LEWIS, R C	8206070823	50-348
LANKSBURY, R D	8206020458*	50-373 Q	LEDOUEF	8206070407	PR	LEWIS, R C	8206070824	50-416
LANTIER, L C	8206100102	50-322 Q	LECKER, S	8206140115*	50-247 T	LEWIS, R C	8206070837*	50-367
LANTIER, L C	8206100118	50-322 Q	LECKER, S	8206140115*	50-247 T	LEWIS, R C	8206220825	50-324
LANTIER, L C	8206110045	50-322 Q	LEDDICK, R B	8206020388	50-508 S	LEWIS, R C	8206220842*	50-324
LANTIER, L C	8206110045	50-322 Q	LEDDICK, R B	8206080233	50-508 S	LEWIS, R C	8206220842	50-400
LANTIER, L C	8206160084	50-322 Q	LEDDICK, R S	8206110224	50-508 S	LEWIS, R C	8206220843*	50-400
LANTIER, L C	8206170362	50-322 Q	LEDDICK, R S	8206110228*	50-508 S	LEWIS, R C	8206220843*	50-324
LANTZ, E	8206040240*	50-155 T	LEDDICK, R S	8206110228*	50-508 S	LEWIS, R C	8206220843*	50-324
LAROCHE, Q	8206040116*	50-556 Q	LEDDICK, R S	8206210504	50-508 S	LEWIS, R C	8206220843*	50-302
LAROCHE, W H	8206040288	50-259 Q	LEDDICK, R S	8206210511*	50-508 S	LEWIS, R C	8206220843*	50-302
LASUK, S R	8206150236	I&E	LEE, D W	8206100043	NUREG	LEWIS, R C	8206220843*	50-302
LATHAM, B D	8206040279	50-322 T	LEE, J Y	8206170155*	50-461 T	LEWIS, S H	8206080145	50-352
LATHAM, B D	8206040279	50-322 T	LEE, W J	8206290929	NUREG	LEWIS, S H	8206080149	50-352
LATHAM, W K	8206010481	50-312 S	LEFEVRE, H E	8206300275	50-387 A	LEWIS, S H	8206220082	50-367
LATHAM, W K	8206220481	50-312 P	LEHNERT, R A	8206020376*	50-341 A	LEWIS, S H	8206220082	50-440
LATHAM, W K	8206290509	NUREG	LEHR, E L	8206160192	40-2061	LI, C Y	8206110015	NUREG
LAURENSEN, J A	8206040023	50-255 Q	LEIBY	8206070296	PRM	LICHTENBERGER	8206100310	70-1100
LAURENSEN, J A	8206280537	50-255 Q	LEIBY	8206070407	PR	LICITRA, E A	8206210012	50-528
LAURENSEN, J A	8206090052	50-352 Q	LEMBARE, N	8206300322	REGGD	LICITRA, E A	8206210024	50-528
LAURENSEN, J A	8206090052	50-352 Q	LENNON, J J	8206170220*	50-528 Q	LICITRA, E A	8206230350	50-528
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206170220*	50-528 Q	LICITRA, E A	8206230358	50-528
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206010310*	50-220 F	LIDEN, E A	8206020444	50-311
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206030241*	50-220 Q	LIDEN, E A	8206090038	50-311
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206070363	50-220 P	LIDEN, E A	8206230140	50-272
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206110293	50-220 P	LIDEN, E A	8206240143	50-272
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206140074	50-220 R	LIEBERBACH, F J	8206280277*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206140076	50-220 P	LIEBERMAN, E	8103310082*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206210453	50-220 Q	LIEBERMAN, E	8206010158*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206210484	50-220 Q	LIEBERMAN, E	8206010187*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206240022*	50-220 F	LIEBERMAN, E	8206010284*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206070476*	50-327 Q	LIEBERMAN, E	8206120172*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206220462*	50-395 Q	LIEBERMAN, E	8206040003	50-344
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206020377	50-295 Q	LIEBERMAN, E	8206090036	I&E
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206020351	50-295 P	LIEBERMAN, E	8206130094*	50-277
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206070281	50-295 P	LIEBERMAN, E	8206160104	I&E
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206100009	50-295 F	LIEBERMAN, E	8206170061	50-206
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206140009	50-295 P	LIEBERMAN, E	8206170103	I&E
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206210110	50-295 P	LIEBERMAN, E	8206180204	50-312
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206220210	50-454 K	LIEBERMAN, E	8206240310	50-269
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206220236*	50-295 Q	LIEBERMAN, E	8206250078	50-259
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206240203	50-295 Q	LIEBERMAN, E	8206240031	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206240429	50-295 P	LIEBERMAN, E	8206280287*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206210397	50-344 P	LIEBERMAN, E	8206280295*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206100268*	50-255 P	LIEBERMAN, E	8206280347*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206010189*	50-298 R	LIEBERMAN, E	7910220506*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206010264	50-298 R	LIEBERMAN, E	8206230067*	FOIA
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206070132	50-298 S	LIEBERMAN, E	8206100007	NUREG
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206100140	50-298 S	LIEBERMAN, E	8206280142*	50-247
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206210305	50-298 S	LIEBERMAN, E	8206280142*	50-247
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206010305	50-443 Q	LIEBERMAN, E	8206280142*	50-247
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206040215	27-39	LIEBERMAN, E	8206280142*	50-247
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206170113	50-443 D	LIEBERMAN, E	8206010713	50-454
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206100039	NUREG	LIEBERMAN, E	8206230340	NUREG
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206160091	50-537 H	LIEBERMAN, E	8206070712*	50-303
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206010307	50-247 Q	LIEBERMAN, E	8206010213	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206040228	50-247 Q	LIEBERMAN, E	8206010531	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206170160	50-247 Q	LIEBERMAN, E	8206020566	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206170160	50-247 Q	LIEBERMAN, E	8206040312	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206100189*	50-285 Q	LIEBERMAN, E	8206070261	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206020143*	50-313 F	LIEBERMAN, E	8206080357	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206070217*	50-313 F	LIEBERMAN, E	8206100256	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206280364*	FOIA	LIEBERMAN, E	8206110071*	50-409
LAURENSEN, J A	8206090052	50-528 Q	LENNON, J J	8206150340	50-5 P	LIEBERMAN, E	8206150212	50-409

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
LINDER, F	8206150218*	50-409 S	LONG, F J	8206220490	50-416 Q	LUTZ, R I	8206080298*	50-460 A
LINDER, F	8206150252	50-409 F	LONG, F J	8206220525	50-261 Q	LYONS, J E	8206040418	50-244 P
LINDER, F	8206150280	50-409 S	LONG, F J	8206220540*	50-261 Q	LYONS, J E	8206080163	50-244 P
LINDER, F	8206150284	50-409 P	LONG, F J	8206220547	50-111 Q	LYONS, J E	8206280424	50-244 P
LINDER, F	8206150287	50-409 P	LONG, F J	8206220559*	50-111 Q	MACDONALD, C E	8206010017	71-6574
LINDER, F	8206150321	50-409 P	LONG, J D	8206170048	NUREG	MACDONALD, C E	8206010019*	71-6574
LINDER, F	8206170138	50-409 S	LONGENECKER, J	8206010456	50-537 B	MACDONALD, C E	8206010115	71-9070
LINDER, F	8206210114	50-409 F	LONGENECKER, J	8206020442	50-537 A	MACDONALD, C E	8206010686	71-6717
LINDER, F	8206220285	50-409 S	LONGENECKER, J	8206070201	50-537 C	MACDONALD, C E	8206010690	71-9096
LINDER, F	8206230038	50-409 P	LONGENECKER, J	8206080034	50-537 A	MACDONALD, C E	8206010692	71-4986
LINDER, F	8206240065*	50-409 F	LONGENECKER, J	8206080038	50-537 A	MACDONALD, C E	8206020001	71-9132
LINDER, F	8206240190	50-409 S	LONGENECKER, J	8206080129	50-537 A	MACDONALD, C E	8206070176	71-6601
LINDER, F	8206240192	50-409 Q	LONGENECKER, J	8206080139	50-537 B	MACDONALD, C E	8206080171	71-5608
LINDER, F	8206240328	50-409 S	LONGENECKER, J	8206080225	50-537 A	MACDONALD, C E	8206080374	71-5760
LINDER, F	8206280444	50-409 P	LONGENECKER, J	8206080259	50-537 C	MACDONALD, C E	8206080409	71-9079
LINDER, F	8206290342	50-409 S	LONGENECKER, J	8206080292	50-537 A	MACDONALD, C E	8206080413	71-9160
LINEHAN, J J	8206070231	40-8380	LONGENECKER, J	8206080410	50-537 A	MACDONALD, C E	8206080414	71-9161
LINEHAN, J J	8206090259	40-8793	LONGENECKER, J	8206100156	50-537 A	MACDONALD, C E	8206080417	50-243 P
LINEHAN, J J	8206100413	40-8502	LONGENECKER, J	8206150225	50-537 A	MACDONALD, C E	8206080428	71-9931
LINEHAN, J J	8206140383	40-8697	LONGENECKER, J	8206150239	50-537 C	MACDONALD, C E	8206090200	71-6003
LINEHAN, J J	8206140392	40-8511	LONGENECKER, J	8206150240	50-537 A	MACDONALD, C E	8206090203*	71-6003
LINEHAN, J J	8206150174	40-8502	LONGENECKER, J	8206150243	50-537 A	MACDONALD, C E	8206090219	71-9152
LINEHAN, J J	8206180333*	40-8697	LONGENECKER, J	8206150322	50-537 A	MACDONALD, C E	8206090223*	71-9152
LINEHAN, J J	8206210040	40-8786	LONGENECKER, J	8206170239	50-537 A	MACDONALD, C E	8206090253	71-9070
LINEHAN, J J	8206220055	40-8200	LONGENECKER, J	8206210319	50-537 A	MACDONALD, C E	8206090255*	71-9070
LINEBERGER, G	8206070152	50-466 Q	LONGENECKER, J	8206210341	50-537 A	MACDONALD, C E	8206110401	71-6717
LING, J	8206160268	PR	LONGENECKER, J	8206210363	50-537 A	MACDONALD, C E	8206110402	71-9096
LINK, D H	8206010200*	FOIA	LONGENECKER, J	8206240270	50-537 A	MACDONALD, C E	8206110404	71-6717
LINTON, G W	8206100228	PR	LONGENECKER, J	8206240363	50-537 A	MACDONALD, C E	8206110405	71-5461
LINTON, G W	8206300300	REG00	LONGENECKER, J	8206280439	50-537 A	MACDONALD, C E	8206110406	71-9070
LINVILLE, J C	8206290467*	50-333 Q	LONGENECKER, J	8206280545	50-537 A	MACDONALD, C E	8206110407*	71-5161
LIPPE, L	8206090225*	FOIA	LONGENECKER, J	8206290217	50-537 A	MACDONALD, C E	8206110408	71-474
LIPPE, L	8206090226*	FOIA	LONGENECKER, J	8206290320	50-537 A	MACDONALD, C E	8206110409	71-5805
LITERSKI, L A	8206300125*	50-10 F	LONGENECKER, J	8206290366	50-537 A	MACDONALD, C E	8206110410*	71-474
LITTLE, B H	8206170121*	50-341 G	LONGENECKER, J	8206290395	50-537 A	MACDONALD, C E	8206110411	71-475
LITTLE, J A	8206070323	PRM	LORENZ, H R	8206030252*	FOIA	MACDONALD, C E	8206110412*	71-475
LITTLE, M	8206030090	CONTRACT	LORETAN, P A	8206010738	71-475	MACDONALD, C E	8206160197	71-9070
LITTLE, M	8206070207	CONTRACT	LOTITO, E	8206210356*	50-317 R	MACDONALD, C E	8206220083	71-9081
LITTLE, M	8206070215	CONTRACT	LOTITO, E	8206210362*	50-317 R	MACDONALD, C E	8206220084	71-4909
LITTLE, M	8206080432	CONTRACT	LOTITO, E M	8206010437	50-317 R	MACDONALD, C E	8206220011	71-210
LITTLE, M	8206290386	CONTRACT	LOTITO, E M	8206010443*	50-317 R	MACDONALD, C E	8206220398	71-9165
LITTLE, W S	8206020035	50-346 Q	LOTITO, E M	8206210543	50-317 R	MACDONALD, C E	8206220089*	71-6722
LITTLE, W S	8206100133	50-454 Q	LOTTIS, A L	8206250060	RES	MACDONALD, C E	8206230092	71-9135
LITTLE, W S	8206100193	50-454 Q	LOUDERBACK, T E	8206020219*	40-8200	MACDONALD, C E	8206230095	71-473
LITTLE, W S	8206210589	50-373 Q	LOUDERBACK, T E	8206220046	40-8714	MACDONALD, C E	8206230102	71-9070
LITTLE, W S	8206240287	50-341 Q	LOHNESTEIN, R	8206070017*	PR	MACDONALD, C E	8206230104*	71-473
LITTLE, W S	8206250195	50-254 Q	LOHRIE, R R	8206150245*	50-537 A	MACDONALD, C E	8206230106	71-9111
LITTLE, W S	8206290206	50-346 Q	LUCKAS, W J	8206100038	NUREG	MACDONALD, C E	8206230159	71-6400
LITTLE, W S	8206290207*	50-346 Q	LUCKAS, W J	8206100063	NUREG	MACDONALD, C E	8206230161*	71-6400
LITTLE, W S	8206290303	50-373 Q	LUCKE, E A	8206090069	50-142 Q	MACDONALD, C E	8206240090	71-9056
LITTLE, W S	8206290309*	50-373 Q	LUEDECKE, A R	8206070065*	PR	MACDONALD, C E	8206240108	71-236
LITTLETON, P E	8206100062	NUREG	LUKE, F J	8206100019*	CONTRACT	MACHON, R D	8206010304	50-293 P
LIVEMORE, H H	8206070704*	50-461 Q	LUKE, F J	8206280022*	CONTRACT	MACHON, R D	8206010309*	50-293 P
LIVINGSTON, M S	8206240420	50-398 Q	LUNDVALL, A E	8206020511	50-317 P	MACHON, R D	8206010445	50-293 S
LIVINGSTON, J G	8206080402	50-302 I	LUNDVALL, A E	8206070199	50-317 Q	MACHON, R D	8206010575	50-293 R
LOCHBAUM, D A	8206010431*	50-259 S	LUNDVALL, A E	8206100091	50-317 P	MACHON, R D	8206080215	50-293 S
LOCHSTETTER, H A	8206160181	40-8743	LUNDVALL, A E	8206140058	50-317 F	MACHON, R D	8206080339	50-293 P
LODGE, B	8206010730	FOIA	LUNDVALL, A E	8206140089	50-317 P	MACHON, R D	8206110297	50-293 S
LODGE, T J	8206070545	PRM	LUNDVALL, A E	8206210512	50-317 Q	MACHON, R D	8206170070	50-293 S
LOKKEN, R A	8206030135	70-852	LUNDVALL, A E	8206280205	50-317 Q	MACKENZIE, R C	8206210378	50-423 A
LOMBARDO, J	8206240135*	50-219 P	LUNDVALL, A E	8206290221	50-317 P	MACRAE	8206070296	PRM
LOMBARDO, J J	8206030276	50-219 P	LUNDVALL, A E	8206300020	50-317 P	MACRAE	8206070407	PR
LOMNACOL, L	8206140134*	50-247 T	LUTKEHAUS, T C	8206010109	50-302 S	MADDEN, W	8206150013	50-333 S
LONG, F J	8206040006	50-324 S	LUTKEHAUS, T C	8206010311	50-302 S	MADISON, A L	8206220563*	50-237 Q
LONG, F J	8206070367	50-416 Q	LUTKEHAUS, T C	8206010313	50-302 S	MADSEN, G L	8206010444	50-267 Q
LONG, F J	8206070482	50-327 Q	LUTKEHAUS, T C	8206010327	50-302 S	MADSEN, G L	8206010446*	50-267 Q
LONG, F J	8206070504*	50-302 Q	LUTKEHAUS, T C	8206010340	50-302 S	MADSEN, G L	8206010638	50-302 Q
LONG, F J	8206070569	50-324 Q	LUTKEHAUS, T C	8206010365	50-302 S	MADSEN, G L	8206010687	50-400 Q
LONG, F J	8206070575	50-416 Q	LUTKEHAUS, T C	8206010379	50-302 S	MADSEN, G L	8206020073	50-298 Q
LONG, F J	8206070739	50-261 Q	LUTKEHAUS, T C	8206010389	50-302 S	MADSEN, G L	8206020079	50-445 Q
LONG, F J	8206070777	50-518 Q	LUTKEHAUS, T C	8206010478	50-302 S	MADSEN, G L	8206020084	50-382 Q
LONG, F J	8206070832	50-261 Q	LUTKEHAUS, T C	8206010484	50-302 S	MADSEN, G L	8206020088	50-267 Q
LONG, F J	8206070836*	50-424 Q	LUTKEHAUS, T C	8206010517	50-302 S	MADSEN, G L	8206020293	50-298 Q
LONG, F J	8206180236	50-416 Q	LUTKEHAUS, T C	8206010530	50-302 S	MADSEN, G L	8206020366	50-498 Q
LONG, F J	8206220071	50-324 Q	LUTKEHAUS, T C	8206010587	50-302 S	MADSEN, G L	8206020373	50-458 Q
LONG, F J	8206220073	50-416 Q	LUTKEHAUS, T C	8206010616	50-302 S	MADSEN, G L	8206020477	50-267 S
LONG, F J	8206220078	50-324 Q	LUTKEHAUS, T C	8206010636	50-302 S	MADSEN, G L	8206020520	50-499 Q
LONG, F J	8206220246*	50-424 Q	LUTKEHAUS, T C	8206070500*	50-302 Q	MADSEN, G L	8206020572	50-458 Q
LONG, F J	8206220394	50-416 Q	LUTKEHAUS, T C	8206110253	50-302 S	MADSEN, G L	8206080107	50-445 Q
LONG, F J	8206220409*	50-416 Q	LUTKEHAUS, T C	8206210053	50-302 S	MADSEN, G L	8206080114	50-267 Q
LONG, F J	8206220436	50-416 Q	LUTKEHAUS, T C	8206210519	50-302 S	MADSEN, G L	8206080359	50-382 Q
LONG, F J	8206220466	50-438 Q	LUTKEHAUS, T C	8206220148	50-302 S	MADSEN, G L	8206100124	50-267 S
LONG, F J	8206220467	50-324 Q	LUTKEHAUS, T C	8206220523*	50-302 Q	MADSEN, G L	8206140052	50-445 Q
LONG, F J	8206220482	50-261 Q	LUTKEHAUS, T C	8206300056	50-302 S	MADSEN, G L	8206140130	50-382 Q
LONG, F J	8206220484*	50-438 Q	LUTTGW, R J	8206100024	NUREG	MADSEN, G L	8206210103	50-298 Q

PERSONAL AUTHOR INDEX

49

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
HADSEN, O. L.	8206210318	50-498 G	HARDIS, D. O.	8206160175	50-302 P	MARTIN, T. T.	8206040129	70-2683
HADSEN, O. L.	8206210416	50-498 G	HARDIS, D. O.	8206170193	50-302 F	MARTIN, T. T.	8206040135	70-2683
HADSEN, O. L.	8206210461	50-498 G	HARDIS, D. O.	8206180232	50-302 V	MARTIN, T. T.	8206040185	50-333
HADSEN, O. L.	8206220268	50-498 A	HARDIS, D. O.	8206210053	50-302 S	MARTIN, T. T.	8206040188	50-272
HADSEN, O. L.	8206250166	50-445 G	HARDIS, D. O.	8206210097	50-302 R	MARTIN, T. T.	8206040327	50-309
HAERKER, R. E.	8206240078	NUREG	HARDIS, D. O.	8206210519	50-302 S	MARTIN, T. T.	8206070329*	50-309
HAGNANI, N. J.	8206030057*	FOIA	HARDIS, D. O.	8206210524	50-302 P	MARTIN, T. T.	8206070293	50-220
HAGNUSDH, L.	8206100405	XPORTLIC	HARDIS, D. O.	8206220089	50-302 P	MARTIN, T. T.	8206070308	50-334
HAIER, J. E.	8206010415	50-244 S	HARDIS, D. O.	8206220148	50-302 S	MARTIN, T. T.	8206070364	50-220
HAIER, J. E.	8206010610	50-244 P	HARDIS, D. O.	8206220314	50-302 G	MARTIN, T. T.	8206070368*	50-220
HAIER, J. E.	8206020196*	50-244 F	HARDIS, D. O.	8206240369	50-302 P	MARTIN, T. T.	8206070382	40-5259
HAIER, J. E.	8206110284	50-244 S	HARDIS, D. O.	8206300056	50-302 S	MARTIN, T. T.	8206070399	70-374
HAIER, J. E.	8206140002*	50-244 F	MARGULIES, M. B.	8206170081	PROJ	MARTIN, T. T.	8206070402*	70-374
HAIER, J. E.	8206160161	50-244 P	MARIANI, L. P.	8206210614	NUREG	MARTIN, T. T.	8206070539	70-135
HAIER, J. E.	8206170053	50-244 S	MARINGAS, N.	8206140408*	50-395 A	MARTIN, T. T.	8206070680	50-219
HAIER, J. E.	8206180180	50-244 P	MARINGAS, N.	8206160089*	50-483 A	MARTIN, T. T.	8206070684*	50-219
HAIER, J. E.	8206230119	50-244 P	MARKEE, E.	8206100241*	50-317 Q	MARTIN, T. T.	8206070734	50-219
HAIER, J. E.	8206290188	50-244 P	MARKT, D.	8206080017*	50-29 F	MARTIN, T. T.	8206070800	50-322
HAIER, J. E.	8206290569*	50-244 Q	MARKT, D.	8206300103*	50-271 F	MARTIN, T. T.	8206070807*	50-322
HAIER, J. E.	8206300091*	50-244 F	MARQUEZ, R. A.	8206020098	WASTE MGT	MARTIN, T. T.	8206070812*	50-322
HAIER, J. E.	8206300157	50-244 P	MARSH, C. A.	8206160120	71-9152	MARTIN, T. T.	8206080296	70-371
HAJUR, R.	8206280175*	FOIA	MARSHALL, J.	8206080024*	50-373 F	MARTIN, T. T.	8206080316	50-322
HAJUR, R.	8206280181*	FOIA	MARSHALL, J. R.	8206010255	50-369 R	MARTIN, T. T.	8206100190	50-317
HAJUR, R.	8206280317*	FOIA	MARSHALL, J. R.	8206010330	50-313 R	MARTIN, T. T.	8206100217	50-277
HAKOWITZ, H.	8206100017	NUREG	MARSHALL, J. R.	8206010614	50-313 R	MARTIN, T. T.	8206110106	50-334
HALLAY, J. F.	8206070629	PR	MARSHALL, J. R.	8206020328	50-368 P	MARTIN, T. T.	8206150101	50-293
HALLAY, J. F.	8206070643*	PR	MARSHALL, J. R.	8206020447	50-313 P	MARTIN, T. T.	8206150127	50-334
HALLETT, B.	8206280570*	FOIA	MARSHALL, J. R.	8206020453	50-313 P	MARTIN, T. T.	8206150194	50-289
HALLETT, B. S.	8206280564*	FOIA	MARSHALL, J. R.	8206070139	50-368 S	MARTIN, T. T.	8206150219	50-272
HALLETT, B. S.	8206280628*	FOIA	MARSHALL, J. R.	8206070234	50-313 R	MARTIN, T. T.	8206150222*	50-272
HALLETT, R. H.	8206210572*	50-537 A	MARSHALL, J. R.	8206070611	50-313 P	MARTIN, T. T.	8206150261	50-277
HALLETT, R. H.	8206210582*	50-537 A	MARSHALL, J. R.	8206070654	50-313 P	MARTIN, T. T.	8206150263*	50-277
HALLETT, R. H.	8206210595*	50-537 A	MARSHALL, J. R.	8206080251	50-368 Q	MARTIN, T. T.	8206150294	50-387
HALLETT, R. H.	8206210603*	50-537 A	MARSHALL, J. R.	8206100115	50-368 S	MARTIN, T. T.	8206150296*	50-387
HALLORY, C. W.	8206160169	71-9086	MARSHALL, J. R.	8206100202	50-313 F	MARTIN, T. T.	8206170107	50-311
HALLORY, C. W.	8206160468	71-9079	MARSHALL, J. R.	8206110197	50-368 S	MARTIN, T. T.	8206170110*	50-311
HALLORY, M.	8206160021	50-522 A	MARSHALL, J. R.	8206110238	50-313 F	MARTIN, T. T.	8206170123	50-247
HALLORY, M. W.	8206010002	50-522 A	MARSHALL, J. R.	8206150177	50-368 S	MARTIN, T. T.	8206170212	50-322
HALLRODS, M. H.	8206220139*	50-344 Q	MARSHALL, J. R.	8206160124	50-313 P	MARTIN, T. T.	8206170214*	50-322
HALLRODS, M. H.	8206280311*	50-344 Q	MARSHALL, J. R.	8206160139	50-368 P	MARTIN, T. T.	8206170227	50-193
HALONE, P. G.	8206100024	NUREG	MARSHALL, J. R.	8206160295	50-313 P	MARTIN, T. T.	8206170241	50-410
HALSCH, M. O.	8206240159	50-358 Q	MARSHALL, J. R.	8206220033	WASTE MGT	MARTIN, T. T.	8206170361	50-213
HANCINI, E. A.	8206240419*	CONTRACT	MARSHALL, J. R.	8206220227	50-313 P	MARTIN, T. T.	8206210049	70-442
HANEATIS, G. A.	8206090165*	50-133 Q	MARSHALL, J. R.	8206220271	50-313 S	MARTIN, T. T.	8206220183	70-435
HANHEIM, D. C.	8206040169*	50-309 Q	MARSHALL, J. R.	8206220474	50-313 S	MARTIN, T. T.	8206220289	70-241
HANLY, P. J.	8206160334	PR	MARSHALL, J. R.	8206220506	50-313 P	MARTIN, T. T.	8206210501	50-317
HANN, S. A.	8206280040	WASTE MGT	MARSHALL, J. R.	8206290075	50-313 P	MARTIN, T. T.	82062210570	50-387
HANNY, M.	8206010233	50-366 S	MARSHALL, J. R.	8206290081	50-313 P	MARTIN, T. T.	82062210606	70-2915
HANNY, M.	8206010356	50-366 S	MARSHALL, J. R.	8206290208	50-313 P	MARTIN, T. T.	82062210641	70-749
HANNY, M.	8206010633	50-366 S	MARSHALL, W. H.	8206170344	50-329 Q	MARTIN, T. T.	8206220065	50-334
HANSEN, W. C.	8206280376*	70-143	MARSHALL, W. H.	8206290331	50-329 Q	MARTIN, T. T.	8206220069	70-371
HANSEN, W. C.	8206280404*	70-143	MARSHALL, W. H.	8206290331	50-329 Q	MARTIN, T. T.	8206220261	50-334
HANSEN, W. C.	8206070468	70-143	MARSTON, R.	8206220499*	50-416 Q	MARTIN, T. T.	8206220265	50-443
HANSEN, W. C.	8206220338	70-143	MARSTON, R. R.	8206070645*	50-269 Q	MARTIN, T. T.	8206220306	50-299
HANSEN, W. C.	8206220407*	70-143	MARSTON, R. R.	8206070792*	50-324 Q	MARTIN, T. T.	8206220328	50-387
MARASCO, A. R.	8206240367*	50-247 T	MARSTON, R. R.	8206220480*	50-395 Q	MARTIN, T. T.	8206220374	50-29
MARCHAL, J.	8206230177	XPORTLIC	MARTELLE, A. R.	8206020261	State Proj	MARTIN, T. T.	8206220380*	50-29
MARCHAL, J.	8206230178	XPORTLIC	MARTIN, D. E.	8206080021	40-8481	MARTIN, T. T.	8206220392	50-277
MARDIS, D. O.	8206010109	50-302 S	MARTIN, D. E.	8206080113	40-6659	MARTIN, T. T.	8206220458	50-334
MARDIS, D. O.	8206010311	50-302 S	MARTIN, D. E.	8206080465	40-8602	MARTIN, T. T.	8206220560	50-317
MARDIS, D. O.	8206010313	50-302 S	MARTIN, D. E.	8206100391	40-8674	MARTIN, T. T.	8206230115	70-575
MARDIS, D. O.	8206010327	50-302 S	MARTIN, D. E.	8206180429	40-8743	MARTIN, T. T.	8206230207	70-867
MARDIS, D. O.	8206010340	50-302 S	MARTIN, J. B.	8206250322	40-8690	MARTIN, T. T.	8206240284	70-478
MARDIS, D. O.	8206010365	50-302 S	MARTIN, J. B.	8206300093	WASTE MGT	MARTIN, T. T.	8206240292	70-296
MARDIS, D. O.	8206010379	50-302 S	MARTIN, L. E.	8206300354	72-48	MARTIN, T. T.	8206250306	70-1100
MARDIS, D. O.	8206010389	50-302 S	MARTIN, L. E.	8206210320*	50-498 Q	MARTIN, T. T.	8206290061	70-11
MARDIS, D. O.	8206010478	50-302 S	MARTIN, N. D.	8206160310	REG02	MARTIN, T. T.	8206290074	70-162
MARDIS, D. O.	8206010484	50-302 S	MARTIN, R. A.	8206080086	RES	MARTIN, T. T.	8206290094	70-374
MARDIS, D. O.	8206010517	50-302 S	MARTIN, R. A.	8206100062	NUREG	MARTIN, T. T.	8206290148	50-219
MARDIS, D. O.	8206010550	50-302 S	MARTIN, R. D.	8206070762	50-280 P	MARTIN, T. T.	8206290167	70-1050
MARDIS, D. O.	8206010587	50-302 S	MARTIN, R. E.	8206080182	50-368 P	MARTIN, T. T.	8206290170	70-123
MARDIS, D. O.	8206010616	50-302 S	MARTIN, T. J.	8206010384	50-354 S	MARTIN, T. T.	8206290187	50-244
MARDIS, D. O.	8206010636	50-302 S	MARTIN, T. J.	8206150166*	50-354 Q	MARTIN, T. T.	8206290247	70-1100
MARDIS, D. O.	8206020569	50-302 P	MARTIN, T. J.	8206280281	50-354 S	MARTIN, T. T.	8206290250*	70-1100
MARDIS, D. O.	8206040202	50-302 P	MARTIN, T. J.	8206280504	50-354 S	MARTIN, T. T.	8206290261	70-374
MARDIS, D. O.	8206040204	50-302 P	MARTIN, T. T.	8201200497	30-412 Q	MARTIN, T. T.	8206290264	70-368
MARDIS, D. O.	8206070500*	50-302 Q	MARTIN, T. T.	8206030102	70-356 Q	MARTIN, T. T.	8206290268	70-2815
MARDIS, D. O.	8206080121	50-302 P	MARTIN, T. T.	8206030116	30-245 Q	MARTIN, T. T.	8206290332	70-268
MARDIS, D. O.	8206080221	50-302 P	MARTIN, T. T.	8206030184	30-352 Q	MARTIN, T. T.	8206290337	70-343
MARDIS, D. O.	8206090048	50-302 P	MARTIN, T. T.	8206030221	70-687	MARTIN, T. T.	8206290381	70-484
MARDIS, D. O.	8206110253	50-302 S	MARTIN, T. T.	8206030234	30-333 Q	MARTIN, T. T.	8206290385	70-1994
MARDIS, D. O.	8206140111	50-302 R	MARTIN, T. T.	8206030253	30-387 Q	MARTIN, T. T.	8206290381	50-286
MARDIS, D. O.	8206140128	50-302 P	MARTIN, T. T.	8206030267	30-334 Q	MARTIN, T. T.	8206290416	70-817
MARDIS, D. O.	8206160051	50-302 P	MARTIN, T. T.	8206040107	50-317 Q	MARTIN, T. T.	8206290445	70-1029
			MARTIN, T. T.	8206040108	50-29 Q	MARTIN, T. T.	8206290448	70-1251

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MARTIN, T. T.	8206290433	70-391	MCBRIDE, L. M.	8206150343*	50-267 R	MCGAUGHY, J. P.	8206010340	50-413
MARTIN, T. T.	8206290435	70-135	MCBRIDE, L. M.	8206170208	50-267 F	MCGAUGHY, J. P.	8206070009	50-413
MARUCA, A. J.	8206070371*	40-3259	MCCABE, E.	8206230218	50-317 S	MCGAUGHY, J. P.	8206070552	50-413
MARUSICH, R. M.	8206280333*	50-155 J	MCCABE, E.	8206240293	50-277 S	MCGAUGHY, J. P.	8206070557	50-413
MASDA, C. C.	8206010227	50-327 R	MCCABE, E.	8206280068	50-219 S	MCGAUGHY, J. P.	8206070650	50-413
MASON, C. C.	8206010229*	50-327 R	MCCABE, E. C.	8206030216*	50-387 Q	MCGAUGHY, J. P.	8206070834*	50-413
MASON, J. R.	8206030260*	FOIA	MCCABE, E. C.	8206070567*	50-387 Q	MCGAUGHY, J. P.	8206070861	50-413
MASON, J. R.	8206280602*	FOIA	MCCABE, E. C.	8206100149*	50-352 Q	MCGAUGHY, J. P.	8206110125	50-413
MASON, J. R.	8206280608*	FOIA	MCCABE, E. C.	8206100166*	50-277 Q	MCGAUGHY, J. P.	8206110210	50-413
MASBARD, S. A.	8206110012	NUREG	MCCABE, E. C.	8206170290*	50-317 Q	MCGAUGHY, J. P.	8206110224	50-413
MATAKAS, R.	8206020243*	FOIA	MCCABE, E. C.	8206220329*	50-322 Q	MCGAUGHY, J. P.	8206210502	50-413
MATAKAS, R. A.	8206020228*	FOIA	MCCANN, J. F.	8206070567*	50-387 Q	MCGAUGHY, J. P.	8206210519	50-413
MATAKAS, R. A.	8206020263*	FOIA	MCCARTY, M. J.	8206100080	NUREG	MCGAUGHY, J. P.	8206210584	50-413
MATHEWS, D.	8206100241*	50-317 Q	MCCGURREN, H. J.	8206100100*	50-247 Q	MCGAUGHY, J. P.	8206210592	50-413
MATHEWS, E. R.	8206010204	50-305 R	MCCLESKEY, K. E.	8206180284	50-322 Q	MCGAUGHY, J. P.	8206220303	50-413
MATHEWS, E. R.	8206070706	50-305 S	MCCLESKEY, K. E.	8206180284	50-322 Q	MCGAUGHY, J. P.	8206220401*	50-413
MATHEWS, E. R.	8206160258*	50-305 F	MCCLESKEY, K. E.	8206240265	50-322 Q	MCGAUGHY, J. P.	8206240310	50-413
MATHEWS, E. R.	8206250201*	50-305 H	MCCLESKEY, K. E.	8206240265	50-322 Q	MCGAUGHY, J. P.	8206240352	50-413
MATLOCK, R. O.	8206150099	50-397 S	MCCLESKEY, K. E.	8206280516	50-322 Q	MCGAUGHY, J. P.	8206270316	50-413
MATLOCK, R. O.	8206150119	50-397 Q	MCCLESKEY, K. E.	8206280516	50-322 Q	MCGAUGHY, J. P.	8206300307	50-413
MATTHEW, D. C.	8206160299	PR	MCCLEUNG, C. E.	8206070555	50-361 Q	MCGOVERN, J. J.	8206030224*	70-361
MATTHEW, D. B.	8206220077*	50-361 Q	MCCLEUNG, C. E.	8206070555	50-361 Q	MCGOVERN, J. J.	8206030229*	70-361
MATTIA, J. C.	8206220479*	50-423 Q	MCCLEUNG, C. E.	8206070555	50-361 Q	MCGREGOR, L.	8206150077*	50-361
MATTIA, M. J.	8206110491*	CONTRACT	MCCLEUNG, C. E.	8206070562*	50-361 Q	MCGREGOR, L. G.	8206150219*	50-361
MATTIA, M. J.	8206110409*	CONTRACT	MCCLEUNG, C. E.	8206070562*	50-361 Q	MCGUIRE, D. R.	8206040147*	50-361
MATTIA, M. J.	8206110417*	CONTRACT	MCCLEUNG, C. E.	8206070562*	50-361 Q	MCGUIRE, D. R.	8206070185*	50-361
MATTIA, M. J.	8206110385*	CONTRACT	MCCLEUNG, R. W.	8206220509	NUREG	MCGUIRE, D. R.	8206100247*	50-361
MATTIA, M. J.	8206180037*	CONTRACT	MCCLEUNG, R. W.	8206280574	40-8511	MCGUIRE, D. R.	8206220713*	50-361
MATTIA, M. J.	8206240453*	50-289 P	MCCOLLUGH, N. D.	8206100346	RES	MCGUIRE, R. K.	8206220302*	50-361
MATTIA, M. J.	8206250071*	CONTRACT	MCCOLL, W. B.	8206030152*	FOIA	MCGURREN, H. J.	8206100073	50-241
MATTIA, M. J.	8206250084*	CONTRACT	MCCOLL, W. B.	8206070003*	PR	MCGURREN, H. J.	8206100076*	50-241
MATTIMOE, J. J.	8206100411*	FOIA	MCCOLL, W. B.	8206070005*	PR	MCGURREN, H. J.	8206100107*	50-241
MATTIMOE, J. J.	8206020425	50-312 P	MCCOLL, W. B.	8206070013*	PR	MCGURREN, H. J.	8206100107*	50-241
MATTIMOE, J. J.	8206040175	50-312 S	MCCOLL, W. B.	8206070014*	PR	MCGURREN, H. J.	8206210170	50-241
MATTIMOE, J. J.	8206070089	50-312 P	MCCOLL, W. B.	8206070018*	PR	MCGURREN, H. J.	8206250144	50-241
MATTIMOE, J. J.	8206080203	50-312 Q	MCCOLL, W. B.	8206070019*	PR	MCGURREN, H. J.	8206250147*	50-241
MATTIMOE, J. J.	8206080261	50-312 P	MCCOLL, W. B.	8206070022*	PR	MCGURREN, H. J.	8206250157	50-241
MATTIMOE, J. J.	8206110143	50-312 P	MCCOLL, W. B.	8206070026*	PR	MCINTIRE, R.	8206090192*	50-241
MATTIMOE, J. J.	8206110286	50-312 F	MCCOLL, W. B.	8206070031*	PR	MCKEEVER, R. F.	8206020192*	50-241
MATTIMOE, J. J.	8206140077	50-312 P	MCCOLL, W. B.	8206070033*	PR	MCKEEVER, R. F.	8206020456*	50-241
MATTIMOE, J. J.	8206150107	50-312 Q	MCCOLL, W. B.	8206070037*	PR	MCKEEVER, R. F.	8206020472*	50-241
MATTIMOE, J. J.	8206160047	50-312 P	MCCOLL, W. B.	8206070040*	PR	MCKEEVER, R. F.	8206020476*	50-241
MATTIMOE, J. J.	8206160058	50-312 P	MCCOLL, W. B.	8206070048*	PR	MCKEEVER, R. F.	8206020480*	50-241
MATTIMOE, J. J.	8206240309	50-312 P	MCCOLL, W. B.	8206070051*	PR	MCKEON, L. H.	8206040115*	50-361
MATTOK, A. H.	8206300292	RECOR	MCCOLL, W. B.	8206070054*	PR	MCKIBBEN, J. C.	8206170244	50-19
MATTEON, R. J.	8206080160	NUREG	MCCOLL, W. B.	8206070060*	PR	MCKINNEY, M.	8206020073*	50-361
MATTEON, R. J.	8206250001	ORR	MCCOLL, W. B.	8206070061*	PR	MCKINNEY, M.	8206070192*	50-361
MAUCK, J. L.	8206040394*	50-322 T	MCCOLL, W. B.	8206070066*	PR	MCKOWN, D. A.	8206210195	50-361
MAUCK, J. L.	8206040408*	50-322 T	MCCOLL, W. B.	8206070071*	PR	MCKLEAREN, T.	8206020192*	50-361
MAURA, F.	8206290318*	50-373 Q	MCCORMACK, K. E.	8206110001	NUREG	MCKLEAREN, T.	8206100412	50-361
MAURER, R. J.	8206180008*	50-201 P	MCCORMACK, K. E.	8206110002	NUREG	MCKLEAREN, T.	8206110010	50-361
MAURIN, L. V.	8206020353	50-382 A	MCCORMACK, K. E.	8206110011	NUREG	MCKLEAREN, T.	8206110175	50-361
MAURIN, L. V.	8206020409	50-382 A	MCCULLOUGH, E. R.	8206290483*	50-498 A	MCKLEAREN, T.	8206140011	50-361
MAURIN, L. V.	8206020413	50-382 E	MCCULLOUGH, E. R.	8206070007*	PR	MCKLEAREN, T.	8206240017	50-361
MAURIN, L. V.	8206080227	50-382 A	MCDONALD, C. E.	8206290540	50-373 P	MCKLEAREN, T.	8206290540	50-361
MAURIN, L. V.	8206170224	50-382 A	MCDONALD, C. E.	8206230087	71-6722	MCKLEAREN, T.	8206010100	50-361
MAURIN, L. V.	8206220349	50-382 A	MCDONALD, C. E.	8206300191*	NUREG	MCKLEAREN, T.	8206010101	50-361
MAURIN, L. V.	8206240300	50-382 F	MCDONALD, C. E.	8206040100	XPORTLIC	MCKLEAREN, T.	8206100122	50-361
MAURIN, L. V.	8206290219	50-382 H	MCDONALD, C. E.	8206040103*	XPORTLIC	MCKLEAREN, T.	8206100178	50-361
MAURIN, L. V.	8206300179	50-382 A	MCDONALD, C. E.	8206100069	NUREG	MCKLEAREN, T.	8206100186	50-361
MAXWELL, C.	8206280128*	50-247 Q	MCDUFFIE, M. A.	8206040311	50-400 A	MCKLEAREN, T.	8206100191	50-361
MAXWELL, C.	8206280128*	50-247 Q	MCDUFFIE, M. A.	8206070574	50-400 C	MCKLEAREN, T.	8206110234	50-361
MAXWELL, C.	8206280128*	50-247 Q	MCFARLAND, C. R.	8206070645*	50-269 G	MCKLEAREN, T.	8206140141*	50-361
MAXWELL, C.	8206280128*	50-247 Q	MCFARLAND, C. R.	8206070792*	50-324 G	MCKLEAREN, T.	8206150126	50-361
MAXWELL, C.	8206280128*	50-247 Q	MCFARLAND, C. R.	8206220075*	50-324 G	MCKLEAREN, T.	8206210475	50-361
MAY, E. L.	8206010058*	50-29 S	MCGARRY, J. M.	8206040216	50-488 Q	MCKLEAREN, T.	8206250158	50-361
MAY, E. L.	8206110320*	50-29 S	MCGARRY, J. M.	8206040216	50-488 Q	MCKLEAREN, T.	8206010194	50-361
MAY, E. L.	8206220398*	50-29 S	MCGARRY, J. M.	8206070718	PRM	MCKLEAREN, T.	8206250212	50-361
MAYER, L. D.	8206010515	50-282 F	MCGARRY, J. M.	8206170336	50-413 Q	MCKLEAREN, T.	8206250200	50-361
MAYER, L. D.	8206020172*	50-263 F	MCGARRY, J. M.	8206170336	50-413 Q	MCKLOUGHLIN, M. T.	8206010510*	50-361
MAYER, L. D.	8206020337	50-263 S	MCGAUGHY, J. P.	8206010199	50-416 S	MCKLOUGHLIN, M. T.	8206040012	71-241
MAYER, L. D.	8206030074	50-263 P	MCGAUGHY, J. P.	8206010203	50-416 S	MCKMURRAY, C. M.	8206070593*	50-361
MAYER, L. D.	8206070660	50-262 P	MCGAUGHY, J. P.	8206010219	50-416 S	MCKMURRAY, C. M.	8206070593*	50-361
MAYER, L. D.	8206080030*	50-263 F	MCGAUGHY, J. P.	8206010231	50-416 S	MCKMURRAY, C. M.	8206230149	50-361
MAYER, L. D.	8206150303	50-263 P	MCGAUGHY, J. P.	8206010241	50-416 S	MCKMURRAY, C. M.	8206230149	50-361
MALPINE, E. J.	8206040176*	70-47	MCGAUGHY, J. P.	8206010242	50-416 S	MCKMURRAY, C. M.	8206230172	50-361
MALPINE, E. J.	8206040335*	70-1201	MCGAUGHY, J. P.	8206010364	50-416 S	MCKMURRAY, C. M.	8206230172	50-361
MALPINE, E. J.	8206040359*	70-143	MCGAUGHY, J. P.	8206010407	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206040374*	70-824	MCGAUGHY, J. P.	8206010416	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206040403*	70-1113	MCGAUGHY, J. P.	8206010421	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206070663*	70-143	MCGAUGHY, J. P.	8206010433	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206290167*	70-1113	MCGAUGHY, J. P.	8206010433	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206290256*	70-87	MCGAUGHY, J. P.	8206010433	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206290284*	70-1151	MCGAUGHY, J. P.	8206010433	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MALPINE, E. J.	8206030185*	50-352 Q	MCGAUGHY, J. P.	8206010536	50-416 S	MCKMURRAY, C. M.	8206010458*	50-361
MCBREARTY, R. A.								

PERSONAL AUTHOR INDEX

601

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MCNEILL, C. A	8206080363	50-333 R	MILES, E. D	8206100407	CONTRACT	MILLS, L. M	8206070512*	50-259 Q
MCNEILL, C. A	8206110132	50-333 S	MILES, E. B	8206240449	50-289 P	MILLS, L. M	8206070544	50-390 B
MCNEILL, C. A	8206110244	50-333 S	MILLER, D. S	8206070601	50-309 Q	MILLS, L. M	8206070571*	50-259 Q
MCNEILL, C. A	8206110315	50-333 S	MILLER, D. S	8206070601	50-309 Q	MILLS, L. M	8206070622	50-390 S
MCNEILL, C. A	8206220521	50-333 S	MILLER, Q. L	8206070380	PR	MILLS, L. M	8206070628	50-438 B
MCNEILL, C. A	8206290533	50-333 S	MILLER, Q. N	8206100054	NUREG	MILLS, L. M	8206070661	50-327 P
MCNEILL, W. M	8206080334*	QA997	MILLER, Q. P.	8206040292	50-289 Q	MILLS, L. M	8206070665	50-390 B
MCNEILL, W. M	8206250241*	QA997	MILLER, H. J.	8206280692	WASTE MGT	MILLS, L. M	8206080324	50-390 A
MCNULTY, A. D	8206290002	CONTRACT	MILLER, J.	8206070420*	50-296 S	MILLS, L. M	8206110115	50-390 B
MCQUADE, H.	8206290430*	50-373 S	MILLER, J. E	8206100415	71-6717	MILLS, L. M	8206110119	50-390 B
MCQUEEN, A. D	8206170289*	50-275 Q	MILLER, J. R	8206100242	50-331 Q	MILLS, L. M	8206110120	50-438 B
MEADE, R. B	8206100024	NUREG	MILLER, J. R	8206110303	50-461 Q	MILLS, L. M	8206110128	50-438 B
MECH, T. H	8206230060	XPORTLIC	MILLER, J. R	8206210513	50-282 Q	MILLS, L. M	8206110130	50-390 B
MEDETIROS, M. S	8006230315*	FOIA	MILLER, J. R	8206280401	40-3392	MILLS, L. M	8206110144	50-438 B
MEDETIROS, M. S	8008080199*	FOIA	MILLER, L.	8206080204*	50-206 Q	MILLS, L. M	8206110159	50-390 B
MEDETIROS, M. S	8101050099*	FOIA	MILLER, L. K	8206130138*	50-272 R	MILLS, L. M	8206110176	71-6722
MEDETIROS, M. S	8103020313*	50-200 F	MILLER, L. K	8206150248*	50-311 R	MILLS, L. M	8206110181	50-518 B
MEDETIROS, M. S	8206280132*	FOIA	MILLER, M. E	8206010332	50-454 Q	MILLS, L. M	8206110185	50-518 B
MEFFORD, M. D	8206080393	50-361 F	MILLER, M. E	8206040090	50-537 Q	MILLS, L. M	8206110202	50-438 B
MEINKE, W.	8206100241*	50-317 Q	MILLER, M. E	8206090012	50-445 Q	MILLS, L. M	8206110211	50-390 B
MELBIN, M.	8206280104*	50-247 Q	MILLER, M. E	8206090014	50-445 Q	MILLS, L. M	8206110213	50-438 A
MELBIN, M.	8206280104*	50-247 Q	MILLER, M. E	8206180194*	50-445 Q	MILLS, L. M	8206110217	50-390 B
MELBIN, M.	8206280104*	50-247 Q	MILLER, M. E	8206180205	50-445 Q	MILLS, L. M	8206110222	50-390 A
MELBIN, M.	8206280104*	50-247 Q	MILLER, M. I	8206140114	50-454 Q	MILLS, L. M	8206110223	50-438 B
MELBIN, M.	8206280104*	50-247 Q	MILLER, M. I	8206140114	50-454 Q	MILLS, L. M	8206110280	50-438 B
MENDELSON, I. N	8206240089*	CONTRACT	MILLER, R. B	8206280275*	FOIA	MILLS, L. M	8206110282	50-390 B
MENONDA, C. M	8206020307*	50-275 Q	MILLER, W. H	8206220443*	50-416 Q	MILLS, L. M	8206110305	50-390 B
MENON, C. M	8206290175	50-528 A	MILLER, W. H	8206220546*	50-395 Q	MILLS, L. M	8206110319	50-390 B
MERRIWEATHER, N	8206220311*	50-335 Q	MILLER, W. O	8206010090	70-754	MILLS, L. M	8206110321	50-390 B
MERRIWEATHER, N	8206220439*	50-400 Q	MILLER, W. O	8206010093	70-8	MILLS, L. M	8206110323	50-439 B
MESSINGER, R. W	8206090017	50-247 Q	MILLER, W. O.	8206020013	50-424 A	MILLS, L. M	8206140042	50-390 B
METZGER, J. R.	8206020558*	FOIA	MILLER, W. O	8206030026	50-313 P	MILLS, L. M	8206140050	50-438 B
MEYER, D. W.	8206140361	FOIA	MILLER, W. O.	8206030030	70-1113	MILLS, L. M	8206150231	50-438 A
MEYER, G.	8206040331*	50-309 Q	MILLER, W. O.	8206080100	50-171 F	MILLS, L. M	8206150246	50-390 A
MEYER, G.	8206150304*	50-387 Q	MILLER, W. O	8206080150	50-263 F	MILLS, L. M	8206150334	50-390 F
MEYER, G. W.	8206220384*	50-29 Q	MILLER, W. O	8206080165	TOPREP	MILLS, L. M	8206150375	50-390 F
MEYER, K.	8206020153*	50-331 F	MILLER, W. O.	8206110367	50-10 F	MILLS, L. M	8206150448*	50-390 F
MEYER, T.	8206040253*	50-373 S	MILLER, W. O.	8206140380	80-317 P	MILLS, L. M	8206160117	50-327 P
MICHELSON, C.	8202180429*	FOIA	MILLER, W. O	8206170400	TOPREP	MILLS, L. M	8206160131	50-390 A
MICHELSON, C.	8206290042	MISC	MILLER, W. O	8206180056	70-27	MILLS, L. M	8206160132	50-327 P
MICHLINK, D. L.	8206110153	WASTE MGT	MILLER, W. O	8206210058	50-313 P	MILLS, L. M	8206160255	50-390 A
MICHTA, D.	8206240256*	50-322 T	MILLER, W. O	8206230276	50-402 A	MILLS, L. M	8206160323	PRM
MIDURA, H. J.	8007150020*	50-3 B	MILLER, W. O	8206290001	40-8698	MILLS, L. M	8206160353	REQD
MIDURA, H. J.	8111110776	50-272 B	MILLER, W. O	8206290003	70-1308	MILLS, L. M	8206160497	40-1341
MIDURA, H. J.	82060430191	50-311 B	MILLER, W. O.	8206290005	71-4986	MILLS, L. M	8206170117	50-327 F
MIDURA, H. J.	8206030022B	50-272 B	MILLER, W. O	8206290597	40-8027	MILLS, L. M	8206170127	50-259 F
MIDURA, H. J.	8206030245	50-272 B	MILLER, W. O	8206300415	50-244 P	MILLS, L. M	8206170159	50-327 F
MIDURA, H. J.	8206030265	50-311 S	MILLER, W. O.	8206300418	71-9152	MILLS, L. M	8206210105	50-390 B
MIDURA, H. J.	8206070573	50-272 B	MILLS, L.	8206220478*	50-438 Q	MILLS, L. M	8206210111	50-518 B
MIDURA, H. J.	8206070584	50-311 S	MILLS, L. L	8206300192	50-312 S	MILLS, L. M	8206210144	50-438 B
MIDURA, H. J.	8206070666	50-311 B	MILLS, L. M	8108210179	50-259 P	MILLS, L. M	8206210167	50-390 B
MIDURA, H. J.	8206070758	50-311 B	MILLS, L. M	8201290063*	50-390 F	MILLS, L. M	8206210245	50-390 S
MIDURA, H. J.	8206070803	50-272 B	MILLS, L. M	8206010197	50-518 S	MILLS, L. M	8206210276	50-390 S
MIDURA, H. J.	8206100117	50-311 B	MILLS, L. M	8206010216	50-438 S	MILLS, L. M	8206210380	50-259 P
MIDURA, H. J.	8206100139	50-311 S	MILLS, L. M	8206010222	50-390 S	MILLS, L. M	8206210389	50-390 B
MIDURA, H. J.	8206100215	50-311 S	MILLS, L. M	8206010253	50-438 B	MILLS, L. M	8206210431	50-438 B
MIDURA, H. J.	8206100219	50-311 B	MILLS, L. M	8206010256	50-390 S	MILLS, L. M	8206210436	50-438 B
MIDURA, H. J.	8206100233	50-272 B	MILLS, L. M	8206010287	50-390 S	MILLS, L. M	8206210528	50-438 B
MIDURA, H. J.	8206100248	50-311 B	MILLS, L. M	8206010349	50-518 S	MILLS, L. M	8206210536	50-566 B
MIDURA, H. J.	8206100271	50-272 B	MILLS, L. M	8206010350	50-390 S	MILLS, L. M	8206210547	50-390 B
MIDURA, H. J.	8206100307	50-311 B	MILLS, L. M	8206010386	50-438 B	MILLS, L. M	8206210569	50-390 B
MIDURA, H. J.	8206110043	50-272 B	MILLS, L. M	8206010392	50-390 B	MILLS, L. M	8206210581	50-438 B
MIDURA, H. J.	8206150073	50-311 S	MILLS, L. M	8206010427	50-390 S	MILLS, L. M	8206210589	50-390 S
MIDURA, H. J.	8206150109	50-311 S	MILLS, L. M	8206010429	50-390 S	MILLS, L. M	8206210604	50-438 S
MIDURA, H. J.	8206150114	50-311 S	MILLS, L. M	8206010437	50-390 S	MILLS, L. M	8206210652	REQD
MIDURA, H. J.	8206150134	50-272 R	MILLS, L. M	8206010471	50-390 S	MILLS, L. M	8206220209	50-390 Q
MIDURA, H. J.	8206150244	50-311 R	MILLS, L. M	8206010489	50-438 B	MILLS, L. M	8206220234	50-328 B
MIDURA, H. J.	8206210382	50-311 S	MILLS, L. M	8206010508	50-518 S	MILLS, L. M	8206220292	50-390 B
MIDURA, H. J.	8206210403	50-272 S	MILLS, L. M	8206010540	50-327 S	MILLS, L. M	8206220390	50-438 B
MIDURA, H. J.	8206210444	50-272 S	MILLS, L. M	8206010549	50-438 S	MILLS, L. M	8206220568	50-259 Q
MIDURA, H. J.	8206220094	50-311 S	MILLS, L. M	8206010676	50-390 S	MILLS, L. M	8206220590	50-438 B
MIDURA, H. J.	8206220182	50-311 B	MILLS, L. M	8206010684	50-390 S	MILLS, L. M	8206220073	50-259 P
MIDURA, H. J.	8206220359	50-272 S	MILLS, L. M	8206010688	50-390 S	MILLS, L. M	8206240093	50-438 B
MIDURA, H. J.	8206220387	50-272 S	MILLS, L. M	8206010689	50-390 S	MILLS, L. M	8206240171	50-390 B
MIDURA, H. J.	8206220449	50-272 S	MILLS, L. M	8206030112	50-328 P	MILLS, L. M	8206240285	50-390 B
MIDURA, H. J.	8206220501	50-311 S	MILLS, L. M	8206030217	50-259 F	MILLS, L. M	8206240286	50-390 A
MIDURA, H. J.	8206220534	50-272 S	MILLS, L. M	8206070093	50-390 S	MILLS, L. M	8206240340	50-390 A
MIDURA, H. J.	8206230108	50-311 S	MILLS, L. M	8206070100	50-390 S	MILLS, L. M	8206250237	50-390 A
MIDURA, H. J.	8206240005	50-311 S	MILLS, L. M	8206070104	50-390 S	MILLS, L. M	8206250270	50-327 F
MIDURA, H. J.	8206290384	50-311 S	MILLS, L. M	8206070107	50-438 S	MILLS, L. M	8206290091	50-259 P
MIELE, M. L	8206070521*	50-322 Q	MILLS, L. M	8206070135	50-438 B	MILLS, L. M	8206290109	50-259 P
MIELE, M. L	8206230062*	50-322 Q	MILLS, L. M	8206070183	REQD	MILLS, L. M	8206290114	50-390 B
MIGHT, A	8206010361*	50-316 R	MILLS, L. M	8206070243	50-390 S	MILLS, L. M	8206290359	50-259 P
MIGHT, A	8206010404*	50-315 R	MILLS, L. M	8206070467	50-438 S	MILLS, L. M	8206290558	50-259 R
MIKLOS, J.	8206140243*	State Prog	MILLS, L. M	8206070508	PR	MILLS, L. M	8206300053	50-390 B

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MILLS, L. M.	8206300055	50-390 S	MOORE, D. E.	8206040147*	50-395 G	MORRIS, R. L.	8206280133*	50-247 0
MILLS, L. M.	8206300058	50-390 S	MOORE, D. E.	8206180247*	50-416 G	MORRIS, W. D.	8206230170	50-537 0
MILLS, L. M.	8206300067	50-438 S	MOORE, J.	8206110048*	CONTRACT	MORRISON, W. M.	8004010198*	FOIA
MILLS, L. M.	8206300114	50-390 S	MOORE, J. E.	8206040076	50-247 0	MORRISON, W. M.	8010280520*	FOIA
MILLS, L. M.	8206300122	50-390 S	MOORE, J. E.	8206040157*	50-247 G	MORRISON, W. M.	8206280336*	FOIA
MILLS, L. M.	8206300152	50-390 A	MOORE, J. E.	8206080110	50-247 G	MORRISON, W. M.	8206280538*	FOIA
MILLS, L. M.	8206300155	50-438 S	MOORE, J. E.	8206080115	50-155 G	MORRISON, W. M.	8206280542*	FOIA
MILLS, L. M.	8206300171	50-390 S	MOORE, J. E.	8206100318	50-247 0	MORTENSEN, W. P.	8206040179*	50-206 0
MILLS, L. M.	8206300173	50-438 S	MOORE, J. E.	8206160110	50-247 G	MORTENSEN, W. P.	8206220584*	50-361 0
MILLS, L. M.	8206300195	50-438 S	MOORE, J. E.	8206160115*	50-247 G	MORTON, K. V.	8206040033*	CONTRACT
MILLS, L. M.	8206300205	50-566 S	MOORE, R. D.	8206230032*	50-10 F	MORTON, K. V.	8206070074*	CONTRACT
MILLS, L. M.	8206300211	50-438 S	MOORE, R. N.	8206030082	XPORTLIC	MORTON, K. V.	8206070153*	CONTRACT
MILLS, L. M.	8206300212	50-390 S	MOORE, R. N.	8206080494	XPORTLIC	MORTON, K. V.	8206080015*	CONTRACT
MILLS, L. M.	8206300285	50-390 S	MOORE, R. N.	8206080495	XPORTLIC	MORTON, K. V.	8206100423*	CONTRACT
MILLS, L. M.	8206300301	50-438 S	MOORE, R. N.	8206080497	XPORTLIC	MORTON, K. V.	8206110048*	CONTRACT
MILLS, L. M.	8206300343	50-390 S	MOORE, R. N.	8206080498	XPORTLIC	MORTON, K. V.	8206110078*	CONTRACT
MILLS, L. M.	8206300349	50-438 S	MOORE, R. N.	8206100137	50-389 D	MORTON, K. V.	8206150051*	CONTRACT
MILLS, T.	8206090131	PR	MOORE, D. W.	8206230125	50-322 D	MORTON, K. V.	8206080015*	CONTRACT
MIMS, D. C.	8206070306*	50-259 S	MOROS, N.	8206100060	NUREQ	MORTON, K. V.	8206180008*	50-201 P
MINECK, D. L.	8206020156*	50-331 F	MORELAND, P. E.	8104160651*	FOIA	MORTON, K. V.	8206210052*	CONTRACT
MINECK, D. L.	8206080080	50-331 S	MORELAND, P. E.	8104290587*	FOIA	MORTON, K. V.	8206230348*	CONTRACT
MINECK, D. L.	8206100182	50-331 S	MORELAND, P. E.	8206020568*	FOIA	MORTON, K. V.	8206240011*	CONTRACT
MINECK, D. L.	8206170346	50-331 R	MORGAN, C.	8206010338	50-247 0	MORTON, K. V.	8206280015*	CONTRACT
MINECK, D. L.	8206210278	50-331 R	MORGAN, C.	8206010338	50-247 0	MORTON, K. V.	8206250032*	CONTRACT
MINECK, D. L.	8206220280	50-331 S	MORGAN, C.	8206010344*	50-247 0	MORTON, K. V.	8206250043*	CONTRACT
MINGOUE, R. B.	8111120323*	FOIA	MORGAN, C.	8206010344*	50-247 0	MORTON, K. V.	8206250059*	CONTRACT
MINGOUE, R. B.	8202190419*	FOIA	MORGAN, C.	8206010347*	50-247 0	MORTON, K. V.	8206280014*	CONTRACT
MINGOUE, R. B.	8206010341*	FOIA	MORGAN, C.	8206010347*	50-247 0	MORTON, K. V.	8206290048*	CONTRACT
MINGOUE, R. B.	8206010353*	FOIA	MORGAN, C.	8206010347*	50-247 0	MORTON, K. V.	8206290665*	CONTRACT
MINGOUE, R. B.	8206010360*	FOIA	MORGAN, C.	8206040180	50-247 0	MORTON, K. V.	8206100435*	CONTRACT
MINGOUE, R. B.	8206010495*	FOIA	MORGAN, C.	8206040208	50-247 0	MOSCATTI, A. F.		
MINGOUE, R. B.	8206070282	PRM	MORGAN, C.	8206040208	50-247 0	MOSELEY, N. C.	7911190277*	FOIA
MINGOUE, R. B.	8206280402*	FOIA	MORGAN, C.	8206040238	50-247 0	MOSELEY, N. C.	8206290111	50-418 A
MINGOUE, R. B.	8206280408*	FOIA	MORGAN, C.	8206040238	50-247 0	MOSES, G. T.	8206070500	PRM
MINGOUE, R. B.	8206280413*	FOIA	MORGAN, C.	8206070532	50-247 0	MOSS, J. C.	8206070691	PR
MINGOUE, R. B.	8206280423*	FOIA	MORGAN, C.	8206070532	50-247 0	MOSS, J. C.	8206160327	PR
MINGOUE, R. B.	8206280432*	FOIA	MORGAN, C.	8206100106	50-247 0	MOSSMAN, R. B.	8206240020*	CONTRACT
MINGOUE, R. B.	8206280438*	FOIA	MORGAN, C.	8206100106	50-247 0	MOTLEY, J. B.	8206160331	PR
MINGOUE, R. B.	8206280484*	FOIA	MORGAN, C.	8206100110	50-247 0	MOWRY, W. R.	8206230209	XPORTLIC
MINGOUE, R. B.	8206280514*	FOIA	MORGAN, C.	8206100110	50-247 0	MROCKA, E. J.	8206010299	50-336 R
MINGOUE, R. B.	8206280517*	FOIA	MORGAN, C.	8206170130	50-247 0	MROCKA, E. J.	8206010411	50-243 R
MINGOUE, R. B.	8206280607*	FOIA	MORGAN, C.	8206170157	50-247 0	MROCKA, E. J.	8206110056	50-243 S
MINGOUE, R. B.	8206280621*	FOIA	MORGAN, C.	8206170157	50-247 0	MROCKA, E. J.	8206110149	50-336 S
MINGOUE, R. B.	8206404263*	50-322 T	MORGAN, C.	8206170268	50-247 0	MROCKA, E. J.	8206210306	50-336 S
MINGOUE, R. B.	8206404263*	50-322 T	MORGAN, C.	8206170268	50-247 0	MROCKA, E. J.	8206220325	50-243 S
MINGOUE, R. B.	8206404263*	50-322 T	MORGAN, C.	8206180296	50-247 0	MROCKA, E. J.	8206220554	50-336 S
MINGOUE, R. B.	8206170244*	50-322 T	MORGAN, C.	8206180296	50-247 0	MROCKA, E. J.	8206290164	50-336 S
MIRAGLIA, F. J.	8206010081	50-443 E	MORGAN, C.	8206180316	50-247 0	MROCKA, E. J.	8206290463	50-336 S
MIRAGLIA, F. J.	8206010082	50-498 A	MORGAN, C.	8206180316	50-247 0	MUCHA, E.	8206290403*	50-259 P
MIRAGLIA, F. J.	8206010099	50-528 E	MORGAN, C.	8206240208	50-247 0	MUELLER, R.	8206020375*	50-285 S
MIRAGLIA, F. J.	8206010722	50-528 A	MORGAN, C.	8206240208	50-247 0	MUELLER, R.	8206070435*	50-285 S
MIRAGLIA, F. J.	8206020585	50-361 P	MORGAN, C.	8206240208	50-247 0	MUELLER, R.	8206290176*	50-285 S
MIRAGLIA, F. J.	8206080059	50-275 F	MORGAN, C.	8206240221	50-247 0	MULLEN, O. W.	8206080445*	50-289 P
MIRAGLIA, F. J.	8206080173	50-400 A	MORGAN, C.	8206240221	50-247 0	MULLEN, O. W.	8206280144*	50-289 P
MIRAGLIA, F. J.	8206140123	50-498 A	MORGAN, C.	8206240233*	50-247 0	MULLER, D.	8206010023*	50-438 D
MIRAGLIA, F. J.	8206140274	50-382 A	MORGAN, C.	8206240233*	50-247 0	MULLINS, C. B.	8206090129	NUREQ
MIRAGLIA, F. J.	8206140353	50-498 A	MORGAN, C.	8206240379	50-247 0	MULLINS, C. B.	8206240036	NUREQ
MIRAGLIA, F. J.	8206140384	50-400 F	MORGAN, C.	8206240379	50-247 0	MUNRO, J. J.	8206160327	PR
MIRAGLIA, F. J.	8206150424	50-528 F	MORGAN, C.	8206280149	50-247 0	MUNRO, J. J.	8206220600*	71-9165
MIRAGLIA, F. J.	8206170232	50-335 F	MORGAN, C.	8206280149	50-247 0	MUNRO, B. C.	8203310344*	40-2061
MIRAGLIA, F. J.	8206220191	50-400 A	MORGAN, W.	8206220168*	50-249 S	MUNRO, B. C.	8206250312	NUREQ
MIRAGLIA, F. J.	8206220202	50-400 A	MORGENSTERN, A.	8206150450	XPORTLIC	MURPHY, W. P.	8206010096*	50-271 S
MIRAGLIA, F. J.	8206220223*	50-443 A	MORISI, A. V.	8206020378	50-293 P	MURPHY, W. P.	8106100183*	FOIA
MIRAGLIA, F. J.	8206250359	50-528 A	MORISI, A. V.	8206030003	50-293 P	MURPHY, W. P.	8112010779*	FOIA
MIRAGLIA, F. J.	8206040091	NUREQ	MORISI, A. V.	8206040178	50-293 P	MURPHY, W. P.	8206230245*	FOIA
MIRAGLIA, F. J.	8206040093	PR	MORISI, A. V.	8206040269	50-293 F	MURPHY, W. P.	8206080305*	50-454 0
MITTL, R. L.	8206040099	PRM	MORISI, A. V.	8206040293	50-293 P	MURPHY, W. P.	8206010278*	FOIA
MITTL, R. L.	8205130166	50-445 0	MORISI, A. V.	8206080335	50-293 P	MURPHY, W. P.	8206280246	50-454 0
MITTL, R. L.	8206010289	50-445 0	MORISI, A. V.	8206080350	50-293 P	MURPHY, W. P.	8206280246	50-454 0
MITTL, R. L.	8206070124	50-537 0	MORISI, A. V.	8206100188	50-293 P	MURPHY, W. P.	8111106060	50-271 S
MITTL, R. L.	8206070129*	50-537 0	MORISI, A. V.	8206110275	50-293 P	MURPHY, W. P.	8204230076*	50-271 S
MOEGENBERG, D.	8206220277*	50-313 S	MORISI, A. V.	8206170094	50-293 G	MURPHY, W. P.	8206010089	50-271 S
MOEGENBERG, D.	8206220495*	50-313 S	MORISI, A. V.	8206170309	50-293 P	MURPHY, W. P.	8206220368	50-271 S
MOELLER, D. W.	8206100363	RES	MORISI, A. V.	8206210593	50-293 P	MURPHY, W. P.	8206220373*	50-271 S
MOELLER, D. W.	8206100367*	RES	MORISI, A. V.	8206210620	50-293 P	MURPHY, W. P.	8206220400	50-271 S
MOELLER, D. W.	8206100370*	RES	MORISI, A. V.	8206220487	50-293 G	MURPHY, W. P.	8206220408*	50-271 S
MOELLER, D. W.	8206100390*	RES	MORISI, A. V.	8206230163	50-293 P	MURRAY, B.	8206010373*	50-313 G
MOELLER, D. W.	8206100398*	RES	MORISI, A. V.	8206280141	50-293 G	MURRAY, B.	8206010644*	50-382 0
MOELLER, D. W.	8206080461*	XPORTLIC	MORISI, A. V.	8206290394	50-293 P	MURRAY, J. P.	8206170421*	50-275 0
MOELLER, D. W.	8206160102	XPORTLIC	MORISILL, P. J.	8206040145*	50-275 G	MURRAY, J. P.	8206230184*	50-185 0
MOELLER, D. W.	8206300075*	XPORTLIC	MORRIS, D. Q.	8206090129	NUREQ	MURRAY, T. D.	8206010385	50-346 R
MONTGOMERY, D. M.	8206220083*	50-324 0	MORRIS, D. Q.	8206240036	NUREQ	MURRAY, T. D.	8206020309	50-346 S
MONTGOMERY, D. M.	8206220252*	50-324 0	MORRIS, K. J.	8206300131*	50-285 F	MURRAY, T. D.	8206070551	50-346 S
MONTGOMERY, D. M.	8206220381*	50-335 0	MORRIS, P. A.	8206040011	50-285 0	MURRAY, T. D.	8206100144	50-346 S
MONTGOMERY, D. M.	8206070341*	50-29 G	MORRIS, P. A.	8206040023	50-285 0	MURRAY, T. D.	8206220193	50-346 S
MOODY, D. E.	8206240152	50-29 P	MORRIS, R. L.	8206280133*	50-247 0	MURRAY, T. D.	8206240334	50-346 S

PERSONAL AUTHOR INDEX

6

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
MURRAY, T D	8206270374	50-346 S	NICHOLS, T C	8206070193	REGGD	NIXON, W A	8206110039*	70-135
MUSOLF, D	8206080223	50-263 P	NICHOLS, T C	8206070334	NUREQ	NORMAN, V S	8102230492*	50-311
MUSOLF, D	8206100111	50-263 S	NICHOLS, T C	8206070384	PR	NORBERG, J A	8206280226*	FOIA
MUSOLF, D	8206150182	50-263 S	NICHOLS, T C	8206170113	50-395 K	NORBERG, J A	8206280442*	FOIA
MUSOLF, D	8206150190	50-282 R	NICHOLS, T C	8206220524*	50-395 Q	NORDERHAUG, L R	8206040121	50-344
MUSOLF, D	8206150275	50-263 R	NICHOLSON, N A	8206070696*	50-155 Q	NORDERHAUG, L R	8206040131*	50-344
MUSOLF, D	8206210170	50-282 P	NICHOLSON, N A	8206280230*	40-2061	NORDERHAUG, L R	8206040158	70-1257
MUSOLF, D	8206220120	50-282 P	NICOLSI, B L	8206090117	NUREQ	NORDERHAUG, L R	8206040163*	70-1257
MUSOLF, D	8206220319	50-263 F	NIEMCZYK, S J	8206290519	NUREQ	NORDERHAUG, L R	8206040261	50-312
MUSOLF, D	8206230114	50-282 F	NILSON, R	8206250164	PR	NORDERHAUG, L R	8206040265*	50-312
MUSOLF, D	8206250235	50-263 P	NIHITZ, R	8206100056	50-247 S	NORDERHAUG, L R	8206170281	50-275
MUSOLF, D M	8206100247	50-306 S	NIHITZ, R L	8206210607	50-293 S	NORDERHAUG, L R	8206220582	50-361
MUSOLF, D M	8206150288	50-282 P	NIX, H	8206020081*	50-321 F	NORELIUS, C E	8206020392	50-255
MUSOLF, D M	8206150319	50-263 P	NIX, H	8206060481*	50-321 F	NORELIUS, C E	8206070791	50-358
MUSOLF, D M	8206230263	71-5805	NIX, H C	8206010164	50-321 S	NORELIUS, C E	8206070808	50-373
MUSOLF, D M	8206300204	50-282 K	NIX, H C	8206010250	50-321 S	NORELIUS, C E	8206070871	50-440
MYERS, R V	8206020386	50-522 E	NIX, H C	8206010434	50-366 S	NORELIUS, C E	8206150241	50-440
MYERS, R V	8206220139	50-522 D	NIX, H C	8206010503	50-321 S	NORELIUS, C E	8206250237	50-483
MYERS, R V	8206290323	50-522 D	NIX, H C	8206010371	50-366 S	NORELIUS, C E	8206250259*	50-483
MYRABO, A L	8206150278*	50-263 R	NIX, H C	8206010584	50-321 S	NORELIUS, C E	8206280569	50-373
NAIDU, K R	8206290263*	50-483 Q	NIX, H C	8206010650	50-321 S	NORELIUS, C E	8206290477	50-295
NAIDU, K R	8206290283	50-341 Q	NIX, H C	8206210609	50-366 S	NORMAN, D R	8206220155	71-9070
NAPUDA, Q	8206150200*	50-443 Q	NIX, H C	8206070067	50-321 S	NORRIS, J A	8206040371*	50-272
NAPUDA, Q	8206150304*	50-387 Q	NIX, H C	8206070077	50-321 S	NORRIS, J A	8206290411*	50-272
NAPUDA, Q	8206220404*	50-277 Q	NIX, H C	8206070096	50-321 S	NORRIS, J A	8206080287*	50-261
NARASIMHAN, G	8206070254*	50-334 P	NIX, H C	8206070109	50-366 S	NORRIS, J A	8111020610*	50-522
NARBUT, P P	8206020475*	50-460 Q	NIX, H C	8206070149	50-321 S	NORRIS, J F	8206010135*	50-287
NARBUT, P P	8206020484*	50-460 Q	NIX, H C	8206070153*	50-321 S	NORRIS, J F	8206300113*	50-287
NARBUT, P P	8206220211*	50-460 Q	NIX, H C	8206070209	50-366 S	NORRIS, P O	8206100416	ORG
NARDACCI, G A	8206070260*	50-289 R	NIX, H C	8206070316	50-366 S	NOVAK, T	8110290599*	FOIA
NARDACCI, G A	8206290326*	50-289 R	NIX, H C	8206070408	50-366 S	NOVAK, T	8206240438	TOPREP
NARDI, A J	8206110359	70-1143	NIX, H C	8206070422	50-366 S	NOVAK, T M	8206070142	50-309
NARDI, A J	8206230283	70-1191	NIX, H C	8206070439	50-366 S	NOVAK, T M	8206080166	TOPREP
NARDOCI, P B	8206010178*	50-369 S	NIX, H C	8206070537	50-366 S	NOVAK, T M	82061004125	50-315
NARDOCI, P B	8206010228*	50-369 S	NIX, H C	8206070564	50-321 S	NOVAK, T M	8206180336	50-317
NARDOCI, P B	8206070322*	50-369 S	NIX, H C	8206110109	50-321 S	NOVAK, T M	8206210018*	50-254
NARDOCI, P B	8206210063*	50-369 S	NIX, H C	8206110191	50-366 S	NOVAK, T M	8206230042*	FOIA
NARDOCI, P B	8206300245*	50-369 S	NIX, H C	8206110194	50-366 S	NOVAK, T M	8206230211*	FOIA
NARDOCI, P B	8206300253*	50-369 S	NIX, H C	8206110204	50-366 S	NOVAK, T M	8206250334	50-312
NARDOCI, P B	8206300216*	50-387 Q	NIX, H C	8206110205	50-321 S	NOVAK, T M	8206290080	50-312
NARROW, L	8206220329*	50-322 Q	NIX, H C	8206110233	50-321 S	NOVAK, T M	8206290083	50-346
NASH, B	8206080045*	50-289 F	NIX, H C	8206110259	50-321 S	NOVAK, T M	8206290090	50-287
NASH, C	8206290378*	50-373 S	NIX, H C	8206150110	50-321 R	NUGENT, E L	8206220101	40-2259
NAYHARK, J	8206220146*	50-254 Q	NIX, H C	8206210119	50-321 S	NUNN, D E	8206020580*	CONTRACT
NEIGHBORS, J D	8206160065*	50-251 P	NIX, H C	8206210192	50-366 S	NYERGES, P L	8206100069	NUREQ
NEIGHBORS, J D	8206160492*	50-305 P	NIX, H C	82062210248	50-366 S	O'BRIEN, J	8206280494*	50-312
NEIGHBORS, J D	8206250389	50-280 P	NIX, H C	82062210359	50-321 S	O'BRIEN, J P	8206150326*	50-312
NEIGHBORS, J D	8206280590	50-280 P	NIX, H C	8206210394	50-366 S	O'BRIEN, J P	8206280527*	50-312
NEILS, O H	8206020177*	50-263 F	NIX, H C	8206210407	50-366 S	O'BRIEN, J R	8206070675*	40-86
NEIBLER, J H	8206250263*	50-483 Q	NIX, H C	8206210448	50-321 S	O'BRIEN, J R	8206210430*	40-8610
NELSON, C	8206230324	50-309 P	NIX, H C	8206210487	50-366 S	O'CONNOR, P	8206010480	50-237
NELSON, C C	8206080002	50-335 P	NIX, H C	8206210542	50-321 S	O'CONNOR, P	8206220315	50-237
NELSON, O B	8206040131*	50-344 Q	NIX, H C	8206210558	50-366 S	O'CONNOR, P	8206300197	50-237
NELSON, O B	8206040163*	70-1257	NIX, H C	8206210659	50-321 S	O'CONNOR, P	8206300026*	50-237
NELSON, O B	8206040265*	50-312 Q	NIX, H C	8206240137	50-321 S	O'CONNOR, P W	8206030244	50-237
NELSON, M A	8206080050*	50-289 F	NIX, H C	8206240151	50-366 S	O'CONNOR, P W	8206080228	50-237
NELSON, P R	8206020235*	FOIA	NIX, H C	8206240241	50-366 S	O'CONNOR, P W	8206170108	50-237
NELSON, R L	8206170200*	50-305 Q	NIX, H C	8206300117	50-321 S	O'CONNOR, P W	8206210406	50-237
NERSES, V	8206010131	50-389 Q	NIX, H C	8206300123	50-366 S	O'CONNOR, P W	8206300015	50-237
NERSES, V	8206080154	50-389 A	NIX, H C	8206300158	50-366 S	O'CONNOR, T A	8206180317*	50-320
NERSES, V	8206100424	50-389 F	NIX, R T	8206010259*	50-321 S	O'LEAR, G	8206170272*	51
NERSES, V	8206110327	50-389 A	NIX, R T	8206010359*	50-366 S	O'MARA, R E	8206010366*	51
NERSES, V	8206220196	50-389 A	NIX, R T	8206010438*	50-366 S	O'NEILL, B	8206220264*	51
NERSES, V	8206220205	50-389 A	NIX, R T	8206010578*	50-366 S	O'NEILL, B	8206230130	51
NESEBETT, L D	8206230103*	TOPREP	NIX, R T	8206010662*	50-321 S	O'NEILL, B	8206010367*	51
NETZEL, R J	8206140198*	50-454 Q	NIX, R T	8206070070*	50-321 S			
NETZEL, R J	8206140210*	50-454 Q	NIX, R T	8206070101*	50-321 S			
NETZEL, R J	8206140210*	50-454 Q	NIX, R T	8206070332*	50-321 S			
NEWMANN, M R	8206160495*	40-8380	NIX, R T	8206070432*	50-321 S			
NEWBY, N N	8206030080	50-329 M	NIX, R T	8206070544*	50-321 S			
NEWMAN, J R	8206170089	50-498 Q	NIX, R T	82061101	50-321 S			
NEWMAN, J R	8206170089	50-498 Q	NIX, R T	82061102	50-321 S			
NEWMAN, B E	8206180320	50-400 Q	NIX, R T	82061102	50-321 S			
NICHOLAS, H	8206220538*	50-289 Q	NIX, R T	82062103	50-321 S			
NICHOLAS, H H	8206070567*	50-387 Q	NIX, R T	82062104	50-321 S			
NICHOLAS, H H	8206070822*	50-322 Q	NIX, R T	82062104	50-321 S			
NICHOLS, E J	8206010462*	50-322 Q	NIX, R T	82062106	50-321 S			
NICHOLS, T C	8206010325	50-395 A	NIX, R T	82062106	50-321 S			
NICHOLS, T C	8206010465	50-395 S	NIX, R T	82062106	50-321 S			
NICHOLS, T C	8206010573	50-395 S	NIX, R T	82062106	50-321 S			
NICHOLS, T C	8206020344	50-395 A	NIX, R T	82063001	50-321 S			
NICHOLS, T C	8206020420	50-395 A	NIX, R T	82063001	50-321 S			
NICHOLS, T C	8206020427	50-395 A	NIXON, W A	82060100	50-321 S			
NICHOLS, T C	8206020457	50-395 A	NIXON, W A	82060100	50-321 S			
NICHOLS, T C	8206040281	50-395 A	NIXON, W A	82061004	50-321 S			

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
O'TOOLE, J. D.	8206010238	50-247 R	PALLADINO, N. J.	8206010179	COMMISSION	PARKER, W. O.	8206160464	WASTE MGT
O'TOOLE, J. D.	8206030802	50-247 B	PALLADINO, N. J.	8206010183	COMMISSION	PARKER, W. O.	8206170084	50-369 Q
O'TOOLE, J. D.	8206040378*	50-247 G	PALLADINO, N. J.	8206010188*	COMMISSION	PARKER, W. O.	8206170171	50-413 K
O'TOOLE, J. D.	8206070560	50-247 F	PALLADINO, N. J.	8206010192*	COMMISSION	PARKER, W. O.	8206180081	50-269 Q
O'TOOLE, J. D.	8206080032*	50-3 F	PALLADINO, N. J.	8206010195*	COMMISSION	PARKER, W. O.	8206180184	50-269 P
O'TOOLE, J. D.	8206080049	50-247 S	PALLADINO, N. J.	8206040357	NUREG	PARKER, W. O.	8206210059	50-369 S
O'TOOLE, J. D.	8206080318	50-247 P	PALLADINO, N. J.	8206130052	COMMISSION	PARKER, W. O.	8206210072	50-269 R
O'TOOLE, J. D.	8206080378	50-247 R	PALLADINO, N. J.	8206130054	COMMISSION	PARKER, W. O.	8206210201	50-369 R
O'TOOLE, J. D.	8206130299	50-247 F	PALLADINO, N. J.	8206130058	COMMISSION	PARKER, W. O.	8206210612	50-413 A
O'TOOLE, J. D.	8206160165*	50-3 F	PALLADINO, N. J.	8206300289	NUREG	PARKER, W. O.	8206220308	50-270 F
O'TOOLE, J. D.	8206170088	50-247 S	PALMER, R. A.	8206020061*	50-316 S	PARKER, W. O.	8206220333	50-369 Q
O'TOOLE, J. D.	8206210427	50-3 P	PALMER, R. A.	8206020300*	50-316 S	PARKER, W. O.	8206220381	50-369 P
O'TOOLE, J. D.	8206220161*	50-247 F	PALMER, R. A.	8206020437*	50-315 S	PARKER, W. O.	8206220468	50-413 A
O'TOOLE, J. D.	8206220457*	50-286 Q	PALMER, R. A.	8206040342*	50-316 S	PARKER, W. O.	8206220485	50-413 Q
O'TOOLE, J. D.	8206280329	50-3 S	PALMER, R. A.	8206070541*	50-315 S	PARKER, W. O.	8206250181	50-269 Q
OBRO, C. R.	8206210320*	50-49B Q	PALMER, R. A.	8206070810*	50-315 S	PARKER, W. O.	8206250234	GEN TEC IS
ODOM, J. P.	8206250033	NUREG	PALMER, R. A.	8206070818*	50-315 S	PARKER, W. O.	8206300098*	50-269 F
OLLER, R. E.	8206020543*	0A999	PALMER, R. A.	8206070859*	50-316 S	PARKER, W. O.	8206300111	50-269 S
OLLER, R. E.	8206210628*	0A999	PALMER, R. A.	8206100007	NUREG	PARKER, W. O.	8206300193	50-413 Q
OLSEN, C. B.	8206100217	REG	PALMER, R. A.	8206100151*	50-315 S	PARKER, W. O.	8206300201	50-413 S
OLSHINSKI, J. A.	8206070474	50-250 P	PALMER, R. A.	8206170226*	50-316 S	PARKER, W. O.	8206300240	50-369 S
OLSON, L. K.	8206030192*	FOIA	PALMER, R. A.	8206170317*	50-315 S	PARKER, W. O.	8206300247	50-369 S
OPREA, O. W.	8206020525*	50-49B Q	PALMER, R. A.	8206170323*	50-315 S	PARKER, W. O.	8206300355	50-369 P
OPREA, O. W.	8206020540	50-49B S	PALMER, R. A.	8206240275*	50-315 S	PARKS, P. B.	8206090132	NUREG
OPREA, O. W.	8206090105	PR	PANTELLI, S. E.	8206080113	40-6659	PARKYN, J. D.	8206070600	PRM
OPREA, O. W.	8206150418	50-49B S	PAOLINO, R.	8206220518*	50-322 Q	PARR, D. D.	7906110328*	50-404 A
OPREA, O. W.	8206180239	50-49B A	PAOLINO, R. J.	8206030118*	50-245 Q	PARSONS, T. W.	7908300712*	FOIA
OPREA, O. W.	8206220275*	50-49B A	PAOLINO, R. J.	8206070822*	50-322 Q	PARZALE, A. A.	8206100031	NUREG
ORDERS, W.	8206070748*	50-269 Q	PAOLINO, R. J.	8206170126*	50-247 Q	PASBATIEMPO, J. E.	8206220604	40-8355
ORSLUK, K.	8206070641	PRM	PAOLINO, R. J.	8206170340*	50-443 Q	PASBOS, T. J.	8206220146*	50-254 Q
OSTER, J.	8206080378	50-10 J	PAPAY, L. T.	8206010682*	50-361 Q	PASQUA, M. P.	8206290518*	FOIA
OSTER, J.	8206250268	50-373 J	PAPAY, L. T.	8206180224*	50-361 Q	PASTVA, H. J.	8206010029*	50-324 S
OTTINGER, R. L.	8206010173*	50-358 U	PAPAY, L. T.	8206290414	50-206 P	PASTVA, H. J.	8206010122*	50-325 S
OWCZARESKI, P. C.	8206140360	RES	PAPAY, L. T.	8206290418*	50-206 P	PASTVA, H. J.	8206010150*	50-324 S
OWEN, D. E.	8206020231*	WASTE MGT	PAPAZOULOU, I.	8206230240*	FOIA	PASTVA, H. J.	8206010160*	50-325 S
OWEN, J. B.	8206100443	WASTE MGT	PAPERIELLO, C. J.	8206220232*	50-315 Q	PASTVA, H. J.	8206010201*	50-324 S
OWEN, K. E.	8206010025*	50-45B D	PAPERIELLO, C. J.	8206070685	50-155 Q	PASTVA, H. J.	8206010220*	50-325 S
OWEN, K. E.	8206010028*	50-45B D	PAPERIELLO, C. J.	8206080303	50-282 Q	PASTVA, H. J.	8206010243*	50-325 S
OWEN, T. B.	8206300101*	50-269 F	PAPERIELLO, C. J.	8206090033*	50-237 F	PASTVA, H. J.	8206010308*	50-324 S
OWENS, T. E.	8206300062	50-460 A	PAPERIELLO, C. J.	8206150283	50-254 Q	PASTVA, H. J.	8206010331*	50-324 S
OYER, E. H.	8206040235	50-443 Q	PAPERIELLO, C. J.	8206220224	50-315 Q	PASTVA, H. J.	8206010352*	50-324 S
PACE, P. L.	8206110287*	50-335 S	PAPERIELLO, C. J.	8206220274	50-263 F	PASTVA, H. J.	8206010362*	50-325 S
PACE, P. L.	8206010296*	50-250 R	PAPERIELLO, C. J.	8206220452*	50-266 Q	PASTVA, H. J.	8206010367*	50-324 S
PACE, P. L.	8206010412*	50-335 S	PAPERIELLO, C. J.	8206280224	40-2061	PASTVA, H. J.	8206010402*	50-324 S
PACE, P. L.	8206010448*	50-335 S	PARK, L. G. J.	8206010300*	50-336 R	PASTVA, H. J.	8206010425*	50-324 S
PACE, P. L.	8206010506*	50-250 S	PARIS, O. H.	8206150039*	CONTRACT	PASTVA, H. J.	8206010492*	50-324 S
PACE, P. L.	8206070127*	50-335 S	PARIS, O. H.	8206080092	50-247 Q	PASTVA, H. J.	8206010502*	50-325 S
PACE, P. L.	8206070458*	50-251 S	PARIS, O. H.	8206090069	50-142 Q	PASTVA, H. J.	8206010505*	50-324 S
PACE, P. L.	8206110267*	50-335 S	PARKER, J. A.	8206280330*	50-155 J	PASTVA, H. J.	8206010612*	50-324 S
PACE, P. L.	8206110306*	50-335 S	PARKER, J. P.	8206070310	50-369 S	PASTVA, H. J.	8206010639*	50-324 S
PACE, P. L.	8206210385*	50-251 S	PARKER, M. E.	8206020535*	50-155 Q	PASTVA, H. J.	8206010651*	50-325 S
PACE, P. L.	8206220342*	50-250 S	PARKER, M. E.	8206220536*	50-237 Q	PASTVA, H. J.	8206010657*	50-324 S
PACE, P. L.	8206220378*	50-335 S	PARKER, P. E.	8206070098	PROJ	PASTVA, H. J.	8206010673*	50-324 S
PACE, P. L.	8206240057*	50-250 S	PARKER, W. O.	8206010128	50-287 S	PASTVA, H. J.	8206070078*	50-325 S
PACE, P. L.	8206240150*	50-335 S	PARKER, W. O.	8206010172	50-369 S	PASTVA, H. J.	8206070164*	50-324 S
PAGE, M.	8206240087	CONTRACT	PARKER, W. O.	8206010223	50-369 S	PASTVA, H. J.	8206070304*	50-325 S
PAGE, M.	8206240107	CONTRACT	PARKER, W. O.	8206010675	50-369 S	PASTVA, H. J.	8206070396*	50-325 S
PAGE, M.	8206240464	CONTRACT	PARKER, W. O.	8206020041*	50-269 F	PASTVA, H. J.	8206210233*	50-325 S
PAGE, R. O.	8206010624	70-1113	PARKER, W. O.	8206020302	50-269 F	PASTVA, H. J.	8206210449*	50-324 S
PAGE, R. O.	8206030078*	FOIA	PARKER, W. O.	8206030225	50-269 F	PASTVA, H. J.	8206210489*	50-324 S
PAGE, R. O.	8206080186	70-1359	PARKER, W. O.	8206040207	50-369 F	PASTVA, H. J.	8206210530*	50-324 S
PAGE, R. O.	8206080193*	70-1359	PARKER, W. O.	8206040324	50-413 F	PASTVA, H. J.	8206210548*	50-325 S
PAGE, R. O.	8206090254	70-143	PARKER, W. O.	8206040349	50-269 F	PASTVA, H. J.	8206220354*	50-325 S
PAGE, R. O.	8206100426	70-143	PARKER, W. O.	8206070248	50-269 F	PASTVA, H. J.	8206220399*	50-325 S
PAGE, R. O.	8206110030	70-135	PARKER, W. O.	8206070248	50-413 A	PASTVA, H. J.	8206240182*	50-325 S
PAGE, R. O.	8206110031*	70-135	PARKER, W. O.	8206070288	50-369 Q	PASTVA, H. J.	8206240192*	50-325 S
PAGE, R. O.	8206140328	70-2375	PARKER, W. O.	8206070333	50-369 S	PASTVA, H. J.	8206300107*	50-325 S
PAGE, R. O.	8206280044	40-2061	PARKER, W. O.	8206070477*	50-413 Q	PATENAUD, C. J.	8206100031	NUREG
PAGE, R. O.	8206280089	70-27	PARKER, W. O.	8206070385	50-369 P	PATON, W. D.	8206300040	50-327 Q
PAGE, R. O.	8206290009	70-36	PARKER, W. O.	8206070623	50-269 Q	PATRICK, D. M.	8206100024	NUREG
PAGE, R. O.	8206290557	40-8406	PARKER, W. O.	8206070721*	50-269 Q	PAUL, J. M.	8206300182	REGO
PAGE, R. O.	8206290656	70-1334	PARKER, W. O.	8206070741	50-413 Q	PAUL, R. A.	8206110308*	50-461 Q
PAOLARDI, J. A.	8206220452*	50-266 Q	PARKER, W. O.	8206070744	50-370 Q	PAULIAN, J. L.	8206210398*	50-6 R
PAUL, W. I.	8206150447*	50-309 S	PARKER, W. O.	8206070751	50-369 Q	PAULK, G.	8206250558*	50-324 Q
	8206160280*	XPQRTLIC	PARKER, W. O.	8206070753	50-413 Q	PAULK, G. L.	8206070554*	50-259 Q
	8206050135*	GEN TEC IS	PARKER, W. O.	8206070778	50-370 Q	PAULSON, W.	8206030012	50-204 P
	8206010126	COMMISSION	PARKER, W. O.	8206070827*	50-369 Q	PAULSON, W.	8206080278	50-206 P
	8206010132*	COMMISSION	PARKER, W. O.	8206080183	50-269 Q	PAULSON, W.	8206210006	50-206 P
	8206010137*	COMMISSION	PARKER, W. O.	8206080373	50-369 P	PAULSON, W.	8206250178	50-206 P
	8206010139*	COMMISSION	PARKER, W. O.	8206110248	50-413 S	PAULSON, W.	8206300172	50-206 P
	8206010143*	COMMISSION	PARKER, W. O.	8206110285	50-269 P	PAULSON, W.	8206300262	50-206 P
	8206010148*	COMMISSION	PARKER, W. O.	8206110298	50-413 S	PAULSON, W. A.	8206080181	50-206 P
	8206010154	COMMISSION	PARKER, W. O.	8206140295	50-270 Q	PAULSON, W. A.	8206240132	50-206 P
	8206010165	COMMISSION	PARKER, W. O.	8206150306	50-413 F	PAULSON, W. A.	8206240193	50-206 P
	8206010168	50-358 U	PARKER, W. O.	8206160377*	50-369 F	PAULSON, R. C.	8206030130*	FOIA

PERSONAL AUTHOR INDEX

6

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
PAVIB, O S	8206170028*	50-318 S	PIKUS, D H	8206180214	50-247 Q	POTTERFIELD, A	8206240239	50-247
PAVIB, O S	8206230126*	50-318 S	PILANT, J M	8206020297*	50-298 Q	POTTERFIELD, A	8206280066*	50-247
PAVIB, O S	8206280058*	50-317 S	PILANT, J M	8206110083	50-298 P	POTTERFIELD, A	8206280066*	50-247
PAVIB, O S	8206280244*	50-318 S	PILANT, J M	8206110170	50-298 P	POTTERFIELD, A	8206280066*	50-247
PECK, C C	8206280411*	40-3392	PILANT, J M	8206160321	50-298 P	POTTERFIELD, A	8206280066*	50-247
PECK, S I	8206100069	NUREQ	PILANT, J M	8206180209	PR	POTTERFIELD, A	8206280066*	50-247
PEEBLES, T	8206070637*	50-395 Q	PILANT, J M	8206210458	50-298 P	POTTERFIELD, A	8206280135*	50-247
PEEBLES, T A	8206280065*	50-348 Q	PILANT, J M	8206210426	50-298 P	POTTERFIELD, A	8206280135*	50-247
PEERY, W W	8206070653*	70-1151	PILANT, J M	8206220166*	50-298 F	POULK, R M	8206010205*	50-325
PELIZZA, M S	8206010054	40-8786	PILANT, J M	8206220323	50-298 P	POULK, R M	8206010424*	50-325
PELIZZA, M S	8206220037	40-8786	PILANT, J M	8206230176	50-298 P	POULK, R M	8206110314*	50-325
PELTRO, P	8206230238*	FOIA	PILANT, J M	8206280286	50-298 P	POWER, D A	8206080288*	50-460
PERANICH, M W	8206230065*	FOIA	PILANT, J M	8206290479	50-298 P	POWER, E J	8206280149*	50-460
PERANICH, M W	8206280199*	FOIA	PITZ, P L	8206140302*	50-270 Q	PRATT, C M	8206240185	50-247
PERCH, R	8206110344	50-387 A	PLAPP, D P	8206110397	XPORTLIC	PRESTON, D L	8206070310	50-498
PERCH, R L	8206110345	50-387 A	PLAPP, D P	8206110388*	XPORTLIC	PRICE, E R	8206030266*	FOIA
PERCH, R L	8206240053	50-387 A	PLAPP, D P	8206110391*	XPORTLIC	PRICE, H L	8206030166*	FOIA
PERCH, R L	8206250397	50-387 A	PLATO, P	8206140243*	State Pres	PRICE, H L	8206030170*	FOIA
PEREZ-GRIFFO, M	8206230027	NUREQ	PLENIEWICZ, R	8206140192*	50-454 Q	PRICE, H L	8206030261*	FOIA
PERKINS, K E	8203040291*	50-293 F	PLIHL, G	8206140390*	50-295 F	PRICE, H L	8206070041*	PR
PERKINS, K E	8203040296*	50-277 F	PLUMLEE, O L	8206010452*	50-267 Q	PRICE, H L	8206070041*	PR
PERKINS, K E	8206150077*	50-334 F	PLUMLEE, O L	8206080122*	50-267 Q	RICHARD, R P	8206230270	71-9034
PERKINS, R W	8206110364*	WASTE MGT	PLUNKETT, T F	8206090109	PRM	RICHARD, R P	8206300071	71-9510
PERLIS, R Q	8206070523	50-483 Q	POCHAL, W F	8206080492	XPORTLIC	RIKAK, W	8206030075*	FOIA
PERLIS, R Q	8206170197	50-322 T	POCHAL, W F	8206220187	XPORTLIC	RIKAK, W	8206290331*	50-373
PERLMAN, J	8206150054	CONTRACT	POCHAL, B E	8206140120*	50-247 T	PULLANT, S V	8206030256*	50-387
PERLMAN, J	8206240479	CONTRACT	POCHAL, B E	8206140120*	50-247 T	PULLANT, S V	8206070488*	50-219
PERSON, L B	8206280586	WASTE MGT	POHLE, J A	8206150165	40-8200	PULLANT, S V	8206170219*	50-322
PETERB, P E	8206230215	50-400 S	POHLE, J A	8206210085	40-8200	PULLANT, S V	8206220347*	50-387
PETERBEN, R J	8206100059	NUREQ	POINDEXTER, C H	8206290106	50-317 P	PULLIPHER, J C	8206080290*	50-464
PETERSON, A C	8206100351	RES	POINTER, T F	8206100217	RES	PURDY, J A	8206160336	REOOD
PETERSON, C D	8206220414	PR	POLITO, J	8206100058	NUREQ	QUERIO, R E	8206140136*	50-454
PETERSON, D	8206140022*	50-255 R	POPEO, D J	8206070024*	FOIA	QUICK, D R	8206220496*	50-458
PETERSON, M R	8206230373	XPORTLIC	POPPE, L K	8206160465	WASTE MGT	QUIGLEY, T H	8206220176	40-8743
PETERSON, M R	8206250377	XPORTLIC	POPPE, L K	8206250164	PR	QUIGLEY, T H	8206280041	40-8743
PETRICK, N A	8206010103	50-482 K	PORTER, M R	8206010275*	50-296 S	QUINN, D	8206140134*	50-247
PEYRICK, N A	8206110251	50-482 E	PORTER, M R	8206010547*	50-296 S	QUINNETTE, J. W	8206180317*	50-320
PETRON, C D	8206030237*	50-333 Q	PORTER, W A	8206070631	50-128 P	QUIRK, J F.	8206180340	TOPREP
PETRON, C D	8206220564*	50-317 Q	POTAPOVB, U	8206080422	QA999	QUIRK, J F.	8206210358	TOPREP
PETRON, C D	82062290411*	50-272 Q	POTAPOVB, U	8206020316	QA999	RADLE, E	8206140073	50-247
PETTENOILL, H J	8206080023	40-299	POTAPOVB, U	8206020450	QA999	RAHE, E P	8203270295	TOPREP
PETTENOILL, H J	8206080027	40-6639	POTAPOVB, U	8206020454*	QA999	RAHE, E P	8206030109	TOPREP
PETTENOILL, H J	8206080033	40-8102	POTAPOVB, U	8206020463*	QA999	RAHE, E P	8206070407	PR
PETTENOILL, H J	8206090256	40-299	POTAPOVB, U	8206020464	QA999	RAHE, E P.	8206080159	TOPREP
PETTENOILL, H J	8206090257	40-8102	POTAPOVB, U	8206020481	QA999	RAHE, E P.	8206110355	TOPREP
PETTENOILL, H J	8206100211	40-8584	POTAPOVB, U	8206020483*	QA999	RAHE, E P	8206160263	PR
PETTENOILL, H J	8206140379	40-1162	POTAPOVB, U	8206020492*	QA999	RAHE, E P	8206180246	TOPREP
PETTENOILL, H J	8206140396	40-3453	POTAPOVB, U	8206020530	QA999	RAHE, E P	8206230064	TOPREP
PETTENOILL, H J	8206190147	40-6622	POTAPOVB, U	8206080263	QA999	RAIDY, T	8206010369*	50-206
PETTENOILL, H J	8206180399*	40-6622	POTAPOVB, U	8206080291	QA999	RAJANI, J R N.	8206080302*	50-454
PETTENOILL, H J	8206290031	40-299	POTAPOVB, U	8206080332	QA999	RAJANI, J R N	8206080305*	50-454
PETTENOILL, H J	8206290040	40-1162	POTAPOVB, U	8206100236	QA999	RAHAB, B L	8206225041*	50-277
PETTENOILL, H J	8206290063*	40-6622	POTAPOVB, U	8206100246*	QA999	RAHEY, J T	8206070044*	PR
PETTENOILL, H J	8206120232*	FOIA	POTAPOVB, U	8206140009	QA999	RAHEY-SMITH, A.	8206170146*	50-461
PEVEAR, S L	8206070612	PRM	POTAPOVB, U	8206140048	QA999	RAHOB, B L	8206020104	NUREQ
PEVEAR, S L	8206190335	TOPREP	POTAPOVB, U	8206140062	QA999	RAHOB, B L	8206150033*	FOIA
PEVEAR, S L	8206210619	TOPREP	POTAPOVB, U	8206140067	QA999	RAHOB, B L	8206150033*	FOIA
PHILIPACPOVULO	8206100065	NUREQ	POTAPOVB, U	8206140082	QA999	RAMPEY, L W	8206220027	WASTE MGT
PHILIPACPOVULO	8206170046	NUREQ	POTAPOVB, U	8206150286	QA999	RAMSEY, R W.	8206220138	WASTE MGT
PHILIPACPOVULO	8206240054	NUREQ	POTAPOVB, U	8206210613	QA999	RAND, G.	8206070644	PR
PHILIPACPOVULO	8206280015	NUREQ	POTAPOVB, U	8206250236	QA999	RANDAL, L O. J.	8206180195	REOOD
PHILIPS, J D	8206280306*	FOIA	POTAPOVB, U	8206280430	QA999	RANDAZZA, J B.	8206070354	50-309
PHILLIP, O A	8206070252*	50-374 A	POTAPOVB, U	8206280533	QA999	RANDAZZA, J B.	8206080265	50-309
PHILLIP, O A	8206070704*	50-461 Q	POTAPOVB, U	8206280555	QA999	RANDAZZA, J B.	8206150215*	50-309
PICKARD, P B	8206280033	NUREQ	POTTER, R W	8206030060*	FOIA	RANGANATH, S	8206180188	50-321
PICKETT, B.	8206100241*	50-317 Q	POTTERFIELD	8206110064*	50-247 Q	RASKIN, D B	8206300221	50-464
PIEL, R H	8205260012*	50-316 S	POTTERFIELD	8206110064*	50-247 Q	RASKIN, D B	8206300221	50-464
PIEL, R H	8206100147*	50-315 S	POTTERFIELD, A	8206010272	50-247 Q	RATHBUN, D X	8206270051*	50-321
PIEL, R H	8206100258*	50-315 S	POTTERFIELD, A	8206010272	50-247 Q	RAUSCH, T J	8206020342	50-23
PIEL, R H	8206100264*	50-315 S	POTTERFIELD, A	8206010398	50-247 Q	RAUSCH, T J	8206020394	50-24
PIEL, R H	8206240188*	50-315 S	POTTERFIELD, A	8206010405*	50-247 Q	RAUSCH, T J.	8206020394	50-25
PIEL, R H	8206240267*	50-315 S	POTTERFIELD, A	8206010409*	50-247 Q	RAUSCH, T J.	8206020441	50-23
PIEL, R H	8206240335*	50-316 S	POTTERFIELD, A	8206040073	50-247 Q	RAUSCH, T J.	8206040122	50-23
PIEL, R H	8206270521*	50-315 S	POTTERFIELD, A	8206040123	50-247 Q	RAUSCH, T J.	8206070326	50-23
PIERCE, F W	8206210588	50-247 Q	POTTERFIELD, A	8206040123	50-247 Q	RAUSCH, T J.	8206070487	50-23
PIETRAZAK, F.	8206100089	NUREQ	POTTERFIELD, A	8206090152	50-247 Q	RAUSCH, T J	8206080253	50-10
PIGOTT, D R	8206040042	50-361 Q	POTTERFIELD, A	8206090152	50-247 Q	RAUSCH, T J	8206140099	50-23
PIGOTT, D R	8206040042	50-361 Q	POTTERFIELD, A	8206110034	50-247 Q	RAUSCH, T J.	8206150292*	50-23
PIGOTT, D R	8206040042	50-361 Q	POTTERFIELD, A	8206110034	50-247 Q	RAUSCH, T J	8206170335	50-10
PIGOTT, D R	8206100114	50-361 Q	POTTERFIELD, A	8206110034	50-247 Q	RAUSCH, T J.	8206180197	50-23
PIGOTT, D R	8206100114	50-361 Q	POTTERFIELD, A	8206110034	50-247 Q	RAUSCH, T J.	8206220136	50-254
PIGOTT, D R	8206100281	50-361 Q	POTTERFIELD, A	8206110034	50-247 Q	RAUSCH, T J.	8206240423	50-23
PIGOTT, D R	8206100281	50-361 Q	POTTERFIELD, A	8206180328	50-247 Q	RAUSCH, T J.	8206250255	50-23
PIKUS, D H	8206010307	50-247 Q	POTTERFIELD, A	8206180328	50-247 Q	RAUSCH, T J.	8206280083	50-23
PIKUS, D H	8206040142	50-247 Q	POTTERFIELD, A	8206240239	50-247 Q	RAWSON, R J	8206040206	50-10

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
RAWSON, R. J.	8206040297	50-259 Q	REQUA, G	8206110027	50-261 P	ROBINSON, D	8206290318*	50-373 Q
RAWSON, R. J.	8206080262	50-454 Q	RESNICKOFF, M	8206230030	NUREQ	ROBINSON, D. L	8206220563*	50-237 Q
RAWSON, R. J.	8206090096	50-322 Q	RESNICKOFF, M	8206230033*	NUREQ	ROBINSON, J. J	8206090129	NUREQ
RAWSON, R. J.	8206180066	50-322 Q	REVELEY, W. T	8206280161	50-322 Q	ROBINSON, J. J	8206240036	NUREQ
RAY, H. B.	8206010368	50-204 R	REVELEY, W. T	8206280161	50-322 Q	ROBINSON, S	8206070607	PRM
RAY, H. B.	8206010373	50-361 S	REYES, L	82061500290	50-331 S	ROBINSON, W	8206250276	PR
RAY, H. B.	8206010377*	50-361 S	REYES, L	82061500176	50-344 S	ROCHIND, A. P	8206250231	50-289 F
RAY, H. B.	8206010428	50-204 S	REYES, L. A	8206020458*	50-373 Q	ROCHIND, A. P	8206290321	50-289 F
RAY, H. B.	8206010545	50-204 S	REYES, L. A	8206100208*	50-282 Q	ROD	8206280127*	50-289 T
RAY, H. B.	8206010565	50-206 S	REYNOLDS, J. R	8206030186	50-275 Q	RODRIGUES, R. J	8206220086	50-312 P
RAY, H. B.	8206010576*	50-206 S	REYNOLDS, J. R	8206030186	50-275 Q	RODRIGUEZ, R. J	8206150279	50-312 R
RAY, H. B.	8206010602	50-361 R	REYNOLDS, J. R.	8206040053	50-275 Q	ROEDER, J. R	8206030250*	FOIA
RAY, H. B.	8206020411	50-361 S	REYNOLDS, J. R	8206040053	50-275 Q	ROGAN, R. E	8206180344*	50-289 Q
RAY, H. B.	8206070053	50-206 S	REYNOLDS, J. R	8206040222	50-275 P	ROGERS, H. R	8206010121*	50-327 S
RAY, H. B.	8206070057*	50-206 S	REYNOLDS, J. R	8206040222	50-275 P	ROGERS, H. R	8206010130*	50-328 S
RAY, H. B.	8206070313	50-361 S	REYNOLDS, J. R	8206140054	50-275 Q	ROGERS, H. R	8206010439*	50-328 S
RAY, H. B.	8206070325*	50-361 S	REYNOLDS, J. R	8206140054	50-275 Q	ROGERS, H. R	8206010476*	50-327 S
RAY, H. B.	8206070848	50-206 S	REYNOLDS, N. S	8206040018	50-445 Q	ROGERS, H. R	8206010525*	50-328 S
RAY, H. B.	8206070858*	50-206 S	REYNOLDS, N. S	8206040018	50-445 Q	ROGERS, H. R	8206010532*	50-328 S
RAY, H. B.	8206090030	50-361 S	REYNOLDS, N. S	8206070416	PR	ROGERS, H. R	8206010579*	50-327 S
RAY, H. B.	8206090035*	50-361 S	REYNOLDS, N. S	8206090001	FOIA	ROGERS, H. R	8206010592*	50-327 S
RAY, H. B.	8206090103	50-206 S	REYNOLDS, N. S	8206140026	50-445 Q	ROGERS, H. R	8206010606*	50-328 S
RAY, H. B.	8206090108*	50-206 S	REYNOLDS, N. S	8206140026	50-445 Q	ROGERS, H. R	8206010669*	50-327 S
RAY, H. B.	8206090111	50-206 S	REYNOLDS, N. S	8206170190	50-445 Q	ROGERS, H. R	8206070188*	50-327 S
RAY, H. B.	8206100078	50-206 S	REYNOLDS, N. S	8206170190	50-445 Q	ROGERS, H. R	8206110203*	50-326 S
RAY, H. B.	8206100266	50-361 S	REYNOLDS, N. S	8206180190	50-445 Q	ROGERS, H. R	8206210466*	50-327 S
RAY, H. B.	8206100269*	50-361 S	REYNOLDS, N. S	8206180190	50-445 Q	ROGERS, P	8206070143*	50-350 S
RAY, H. B.	8206210164	50-361 S	REYNOLDS, N. S	8206180199*	50-445 Q	ROGERS, P	8206100119*	50-368 S
RAY, H. B.	8206210168*	50-361 S	REYNOLDS, N. S	8206280052	50-445 Q	ROGERS, P	8206110201*	50-368 S
RAY, H. B.	8206210236	50-361 S	REYNOLDS, N. S	8206280052	50-445 Q	ROGERS, P	8206150179*	50-366 S
RAY, H. B.	8206210303	50-361 S	REYNOLDS, N. S	8206300213	50-445 Q	ROGERS, R. F	8206020046*	50-321 F
RAY, H. B.	8206210340	50-361 S	REYNOLDS, N. S	8206300213	50-445 Q	ROGERS, R. F	8206070637*	50-321 F
RAY, H. B.	8206210347	50-361 S	REYNOLDS, N. S	8206300237	50-445 Q	ROGERS, S. C	8206100034	NUREQ
RAY, H. B.	8206210631	50-206 S	REYNOLDS, N. S	82063				

PERSONAL AUTHOR INDEX

507

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
ROSS, D F	8206230096*	FOIA	SANDBERG, H M	8206030137*	FOIA	SCHULZ, R D	8206040187*	50-410 Q
ROSS, D J	8206100031	NUREG	SANDERS, W F	8206070845*	50-424 Q	SCHULZ, R D	8206290401*	50-410 Q
ROSS, K C	8206150274*	50-440 A	SANDERS, W L	8206210238	50-443 Q	SCHULZ, W S	8206210320*	50-498 Q
ROSS, W J	8206110150	50-272 P	SANDERS, W L	8206210238	50-443 Q	SCHUMACHER, D Q	8206140333	NUREG
ROSS, W J	8206160067	50-272 P	SANER, D	8206280195	50-338 H	SCHUMACHER, M C	8206070696*	50-155 Q
ROSS, W J	8206250403	50-272 P	SANGER, H S	8206040028B	50-259 Q	SCHUMACHER, M C	8206280230*	40-2061
ROSS, W J	8206270979	50-261 P	SANTORO, M P	8206020213*	FOIA	SCHUSTER, M D	8206040179*	50-206 Q
ROSSI, C E	8011030058*	FOIA	SANTORO, M P	8206230175	71-9006	SCHUSTER, M D	8206170280*	50-275 Q
ROSSI, C E	8101270484*	FOIA	SARGENT, C E	8206040254	50-373 F	SCHUSTER, M D	8206220584*	50-361 Q
ROSSI, C E	8102180246*	FOIA	SARSOUR, B	8206010388*	50-346 R	SCHUYLER, J O	8206070607*	50-275 P
ROSSI, C E	8103230522*	50-302 P	SASTRE, C	8206100024	REB	SCHUYLER, J O	8206070139	50-275 P
ROSSI, C E	8112030231*	50-312 Q	SAUDEK, R H	8206010417	50-271 P	SCHUYLER, J O	8206090140	50-133 P
ROSSI, C E	8112290081*	50-312 Q	SAUDEK, R H	8206030199	50-271 Q	SCHUYLER, J O	8206220122*	50-275 P
ROSSI, C E	8206040420*	50-322 T	SAVAIKO, B H	8206010041*	40-6598	SCHWAN, C A	8206220584*	50-361 Q
ROSSI, C E	8206280147*	50-289 P	SAVAIKO, B H	8206020006*	40-6598	SCHWARTZ, R	8206070122	50-247 Q
ROSSI, C E	8206280158*	FOIA	SAVID, R	8206280324*	FOIA	SCHWARTZ, R	8206070122	50-247 Q
ROSSI, C E	8206280239*	FOIA	SAVID, R	8206280556*	50-275 Q	SCHWARTZ, S A	8206150018*	50-267 F
ROSSI, C E	8206280256*	FOIA	SAVID, R	8206280560*	50-275 Q	SCHWARTZ, S A	8206150048*	50-213 F
ROSSI, C E	8206280268*	50-312 Q	SAVID, R	8206280572*	50-275 Q	SCHWARTZ, S A	8206150075*	50-213 F
ROSSI, E.	8206280273*	FOIA	SAVID, R	8206280580*	FOIA	SCHWEIBINZ, E	8206080239	50-358 B
ROSSILLON, J	8206300184	REOGD	SAVOLAINEN, A	8206230080	NUREG	SCHWEITZER, D G.	8206030052*	FOIA
ROTHSCHILD, H U	8206010289	50-445 Q	SCARAND, R A	8206180379	40-6622	SCHWENCER, A	8205270043	50-327 P
ROTHSCHILD, H U	8206090053	50-445 Q	SCARAND, R A	8206020215	40-6200	SCHWENCER, A	8206020031	50-373 P
ROTHSCHILD, H U	8206240091	50-445 Q	SCARAND, R A	8206040044	40-299	SCHWENCER, A	8206080592	50-352 A
ROUNTREE, S L K	8206240041	NUREG	SCARAND, R A	8206080458	40-6677	SCHWENCER, A	8206080440	50-397 E
ROUSE, L C	8206010742	70-1193	SCARAND, R A	8206080462	40-6745	SCHWENCER, A	8206080441	50-440 F
ROUSE, L C	8206010743	70-1193	SCARAND, R A	8206080475	40-299	SCHWENCER, A	8206080448	50-322 A
ROUSE, L C	8206080452	50-387 Y	SCARAND, R A	8206090250	WASTE MOT	SCHWENCER, A	8206090252	50-458 F
ROUSE, L C	8206220045	70-1143	SCARAND, R A	8206160022	WASTE MOT	SCHWENCER, A	8206100425	50-352 A
ROUSE, L C	8206220093*	70-1143	SCARAND, R A	8206160026*	WASTE MOT	SCHWENCER, A	8206110365	50-440 A
ROUSE, L C	8206220095	50-259 X	SCARAND, R A	8206160029*	WASTE MOT	SCHWENCER, A	8206220014	50-440 F
ROUSE, L C	8206220044*	50-259 X	SCARAND, R A	8206160036*	WASTE MOT	SCHWENCER, A	8206220024	50-373 P
ROUSE, L C	8206300009	50-259 Y	SCARAND, R A	8206160040*	WASTE MOT	SCHWENCER, A	8206230185	50-397 A
ROUSE, L C	8206300012*	50-259 X	SCARAND, R A	8206160041*	WASTE MOT	SCHWENCER, A	8206230278	50-458 A
ROWE, C	8206020243*	FOIA	SCARAND, R A	8206160074	40-6697	SCHWENCER, A	8206240028	50-397 A
ROWSON, F H	8206280529*	FOIA	SCARAND, R A	8206160079	WASTE MOT	SCHWENCER, A	8206250126	50-458 A
ROZAK, B	8206070696*	50-135 Q	SCARAND, R A	8206170393	WASTE MOT	SCHWENDMAN, L	8206020268	REB
RUBENSTEIN, L B	8102090379*	50-361 A	SCARAND, R A	8206180324	40-6622	SCHWENGFETR, R	8206090249	70-33
RUBENSTEIN, L B	8104220460*	50-361 A	SCARAND, R A	8206180327	40-6697	SCHWENK, H S	8206040124	REVIEW GRP
RUBENSTEIN, L B	8206230266*	FOIA	SCARAND, R A	8206230310	WASTE MOT	SCOTT, D J	8206020303	50-249 B
RUBENSTEIN, L B	8206290189*	50-387 A	SCARAND, R A	8206230064	WASTE MOT	SCOTT, D J	8206030150	50-10 R
RUFF, A B	8206070335*	50-424 Q	SCARAND, R A	8206290045	40-299	SCOTT, D J	8206040030	71-9096
RUFF, E T	8206070548	PRM	SCARAND, R A	8206290055	40-6622	SCOTT, D J	8206040436	71-5805
RUITER, O H	8206010206*	50-305 R	SCHAEFER, D W	8206170289*	50-275 Q	SCOTT, D J	8206040443	71-9111
RUITER, O H	8206150258*	50-308 R	SCHAEFER, A	8206280393	NUREG	SCOTT, D J	8206070716	50-237 B
RUNKLE, J	8206040079	50-400 Q	SCHAEFFER, J D	8206100160*	50-537 A	SCOTT, D J	8206070771	50-237 B
RUNKLE, J	8206040118	50-400 Q	SCHAFKER, J F	8206070790*	50-518 Q	SCOTT, D J	8206080459*	50-10 F
RUSSELL, H C	8206020583*	50-318 A	SCHAFKENSBERGER	8206280195	50-358 H	SCOTT, D J	8206080496*	50-10 F
RUSSELL, H C	8206040345	PR	SCHER, J L	8206210310*	50-298 B	SCOTT, D J	8206110098	50-10 F
RUSSELL, L B	8206080399	50-317 B	SCHERER, C A	8206090068	50-247 Q	SCOTT, D J	8206140131	50-249 B
RUSSELL, L B	8206110221	50-317 B	SCHERER, C A	8206140103	50-247 Q	SCOTT, D J	8206150310	50-10 R
RUSSELL, L B	8206170027	50-318 B	SCHERER, C A	8206170267	50-247 Q	SCOTT, D J	8206170337	50-10 B
RUSSELL, L B	8206220190	50-317 B	SCHERER, D F	8206240202	50-483 B	SCOTT, D J	8206220085	50-249 B
RUSSELL, L B	8206220567	50-318 B	SCHERER, A E	8206070416	PR	SCOTT, D J	8206250574	50-237 B
RUSSELL, L B	8206230120	50-318 B	SCHERER, A E	8206080255*	50-368 Q	SCOTT, D J	8206220163	50-249 B
RUSSELL, L B	8206280046	50-317 B	SCHERER, A E	8206220519	PR	SCOTT, W B.	8206010813*	50-275 B
RUSSELL, L B	8206280237	50-318 B	SCHERRER, J	8206030127*	50-244 P	SCOTT, W B	8206210160*	50-275 B
RUSSELL, L B	8206280369	50-317 B	SCHIERLING, H	8206140129	50-275 P	SCOTT, W B	8206220223*	50-361 Q
RUSSELL, M L	8206100217	REB	SCHIERLING, H	8206140133*	50-275 P	SCOTT, W B	8206030152*	FOIA
RUZICKA, H Q	8206010248	50-54 B	SCHIERLING, H	8206180345	50-275 P	SEABROOK, O T.	8206180188	50-322 T
RUZICKA, W Q.	8206010432	50-54 P	SCHMIDT, H C	8206110232	50-445 K	SEANAN, C K	8206090185*	50-247 T
RUZICKA, W Q	8206070177	REOGD	SCHMIDT, H C	8206180209	PR	SEAR, J R	8206010372*	FOIA
RYAN, A F	8206030070*	FOIA	SCHMIDT, H C	8206220336	50-445 A	SECKER-WALKER	8206090121	REOGD
RYAN, A F	8206030249*	FOIA	SCHMIDT, W R	8206220504	50-219 P	SEERY, J A	8206010309*	50-293 P
RYAN, R Q	8104060385*	FOIA	SCHMITTDIEL, P	8206160453	40-6793	SEIDLE, W C	8206010371	50-313 Q
RYTKONEN, B B	8206110048*	CONTRACT	SCHNELL, D F	8206030119	70-2961	SEIDLE, W C	8206010401	50-313 B
SABADO, J W	8206280256*	70-27	SCHNELL, D F	8206070351	50-483 Q	SEIDLE, W C	8206010441	50-313 Q
SABUDA, J D	8206100058	NUREG	SCHNELL, J O	8206020476*	QA999	SEIDLE, W C	8206010633	50-285 Q
SACKER, I J	8206100031	NUREG	SCHRAVEN, J F	8206020422	50-438 A	SEIDLE, W C	8206010859	50-482 Q
SAGER, H R.	8206070815*	50-358 Q	SCHREIBER, D L	8206020189*	50-285 Q	SEIDLE, W C	8206040270	50-285 Q
SAHA, P	8206020290	REB	SCHRIKKE, R	8206180313*	50-10 R	SEIDLE, W C	8206040302	50-285 F
SAHA, P	8206020295	REB	SCHROEDER, B A	8206210587*	50-237 B	SEIDLE, W C	8206070259	50-313 F
SAHA, P	8206090234	REB	SCHROEDER, B A	8206010467	50-373 R	SEIDLE, W C	8206080310	50-368 B
SAHA, P	8206110184	REB	SCHROEDER, C W	8206080459	50-373 P	SEIDLE, W C	8206100276	50-285 B
SAKENAS, C	8206100241*	50-317 Q	SCHROEDER, C W	8206040316	50-373 P	SEIDLE, W C	8206100288	50-285 B
SALADINO, T	8206300311	REOGD	SCHROEDER, C W	8206070284	50-373 P	SEIDLE, W C	8206110252	50-285 B
SALAVA, M E.	8206070641	PRM	SCHROEDER, C W	8206070291	50-373 P	SEIDLE, W C	8206210093	50-313 Q
SALAZAR, E A	8206100010	NUREG	SCHROEDER, C W	8206070456	50-373 P	SEIDLE, W C	8206210180	50-285 Q
SALDARINI, J C.	8206090136	REOGD	SCHROEDER, C W	8206110311	50-373 P	SEIDLE, W C	8206210287	50-285 Q
SALDARINI, J C.	8206090138	REOGD	SCHROEDER, C W	8206170201	50-373 P	SEIDLE, W C	8206220189	50-313 Q
SALTARELLI, E. A.	8206220483	TOPREP	SCHROEDER, C W	8206170235	50-373 P	SEIDLE, W C	8206280180	50-313 Q
SALTZMAN, J.	8206240024	50-416 J	SCHROEDER, C W	8206170359	50-373 P	SELAN, J C	8206140572*	50-368 P
SANDBERG, H M.	8206030058*	FOIA	SCHROEDER, C W	8206240268	50-373 P	SELAN, J C	8206080162*	50-331 P
SANDBERG, H M.	8206030061*	FOIA	SCHROEDER, C W	8206240332	50-10 F	SELAN, J C	8206300169*	50-206 P
SANDBERG, H M	8206030091*	FOIA	SCHUKAT, R J	8206090045	50-493 H	SELAN, J C	8206300359*	50-245 P

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SELBY, D L	8206090122	NUREG	SHIMA, S	8206180408	XPORTLIC	SKLAR, J D	8206010232*	50-219 R
SEMINARA, J L	8206150274*	50-440 A	SHIMA, S	8206180412*	XPORTLIC	SKOLDS, J L	8206070637*	50-295 O
SEMEL, H	8206010297	50-135 T	SHIMA, S	8206290348	XPORTLIC	SKOVHOLT, D J	8207070068*	FOIA
SEMEL, H	8206040043	50-135 O	SHIMA, S	8206290353*	XPORTLIC	SKOVHOLT, D J	8206230073*	FOIA
SEMEL, H	8206040043	50-135 O	SHIRAKAWA, T	8206030277	XPORTLIC	SKOVHOLT, D J	8206280496*	FOIA
SEMEL, H	8206040289	50-135 O	SHIRAKAWA, T	8206030340	XPORTLIC	SLCAN, D E	8206230116	50-352 S
SEMEL, H	8206040289	50-135 O	SHIRAKAWA, T	8206040008	XPORTLIC	SHALLRIDGE, R J	8206040014	50-937 O
SEMEL, H	8206070508*	50-135 O	SHIRAKAWA, T	8206040059	XPORTLIC	SHEAL, L P	8206220332	PR
SENNEL, E C	8206020077*	50-321 F	SHIRAKAWA, T	8206230277	XPORTLIC	SHITH, B W	8206220549*	50-302 O
SERKIZ, A W	8206080297*	50-454 O	SHIRAKAWA, T	8206230289	XPORTLIC	SHITH, D E	8206170206*	50-322 T
SERRELL, E C	8206140323*	50-321 F	SHIRAKAWA, T	8206230301	XPORTLIC	SMITH, E H	8206080238	50-329 S
SETTLES	8206240403*	50-373 S	SHIRAKAWA, T	8206230304	XPORTLIC	SMITH, O	8206100231	50-286 S
SEYFRIT, K V.	8206230200*	50-275 P	SHIRAKAWA, T	8206230308	XPORTLIC	SMITH, O H	8206010397	50-387 O
SHACKLETON, D C	8206020484*	50-460 O	SHIRLEY, B J	8206040234	50-142 O	SMITH, O H	8206070337	50-29 O
SHAFER, W D	8206220563*	50-237 O	SHIRLEY, B J	8206240412	50-142 O	SMITH, O H	8206080208	50-245 O
SHAFER, W D	8206270215*	50-344 O	SHOENAKER, C J	8203290268	50-488 O	SMITH, O H	8206100192	50-244 O
SHAFFNER, J	8204230067	27-39	SHOENAKER, C J	8205280249	50-339 O	SMITH, O H	8206100234	50-317 O
SHAFFNER, J A	8204140372	27-39	SHOENAKER, C J	8206010328	50-361 O	SMITH, O H	8206130211	50-309 O
SHAH, V R	8206100383*	RES	SHOENAKER, C J	8206010447	50-339 O	SMITH, O H	8206210481	50-333 O
SHAMLIN, D	8206070256*	50-373 A	SHOENAKER, C J	8206040025	50-289 O	SMITH, O H	8206220157	50-247 F
SHANBAKY, M	8206220264*	50-320 O	SHOENAKER, C J	8206080095	50-445 O	SMITH, O H	8206220177	50-334 F
SHANBAKY, M.	8206230130	50-320 S	SHOENAKER, C J	8206100331	50-289 O	SMITH, O H	8206230377	50-29 F
SHANBAKY, M.	8206290236	50-320 S	SHOENAKER, C J	8206140033	50-266 O	SMITH, O H	8206220448	50-286 F
SHANEVYELT, R C.	8206100109*	50-285 S	SHOENAKER, C J	8206170082	50-361 O	SMITH, O H	8206220511	50-271 F
SHANNON, J B	8206010046	40-8064	SHOENAKER, C J	8206170246	50-259 O	SMITH, O H	8206240370	50-245 Q
SHAO, J	8206140277	RES	SHOENAKER, C J	8206210274	50-454 O	SMITH, O H	8206240389	50-219 O
SHAO, L C	8206280576*	FOIA	SHOENAKER, C J	8206230196	50-329 O	SMITH, O H	8206270028	50-245 O
SHAPAR, H K.	8102030611*	50-516 A	SHOENAKER, C J	8206230202	50-454 O	SMITH, O H	8206270493	50-213 O
SHAPIRO, R	8206040174	50-322 O	SHOENAKER, C J	8206240382	50-361 O	SMITH, O S	8206030258	50-277 O
SHAPIRO, R.	8206040174	50-322 O	SHOENAKER, C J	8206290292	50-482 O	SMITH, H	8206080212*	50-333 O
SHAPIRO, R.	8206230149	50-322 O	SHOENAKER, C J.	8206290328	50-482 O	SMITH, H	8206080216*	50-333 O
SHAPIRO, R.	8206230149	50-322 O	SHOLLY, S C	8206070565	PRM	SMITH, H I	8206100392	50-244 F
SHARP, R A	8206240110*	CONTRACT	SHOM, F J	8206080092	50-247 O	SMITH, I W	8206240247	50-289 O
SHARPE, T J	8206110063*	50-240 S	SHOOHAN, M	8206170046	NUREG	SMITH, J C	8206040500	40-6622
SHAUB, E T.	8206150304*	50-387 O	SHOPP, J D	8206160279	PR	SMITH, J E	8206070208*	50-269 F
SHAUB, E T	8206220404*	50-277 O	SHOPPEN, N M	8206210314*	40-8452	SMITH, J E.	8206070214*	50-269 F
SHAUB, E T.	8206220465*	50-334 O	SHORR, E M	8206040219	50-367 R	SMITH, J L	8206010454	50-322 O
SHAUB, E T	8206270411*	50-272 O	SHORR, E M	8206090044	50-367 A	SMITH, J L	8206010734	70-2084
SHAW, A.	8206220142	XPORTLIC	SHORR, E M	8206220287*	50-285 R	SMITH, J L	8206020331	50-322 A
SHAW, A.	8206220186	XPORTLIC	SHULMAN, H J.	8206290325	40-2061	SMITH, J L	8206030147	50-322 A
SHAW, A	8206220599	XPORTLIC	SIEBER, J D	8206040337	50-334 P	SMITH, J L	8206070566	50-322 A
SHAW, A.	8206220603	XPORTLIC	SIEBER, J D	8206160313*	50-334 F	SMITH, J L	8206080281	50-322 A
SHEA, J	8206100198	50-245 P	SIEBER, J D.	8206170054	50-334 P	SMITH, J L	8206080299	50-322 A
SHEA, J	8206170194	50-245 F	SIEFKEN, D L	8206140372	27-39	SMITH, J L	8206080375	50-322 E
SHEA, J	8206210115	50-245 P	SIEGEL, B.	8206020466*	50-298 P	SMITH, J L	8206180193*	50-322 I
SHEA, J	8206210527	50-245 F	SIEGEL, B	8206150420	50-277 P	SMITH, J L	8206220117	50-322 J
SHEA, J.	82060300210	50-245 P	SIEGEL, B L	8206010022	50-298 P	SMITH, J L	8206280379	50-322 I
SHEA, J.	82060300305	50-245 P	SIEGEL, B L	8206020237	50-298 P	SMITH, K R	8206240064	FOIA
SHEA, J.	82060300315	50-245 P	SILBERG, J E	8206070327	PRM	SMITH, K R	8206290357	FOIA
SHEA, J F.	8206230149	50-322 O	SILBERG, J E	8206070600	PRM	SMITH, M A	8206220305	50-322
SHEA, J J	8206040276	50-245 P	SILBERG, J E	8206160326	PRM	SMITH, M J	8206220232*	50-315
SHEA, J J	8206170090	50-245 P	SILBERG, J E	8206160364	PRM	SMITH, P A	8206110096	CONTRACT
SHEA, J J.	82060300028	50-245 P	SILBERG, J E	8206290251	50-387 O	SMITH, P A	8206110102*	CONTRACT
SHEA, K H.	8206230233	70-820	SILBERG, J E	8206290251	50-387 O	SMITH, P A	8206150056*	CONTRACT
SHELLEY, W. J.	8203290133	40-2061	SILBERG, J E	8206290251	50-387 O	SMITH, P A	8206150064*	CONTRACT
SHELLEY, W. J.	8206040449	40-2061	SILVER, D	8206220132*	FOIA	SMITH, P A	8206160348	CONTRACT
SHELTON, B. R.	8206010927	50-373 P	SILVER, D	8206220158*	FOIA	SMITH, P A	8206160351*	CONTRACT
SHERPARD, S W.	8206290271*	70-2815	SILVERMAN, L	8206070043*	PR	SMITH, P A	8206240089*	CONTRACT
SHERMAN, F L.	8206090249	70-33	SILVERMAN, L	8206070069*	PR	SMITH, P A	8206240110*	CONTRACT
SHERMAN, P.	8206010648	XPORTLIC	SILVIS, R H	8206080009	CONTRACT	SMITH, P A	8206240467*	CONTRACT
SHERWOOD, O O.	8205170285	50-447 K	SILVIS, R H	8206150055	CONTRACT	SMITH, P A	8206240481*	CONTRACT
SHERWOOD, O O.	8205170293*	50-447 K	SILVIS, R H	8206240007	CONTRACT	SMITH, P A	8206290516*	FOIA
SHERWOOD, O O.	8205260206	50-447 K	SIMONS, D B	8206100417*	CONTRACT	SMITH, R D	8206100201	40-2061
SHERWOOD, O O.	8206020832	50-447 K	SIMPSON, J H	8206280463	50-482 O	SMITH, R D	8206180471	WASTE M
SHERWOOD, O O.	8206020836*	50-447 K	SIMPSON, J H	8206280463	50-482 O	SMITH, R D	8206300350	27-48
SHERWOOD, O O.	8206070676	PRM	SIMPSON, L	8206080349	50-133 H	SMITH, R O	8103310070*	FOIA
SHERWOOD, O O.	8206090120	NUREG	SINCLAIR, J B.	8206070267	50-271 R	SMITH, R O	8104040372*	FOIA
SHERWOOD, O O.	8206210521	50-447 A	SINCLAIR, J B.	8206150105	50-271 P	SMITH, R O	8206280291*	FOIA
SHEWMON, P.	8205270619*	50-255 P	SINCLAIR, J B.	8206180075	50-271 P	SMITH, R L	8206020382	50-271
SHEWMON, P.	8206140044	ACRB	SINCLAIR, J B.	8206210601	50-271 P	SMITH, R L	8206270007*	CONTRACT
SHEWMON, P	8206140045	ACRB	SINCLAIR, J B	8206220520*	50-271 F	SMITH, T.	8206140445	40-8511
SHEWMON, P.	8206140166	50-329 O	SINCLAIR, J B	8206240323	50-271 P	SMITH, T. M	8206100187*	50-213
SHEWMON, P.	8206160292	NUREG	SINCLAIR, J B	8206250087	50-271 P	SMITH, T W	8206150626	50-264
SHEWMON, P.	8206220090*	50-470 A	SINCLAIR, J B	8206280204	50-271 P	SMITH, W O	8206280229	50-316
SHEWSKI, W. J.	8206140132*	50-454 O	SINCLAIR, H	8206290530	FOIA	SMITH, W O	8206010395	50-316
SHIELDS, B D	8206230076	50-546 H	SINCLAIR, M P	8206240226	50-329 O	SMITH, W O	8206010400	50-315
SHIELDS, B W.	8206020410	50-547 B	SINCLAIR, M P.	8206240243	50-329 O	SMITH, W O.	8206020084	50-316
SHIELDS, B. W.	8206070659	PRM	SINKIN, L A.	8206040266	50-498 O	SMITH, W O.	8206020296	50-316
SHIELDS, B. W.	8206070814*	50-546 O	SINKIN, L A.	8206040271*	50-498 O	SMITH, W O	8206020432	50-316
SHIELDS, B. W.	8206070821*	50-546 O	SIRMON, J H	8206210078	50-522 D	SMITH, W O.	8206040339	50-316
SHIELDS, B W	8206170293	50-546 S	SISKIND, B.	8206030077*	FOIA	SMITH, W O	8206070534	50-316
SHIELDS, B. W.	8206230243	NUREG	SISKIND, B	8206140270	RES	SMITH, W O.	8206070802	50-31
SHIELDS, B. W.	8206230315	NUREG	SKATES, H L.	8206170285	50-373 S	SMITH, W O.	8206070853	50-31
SHIFFER, J D	8206010900	50-275 S	SKELTON, R F	8206170149*	50-461 T	SMITH, W O.	8206080082	50-31
SHIFFER, J D.	8206210154	50-275 S	SKINNER, P H	8206220226*	50-269 O	SMITH, W O	8206100141	50-31

PERSONAL AUTHOR INDEX

61

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
SMITH, W. O.	8206100155	50-316 S	SPITZBERG, D. J.	8206210635	40-7572	STAROSTECKI, R.	8206290396	50-410
SMITH, W. O.	8206100250	50-315 S	SPITZBERG, D. J.	8206150236	11E	STAROSTECKI, R.	8206290402	50-272
SMITH, W. O.	8206100283	50-316 S	STADNICK, B.	8206290169*	50-336 S	STAROSTECKI, R.	8206290406*	50-272
SMITH, W. O.	8206150198	50-316 S	STADNICK, B.	8206110155*	50-336 S	STAROSTECKI, R.	8206290423	50-334
SMITH, W. O.	8206170222	50-316 S	STAHL, C.	8206230008	50-327 P	STAROSTECKI, R.	8206290458	50-333
SMITH, W. O.	8206170282	50-315 S	STAHNIRIS, B.	8206180331	50-329 Q	STAROSTECKI, R.	8206290462*	50-333
SMITH, W. O.	8206210145	50-315 S	STAHNIRIS, B.	8206240398	50-329 Q	STAROSTECKI, R.	8206290481	50-423
SMITH, W. O.	8206220088	50-315 S	STAMPLEY, N. L.	8206090040	50-416 A	STAROSTECKI, R.	8206100036	NUREO
SMITH, W. O.	8206240183	50-315 S	STAMPLEY, N. L.	8206250216	50-416 P	STAROSTECKI, R.	8206240274	50-293
SMITH, W. O.	8206240262	50-315 S	STANCAVAGE, P. P.	8206230103*	TOPREP	STAROSTECKI, R.	8206100048	NUREO
SMITH, W. O.	8206240333	50-316 S	STANFORD, R. E. L.	8206140334	WASTE MOT	STEELE, R. L.	8206080249	50-344
SMITH, W. O.	8206240345	50-316 S	STANBERRY, W. W.	8206220499*	50-416 Q	STEELE, T. A.	8206230061*	50-409
SMITH, W. O.	8206290053	50-316 S	STANBERRY, W. W.	8206040147*	50-393 Q	STEFANO, J.	8206230342	50-440
SMITH, W. O.	8206290421	50-315 S	STAPLETON, B. W.	8206280577*	50-373 Q	STELLO, V.	8103090097	FOIA
SMITH, W. O.	8206290513	50-315 S	STARK, R. M.	8206070147	50-537 A	STELLO, V.	8103090104*	FOIA
SMITH, W. J.	8206170312	50-315 S	STARK, R. M.	8206110351	50-537 F	STELLO, V.	8109230783*	FOIA
SMOKER, C. S.	8206170307*	50-303 S	STARK, R. M.	8206140248	50-537 A	STELLO, V.	8206010488	REVIEW OF
SMITH, C. W.	8206180007*	50-289 R	STARK, R. M.	8206140262	50-537 A	STELLO, V.	8206020343*	FOIA
SNIEZEK, J. H.	8104060390*	FOIA	STARK, R. M.	8206160002	50-537 A	STELLO, V.	8206020498*	FOIA
SNOW, B. A.	8206010378	50-244 S	STARK, R. M.	8206180440	50-537 A	STELLO, V.	8206080384	REVIEW OF
SNOW, B. A.	8206210696	50-244 R	STARK, R. M.	8206230364	50-537 A	STELLO, V.	8206250265	REVIEW OF
SNYDER, B. J.	8206210031	50-320 P	STARKEY, R. B.	8206010100	50-261 S	STEPHEN, D. K.	8206180076	50-329
SNYDER, H. L.	8206150324	40-8584	STARKEY, R. B.	8206010630	50-261 S	STEPHENSON, C. J.	8206080148*	50-289
SODEN, R.	8206210357*	50-265 S	STARKEY, R. B.	8206080284	50-261 R	STEPHENSON, C. J.	8206080395*	50-289
SOHNKE, S.	8206040142	50-247 Q	STARKEY, R. B.	8206150329	50-261 P	STEPHENSON, C. J.	8206210141*	50-289
SOLBERG, E. W.	8206230243	40-2041	STARKEY, R. B.	8206220532*	50-261 Q	STEPHENSON, C. J.	8206210568	50-329
SOLLENBERGER, D.	8206150147	40-6622	STARKEY, R. B.	8206240077	50-261 S	STEPHENSON, C. J.	8206210583	50-329
SOLLENBERGER, D.	8206180399*	40-6622	STARKEY, R. L.	8206080298*	50-460 A	STEPHENSON, C. J.	8206210583	50-329
SOLLENBERGER, D.	8206290063*	40-6622	STAROSTECKI, R.	8201200153	50-334 Q	STERNBERG, D. M.	8206010668	50-341
SOLLEY, S. W.	8206010234*	50-276 S	STAROSTECKI, R.	8206030153	50-332 Q	STERNBERG, D. M.	8206020305	50-275
SOLLEY, S. W.	8206110294*	50-299 S	STAROSTECKI, R.	8206030168	50-352 Q	STERNBERG, D. M.	8206020396	50-375
SOLLEY, S. W.	8206240346*	50-296 S	STAROSTECKI, R.	8206030211	50-387 Q	STERNBERG, D. M.	8206020353	50-113
SOD, P.	8206100034	NUREO	STAROSTECKI, R.	8206030219	50-320 Q	STERNBERG, D. M.	8206020359	50-528
SOD, P.	8206140277	RES	STAROSTECKI, R.	8206030222*	50-320 Q	STERNBERG, D. M.	8206080197	50-206
SODAK, A.	8206010226*	FOIA	STAROSTECKI, R.	8206030232	50-219 Q	STERNBERG, D. M.	8206080381	50-344
SODAK, A. L.	8206280047	70-258	STAROSTECKI, R.	8206030238	50-320 Q	STERNBERG, D. M.	8206080387*	50-344
SODRELL, E. C.	8206080477*	50-321 F	STAROSTECKI, R.	8206030251	50-387 Q	STERNBERG, D. M.	8206150242	50-312
SODRELL, E. C.	8206140263*	50-321 F	STAROSTECKI, R.	8206030278	50-352 Q	STERNBERG, D. M.	8206150270	50-528
SOUTAR, C. F.	8206220413	50-247 R	STAROSTECKI, R.	8206040177	50-410 Q	STERNBERG, D. M.	8206150325	50-312
SOUTAR, C. F.	8206230225	50-247 P	STAROSTECKI, R.	8206040181*	50-410 Q	STERNBERG, D. M.	8206150326*	50-312
SOWBY, F. D.	8206230059*	CONTRACT	STAROSTECKI, R.	8206040263	50-244 Q	STERNBERG, D. M.	8206150363	50-344
SPEAKER, D. H.	8206100063	NUREO	STAROSTECKI, R.	8206040317	50-352 Q	STERNBERG, D. M.	8206180216	50-361
SPECTER, H.	8206010307	50-247 Q	STAROSTECKI, R.	8206040321	50-354 Q	STERNBERG, D. M.	8206220138	50-344
SPECTOR, S. M.	8206010422*	50-244 S	STAROSTECKI, R.	8206040323*	50-354 Q	STERNBERG, D. M.	8206220362	50-344
SPEIS, F. P.	8202170408*	50-269 P	STAROSTECKI, R.	8206040356	50-272 Q	STERNBERG, D. M.	8206220366	50-528
SPEIS, T. P.	8203080213*	50-313 P	STAROSTECKI, R.	8206040360*	50-272 Q	STERNBERG, D. M.	8206280308	50-344
SPEIS, T. P.	8204270131*	50-346 P	STAROSTECKI, R.	8206040372	50-247 Q	STERNBERG, D. M.	8206280376	50-206
SPEIS, T. P.	8205040027*	50-302 P	STAROSTECKI, R.	8206070393	50-443 Q	STERNBERG, D. M.	8206280488	50-312
SPEIS, T. P.	8206040420*	50-322 T	STAROSTECKI, R.	8206070358	50-387 Q	STERNBERG, D. M.	8206280518	50-312
SPEIS, T. P.	8206280234*	FOIA	STAROSTECKI, R.	8206080152	50-293 S	STETKA, T.	8206070637*	50-395
SPELL, W. H.	8206070718	PRM	STAROSTECKI, R.	8206100051	50-293 S	STETKA, T. F.	8206220349*	50-302
SPELL, W. H.	8206090124	PR	STAROSTECKI, R.	8206100145	50-352 Q	STEVENS, J. A.	8206250060	RES
SPELL, W. H.	8206230164	PR	STAROSTECKI, R.	8206100154	50-352 Q	STEWART, D. B.	8206030060*	FOIA
SPELMAN, H. J.	8206290052	40-2061	STAROSTECKI, R.	8206100158	50-277 Q	STEWART, D. B.	8206210398*	50-6
SPELMAN, H. J.	8206290059	40-2061	STAROSTECKI, R.	8206100161*	50-277 Q	STEWART, R. C.	8206090057*	50-445
SPELMAN, H. J.	8206290064	40-2061	STAROSTECKI, R.	8206100180	50-213 Q	STICKLEY, T. H.	8206020024*	50-445
SPELMAN, H. J.	8206290068	40-2061	STAROSTECKI, R.	8206100195	50-443 Q	STICKLEY, T. H.	8206110368*	50-440
SPELMAN, H. J.	8203110481*	50-344 F	STAROSTECKI, R.	8206130113	50-412 Q	STICKLEY, T. H.	8206160009*	50-463
SPELMAN, H. J.	8206040171	50-306 Q	STAROSTECKI, R.	8206150162	50-354 Q	STICKLEY, T. H.	8206250132*	50-458
SPELMAN, H. J.	8206280218	50-142 Q	STAROSTECKI, R.	8206150164	50-352 Q	STIEDE, W. L.	8206020493	50-237
SPELMAN, H. J.	8206070233	50-404 Q	STAROSTECKI, R.	8206150206	50-320 Q	STIEDE, W. L.	8206140126*	50-454
SPELMAN, H. J.	8206070945	50-404 Q	STAROSTECKI, R.	8206150232	50-277 Q	STIEDE, W. L.	8206170253	50-373
SPELMAN, H. J.	8206160332	RECOD	STAROSTECKI, R.	8206170259	50-317 Q	STILL, E. T.	8206250273	RECOD
SPESSARD, L.	8206150037*	50-346 S	STAROSTECKI, R.	8206170278*	50-317 Q	STILLWELL, T. C.	8205200084*	50-237
SPESSARD, R.	8206250161	50-461 S	STAROSTECKI, R.	8206170338	50-443 Q	STOHR, J. P.	8206020049*	FOIA
SPESSARD, R.	8206290288	50-373 S	STAROSTECKI, R.	8206170332*	50-443 Q	STOHR, J. P.	8206070264	50-62
SPESSARD, R.	8206290386	50-461 S	STAROSTECKI, R.	8206210062	50-334 Q	STOHR, J. P.	8206070271	50-248
SPESSARD, R. L.	8206020443	50-373 Q	STAROSTECKI, R.	8206210190	50-293 Q	STOHR, J. P.	8206070277	50-261
SPESSARD, R. L.	8206020451*	50-373 Q	STAROSTECKI, R.	8206210607	50-293 S	STOHR, J. P.	8206070285	70-143
SPESSARD, R. L.	8206020533	50-315 Q	STAROSTECKI, R.	8206220141	50-247 Q	STOHR, J. P.	8206070289	70-1151
SPESSARD, R. L.	8206040114	50-461 Q	STAROSTECKI, R.	8206220151	50-293 Q	STOHR, J. P.	8206070294	70-27
SPESSARD, R. L.	8206070340	50-454 Q	STAROSTECKI, R.	8206220260	50-320 Q	STOHR, J. P.	8206070300	ORO
SPESSARD, R. L.	8206070342*	50-454 Q	STAROSTECKI, R.	8206220316	50-271 Q	STOHR, J. P.	8206070303	ORO
SPESSARD, R. L.	8206070781	50-10 Q	STAROSTECKI, R.	8206220324	50-322 Q	STOHR, J. P.	8206070307	ORO
SPESSARD, R. L.	8206070785*	50-10 Q	STAROSTECKI, R.	8206220376	50-219 Q	STOHR, J. P.	8206070313	70-1113
SPESSARD, R. L.	8206070804	50-546 Q	STAROSTECKI, R.	8206220422	50-271 Q	STOHR, J. P.	8206070321	70-824
SPESSARD, R. L.	8206080419	50-259 Q	STAROSTECKI, R.	8206220465	50-423 Q	STOHR, J. P.	8206070329	70-1201
SPESSARD, R. L.	8206090078*	FOIA	STAROSTECKI, R.	8206220473*	50-423 Q	STOHR, J. P.	8206070339	50-241
SPESSARD, R. L.	8206170342	50-155 S	STAROSTECKI, R.	8206220507	50-322 Q	STOHR, J. P.	8206070344	50-538
SPESSARD, R. L.	8206210356	50-346 Q	STAROSTECKI, R.	8206220512*	50-322 Q	STOHR, J. P.	8206070347	50-302
SPESSARD, R. L.	8206220550	50-237 Q	STAROSTECKI, R.	8206220526	50-289 Q	STOHR, J. P.	8206070353	50-416
SPESSARD, R. L.	8206220553*	50-237 Q	STAROSTECKI, R.	8206220620	50-354 Q	STOHR, J. P.	8206070359	50-395
SPESSARD, R. L.	8206240314	50-373 Q	STAROSTECKI, R.	8206220624	50-286 Q	STOHR, J. P.	8206070362	50-160
SPESSARD, R. L.	8206250210	50-298 Q	STAROSTECKI, R.	8206220628	50-220 Q	STOHR, J. P.	8206070370	50-111
SPESSARD, R. L.	8206210610	40-820	STAROSTECKI, R.	8206220638	50-219 Q	STOHR, J. P.	8206070378	50-83
SPITZBERG, D. B.	8206210610	40-820	STAROSTECKI, R.	8206220639	50-219 Q	STOHR, J. P.	8206070378	50-83

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
STOHR, J P	8206070383	50-124 F	STREETER, J F	8206070697	50-346 Q	TAUBER, H	8206100101	50-341 A
STOHR, J P	8206070392	50-129 F	STREETER, J F	8206100203	50-282 Q	TAUBER, H	8206100316	50-341 A
STOHR, J P	8206070394	50-406 F	STREETER, J F	8206100325	50-331 Q	TAYLOR, O E	8206110038	NUMER
STOHR, J P	8206070397	ORG	STREETER, J F	8206170092	50-440 Q	TAYLOR, J H	8206110319	TOPREP
STOHR, J P	8206070398	ORG	STREETER, J F	8206170116	50-341 Q	TAYLOR, J H	8206080423	50-251 S
STOHR, J P	8206070400	ORG	STREETER, J F	8206170189	50-305 Q	TAYLOR, P A	8206070583	50-324 S
STOHR, J P	8206070401	State Prog	STREHLOW, R A	8205270059*	50-327 P	TAYLOR, P A	8206070747*	50-261 Q
STOHR, J P	8206070411	State Prog	STROW, J F	8206170362	50-322 Q	TAYLOR, P A	8206070631*	50-310 Q
STOHR, J P	8206070413	State Prog	STRUCKMEYER, R	8206080266*	50-454 Q	TAYLOR, R Q	8206090057*	50-445 Q
STOHR, J P	8206070415	State Prog	STRUMMASER, M	8206290324	PRQJ	TAYLOR, T	8206150302	50-528 E
STOHR, J P	8206070417	State Prog	STUDDS, G E	8206290089*	50-293 U	TEDESCO, R L	8201280005*	50-528 A
STOHR, J P	8206070418	State Prog	SUBBARATHAM, T	8206100383*	RES	TEDESCO, R L	8206010021	50-453 C
STOHR, J P	8206070419	State Prog	SUBUDHI, M	8206140398	RES	TEDESCO, R L	8206020587	50-361 P
STOHR, J P	8206070423	ORG	SUBUDHI, M	8206170046	NUREG	TEDESCO, R L	8206020580	50-332 F
STOHR, J P	8206070426	State Prog	SUGARMAN, R J	8206240173	50-352 Q	TEDESCO, R L	8206030309	50-328 S
STOHR, J P	8206070429	ORG	SUGARMAN, R J	8206240173	50-352 Q	TEDESCO, R L	8206080286*	50-275 F
STOHR, J P	8206070433	ORG	GULLIVAN, D F	8206280568*	FOIA	TEDESCO, R L	8206090251	50-351 F
STOHR, J P	8206070434	State Prog	GULLIVAN, J W	8206240085	FOIA	TEDESCO, R L	8206110183	50-443 A
STOHR, J P	8206070436	State Prog	GULLIVAN, J W	8206240069	FOIA	TEDESCO, R L	8206140119	50-369 F
STOHR, J P	8206070437	State Prog	GULLIVAN, P A	8206240101*	FOIA	TEDESCO, R L	8206140226	50-341 F
STOHR, J P	8206070441	State Prog	BULLIVAN, R F	8206070554*	50-259 Q	TEDESCO, R L	8206140234	50-350 A
STOHR, J P	8206070444	ORG	SULLIVAN, T J	8206070409	PR	TEDESCO, R L	8206140387	50-337 A
STOHR, J P	8206070445	ORG	SUMMERS, R	8206040371*	50-272 Q	TEDESCO, R L	8206140402	50-329 E
STOHR, J P	8206070448	State Prog	SUMMERS, R	8206290411*	50-472 Q	TEDESCO, R L	8206150036	50-322 A
STOHR, J P	8206070453	State Prog	SUMNER, H L	8206010170*	50-321 S	TEDESCO, R L	8206160138	50-359 P
STOHR, J P	8206070453	State Prog	SUMNER, H L	8206010510*	50-321 S	TEDESCO, R L	8206160396	50-341 F
STOHR, J P	8206070457	State Prog	SUMNER, H L	8206070064*	50-366 S	TEDESCO, R L	8206160440	50-450 A
STOHR, J P	8206070460	State Prog	SUMNER, H L	8206070079*	50-321 S	TEDESCO, R L	8206220039	50-359 C
STOHR, J P	8206070463	State Prog	SUMNER, H L	8206070410*	50-366 S	TEDESCO, R L	8206220152	50-350 E
STOHR, J P	8206070466	50-269 F	SUMNER, H L	8206070447*	50-366 S	TEDESCO, R L	8206230279	50-360 A
STOHR, J P	8206070473	50-250 F	SUMNER, H L	8206070568*	50-321 S	TEDESCO, R L	8206230317	50-390 J
STOHR, J P	8206070478	50-321 F	SUMNER, H L	8206110193*	50-366 S	TEDESCO, R L	8206230568	50-373 J
STOHR, J P	8206070481	50-259 F	SUMNER, H L	8206210131*	50-321 S	TEDESCO, R L	8206230614	50-327 F
STOHR, J P	8206070485	50-280 F	SUMNER, H L	8206210254*	50-366 S	TEDESCO, R L	8206300113	50-275 D
STOHR, J P	8206090082*	50-259 F	SUMNER, H L	8206210494*	50-366 S	TEITTT, T R	8206070291	50-297 P
STOHR, J P	8206090089*	50-335 F	SUMNER, H L	8206300126*	50-366 S	TEITTT, T R	8206230322	50-239 F
STOHR, J P	8206090104*	FOIA	SUN, S B	8206040404*	50-322 T	TEIPLE, O M	8206020460*	50-312 Q
STOHR, J P	8206090133*	50-259 F	SUTT, R L	8206210480*	50-387 A	TEYER, W P.	8206300176	TOPREP
STOHR, J P	8206170049	50-250 S	SUTTER, S L	8206170387	NUREG	TEPEL, R C.	8206110006	NUREG
STOLZ, J F	8103120318*	FOIA	SUTTON, A G	8206090129	NUREG	TERC, N H	8206100197*	50-244 S
STOLZ, J F	8103230706*	FOIA	SUTTON, A G	8206090135	NUREG	TEST, R Z	8206240327*	50-212 S
STOLZ, J F	8103310281*	FOIA	SUTTON, A G	8206240036	NUREG	TEST, R Z.	8206240413*	50-213 Q
STOLZ, J F	8104100265*	FOIA	SUTTON, J W	8206140010*	QA999	THADANI, A C	8203310373*	50-352 A
STOLZ, J F	8206010027	50-269 V	SWAIN, A D	8206160270	PR	THADANI, A C	8206280242*	FOIA
STOLZ, J F	8206010031	50-289 P	SWAN, W	8206070637*	50-395 Q	THADANI, A C	8206280591*	FOIA
STOLZ, J F	8206010038*	50-289 P	SWAN, W B	8206070579*	50-416 Q	THESSIN, J H	8206040113	50-535 A
STOLZ, J F	8206010045*	50-289 P	SWANSON, D P	8206070331	PR	THESSIN, J H	8206170258	50-410 S
STOLZ, J F	8206020270	50-312 P	SWANSON, D T	8206100305	50-837 Q	THESSIN, J H	8206230046	50-440 S
STOLZ, J F	8206040049*	50-312 P	SWANSON, D T	8206100309	50-837 Q	THESSIN, J H	8206230049*	50-440 S
STOLZ, J F	8206070138*	50-269 Q	SWANSON, D T	8206170261	50-837 Q	THIDDEAUX, B	8206150274*	50-443 A
STOLZ, J F	8206080088	50-312 P	SWANSON, E. K	8206180210*	50-328 T	THIES, A C	8206150345	50-369 F
STOLZ, J F	8206080438	50-346 P	SWARTZ, E D	8206020374	50-237 P	THOMAS, J	8206280066	50-219 F
STOLZ, J F	8206080443	50-312 F	SWARTZ, E D	8206070330	50-237 P	THOMAS, J A	8206030233*	50-219 F
STOLZ, J F	8206080485	50-346 F	SWARTZ, E D	8206100214	50-237 P	THOMAS, J A	8206220192*	50-219 F
STOLZ, J F	8206140253	50-277 P	SWARTZ, E D	8206160222	50-10 P	THOMAS, J A	8206290397*	50-219 F
STOLZ, J F	8206140256	50-321 P	SWARTZ, E D.	8206220377	50-237 Q	THOMAS, J T.	8206230319	NUREG
STOLZ, J F	8206140273	50-302 F	SWARTZ, E D	8206290136	50-373 P	THOMAS, L M	8206180213	50-373 F
STOLZ, J F	8206150019	50-312 P	SWARTZ, J	8206100148*	50-346 S	THOMAS, L M.	8206180299*	50-313 F
STOLZ, J F	8206180041	50-269 P	SWEENEY, M	8206070001	PR	THOMAS, R D	8206020363*	27-48
STOLZ, J F.	8206180043	50-277 P	SWEENEY, M. F	8206300367	50-837 A	THOMAS, R D.	8206280538*	27-48
STOLZ, J F.	8206220009	50-277 P	SWYLER, K J.	8206030059*	FOIA	THOME, F V	8206140054	NUREG
STOLZ, J F.	8206220162	50-277 P	SWYLER, K J	8206030064*	FOIA	THOMPSON, H S	8206070135	NUREG
STOLZ, J F.	8206220179*	50-277 P	SWYLER, K J	8206070216	NUREG	THOMPSON, D O	8204020203*	50-522 A
STOLZ, J F.	8206230085	50-277 P	SZALAY, R.	8206220204	NUREG	THOMPSON, R C	8206240176	50-537 F
STOLZ, J F.	8206240029	50-313 P	SZTANYIK, L B	8206100381*	RES	THOMPSON, E R	8206100063	NUREG
STOLZ, J F.	8206240458*	50-269 P	SZUKIEWICZ, A	8206230205*	FOIA	THOMPSON, T	8206090230	NUREG
STOLZ, J F.	8206240459*	50-269 F	SZUKIEWICZ, A	8206230208*	FOIA	THOMPSON, T. J	8206070021*	PR
STOLZ, J F.	8206250113	50-312 Q	SZUKIEWICZ, A. J	8108110050*	FOIA	THOMSEN, F T	8206010298	50-322 S
STOLZ, J F.	8206250370*	50-269 Q	SZUKIEWICZ, A. J.	8111040458*	FOIA	THOMSEN, F T	8206010298	50-322 S
STOLZ, J F.	8206250378	50-277 P	SZUKIEWICZ, A. J	8111170117*	50-245 P	THONUS, L	8206290236	50-320 S
STOLZ, J F.	8206250386	50-321 P	SZUKIEWICZ, A. J	8111230007*	50-325 P	THORGERSEN, J Q.	8206210493	50-305 F
STOLZ, J F.	8206280004*	50-277 P	SZUKIEWICZ, A. J	8206230168*	FOIA	THORGERSEN, J Q.	8206220402	50-305 F
STOLZ, J F.	8206280008*	50-277 P	TAM, P. S.	8206280076	50-334 P	THORGERSEN, J Q.	8206280433	50-303 F
STOLZ, J F	8206300309	50-277 P	TAM, C. P.	8206040432*	50-322 T	THORNBERY, R C.	8206010646	50-275 E
STORY, R	8206010087	FOIA	TANIKAWA, K.	8206020113	XPORTLIC	THORNBERY, R C.	8111030555*	FOIA
STOSEL, A	8206240254	50-322 T	TANNENBAUM, J. E.	8206220193	40-2061	THORPE, J R.	8206040101	PRM
STONE, J P.	8206240384*	50-361 Q	TANNENBAUM, J E	8206290225	50-443 A	THORPE, J R	8206070409	PR
STRAIGHT, J. E	8206170056*	50-244 S	TAPTA, J I	8206010693*	50-498 Q	THORPE, J R	8206160352	RE600
STRASHA, J	8206210630	NUREG	TAPLIN, G V	8206010075*	FOIA	THORSEN, E Q	8206170234	50-247 T
STREETER, J	8206040351	50-358 S	TAPLIN, G V	8206010085*	FOIA	THULL, T. S	8206220331*	50-243 S
STREETER, J	8206080239	50-358 S	TAPLIN, G V	8206010149*	FOIA	TIERNAN, J. A	8206180235	PR
STREETER, J.	8206100290	50-331 F	TARAS, D. N.	8206010036	40-8598	TIERNAN, J. A	8206160275	PR
STREETER, J.	8206100330*	50-331 Q	TARAS, D. N.	8206020004	40-8598	TIKOD, S	8206170252	50-409 F
STREETER, J.	8206150037*	50-346 S	TAUBER, H	8206020370	50-341 A	TILLMAN, L. A.	8206280376*	FOIA
STREETER, J	8206150176	50-346 S	TAUBER, H	8206070236	50-341 A	TIPPS, S B.	8206210573*	50-321 J

PERSONAL AUTHOR INDEX

511

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
TISE, L E	8206220208*	50-400 A	VDERITZ, R A	8206220147	50-272 V	VANDEWALLE, D J	8206220235	50-233 F
TISE, L E	8206220214*	50-400 A	VDERITZ, R A	8206300170	50-272 H	VANDEWALLE, D J	8206220386	50-233 F
TOBIAS, M L	8206090119	NUREG	VOY, A C	8206100365	REF	VANDEWALLE, D J	8206220403	50-233 F
TODD, G A	8206250286*	70-1151	VHRIQ, R E	8206010211	50-335 P	VANDEWALLE, D J	8206220496	50-135 F
TOGOROVICH, M N	8206230174	50-247 Q	VHRIQ, R E	8206010273	50-335 P	VARELA, A A	8206040187*	50-410 C
TOKAR, M	8206220103	50-418 A	VHRIQ, R E	8206010290	50-250 P	VARELA, A A	8206100149*	50-352 Q
TOLAN, J H	8206070191	REQD	VHRIQ, R E	8206010335	50-250 P	VARELA, A A	8206170340*	50-443 Q
TOMLINSON, D P	8206210095*	50-313 Q	VHRIQ, R E	8206010354	50-389 S	VARELA, A A	8206240213*	50-334 Q
TOMLINSON, D P	8206210320*	50-498 Q	VHRIQ, R E	8206010556	50-389 S	VAROA, S	8206180023	50-280 Q
TOMS, N L	8206240477	50-219 F	VHRIQ, R E	8206020314	50-335 P	VAROA, S A	8206010048	50-247 H
TONGUE, T M	8206070795*	50-10 Q	VHRIQ, R E	8206020330	50-250 P	VAROA, S A	8206010079	50-261 P
TOOLE, R	8206010469*	50-289 P	VHRIQ, R E	8206020348	50-335 P	VAROA, S A	8206020036	50-280 P
TOOLE, R J	8206030233	50-289 S	VHRIQ, R E	8206020384	50-250 Q	VAROA, S A	8206030294	50-295 P
TOOLE, R J	8206080050*	50-289 S	VHRIQ, R E	8206020407	50-250 P	VAROA, S A	8206040064	50-250 P
TOOLE, R J	8206080235	50-289 S	VHRIQ, R E	8206020516	50-250 Q	VAROA, S A	8206070137	50-247 P
TOTH, A D	8206020484*	50-460 Q	VHRIQ, R E	8206030201	50-335 P	VAROA, S A	8206080091	50-286 P
TOTH, A D	8206280489*	50-460 Q	VHRIQ, R E	8206040197	50-389 Q	VAROA, S A	8206080097	50-247 P
TOTH, L H	8206100007	NUREG	VHRIQ, R E	8206070268	50-389 Q	VAROA, S A	8206080103	50-295 P
TOURIGNY, E	8206220336	50-289 P	VHRIQ, R E	8206070412	PR	VAROA, S A	8206080444	50-286 P
TOURIGNY, E Q	8206220105	50-289 P	VHRIQ, R E	8206070420	50-389 S	VAROA, S A	8206110134*	50-272 P
TOURTELLOTT, J	8206300324	REVIEW GRP	VHRIQ, R E	8206080198	50-335 P	VAROA, S A	8206110157*	50-272 P
TRAMM, T R	8206140165*	50-454 Q	VHRIQ, R E	8206140072	50-230 P	VAROA, S A	8206160055*	50-291 P
TRAMM, T R	8205120245	50-454 F	VHRIQ, R E	8206140157	50-230 R	VAROA, S A	8206160482*	50-305 P
TRAMM, T R	8206070274	50-454 A	VHRIQ, R E	8206140164	50-335 P	VAROA, S A	8206170394	50-295 P
TRAMM, T R	8206080356	50-454 A	VHRIQ, R E	8206140168	50-230 P	VAROA, S A	8206180035*	50-290 Q
TRAMM, T R	8206150183	50-454 E	VHRIQ, R E	8206160211*	50-250 F	VAROA, S A	8206250072	50-250 P
TRAMM, T R	8206150285	50-454 E	VHRIQ, R E	8206160460	WASTE MOT	VAROA, S A	8206280610*	50-280 P
TRAMM, T R	8206180201	50-454 F	VHRIQ, R E	8206210433	50-389 A	VAROA, S A	8206280626*	50-280 P
TRAMM, T R	8206240277	50-454 E	VHRIQ, R E	8206210434	50-389 S	VAROA, S A	8206280681*	50-324 P
TRAMM, T R	8206240299	50-454 A	VHRIQ, R E	8206210441*	50-389 A	VAROA, S A	8206280690*	50-324 P
TRAMM, T R	8206290553	50-454 K	VHRIQ, R E	8206210455	50-250 P	VAROA, S A	8206290582*	50-261 P
TRAMM, T R	8206290611*	50-454 F	VHRIQ, R E	8206220219	50-250 Q	VAROA, S A	8206300161	50-247 P
TRAMMELL, C M	8206020223	50-344 P	VHRIQ, R E	8206230079	50-250 P	VARNADO, G B	8206280319*	FOIA
TRAMMELL, C M	8206180019*	50-344 P	VHRIQ, R E	8206240283	50-250 P	VARNER, D M	8206170337*	50-331 S
TRAMMELL, C M	8206290341	50-348 P	VHRIQ, R E	8206280426	50-389 A	VARNER, L S	8206190064*	CONTRACT
TRAMMELL, C M	8206280036*	50-344 Q	VHRIQ, R E	8206300291	50-389 S	VASSALLO, D B	8206010055*	50-239 P
TRAMMELL, C M	8206300374*	50-285 P	VHRIQ, R E	8206300293	50-389 S	VASSALLO, D B	8206010055*	50-239 P
TRAMP, P A	8206010359	50-267 S	VHRIQ, R E	8206300296	50-389 S	VASSALLO, D B	8206020093	50-324 Q
TRAVES, W D	8206280321*	50-320 P	ULLRICH, W T	8206300183	50-277 S	VASSALLO, D B	8206020242*	50-298 P
TRUBY, S A	8206170139	50-358 Q	ULLRICH, W T	8206080376	50-278 S	VASSALLO, D B	8206020247*	50-298 P
TREBY, S A	8206250035	50-400 Q	UPRIGHT, C M	8206220226*	50-269 Q	VASSALLO, D B	8206020266	50-333 P
TREBY, S A	8206170290*	50-317 Q	UPRIGHT, C M	8206220439*	50-400 Q	VASSALLO, D B	8206020269	50-298 P
TRINBLE, D C	8206110006	NUREG	UPRIGHT, C M	8206220311*	50-335 Q	VASSALLO, D B	8206030140	50-261 P
TRINBLE, J L	8206280068	50-219 S	URBANIK, T	8206090188*	50-247 T	VASSALLO, D B	8206040061	50-298 F
TRIPP, L	8206030233*	50-219 Q	UTLEY, E E	8206090026*	FOIA	VASSALLO, D B	8206040065*	50-259 P
TRIPP, L E	8206040385*	50-334 Q	UTLEY, E E	8206140080	50-324 P	VASSALLO, D B	8206040068*	50-259 P
TRIPP, L E	8206040371*	50-272 Q	UTLEY, E E	8206140106	50-261 P	VASSALLO, D B	8206070131	50-234 P
TRIPP, L E	8206220192*	50-219 Q	VAN BRUNT, E E	8206010321	50-328 A	VASSALLO, D B	8206080140	50-298 P
TRIPP, L E	8206240213*	50-334 Q	VAN BRUNT, E E	8206040246	50-328 A	VASSALLO, D B	8206080136	50-331 P
TRIPP, L E	8206290397*	50-219 Q	VAN BRUNT, E E	8206080330	50-328 S	VASSALLO, D B	8206080397	50-263 P
TRIPP, L E	8206290411*	50-272 Q	VAN BRUNT, E E	8206080411	50-528 S	VASSALLO, D B	8206080453	50-293 P
TRONJANSKI, R	8206090090*	50-335 F	VAN BRUNT, E E	8206150139	50-528 S	VASSALLO, D B	8206100360	50-293 P
TRONJANSKI, R	8206300313	I&E	VAN BRUNT, E E	8206150180	50-528 A	VASSALLO, D B	8206100437	50-263 P
TROSKO, I W H	8206030270*	50-334 Q	VAN BRUNT, E E	8206150184	50-528 S	VASSALLO, D B	8206100440*	50-263 P
TROSTEN, L M	8206020312	50-220 I	VAN BRUNT, E E	8206150277	50-528 E	VASSALLO, D B	8206100444*	50-263 P
TROSTEN, L M	8206020322	50-220 I	VAN BRUNT, E E	8206170133	50-528 A	VASSALLO, D B	8206140237	50-298 P
TROSTEN, L M	8206020322	50-220 I	VAN BRUNT, E E	8206180004	50-528 A	VASSALLO, D B	8206140321	50-10 F
TROTT, E A	8206280579*	CONTRACT	VAN BRUNT, E E	8206180136	50-528 S	VASSALLO, D B	8206140338	50-298 P
TROWBRIDGE, C D	8206160329	PR	VAN BRUNT, E E	8206180168	50-330 S	VASSALLO, D B	8206150046	50-324 P
TROWBRIDGE, C D	8206240236	50-289 Q	VAN BRUNT, E E	8206180308	50-328 S	VASSALLO, D B	8206180027	50-271 F
TRUEBA, P	8202120318*	50-428 P	VAN BRUNT, E E	8206210124	50-528 A	VASSALLO, D B	8206180323	50-331 P
TRUEBA, P	8202120321*	50-428 P	VAN BRUNT, E E	8206210452	50-528 A	VASSALLO, D B	8206180335*	50-331 P
TRUEBA, P	8206040528*	50-463 P	VAN BRUNT, E E	8206210634	50-528 S	VASSALLO, D B	8206180337*	50-331 P
TRUEBA, P	8206040530*	50-463 P	VAN BRUNT, E E	8206230148	50-528 S	VASSALLO, D B	8206180339	50-298 F
TRUEBA, P	8206040530*	50-463 P	VAN BRUNT, E E	8206230186	50-528 S	VASSALLO, D B	8206180343	50-298 P
TRUJILLO, A	8206230328	NUREG	VAN BRUNT, E E	8206230189	50-528 S	VASSALLO, D B	8206210025*	50-254 P
TSAY, J	8206100048	NUREG	VAN BRUNT, E E	8206230191	50-528 S	VASSALLO, D B	8206210030	50-220 P
TEGONAS, P E	8206140343*	50-293 H	VAN BRUNT, E E	8206230200	50-528 S	VASSALLO, D B	8206210033*	50-220 P
TUCKER, K Q	8201200165	50-389 M	VAN BRUNT, E E	8206230221	50-528 S	VASSALLO, D B	8206210035*	50-220 P
TUCKER, K Q	8201200165	50-389 H	VAN BRUNT, E E	8206230261	50-528 S	VASSALLO, D B	8206210044*	50-331 P
TURETSKY, M D	8206020279*	FOIA	VAN DER HOVEN	8206220029	NUREG	VASSALLO, D B	8206210054*	50-331 P
TURETSKY, M D	8206020281*	FOIA	VAN DOORN, P K	8206070488*	50-413 Q	VASSALLO, D B	8206220006	50-263 P
TURETSKY, M D	8206020334*	FOIA	VAN VLIET, J A	8206150040	50-324 F	VASSALLO, D B	8206220024	50-263 P
TURETSKY, M D	8206020336*	FOIA	VAN WINKLE, W	8206100043	NUREG	VASSALLO, D B	8206220622	50-324 F
TURETSKY, M D	8206020473*	FOIA	VANDENBERG, D	8206140021	50-255 R	VASSALLO, D B	8206230272	50-259 P
TURETSKY, M D	8206020482*	FOIA	VANDENBERG, D	8206140022*	50-255 R	VASSALLO, D B	8206230280	50-293 P
TURK, B E	8206010273	50-382 Q	VANDEWALLE, D J	8206110077	50-255 P	VASSALLO, D B	8206230122	50-220 F
TURK, B E	8206040233	70-2909	VANDEWALLE, D J	8206020397*	50-255 Q	VASSALLO, D B	8206230266*	50-293 P
TURK, B E	8206160089	50-488 Q	VANDEWALLE, D J	8206040318	50-155 Q	VASSALLO, D B	8206230336*	50-293 P
TURK, B E	8206170144	50-488 Q	VANDEWALLE, D J	8206070233	50-255 P	VASSALLO, D B	8206230528	50-331 P
TURK, M V	8206110015	NUREG	VANDEWALLE, D J	8206080249	50-155 P	VASSALLO, D B	8206230535*	50-331 P
TURNER, J	8206030127*	50-244 P	VANDEWALLE, D J	8206100164	50-155 P	VASSALLO, D B	8206230541*	50-331 P
TYLER, P E	8206100138	50-170 F	VANDEWALLE, D J	8206210326	50-155 P	VASSALLO, D B	8206230624	50-331 Q
UDALL, M K	8007300327*	FOIA	VANDEWALLE, D J	8206280480	50-155 P	VASSALLO, D B	8206230380	50-331 P
UDALL, M K	8205080156*	GEN TEC IB	VANDEWALLE, D J	8206290121	50-255 P	VASSALLO, D B	8206300384*	50-331 P

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
VASSALLO, D. B.	8206300388*	50-331 P	WANG, Y. K.	8206140398	RES	WEISS, E. R.	8206160121	50-247 Q
VAUGHAN, C. H.	8206230230	71-7091	WANDLER, M. E.	8206170168*	50-461 T	WEISS, E. R.	8206240209	50-537 Q
VAUGHAN, C. H.	8206160487*	71-8874	WAPATO, S. T.	8206010303	50-522 D	WEISS, E. R.	8206240209	50-537 Q
VENKAT, C. K.	8206100226	XPORTLIC	WARD, B.	8206220112	40-8771	WEISS, E. R.	8206240209	50-537 Q
VENKAT, C. K.	8206100251	XPORTLIC	WARD, E. C.	8206020177*	50-263 F	WEISS, E. R.	8206240215*	50-537 Q
VENKAT, C. K.	8206100257*	XPORTLIC	WARD, K. D.	8206020039*	50-346 Q	WEISS, E. R.	8206240215*	50-537 Q
VENKATACHALAM	8206100232*	XPORTLIC	WARD, K. D.	8206100137*	50-454 Q	WEISS, E. R.	8206240215*	50-537 Q
VENKATACHALAM	8206100240*	XPORTLIC	WARD, K. D.	8206240291*	50-341 Q	WEISS, E. R.	8206290536	FOIA
VERSELY, J. E.	8206100342	50-230 F	WARD, T.	8206070580*	50-400 C	WEISS, E. R.	8206300224	50-537 Q
VETERE, L. A.	8206170085	50-247 Q	WARE, A.	8206080015*	CONTRACT	WEISS, E. R.	8206300224	50-537 Q
VETERE, L. A.	8206170341	50-247 Q	WAREHBOURO, D.	8206010559	50-267 S	WEISS, E. R.	8206300224	50-537 Q
VETERE, L. A.	8206180211	50-247 Q	WAREHBOURO, D.	8206110050	50-267 S	WEISS, E. W.	8206280129*	FOIA
VETERE, L. A.	8206180221*	50-247 Q	WAREHBOURO, D.	8206150339	50-267 R	WEISS, E. W.	8206280481*	FOIA
VETERE, L. A.	8206240347	50-247 T	WAREHBOURO, D.	8206170316	50-267 R	WEISS, E. W.	8206280481*	FOIA
VILLADONIGA, J.	8206040523*	50-428 F	WAREHBOURO, D.	8206180002	50-267 S	WEISS, E. W.	8206280535*	FOIA
VILLADONIGA, J.	8206040529*	50-465 P	WAREHBOURO, D.	8206220284	50-267 S	WELLS, D. A.	8206040141	50-341 S
VILLAFAMA, T.	8206090121	RE000	WAREHBOURO, D.	8206220294	50-267 S	WELLS, D. A.	8206040277	50-341 S
VILLFORTH, J. C.	8206070513	PRM	WAREHBOURO, D.	8206230024	50-267 P	WELLS, D. A.	8206040422	50-341 S
VILLFORTH, J. C.	8206230113	50-443 D	WAREHBOURO, D.	8206230142	50-267 S	WELLS, D. A.	8206150299	50-341 S
VILLFORTH, J. C.	8206250175	50-522 D	WAREHBOURO, D.	8206230206*	50-267 F	WELLS, D. A.	8206150333	50-341 S
VINCENT, N. R.	8206210474	PR	WAREHBOURO, D.	8206230232	50-267 S	WELLS, D. A.	8206170302	50-341 S
VINCENT, N. R.	8206210483*	PR	WAREHBOURO, D.	8206230275	50-267 S	WELLS, D. A.	8206220343	50-341 S
VINCENT, N. R.	8206210495*	PR	WAREHBOURO, D. W.	8206070276	50-267 P	WELLS, M. E.	8206100064	NUREQ
VINCENT, N. R.	8206210510*	PR	WAREHBOURO, D. W.	8206080222	50-267 F	WELLS, R. A.	8206080247	50-329 D
VINCENT, N. R.	8206210517*	PR	WAREHBOURO, D. W.	8206140400*	50-267 F	WELLS, R. A.	8206080285	50-329 D
VINCENT, N. R.	8206250271	PR	WAREHBOURO, D. W.	8206170333*	50-267 F	WELLS, R. A.	8206090112	PRM
VINCENT, N. R.	8206250279*	PR	WAREHBOURO, D. W.	8206210231	50-267 P	WELLS, R. A.	8206240142	50-329 A
VINCENT, N. R.	8206250281*	PR	WAREHBOURO, D. W.	8206210355	50-267 P	WELLS, E. J.	8206300381*	50-537 A
VINCENT, N. R.	8206250295*	PR	WAREHBOURO, D. W.	8206230128	50-267 P	WENDERLICH, R. L.	8206080406*	50-317 S
VINCENT, N. R.	8206250301*	PR	WAREHBOURO, D. W.	8206230373*	50-267 F	WENDERLICH, R. L.	8206220194*	50-317 S
VINCENT, R. A.	8206070247	50-155 P	WARNICK, R. F.	8206070235*	50-373 A	WENDERLICH, R. L.	8206280377*	50-317 S
VINCENT, R. A.	8206070672	50-155 P	WARNICK, R. F.	8206070242*	50-373 A	WENDT, K. M.	8206070375	PR
VINCENT, R. A.	8206070681	50-155 P	WARNICK, R. F.	8206070704*	50-461 Q	WENNER, T. J.	8206020376*	50-341 A
VINCENT, R. A.	8206080306	50-155 P	WATERS, J. R.	8206230219*	50-295 Q	WENSLAWSKI, F. A.	8206020460*	50-312 Q
VINCENT, R. A.	8206140015	50-155 P	WATKINS, K. A.	8206150010	FOIA	WENSLAWSKI, F. A.	8206080194*	50-397 Q
VINCENT, R. A.	8206140017	50-155 P	WATKINS, M.	8206240473	FOIA	WENSLAWSKI, F. A.	8206080289*	50-344 Q
VINCENT, R. A.	8206150207	50-155 P	WATKINS, S. B.	8206080130	50-289 P	WENSLAWSKI, F. A.	8206080416*	50-224 Q
VINCENT, R. A.	8206150336	50-155 P	WATT, J.	8206280106*	FOIA	WENSLAWSKI, F. A.	8206220223*	50-361 Q
VINCENT, R. A.	8206170255	50-155 P	WEAVER, L. W.	8206010266*	50-334 R	WENSLAWSKI, F. A.	8206280222*	50-142 Q
VISSINO, G. B.	8206250373	50-249 P	WEAVER, L. W.	8206010271*	50-334 R	WENSLAWSKI, F. A.	8206280228*	50-142 Q
VISSINO, G. B.	8206300068	GEN TEC IS	WEAVER, L. W.	8206010274*	50-334 R	WENZINGER, E. C.	8109080323*	FOIA
VITO, D. J.	8206040190*	50-219 P	WEAVER, L. W.	8206150132*	50-334 R	WESGOTT, H. M.	8206070704*	50-461 Q
VOLGER, B. H.	8206040211	PROJ	WEEKS, E. D.	8206010258	50-133 R	WEELEY, D. A.	8112020951*	50-237 Q
VOLGT, H. H.	8206040248	50-341 Q	WEGST, W. F.	8206290487	50-142 P	WEST, A. E.	8206230194	50-329 Q
VOLLEN, R. J.	8206090144	50-347 Q	WEINFURTER, E.	8206170195*	50-254 R	WEST, A. E.	8206230194	50-329 Q
VOLLEN, R. J.	8206090145*	50-347 Q	WEISS, B.	8206220489*	50-261 Q	WEST, J. B.	8206040173*	50-556 Q
VOLLEN, R. J.	8206090150*	50-367 Q	WEISS, B.	8206220551*	50-261 Q	WEST, P. J.	8206230307*	CONTRACT
VOLLNER, R. H.	8111030647*	FOIA	WEISS, A. J.	8206090216	NUREQ	WESTBROOK, K.	8206210040	40-8786
VOLLNER, R. H.	8206230214*	FOIA	WEISS, A. J.	8206100060	NUREQ	WESTBROOK, K. B.	8206090260	40-8786
VOLLNER, R. H.	8206280207*	FOIA	WEISS, A. J.	8206100089	NUREQ	WESTBROOK, K. B.	8206100194	40-8786
VOLMER, C. J.	8206080364	TOPREP	WEISS, D.	8206160493	40-8380	WEBSTERMAN, T.	8206140053*	50-445 Q
VORDEBRUGGE, G.	8206020507*	50-528 Q	WEISS, D.	8206160494*	40-8380	WEBSTERMAN, T. F.	8206010452*	50-267 Q
VORSE, J. Y.	8206220067*	50-400 Q	WEISS, E. R.	8206030044	FOIA	WEBSTERMAN, T. F.	8206020477	50-267 S
WADDELL, D. W.	8206040393*	50-461 F	WEISS, E. R.	8206040226	50-289 Q	WEBSTERMAN, T. F.	8206080111*	50-445 Q
WADE, J.	8206150014	FOIA	WEISS, E. R.	8206040226	50-289 Q	WEBSTERMAN, T. F.	8206080122*	50-267 Q
WAGNER, A. O.	8206070856*	50-416 Q	WEISS, E. R.	8206080099	50-537 Q	WEBSTERMAN, T. F.	8206100124	50-267 S
WAGNER, A. O.	8206220424*	50-416 Q	WEISS, E. R.	8206080099	50-537 Q	WEBSTERMAN, T. F.	8206210108*	50-298 Q
WAGNER, M. E.	8206040274*	50-289 Q	WEISS, E. R.	8206080099	50-537 Q	WEBSTERMAN, T. F.	8206220299	50-298 Q
WAGNER, M. E.	8206140034	50-289 Q	WEISS, E. R.	8206080101*	50-537 Q	WEBSTERMAN, T. F.	8206250173*	50-445 Q
WAGNER, P. C.	8206070125	50-249 Q	WEISS, E. R.	8206080101*	50-537 Q	WETTERHAHN, M. J.	8206040215	27-39
WAGNER, P. C.	8206240455	50-249 P	WEISS, E. R.	8206080101*	50-537 Q	WETTERHAHN, M. J.	8206070600	PRM
WAGNER, P. C.	8206250362	50-249 P	WEISS, E. R.	8206080104*	50-537 Q	WHALEN, R.	8206070778*	50-237 S
WAGNER, W. J.	8206020486*	50-206 Q	WEISS, E. R.	8206080104*	50-537 Q	WHEELER, C. L.	8206020133*	FOIA
WAGNER, W. J.	8206080308*	50-362 Q	WEISS, E. R.	8206080104*	50-537 Q	WHEELER, L. L.	8206010111	50-508 A
WAGNER, W. J.	8206220326*	50-344 Q	WEISS, E. R.	8206080108*	50-537 Q	WHEELER, L. L.	8206010120	50-443 A
WAHLIO, B. O.	8206070400	PRM	WEISS, E. R.	8206080108*	50-537 Q	WHEELER, L. L.	8206020181	50-443 F
WAITE, J. A.	8206020363*	27-48	WEISS, E. R.	8206080108*	50-537 Q	WHEELER, L. L.	8206020311	50-508 A
WALBRIDGE, W. C.	8206150351	50-312 Q	WEISS, E. R.	8206080117*	50-537 Q	WHEELER, L. L.	8206020313*	50-508 A
WALBRIDGE, W. C.	8206170105*	50-312 Q	WEISS, E. R.	8206080117*	50-537 Q	WHEELER, L. L.	8206030027	50-443 A
WALBRIDGE, W. C.	8206180187	50-312 P	WEISS, E. R.	8206080117*	50-537 Q	WHEELER, L. L.	8206030032*	50-443 A
WALBRIDGE, W. C.	8206300007*	50-312 F	WEISS, E. R.	8206080124*	50-537 Q	WHEELER, L. L.	8206030100*	50-443 F
WALKER, J. L.	8206100058	NUREQ	WEISS, E. R.	8206080124*	50-537 Q	WHEELER, L. L.	8206160001	50-508 A
WALKER, R.	8206070704*	50-461 Q	WEISS, E. R.	8206080124*	50-537 Q	WHEELER, L. L.	8206160015	50-443 A
WALKER, R.	8206250161	50-461 S	WEISS, E. R.	8206090152	50-247 Q	WHEELER, L. L.	8206160111	50-443 A
WALKER, R.	8206250288	50-373 S	WEISS, E. R.	8206090152	50-247 Q	WHEELER, L. L.	8206210008	50-443 E
WALKER, R.	8206290356	50-461 S	WEISS, E. R.	8206140032	50-537 Q	WHEELER, L. L.	8206240001	50-443 A
WALKER, R. D.	8206020458*	50-373 Q	WEISS, E. R.	8206140032	50-537 Q	WHEELER, L. L.	8206240040	50-443 A
WALKER, R. D.	8206070775*	50-10 Q	WEISS, E. R.	8206140032	50-537 Q	WHELAN, G.	8206180340	NUREQ
WALLACE, L. E.	8206040288	50-259 Q	WEISS, E. R.	8206160064	50-537 Q	WHITCHER, J. M.	8206090144	50-367 Q
WALTON, G. A.	8206170206*	50-322 T	WEISS, E. R.	8206160064	50-537 Q	WHITCHER, J. M.	8206090147*	50-367 Q
WANG, H.	8206080260*	50-329 E	WEISS, E. R.	8206160068*	50-537 Q	WHITNER, H. L.	8206220446*	50-321 Q
WANG, J.	8206220129*	50-295 S	WEISS, E. R.	8206160068*	50-537 Q	WHITMAN, G. D.	8206100030	NUREQ
WANG, J.	8206220360*	50-304 S	WEISS, E. R.	8206160094	50-289 Q	WHITNEY, G. O.	8206010455*	50-293 S
WANG, P. C.	8206100065	NUREQ	WEISS, E. R.	8206160094	50-289 Q	WHITNEY, G. O.	8206080219*	50-293 S
WANG, P. C.	8206170046	NUREQ	WEISS, E. R.	8206160121	50-247 Q	WHITNEY, G. O.	8206110301*	50-293 S

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
WHITNEY, J. W.	8206290645*	CONTRACT	WILSON, B. D.	8206110337	XPORTLIC	WOLLETT, S.	8206110003	CONTRACT
WHITNEY, M. A.	8206300076*	71-9510	WILSON, H.	8206070130	PR	WOLF, J.	8206300277	50-201
WHITSETT, J. B.	8206110131	WASTE MGT	WILSON, J. C.	8206230234	71-9032	WOLF, J. F.	8206040087	50-522
WHITSETT, J. B.	8206290329	WASTE MGT	WILSON, J. C.	8206230236*	71-9032	WOLF, J. F.	8206170079	50-275
WIAZROUSKI, W. A.	8206300300	REGG	WILSON, J. C.	8206240179	71-477	WOLF, J. F.	8206170083	50-237
WICHERB, D. L.	8206220121	40-8502	WILSON, J. C.	8206240187*	71-477	WOLF, J. R.	8206040075	50-201
WIDNER, W. A.	8206140064	50-321 Q	WILSON, J. L.	8206010134	50-280 S	WOLF, J. R.	8206110079	50-201
WIDNER, W. A.	8206170260	50-321 Q	WILSON, J. L.	8206010140	50-280 S	WOLFE, R.	8206220200*	50-346
WIDNER, W. A.	8206170365	50-321 P	WILSON, J. L.	8206010145*	50-280 S	WOLFE, S. J.	8206070152	50-466
WIDNER, W. A.	8206170367	50-321 P	WILSON, J. L.	8206010151*	50-280 S	WOLFE, S. J.	8206210221	50-356
WIDNER, W. A.	8206170376	50-321 P	WILSON, J. L.	8206010212	50-280 S	WOLLETT, S.	8206070148	CONTRACT
WIDNER, W. A.	8206180178	50-321 P	WILSON, J. L.	8206010218*	50-280 S	WOLLETT, S.	8206100012	CONTRACT
WIDNER, W. A.	8206210130	50-321 P	WILSON, J. L.	8206010225*	50-280 S	WOLLETT, S.	8206100421	CONTRACT
WIEDEMAN, D. O.	8206070443	70-2801	WILSON, J. L.	8206010232*	50-280 S	WOLLETT, S.	8206110044	CONTRACT
WIEDEMAN, D. O.	8206070633	70-2830	WILSON, J. L.	8206010244	50-280 S	WOLLETT, S.	8206110076	CONTRACT
WIEDEMAN, D. O.	8206070873	70-2205	WILSON, J. L.	8206010251*	50-280 S	WOLLETT, S.	8206150034	CONTRACT
WIEDEMAN, D. O.	8206070876*	70-2205	WILSON, J. L.	8206010261*	50-280 S	WOLLETT, S.	8206150041	CONTRACT
WIEDEMAN, D. O.	8206170044	40-8211	WILSON, J. L.	8206010258*	50-281 S	WOLLETT, S.	8206150048	CONTRACT
WIEDEMAN, D. O.	8206170047*	40-8211	WILSON, J. L.	8206010268*	50-281 S	WOLLETT, S.	8206210015	CONTRACT
WIEDEMAN, D. O.	8206290159	I&E	WILSON, J. L.	8206010374	50-280 S	WOLLETT, S.	8206240414	CONTRACT
WIESEMAN, R. A.	8206080202*	TOPREP	WILSON, J. L.	8206010391	50-280 S	WOLLETT, S.	8206240469	CONTRACT
WIESEMAN, R. A.	8206180220	TOPREP	WILSON, J. L.	8206010394*	50-280 S	WOLLETT, S.	8206250028	CONTRACT
WIESEMAN, R. A.	8206210127*	50-295 P	WILSON, J. L.	8206010399*	50-280 S	WOLLETT, S.	8206280019	CONTRACT
WIESEMAN, R. A.	8206210138*	50-295 P	WILSON, J. L.	8206010604*	50-280 S	WOLLETT, S.	8206290649	CONTRACT
WIESEMAN, R. A.	8206100200*	50-443 Q	WILSON, J. L.	8206010608*	50-280 S	WONG, T.	8206300304	40-299
WIGGINS, J. T.	8206160097	50-295 P	WILSON, J. L.	8206010613*	50-280 S	WONG, T.	8206100302	40-299
WIGGINTON, D.	8206240592*	50-261 P	WILSON, J. L.	8206010615	50-280 S	WONG, H. H.	8206230340	NUREG
WIGGINTON, D.	8206290306	50-195 Q	WILSON, J. L.	8206010621*	50-280 S	WOOD, B. G.	8206070130	PR
WIKTOR, D. L.	8206290306	50-195 Q	WILSON, J. L.	8206010626*	50-280 S	WOOD, E. C.	8206150445	50-309
WILBORN, L.	8206010373*	50-313 Q	WILSON, J. L.	8206010634*	50-280 S	WOOD, J. M.	8206300337	50-522
WILCOVE, M. N.	8206080131	50-320 Q	WILSON, J. L.	8206110263	50-280 S	WOODHEAD, C. P.	8206020075*	50-352
WILCOVE, M. N.	8206220084	50-320 Q	WILSON, J. L.	8206110271*	50-280 S	WOODHEAD, C. P.	8206090094	50-142
WILCOX, J. D.	8206220496*	50-438 Q	WILSON, J. L.	8206110278*	50-280 S	WOODHEAD, C. P.	8206230191	50-142
WILLETT, D. J.	8206020357*	50-113 Q	WILSON, J. L.	8206110283*	50-280 S	WOODRUFF, R. L.	8206300148	50-413
WILLETT, D. J.	8206150247*	50-312 Q	WILSON, J. L.	8206210032	50-280 S	WOODRUFF, R. L.	8206300313	I&E
WILLETT, D. J.	8206150272*	50-528 Q	WILSON, J. L.	8206210036*	50-280 S	WOODS, R.	8206110020*	GEN TEC
WILLIAMS, F. J.	8206280540*	FOIA	WILSON, J. L.	8206210043*	50-280 S	WOODS, T. Q.	8206080229	50-328
WILLIAMS, H. P.	8205100225	50-334 S	WILSON, J. L.	8206210196	50-280 S	WOLEVER, E. J.	8206150115*	50-412
WILLIAMS, H. P.	8206080354	50-334 S	WILSON, J. L.	8206210202*	50-280 S	WOLEVER, E. J.	8206170065	50-412
WILLIAMS, H. P.	8206110276	50-334 S	WILSON, J. L.	8206210208*	50-280 S	WOOTON, R. D.	8206240048	50-318
WILLIAMS, H. P.	8206150112	50-334 S	WILSON, J. L.	8206210214*	50-280 S	WRAY, J. R.	8206070614*	70-27
WILLIAMS, H. P.	8206230107	50-334 S	WILSON, J. L.	8206210220*	50-280 S	WRAY, J. R.	8206070725*	50-250
WILLIAMS, H. P.	8206230282	50-334 S	WILSON, J. L.	8206220410	50-280 S	WRIGHT, O. C.	8206020533*	50-155
WILLIAMS, H. P.	8206280248	50-334 S	WILSON, J. L.	8206220418*	50-280 S	WRIGHT, R. J.	8206040298*	50-322
WILLIAMS, H. P.	8206280332	50-334 S	WILSON, J. L.	8206220425*	50-280 S	WRIGHT, R. J.	8206040435*	50-322
WILLIAMS, J. H.	8206090168	50-447 A	WILSON, J. L.	8206220431*	50-280 S	WRIGHT, R. J.	8206160070	WASTE MGT
WILLIAMS, J. H.	8206170158*	50-461 T	WILSON, K. L.	8206160471	40-2061	WRIGHT, R. J.	8206080697	WASTE MGT
WILLIAMS, J. H.	8206180233	PR	WILSON, K. L.	8206170135	50-461 D	WRIGHT, R. W.	8206220311*	50-335
WILLIAMS, J. W.	8206010291	50-230 R	WILT, D. D.	8206040031	50-440 Q	WRIGHT, R. W.	8206220439*	50-400
WILLIAMS, J. W.	8206010408	50-335 S	WILT, D. D.	8206040031	50-440 Q	WRONA, T. J.	8206160247*	50-387
WILLIAMS, J. W.	8206010436	50-335 S	WILT, D. D.	8206040036	50-440 Q	WRONA, T. J.	8206160252*	50-387
WILLIAMS, J. W.	8206010497	50-290 S	WILT, D. D.	8206040036	50-440 Q	WRONA, T. J.	8206160257*	50-387
WILLIAMS, J. W.	8206070120	50-335 S	WILT, D. D.	8206170140	50-440 Q	WULLER, Q. E.	8206020478	50-461
WILLIAMS, J. W.	8206070454	50-251 S	WILT, D. D.	8206240402	50-440 Q	WULLER, Q. E.	8206040340	50-461
WILLIAMS, J. W.	8206090004	50-290 R	WILT, D. D.	8206240430	50-440 Q	WULLER, Q. E.	8206070412	PR
WILLIAMS, J. W.	8206110246	50-335 S	WILT, D. D.	8206240430	50-440 Q	WULLER, Q. E.	8206210400	50-461
WILLIAMS, J. W.	8206110277	50-335 S	WILNO, J. P.	8206240229	50-322 H	WULLER, Q. E.	8206210482	50-461
WILLIAMS, J. W.	8206110302	50-335 S	WINO, M. D.	8206070306*	50-259 S	WULLER, Q. E.	8206220256	50-461
WILLIAMS, J. W.	8206210376	50-251 S	WINO, M. D.	8206240317*	50-296 S	WULLER, Q. E.	8206230287	PR
WILLIAMS, J. W.	8206220335	50-290 S	WINO, M. D.	8206240374*	50-296 S	WULLER, Q. E.	8206290244	50-461
WILLIAMS, J. W.	8206220365	50-335 S	WISENBURG, M. R.	8206020116*	50-259 F	YAGI, H.	8206140019	XPORTLIC
WILLIAMS, J. W.	8206240051	50-250 S	WISNER, C.	8206100189*	50-285 Q	YAGI, H.	8206150435	XPORTLIC
WILLIAMS, J. W.	8206240148	50-335 S	WISZ, D.	8206030037	FOIA	YAGI, H.	8206150459	XPORTLIC
WILLIAMS, M. L.	8206240078	NUREG	WITHERS, B. D.	8206070416	PR	YANDELL, L. A.	8206100288	50-285
WILLIAMS, R. E.	8206040513	40-8102	WITHERS, B. D.	8206100332	50-344 P	YANDELL, L. A.	8206110252	50-285
WILLIAMS, R. E.	8206100409*	CONTRACT	WITHERS, B. D.	8206160209	50-344 P	YANDELL, L. A.	8206210189*	50-285
WILLIAMS, R. E.	8206220104	40-8452	WITHERS, B. D.	8206180278	PR	YARNICK, T. P.	8206220105	40-8102
WILLIAMSON, T. O.	8206080143	50-62 H	WITHERS, B. D.	8206220370*	50-344 Q	YELLEN, L.	8206040502	FOIA
WILLIS, W. F.	8206100207	50-337 A	WITHERS, B. D.	8206240406	50-344 P	YORK, J. W.	8206220348*	50-389
WILLMORE, R. L.	8206040085	50-440 Q	WITHERS, B. D.	8206250170	50-344 F	YOSHIMURA, Q. M.	8206080254*	50-344
WILLMORE, R. L.	8206040085	50-440 Q	WITHERS, B. D.	8206290393	50-344 P	YOUNG, F.	8206220538*	50-289
WILLMORE, R. L.	8206040120	50-440 Q	WITHERS, B. D.	8206300327*	50-344 F	YOUNG, M. A.	8206080262	50-434
WILLMORE, R. L.	8206040120	50-440 Q	WITHERS, B. D.	8104160570	50-155 P	YOUNG, M. A.	8206090159	50-133
WILLMORE, R. L.	8206070540	50-440 Q	WITT, F. J.	8206080294*	50-454 Q	YOUNG, T.	8206020307*	50-275
WILLMORE, R. L.	8206070540	50-440 Q	WITTENBURG, K.	8206290542*	50-373 S	YOUNG, T.	8206150247*	50-312
WILLMORE, R. L.	8206170347	50-440 Q	WIZNER, D. Q.	8205260008*	50-316 S	YOUNG, T.	8206150326*	50-312
WILLMORE, R. L.	8206170347	50-440 Q	WIZNER, D. Q.	8206100234*	50-315 S	YOUNG, T.	8206220509	50-361
WILLMORE, R. L.	8206180279	50-440 Q	WIZNER, D. Q.	8206100263*	50-315 S	YOUNG, T.	8206280494*	50-312
WILLMORE, R. L.	8206180279	50-440 Q	WIZNER, D. Q.	8206100287*	50-316 S	YOUNG, T.	8206280527*	50-312
WILLMORE, R. L.	8206290297	50-440 Q	WIZNER, D. Q.	8206240349*	50-316 S	YOUNGBLOOD, B. J.	8112030233*	50-312
WILLMORE, R. L.	8206290297	50-440 Q	WIZNER, D. Q.	8206290062*	50-316 S	YOUNGBLOOD, B. J.	8206010136	50-482
WILLSON, A. K.	8206210557	50-416 S	WIZNER, D. Q.	8206290428*	50-315 S	YOUNGBLOOD, B. J.	8206020017	50-445
WILSON, A. K.	8206240326	50-440 S	WOODMAN, N. A.	8206110364*	WASTE MGT	YOUNGBLOOD, B. J.	8206070113	50-395
WILSON, A. K.	8206280554	FOIA	WOHL, M. L.	8206080266*	50-454 Q	YOUNGBLOOD, B. J.	8206070150	50-482
WILSON, B. D.	8206020315	XPORTLIC	WOJCHOWSKI, A. V.	8206020364*	50-263 S	YOUNGBLOOD, B. J.	8206070154	50-445

PERSONAL AUTHOR INDEX

AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR	ACCESSION NUMBER	SUBJECT CATEGORY
YOUNGBLOOD, B J	8206080170	50-341 A	ZIMMERMAN, J V	8206020577	XPORTLIC	ZIMMERMAN, J V	8206230213	XPORTLIC
YOUNGBLOOD, B J	8206080180	50-445 H	ZIMMERMAN, J V	8206030013	XPORTLIC	ZIMMERMAN, J V	8206230216	XPORTLIC
YOUNGBLOOD, B J	8206140303	50-434 A	ZIMMERMAN, J V	8206030021	XPORTLIC	ZIMMERMAN, J V	8206230292	XPORTLIC
YOUNGBLOOD, B J	8206140315	50-395 E	ZIMMERMAN, J V	8206030072	XPORTLIC	ZIMMERMAN, J V	8206230295	XPORTLIC
YOUNGBLOOD, B J	8206140408	50-395 A	ZIMMERMAN, J V	8206030076	XPORTLIC	ZIMMERMAN, J V	8206230296	XPORTLIC
YOUNGBLOOD, B J	8206140406	50-454 A	ZIMMERMAN, J V	8206030273	XPORTLIC	ZIMMERMAN, J V	8206230297	XPORTLIC
YOUNGBLOOD, B J	8206150411	50-454 A	ZIMMERMAN, J V	8206030274	XPORTLIC	ZIMMERMAN, J V	8206230339	XPORTLIC
YOUNGBLOOD, B J	8206160007	50-403 A	ZIMMERMAN, J V	8206030320	XPORTLIC	ZIMMERMAN, J V	8206230351	XPORTLIC
YOUNGBLOOD, B J	8206160130*	50-423 A	ZIMMERMAN, J V	8206080456	XPORTLIC	ZIMMERMAN, J V	8206230353	XPORTLIC
YOUNGBLOOD, B J	8206160134*	50-423 A	ZIMMERMAN, J V	8206080464	XPORTLIC	ZIMMERMAN, J V	8206230356	XPORTLIC
YOUNGBLOOD, B J	8206180349	50-482 E	ZIMMERMAN, J V	8206080468	XPORTLIC	ZIMMERMAN, J V	8206230358	XPORTLIC
YOUNGBLOOD, B J	8206250003	50-445 F	ZIMMERMAN, J V	8206080470	XPORTLIC	ZIMMERMAN, J V	8206230359	XPORTLIC
YOUNGBLOOD, B J	8206250076	50-341 A	ZIMMERMAN, J V	8206080507	XPORTLIC	ZIMMERMAN, J V	8206240106	XPORTLIC
YOUNGBLOOD, B J	8206250349	50-482 D	ZIMMERMAN, J V	0406080509	XPORTLIC	ZIMMERMAN, J V	8206240443	XPORTLIC
YOUNGBLOOD, B J	8206250354*	50-482 D	ZIMMERMAN, J V	8206080512	XPORTLIC	ZIMMERMAN, J V	8206240446	XPORTLIC
YOUNGBLOOD, B J	8206250406	50-387 A	ZIMMERMAN, J V	8206080515	XPORTLIC	ZIMMERMAN, J V	8206240447	XPORTLIC
YOUNGBLOOD, B J	8206280146	50-482 D	ZIMMERMAN, J V	8206090156	XPORTLIC	ZIMMERMAN, J V	8206250367	XPORTLIC
YOUNGBLOOD, B J	8206280148*	50-482 D	ZIMMERMAN, J V	8206090158	XPORTLIC	ZIMMERMAN, J V	8206250368	XPORTLIC
YOUNGBLOOD, B J	8206280180	50-482 D	ZIMMERMAN, J V	8206090160	XPORTLIC	ZIMMERMAN, J V	8206250369	XPORTLIC
YOUNGBLOOD, B J	8206280199	50-482 D	ZIMMERMAN, J V	8206090162	XPORTLIC	ZIMMERMAN, J V	8206250367	XPORTLIC
YOUNGDAHL, R C	8206100259	50-255 F	ZIMMERMAN, J V	8206090164	XPORTLIC	ZIMMERMAN, J V	8206250578	XPORTLIC
YU, C	8206210149*	50-295 F	ZIMMERMAN, J V	8206090167	XPORTLIC	ZIMMERMAN, J V	8206250579	XPORTLIC
YUEN, H C	8206220005	NUREG	ZIMMERMAN, J V	8206090171	XPORTLIC	ZIMMERMAN, J V	8206250576	XPORTLIC
YUHAS, Q P	8206080194*	50-397 G	ZIMMERMAN, J V	8206100176	XPORTLIC	ZIMMERMAN, J V	8206250578	XPORTLIC
YUNDT, C P	8206010588	50-344 R	ZIMMERMAN, J V	8206100206	XPORTLIC	ZIMMERMAN, J V	8206250595	XPORTLIC
YUNDT, C P	8206080249	50-344 B	ZIMMERMAN, J V	8206100255	XPORTLIC	ZIMMERMAN, J V	8206250598	XPORTLIC
ZABEL, S A	8206140027	50-461 G	ZIMMERMAN, J V	8206100431	XPORTLIC	ZIMMERMAN, B R	8206040268*	50-244 G
ZABEL, S A	8206140027	50-461 G	ZIMMERMAN, J V	8206100433	XPORTLIC	ZIMMERMAN, B R	8204200212	50-400 A
ZABRISKIE, W L	8206100034	NUREG	ZIMMERMAN, J V	8206110179	XPORTLIC	ZIMMERMAN, B R	8206020122*	50-261 F
ZAHLER, R E	8206180342	50-289 G	ZIMMERMAN, J V	8206140254	XPORTLIC	ZIMMERMAN, B R	8206240271	50-324 P
ZAHLER, R E	8206180342	50-289 G	ZIMMERMAN, J V	8206150415	XPORTLIC	ZIMMERMAN, B R	8206280499	50-261 F
ZARBIS, W A	8206010347*	50-324 P	ZIMMERMAN, J V	8206150427	XPORTLIC	ZIMMERMAN, B R	8206250539	50-324 P
ZARBIS, W A	8206010557*	50-324 P	ZIMMERMAN, J V	8206150434	XPORTLIC	ZUKOR, D J	8206280543*	FOIA
ZAVESKI, M	8206240167	50-322 H	ZIMMERMAN, J V	8206160100	XPORTLIC	ZUPKO, J M	8206040365	50-272 F
ZECH, Q G	8103300203*	FOIA	ZIMMERMAN, J V	8206160103	XPORTLIC	ZUPKO, J M	8206150049*	50-272 F
ZIBULESKY, H	8206250310*	70-1100	ZIMMERMAN, J V	8206160274	XPORTLIC	ZUPKO, J M	8206150076*	50-272 F
ZIMMERMAN, J V	8206010012	XPORTLIC	ZIMMERMAN, J V	8206170402	XPORTLIC	ZWETZIO, G	8206020565*	50-528 G
ZIMMERMAN, J V	8206020110	XPORTLIC	ZIMMERMAN, J V	8206170409	XPORTLIC	ZWETZIO, G	8206220132	50-361 S
ZIMMERMAN, J V	8206020118	XPORTLIC	ZIMMERMAN, J V	8206180427	XPORTLIC	ZWETZIO, G	8206220371*	50-528 G
ZIMMERMAN, J V	8206020128	XPORTLIC	ZIMMERMAN, J V	8206180439	XPORTLIC	ZWETZIO, G	8206220503	50-344 S
ZIMMERMAN, J V	8206020206	XPORTLIC	ZIMMERMAN, J V	8206210028	XPORTLIC	ZWETZIO, G B	8206020401*	50-375 G
ZIMMERMAN, J V	8206020207	XPORTLIC	ZIMMERMAN, J V	8206210037	XPORTLIC	ZWETZIO, G B	8206020557*	50-113 G
ZIMMERMAN, J V	8206020209	XPORTLIC	ZIMMERMAN, J V	8206220137	XPORTLIC	ZWETZIO, G B	8206080200*	50-206 G
ZIMMERMAN, J V	8206020211	XPORTLIC	ZIMMERMAN, J V	8206220197	XPORTLIC	ZWETZIO, G B	8206080204*	50-206 G
ZIMMERMAN, J V	8206020573	XPORTLIC	ZIMMERMAN, J V	8206230181	XPORTLIC	ZWETZIO, G B	8206080394*	50-344 G
						ZWETZIO, G B	8206150272*	50-528 G
						ZWETZIO, G B	8206150367*	50-344 G
						ZWETZIO, G B	8206220139*	50-344 G
						ZWETZIO, G B	8206280311*	50-344 G
						ZWETZIO, G B	8206280306*	50-206 G

CORPORATE SOURCE INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
AMAX Environmental Services, Inc (subs of AMAX, Inc)	B206030318	40-B355
AMAX, Inc	B206030322*	40-B355
	B206030325	XPORTLIC
ATCGR	B206030328*	XPORTLIC
	B206160143	TOPREP
Aamodts, The	B206160148*	TOPREP
	B206040078	50-289 T
	B206040198	50-289 Q
Advisory Council on Historic Preservation	B206220153	40-2061
	B206290225	50-443 A
Agriculture, Dept of, Forest Service	B206210078	50-322 D
Agriculture, Dept of	B206030111	50-443 D
	B206070191	REQD
	B206220190	40-2061
Air Force School of Aerospace Medicine	B206210478*	40-B399
Air Force, Dept. of	B206160351*	CONTRACT
	B206160473	REQD
Air and Water Pollution Patrol	B206230210	50-332 Q
Alabama Power Co	B206010208	50-348 B
	B206010210*	50-348 B
	B206010597	50-364 B
	B206010603*	50-364 B
	B206010607	50-348 B
	B206010618	50-348 B
	B206010620*	50-348 B
	B206010625*	50-348 B
	B206020204*	50-348 F
	B206020216*	50-348 F
	B206030067*	50-348 F
	B206030071*	50-348 F
	B206040249	50-348 P
	B206070084	50-364 B
	B206070087*	50-364 B
	B206070091*	50-364 B
	B206070097	TOPREP
	B206070117	50-348 B
	B206070119	50-348 B
	B206070123*	50-348 B
	B206070126*	50-348 B
	B206070131*	50-348 B
	B206070245	50-348 Q
	B206070349*	50-348 Q
	B206080326	50-348 P
	B206080326	50-348 P
	B206090114	PR
	B206110165	50-348 B
	B206110165	50-348 B
	B206110167*	50-348 B
	B206110172*	50-348 B
	B206110175*	50-348 B
	B206110180*	50-348 B
	B206110277	50-348 P
	B206110277	50-348 P
	B206140055	50-364 R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	B206140096*	50-364
	B206140124	50-348
	B206140127*	50-348
	B206210152	50-348
	B206210152	50-348
	B206210157*	50-348
	B206210166*	50-348
	B206210179*	50-348
	B206210464	50-348
	B206240381	50-348
	B206240427*	50-348
	B206250139	50-348
	B206290141	50-364
	B206300116	50-348
	B206300189*	50-348
Alabama, State of	B206240419*	CONTRACT
Alderson Reporting	B206240110*	CONTRACT
Aldrich Chemical Co., Inc (subs. of Sigma-Aldrich Corp.)	B206160088	XPORTLIC
Allgheny Electric Cooperative, Inc	B206290251	50-387
American Airlines, Inc	B206040012	71-236
	B206040015*	71-236
American Board of Radiology	B206070175	REQD
American College of Nuclear Physicians	B206160279	PR
American College of Radiology	B206100228	PR
	B206300300	REQD
American Electric Power Service Corp.	B206300336	PR
American Nuclear Insurers	B206160302	50-416
	B206210616	NUREQ
American Nuclear Society	B206070629	PR
	B206070643*	PR
	B206160263	PR
	B206230038*	FOIA
	B206250312	NUREQ
	B206280293*	FOIA
American Society of Mechanical Engineers	B206070193	REQD
	B206160268	PR
American Harming & Ventilating, Inc	B206230116	50-392
Anchor/Darling Valve (subs Anchor/Darling Industries)	B206020489*	QA799
	B206020497*	QA799
Antioch College of Law	B206010297	50-155
	B206040043	50-155
	B206040289	50-155
	B206290306	50-155
Argentina	B206100372*	REB
Argonne National Laboratory	B206030056*	FOIA
	B206030075*	FOIA
	B206040369	REQD
Arizona Public Service Co	B206010521	50-528
	B206010521	50-528
	B206020597	70-2949
	B206040246	50-528
	B206040246	50-528
	B206040246	50-528

CORPORATE SOURCE INDEX

[illegible]

CORPORATE SOURCE INDEX

5

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Babcock & Wilcox Operating Plants Owners Group	8206270459* 8206110236	70-135 50-287 P	Benjamin F Shaw Co. (subs of Blount, Inc.)	8206220332	PR
Baker & Botts	8206250231 8206240400	50-289 P 50-466 Q	Better Government Association	8206040502	FOIA
Baltimore Gas & Electric Co	8206010437	50-317 R	Bill Miller, Inc	8206100415	71-4717
	8206010443*	50-317 R	Binder, Elster, Mendelson & Wheeler, Inc	8206240089*	CONTRACT
	8206020511	50-317 P	Bingham-Williamette Co	8206070380	PR
	8206020511	50-317 P			
	8206070199	50-317 Q	Bowling Computer Services, Inc (subs. of Bowling Co.)	8206100184*	CONTRACT
	8206080399	50-317 S	Borg-Warner Corp.	8206110387	XPORTLIC
	8206080406*	50-317 B		8206110388*	XPORTLIC
	8206100091	50-317 P	Boston Edison Co	8206110391*	XPORTLIC
	8206100235	PR		8206010306	50-293 I
	8206110221	50-317 S		8206010309*	50-293 I
	8206140058	50-317 F		8206010445	50-293 I
	8206140088	50-317 P		8206010453*	50-293 I
	8206160275	PR		8206010575	50-293 I
	8206170027	50-318 B		8206010580*	50-293 F
	8206170028*	50-318 B		8206020378	50-293 F
	8206210512*	50-317 Q		8206030003	50-293 F
	8206210543	50-317 R		8206040178	50-293 G
	8206210543	50-317 R		8206040267	50-293 F
	8206210556*	50-317 R		8206040273	50-293 F
	8206210556*	50-317 R		8206080215	50-293 B
	8206210562*	50-317 R		8206080219*	50-293 B
	8206210562*	50-317 R		8206080335	50-293 P
	8206210621	PRM		8206080339	50-293 P
	8206220190	50-317 B		8206080350	50-293 P
	8206220194*	50-317 S		8206100188	50-293 P
	8206220567	50-318 B		8206110275	50-293 P
	8206220573*	50-318 B		8206110277	50-293 B
	8206220120	50-318 B		8206110301*	50-293 B
	8206220126*	50-318 B		8206150066*	50-293 F
	82062200046	50-317 S		8206150102*	50-293 Q
	82062200058*	50-317 B		8206160326	PRM
	82062200205	50-317 Q		8206170070	50-293 B
	82062200205	50-317 Q		8206170094	50-293 Q
	82062200237	50-318 B		8206170309	50-293 P
	82062200244*	50-318 B		8206210199*	50-293 Q
	82062200369	50-317 B		8206210371	50-293 P
	82062200377*	50-317 B		8206210374*	50-293 P
	8206220106	50-317 P		8206210593	50-293 P
	8206220221	50-317 P		8206210620	50-293 P
	8206220231*	50-317 P		8206220487	50-293 Q
	8206300020	50-317 P		8206220497*	50-293 Q
	8206300194	PR		8206220163	50-293 P
Battelle Memorial Institute, Columbus Laboratories	8206090117	NUREQ		8206220274	50-293 P
	8206100019*	CONTRACT		82062280141	50-293 Q
	8206210395	50-6 R	Betein, Hays, Sklar & Herzberg	8206229034	50-293 P
	8206210398*	50-6 R	Brandeis Univ.	8206070122	50-247 Q
	8206240048	50-318 P	Bristol Steel & Iron Works, Inc.	8206300292	REQD
Battelle Memorial Institute, Pacific Northwest Laboratory	8206280022*	CONTRACT		8206090131	PR
	8206020133*	FOIA		8206160281	PR
	8206020268	REB	Brookhaven National Laboratory	8206020260	REB
	8206040132	50-255 F		8206020283	REB
	8206090211	NUREQ		8206020290	REB
	8206100189*	50-285 Q		8206020295	REB
	8206100241*	50-317 Q		8206030052*	FOIA
	8206100350	REB		8206030059*	FOIA
	8206110364*	WASTE MGT		8206030064*	FOIA
	8206110364*	WASTE MGT		8206030077*	FOIA
	8206110364*	WASTE MGT		8206030081*	FOIA
	8206110364*	WASTE MGT		8206090216	NUREQ
	8206110364*	WASTE MGT		8206090234	REB
	8206110364*	WASTE MGT		8206100017	NUREQ
	8206110364*	WASTE MGT		8206100034	NUREQ
	8206110364*	WASTE MGT		8206100038	NUREQ
	8206110364*	WASTE MGT		8206100060	NUREQ
	8206110364*	WASTE MGT		8206100063	NUREQ
	8206110364*	WASTE MGT		8206100065	NUREQ
	8206110364*	WASTE MGT		8206100087	NUREQ
	8206110364*	WASTE MGT		8206100089	NUREQ
	8206110364*	WASTE MGT		8206100324	REB
	8206110364*	WASTE MGT		8206100410	REB
	8206110364*	WASTE MGT		8206110184	REB
	8206110364*	WASTE MGT		8206110413	REB
	8206110364*	WASTE MGT		8206140270	REB
	8206110364*	WASTE MGT		8206140277	REB
	8206110364*	WASTE MGT		8206140368	REB
	8206110364*	WASTE MGT		8206140377	REB
	8206110364*	WASTE MGT		8206140398	REB
	8206110364*	WASTE MGT		8206150030	REB
	8206110364*	WASTE MGT		8206170046	NUREQ
	8206110364*	WASTE MGT		8206220068	REB
	8206110364*	WASTE MGT		8206220240*	FOIA
	8206110364*	WASTE MGT		8206240054	NUREQ
Bechtel Corp	8206020530*	50-250 Q			
	8206070172	REQD			
	8206080213	TOPREP			
	8206140247*	50-387 E			
	8206160252*	50-387 E			
	8206160257*	50-387 E			
	8206230199*	50-275 P			
	8206240207*	50-331 F			
Beltway Limousine Service, Inc.	8206240481*	CONTRACT			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Brown & Root Corp. (subs. of Halliburton Corp.)	8206250015 8206180250*	NUREG 50-498 A	8206010505*	50-324 S	
	8206220483 8206230013	TOPREP 50-498 B	8206010509	50-400 S	
Brush-Wellman, Inc.	8206150209	40-8722	8206010535	50-324 P	
Buchanan, NY	8206210588 8206210594*	50-247 Q 50-247 Q	8206010539*	50-324 P	
Bucyrus-Erie Co.	8206070375	PR	8206010596	50-324 S	
Building Technology, Inc.	8206100163*	50-537 A	8206010612*	50-324 S	
Bumpass Cove Citizens Group	8206010087	FOIA	8206010622	50-400 S	
Burnham City Hosp. Champaign, IL	8206070638*	70-2830	8206010629	50-324 S	
Burns & Roe Co.	8206110004	NUREG	8206010630	50-261 S	
Businessmen for the Public Interest	8206090144 8206090145*	50-367 Q 50-367 Q	8206010635	50-325 S	
	8206090147*	50-367 Q	8206010637*	50-261 S	
	8206090148*	50-367 Q	8206010639*	50-324 S	
	8206090150*	50-367 Q	8206010645	50-324 S	
C-E Operating Plants Owners Group	8206040259	TOPREP	8206010651*	50-325 S	
	8206170128	TOPREP	8206010657*	50-324 S	
CONOCO, Inc. (Continental Oil Co.)	8206220176	40-8743	8206010664	50-324 S	
	8206220181*	40-8743	8206010673*	50-324 S	
	8206280041	40-8743	8206020122*	50-261 F	
Cadema Medical Devices, Inc.	8206010187*	FOIA	8206020127*	50-261 F	
Cahill, Gordon & Reindel	8206030041*	FOIA	8206040311	50-400 A	
California Polytech State Univ.	8206220383	50-394 H	8206070075	50-325 S	
California, State of	8205040348 8206240249	50-275 Q 50-361 Q	8206070078*	50-325 S	
	8206240384*	50-361 Q	8206070159	50-324 S	
	8206250324	PROJ	8206070164*	50-324 S	
California, Univ. of, Davis	8206070636	PR	8206070295	50-325 S	
California, Univ. of, Los Angeles	8206010075*	FOIA	8206070304*	50-325 S	
	8206010085*	FOIA	8206070388	50-325 S	
	8206010149*	FOIA	8206070396*	50-325 S	
	8206140096	50-142 Q	8206070574	50-400 C	
	8206160076	50-142 Q	8206070687	50-400 S	
	8206290487	50-142 P	8206070729*	50-324 Q	
	8206290492*	50-142 P	8206070843*	50-324 P	
	8206290494*	50-142 P	8206080209	50-261 P	
California, Univ. of, San Diego	8206090121	REOOD	8206080284	50-261 R	
Cammer & Shapiro	8206040174	50-322 Q	8206080287*	50-261 R	
	8206230149	50-322 Q	8206090026*	FOIA	
Carolina Power & Light Co.	8203170522	50-324 Q	8206100162	50-324 P	
	8204200212	50-400 A	8206110188	50-400 S	
	8206010020	50-324 S	8206110310	50-325 S	
	8206010029*	50-324 S	8206110314*	50-325 S	
	8206010100	50-261 S	8206140080	50-324 P	
	8206010105*	50-261 S	8206140080	50-324 P	
	8206010114	50-325 S	8206140106	50-261 P	
	8206010122*	50-325 S	8206140185	50-324 F	
	8206010141	50-324 S	8206140185	50-324 F	
	8206010150*	50-324 S	8206150235	50-324 R	
	8206010153	50-325 S	8206150235	50-324 R	
	8206010160*	50-325 S	8206150238*	50-324 R	
	8206010196	50-324 S	8206150238*	50-324 R	
	8206010201*	50-324 S	8206150327	50-261 P	
	8206010202	50-325 S	8206150331*	50-261 P	
	8206010205*	50-325 S	8206160182	50-261 Q	
	8206010217	50-325 S	8206170249	50-324 P	
	8206010220*	50-325 S	8206180272	50-400 Q	
	8206010235	50-325 S	8206180272	50-400 Q	
	8206010237	50-400 S	8206180280*	50-400 Q	
	8206010243*	50-325 S	8206180280*	50-400 Q	
	8206010302	50-324 S	8206180289*	50-400 Q	
	8206010308*	50-324 S	8206180289*	50-400 Q	
	8206010324	50-324 S	8206180292*	50-400 Q	
	8206010331*	50-324 S	8206180292*	50-400 Q	
	8206010346	50-324 S	8206180295*	50-400 Q	
	8206010352*	50-324 S	8206180302*	50-400 Q	
	8206010358	50-325 S	8206180302*	50-400 Q	
	8206010362*	50-325 S	8206180319*	50-400 Q	
	8206010363	50-324 S	8206180319*	50-400 Q	
	8206010367*	50-324 S	8206210228	50-325 S	
	8206010394	50-324 S	8206210233*	50-325 S	
	8206010402*	50-324 S	8206210437	50-324 S	
	8206010416	50-325 S	8206210449*	50-324 S	
	8206010419	50-324 S	8206210479	50-324 S	
	8206010423	50-400 S	8206210489*	50-324 S	
	8206010424*	50-325 S	8206210518	50-324 P	
	8206010425*	50-324 S	8206210518	50-324 P	
	8206010486	50-324 S	8206210520	50-324 S	
	8206010490	50-324 S	8206210526*	50-324 P	
	8206010492*	50-324 S	8206210526*	50-324 P	
	8206010493	50-325 S	8206210530*	50-324 S	
	8206010502*	50-325 S	8206210537	50-325 S	
			8206210548*	50-325 S	
			8206220174	50-324 Q	
			8206220174	50-324 Q	
			8206220230*	50-324 Q	
			8206220230*	50-324 Q	
			8206220230*	50-324 Q	

CORPORATE SOURCE INDEX

61

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206220236*	50-324 Q		8206080220	50-358 I
	8206220236*	50-324 Q		8206080249	50-358 I
	8206220344	50-325 S		8206080321	50-358 I
	8206220354*	50-325 S		8206100108	50-358 I
	8206220389	50-325 S		8206150220	50-358 I
	8206220399*	50-325 S		8206170132	50-358 E
	8206220426*	50-400 Q		8206170187	50-358 E
	8206220475*	50-324 Q		8206170279	50-358 E
	8206220486*	50-324 Q		8206170286	50-358 E
	8206220522*	50-324 Q		8206170334	50-358 E
	8206220529*	50-324 Q		8206170349	50-358 B
	8206220532*	50-261 Q		8206170373	50-358 B
	8206230132	50-400 Q		8206210186	50-358 B
	8206240077	50-261 S		8206240163*	50-358 B
	8206240175	50-325 S		8206290330	50-358 B
	8206240182*	50-325 S		8206290365	50-358 B
	8206240186	50-325 S		8206180320	50-400 Q
	8206240192*	50-325 S	Citizens Against Nuclear Power	8206080098	50-445 Q
	8206240271	50-324 P	Citizens Association for Sound Energy	8206080098	50-445 Q
	8206240285*	50-324 P		8206080102*	50-445 Q
	8206240288*	50-324 P		8206080102*	50-445 Q
	8206240290*	50-324 P		8206100124	50-445 Q
	8206250118	50-324 Q		8206100126	50-445 Q
	8206250118	50-324 Q		8206100129*	50-445 Q
	8206250121*	50-324 Q		8206100129*	50-445 Q
	8206250121*	50-324 Q		8206240376	50-445 Q
	8206250130	50-324 Q		8206240376	50-445 Q
	8206250130	50-324 Q		8206240377*	50-445 Q
	8206280499	50-261 P		8206240377*	50-445 Q
	8206290486	50-324 P		8206240380*	50-445 Q
	8206290490*	50-324 P		8206240380*	50-445 Q
	8206290539	50-324 P		8206240383*	50-445 Q
	8206300105	50-325 S		8206240386*	50-445 Q
	8206300109*	50-325 S		8206240386*	50-445 Q
Carstens, A B	8206070535	50-361 Q		8206280182	50-445 Q
	8206070555	50-361 Q		8206040266	50-498 Q
	8206070562*	50-361 Q		8206040271*	50-498 Q
	8206280233	50-445 Q		8206040271*	50-498 Q
Case Western Center for Law in the Public Interest	8206030186	50-275 Q		8206040273	50-498 Q
	8206040053	50-275 Q		8206040273	50-498 Q
	8206040222	50-275 P		8206040273*	50-498 Q
	8206040222	50-275 P		8206040273*	50-498 Q
	8206140054	50-275 Q		8206040273*	50-498 Q
	8206020438*	50-220 I		8206170089	50-498 Q
Central Hudson Gas & Electric Corp	8206160120	71-9152		8206040083	50-440 Q
Chem-Nuclear Systems, Inc.	8206160465	WASTE MOT		8206040083	50-440 Q
	8206240076	FOIA		8206040120	50-440 Q
	8206250164	PR		8206040120	50-440 Q
	8206290183	50-454 Q		8206070450	50-440 B
	8206290183	50-454 Q		8206070450	50-440 B
	8206290256	50-454 Q		8206070461	50-440 B
	8206290256	50-454 Q		8206070461	50-440 B
	8206290259	50-454 Q		8206070511	50-440 B
	8206290259	50-454 Q		8206070511	50-440 B
	8206290294	50-454 Q		8206070540	50-440 Q
	8206290294	50-454 Q		8206070540	50-440 Q
	8206290298	50-454 Q		8206070669	50-440 B
	8206290298	50-454 Q		8206070669	50-440 B
	8206160350	REQD		8206070877*	50-440 Q
Chevron Oil Co (subs of Standard Oil Co of California)	8206010370*	FOIA		8206080230	50-440 B
Children's Memorial Hosp Chicago, IL	8206070644	PR		8206110220	50-440 A
Choctaw Services, Inc.	8206300322	REQD		8206110220	50-440 A
Christ Hosp. Oaklawn, IL	8206010312*	50-153 T		8206110230	50-440 A
Christa-Maria	8206040043	50-153 Q		8206130197	50-440 A
	8206040289	50-153 Q		8206130197	50-440 A
	8206070506*	50-153 Q		8206130234	50-440 E
	8206090128	50-153 Q		8206130234	50-440 E
	8206230166*	50-153 Q		8206130249*	50-440 A
	8206280306	50-358 B		8206130269	50-440 E
	8206020466	50-358 K		8206130269	50-440 E
	8206020469*	50-358 K		8206130317	50-440 A
	8206040125	50-358 B		8206130317	50-440 A
	8206040153	50-358 A		8206130336	50-440 A
	8206070390	50-358 B		8206130361	50-440 B
	8206070438	50-358 B		8206130361	50-440 B
	8206070496	50-358 B		8206170298	50-440 E
	8206070603	50-358 Q		8206170298	50-440 E
	8206070608*	50-358 Q		8206170347	50-440 Q
	8206070796*	50-358 Q		8206180279	50-440 Q
	8206070806*	50-358 Q		8206180279	50-440 Q
	8206070818*	50-358 Q		8206220087	50-440 E
	8206080119	50-358 K			
Cincinnati Gas & Electric Co	8206280306	50-358 B			
	8206020466	50-358 K			
	8206020469*	50-358 K			
	8206040125	50-358 B			
	8206040153	50-358 A			
	8206070390	50-358 B			
	8206070438	50-358 B			
	8206070496	50-358 B			
	8206070603	50-358 Q			
	8206070608*	50-358 Q			
	8206070796*	50-358 Q			
	8206070806*	50-358 Q			
	8206070818*	50-358 Q			
	8206080119	50-358 K			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	
	8206220087	50-440	E
	82062200337	50-440	E
	82062200337	50-440	E
	8206240418	50-440	B
	8206290297	50-440	G
Cleveland-Cliffs Iron Co	8206020219*	40-8200	
	8206220046	40-8714	
	8206220052*	40-8714	
Coalition for Nuclear Power Plant Postponement	8206070565	FRH	
Coalition for Safe Power	8206010286	50-522	Q
Colorado State Univ	8206230348*	CONTRACT	
Colorado, State of	8206290376*	50-267	F
Colorado, Univ. of	8206070182	REG00	
	8206070186*	REG00	
Columbia River Inter-Tribal Fish Commission	8206010303	50-522	D
Combustion Engineering, Inc	8206070416	PR	
	8206090298*	50-368	Q
	8206100310	70-1100	
	8206100316*	70-1100	
	8206220519	PR	
Commerce, Dept. of, National Oceanographic & Atmospheric Administration	8206100036	NUREQ	
	8206140312	NUREQ	
	8206220029	NUREQ	
	8206300337	50-522	D
Commerce, Dept of	8205130491*	CONTRACT	
	8206280579*	CONTRACT	
Commerce, Dept. of, National Bureau of Standards	8206010732	FR	
Committee to Bridge the Gap	8206040033*	CONTRACT	
	8206010270	50-142	Q
	8206010342	50-142	Q
	8206010346	50-142	Q
	8206040045	50-142	Q
	8206170280	50-142	Q
	8206170287	50-142	Q
	8206170291	50-142	Q
	8206170297	50-142	Q
	8206240372	50-142	Q
Commonwealth Edison Co.	8205120245	50-434	F
	8205120245	50-434	F
	8206010336	50-237	Q
	8206010336	50-237	Q
	8206010336	50-237	Q
	8206010336	50-237	Q
	8206010336	50-237	Q
	8206010351	50-434	Q
	8206010467	50-373	R
	8206010467	50-373	R
	8206010475*	50-373	R
	8206010475*	50-373	R
	8206010527	50-373	P
	8206020138*	50-373	F
	8206020138*	50-373	F
	8206020151*	50-373	F
	8206020188*	50-254	F
	8206020188*	50-254	F
	8206020193*	50-254	F
	8206020193*	50-254	F
	8206020303	50-249	B
	8206020306*	50-249	B
	8206020341	50-304	G
	8206020342	50-237	P
	8206020346*	50-304	G
	8206020351	50-295	B
	8206020356*	50-295	B
	8206020357	50-249	P
	8206020365*	50-249	P
	8206020374	50-237	P
	8206020374	50-237	P
	8206020374	50-237	P
	8206020374	50-237	P
	8206020374	50-237	P
	8206020377	50-295	Q
	8206020394	50-254	P
	8206020394	50-254	P
	8206020404*	50-254	P
	8206020404*	50-254	P
	8206020441	50-237	P
	8206020459	50-373	P
	8206020459	50-373	P
	8206020493	50-237	Q
	8206020493	50-237	Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206020493	50-237
	8206020493	50-237
	8206020493	50-237
	8206020521	50-373
	8206020529*	50-373
	8206020539	50-373
	8206020545	50-295
	8206020551	50-295
	8206020560*	50-295
	8206020563*	50-295
	8206020596	71-9096
	8206030150	50-10
	8206030150	50-10
	8206030150	50-10
	8206030151*	50-10
	8206030151*	50-10
	8206030151*	50-10
	8206040030	71-9096
	8206040088	50-373
	8206040092*	50-373
	8206040122	50-237
	8206040251	50-373
	8206040253*	50-373
	8206040256	50-373
	8206040316	50-373
	8206040436	71-9111
	8206040443	71-9111
	8206070181*	50-373
	8206070189	REQD
	8206070225*	50-373
	8206070225*	50-373
	8206070229*	50-373
	8206070229*	50-373
	8206070238*	50-373
	8206070238*	50-373
	8206070241*	50-373
	8206070241*	50-373
	8206070274	50-454
	8206070274	50-454
	8206070274	50-454
	8206070274	50-454
	8206070281	50-295
	8206070284	50-373
	8206070284	50-373
	8206070291	50-373
	8206070291	50-373
	8206070326	50-237
	8206070330	50-237
	8206070330	50-237
	8206070330	50-237
	8206070330	50-237
	8206070416	PR
	8206070456	50-373
	8206070462*	50-373
	8206070487	50-237
	8206070487	50-237
	8206070487	50-237
	8206070487	50-237
	8206070487	50-237
	8206070487	50-237
	8206070560	50-247
	8206070587	50-254
	8206070598*	50-254
	8206070676	PRM
	8206070716	50-237
	8206070722	50-373
	8206070723*	50-237
	8206070731	50-373
	8206070740*	50-373
	8206070746*	50-373
	8206070764	50-373
	8206070771	50-237
	8206070774	50-373
	8206070778*	50-237
	8206070779*	50-373
	8206070788	50-373
	8206070799*	50-373
	8206070809	50-10
	8206070809	50-10
	8206070809	50-10
	8206070809	50-10
	8206070809	50-10

5.

[illegible]

[illegible]

CORPORATE SOURCE INDEX

523

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206040373	50-213 P		8206180163	50-247 Q
	8206100293	50-213 P		8206180163	50-247 Q
	8206150080*	50-213 F		8206180171*	50-247 Q
	8206160368	50-213 P		8206180171*	50-247 Q
	8206170234	50-213 P		8206180214	50-247 Q
	8206170369*	50-213 Q		8206180237	50-247 Q
	8206210194	50-213 R		8206180237	50-247 Q
	8206210197*	50-213 R		8206180296	50-247 Q
	8206210633	50-213 P		8206180296	50-247 Q
	8206210644*	50-213 P		8206180316	50-247 Q
	8206220199	50-213 Q		8206180316	50-247 Q
	8206220216	50-213 S		8206210427	50-3 P
	8206240325	50-213 S		8206210427	50-3 P
	8206240327*	50-213 S		8206210427	50-3 P
	8206240410	50-213 S		8206220161*	50-247 F
	8206240413*	50-213 S		8206220161*	50-247 F
	8206300219	50-213 V		8206220413	50-247 R
	8206300303	50-213 P		8206220416*	50-247 R
	8206300308*	50-213 P		8206220457*	50-286 Q
Conner & Wetterhahn	8206070600	PRM		8206240169	50-247 Q
	8206070603	50-358 Q		8206240169	50-247 Q
	8206210282	50-352 Q		8206240208	50-247 Q
	8206240163*	50-358 Q		8206240208	50-247 Q
Conover & Associates, Inc Insurance	8206280271	50-352 Q		8206240221	50-247 Q
	8206280330	70-1621		8206240221	50-247 Q
Conservation Council of North Carolina	8206040079	50-400 Q		8206240235*	50-247 Q
	8206040079	50-400 Q		8206240235*	50-247 Q
	8206040118	50-400 Q		8206250225	50-247 P
	8206040118	50-400 Q		8206280149	50-247 Q
Consolidated Edison Co. of New York	8206010062	50-247 S		8206280329	50-3 S
	8206010066*	50-247 S		8206280329	50-3 S
	8206010238	50-247 R		8206280329	50-3 S
	8206010240*	50-247 R		8206280532	50-247 Q
	8206010307	50-247 Q		8206290301	50-247 Q
	8206010307	50-247 Q			
	8206010338	50-247 Q	Construction Technology Laboratories	8206210598*	50-329 A
	8206010338	50-247 Q	Consumers Power Co	8104020509*	50-155 P
	8206010344*	50-247 Q		8104020512*	50-155 P
	8206010344*	50-247 Q		8104020513*	50-155 P
	8206010347*	50-247 Q		8104020516*	50-155 P
	8206010347*	50-247 Q			
	8206010374*	50-247 Q		8104020517*	50-155 P
	8206020398	50-3 J		8104020519*	50-155 P
	8206030202	50-247 S		8104160590	50-155 P
	8206030206*	50-247 S		8206010181	50-155 R
	8206040142	50-247 Q		8206010186*	50-155 R
	8206040228	50-247 Q			
	8206040228	50-247 Q		8206020397*	50-255 Q
	8206040238	50-247 Q		8206040241	50-255 P
	8206040238	50-247 Q		8206040318	50-155 Q
	8206040238	50-247 Q		8206070108	50-329 R
	8206040378*	50-247 Q		8206070247	50-155 P
	8206070532	50-247 Q			
	8206080032*	50-3 F		8206070253	50-255 P
	8206080036*	50-3 F		8206070379	50-329 S
	8206080069	50-247 S		8206070409	PRM
	8206080077*	50-247 S		8206070430	50-155 S
	8206080318	50-247 P		8206070502	50-155 Q
	8206080368	50-247 R			
	8206080371*	50-247 R		8206070506*	50-155 Q
	8206100110	50-247 Q		8206070547	50-155 T
	8206100110	50-247 Q		8206070530*	50-155 T
	8206140031	50-247 Q		8206070672	50-155 P
	8206140031	50-247 Q		8206070681	50-155 P
	8206140093	50-247 T			
	8206140093	50-247 T		8206070757	50-155 S
	8206140112	50-247 T		8206070763*	50-155 S
	8206140112	50-247 T		8206080109	50-329 Q
	8206140115*	50-247 T		8206080109	50-329 Q
	8206140115*	50-247 T		8206080159	50-329 S
	8206140120*	50-247 T			
	8206140120*	50-247 T			
	8206150299	50-247 F			
	8206160165*	50-3 F			
	8206160165*	50-3 F			
	8206160172*	50-3 F			
	8206170088	50-247 S			
	8206170130	50-247 Q			
	8206170130	50-247 Q			
	8206170157	50-247 Q			
	8206170157	50-247 Q			
	8206170160	50-247 Q			
	8206170160	50-247 Q			
	8206170250	50-247 Q			
	8206170262*	50-247 Q			
	8206180154	50-247 Q			
	8206180154	50-247 Q			

CORPORATE SOURCE INDEX

2

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206090013*	50-329 A		8206290386	50-255 P
	8206090015*	50-329 A		8206290387*	50-255 P
	8206090015*	50-329 A		8206290391*	50-255 P
	8206090018*	50-329 A		8206290403	50-255 P
	8206090018*	50-329 A		8206290408*	50-255 P
	8206090112	PRM		8206290412*	50-255 P
	8206100130	50-155 S		8206290496	50-155 P
	8206100136*	50-155 S		8206290502*	50-155 P
	8206100164	50-155 P		8206290507*	50-155 P
	8206100171	50-155 S		8206300088*	50-255 F
	8206100176*	50-155 S		8206300090*	50-255 F
	8206100223	50-255 S		8206300178	50-155 P
	8206100229*	50-255 S	Cotter Corp	8205280574	40-8311
	8206100259	50-255 P		8206140445	40-8311
	8206100259	50-255 P		8206220140	WASTE MGT
	8206100259	50-255 P		8206220145*	WASTE MGT
	8206100259	50-255 P	Council on Economic Priorities	8206230030	NUREG
	8206100282	50-255 S		8206230033*	NUREG
	8206100284	50-329 S	Covington & Burling	8201200165	50-389 M
	8206100284	50-329 S		8201200168*	50-389 M
	8206100300*	50-255 S		8206290665*	CONTRACT
	820610077	50-255 P	Creare, Inc	8206100374*	REG
	8206100236	50-287 P	Czechoslovakia	8206010213	50-409 A
	8206140015	50-155 P	Dairyland Power Cooperative	8206010215*	50-409 A
	8206140017	50-155 P		8206010531	50-409 P
	8206140021	50-255 R		8206020566	50-409 S
	8206140022*	50-255 R		8206040312	50-409 P
	8206150140	50-155 S		8206070261	50-409 P
	8206150143*	50-155 S		8206080357	50-409 P
	8206150145	50-255 P		8206100256	50-409 S
	8206150207	50-155 P		8206100262*	50-409 S
	8206150223	50-255 F		8206100267*	50-409 S
	8206150312	50-329 E		8206100270*	50-409 S
	8206150312	50-329 E		8206110071*	50-409 F
	8206150356	50-155 P		8206110072*	50-409 F
	8206160367	50-255 P		8206150212	50-409 S
	8206170255	50-155 P		8206150218*	50-409 S
	8206170304	50-329 S		8206150228*	50-409 S
	8206170305	50-155 S		8206150252	50-409 F
	8206170313	50-255 Q		8206150280	50-409 S
	8206180084	50-329 A		8206150284	50-409 R
	8206180084	50-329 A		8206150287	50-409 P
	8206210117	50-255 J		8206150290*	50-409 R
	8206210118	50-329 A		8206150321	50-409 P
	8206210118	50-329 A		8206150323*	50-409 P
	8206210326	50-155 P		8206170138	50-409 S
	8206210568	50-329 Q		8206170145*	50-409 S
	8206210568	50-329 Q		8206210114	50-409 F
	8206210583	50-329 Q		8206220285	50-409 S
	8206210583	50-329 Q		8206220298*	50-409 S
	8206210590	50-329 A		8206230058	50-409 P
	8206210590	50-329 A		8206230061*	50-409 P
	8206210611	50-329 F		8206230065*	50-409 F
	8206210611	50-329 F		8206240071*	50-409 F
	8206220295	50-255 S		8206240190	50-409 S
	8206220300*	50-255 S		8206240194*	50-409 S
	8206220491	50-329 E		8206240320	50-409 Q
	8206220491	50-329 E		8206240328	50-409 S
	8206220537	50-329 A		8206240331*	50-409 S
	8206220553*	50-329 A		8206280444	50-409 P
	8206220628*	50-329 A		8206290342	50-409 S
	8206230194	50-329 Q		8206290350*	50-409 S
	8206230194	50-329 Q	Dallas Morning News	8206010730	FOIA
	8206240012*	50-255 F	Dalton, GA	8206030237	50-321 I
	8206240015*	50-255 F	Dames & Moore	8206020502*	50-237 Q
	8206240142	50-329 A		8206030287*	40-3453
	8206240437*	50-255 F		8206080260*	50-329 F
	8206240440*	50-255 F	Day, Barry & Howard	8206210378	50-423 A
	8206250246	50-329 A	DeKalb Area Alliance for Responsible	8206040243	50-434 Q
	8206250246	50-329 A	Energy		
	8206280325	50-155 J	Debevoise & Liberman	8206040018	50-445 Q
	8206280327*	50-155 J		8206040216	50-488 Q
	8206280328*	50-155 J		8206070416	PRM
	8206280330*	50-155 J		8206070718	PRM
	8206280331*	50-155 J		8206090001	FOIA
	8206280333*	50-155 J		8206140026	50-415 Q
	8206280480	50-155 P		8206140026	50-415 Q
	8206280483	50-329 A		8206160106	50-413 Q
	8206280483	50-329 A		8206170190	50-415 Q
	8206290121	50-255 P		8206170190	50-415 Q
	8206290127*	50-255 P		8206170336	50-413 Q
	8206290132*	50-255 P		8206180190	50-445 Q
	8206290235	50-255 P		8206180190	50-445 Q
	8206290239*	50-255 P		8206180199*	50-445 Q
	8206290241*	50-255 P		8206180199*	50-445 Q

521

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	B206070248	50-413
	B206070288	50-369
	B206070310	50-369
	B206070322*	50-369
	B206070333	50-369
	B206070407	PR
	B206070477*	50-413
	B206070548	FRM
	B206070585	50-269
	B206070585	50-369
	B206070623	50-269
	B206070721*	50-269
	B206070741	50-413
	B206070744	50-370
	B206070751	50-369
	B206070753	50-413
	B206070798	50-370
	B206070827*	50-369
	B206080183	50-269
	B206080373	50-369
	B206110248	50-413
	B206110285	50-269
	B206110298	50-413
	B206110298	50-413
	B206110295	50-270
	B206150306	50-413
	B206150345	50-369
	B206150349*	50-369
	B206160106	50-413
	B206160106	50-413
	B206160377*	50-369
	B206160387*	50-369
	B206160464	HABTE NOT
	B206170084	50-369
	B206170171	50-413
	B206170182*	50-413
	B206170182*	50-413
	B206170336	50-413
	B206180081	50-269
	B206180081	50-269
	B206180184	50-269
	B206210059	50-369
	B206210063*	50-369
	B206210072	50-269
	B206210072	50-269
	B206210072	50-269
	B206210077*	50-269
	B206210077*	50-269
	B206210201	50-369
	B206210204*	50-369
	B206210612	50-413
	B206210612	50-413
	B206210618*	50-413
	B206220308	50-270
	B206220333	50-369
	B206220333	50-369
	B	
	B	
	B	
	B	
	B	
	B	
	B	
	B	
	B	
	B	
	B	
	B	
Duquesne Light Co.	B	
	B	
	B	
	B	

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	B206010271*	50-334 R		B206140348	40-B&B1
	B206010274*	50-334 R		B206150156	40-B&B1
	B206020544	50-334 P		B206150160*	40-B&B1
	B206020547*	50-334 P		B206230151	40-B&B1
	B206040337	50-334 P		B206230153*	40-B&B1
	B206070083	50-334 F		B206230275	40-B&B1
	B206070249	50-334 P		B206280033	40-B&B1
	B206070312*	50-334 Q	Energy Research & Development Admin (Presently DOE)	B206300389*	50-537 A
	B206070319*	50-334 Q	Energy Research Group, Inc	B206210609	PR
	B206080311	50-334 R	Energy, Dept of	B206010050*	50-247 H
	B206080313*	50-334 R		B206010456	50-537 S
	B206080354	50-334 G		B206010461*	50-537 B
	B206080358*	50-334 S		B206020098	WASTE MGT
	B206100169	50-334 P		B206020442	50-537 A
	B206100170*	50-334 P		B206030087*	FOIA
	B206100174*	50-334 P		B206040039*	50-320 T
	B206100220	50-334 P		B206070201	50-537 C
	B206110111*	50-334 Q		B206070206*	50-537 C
	B206110276	50-334 S		B206070499	50-201 Q
	B206150044*	50-334 F		B206080034	50-537 A
	B206150086*	50-334 Q		B206080038	50-537 A
	B206150112	50-334 S		B206080129	50-537 A
	B206150115*	50-412 Q		B206080139	50-537 B
	B206150128	50-334 R		B206080223	50-537 A
	B206150130*	50-334 Q		B206080289	50-537 C
	B206150132*	50-334 R		B206080292	50-537 A
	B206150298	50-334 P		B206080410	50-537 A
	B206160313*	50-334 F		B206090025	50-201 C
	B206160317*	50-334 F		B206090027*	50-201 Q
	B206170034	50-334 P		B206090123	NUREG
	B206170065	50-412 S		B206100156	50-537 A
	B206170180	50-334 P		B206100207	50-537 A
	B206170181*	50-334 P		B206150225	50-537 A
	B206170184*	50-334 P		B206150239	50-537 C
	B206170306	50-334 P		B206150240	50-537 A
	B206170310*	50-334 P		B206150243	50-537 A
	B206170319*	50-334 P		B206150322	50-537 A
	B206210087*	50-334 Q		B206160323	NUREG
	B206220184*	50-334 F		B206160486	71-5874
	B206220471	50-334 P		B206160487*	71-5874
	B206220476*	50-334 P		B206210563	50-537 A
	B206230107	50-334 S		B206220027	WASTE MGT
	B206230111*	50-334 S		B206220032*	WASTE MGT
	B206230228	50-334 S		B206220138	WASTE MGT
	B206230229*	50-334 S		B206230270	71-5034
	B2062800248	50-334 S		B206240165	50-537 Q
	B206280037*	50-334 S		B206240270	50-537 A
	B206280032	50-334 S		B206240272*	50-537 A
	B206280034*	50-334 S		B206240363	50-537 A
	B206290435*	50-334 Q		B206250329	WASTE MGT
EO&O, Inc	B206020024*	50-445 A		B206250332	WASTE MGT
	B206100039	NUREG		B206280040	WASTE MGT
	B206100044	NUREG		B206280439	50-537 A
	B206100217	REG		B206280545	50-537 A
	B206100339	REG		B206290217	50-537 A
	B206100351	REG		B206290345	50-537 A
	B206100362	REG		B206300071	71-9510
	B206100365	REG	Energy, Dept of, Clinch River Breeder Reactor Plant	B206170239	50-537 A
	B206100369	REG		B206210319	50-537 A
	B206110368*	50-440 A		B206210341	50-537 A
	B206140341*	50-298 P		B206290320	50-537 A
	B206140408*	50-395 A		B206290366	50-537 A
	B206160009*	50-483 A		B206110151	WASTE MGT
	B206230027	NUREG	Energy, Dept of, Idaho Operations Office	B206210419	50-332 Q
	B206240066	NUREG	Environmental Coalition on Nuclear Power	B206020350	50-454 Q
	B206240072	NUREG	Environmental Protection Agency	B206100137	50-389 Q
	B206250132*	50-458 A		B206160471	40-2061
	B206300334*	50-155 P		B206170135	50-461 E
Eastern Michigan Univ. Eastman Kodak Co.	B206250292	REQD		B206220147	40-B743
	B206110392	XPORTLIC		B206210473*	50-387 I
Ebasco Services, Inc. (subs of Ebasco Corp.)	B206090136	REQD	Environmental Systems Corp.	B206100398*	REG
	B206090138	REQD	European Communities, Commission of	B206230177	XPORTLIC
	B206300176	TOPREP		B206230178	XPORTLIC
	B206300180*	TOPREP		B206010046	40-B064
	B206100439	WASTE MGT	Exxon Corp.	B206010049*	40-B064
	B206140336	WASTE MGT		B206110067	40-B064
	B206220142	XPORTLIC		B206220105	40-B102
	B206220186	XPORTLIC		B206220109*	40-B102
	B206220399	XPORTLIC	Exxon Nuclear Co., Inc (subs of Exxon Corp.)	B206020238*	WASTE MGT
	B206220603	XPORTLIC		B206020317	XPORTLIC
stitute	B206100261*	50-255 P		B206030316	XPORTLIC
	B206110048*	CONTRACT		B206080276	TOPREP
	B206090236	40-B&B1			
	B206090237*	40-B&B1			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
FOI Services Federal Emergency Management Agency	8206080364	TOPREP
	8206080370*	TOPREP
	8206230352	NUREG
	8206250164	PR
	8206290262	50-249 F
	8206100003	FOIA
	8206010165	COMMISSION
	8206090192*	50-247 T
	8206140060	50-373 F
	8206180129	50-259 F
	8206180172	DRQ
	8206180183	50-358 F
	8206180186*	50-358 F
	8206180213	50-373 F
	8206180242	50-313 F
	8206180251*	50-313 F
	8206180259*	50-313 F
	8206180266	50-373 F
	8206180271	50-220 F
	8206180275	50-327 F
	8206180282*	50-220 F
	8206180285	50-409 F
	8206180286*	50-409 F
	8206180287	50-282 F
	8206180288*	50-282 F
	8206180290	50-244 F
	8206180293*	50-244 F
	8206180297	50-10 F
	8206180297	50-10 F
	8206180300*	50-10 F
Federal Signal Corp Fleischaker, D. S Fleming, Anderson, McClung & Finch	8206290452*	50-267 F
	8206190023*	50-10 F
	8206140034	50-275 Q
	8206070555	50-361 Q
	8206070555	50-361 Q
	8206070562*	50-361 Q
	8206070562*	50-361 Q
	8201200165	50-389 M
	8201200168*	50-389 M
	8201200173*	50-389 M
Florida Power & Light Co	8206010211	50-335 P
	8206010273	50-335 P
	8206010290	50-250 P
	8206010291	50-250 R
	8206010291	50-250 R
	8206010291	50-250 R
	8206010291	50-250 R
	8206010291	50-250 R
	8206010291	50-250 R
	8206010291	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010296*	50-250 R
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010335	50-250 P
	8206010436	50-335 S
	8206010448*	50-335 S
	8206010497	50-250 S
	8206010506*	50-250 S
	8206010556	50-389 S
	8206020314	50-335 P
	8206020330	50-250 P
	8206020330	50-250 P
	8206020348	50-335 P
	8206020384	50-250 Q
	8206020384	50-250 Q
	8206020390*	50-250 Q
	8206020407	50-250 Q
	8206020516	50-250 Q
	8206020516	50-250 Q
	8206030201	50-335 P
	8206040197	50-389 K
	8206040201*	50-389 K
	8206070120	50-335 S
	8206070127*	50-335 S
	8206070268	50-389 Q
	8206070412	PR
	8206070454	50-251 S
	8206070458*	50-251 S
	8206070620	50-389 S
	8206080198	50-335 P
	8206090004	50-250 R
	8206090004	50-250 R
	8206090004	50-250 R
	8206090004	50-250 R

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206090098	PR
	8206100342	50-250
	8206100342	50-250
	8206100342	50-250
	8206110246	50-335
	8206110267*	50-335
	8206110277	50-335
	8206110287*	50-335
	8206110302	50-335
	8206110306*	50-335
	8206140072	50-250
	8206140072	50-250
	8206140157	50-250
	8206140159*	50-250
	8206140164	50-335
	8206140168	50-250
	8206140168	50-250
	8206140176*	50-335
	8206160211*	50-250
	8206160211*	50-250
	8206160218*	50-250
	8206160460	WASTE M
	8206210376	50-251
	8206210385*	50-251
	8206210433	50-389
	8206210434	50-389
	8206210441*	50-389
	8206210455	50-250
	8206210455	50-250
	8206210457*	50-250
	8206210457*	50-250
	8206220219	50-250
	8206220335	50-250
	8206220342*	50-250
	8206220365	50-335
	8206220378*	50-335
	8206230079	50-250
	8206230083*	50-250
	8206240031	50-250
	8206240037*	50-250
	8206240148	50-335
	8206240150*	50-335
	8206240283	50-250
	8206260339*	FOIA
	8206260426	50-389
	8206300291	50-389
	8206300293	50-389
	8206300296	50-389
	8206010109	50-302
	8206010112*	50-302
Florida Power Corp	8206010311	50-302
	8206010313	50-302
	8206010321*	50-302
	8206010323*	50-302
	8206010327	50-302
	8206010339*	50-302
	8206010340	50-302
	8206010345*	50-302
	8206010365	50-302
	8206010376*	50-302
	8206010379	50-302
	8206010387*	50-302
	8206010389	50-302
	8206010393*	50-302
	8206010478	50-302
	8206010484	50-302
	8206010491*	50-302
	8206010498*	50-302
	8206010517	50-302
	8206010530*	50-302
	8206010550	50-302
	8206010563*	50-302
	8206010587	50-302
	8206010601*	50-302
	8206010616	50-302
	8206010627*	50-302
	8206010636	50-302
	8206010647*	50-302
	8206020569	50-302
	8206020571*	50-302
	8206040202	50-302
	8206040204	50-302
	8206040244	50-302
	8206040254*	50-302
	8206070500*	50-302

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206080121	50-302 P		8206210521	50-447 A
	8206080221	50-302 P		8206210619	TOPREP
	8206080402	50-302 F		8206220122	71-9136
	8206090048	50-302 P		8206220126	71-9001
	8206110233	50-302 S		8206220146*	50-254 G
	8206110262*	50-302 S		8206230043	PT21
	82061140111	50-302 R		8206230048*	PT21
	82061140128	50-302 P		8206230103*	TOPREP
	82061140135*	50-302 P		8206230230	71-9091
	82061160051	50-302 P		8206280279*	FOIA
	82061160175	50-302 P		8206280513*	50-277 P
	82061170198	50-302 F	General Physics Corp	8206290645*	CONTRACT
	8206180232	50-302 V	General Public Utilities - OPU Service Corp	8103270333*	50-289 P
	8206210053	50-302 S		8206010249	50-219 R
	8206210056*	50-302 S		8206010252*	50-219 R
	8206210097	50-302 R		8206010391	50-289 F
	8206210101*	50-302 R		8206010463	50-289 P
	8206210519	50-302 S		8206010469*	50-289 P
	8206210524	50-302 P		8206010474*	50-289 P
	8206210535*	50-302 S		8206020093*	50-320 F
	8206220089	50-302 P		8206020100*	50-320 F
	8206220148	50-302 S		8206020321	50-219 F
	8206220154*	50-302 S		8206030088	50-219 P
	8206220215	50-302 P		8206030146	50-320 S
	8206220314	50-302 Q		8206030163	50-219 S
	8206220523*	50-302 Q		8206030165*	50-219 S
	8206240369	50-302 P		8206030167*	50-219 S
	8206300056	50-302 S		8206030171*	50-219 S
	8206300061*	50-302 S		8206030214	50-219 S
Food & Drug Administration	8206010176*	FOIA		8206030218*	50-219 S
	8206010200*	FOIA		8206030233	50-289 S
	8206110061*	CONTRACT		8206030299	50-219 S
	8206230113	50-443 D		8206030264*	50-219 S
Foster Wheeler Corp	82061160327	PR		8206040098	50-219 S
Francis, Heador, Gellhaus, Inc.	82061160498*	40-1341		8206040101	FRM
Franklin Hosp Franklin, PA	8206040368	PR		8206040102*	50-219 S
	8206070309	PR		8206040111	50-320 R
Franklin Institute/Franklin Research Center	8202080429*	50-336 P		8206040117	50-320 P
	8202090403*	50-259 P		8206040172	50-289 P
	8203200084*	50-237 P		8206040210	50-219 Q
	8206030127*	50-244 P		8206040413	50-219 P
	8206040190*	50-219 P		8206040417*	50-219 P
	8206080389*	50-29 P		8206070192*	50-320 F
	8206110193*	50-219 P		8206070198*	50-320 F
	8206170232*	50-409 P		8206070251	50-289 R
	8206180037*	CONTRACT		8206070409	PR
Fried, Frank, Harris, Shriver & Kampelman	8206240037*	FOIA		8206070465	50-289 R
	8206240039*	FOIA		8206070465	50-289 R
	8206240042*	FOIA		8206070471*	50-289 R
Friends of the Earth	8206040082	50-247 Q		8206070471*	50-289 R
	82061140103	50-247 Q		8206070522	50-320 Q
	82061140103	50-247 Q		8206080045*	50-289 F
	8206170267	50-247 Q		8206080050*	50-289 F
	8206170267	50-247 Q		8206080066	50-320 P
	8206240405	50-247 Q		8206080144	50-289 S
	8206280137*	50-247 Q		8206080148*	50-289 S
Future Resources Associates, Inc.	8206290270	50-244 P		8206080233	50-289 S
GA Technologies, Inc./General Atomic Co.	8206070605	NUREG		8206080360	50-320 S
	8206230209	XPORTLIC		8206080365*	50-320 S
GUARD	8206070555	50-361 Q		8206080390	50-289 S
	8206070555	50-361 Q		8206080395*	50-289 S
	8206070562*	50-361 Q		82061100322	50-320 P
	8206070562*	50-361 Q		8206110291	50-320 S
Gamma Corp	82061160334	PR		8206110295*	50-320 S
General Electric Co	8205170285	50-447 K		82061140311*	50-320 F
	8205170293*	50-447 K		82061140314*	50-320 F
	8205260206	50-447 K		82061150170	50-289 Q
	8206010547*	50-324 P		82061150200	50-320 R
	8206010557*	50-324 P		82061150202*	50-289 Q
	8206020149*	FOIA		82061150208*	50-320 R
	8206020315	XPORTLIC		82061150210*	50-320 Q
	8206020532	50-447 K		82061160201	50-289 P
	8206020536*	50-447 K		82061160234*	50-289 F
	8206070676	FRM		82061160241*	50-289 F
	8206090072*	50-447 K		82061160290	50-320 P
	8206090120	NUREG		82061160352	REQD
	8206100183*	50-277 P		82061170058	50-320 P
	8206110088	TOPREP		82061170099	50-219 S
	8206110337	XPORTLIC		82061170101*	50-219 S
	82061140333	NUREG		8206180006	50-289 R
	82061150335	TOPREP		82061180007*	50-289 R
	82061160340	TOPREP		82061180152	50-320 P
	82061160467	WASTE MGT		82061180314	50-320 F
	8206210338	TOPREP		82061180317*	50-320 F

CORPORATE SOURCE INDEX

521

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
General Research Corp. Georgia Power Co	8206180344*	50-289 G		8206070828*	50-424 G
	8206210042*	50-320 P		8206080477*	50-321 F
	8206210069	50-289 P		8206080477*	50-321 F
	8206210134	50-289 S		8206080481*	50-321 F
	8206210141*	50-289 S		8206080481*	50-321 F
	8206220091	50-320 B		8206110109	50-321 S
	8206220386*	50-219 G		8206110162*	50-321 S
	8206220440	50-219 P		8206110191	50-366 S
	8206230121	50-219 S		8206110194	50-366 S
	8206230127	50-320 P		8206110195*	50-366 S
	8206230129*	50-219 S		8206110199*	50-366 S
	8206240276	50-219 P		8206110204	50-366 S
	8206250012	50-219 R		8206110205	50-321 S
	8206250014*	50-219 R		8206110207*	50-366 S
	8206250231	50-289 P		8206110208*	50-321 S
	8206280395	50-320 S		8206110218	50-366 P
	8206280367*	50-320 S		8206110235	50-321 S
	8206280392	50-219 S		8206110239*	50-321 S
	8206280421*	50-219 S		8206110258	50-366 P
	8206280427	50-219 S		8206110259	50-321 S
	8206280431*	50-219 S		8206110268*	50-321 S
	8206280662*	50-289 F		8206110290	50-321 F
	8206280669*	50-289 F		8206110290	50-321 F
	8206290192*	50-219 G		8206110336	50-321 P
	8206290248	50-219 S		8206110336	50-321 P
	8206290252*	50-219 S		82061140064	50-321 G
	8206290322	50-289 R		82061140064	50-321 G
	8206300202	50-219 P		82061140065*	50-321 G
	8206300207*	50-219 P		82061140263*	50-321 F
	8206300208*	50-219 P		82061140263*	50-321 F
	8206290301	FDIA		82061140269*	50-321 F
	8206110370	50-321 P		82061140269*	50-321 F
	8206010164	50-321 S		82061140323*	50-321 F
	8206010170*	50-321 S		82061140323*	50-321 F
	8206010207	50-321 P		82061140325*	50-321 F
	8206010207	50-321 P		82061150110	50-321 R
	8206010233	50-366 S		82061150110	50-321 R
	8206010239*	50-366 S		82061150111*	50-321 R
	8206010250	50-321 S		82061170260	50-321 G
	8206010259*	50-321 S		82061170260	50-321 G
	8206010356	50-366 S		82061170365	50-321 P
	8206010359*	50-366 S		82061170365	50-321 P
	8206010434	50-366 S		82061170367	50-321 P
	8206010438*	50-366 G		82061170370*	50-321 P
	8206010503	50-321 G		82061170376	50-321 P
	8206010510*	50-321 S		82061170376	50-321 P
	8206010971	50-366 S		82061180176	50-321 P
	8206010978*	50-366 S		82061180181*	50-321 P
	8206010984	50-321 S		8206210119	50-321 S
	8206010990*	50-321 S		8206210131*	50-321 S
	8206010633	50-366 S		8206210192	50-366 S
	8206010642*	50-366 S		8206210248	50-366 S
	8206010650	50-321 S		8206210254*	50-366 S
	8206010662*	50-321 S		8206210330	50-321 P
	8206020077*	50-321 F		8206210330	50-321 P
	8206020081*	50-321 F		8206210336*	50-321 P
	8206020184*	50-321 F		8206210336*	50-321 P
	8206020187*	50-321 F		8206210359	50-321 S
	8206070059	50-366 S		8206210364*	50-321 S
	8206070064*	50-366 S		8206210394	50-366 S
	8206070067	50-321 S		8206210407	50-366 S
	8206070070*	50-321 S		8206210413*	50-366 S
	8206070077	50-321 G		8206210448	50-321 S
	8206070079*	50-321 S		8206210470*	50-321 S
	8206070096	50-321 S		8206210487	50-366 S
	8206070101*	50-321 S		8206210494*	50-366 S
	8206070109	50-366 S		8206210542	50-321 S
	8206070117*	50-366 S		8206210558	50-366 S
	8206070149	50-321 S		8206210573*	50-321 S
	8206070155*	50-321 S		8206210629*	50-366 S
	8206070209	50-366 S		8206210655	50-321 S
	8206070216*	50-366 S		8206210660*	50-321 S
	8206070237	50-424 S		8206220240*	50-424 G
	8206070316	50-366 S		8206220243*	50-424 G
	8206070332*	50-366 S		8206220356*	50-321 G
	8206070408	50-366 S		82062240137	50-321 S
	8206070410*	50-366 S		82062240151	50-366 S
	8206070422	50-366 S		82062240153*	50-366 S
	8206070432*	50-366 S		82062240241	50-366 S
	8206070439	50-366 S		82062240243*	50-366 S
	8206070447*	50-366 S		8206300117	50-321 S
	8206070337	50-366 S		8206300119*	50-321 S
	8206070346*	50-366 S		8206300123	50-366 S
	8206070364	50-321 S		8206300126*	50-366 S
	8206070368*	50-321 S		8206300158	50-366 S

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Geotechnical Engineers, Inc.	82062300164*	50-366 B		82062300164*	50-528 0
Germany, Federal Republic of	8206290584*	CONTRACT		8206240207	50-537 0
	8206100377*	REB		8206240218*	50-537 0
	8206100380*	REB		8206240248	50-443 0
Golder Associates	8206230307*	CONTRACT		8206240248	50-443 0
Gould, Inc	8206100243*	QA999		8206240252*	50-443 0
	8206100252*	QA999		8206240252*	50-443 0
Government Accountability Project	8206090214	FOIA		8206240258*	50-443 0
Graduate School, Agriculture, Dept of,	8206150064*	CONTRACT		8206240258*	50-443 0
Greater New York Council on Energy	8206010410*	50-247 0		8206240376	50-445 0
	8206240237	50-247 0		8206240377*	50-445 0
Gulf Coast Environmental Defense	8206040028	50-413 0		8206240377*	50-445 0
Foundation, Inc	8206210235	50-522 D		8206240380*	50-445 0
Gulf States Utilities Co.	8206020338	50-458 B		8206240380*	50-445 0
	8206020445	50-458 B		8206240383*	50-445 0
	8206020534	50-458 B		8206240383*	50-445 0
	8206020575*	50-458 B		8206240386*	50-445 0
	8206020578*	50-458 B		8206240386*	50-445 0
	8206030115	50-458 A		8206240386*	50-445 0
	8206070549	50-458 B		8206280182	50-445 0
	8206080244	50-458 B		8206280233	50-445 0
	8206100333	50-458 B		8206290535	FOIA
	8206110124	50-458 B	Harold J Spelman & Associates	8206300224	50-537 0
	8206140016	50-458 A		8206290052	40-2061
	8206140016	50-458 A		8206290059	40-2061
	8206150144	50-458 B		8206290064	40-2061
	8206150149	50-458 B		8206290069	40-2061
	8206150282	50-458 B	Harstead Engineering Associates, Inc.	8206230186*	50-237 0
	8206210299	50-458 B	Harvard Univ	8206100363	REB
	8206210369	50-458 A		8206100367*	REB
	8206210369	50-458 A		8206100370*	REB
	8206210380	50-458 A		8206100390*	REB
	8206230221	50-458 B	Health & Human Services, Dept of,	8206070513	PRM
	8206290346	50-458 B		8206250175	50-522 D
	8206290419	50-458 B	Health Physics Society	8206140241*	State Pres
	8206290438	50-458 B		8206210357	50-416 B
	8206010262	50-498 0	Henry Pratt Co	8206240326	50-440 B
	8206010288	50-528 0	Hinsdale Sanitarium & Hosp Hinsdale, IL	8206010278*	FOIA
	8206010288	50-528 0	Hittman Nuclear & Development Corp	8206100441	WASTE NOT
	8206010288	50-528 0	(subs. Hittman Corp)	8206160169	71-9086
	8206010288	50-528 0		8206160468	71-9079
	8206010294*	50-528 0	Hoffman-La Roche, Inc (subs. of F,	8206090121	REGOD
	8206010294*	50-528 0	Hoffman-La Roche & Co, Ltd)	8206230034	XPORTLIC
	8206010316	50-528 0	Hoke, Inc	8206010016	40-8799
	8206010316	50-528 0	Hooker Chemical Co	8206010288	50-528 0
	8206010316	50-528 0	Hourihan, P.	8206010288	50-528 0
	8206010316	50-528 0		8206010294*	50-528 0
	8206030044	FOIA		8206010294*	50-528 0
	8206030090	50-443 0		8206010294*	50-528 0
	8206040137	50-247 0		8206010294*	50-528 0
	8206040226	50-289 0		8206010294*	50-528 0
	8206040273	50-498 0		8206010316	50-528 0
	8206040273	50-498 0		8206010316	50-528 0
	8206040273*	50-498 0		8206010316	50-528 0
	8206040275*	50-498 0		8206170220*	50-528 0
	8206070086	50-289 0		8206170220*	50-528 0
	8206070519	50-289 0		8206170220*	50-528 0
	8206080099	50-537 0		8206170228*	50-528 0
	8206080101*	50-537 0		8206170228*	50-528 0
	8206080104*	50-537 0		8206170228*	50-528 0
	8206080108*	50-537 0		8206170228*	50-528 0
	8206080117*	50-537 0		8206230155	50-528 0
	8206080124*	50-537 0		8206230155	50-528 0
	8206090152	50-247 0		8206230155	50-528 0
	8206140032	50-537 0		8206230162*	50-528 0
	8206140064	50-537 0		8206230162*	50-528 0
	8206140068*	50-537 0		8206230162*	50-528 0
	8206140094	50-289 0		8206230164*	50-528 0
	8206140099	50-322 0		8206230164*	50-528 0
	8206140121	50-247 0		8206230164*	50-528 0
	8206170213	50-528 0	House of Rep	8205050156*	Q&A TEC 18
	8206170213	50-528 0		8206240407	XPORTLIC
	8206170213	50-528 0		8206010173*	50-388 U
	8206170228*	50-528 0	House of Rep., Energy & Commerce	8206250089*	50-293 U
	8206170228*	50-528 0	House of Rep., Foreign Affairs	8206010157*	COMMISSION
	8206170228*	50-528 0	House of Rep., Government Operations	8007300327*	FOIA
	8206170228*	50-528 0	House of Rep., Interior & Insular Affairs	8206300435*	COMMISSION
	8206170228*	50-528 0	House of Rep., Merchant Marine & Fisheries		
	8206180202	50-528 T			
	8206230155	50-528 0			
	8206230155	50-528 0	Houston Lighting & Power Co	8206020525*	50-498 0
	8206230155	50-528 0		8206020540	50-498 B
	8206230162*	50-528 0		8206090105	PR
	8206230162*	50-528 0		8206150418	50-498 B
	8206230162*	50-528 0		8206180239	50-498 A
	8206230164*	50-528 0		8206220275*	50-498 A
	8206230164*	50-528 0		8206220275*	50-498 A

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206220278*	50-498 A		8206160286*	50-315
	8206220278*	50-498 A		8206160286*	50-315
	8206240400	50-466 Q		8206160312	50-315
	8206290480	50-498 A		8206160312	50-315
	8206290483*	50-498 A		8206160325*	50-315
	8206300221	50-466 Q		8206160325*	50-315
	8206300280	RES Q		8206160328*	50-315
	8206100381*	RES		8206160328*	50-315
Hungary	8206070110	50-322 Q		8206170222	50-316
Hunton & Williams	8206140100	50-322 Q		8206170226*	50-316
	8206180284	50-322 Q		8206170233*	50-316
	8206210484	50-322 Q		8206170300	50-315
	82062240211	50-322 Q		8206170300	50-315
	82062240218	50-322 Q		8206180273	50-315
	82062240265	50-322 Q		8206180273	50-315
	8206240371	50-322 Q		8206210145	50-315
	8206280161	50-322 Q		8206210151*	50-315
	8206280516	50-322 Q		8206210251	50-315
Hurst & Hanson	8206090128	50-155 Q		8206230047*	50-315
Ichthyological Associates, Inc.	8206070260*	50-289 R		8206230047*	50-315
	8206290326*	50-289 R		8206230050*	50-315
	8206020478	50-461 E		8206230050*	50-315
	8206020487*	50-461 E		8206240484*	50-315
	8206040119*	50-461 Q		8206240484*	50-315
	8206040340	50-461 A		8206250009*	50-315
	8206040344	50-461 K		8206250009*	50-315
	8206040347*	50-461 K		8206290388	50-315
	8206040353*	50-461 F		8206290482	50-315
	8206070412	PR		8206290485*	50-315
	8206090109	PRM		8206290521*	50-315
	8206140027	50-461 Q	Indiana & Michigan Power Co	8206250229	50-316
	8206140030*	50-461 Q		8206260008*	50-316
	8206140105	50-461 Q		8206260012*	50-316
	8206140108*	50-461 Q		8206020296	50-316
	8206150104	50-461 B		8206020300*	50-316
	8206150104	50-461 B		8206020432	50-315
	8206150150	50-461 B		8206020437*	50-315
	8206150357*	50-461 Q		8206040339	50-316
	8206150364	50-461 B		8206040342*	50-316
	8206150364	50-461 B		8206070334	50-315
	8206210225	50-461 B		8206070341*	50-315
	8206210400	50-461 A		8206070802	50-315
	8206210482	50-461 Q		8206070810*	50-315
	8206220127	50-461 B		8206070818*	50-315
	8206220256	50-461 C		8206070853	50-316
	8206250287	PR		8206070859*	50-316
	8206290115	50-461 B		8206080082	50-315
	8206290244	50-461 A		8206100141	50-315
Illinois, State of	8203230211*	50-373 A		8206100147*	50-316
	8206070272*	50-373 A		8206100151*	50-315
	8206070272*	50-373 A		8206100155	50-316
	8206070275*	50-373 A		8206100159*	50-316
	8206070275*	50-373 A		8206100250	50-315
Illinois, Univ. of, Urbana-Champaign	8206290048*	CONTRACT		8206100254*	50-315
Independent Testing Laboratories	8206090130	PR		8206100258*	50-315
	8206100383*	RES		8206100263*	50-315
India	8206010355	50-316 R		8206100264*	50-315
Indiana & Michigan Electric Co	8206010361*	50-316 R		8206100283	50-316
	8206010400	50-315 R			
	8206010404*	50-315 R			
	8206020054	50-316 B			
	8206020061*	50-316 B			
	8206020078*	50-315 F			
	8206020078*	50-315 F			
	8206020083*	50-315 F			
	8206020083*	50-315 F			
	8206020090*	50-315 F			
	8206020090*	50-315 F			
	8206020096*	50-315 F			
	8206020096*	50-315 F			
	8206020320	50-315 F			
	8206020341*	50-315 Q			
	8206040214	50-315 P			
	8206040214	50-315 P			
	8206140275*	50-315 F			
	8206140280*	50-315 F			
	8206150198	50-316 B			
	8206150328	50-315 F			
	8206150328	50-315 F			
	8206160151*	50-315 F			
	8206160151*	50-315 F			
	8206160156*	50-315 F			
	8206160156*	50-315 F			
	8206160282*	50-315 F	Industrial Nuclear Co.		
	8206160282*	50-315 F	Institute of Electrical & Electronic		

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206040304*	REG00		8206080141	50-498 Q
	8206040376	REG00		8206170089	50-498 Q
	8206280159*	FOIA		8206030186	50-275 Q
	8206280314*	FOIA	Joint Intervenor-Diablo Canyon	8206030184	50-275 Q
	8206280481*	FOIA		8206040053	50-275 Q
	8206280539*	FOIA		8206040222	50-275 P
Intercontinental Manufacturing Co	8206160331	FR		8206040222	50-275 P
Interior, Dept of	8206010032	40-8743		8206140054	50-275 Q
	8206070050*	FR		8206140059*	50-275 Q
	8206160452	40-8743	Joint Intervenor-Waterford	8206180322	50-382 Q
	8206100273	50-537 C		8206240415	50-382 Q
Interior, Dept of, Fish & Wildlife Service	8206030060*	FOIA	Jones, Day, Reavis & Pogue	8206040100	XPORTLIC
Interior, Dept of, Geological Survey	8206100263*	50-255 P		8206040103*	XPORTLIC
Intermountain Technologies, Inc	8206100393*	REG	Justice, Dept of	8206090225*	FOIA
International Commission on Radiological Protection	8206250059*	CONTRACT		8206090226*	FOIA
	8206020153*	50-331 F	KMC, Inc	8206070416	FR
Iowa Electric Light & Power Co	8206020156*	50-331 F	Kansas Gas & Electric Co	8206010631	50-482 Q
	8206020160*	50-331 F		8206020333	50-482 Q
	8206020387	50-331 H		8206020416	50-482 F
	8206020393	50-331 P		8206040093	FR
	8206070112	50-331 P		8206070094	50-482 B
	8206070116*	50-331 P		8206070677	50-482 B
	8206070776*	50-331 F		8206150446	50-482 B
	8206080080	50-331 S		8206160024	50-482 R
	8206080089*	50-331 S		8206280463	50-482 Q
	8206100182	50-331 S		8206290370	50-482 B
	8206100245*	50-331 Q	Kansas State Univ	8206280375*	FOIA
	8206150122	50-331 F	Kellogg-Hayes Co (subs of Fruehauf Corp)	8206250276	FR
	8206150309	50-331 P	Kentucky, State of	8206070768*	State Prog
	8206150314*	50-331 P		8206180189*	50-338 F
	8206170346	50-331 S	Kerr-McGee Chemical Corp (subs of Kerr-McGee Corp)	8203310344*	40-2061
	8206170357*	50-331 S		8203290133	40-2061
	8206210278	50-331 R		8206040449	40-2061
	8206210279*	50-331 R		8206250273	REG00
	8206210377	50-331 P		8206220156	40-8727
	8206210384*	50-331 P	Kerr-McGee Nuclear Corp		
	8206210390*	50-331 P	Kettering Medical Center Kettering, OH	8206160310	REG00
	8206210442	50-331 P	Kirkpatrick, Lockhart, Hill, Christopher & Phillips	8206040348	50-275 Q
	8206220235	50-331 P		8206070595*	50-322 Q
	8206220280	50-331 S		8206100102	50-322 Q
	8206220310*	50-331 S		8206110045	50-322 Q
Iowa State Univ	8206240206	50-331 F		8206230149	50-322 Q
	8206280163	50-331 P		8206230172	50-322 Q
	8206150264	50-284 R	Lambert, MacGill & Thomas, Inc	8206140184*	50-261 Q
	8206150265*	50-284 R	Letter Day Saints Hosp Salt Lake City, UT	8206160299	FR
Iowa, State of	8206070676	PRM	Lavine, R. I.	8206010720	FOIA
Iowa, Univ of	8206240020*	CONTRACT	Law Engineering Testing Co	8206100239	PR
Isbin, H.	8206230227	50-244 P	Lawrence Livermore Laboratory	8206140572*	50-368 P
Isbin, Lincoln & Beale	8206010267	50-155 Q		8206080162*	50-331 F
	8206010320	50-155 Q		8206100031	NUREG
	8206010336	50-237 Q		8206300169*	50-206 P
	8206010351	50-454 Q		8206300359*	50-245 P
	8206040162	50-556 Q		8206020312	50-220 I
	8206070502	50-155 Q		8206020312	50-220 I
	8206070547	50-155 T		8206020322	50-220 I
	8206140114	50-454 Q		8206040248	50-341 Q
	8206180330	50-237 Q		8206070296	PRM
	8206210383	50-329 Q		8206070407	PR
	8206230194	50-329 Q		8206290183	50-454 Q
	8206240095	FOIA		8206290183	50-454 Q
	8206240145*	FOIA		8206290256	50-454 Q
J. A. Jones Construction Co	8206280061	50-454 Q		8206290256	50-454 Q
	8206280246	50-454 Q		8206290259	50-454 Q
	8206300242	50-454 Q		8206290259	50-454 Q
	8206100239	PR		8206290294	50-454 Q
J. R. Birmingham Co.	8206101012*	CONTRACT		8206290294	50-454 Q
Japan	8206030277	XPORTLIC		8206290298	50-454 Q
	8206030340	XPORTLIC		8206290298	50-454 Q
	8206040008	XPORTLIC		8206070334	NUREG
	8206040059	XPORTLIC		8206170203	50-352 Q
	8206100385*	REG		8206300332*	REVIEW GRP
	8206230277	XPORTLIC			
	8206230289	XPORTLIC	Limerick Ecology Action	8206210419	50-352 Q
	8206230301	XPORTLIC		8206240198	50-352 Q
	8206230304	XPORTLIC	Liquid Carbonic Corp.	8206100403	XPORTLIC
	8206230308	XPORTLIC	Long Island Lighting Co.	8206010454	50-322 Q
Jersey Central Power & Light Co.	8206210284	50-219 B		8206010734	70-2884
	8206210297	50-219 B		8206010735*	70-2884
	8206210301*	50-219 B		8206020331	50-322 A
	8206210443	50-219 B		8206020385*	50-220 I
Joint Applicants-Clinch River Breeder Reactor	8206240176	50-337 Q		8206030147	50-322 A
	8206240244	50-337 Q		8206070110	50-322 Q
Joint Applicants-South Texas Project	8206040350	50-498 Q		8206070521*	50-322 Q

CORPORATE SOURCE INDEX

533

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Los Alamos Scientific Laboratory	8206070566	50-322 A	Maine, State of Manning, Hollinger & Shea	8206140023	50-309 F
	8206080281	50-322 A		8206140251*	50-309 F
	8206080299	50-322 A		8206140255*	50-309 F
	8206080375	50-322 E		8206150443	50-309 B
	8206100118	50-322 G		8206150447*	50-309 B
	8206140100	50-322 G		8206220238	50-309 P
	8206160084	50-322 G		82062202571	50-309 P
	8206160099	50-322 G		8206240253	50-309 P
	8206170362	50-322 G		8206240259*	50-309 P
	8206180188	50-322 T		8206240281	50-309 P
	8206180193*	50-322 T		8206290212	50-309 P
	8206180284	50-322 G		8206290293	50-309 F
	8206210454	50-322 G		8206290449	50-309 P
	8206220117	50-322 A		8206090063	50-309 G
	8206230062*	50-322 G		8206030161*	FOIA
	8206240211	50-322 G		8206030164*	FOIA
	8206240218	50-322 G		8206290331	50-329 G
	8206240265	50-322 G		8206110231	50-230 J
	8206240371	50-322 G		8206110243	50-335 J
	8206260161	50-322 G		8206230010	50-348 J
	8206280379	50-322 F		8206290247	50-327 J
	8206280516	50-322 G		8206290331	50-329 G
	8206020287	REG		8206140019	XPORTRIC
	8206080086	REG		8206150455	XPORTRIC
	8206100062	NUREG		8206150459	XPORTRIC
	8206110015	NUREG		8206080130	50-289 P
	8206170051	50-3 P		8206090131	PR
	8206230328	NUREG		8206280015	50-293 G
	8206230340	NUREG		8206280016*	50-293 G
	8206300322	REGOD		8206280018*	50-293 G
Louis A. Weiss Memorial Hosp. Chicago, IL	8206010380	50-382 B	Maryland, State of Mason & Hanger - Silas Mason Co., Inc Massachusetts, State of	8206280020*	50-293 G
	8206010552	50-382 B		8206280024*	50-293 G
	8206020353	50-382 A		8206230326*	CONTRACT
	8206020409	50-382 A		8206220138	40-8610
	8206020412*	50-382 A		8206290340	50-373 P
	8206020413	50-382 E		8206160033	TGPREF
	8206080227	50-382 A		8206230213	50-400 B
	8206100122	50-382 B		8206070314	PR
	8206100178	50-382 B		8206240064	FOIA
	8206100186	50-382 B		8206250357	FOIA
	8206100191	50-382 B		8206160304	PR
	8206110234	50-382 B		8206160350	RECOD
	8206140141*	50-382 G		8206040293	50-289 G
	8206150126	50-382 B		8206070536	50-289 G
	8206160052	50-382 G		8206180342	50-289 G
	8206160056*	50-382 G		8206240236	50-289 G
	8206170224	50-382 A		8206280497	50-320 G
	8206210475	50-382 B		8206070122	50-247 G
	8206220349	50-382 A		8206100050	NUREG
	8206220528	50-382 A		8206140243*	State Prog
	8206220533*	50-382 A		8206280126*	CONTRACT
	8206240300	50-382 F		8206280136*	CONTRACT
	8206250158	50-382 B		8206070331	PR
	8206250194	50-382 B		8206040096	PRH
	8206250232	50-382 B		8206100239	PR
	8206250280	50-382 G		8206080012	71-476
	8206280521	50-382 T		8206020336*	FOIA
	8206290219	50-382 H		8206020473*	FOIA
	8206300179	50-382 A		8206020482*	FOIA
	8206070718	PRH		8206070601	50-309 G
Louisiana, State of	8206090124	PR	Mississippi Power & Light Co.	8206010199	50-416 B
	8206250164	PR		8206010203	50-416 B
	8206040350	50-498 G		8206010203	50-416 B
	8206070082	50-522 G		8206010219	50-416 R
	8206070416	PR		8206010219	50-416 R
	8206070600	PRH		8206010221*	50-416 R
	8206140361	FOIA		8206010221*	50-416 R
	8206150010	FOIA		8206010231	50-416 B
	8206160105	50-522 G		8206010231	50-416 B
	8206170089	50-498 G		8206010241	50-416 B
	8206230233	70-820		8206010241	50-416 B
	8206300221	50-466 G		8206010242	50-416 B
	8206250154	REGOD		8206010364	50-416 B
	8206040283*	50-322 T		8206010364	50-416 B
	8206140089*	50-275 G		8206010381	50-416 A
Loyola Univ. of Chicago	8206220504	50-219 P		8206010381	50-416 A
	8206220514*	50-219 P		8206010381	50-416 A
	8206230015*	50-309 F		8206010381	50-416 A
	8206040383	50-309 P		8206010381	50-416 A
	8206070354	50-309 P		8206010381	50-416 A
	8206070358*	50-309 P		8206010407	50-416 B
	8206080126	50-309 P		8206010416	50-416 B
	8206080280	50-309 P		8206010421	50-416 B
	8206080265	50-309 P		8206010421	50-416 B
	8206080270*	50-309 P			
Maine Yankee Atomic Power Co.	8206080126	50-309 P			
	8206080126	50-309 P			
	8206080280	50-309 P			
	8206080265	50-309 P			
	8206080270*	50-309 P			
	8206080126	50-309 P			
	8206080126	50-309 P			
	8206080280	50-309 P			
	8206080265	50-309 P			
	8206080270*	50-309 P			
	8206080126	50-309 P			
	8206080126	50-309 P			
	8206080280	50-309 P			
	8206080265	50-309 P			
	8206080270*	50-309 P			
	8206080126	50-309 P			
	8206080126	50-309 P			
	8206080280	50-309 P			
	8206080265	50-309 P			
	8206080270*	50-309 P			
	8206080126	50-309 P			
	8206080126	50-309 P			
	8206080280	50-309 P			
	8206080265	50-309 P			
	8206080270*	50-309 P			
	8206080126	50-309 P			
	8206080126	50-309 P			
	8206080280	50-309 P			
	8206080265	50-309 P			
	8206080270*	50-309 P			

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206010433	50-416 S		8206240392	50-416 S
	8206010451	50-416 S		8206250216	50-416 P
	8206010476	50-416 S		8206250220*	50-416 P
	8206010477	50-416 S		8206270066	50-416 P
	8206010536	50-416 S		8206270066	50-416 P
	8206010548	50-416 S		8206270302	50-416 E
	8206030007	50-416 H		8206270302	50-416 E
	8206030007	50-416 H		8206270310	50-416 E
	8206030180	50-416 A		8206270310	50-416 E
	8206030180	50-416 A		8206270538	50-416 P
	8206030193	50-416 A		8206270538	50-416 P
	8206030196*	50-416 A		8206300166	50-416 S
	8206030197	50-416 A		8206300166	50-416 S
	8206030197	50-416 A		8206300231	50-416 P
	8206070318	PRM		8206300231	50-416 P
	8206070552	50-416 S		8206300234*	50-416 P
	8206070553	50-416 Q		8206300234*	50-416 P
	8206070553	50-416 Q		8206300235*	50-416 P
	8206070557	50-416 Q		8206300235*	50-416 P
	8206070557	50-416 Q		8206300244*	50-416 P
	8206070650	50-416 S		8206300244*	50-416 P
	8206070834*	50-416 Q		8206300246*	50-416 P
	8206080257	50-416 A		8206300246*	50-416 P
	8206080257	50-416 A		8206300248*	50-416 P
	8206090040	50-416 A		8206300248*	50-416 P
	8206090051	50-416 A		8206300251*	50-416 P
	8206090061	50-416 A		8206300251*	50-416 P
	8206090061	50-416 A		8206300252*	50-416 P
	8206090066	50-416 A		8206300252*	50-416 P
	8206090066	50-416 A		8206300254*	50-416 P
	8206100212	50-416 A		8206300254*	50-416 P
	8206100212	50-416 A		8206300254*	50-416 P
	8206100221	50-416 A		8206300255*	50-416 P
	8206100221	50-416 A		8206300255*	50-416 P
	8206110128	50-416 S		8206300258*	50-416 P
	8206110128	50-416 S		8206300258*	50-416 P
	8206110163	50-416 A		8206300260*	50-416 P
	8206110163	50-416 A		8206300263*	50-416 P
	8206110210	50-416 S		8206300263*	50-416 P
	8206110210	50-416 S		8206300265*	50-416 P
	8206110224	50-416 S		8206300265*	50-416 P
	8206110269	50-416 A		8206300268*	50-416 P
	8206140078	50-416 E		8206300268*	50-416 P
	8206140078	50-416 E		8206300273*	50-416 P
	8206140086	50-416 A		8206300273*	50-416 P
	8206140086	50-416 A		8206300277*	50-416 P
	8206140122	50-416 A		8206300277*	50-416 P
	8206140122	50-416 A		8206300279*	50-416 P
	8206140131	50-416 A		8206300279*	50-416 P
	8206140131	50-416 A		8206300282*	50-416 P
	8206140196	50-416 A		8206300282*	50-416 P
	8206140196	50-416 A		8206300283*	50-416 P
	8206140204*	50-416 A		8206300284*	50-416 P
	8206140204*	50-416 A		8206300284*	50-416 P
	8206140205	50-416 A		8206300286*	50-416 P
	8206140205	50-416 A		8206300286*	50-416 P
	8206140216*	50-416 A		8206300288*	50-416 P
	8206140216*	50-416 A		8206300288*	50-416 P
	8206140219*	50-416 A		8206300290*	50-416 P
	8206140219*	50-416 A		8206300290*	50-416 P
	8206140220	50-416 A		8206300294*	50-416 P
	8206140220	50-416 A		8206300294*	50-416 P
	8206140247	50-416 A		8206300295*	50-416 P
	8206140247	50-416 A		8206300295*	50-416 P
	8206140112	50-416 A		8206300298*	50-416 P
	8206140112	50-416 A		8206300298*	50-416 P
	8206140139	50-416 A		8206300299*	50-416 P
	8206140139	50-416 A		8206300299*	50-416 P
	8206140167	50-416 A		8206300302*	50-416 P
	8206140167	50-416 A		8206300302*	50-416 P
	8206140178	50-416 A		8206300304*	50-416 P
	8206140178	50-416 A		8206300304*	50-416 P
	8206140237	50-416 A		8206300306*	50-416 P
	8206140237	50-416 A		8206300306*	50-416 P
	8206170295	50-416 E		8206300307	50-416 S
	8206170295	50-416 E		8206300307	50-416 S
	8206210502	50-416 S		8206300310*	50-416 P
	8206210549	50-416 S		8206300310*	50-416 P
	8206210586	50-416 S		8206300312*	50-416 P
	8206210592	50-416 S		8206300312*	50-416 P
	8206210592	50-416 S		8206300316*	50-416 P
	8206220303	50-416 Q		8206300316*	50-416 P
	8206220303	50-416 Q		8206300317*	50-416 P
	8206220401*	50-416 Q		8206300317*	50-416 P
	8206240318	50-416 S		8206300319*	50-416 P
	8206240318	50-416 S		8206300319*	50-416 P

CORPORATE SOURCE INDEX

535

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206300321*	50-416 P		8206160068*	50-537 Q
	8206300321*	50-416 P		8206170150	50-537 Q
	8206300323*	50-416 P		8206170154*	50-537 Q
	8206300323*	50-416 P		8206240207	50-537 Q
	8206300325*	50-416 P		8206240215*	50-537 Q
	8206300325*	50-416 P		8206300224	50-537 Q
	8206300328*	50-416 P	Navy, Dept. of, Naval Research Laboratory	8206030282	40-2225
	8206300328*	50-416 P		8206030283*	40-2225
Mississippi X-Ray Service	8206040345	PR	Nebraska Public Power District	8206010189	50-298 R
Missouri, State of	8206070296	PRM		8206010193*	50-298 R
	8206210052*	CONTRACT		8206010264	50-298 R
Missouri, Univ of, Columbia	8206070191	REQD		8206010268*	50-298 R
	8206110325	NUREQ		8206020277*	50-298 Q
	8206170229	50-186 S		8206070132	50-298 S
Nitro Corp	8206080445*	50-289 P		8206070136*	50-298 S
	8206280144*	50-289 P		8206100140	50-298 S
Mitsubishi International Corp (subs of	8206180408	XPORTLIC		8206100143*	50-298 S
Mitsubishi Corp)	8206180412*	XPORTLIC		8206110083	50-298 S
Mitsui & Co (U.S.A.), Inc. (Subs of	8206020113	XPORTLIC		8206110170	50-298 P
Mitsui & Co, Ltd)	8206080457	XPORTLIC		8206160321	50-298 P
	8206080461*	XPORTLIC		8206180209	PR
	8206110138	XPORTLIC		8206210305	50-298 S
	8206160102	XPORTLIC		8206210310*	50-298 S
	8206230109	XPORTLIC		8206210458	50-298 F
	8206290348	XPORTLIC		8206210626	50-298 P
	8206290353*	XPORTLIC		8206220166*	50-298 F
	8206300074	XPORTLIC		8206220323	50-298 F
	8206300075*	XPORTLIC		8206230176	50-298 P
	8206300076*	71-9510		8206230179*	50-298 F
Monsanto Research Corp	8206010338	50-247 Q		8206230182*	50-298 P
Morgan Associates	8206010338	50-247 Q		8206230183*	50-298 P
	8206010344*	50-247 Q		8206280286	50-298 P
	8206010344*	50-247 Q	Nebraska for Peace	8206290479	50-298 P
	8206010347*	50-247 Q	Nebraska, Univ. of	8206010553	NUREQ
	8206010347*	50-247 Q		8206090113	PR
	8206040180	50-247 Q	Neshaminy, PA	8206280278*	50-352 Q
	8206040180	50-247 Q	Nevada Engineering & Technology Corp	8206010648	XPORTLIC
	8206040208	50-247 Q	Nevada, State of	8206020261	State Prog
	8206040208	50-247 Q	New Britain General Hosp	8206180195	REQD
	8206040208	50-247 Q	New Britain, CT	8206290271*	70-2815
	8206040228	50-247 Q		8206300311	REQD
	8206040228	50-247 Q	New Brunswick Laboratories	8206140277	REQD
	8206040238	50-247 Q	New England Coalition on Nuclear	8206030090	50-443 Q
	8206040238	50-247 Q	Pollution	8206240248	50-443 Q
	8206070532	50-247 Q		8206240248	50-443 Q
	8206100106	50-247 Q		8206240252*	50-443 Q
	8206100110	50-247 Q		8206240252*	50-443 Q
	8206170157	50-247 Q		8206240258*	50-443 Q
	8206170157	50-247 Q		8206240258*	50-443 Q
	8206170160	50-247 Q	New Hampshire, State of	8206040235	50-443 Q
	8206170268	50-247 Q		8206070612	PRM
	8206170268	50-247 Q	New Orleans, Univ of	8206010025*	50-438 D
	8206180296	50-247 Q		8206010028*	50-438 D
	8206180296	50-247 Q	New York City Audubon Society	8206140103	50-247 Q
	8206180316	50-247 Q		8206140103	50-247 Q
	8206240208	50-247 Q		8206240208	50-247 Q
	8206240221	50-247 Q		8206240221	50-247 Q
	8206240221	50-247 Q		8206240235*	50-247 Q
	8206240235*	50-247 Q		8206240235*	50-247 Q
	8206240235*	50-247 Q		8206240235*	50-247 Q
	8206240379	50-247 Q		8206240379	50-247 Q
	8206280149	50-247 Q		8206280149	50-247 Q
	8206290301	50-247 Q		8206290301	50-247 Q
	8206040183	50-537 Q		8206040183	50-537 Q
Morgan, Lewis & Bockius	8206040200	50-537 Q		8206040200	50-537 Q
	8206040520	50-201 Q		8206040520	50-201 Q
	8206070469	50-537 Q		8206070469	50-537 Q
	8206170191	50-537 Q		8206170191	50-537 Q
Morrison Knudsen Co, Inc	8206010570	PT21		8206010570	PT21
Morrison-Knudsen, Inc.	8206070615	50-390 S		8206070615	50-390 S
	8206110078*	CONTRACT		8206140073	50-247 P
Mountain West Research, Inc	8206240398*	50-10 F		8206140073	50-247 P
Murray & Trattel, Inc	8206020376*	50-341 A		8206010518	50-322 A
MUTECH (Nuclear Technology, Inc)	8206280014*	CONTRACT		8206040126	50-247 Q
National Assoc. for Equal Opportunity in	8206080099	50-537 Q		8206040134*	50-247 Q
Higher Education	8206080101*	50-537 Q		8206140073	50-247 P
Natural Resources Defense Council	8206080104*	50-537 Q		8206170166	50-247 Q
	8206080108*	50-537 Q		8206170236	50-247 Q
	8206080117*	50-537 Q		8206170236	50-247 Q
	8206080124*	50-537 Q		8206170240*	50-247 Q
	8206140032	50-537 Q		8206170240*	50-247 Q
	8206140064	50-537 Q		8206170243*	50-247 Q
				8206290308	50-322 Q

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
New York, State of, Energy Office	8206090028	50-247 Q		8206290164	50-336 S
	8206090028	50-247 Q		8206290169*	50-336 S
	8206090031*	50-247 Q		8206290489*	50-423 Q
	8206090031*	50-247 Q		8206300048	50-243 P
	8206090143	50-247 Q		8206300127	50-213 P
New York, State of, Energy Research & Development Administration	8206010440	50-201 Q	Northeast Utilities	8206110056	50-245 S
	8206140352*	50-201 Q		8206160458	WASTE MGT
	8206150032*	50-201 Q		8206290463	50-336 S
	8206230167	50-201 Q	Northeast Utilities Service Co	8206290468*	50-336 S
	8206090017	50-247 Q		8206070416	PR
New York, NY				8206090116	PR
New York, State Univ. of, (Albany)	8206180008*	50-201 P	Northern Indiana Public Service Co	8206040219	50-367 R
Newport News Industrial Corp (subs. of	8206010315*	50-220 P		8206090044	50-367 A
Newport News Shipbuilding & Drydock Co.)				8206090046*	50-367 A
Niagara Mohawk Power Corp	8206010310*	50-220 P	Northern States Power Co	8206010515	50-282 F
	8206020312	50-220 I			
	8206020312	50-220 I		8206020172*	50-263 F
	8206020322	50-220 I		8206020177*	50-263 F
	8206020324*	50-220 I		8206020357	50-263 S
	8206030241*	50-220 Q		8206020364*	50-263 S
	8206070298*	50-220 Q		8206020494	50-263 J
	8206070363	50-220 P			
	8206080336	50-410 A		8206030074	50-263 P
	8206080396	50-410 S		8206070660	50-282 P
	8206080407	50-410 S		8206070743*	50-263 Q
	8206110293	50-220 P		8206080030*	50-263 F
	8206140074	50-220 R		8206080037*	50-263 F
	8206140075*	50-220 R		8206080223	50-263 F
	8206140076	50-220 P		8206100111	50-263 S
	8206210453	50-220 Q		8206100247	50-306 S
	82062210484	50-220 Q		8206100249*	50-306 S
	8206240022*	50-220 F		8206110190	50-263 Q
Nondestructive Technical Services, Inc	8206240026*	50-220 F		8206150182	50-263 S
North Carolina State Univ	8206250284	PR		8206150187*	50-263 S
North Carolina, State of	8206220556*	50-111 Q		8206150190	50-282 R
	8206220208*	50-400 A		8206150195*	50-282 R
	8206220214*	50-400 A		8206150275	50-263 R
North Carolina, Univ. of	8206070580*	50-400 Q		8206150278*	50-263 R
North Shore Committee Against Nuclear & Thermal Pollution	8206040174	50-322 C		8206150288	50-282 P
	8206230149	50-322 Q		8206150288	50-263 P
Northeast Nuclear Energy Co (subs. of Northeast Utilities)	8206010299	50-336 R		8206150303	50-263 P
	8206010300*	50-336 R		8206150319	50-263 P
	8206010411	50-245 R		8206210170	50-202 P
	8206010414*	50-245 R		8206220120	50-282 P
	8206040352	50-245 P		8206220120	50-282 P
	8206070376	50-245 P		8206220123*	50-282 P
	8206080218*	50-245 Q		8206220123*	50-282 P
	8206080224*	50-245 Q		8206220319	50-263 F
	8206100293	50-213 P		8206230114	50-282 F
	8206100293	50-213 P		8206230263	71-5805
	8206110149	50-336 S		8206230235	50-263 P
	8206110155*	50-336 S		8206300204	50-282 A
	8206110281	50-423 A		8206300204*	50-282 K
	8206140047	50-336 P		8206300204*	50-282 K
	8206140184	50-245 F		8206300216	50-282 K
	8206140184	50-245 F		8206300218	50-282 K
	8206150080*	50-213 F		8206300218	50-282 K
	8206150332	50-336 Q		8206300220	50-282 K
	8206160368	50-213 P		8206300220	50-282 K
	8206170193	50-245 F		8206300223	50-282 K
	8206170234	50-213 P		8206300223	50-282 K
	8206170348	50-245 P		8206300223	50-282 K
	8206210281	50-245 P		8206300226	50-282 K
	8206210281	50-245 P		8206300226	50-282 K
	8206210306	50-336 S		8206300228	50-262 K
	8206210308*	50-336 S		8206300228	50-262 K
	8206210633	50-213 P		8206300230	50-282 K
	8206210633	50-213 P		8206300230	50-282 K
	8206210638*	50-213 P		8206300233	50-282 K
	8206210638*	50-213 P		8206300236	50-282 K
	8206220325	50-245 Q		8206300238	50-282 K
	8206220331*	50-245 S		8206300238	50-282 K
	8206220454	50-245 P		8206300241	50-282 K
	8206220454	50-245 P		8206300241	50-282 K
	8206220472*	50-245 P		8206300243	50-282 K
	8206220472*	50-245 P		8206300243	50-282 K
	8206220554	50-336 S	Northwestern Univ.	8206300269	50-282 K
	8206240279	50-336 P		8206300269	50-282 K
	8206240280*	50-336 P	Nuclear Associates International	8206300271	50-282 K
	8206250298	50-336 P	Nuclear Associates, Inc.	8206300271	50-282 K
	8206250302*	50-336 P		8206300271	50-282 K
	8206280584	50-423 S	Nuclear Assurance Corp.	8206220112	40-8771
				8206290007*	CONTRACT

CORPORATE SOURCE INDEX

537

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Nuclear Club, Inc., The	8206290529	NUREQ		8206240297*	50-285 F
Nuclear Energy Service, Inc	8206100091	50-537 H		8206290172	50-285 B
	8206010460*	50-322 G		8206290176*	50-285 B
	8206010462*	50-322 G		8206290456	50-285 F
Nuclear Fuel Services, Inc (subs of Getty Oil Co.)	8205280396*	70-143		8206300131*	50-285 F
	8205280404*	70-143		8206300133*	50-285 F
	8206040520	50-201 G	Organization for Economic Cooperation & Development (Paris)	8206100396*	REG
	8206070468	70-143		8206040042	50-361 G
	8206220338	70-143	Orrick, Herrington & Butcliffe	8206100114	50-361 G
	8206220407*	70-143		8206100281	50-361 G
Nuclear Sources & Services Corp	8206220613	71-9088		8206020471*	GA999
	8206220090	71-5908	Pacific Air Products Co.	8206010258	50-133 R
	8206230225	71-394	Pacific Gas & Electric Co.	8206010260*	50-133 R
	8206230226*	71-394		8206010314	50-275 G
Nunn, Snyder & Associates	8206020580*	CONTRACT		8206010900	50-275 B
	8206010280	50-155 G		8206010513*	50-275 B
Oak Ridge National Laboratory	8206020299	REG		8206010644	50-275 R
	8206090119	NUREQ		8206010656*	50-275 R
	8206090122	NUREQ		8206020490	50-275 F
	8206090129	NUREQ		8206040363	50-275 R
	8206090135	NUREQ		8206040379*	50-275 R
	8206100007	NUREQ		8206070249	50-275 F
	8206100022	NUREQ		8206090075	50-275 F
	8206100030	NUREQ		8206090139	50-275 F
	8206100043	NUREQ		8206090140	50-133 F
	8206100054	NUREQ		8206090163*	50-133 G
	8206100067	NUREQ		8206090165*	50-133 G
	8206100346	REG		8206160177	50-275 P
	8206110001	NUREQ		8206160190	50-275 R
	8206110002	NUREQ		8206160193*	50-275 R
	8206110005	NUREQ		8206170418*	50-275 G
	8206110006	NUREQ		8206180224	50-275 G
	8206110011	NUREQ		8206210154	50-275 B
	8206110016	NUREQ		8206210160*	50-275 B
	8206140327	NUREQ		8206230197	50-275 F
	8206220019	NUREQ		8206230197	50-275 F
	8206220025	NUREQ		8206240393	50-275 G
	8206220101	NUREQ		8206240393	50-275 G
	8206230031	NUREQ		8206230313	50-275 F
	8206230319	NUREQ		8206280187	50-275 G
	8206240036	NUREQ		8206280385	50-275 P
	8206240059	NUREQ		8206280385	50-275 P
	8206240078	NUREQ		8206280395*	50-275 P
	8206240441	REG		8206280428	50-275 G
	8206240470	REG		8206280428	50-275 G
	8206250060	REG		8206290122	50-275 F
	8206290809	NUREQ	Pacific Scientific	8206100446	XPORTLIC
	8206290819	NUREQ		8206100449*	XPORTLIC
Oak Ridge Univ. Oak Ridge, TN	8206160455	70-820	Palmetto Alliance	8206040028	50-413 G
	8206040014	50-537 G	Parameter, Inc	8206110007*	CONTRACT
	8206230170	50-537 G		8206110054	50-247 G
Ocean County, BC	8206290891*	CONTRACT	Parents Concerned About Indian Point	8206280066	50-247 G
Ogle Petroleum, Inc.	8206010064	40-8745		8206280094*	50-247 G
	8206010069*	40-8745		8206280104*	50-247 G
	8206080178	40-8745		8206280118*	50-247 G
Ohio Citizens for Responsible Energy	8206070115	50-440 G		8206280123*	50-247 G
	8206070115	50-440 G		8206280123*	50-247 G
	8206070515	50-440 G		8206280128*	50-247 G
	8206070515	50-440 G		8206280142*	50-247 G
	8206180185	50-440 G		8206280200	50-247 G
	8206290314	50-440 G		8206280200	50-247 G
Ogish State Univ. Ogish Public Power District	8206070212*	CONTRACT		8206280473	50-247 G
	8206010538	50-285 P		8206280473	50-247 G
	8206010665	50-285 H	Pathfinder Mines Corp.	8206040500	40-6622
	8206020349	50-285 P		8206220100	40-2239
	8206020369	50-285 B		8206220102*	40-2239
	8206020375*	50-285 B	Pennsylvania Power & Light Co	8206010374	50-387 B
	8206020523	50-285 F		8206010374	50-387 B
	8206070080	50-285 P		8206010501	50-387 B
	8206070317	50-285 P		8206010623	50-387 A
	8206070431	50-285 B		8206030255*	50-387 G
	8206070435*	50-285 B		8206040326	50-387 B
	8206070616	50-285 P		8206040326	50-387 B
	8206080237	50-285 P		8206040335	50-387 A
	8206100105	50-285 B		8206040335	50-387 A
	8206100109*	50-285 B		8206040364	50-387 F
	8206100120	50-285 B		8206040407	50-387 A
	8206100131*	50-285 B		8206040407	50-387 A
	8206100278*	50-285 B		8206040409	50-387 B
	8206160198	50-285 P		8206040409	50-387 B
	8206160288	50-285 P		8206070220	50-387 A
	8206220283	50-285 R		8206070220	50-387 A
	8206220287*	50-285 R		8206070224	50-387 A
	8206240289	50-285 P		8206070224	50-387 A

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206070280	50-387 K
	8206070280	50-387 K
	8206070287*	50-387 K
	8206070287*	50-387 K
	8206070290*	50-387 K
	8206070372	50-387 A
	8206070372	50-387 A
	8206070694	50-387 A
	8206070694	50-387 A
	8206070702*	50-387 A
	8206070702*	50-387 A
	8206080138	50-387 S
	8206080138	50-387 S
	8206080135	50-387 A
	8206080155	50-387 A
	8206080161	50-387 A
	8206080161	50-387 A
	8206080362	50-387 A
	8206080362	50-387 A
	8206080369*	50-387 A
	8206080369*	50-387 A
	8206080415	50-387 S
	8206080415	50-387 S
	8206090076	50-387 A
	8206090076	50-387 A
	8206100292	50-387 A
	8206100292	50-387 A
	8206100294*	50-387 A
	8206100294*	50-387 A
	8206100866	50-387 Q
	8206110066	50-387 Q
	8206110080	50-387 A
	8206110080	50-387 A
	8206110081*	50-387 A
	8206110274	50-387 F
	8206110294	50-387 F
	8206140043	50-387 A
	8206140043	50-387 A
	8206140098	50-387 F
	8206140098	50-387 F
	8206140104*	50-387 F
	8206140104*	50-387 F
	8206150098	50-387 S
	8206150098	50-387 S
	8206150148	50-387 A
	8206150237	50-387 E
	8206150237	50-387 E
	8206150268	50-387 A
	8206160242	50-387 E
	8206160242	50-387 E
	8206170038	50-387 A
	8206170041*	50-387 A
	8206170071	50-387 A
	8206170071	50-387 A
	8206170098	50-387 S
	8206170098	50-387 S
	8206170292	50-387 F
	8206170292	50-387 F
	8206210276	50-387 A
	8206210276	50-387 A
	8206210462	50-387 A
	8206210462	50-387 A
	8206210467*	50-387 A
	8206210467*	50-387 A
	8206210480*	50-387 A
	8206210480*	50-387 A
	8206210525	50-387 A
	8206210525	50-387 A
	8206210539	50-387 E
	8206210539	50-387 E
	8206210579*	50-387 Q
	8206220207	50-387 A
	8206220351	50-387 A
	8206220351	50-387 A
	8206220363	50-387 A
	8206220438	50-387 K
	8206220438	50-387 K
	8206220444*	50-387 K
	8206220444*	50-387 K
	8206250309	50-387 A
	8206250309	50-387 A
	8206250314*	50-387 A
	8206250314*	50-387 A
	8206280124	50-387 S
	8206280124	50-387 S

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206280550	50-387 S
	8206280550	50-387 S
	8206290174	50-387 A
	8206290174	50-387 A
	8206290251	50-387 S
	8206290251	50-387 S
	8206290267	50-387 A
	8206290274*	50-387 A
Pennsylvania State Univ	8206150340	50-5 P
	8206160181	40-8743
Pennsylvania, State of	8206040040	50-387 Q
	8206040040	50-387 Q
	8206040199	50-387 Q
	8206040199	50-387 S
People Against Nuclear Energy	8206070086	50-289 Q
	8206070519	50-289 Q
Perkins, Cole, Stone, Olsen & Williams	8206010298	50-522 Q
Philadelphia Electric Co	8205050100	50-352 A
	8205050100	50-351 A
	8205050107*	50-352 A
	8205050107*	50-352 A
	8205110161*	50-352 K
	8206010529	50-352 F
	8206010529	50-352 F
	8206010561	50-277 Q
	8206010561	50-277 Q
	8206020372	50-352 K
	8206020415	50-277 Q
	8206020415	50-277 Q
	8206020313	50-277 P
	8206020513	50-277 P
	8206020517*	50-277 P
	8206020517*	50-277 P
	8206020522*	50-277 P
	8206020522*	50-277 P
	8206030155*	50-352 Q
	8206030183	50-277 S
	8206030262*	50-277 Q
	8206030281*	50-352 Q
	8206040093	PR
	8206040322*	50-352 Q
	8206070336	50-277 P
	8206070760	50-352 A
	8206080376	50-278 S
	8206090043	50-277 P
	8206100167*	50-352 Q
	8206100167*	50-352 Q
	8206100173	50-277 P
	8206100230*	50-277 Q
	8206110019*	50-277 S
	8206110021*	50-277 S
	8206110219	50-277 R
	8206110219	50-277 R
	8206140276	50-277 P
	8206140276	50-277 P
	8206140386*	50-277 F
	8206140386*	50-277 F
	8206140388*	50-277 F
	8206150070*	50-171 F
	8206150088	50-352 A
	8206150141	50-277 Q
	8206150141	50-277 Q
	8206150172*	50-352 Q
	8206150233*	50-277 Q
	8206150233*	50-277 Q
	8206150295	50-352 A
	8206150295	50-352 A
	8206150348	50-352 A
	8206150348	50-352 A
	8206150443*	50-277 F
	8206150443*	50-277 F
	8206160042*	50-277 F
	8206160042*	50-277 F
	8206180078	50-277 R
	8206180078	50-277 R
	8206180080*	50-277 R
	8206180080*	50-277 F
	8206210280	50-277 F
	8206210282	50-352 Q
	8206220180	50-352 A
	8206220228	50-352 A
	8206220272	50-277 F
	8206220272	50-277 F
	8206220279	50-277 F
	8206220343	50-352 K

539

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206100015	50-333
	8206100106	50-247
	8206100110	50-247
	8206100110	50-247
	8206100296	50-286
	8206100296	50-286
	8206100296	50-286
	8206100299*	50-286
	8206100299*	50-286
	8206100304*	50-286
	8206100304*	50-286
	8206100308*	50-286
	8206100308*	50-286
	8206100308*	50-286
	8206110132	50-333
	8206110137*	50-333
	8206110200	50-286
	8206110244	50-333
	8206110249*	50-333
	8206110315	50-333
	8206110318*	50-333
	8206140031	50-247
	8206140031	50-247
	8206140112	50-247
	8206140112	50-247
	8206140115*	50-247
	8206140115*	50-247
	8206140120*	50-247
	8206140134*	50-247
	8206140134*	50-247
	8206140197	50-333
	8206170130	50-247
	8206170137	50-247
	8206170137	50-247
	8206170160	50-247
	8206170160	50-247
	8206170268	50-247
	8206170268	50-247
	8206170356	50-286
	8206180214	50-247
	8206180296	50-247
	8206180296	50-247
	8206180316	50-247
	8206180316	50-247
	8206210492*	50-333
	8206220161*	50-247
	8206220161*	50-247
	8206220161*	50-247
	8206220269	50-333
	8206220321	50-333
	8206220330*	50-333
	8206240183	50-247
	8206240186	50-247
	8206240208	50-247
	8206240208	50-247
	8206240221	50-247
	8206240221	50-247
	8206240233*	50-247
	8206240233*	50-247
	8206240379	50-247
	8206280078	50-333
	8206280149	50-247
	8206280264	50-333
	8206280269*	50-333
	8206280303	50-333
	8206280309*	50-333
	8206280313*	50-333
	8206290301	50-247
	8206290399	50-286
	8206290333	50-333
	8206290337*	50-333
	8206210246	50-461
	8206090231*	FOIA
	8206070391*	40-8259
	8206090130	PR
Prairie Alliance	8206080089	50-337
President of UB & Executive Offices	8206100207	50-337
Princeton Univ.	8206240163	50-337
Process Fabricators, Inc.	8206010272	50-247
Project Management Corp	8206010398	50-247
Public Interest Research Group, New York	8206010398	50-247
	8206010398	50-247
	8206010405*	50-247
	8206010405*	50-247
	8206040073	50-247
	8206040183	50-247

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Public Service Co. of Colorado	8206090192	50-247 0	Public Service Co. of Oklahoma	8206250180	50-443 A
	8206110054	50-247 0		8206280523	50-443 0
	8206110054	50-247 0		8206040162	50-356 0
	8206110064*	50-247 0		8206040173*	50-356 0
	8206110064*	50-247 0		8007180020*	50-3 0
	8206150814	FDIA		8111110776	50-272 0
	8206180328	50-247 0		8204230078*	50-272 0
	8206240239	50-247 0		8206010384	50-354 0
	8206240239	50-247 0		8206020064*	50-272 F
	8206240263	50-247 0		8206020444	50-311 P
Public Service Co. of Colorado	8206280066	50-247 0	Public Service Electric & Gas Co. of New Jersey	8206030191	50-311 0
	8206280066	50-247 0		8206030192*	50-311 0
	8206280094*	50-247 0		8206030228	50-272 0
	8206280094*	50-247 0		8206030231*	50-272 0
	8206280104*	50-247 0		8206030245	50-272 0
	8206280104*	50-247 0		8206030247*	50-272 0
	8206280115*	50-247 0		8206030265	50-311 0
	8206280115*	50-247 0		8206030269*	50-311 0
	8206280123*	50-247 0		8206040091	NURE0
	8206280123*	50-247 0		8206040093	PR
Public Service Co. of Colorado	8206280128*	50-247 0	Public Service Co. of Oklahoma	8206040099	PRM
	8206280128*	50-247 0		8206040365	50-272 F
	8206280133*	50-247 0		8206070573	50-272 0
	8206280133*	50-247 0		8206070577*	50-272 0
	8206280135*	50-247 0		8206070584	50-311 0
	8206280135*	50-247 0		8206070666	50-311 0
	8206280135*	50-247 0		8206070673*	50-311 0
	8206280142*	50-247 0		8206070758	50-311 0
	8206010559	50-267 0		8206070772*	50-311 0
	8206010564*	50-267 0		8206070803	50-272 0
Public Service Co. of Colorado	8206030065	50-267 0	Public Service Co. of Oklahoma	8206070813*	50-272 0
	8206040262	50-267 P		8206090038	50-311 F
	8206070276	50-267 P		8206090042*	50-311 F
	8206080222	50-267 F		8206100117	50-311 0
	8206080345	50-267 P		8206100123*	50-311 0
	8206110050	50-267 0		8206100139	50-311 0
	8206110057*	50-267 0		8206100142*	50-311 0
	8206110333	50-267 P		8206100215	50-311 0
	8206140400*	50-267 F		8206100218*	50-311 0
	8206150339	50-267 R		8206100219	50-311 0
Public Service Co. of Colorado	8206150343*	50-267 R	Public Service Co. of Oklahoma	8206100222*	50-311 0
	8206170208	50-267 F		8206100233	50-272 0
	8206170316	50-267 R		8206100244*	50-272 0
	8206170333*	50-267 F		8206100248	50-311 0
	8206180002	50-267 0		8206100253*	50-311 0
	8206210231	50-267 F		8206100271	50-272 0
	8206210335	50-267 P		8206100272*	50-272 0
	8206220284	50-267 0		8206100307	50-311 0
	8206220289*	50-267 0		8206100326*	50-311 0
	8206220294	50-267 0		8206110043	50-272 0
Public Service Co. of Colorado	8206220297*	50-267 0	Public Service Co. of Oklahoma	8206110047*	50-272 0
	8206230024	50-267 P		8206110049*	50-272 F
	8206230128	50-267 P		8206110076*	50-272 F
	8206230142	50-267 0		8206110093	50-311 0
	8206230206*	50-267 F		8206110100*	50-311 0
	8206230232	50-267 0		8206110109	50-311 0
	8206230235*	50-267 0		8206110114	50-311 0
	8206250275	50-267 0		8206110116*	50-311 0
	8206250277*	50-267 0		8206110134	50-272 0
	8206250373*	50-267 F		8206110138*	50-272 0
Public Service Co. of Colorado	8206250375	50-267 P	Public Service Co. of Oklahoma	8206110166*	50-354 0
	8206020410	50-547 0		8206110244	50-311 0
	8206070639	PRM		8206110248*	50-311 0
	8206070814*	50-546 0		8206210382	50-311 0
	8206070821*	50-546 0		8206210388*	50-311 0
	8206170293	50-546 0		8206210403	50-272 0
	8206230076	50-546 H		8206210411*	50-272 0
	8206250243	NURE0		8206210444	50-272 0
	8206250315	NURE0		8206210460*	50-272 0
	8206010007	50-443 A		8206220094	50-311 0
Public Service Co. of New Hampshire	8206010007	50-443 A	Public Service Co. of Oklahoma	8206220098*	50-311 0
	8206010011*	50-443 A		8206220182	50-311 0
	8206010011*	50-443 A		8206220185*	50-311 0
	8206010013*	50-443 A		8206220359	50-272 0
	8206010470	50-443 A		8206220375*	50-272 0
	8206070395*	50-443 0		8206220387	50-272 0
	8206140038	50-443 0		8206220395*	50-272 0
	8206140038	50-443 0		8206220411	50-354 0
	8206140041*	50-443 0		8206220449	50-272 0
	8206140041*	50-443 0		8206220459*	50-272 0
Public Service Co. of New Hampshire	8206140089	50-443 A	Public Service Co. of Oklahoma	8206220501	50-311 0
	8206180003	50-443 A		8206220505*	50-311 0
	8206240329	50-443 A		8206220534	50-272 0
	8206240329	50-443 A		8206220552*	50-272 0
	8206240373	50-443 0			
	8206250180	50-443 A			

CORPORATE SOURCE INDEX

541

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	B206230108	50-311 S
	B206230112*	50-311 S
	B206230140	50-272 F
	B206230140	50-272 F
	B206230147*	50-272 F
	B206240005	50-311 S
	B206240143	50-272 P
	B206240143	50-272 P
	B206240343	50-354 V
	B206280281	50-354 S
	B206280339*	FDIA
	B206280504	50-354 S
	B206290147	50-272 V
	B206290384	50-311 S
	B206290389*	50-311 S
Puget Sound Power & Light Co	B206300170	50-272 H
	B206010298	50-522 Q
	B206020386	50-522 E
	B206020386	50-522 E
	B206040020	50-522 Q
	B206040020	50-522 Q
	B206070082	50-522 Q
	B206160105	50-522 Q
	B206220159	50-522 H
	B206220159	50-522 H
	B206220169*	50-522 D
	B206220169*	50-522 D
	B206290323	50-522 D
Purdue Research Foundation A F. Reedy, Inc	B206240472*	CONTRACT
	B206030104	50-275 R
	B206030108*	50-275 R
	B206180192	50-275 R
	B206180192	50-275 R
	B206180196*	50-275 R
	B206180196*	50-275 R
Radiation Management Corp Reactor Experiments, Inc.	B206100069	NUREG
	B206230287	XPORTLIC
	B206290565	XPORTLIC
Pres, J Q	B206170196	50-483 Q
	B206210575	50-483 Q
	B206240157	50-483 Q
	B206240250	50-483 Q
Ridgely, Eggers & Associates	B206070098	PROJ
	B206070103*	PROJ
	B206070153*	CONTRACT
Riley-Deard Rio Algon, Ltd.	B206160296	FR
Robert Charles Moles & Associates	B206220167	40-8084
Robert L. Cloud Associates, Inc	B206180056*	CONTRACT
	B206030182	50-275 R
	B206030212*	50-275 R
	B206160137	50-275 R
	B206160144*	50-275 R
	B206170299	50-275 P
	B206170303*	50-275 P
Rochester Gas & Electric Corp.	B206010378	50-244 S
	B206010415	50-244 S
	B206010422*	50-244 S
	B206010610	50-244 P
	B206010628*	50-244 P
	B206010640*	50-244 P
	B206010653*	50-244 P
	B206010663*	50-244 P
	B206010676	50-244 R
	B206010698*	50-244 R
	B206020196*	50-244 F
	B206020202*	50-244 F
	B206110284	50-244 S
	B206110288*	50-244 S
	B206140002*	50-244 F
	B206140003*	50-244 F
	B206140004*	50-244 F
	B206160161	50-244 P
	B206170053	50-244 S
	B206170056*	50-244 S
	B206180180	50-244 P
	B206230119	50-244 P
	B206290188	50-244 P
	B206290549*	50-244 Q
	B206300091*	50-244 F
	B206300097*	50-244 F
	B206300157	50-244 P
Rochland Citizens for Safe Energy	B206040080	50-247 Q
	B206110054	50-247 Q
	B206110054	50-247 Q
	B206170167	50-247 Q

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	B206170167	50-247 Q
	B206280066	50-247 Q
	B206280066	50-247 Q
	B206280094*	50-247 Q
	B206280094*	50-247 Q
	B206280104*	50-247 Q
	B206280104*	50-247 Q
	B206280115*	50-247 Q
	B206280115*	50-247 Q
	B206280128*	50-247 Q
	B206280128*	50-247 Q
	B206280142*	50-247 Q
	B206300215	50-247 Q
Rockland County, NY	B206170162	50-247 Q
	B206170254	50-247 T
	B206170272*	50-247 Q
Rockwell International Corp.	B206110093*	CONTRACT
	B206300394*	50-537 A
Rocky Mountain Energy Co.	B206160495*	40-8380
	B206160496*	40-8380
Ropes & Gray	B206140038	50-443 Q
	B206140038	50-443 Q
	B206140041*	50-443 Q
	B206140041*	50-443 Q
	B206240373	50-443 Q
	B206280523	50-443 Q
	B206300254	50-29 J
Roy F. Weston, Inc	B206290523*	FOIA
S Levy, Inc	B206020139*	FOIA
Sacramento Municipal Utility District	B206100411*	FOIA
	B206010481	50-312 S
	B206010507*	50-312 S
	B206020425	50-312 P
	B206040175	50-312 S
	B206040193*	50-312 S
	B206070089	50-312 F
	B206080203	50-312 Q
	B206080261	50-312 P
	B206110143	50-312 P
	B206110148*	50-312 P
	B206110286	50-312 F
	B206110289*	50-312 F
	B206140077	50-312 P
	B206150107	50-312 Q
	B206150279	50-312 R
	B206150281*	50-312 R
	B206150351	50-312 Q
	B206160047	50-312 P
	B206160058	50-312 P
	B206170105*	50-312 Q
	B206180187	50-312 P
	B206220086	50-312 P
	B206220481	50-312 P
	B206240309	50-312 P
	B206300007*	50-312 P
	B206300008*	50-312 P
Safe Energy Alliance	B206280209	50-312 P
San Clemente, CA	B206300227	50-312 P
San Diego Gas & Electric Co	B206010691*	50-312 P
	B206010691*	50-312 P

San

San

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Santa Monica, CA	8206240115	XPORTLIC		8206080104*	50-537 Q
	8206270343	XPORTLIC		8206080108*	50-537 Q
	8206040234	50-142 Q		8206080117*	50-537 Q
Sargent & Lundy, Inc	8206240412	50-142 Q		8206080124*	50-537 Q
	8206070266*	50-373 A		8206140032	50-537 Q
	8206140140*	50-454 Q		8206240207	50-537 Q
	8206140140*	50-454 Q		8206240215*	50-537 Q
	8206140210*	50-454 Q		8206300224	50-537 Q
	8206140210*	50-454 Q	Sigma Chemical Co	8206150450	XPORTLIC
	8206240273*	50-373 P		8206160107	XPORTLIC
Massachusetts Audubon Society	8206280210	50-546 H		8206280463	50-482 Q
Saunders-Ross Developments, Ltd	8206160280*	XPORTLIC	Simpson, J M	8206100417*	CONTRACT
Savannah River Laboratory	8206090132	NUREG	Simulation Associates	8206240226	50-329 Q
	8206110178	NUREG	Sinclair, M	8206240226	50-329 Q
Schiff, Hardin & Waite	8206140027	50-461 Q		8206240243	50-329 Q
	8206140105	50-461 Q		8206240243	50-329 Q
	8206140108*	50-461 Q		8206240243	50-434 Q
Schreiber Consultants, Inc	8206020422	50-438 A	Mississippi Alliance for the Environment	8206040243	50-434 Q
Science Applications, Inc.	8206070202*	50-387 X	(SAFE)		
	8206080049*	70-687	Small Business Administration	8206240104*	CONTRACT
	8206100386*	70-36	Society of Nuclear Medicine	8206010366*	FOIA
	8206100404*	50-327 X		8206090110	FR
	8206110383*	CONTRACT		8206010325	50-395 A
	8206230340	NUREG	South Carolina Electric & Gas Co	8206010465	50-395 S
	8206280407	50-244 P		8206010573	50-395 S
	8206280407	50-244 P		8206020344	50-395 A
	8206280425*	50-244 P		8206020420	50-395 A
	8206280425*	50-244 P		8206020421*	50-395 A
	8206280436*	50-244 P		8206020427	50-395 A
	8206280436*	50-244 P		8206020457	50-395 A
	8206290511*	FOIA		8206040281	50-395 A
Scientists & Engineers for Secure Energy	8206290518*	FOIA		8206070193	REQ00
Scott & White Clinic Temple, TX	8206230174	50-247 Q		8206070334	NUREG
Senate	8206070171	REQ00		8206070384	FR
	8206080177*	50-3 H		8206090058	50-395 A
	8206140343*	50-293 H		8206160135	50-395 A
Senate, Small Business	8206070601	50-309 Q		8206160136*	50-395 A
Sensible Maine Power	8206040065	50-440 Q		8206160316	50-395 A
Shaw, Pittman, Potts & Trowbridge	8206040120	50-440 Q		8206160318*	50-395 A
	8206040120	50-440 Q		8206170115	50-395 X
	8206070327	PRM		8206170118*	50-395 X
	8206070540	50-440 Q		8206180009	50-395 E
	8206070540	50-440 Q		8206180016	50-395 E
	8206070556	50-289 Q		8206180050	50-395 A
	8206070600	PRM		8206180054	50-395 F
	8206100314	50-266 Q		8206210440	50-395 A
	8206160052	50-382 Q		8206210445*	50-395 A
	8206160056*	50-382 Q		8206210486	50-395 S
	8206160326	PRM		8206220524*	50-395 Q
	8206160364	PRM		8206290491	50-395 A
	8206170347	50-440 Q	South Carolina, State of	8206150045*	CONTRACT
	8206180272	50-400 Q	Southern Boiler & Tank Works, Inc	8206040345	FR
	8206180272	50-400 Q		8206010368	50-206 R
	8206180279	50-440 Q		8206010369*	50-206 R
	8206180280*	50-400 Q		8206010375	50-361 S
	8206180280*	50-400 Q		8206010377*	50-361 S
	8206180280*	50-400 Q		8206010428	50-206 S
	8206180289*	50-400 Q		8206010545	50-206 S
	8206180289*	50-400 Q		8206010565	50-206 S
	8206180289*	50-400 Q		8206010576*	50-206 S
	8206180292*	50-400 Q		8206010602	50-361 R
	8206180292*	50-400 Q		8206010611*	50-361 R
	8206180295*	50-400 Q		8206010682*	50-361 Q
	8206180295*	50-400 Q		8206010685	50-361 K
	8206180299	50-266 Q		8206010685	50-361 X
	8206180299	50-266 Q		8206010691*	50-361 K
	8206180302*	50-400 Q		8206010691*	50-361 K
	8206180302*	50-400 Q		8206010697*	50-361 F
	8206180319*	50-400 Q		8206010697*	50-361 F
	8206180319*	50-400 Q		8206020361	50-206 P
	8206180342	50-289 Q		8206020411	50-361 S
	8206230152	50-400 Q		8206020433	50-206 F
	8206280053	50-266 Q		8206020433	50-206 F
	8206280153	50-266 Q		8206030069	50-206 P
	8206280497	50-320 Q		8206030085	50-206 P
	8206280521	50-382 T		8206030179	50-206 P
	8206290251	50-387 Q		8206030194	50-206 P
	8206290297	50-440 Q		8206040042	50-361 Q
Shaw & Gould	8206040095	50-247 Q		8206040387	50-206 P
	8206040184	50-247 Q		8206040395	50-361 F
Shoreham Opponents Coalition	8206040279	50-322 T		8206040395	50-361 F
	8206040283*	50-322 T		8206040400*	50-361 F
	8206160084	50-322 Q		8206070053	50-206 S
	8206170342	50-322 Q		8206070057*	50-206 S
	8206230149	50-322 Q		8206070221	50-361 P
Sierra Club	8206080099	50-537 Q			
	8206080101*	50-537 Q			

CORPORATE SOURCE INDEX

543

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206070226*	50-361 P		8206250279*	PR
	8206070230*	50-361 P		8206250281*	PR
	8206070315	50-361 S		8206250295*	PR
	8206070325*	50-361 S		8206250301*	PR
	8206070699	50-361 P	Stamiris, B	8206180331	50-329 Q
	8206070699	50-361 P		8206240398	50-329 Q
	8206070848	50-206 S	Standardized Nuclear Unit Power Plant System	8206010103	50-482 K
	8206070858*	50-206 S		8206010110*	50-482 K
	8206080210	50-206 F	State, Dept of	8206110251	50-482 E
	8206080210	50-206 F		8206290272	XPORTLIC
	8206080210	50-206 F	State, Dept. of, Bureau of Oceans & Internatl Environ & Scientific Affairs	8206020092	XPORTLIC
	8206080309	50-361 P		8206020134	XPORTLIC
	8206080393	50-361 P		8206030300	XPORTLIC
	8206090030	50-361 S	Stepan Chemical Co	8206030314	XPORTLIC
	8206090035*	50-361 S		8206220158	40-8610
	8206090103	50-206 S	Stone & Webster Engineering Corp	8206010317	50-322 Q
	8206090108*	50-206 S		8206010322*	50-322 Q
	8206090111	50-206 S		8206070278	NUREG
	8206090161	50-206 P		8206070421	PR
	8206090166	50-206 P		8206090107	REQDD
	8206100078	50-206 S		8206160268	PR
	8206100114	50-361 Q	Stone & Webster, Inc.	8206090092*	50-338 P
	8206100114	50-361 Q	Strehlow, R A	8205270059*	50-327 P
	8206100237	50-361 P	Structural Mechanics Associates	8112020951*	50-237 Q
	8206100240*	50-361 P	Buffolk County, NY	8206070595*	50-322 Q
	8206100266	50-361 S		8206100118	50-322 Q
	8206100269*	50-361 S		8206110045	50-322 Q
	8206100281	50-361 Q		8206160084	50-322 Q
	8206100281	50-361 Q		8206170238	50-322 T
	8206100286*	50-361 Q		8206170244*	50-322 T
	8206100286*	50-361 Q		8206170362	50-322 Q
	8206140005	50-361 P		8206230147	50-322 Q
	8206140006	50-361 P		8206230172	50-322 Q
	8206140006	50-361 P		8206240173	50-352 Q
	8206140070	50-206 T	Sugarman, R J	8206040031	50-440 Q
	8206140091*	50-206 T	Sunflower Alliance		
	8206170076	50-206 P		8206040031	50-440 Q
	8206170129	50-206 P		8206040036	50-440 Q
	8206180092	50-206 P		8206040036	50-440 Q
	8206180104	50-206 P		8206170140	50-440 Q
	8206180224*	50-361 Q		8206240402	50-440 Q
	8206180310	50-361 P		8206240430	50-440 Q
	8206180311*	50-361 P		8206240430	50-440 Q
	8206210164	50-361 S	Swanson Environmental, Inc.	8206040508	FOIA
	8206210168*	50-361 S	Sweden	8206100405	XPORTLIC
	8206210236	50-361 S			
	8206210303	50-361 S	Stawlewicki, B A	8206090224*	CONTRACT
	8206210340	50-361 S	TEKNIS, Inc.	8206160114	XPORTLIC
	8206210347	50-361 S	TERA Corp	8206210538*	50-302 P
	8206210435	50-361 Q	TGI, Inc	8206110299*	50-387 F
	8206210498	50-206 P	Target Technology Ltd.	8206140102*	50-237 P
	8206210631	50-206 S			
	8206210637	50-361 S	Tech/Ops (Technical Operations, Inc.)	8206160327	PR
	8206240181*	50-206 P		8206220398	71-9165
	8206250290	50-361 P		8206220600*	71-9165
	8206280505	50-206 P	Technology Development of California, Inc	8206240104*	CONTRACT
	8206280511*	50-206 P	Tektron, Inc.	8206100435*	CONTRACT
	8206290414	50-206 P			
	8206290418*	50-206 P	Teledyne Engineering Services	8206020337*	50-322 A
	8206300139	50-206 P		8206030004	50-275 P
Southern Co Services, Inc	8206090029*	FOIA		8206030094	50-275 R
Southwest Research Institute	8206210490*	50-461 Q		8206040319*	50-373 P
	8206210497*	50-461 Q			
Southwest Research and Information Center	8206210506*	50-461 Q		8206070811	50-275 P
	8206280309	50-320 P		8206180128	50-275 R
Space Science Services, Inc.	8206070691	PR		8206180138*	50-275 R
Spain	8202120318*	50-428 P	Teledyne Wah Chang Albany	8206240191	50-373 P
	8202120318*	50-428 P		8206240195*	50-373 P
	8202120321*	50-428 P			
	8202120321*	50-428 P	Temple Univ Hosp. Philadelphia, PA	8206020205	XPORTLIC
	8206040528*	50-465 P		8206160109	XPORTLIC
	8206040530*	50-465 P		8206230282	XPORTLIC
St Elizabeth Hosp Appleton, WI	8206070171	REQDD		8206090121	REQDD
St. Francis General Hosp. Pittsburgh, PA	8206070167	REQDD		8206180233	PR
	8206160337	REQDD	Tennessee Valley Authority	8108210179	50-259 P
				8201290065*	50-390 F
St. Joseph Univ Philadelphia, PA	8206290100*	70-374		8206010116	50-327 S
St. Louis Testing Labs, Inc.	8206160329	PR		8206010121*	50-327 S
St. Louis Univ. Medical Center St Louis, MO	8206010372*	FOIA		8206010124	50-328 S
St Vincent Hosp Bridgeport, CT	8206210474	PR		8206010130*	50-328 S
	8206210483*	PR		8206010158	50-259 S
				8206010161*	50-259 S
	8206210495*	PR		8206010167	50-260 S
	8206210510*	PR		8206010177*	50-260 S
	8206210517*	PR			
	8206250271	PR		8206010182	50-296 S
				8206010190*	50-296 S
				8206010194	50-260 S

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206010197	50-518 S		8206010514	50-328 S
	8206010197	50-518 S		8206010519*	50-259 S
	8206010197	50-518 S		8206010520	50-328 S
	8206010197	50-518 S		8206010522	50-328 S
	8206010197	50-518 S		8206010525*	50-328 S
	8206010197	50-518 S		8206010526*	50-328 S
	8206010197	50-518 S		8206010532*	50-320 S
	8206010198*	50-260 S		8206010534	50-296 S
	8206010216	50-438 S		8206010340	50-327 S
	8206010216	50-438 S		8206010342	50-259 S
	8206010216	50-438 S		8206010543*	50-296 S
	8206010216	50-438 S		8206010546	50-296 S
	8206010216	50-438 S		8206010549	50-438 S
	8206010216	50-438 S		8206010549	50-438 S
	8206010216	50-438 S		8206010551*	50-259 S
	8206010216	50-438 S		8206010555*	50-296 S
	8206010222	50-390 S		8206010560	50-259 S
	8206010227	50-327 R		8206010567*	50-259 S
	8206010227	50-327 R		8206010569	50-259 S
	8206010229*	50-327 R		8206010572	50-327 S
	8206010229*	50-327 R		8206010577	50-259 S
	8206010230	50-296 S		8206010579*	50-327 S
	8206010234*	50-296 S		8206010582*	50-259 S
	8206010253	50-438 S		8206010584	50-327 S
	8206010253	50-438 S		8206010589*	50-259 S
	8206010256	50-390 S		8206010592*	50-327 S
	8206010256	50-390 S		8206010598	50-259 S
	8206010263	50-296 S		8206010600	50-328 S
	8206010273*	50-296 S		8206010605*	50-259 S
	8206010279	50-259 S		8206010606*	50-328 S
	8206010283*	50-259 S		8206010609	50-260 S
	8206010287	50-390 S		8206010617*	50-260 S
	8206010287	50-390 S		8206010654	50-327 S
	8206010319	50-259 R		8206010667*	50-327 S
	8206010326*	50-259 R		8206010676	50-390 S
	8206010329	50-327 S		8206010676	50-390 S
	8206010337*	50-327 S		8206010684	50-390 S
	8206010349	50-518 S		8206010684	50-390 S
	8206010349	50-518 S		8206010686	50-390 S
	8206010349	50-518 S		8206010688	50-390 S
	8206010349	50-518 S		8206010689	50-390 S
	8206010349	50-518 S		8206020116*	50-259 F
	8206010350	50-390 S		8206020121*	50-259 F
	8206010350	50-390 S		8206020583*	50-518 A
	8206010350	50-390 S		8206030112	50-328 F
	8206010350	50-390 S		8206030121	50-327 F
	8206010386	50-438 S		8206030217	50-259 F
	8206010386	50-438 S		8206040288	50-259 S
	8206010390	50-328 S		8206040348	TOPREP
	8206010392	50-390 S		8206070085	50-259 S
	8206010392	50-390 S		8206070093	50-390 S
	8206010395*	50-328 F		8206070093	50-390 S
	8206010413	50-328 S		8206070100	50-390 S
	8206010420*	50-328 S		8206070104	50-390 S
	8206010426	50-259 S		8206070104	50-390 S
	8206010427	50-390 S		8206070104	50-390 S
	8206010427	50-390 S		8206070104	50-390 S
	8206010429	50-390 S		8206070107	50-438 S
	8206010429	50-390 S		8206070107	50-438 S
	8206010431*	50-259 S		8206070114*	50-259 S
	8206010435	50-328 S		8206070135	50-438 S
	8206010439*	50-328 S		8206070135	50-438 S
	8206010442	50-296 S		8206070157	50-327 S
	8206010450*	50-296 S		8206070162*	50-327 S
	8206010457	50-390 S		8206070169	50-328 S
	8206010457	50-390 S		8206070178*	50-328 S
	8206010464	50-259 S		8206070179	50-327 S
	8206010468	50-327 S		8206070183	REGSD
	8206010471	50-390 S		8206070188*	50-327 S
	8206010471	50-390 S		8206070243	50-390 S
	8206010472*	50-259 S		8206070243	50-390 S
	8206010476*	50-327 S		8206070297	50-259 S
	8206010489	50-438 S		8206070306*	50-259 S
	8206010489	50-438 S		8206070369	50-327 R
	8206010494	50-327 S		8206070369	50-327 R
	8206010504*	50-327 S		8206070414	50-296 S
	8206010508	50-518 S		8206070420*	50-296 S
	8206010508	50-518 S		8206070440	50-328 S
	8206010508	50-518 S		8206070449*	50-328 S
	8206010508	50-518 S		8206070467	50-438 S
	8206010508	50-518 S		8206070467	50-438 S
	8206010508	50-518 S		8206070508	PR
	8206010511	50-259 S		8206070512*	50-259 S
	8206010512	50-327 S		8206070512*	50-259 S

545

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206110242*	50-260 B
	8206110280	50-438 B
	8206110280	50-438 B
	8206110282	50-390 B
	8206110282	50-390 B
	8206110282	50-390 B
	8206110282	50-390 B
	8206110282	50-390 B
	8206110292	50-259 B
	8206110296*	50-259 B
	8206110303	50-390 B
	8206110305	50-390 B
	8206110313	50-259 B
	8206110316*	50-259 B
	8206110319	50-390 B
	8206110319	50-390 B
	8206110321	50-390 B
	8206110321	50-390 B
	8206110323	50-439 B
	8206110042	50-390 B
	8206110042	50-390 B
	8206110050	50-438 B
	8206110121	50-259 B
	8206110121	50-259 B
	8206110169	50-259 P
	8206110169	50-259 P
	8206110169	50-259 P
	8206110178*	50-259 P
	8206110207*	50-259 P
	8206110211*	50-259 P
	8206110214*	50-259 P
	8206110022	50-327 B
	8206110022	50-327 B
	8206110201	50-438 A
	8206110201	50-438 A
	8206110244	50-390 A
	8206110244	50-390 A
	8206110334	50-390 F
	8206110334	50-390 F
	8206110375	50-390 F
	8206110375	50-390 F
	8206110448*	50-390 F
	8206110448*	50-390 F
	8206110449*	50-390 F
	8206110117	50-327 P
	8206110117	50-327 P
	8206110117	50-327 P
	8206110117	50-327 P
	8206110117	50-327 P
	8206110123*	50-327 P
	8206110123*	50-327 P
	8206110123*	50-327 P
	8206110123*	50-327 P
	8206110123*	50-327 P
	8206110131	50-390 A
	8206110131	50-390 A
	8206110132	50-327 P
	8206110255	50-390 A
	8206110255	50-390 A
	8206110333	FRM
	8206110497	REGDD
	82061170117	40-1341
	82061170127	
	82061170159	
	82061170159	
	8206210103	
	8206210103	

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206210380	50-259 P		8206290359	50-259 P
	8206210380	50-259 P		8206290359	50-259 P
	8206210380	50-259 P		8206290359	50-259 P
	8206210389	50-390 S		8206290558	50-259 R
	8206210389	50-390 S		8206290558	50-259 R
	8206210393*	50-259 P		8206290558	50-259 R
	8206210393*	50-259 P		8206290563*	50-259 R
	8206210393*	50-259 P		8206290563*	50-259 R
	8206210410	50-328 S		8206290563*	50-259 R
	8206210417*	50-328 S		8206300053	50-390 S
	8206210431	50-438 S		8206300055	50-390 S
	8206210436	50-438 S		8206300055	50-390 S
	8206210436	50-438 S		8206300055	50-390 S
	8206210463	50-327 S		8206300058	50-390 S
	8206210466*	50-327 S		8206300058	50-390 S
	8206210528	50-438 S		8206300058	50-390 S
	8206210536	50-566 S		8206300058	50-390 S
	8206210547	50-390 S		8206300067	50-438 S
	8206210547	50-390 S		8206300067	50-438 S
	8206210555	50-259 S		8206300114	50-390 S
	8206210561*	50-259 S		8206300114	50-390 S
	8206210569	50-390 S		8206300122	50-390 S
	8206210569	50-390 S		8206300122	50-390 S
	8206210581	50-438 S		8206300137	50-259 S
	8206210581	50-438 S		8206300140*	50-259 S
	8206210589	50-390 S		8206300142	50-260 S
	8206210589	50-390 S		8206300146*	50-260 S
	8206210589	50-390 S		8206300152	50-390 A
	8206210589	50-390 S		8206300152	50-390 A
	8206210589	50-390 S		8206300155	50-438 S
	8206210591	50-260 S		8206300155	50-438 S
	8206210602*	50-260 S		8206300171	50-390 S
	8206210604	50-438 S		8206300171	50-390 S
	8206210652	RE900		8206300173	50-438 S
	8206220209	50-390 Q		8206300173	50-438 S
	8206220234	50-328 S		8206300195	50-438 S
	8206220292	50-390 S		8206300195	50-438 S
	8206220292	50-390 S		8206300205	50-566 S
	8206220390	50-438 S		8206300211	50-438 S
	8206220420	50-328 S		8206300211	50-438 S
	8206220432*	50-328 S		8206300212	50-390 S
	8206220478*	50-438 Q		8206300217	50-256 S
	8206220568	50-259 Q		8206300222	50-256 S
	8206220568	50-259 Q		8206300235*	50-256 S
	8206220590	50-438 S		8206300232*	50-256 S
	8206230075	50-259 P		8206300285	50-390 S
	8206230075	50-259 P		8206300285	50-390 S
	8206230075	50-259 P		8206300301	50-438 S
	8206240083	50-438 S		8206300314	50-327
	8206240140	50-328 S		8206300343	50-390 S
	8206240144*	50-328 S		8206300343	50-390 S
	8206240171	50-390 S		8206300349	50-438 S
	8206240171	50-390 S		8206300349	50-438 S
	8206240196	50-259 S		8206070631	50-128 P
	8206240200*	50-259 S		8206070635*	50-128 P
	8206240259	50-390 S		8206090188*	50-247 T
	8206240255	50-390 S		8206090249	70-33
	8206240286	50-390 A		8206040018	50-443 Q
	8206240286	50-390 A		8206070356	50-443 Q
	8206240312	50-327 S		8206140026	50-443 Q
	8206240313*	50-327 S		8206140026	50-443 Q
	8206240315	50-256 S		8206170190	50-443 Q
	8206240317*	50-256 S		8206170190	50-443 Q
	8206240339	50-256 S		8206180190	50-443 Q
	8206240340	50-390 A		8206210550	50-443 S
	8206240340	50-390 A		8206280052	50-443 Q
	8206240346*	50-256 S		8206300213	50-443 Q
	8206240368	50-256 S		8206300213	50-443 Q
	8206240374*	50-256 S		8206300237	50-443 Q
	8206250237	50-390 A		8206300237	50-443 Q
	8206250237	50-390 A		8206300239	50-443 Q
	8206250270	50-327 F		8206300239	50-443 Q
	8206250270	50-327 F		8206300249	50-443 Q
	8206250270	50-327 F		8206300249	50-443 Q
	8206250091	50-259 P		8206300257	50-443 Q
	8206250091	50-259 P		8206300257	50-443 Q
	8206250091	50-259 P		8206300266	50-443 Q
	8206250109	50-259 P		8206300266	50-443 Q
	8206250109	50-259 P		8206300274	50-443 Q
	8206250109	50-259 P		8206300274	50-443 Q
	8206250114	50-390 E		8206110232	50-443 K
	8206250281	50-327 P		8206180209	PR
	8206250281	50-327 P		8206220336	50-443 A
	8206250290*	50-327 P		8205110121*	50-443 A
	8206250290*	50-327 P		8206160456	WASTE MGT

CORPORATE SOURCE INDEX

547

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Texas, Univ. of	8206070191	REGD		8206040073	50-247 0
Three Mile Island Alert	8206070563	50-289 0		8206040123	50-247 0
	8206090087	50-289 0		8206040137	50-247 0
Toledo Coalition for Safe Energy	8206070565	PRM		8206040226	50-289 0
Toledo Edison Co	8205110633	50-346 F		8206070565	PRM
	8206010385	50-346 R		8206090152	50-247 0
	8206010388*	50-346 R		8206110034	50-247 0
	8206020307	50-346 S		8206110034	50-247 0
	8206020310*	50-346 S		8206110064*	50-247 0
	8206040332	50-346 F		8206110064*	50-247 0
	8206070090	50-346 P		8206110094	50-289 0
	8206070490*	50-346 P		8206110121	50-247 0
	8206070492*	50-346 P		8206110121	50-247 0
	8206070551	50-346 S		8206110328	50-247 0
	8206080240	50-346 F		8206110328	50-247 0
	8206080337	50-346 P		8206240239	50-247 0
	8206100144	50-346 S		8206240239	50-247 0
	8206100148*	50-346 S		8206280066	50-247 0
	8206180132	50-346 P		8206280066	50-247 0
	8206210363*	50-346 Q		8206280094*	50-247 0
	8206210368*	50-346 Q		8206280094*	50-247 0
	8206220193	50-346 S		8206280104*	50-247 0
	8206220200*	50-346 S		8206280104*	50-247 0
	8206220357	50-346 Q		8206280115*	50-247 0
	8206230123	50-346 P		8206280115*	50-247 0
	8206240334	50-346 B		8206280123*	50-247 0
	8206240336*	50-346 S		8206280123*	50-247 0
	8206250264	50-346 Q		8206280128*	50-247 0
	8206250374	50-346 S		8206280128*	50-247 0
	8206250379*	50-346 S		8206280133*	50-247 0
	8206250383	50-346 P		8206280133*	50-247 0
	8206250390*	50-346 F		8206280135*	50-247 0
	8206250392*	50-346 P		8206280135*	50-247 0
	8206300107*	50-346 F		8206280142*	50-247 0
	8206300110*	50-346 F		8206100388*	REG
	8206300129	50-346 P	Union of Soviet Socialist Republics		
	8206300132*	50-346 P	United Nuclear Corp	8206030006	70-820
	8206300136*	50-346 P		8206030126	70-820
Torrey Pines Technology	8206170133*	50-328 A		8206030133*	70-820
Transamerica Delaval, Inc	8206300192	50-312 B	United Power Association	8206300381*	50-337 A
			Uranium Resources, Inc.	8206010034	40-8786
Transnuclear, Inc	8206040044	XPORTLIC		8206010057*	40-8786
	8206040048*	XPORTLIC		8206220037	40-8786
	8206110055	XPORTLIC		8206220041*	40-8786
	8206110059*	XPORTLIC		8206230137	50-72 P
	8206220605	XPORTLIC	Utah, Univ. of	8206100048	NUREG
	8206230286	XPORTLIC			
Transportation, Dept of	8206160192	40-2041	Vernum, Riddering, Wierange & Christensen	8206030037	FOIA
Trial Lawyers for Public Justice	8206080433*	CONTRACT	Velsicol Chemical Corp.	8206030297	40-6264
Tulsa Gamma Ray, Inc	8206070691	PR	Vermont Yankee Nuclear Power Corp	8111110406	50-271 S
	8206160327	PR		8204230076*	50-271 S
				8206010089	50-271 S
Tuskagee Inst.	8206010738	71-475		8206010096*	50-271 S
	8206010739*	71-475		8206020262	50-271 P
Tutk & Kodner	8206070203	50-373 A		8206020405	50-271 P
Twomey, Latham & Schmitt	8206040279	50-322 T		8206030448	50-271 P
U.S. District Court, Southern District of	8206170262*	50-247 Q		8206070267	50-271 R
New York					
US Ecology, Inc. (Formerly Nuclear	8206040215	27-39		8206070273*	50-271 R
Engineering)				8206080353	50-271 P
	8206110348	27-39		8206080355*	50-271 P
	8206110350	27-39		8206100127	50-271 P
	8206160437	71-6679		8206140024	50-271 P
Ugylite/Sol-Rex	8206030330	40-8799		8206140094	
				8206150103	
Underwriters Laboratory	8206100205*	50-313 F		8206150131	
	8206220032*	CONTRACT		8206150152*	
Union 76 Minerals Exploration Co.	8206150324	40-8584		8206180075	
	8206150327*	40-8584			
Union Carbide Corp.	8206010248	50-54 B		8206210283	
				8206210601	
	8206010432	50-54 P		8206220317*	
	8206030224*	70-687		8206220368	
	8206030229*	70-687		8206220373*	
	8206030304	40-299			
	8206070177	REQD		8206220400	
				8206220408*	
	8206100302	40-299		8206220320*	
Union Electric Co.	8206030119	70-2961		8206240323	
	8206030129*	70-2961		8206250087	
	8206070351	50-483 Q			
	8206090045	50-483 M		8206250183	
				8206280204	
	8206240202	50-483 S		8206300103*	
Union of Concerned Scientists	8206010272	50-247 Q		8206300108*	
	8206010405*	50-247 Q		8206010417	
	8206040070	50-247 Q			
	8206040070	50-247 Q			
	8206040071*	50-247 Q			
	8206040071*	50-247 Q			
	8206040073	50-247 Q			
			Vermont, State of	8206030199	
				8206030300	
			Vet. Admin. Medical Center San Antonio, TX	8206010134	
			Virginia Electric & Power Co	8206010134	
				8206010140*	

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206010145*	50-280 S		8206110152	50-339 S
	8206010151*	50-280 S		8206110158*	50-339 S
	8206010212	50-280 S		8206110160*	50-338 S
	8206010212	50-280 S		8206110166	50-338 S
	8206010215*	50-280 S		8206110168*	50-338 S
	8206010225*	50-280 S		8206110171	50-339 S
	8206010232*	50-280 S		8206110173	50-339 S
	8206010244	50-280 S		8206110174*	50-339 S
	8206010251*	50-280 S		8206110187*	50-339 S
	8206010261*	50-280 S		8206110263	50-280 S
	8206010277	50-338 S		8206110271*	50-280 S
	8206010281*	50-338 S		8206110278*	50-280 S
	8206010396	50-280 R		8206110283*	50-280 S
	8206010396	50-280 R		8206110283*	50-338 P
	8206010399*	50-280 R		8206140035	50-338 P
	8206010403*	50-280 R		8206150154	50-338 P
	8206010406*	50-280 R		8206150154	50-338 P
	8206010409*	50-280 R		8206160306	50-280 Q
	8206010554	50-338 R		8206160332	REQD
	8206010554	50-338 R		8206170311	50-339 P
	8206010558	50-281 S		8206170351	50-280 P
	8206010562*	50-338 R		8206170351	50-280 P
	8206010562*	50-338 R		8206170353*	50-280 P
	8206010568*	50-281 S		8206170353*	50-280 P
	8206010574	50-280 S		8206210032	50-280 S
	8206010574	50-280 S		8206210032	50-280 S
	8206010581	50-338 S		8206210036*	50-280 S
	8206010585*	50-280 S		8206210043*	50-280 S
	8206010591	50-280 S		8206210106	50-280 P
	8206010591	50-280 S		8206210106	50-280 P
	8206010594*	50-280 S		8206210196	50-280 S
	8206010595*	50-338 S		8206210196	50-280 S
	8206010599*	50-280 S		8206210202*	50-280 S
	8206010604*	50-280 S		8206210208*	50-280 S
	8206010608*	50-280 S		8206210214*	50-280 S
	8206010613*	50-280 S		8206210220*	50-280 S
	8206010615	50-280 S		8206210285	50-338 S
	8206010621*	50-280 S		8206210290*	50-338 S
	8206010626*	50-280 S		8206210311	50-338 S
	8206010634*	50-280 S		8206210312*	50-338 S
	8206010649	50-338 S		8206210488	50-339 S
	8206010660*	50-338 S		8206210496*	50-339 S
	8206010666	50-338 S		8206210999	50-339 S
	8206010671*	50-338 S		8206210608*	50-339 S
	8206020057*	50-280 F		8206210643	50-338 S
	8206020323	50-280 P		8206210650*	50-338 S
	8206020323	50-280 P		8206220391	50-338 Q
	8206020323	50-280 P		8206220410	50-280 S
	8206020323	50-281 P		8206220410	50-280 S
	8206020339	50-339 P		8206220412	50-280 Q
	8206020399	50-280 P		8206220418*	50-280 S
	8206020399	50-280 P		8206220429*	50-280 S
	8206040104	50-338 Q		8206220431*	50-280 S
	8206040224	50-338 Q		8206240062	50-339 S
	8206040330	50-280 P		8206240067*	50-339 S
	8206040330	50-280 P		8206240118	50-339 S
	8206070166	50-339 S		8206240126*	50-339 S
	8206070174*	50-339 S		8206240162	50-338 S
	8206070233	50-404 Q		8206240166*	50-338 S
	8206070425	50-338 S		8206240251	50-280 P
	8206070427*	50-338 S		8206240295	50-338 S
	8206070442	50-339 S		8206240306	50-338 S
	8206070451*	50-339 S		8206240307*	50-338 S
	8206070545	50-404 Q		8206240322	50-338 S
	8206070670	50-338 S		8206240324*	50-338 S
	8206070678*	50-338 S		8206240337*	50-338 S
	8206080061	50-339 P		8206240344	50-280 P
	8206080211*	50-338 S		8206240344	50-280 P
	8206080338	50-338 P		8206240353*	50-280 P
	8206080338	50-338 P		8206240353*	50-280 P
	8206080341*	50-338 P		8206240355	50-339 S
	8206080341*	50-338 P		8206240361*	50-339 S
	8206090077	50-338 P		8206240417	50-338 S
	8206090077	50-338 P		8206240421*	50-338 S
	8206090097*	50-338 P		8206280459	50-404 A
	8206090097*	50-338 P		8206280475*	50-404 A
	8206110061	50-338 S		8206290079	50-280 P
	8206110065*	50-338 S		8206300174	50-338 P
	8206110100	50-338 P		8206300174	50-338 P
	8206110100	50-338 P		8206300175*	50-338 P
	8206110103*	50-338 P		8206300175*	50-338 P
	8206110103*	50-338 P		8206303005*	CONTRACT
	8206110140	50-280 P		8206080143	50-62 H
	8206110147	50-338 S		8206110013*	CONTRACT

Virginia Tech
Virginia Univ. of

CORPORATE SOURCE INDEX

549

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Washington Legal Foundation	B206090024*	FOIA
Washington Public Power Supply System	B205180100	50-460 K
	B205180108*	50-460 K
	B205180111*	50-460 C
	B205180116*	50-460 K
	B205180125	50-460 K
	B205180127	50-460 K
	B205180130	50-460 K
	B205180133	50-460 K
	B205180136	50-460 K
	B205180139	50-460 K
	B205180147	50-460 K
	B205180151	50-460 K
	B205180154	50-460 K
	B205180157	50-460 K
	B205180162	50-460 K
	B205180166	50-460 K
	B205180170	50-460 K
	B205180179	50-460 K
	B205180183	50-460 K
	B205180188	50-460 K
	B205180193	50-460 K
	B205180211	50-460 K
	B205180219	50-460 K
	B205180223	50-460 K
	B205180227	50-460 K
	B205180230	50-460 K
	B205180232	50-460 K
	B205180236	50-460 K
	B205180238	50-460 K
	B205180240	50-460 K
	B205180247	50-460 K
	B205180250	50-460 K
	B205180255	50-460 K
	B205180258	50-460 K
	B205180306	50-460 F
	B205180309*	50-460 F
	B206020347	50-397 A
	B206020388	50-508 B
	B206030002	50-397 A
	B206030175	50-508 F
	B206040338	50-397 E
	B206040412	50-508 K
	B206040419*	50-508 K
	B206040423*	50-508 H
	B206040426*	50-508 K
	B206040428*	50-508 C
	B206040430*	50-508 F
	B206040434*	50-508 K
	B206040439	50-508 K
	B206040442	50-508 K
	B206040444	50-508 K
	B206040446	50-508 K
	B206040447	50-508 K
	B206040448	50-508 K
	B206040450	50-508 K
	B206040452	50-508 K
	B206040453	50-508 K
	B206040454	50-508 K
	B206040456	50-508 K
	B206040457	50-508 K
	B206040460	50-508 K
	B206040462	50-508 K
	B206040463	50-508 K
	B206040464	50-508 K
	B206040466	50-508 K
	B206040467	50-508 K
	B206040468	50-508 K
	B206040470	50-508 K
	B206040471	50-508 K
	B206040473	50-508 K
	B206040475	50-508 K
	B206040476	50-508 K
	B206040479	50-508 K
	B206040480	50-508 K
	B206040483	50-508 K
	B206040484	50-508 K
	B206040485	50-508 K
	B206040488	50-508 K
	B206040491	50-508 K
	B206040493	50-508 K
	B206040495	50-508 K
	B206040498	50-508 K
	B206040501	50-508 K
	B206040505	50-508 K

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	B206040510	50-508 K
	B206040512	50-508 K
	B206040515	50-508 K
	B206040516	50-508 K
	B206040518	50-508 K
	B206040519	50-508 K
	B206040521	50-508 K
	B206040522	50-508 K
	B206040523	50-508 K
	B206070409	PR
	B206070617	50-397 E
	B206080217	50-460 A
	B206080233	50-508 B
	B206080233	50-508 B
	B206080293	50-460 A
	B206090089	50-397 K
	B206090093*	50-397 K
	B206110226	50-508 B
	B206110226	50-508 B
	B206110228*	50-508 B
	B206110228*	50-508 B
	B206140013	50-397 A
	B206140020	50-397 E
	B206140095	50-397 A
	B206140258	50-397 A
	B206140397*	50-397 F
	B206150099	50-397 B
	B206150119	50-397 A
	B206150146	50-460 B
	B206150229	50-508 B
	B206210257	50-460 A
	B206210265	50-397 A
	B206210270*	50-397 A
	B206210291	50-397 A
	B206210302	50-460 A
	B206210304	50-508 B
	B206210311*	50-508 B
	B206210311*	50-508 B
	B206210367	50-397 A
	B206210577	50-397 A
	B206210584	50-397 A
	B206280396	50-460 F
	B206280496	50-397 E
	B206290085	50-397 J
Washington Univ. Washington, State of	B206160336	REGD
	B206140357	27-48
	B206220305	50-322 D
	B206230125	50-322 D
	B206300062	50-460 A
Wayne, NJ	B206070675*	40-86
	B206210430*	40-8610
West Branch Conservation Association	B206040010	50-247 O
	B206040010	50-247 O
	B206040084	50-247 O
	B206040084	50-247 O
	B206040084	50-247 O
	B206040267	50-247 O
	B206040290	50-247 O
	---	---

Westchester County, NY

CORPORATE SOURCE INDEX

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY	AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206180211	50-247 Q		8206280293*	FOIA
	8206180211	50-247 Q		8206290197*	50-244 P
	8206180221*	50-247 Q		8206290263*	50-461 E
	8206180221*	50-247 Q	Weston Geophysical Corp	8206100226	XPORTLIC
	8206180230*	50-247 Q	Wiegand Evaporators, Inc	8206100232*	XPORTLIC
	8206180230*	50-247 Q		8206100231	XPORTLIC
	8206180243*	50-247 Q		8206100257*	XPORTLIC
	8206180243*	50-247 Q		8206100260*	XPORTLIC
	8206240347	50-247 T	Williams-Robinette & Associates, Inc	8206040513	40-8102
	8206240347	50-247 T		8206100409*	CONTRACT
	8206240350*	50-247 T		8206220104	40-8452
	8206240350*	50-247 T	Wilson Inspection Services, Inc	8206230234	71-9032
	8206240351*	50-247 T		8206230234	71-9032
	8206240351*	50-247 T		8206230236*	71-9032
	8206240354*	50-247 T		8206230236*	71-9032
	8206240354*	50-247 T		8206240179	71-477
	8206240358*	50-247 T		8206240187*	71-477
	8206240358*	50-247 T	Wilt, D D	8206040031	50-440 Q
	8206240359*	50-247 T		8206040031	50-440 Q
	8206240359*	50-247 T		8206040036	50-440 Q
	8206240362*	50-247 T		8206040036	50-440 Q
	8206240362*	50-247 T		8206240430	50-440 Q
	8206240367*	50-247 T		8206020169*	50-266 F
	8206240367*	50-247 T	Wisconsin Electric Power Co	8206020174*	50-266 F
Westchester Peoples Action Coalition, Inc	8206090068	50-247 Q		8206020400	50-266 F
	8206140103	50-247 Q		8206020417	50-266 P
	8206140103	50-247 Q		8206020461	50-266 P
	8206170265	50-247 Q		8206040132	50-266 J
	8206170267	50-247 Q		8206040132	50-266 J
	8206170267	50-247 Q		8206070405	50-266 P
	8206240260	50-247 Q		8206070405	50-266 P
Western Canada Hydraulic Laboratories, Ltd	8206300181*	50-382 A		8206100314	50-266 Q
Western Environmental Services & Testing	8206040503*	40-6622		8206100314	50-266 Q
Western Nuclear, Inc. (subs of Phelps Dodge Corp)	8206220093	40-1162		8206140287*	50-266 F
	8206220097*	40-1162		8206140287*	50-266 F
	8206230171	40-1162		8206140291*	50-266 F
Westinghouse Electric Corp	8206230246	40-1162		8206150289	50-301 B
	8012160186*	FOIA		8206150293*	50-301 B
	8205270293	TOPREP		8206160319	50-266 R
	8206020452*	QA999		8206160324*	50-266 R
	8206020456*	QA999		8206160324*	50-266 R
	8206020472*	QA999		8206170114	50-266 Q
	8206020476*	QA999		8206180299	50-266 Q
	8206020488*	QA999		8206180299	50-266 Q
	8206030109	TOPREP		8206210107	50-301 S
	8206070099*	TOPREP		8206210109*	50-301 S
	8206070254*	50-334 P		8206220143	50-266 P
	8206070407	PR		8206220143	50-266 P
	8206080199	TOPREP		8206220213	50-266 P
	8206080202*	TOPREP		8206220307	50-266 P
	8206080492	XPORTLIC		8206220367	50-266 P
	8206090086*	50-338 P		8206220339*	50-266 P
	8206090169*	50-206 P		8206220339*	50-266 P
	8206100268*	50-255 P		8206220339*	50-266 P
	8206100423*	CONTRACT		8206240214	50-266 P
	8206100447	XPORTLIC		8206280153	50-266 Q
	8206100450*	XPORTLIC	Wisconsin Public Service Corp.	8204010204	50-305 R
	8206110048*	CONTRACT		8204010206*	50-305 R
	8206110335	TOPREP		8204070600	FRN
	8206140163*	50-454 Q		8206070706	50-305 B
	8206140163*	50-454 Q		8206070712*	50-305 B
	8206140186*	50-454 Q		8206110075	50-305 P
	8206140186*	50-454 Q		8206140007	50-305 P
	8206140359	70-1143		8206150255	50-305 R
	8206140366*	70-1143		8206150258*	50-305 R
	8206150245*	50-537 A		8206160258*	50-305 F
	8206160263	PR		8206160266*	50-305 F
	8206160491*	71-5874		8206170301	50-305 B
	8206180220	TOPREP		8206170307*	50-305 B
	8206180246	TOPREP		8206170308*	50-305 B
	8206210127*	50-295 P		8206170314*	50-305 B
	8206210138*	50-295 P		8206210273	50-305 P
	8206210149*	50-295 P		8206210493	50-305 P
	8206210572*	50-537 A		8206210507*	50-305 P
	8206210582*	50-537 A		8206220233	50-305 B
	8206210595*	50-537 A		8206220239*	50-305 B
	8206210603*	50-537 A		8206220402	50-305 P
	8206220058*	70-1143		8206220406*	50-305 P
	8206220187	XPORTLIC		8206230224	50-305 P
	8206230064	TOPREP		8206240197	50-305 B
	8206230283	70-1151		8206240199*	50-305 B
	8206250109*	70-1151		8206290201	50-305 H
	8206280275*	FOIA		8206280433	50-305 P
				8206280451*	50-305 P
				8206290180	50-305 B

CORPORATE SOURCE INDEX

551

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
Wisconsin's Environmental Decade	8206290185*	50-305 S
	8206290191*	50-305 S
	8206290194	50-305 F
	8206290199	50-305 P
	8206290297	50-266 H
Wisconsin Univ. of Stevens Point Wolverine Electric Cooperative Wright, Manning & Bagendorph Wyle Laboratories	8206030135	70-852
	8206030080	50-329 H
	8206020200	FOIA
	8206020439*	50-206 F
Wisconsin Mineral Corp	8206080212*	50-333 Q
	8206080216*	50-333 Q
	8206100289*	50-361 Q
	8206220115	40-8502
	8206220121	40-8502
	8206080013	40-8745
	8206080174	40-8745
	8206100448	WASTE MGT
	8206160204	40-8743
	8206160447	40-8743
Yankee Atomic Electric Co	8206160483	40-8793
	8206220103	40-8743
	8206220171	40-8771
	8206010007	50-443 A
	8206010007	50-443 A
	8206010011*	50-443 A
	8206010011*	50-443 A
	8206010013*	50-443 A
	8206010044	50-29 B
	8206010058*	50-29 B
8206010083	50-29 B	
	8206010088*	50-29 B
	8206010470	50-443 A
	8206070341*	50-29 Q
	8206070407	PR
	8206070348	PRM

AUTHOR AFFILIATION	ACCESSION NUMBER	SUBJECT CATEGORY
	8206080017*	50-29 F
	8206080019*	50-29 F
	8206080372	50-29 F
	8206080379*	50-29 F
	8206110317	50-29 B
	8206110320*	50-29 B
	8206140089	50-443 A
	8206150169	50-29 B
	8206150173*	50-29 B
	8206150215*	50-309 G
	8206170343	50-29 P
	8206180003	50-443 A
	8206180191	50-29 P
	8206210476	PR
	8206220382*	50-29 F
	8206220385	50-29 B
	8206220398*	50-29 B
	8206240152	50-29 P
	8206240156	50-29 P
	8206240329	50-443 A
	8206240329	50-443 A
	8206240357	50-29 P
	8206250128	50-29 P
	8206250130*	50-29 P
	8206250180	50-443 A
	8206250180	50-443 A
	8206250211	50-29 P
	8206250233	50-29 P
	8206250242	50-29 G
	8206250291	50-29 P
	8206280270	50-29 P
	8206280526	50-29 S
	8206280831*	50-29 S
	8206300183	50-29 P
	8206300261*	50-29 J
Zack Co.	8206170285	50-373 B

REPORT NUMBER INDEX

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

An asterisk following the accession number in this index indicates that the document is an enclosure to another document. To obtain the accession number of the principal document under which the enclosure is listed, refer to the index entitled "Cross Reference of Enclosures to Principal Documents."

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
0168238	B206080369*	50-387	A	ATC-8017-1-N	B206160148*	TOPREP	
1105-CECO-PR-1 R00	B206140102*	50-237	P	BAW-10096A R04	B206170322*	TOPREP	
45893-01	B206080212*	50-333	G	BAW-1684 R02	B206040258*	50-302	P
804416616	B206100203*	50-313	F	BAW-1704	B206080298*	50-460	A
B206020260	B206020260	REB		BNL-30659	B206030081*	FOIA	
B206020268	B206020268	REB	PNL-4105-2	BNL-NUREG-31049	B206030077*	FOIA	
B206020283	B206020283	REB		COO-691-93	B206300381*	50-337	A
B206020287	B206020287	REB		CE-1-A R21 ERR	B206160236*	50-10	P
B206020290	B206020290	REB		CPC-1-A V01 R12	B206220353*	50-329	A
B206020295	B206020295	REB		CSB 6-2	B206020130*	FOIA	
B206020299	B206020299	REB	ORNL/FTR-1297	D-0026-1	B206160257*	50-387	E
B206080086	B206080086	REB	G-6-312 (R673)	D-0026-2	B206160252*	50-387	E
B206090234	B206090234	REB		D-0026-3	B206160247*	50-387	E
B206100217	B206100217	REB	LD-14-82-081	DET-04-050 R0	B206020376*	50-341	A
B206100324	B206100324	REB		DDE/NWTS-80(2)	B206030087*	FOIA	
B206100339	B206100339	REB	E00-LOFT-5846	DPC-851-21	B206230061*	50-409	P
B206100346	B206100346	REB	ORNL/FTR-1301	E00-1103-4149	B206140341*	50-298	P
B206100350	B206100350	REB		E00-EA-5882	B206300334*	50-155	P
B206100351	B206100351	REB	E00-CAAD-5852	EM 5683 R01	B206100268*	50-259	F
B206100362	B206100362	REB	E00-LOFT-5807	ENICQ-1068	B206020238*	WASTE MGT	UC-70
B206100363	B206100363	REB		ES-011 R1	B103270333*	50-289	P
B206100363	B206100363	REB		ES-LPD-82-007	B206210572*	50-337	A
B206100363	B206100370*	REB		ES-LPD-82-008	B206210582*	50-337	A
B206100363	B206100390*	REB		ES-LPD-82-009	B206210603*	50-337	A
B206100363	B206100372*	REB		ES-LPD-82-011	B206210595*	50-337	A
B206100363	B206100374*	REB		ETR-1001 R11	B206300180*	TOPREP	
B206100363	B206100398*	REB		FPL-NQA-100 R05	B206230083*	50-250	P
B206100363	B206100377*	REB		FBD/BS-M-2083 R01	B206290197*	50-244	F
B206100363	B206100380*	REB		IDVP-TEB-SM-15	B206180158*	50-275	R
B206100363	B206100381*	REB		MLM-2857	B206300076*	71-9510	3511-48 20799
B206100363	B206100393*	REB		MPQP-1 R02	B206220628*	50-329	A
B206100363	B206100383*	REB		NEDO-22139	B206100183*	50-277	P
B206100363	B206100385*	REB		NEDO-22155	B206230103*	TOPREP	B2NEDD060
B206100363	B206100396*	REB	GAN/DOC (82)4	NP-20047 R01	B206300389*	50-337	A
B206100363	B206100388*	REB		NUREG-0090 V04 N04	B206290543	NUREG	
B206100365	B206100365	REB	E00-EA-5855	NUREG-0304 V07 N01	B206230080	NUREG	
B206100369	B206100369	REB	E00-LOFT-5790	NUREG-0485 V04 N04	B206100013	NUREG	
B206100410	B206100410	REB		NUREG-0485 V04 N05	B206240030	NUREG	
B206110184	B206110184	REB		NUREG-0580 V11 N01-4	B206110008	NUREG	
B206110413	B206110413	REB		NUREG-0580 V11 N05	B206230346	NUREG	
B206140261	B206140261	REB		NUREG-0606 V04 N02	B206250018	NUREG	
B206140270	B206140270	REB	BNL-NUREG-31049	NUREG-0748 V02 N04	B206100042	NUREG	
B206140277	B206140277	REB	BNL-NUREG-31048	NUREG-0750 V14 101	B206290346	NUREG	
B206140360	B206140360	REB		NUREG-0786 R01	B206250025	50-337	A
B206140368	B206140368	REB	BNL-NUREG-30328	NUREG-0821 DRFT	B206110322	50-244	P
B206140377	B206140377	REB	BNL-NUREG-31078	NUREG-0837 V01 N03	B206090230	NUREG	
B206140398	B206140398	REB	BNL-NUREG-31296	NUREG-0849	B206020104	NUREG	
B206150050	B206150050	REB	BNL-NUREG-31098	NUREG-0854	B206090137	50-461	D
B206220068	B206220068	REB	BNL-NUREG-31297	NUREG-0857 R02	B206090227	50-328	E
B206240441	B206240441	REB		NUREG-0868	B206180340	NUREG	
B206240470	B206240470	REB	ORNL/ED/EIS-173	NUREG-0878	B206290526	50-482	D
B206250060	B206250060	REB		NUREG-0887	B206170055	50-440	E
B232-5 R01	B206110299*	50-387	F	NUREG-0891	B206170048	NUREG	
AEDD/C203	B206180032*	MISC		NUREG-0903	B206290532	NUREG	
A1-AEC-12709	B206300394*	50-537	A	NUREG-0911	B206240023	50-27	P

REPORT NUMBER INDEX

REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER	REPORT NUMBER	ACCESSION NUMBER	SUBJECT CATEGORY	OTHER REPORT NUMBER
NUREG-0913	8206240021	50-93	P	NUREG/CR-2704	8206290529	NUREG	
NUREG-0914	8206100045	50-244	P	NUREG/CR-2713	8206090117	NUREG	BMI-2091
NUREG-0914 ERR	8206110182	50-244	P	NUREG/CR-2717	8206240072	NUREG	EQO-2195
NUREG-0923	8206240082	NUREG		NUREG/CR-2722	8206100069	NUREG	
NUREG/BR-0025 V08 N7	8206110009	NUREG		NUREG/CR-2736	8206100050	NUREG	
NUREG/BR-0051 V04 N1	8206110012	NUREG		PLO-0147	8206180088*	50-329	A
NUREG/CR-1233 V04	8206100031	NUREG	UCID-18146	SAI-186-029-11R	8206280425*	50-244	P
NUREG/CR-1659 V03	8206240048	50-318	P SAND80-1897 V03	SAI-186-029-31	8206280436*	50-244	P
NUREG/CR-1681	8206090132	NUREG	DPBT-80-4	SAND76-0428	8206040203*	50-537	Q
NUREG/CR-1682 ERR	8206150452	NUREG	SAND81-2366	SAND77-1060	8206040218*	50-537	Q
NUREG/CR-1851	8206250033	NUREG	SAND80-0744	SECY-80-409	8009290492*	FOIA	
NUREG/CR-1890	8206240054	NUREG	BNL-NUREG-51328	SECY-81-245	8104280072*	FOIA	
NUREG/CR-2000 V01 N3	8206110016	NUREG	ORNL/NSIC-200	SECY-81-362	8106300007*	FOIA	
NUREG/CR-2000 V01 N4	8206220025	NUREG	ORNL/NSIC-200	SECY-81-422	8107310272*	FOIA	
NUREG/CR-2019	8206090211	NUREG	PNL-3762	SECY-81-509	8109190031*	FOIA	
NUREG/CR-2039	8206250015	NUREG	BNL-NUREG-51366	SECY-81-687	8112300139*	GEN TEC IS	
NUREG/CR-2059	8206100043	NUREG	EQO-CAAD-5629	SECY-81-707	8201250482*	FOIA	
NUREG/CR-2133	8206140333	NUREG	EPRJ NP-1584	SECY-82-133	8204160252	SECY	
NUREG/CR-2141 V04	8206100030	NUREG	ORNL/TH-8252	SECY-82-178	8203270495*	10CFR	
NUREG/CR-2172	8206110011	NUREG	ORNL/NSIC-195	SECY-82-183	8205240553	SECY	
NUREG/CR-2172 ERR	8206140327	NUREG		SECY-82-185 ERR	8206180355	SECY	
NUREG/CR-2173	8206110001	NUREG	ORNL/NSIC-196	SECY-82-199	8205270723*	10CFR	
NUREG/CR-2173 ERR	8206110002	NUREG	ORNL/NSIC-196	SECY-82-207	8206040481*	10CFR	
NUREG/CR-2192 V01 N2	8206100089	NUREG		SECY-82-208	8206080018*	10CFR	
NUREG/CR-2193 V01 N2	8206100060	NUREG	BNL-NUREG-51410	SL-3876	8206240273*	50-373	P
NUREG/CR-2204 V04	8206100054	NUREG	ORNL/TH-8231	SLI-8121	8206020139*	FOIA	
NUREG/CR-2220 V02	8206100043	NUREG	ORNL/NUREG/TH-3	SMA 12901 02	8112020931*	50-237	Q
NUREG/CR-2221 V04	8206220101	NUREG	ORNL/TH-8250	TER-C5257-274 R01	8202080429*	50-336	P
NUREG/CR-2223	8206230319	NUREG	ORNL/CSD/TH-158	TER-C5257-321	8205200084*	50-237	P
NUREG/CR-2228 V01	8206100021	NUREG	SAND81-1529 V01	TER-C5257-402	8206110193*	50-219	P
NUREG/CR-2279	8206090115	NUREG	SAND81-1732	TER-C5257-416	8206080389*	50-29	P
NUREG/CR-2299 V04	8206090122	NUREG	ORNL/TH-8307	TER-C5257-419	8204030127*	50-244	P
NUREG/CR-2301	8206230340	NUREG	UCRL-15490	TER-C5257-437	8206170252*	50-409	P
NUREG/CR-2314	8206100010	NUREG	SAND81-1906	TER-C5257-528 DRFT	8206040190*	50-219	P
NUREG/CR-2317 V01 N3	8206100034	NUREG	BNL-NUREG-51449	TER-C5506-67/71/76	8202090403*	50-259	P
NUREG/CR-2334	8206220003	NUREG		TR-5539-2	8206040319*	50-373	P
NUREG/CR-2353 V02	8206090122	NUREG	ORNL/TH-7985/P2	TR-5539-2 ADD	8206240195*	50-373	P
NUREG/CR-2359	8206110325	NUREG		TR-5633-1	8206020337*	50-322	A
NUREG/CR-2403 B01	8206110004	NUREG	SAND82-0927	UCID-19127	8205140572*	50-368	P
NUREG/CR-2416	8206100038	NUREG	BNL-NUREG-51480	UCID-19129	8206080162*	50-331	P
NUREG/CR-2417	8206100063	NUREG	BNL-NUREG-51481	UCID-19138	8206300167*	50-206	P
NUREG/CR-2470	8206230031	NUREG	ORNL/TH-8024	UCID-19139	8206300359*	50-243	P
NUREG/CR-2471 ERR	8206230027	NUREG	EQO-2160	UMTRA-DDE/ALQ-0260	8206220032*	WASTE MGT	
NUREG/CR-2473	8206250010	NUREG	SAND81-0933	WAPD-RED(C)-270 R01	8206160491*	71-5874	20607
NUREG/CR-2485 ERR	8206290509	NUREG	ORNL/TH-8159	WM-8203 DRFT	8206160044*	WASTE MGT	
NUREG/CR-2493	8206100007	NUREG	ORNL-5824	XN-NF-1A R04A	8206080370*	TOPREP	
NUREG/CR-2494	8206100022	NUREG	ORNL/CBD/TH-165	Y1003J01A34 R01	8206280513*	50-277	P
NUREG/CR-2495	8206230352	NUREG		Y1003J01A37	8206010547*	50-324	P DRF L12-00306-1
NUREG/CR-2496	8206100059	NUREG		Y1003J01A37 R01	8206010557*	50-324	P DRF L12-00306-1
NUREG/CR-2516 V01 N1	8206090216	NUREG	BNL-NUREG-51499				
NUREG/CR-2518	8206090125	NUREG					
NUREG/CR-2525 V01	8206090135	NUREG					
NUREG/CR-2525 V02	8206090129	NUREG	ORNL/NUREG/TH-4				
NUREG/CR-2525 V03	8206240036	NUREG	ORNL/NUREG/TH-4				
NUREG/CR-2542	8206100087	NUREG	BNL-NUREG-51504				
NUREG/CR-2543	8206100017	NUREG	BNL-NUREG-51506				
NUREG/CR-2544	8206220019	NUREG	ORNL/TH-7859				
NUREG/CR-2545	8206110003	NUREG					
NUREG/CR-2546	8206290049	NUREG	SAND82-0319				
NUREG/CR-2551	8206250040	NUREG	SAND82-0332				
NUREG/CR-2569	8206170031	50-3	P LA-9301-H8				
NUREG/CR-2582	8206160054	NUREG	SAND81-2655				
NUREG/CR-2584	8206220029	NUREG					
NUREG/CR-2587	8206100067	NUREG	ORNL/TH-8237				
NUREG/CR-2588	8206240041	NUREG	SAND82-0410				
NUREG/CR-2597	8206100053	NUREG	ORNL/SUB/80-404				
NUREG/CR-2605	8206100056	NUREG	SAND82-7019				
NUREG/CR-2612	8206240059	NUREG	ORNL/TH-8099				
NUREG/CR-2625	8206110178	NUREG					
NUREG/CR-2625 ERR	8206110178	NUREG					
NUREG/CR-2629	8206290519	NUREG	ORNL/TH-8274				
NUREG/CR-2632	8206100062	NUREG	LA-9276-SR				
NUREG/CR-2633	8206110015	NUREG	LA-9277-H8				
NUREG/CR-2636	8206240066	NUREG	EQO-2183				
NUREG/CR-2637	8206100036	NUREG					
NUREG/CR-2639	8206140312	NUREG					
NUREG/CR-2651	8206170387	NUREG	PNL-4154				
NUREG/CR-2652	8206230328	NUREG	LA-9266-H8				
NUREG/CR-2653	8206100048	NUREG					
NUREG/CR-2681	8206250048	50-537	A SAND82-0720				
NUREG/CR-2685	8206170046	NUREG	BNL-NUREG-51529				
NUREG/CR-2686	8206100063	NUREG	BNL-NUREG-51530				
NUREG/CR-2692	8206110006	NUREG	ORNL/TH-7947				
NUREG/CR-2696	8206240078	NUREG	ORNL/TH-8326				
NUREG/CR-2700	8206100024	NUREG					

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

Items listed as enclosures are those indicated by an asterisk following the accession number in the indexes. The second column gives the accession number of the principal document under which the enclosure is listed. Knowing the accession number of the principal document, the date issued, and the category enables locating the title listing of the enclosure.

The subject category column in this index gives the docket number and the symbol for the category of information within that docket; for example, 50-320 P. The docket subject categories are defined in Appendix A.

Subject categories for nondocketed items are also entered in this column by symbol; for example, ACRS. These categories are defined in Appendix B and listed in the Contents.

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
7903140406	8206090209	82/04/27	FOIA
7906110325	8204220629	82/03/05	50-404 A
7906110326	8204220629	82/03/05	50-404 A
7906110328	8204220629	82/03/05	50-404 A
7908300712	8206280561	82/06/10	FOIA
7910010172	8206280561	82/06/10	FOIA
7910030713	8206230007	82/04/29	FOIA
7910220306	8206230007	82/04/29	FOIA
7911190277	8206280071	82/05/12	FOIA
7911190288	8206280071	82/05/12	50-361 A
8001130180	8206010035	82/04/16	FOIA
8004010198	8206230007	82/04/29	FOIA
8004020834	8206230007	82/04/29	FOIA
8004020858	8204300003	82/04/02	50-346 P
8004240382	8206010035	82/04/16	FOIA
8004290395	8206010035	82/04/16	FOIA
8005320600	8206230007	82/04/29	FOIA
8005330621	8206020094	82/02/22	FOIA
8006230319	8206280071	82/05/12	FOIA
8006230819	8206230007	82/04/29	50-327 A
8006250573	8206230007	82/04/29	50-327
8007030473	8204300003	82/04/02	50-302 S
8007070658	8206230007	82/04/29	FOIA
8007150020	8206280071	82/05/12	50-3 S
8007300327	8206280071	82/05/12	FOIA
8008080199	8206280071	82/05/12	FOIA
8008120232	8206280561	82/06/10	FOIA
8009040613	8206010035	82/04/16	FOIA
8009290492	8206020094	82/02/22	FOIA
8010280520	8206280071	82/05/12	FOIA
8011030055	8206280071	82/05/12	FOIA
8011030374	8206070318	82/06/03	50-322 Q
8011180368	8205130448	82/04/20	50-266 P
8011200273	8206230007	82/04/29	FOIA
8012160186	8206230007	82/04/29	FOIA
8101030099	8206280071	82/05/12	FOIA
8101160049	8206230007	82/04/29	FOIA
8101270484	8206280071	82/05/12	FOIA
8101280002	8206280561	82/06/10	FOIA
8102030611	8204220629	82/03/05	50-516 A
8102090379	8206230007	82/04/29	50-361 A
8102180246	8206280071	82/05/12	FOIA
8102190076	8206230007	82/04/29	FOIA
8102190081	8206230007	82/04/29	FOIA
8102230492	8206230007	82/04/29	50-311 A
8103020313	8206280071	82/05/12	50-200 P
8103030110	8206280071	82/05/12	FOIA
8103060236	8206230007	82/04/29	FOIA
8103090099	8206020203	81/10/30	FOIA
8103090104	8206020203	81/10/30	FOIA

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8103120318	8206230007	82/04/29	FOIA
8103230522	8206230007	82/04/29	50-302 P
8103230706	8206230007	82/04/29	FOIA
8103230710	8206230007	82/04/29	FOIA
8103240705	8206280071	82/05/12	FOIA
8103230472	8206280071	82/05/12	FOIA
8103270322	8206230007	82/04/29	50-289 P
8103270333	8206230007	82/04/29	50-289 P
8103300203	8206280071	82/05/12	FOIA
8103310070	8206010035	82/04/16	FOIA
8103310082	8206010035	82/04/16	FOIA
8103310089	8206010035	82/04/16	FOIA
8103310094	8206010035	82/04/16	FOIA
8103310281	8206230007	82/04/29	FOIA
8103310289	8206230007	82/04/29	FOIA
8104020539	8104160390	81/04/08	50-155 P
8104020512	8104160390	81/04/08	50-155 P
8104020513	8104160390	81/04/08	50-155 P
8104020516	8104160390	81/04/08	50-155 P
8104020517	8104160390	81/04/08	50-155 P
8104020519	8104160390	81/04/08	50-155 P
8104030637	8206280071	82/05/12	50-289 P
8104060372	8206010035	82/04/16	FOIA
8104060385	8206010035	82/04/16	FOIA
8104060390	8206010035	82/04/16	FOIA
8104080391	8206020203	81/10/30	FOIA
8104100137	8206230007	82/04/29	FOIA
8104100255	8206230007	82/04/29	FOIA
8104110651	8206020203	81/10/30	FOIA
8104210021	8206280561	82/06/10	FOIA
8104220460	8206230007	82/04/29	50-361 A
8104220072	8206020094	82/02/22	FOIA
8104220076	8206020094	82/02/22	FOIA
8104220337	8206020203	81/10/30	FOIA
8105040372	8206230007	82/04/29	50-361 A
8105200098	8206230007	82/04/29	50-482 A
81061100183	8206230007	82/04/29	FOIA
81061100241	8206230007	82/04/29	FOIA
8106110210	8206230007	82/04/29	FOIA
8106300007	8206140385	82/06/02	FOIA
8106300008	8206140385	82/06/02	FOIA
8107310272	8206140385	82/06/02	FOIA
81081100050	8206230007	82/04/29	FOIA
8109080323	8206280071	82/05/12	FOIA
8109150031	8206140385	82/06/02	FOIA
8109230783	8206230007	82/04/29	FOIA
8109230784	8206230007	82/04/29	FOIA
8110130118	8206230007	82/04/29	FOIA
8110190120	8206230007	82/04/29	FOIA
8110190280	8205270043	82/05/17	50-327 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER							
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8110220069	8206300367	82/06/24	50-537 A	8204270131	8206280071	82/05/12	50-346 P
8110230007	8206230007	82/04/29	FOIA	8204300009	8205180029	82/04/13	GEN TEC 18
8110230119	8206230007	82/04/29	FOIA	8204300258	8204300003	82/04/02	50-368 S
8110290599	8206230007	82/04/29	FOIA	8204300306	8204300297	82/04/29	50-201 Q
8111020610	8204220358	82/03/29	50-522 A	8204300308	8204300297	82/04/29	50-201 Q
8111030355	8206010035	82/04/16	FOIA	8204300315	8204300297	82/04/29	50-201 Q
8111030647	8206230007	82/04/29	FOIA	8205040027	8206280071	82/05/12	50-302 P
8111040455	8206230007	82/04/29	FOIA	8205050107	8205050100	82/05/04	50-352 A
8111120323	8206280071	82/05/12	FOIA	8205050133	8205180029	82/04/13	GEN TEC 18
8111170117	8206230007	82/04/29	50-245 P	8205050143	8205180029	82/04/13	GEN TEC 18
8111230007	8206230007	82/04/29	50-325 P	8205050156	8205180029	82/04/13	GEN TEC 18
8111300131	8206230007	82/04/29	FOIA	8205050579	8206140363	82/06/02	FOIA
8112010779	8206230007	82/04/29	FOIA	8205060494	8206090002	82/05/11	50-171 F
8112020951	8206020493	82/05/24	50-237 Q	8205100228	8205100225	82/04/28	50-334 S
8112030223	8206280071	82/05/12	FOIA	8205110121	8206070154	82/05/23	50-445 A
8112030225	8206280071	82/05/12	50-312 Q	8205110161	8205050100	82/05/04	50-352 K
8112030231	8206280071	82/05/12	50-312 Q	8205130491	8205130486	82/04/14	CONTRACT
8112030233	8206280071	82/05/12	50-312 Q	8205130330	8206280071	82/05/12	FOIA
8112040131	8206230007	82/04/29	FOIA	8205140572	8205190455	82/05/05	50-368 P
8112290078	8206280071	82/05/12	50-312 P	8205170293	8205170285	82/04/28	50-447 K
8112290081	8206280071	82/05/12	50-312 Q	8205180108	8205180100	82/05/06	50-460 K
8112300139	8206110018	82/04/19	GEN TEC 18	8205180111	8205180100	82/05/06	50-460 C
8201130379	8206100175	82/03/04	50-283 Q	8205180116	8205180100	82/05/06	50-460 K
8201180094	8206280071	82/05/12	FOIA	8205180309	8205180306	82/05/07	50-460 F
8201190627	8206280071	82/05/12	FOIA	8205190357	8206070163	82/03/31	50-3 Q
8201200168	8201200165	82/01/18	50-389 H	8205190361	8206070163	82/03/31	50-3 Q
8201200173	8201200165	82/01/18	50-389 H	8205200084	8206010480	82/05/20	50-237 P
8201200316	8201200511	82/01/15	10CFR	8205260008	8205260229	82/05/19	50-316 S
8201200521	8201200511	82/01/15	10CFR	8205260012	8205260229	82/05/19	50-316 S
8201200529	8201200511	82/01/15	10CFR	8205270051	8205270043	82/05/17	50-327 P
8201200534	8201200511	82/01/15	10CFR	8205270059	8205270043	82/05/17	50-327 P
8201200541	8206150016	82/04/21	50-213 F	8205270499	8206020356	82/05/23	10CFR
8201250015	8206150016	82/04/21	50-309 F	8205270619	8206040245	82/05/23	50-255 F
8201250483	8206010035	82/04/16	FOIA	8205270733	8206080513	82/05/20	10CFR
8201260005	8206230007	82/04/29	50-528 A	8205280396	8205280389	82/05/10	70-143
8201290065	8206150016	82/04/21	50-390 F	8205280404	8205280389	82/05/10	70-143
8201300092	8206230007	82/04/29	FOIA	8205280410	8205280389	82/05/10	70-143
8202050144	8206230007	82/04/29	FOIA	8205280421	8205280389	82/05/10	70-143
8202080429	8206290015	82/06/18	50-336 P	8206010008	8206010004	82/05/10	50-313 F
8202090403	8206010051	82/05/19	50-259 P	8206010007	8206010007	82/05/27	50-443 A
8202120314	8206040511	82/05/25	50-428 F	8206010013	8206010007	82/05/27	50-443 A
8202120318	8206040511	82/05/25	50-428 P	8206010017	8206010017	82/05/20	71-6574
8202120321	8206040511	82/05/25	50-428 P	8206010023	8206010021	82/05/24	50-458 D
8202160018	8206230007	82/04/29	FOIA	8206010025	8206010021	82/05/24	50-458 D
8202170408	8206280071	82/05/12	50-269 P	8206010028	8206010021	82/05/24	50-458 D
8202180137	8206150016	82/04/21	50-260 F	8206010029	8206010020	82/05/18	50-324 B
8202180429	8206280071	82/05/12	FOIA	8206010034	8206010031	82/04/28	50-289 P
8202190419	8206280071	82/05/12	FOIA	8206010038	8206010031	82/04/28	50-289 P
8202250415	8206150016	82/04/21	50-277 F	8206010041	8206010036	82/05/12	40-8598
8202260161	8206150016	82/04/21	50-409 F	8206010043	8206010031	82/04/28	50-289 P
8203010299	8206150016	82/04/21	50-267 F	8206010045	8206010031	82/04/28	50-289 P
8203040291	8206150016	82/04/21	50-293 F	8206010049	8206010046	82/05/06	40-8064
8203040296	8206150016	82/04/21	50-277 P	8206010050	8206010048	82/05/12	50-247 H
8203040508	8206150016	82/04/21	50-312 F	8206010055	8206010051	82/05/19	50-259 F
8203050213	8206280071	82/05/12	50-313 P	8206010057	8206010054	82/05/10	40-8786
8203090690	8206150016	82/04/21	50-219 F	8206010058	8206010044	82/05/20	50-259 S
8203100411	8206280071	82/05/12	FOIA	8206010060	8206010051	82/05/19	50-259 P
8203110473	8206090002	82/05/11	50-259 F	8206010063	8206010051	82/05/19	50-259 P
8203110477	8206090002	82/05/11	50-237 F	8206010066	8206010062	82/05/19	50-247 S
8203110478	8206090002	82/05/11	50-313 F	8206010069	8206010064	82/05/13	40-8745
8203110481	8206090002	82/05/11	50-344 F	8206010074	8206010070	82/05/10	50-250 F
8203120172	8206020014	82/04/26	FOIA	8206010075	8206010035	82/04/16	FOIA
8203120178	8206020014	82/04/26	FOIA	8206010085	8206010035	82/04/16	FOIA
8203120418	8206140363	82/06/02	FOIA	8206010088	8206010083	82/05/20	50-259 S
8203220397	8206160021	82/04/07	50-522 A	8206010094	8206010035	82/04/16	FOIA
8203220311	8206070211	82/05/11	50-373 A	8206010095	8206010092	82/04/30	FOIA
8203240145	8206300392	82/06/07	FOIA	8206010096	8206010089	82/05/17	50-271 S
8203240360	8206280071	82/05/12	FOIA	8206010104	8205190455	82/05/05	50-368 P
8203310344	8203290133	82/03/03	40-2061	8206010105	8206010100	82/05/10	50-261 S
8203310375	8206280071	82/05/12	50-352 A	8206010106	8206010035	82/04/16	FOIA
8204020203	8206160021	82/04/07	50-522 A	8206010108	8206010102	82/05/11	50-89 P
8204090165	8206280071	82/05/12	FOIA	8206010110	8206010103	82/05/21	50-482 K
8204150006	8206280015	82/06/18	50-293 Q	8206010112	8206010109	82/05/19	50-302 S
8204150009	8206280015	82/06/18	50-293 Q	8206010119	8206010102	82/05/11	50-89 P
8204190068	8206230007	82/04/29	FOIA	8206010117	8206010035	82/04/16	FOIA
8204190140	8206230007	82/04/29	FOIA	8206010121	8206010116	82/05/21	50-327 S
8204210755	8206230007	82/04/29	FOIA	8206010122	8206010114	82/05/18	50-325 S
8204220324	8206230007	82/04/29	FOIA	8206010125	8206010035	82/04/16	FOIA
8204220076	811110606	81/11/03	50-271 S	8206010130	8206010124	82/04/22	50-328 S
8204230078	811110776	81/11/02	50-272 S				

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8204270131	8206280071	82/05/12	50-346 P
8204300009	8205180029	82/04/13	GEN TEC 18
8204300258	8204300003	82/04/02	50-368 S
8204300306	8204300297	82/04/29	50-201 Q
8204300308	8204300297	82/04/29	50-201 Q
8204300315	8204300297	82/04/29	50-201 Q
8205040027	8206280071	82/05/12	50-302 P
8205050107	8205050100	82/05/04	50-352 A
8205050133	8205180029	82/04/13	GEN TEC 18
8205050143	8205180029	82/04/13	GEN TEC 18
8205050156	8205180029	82/04/13	GEN TEC 18
8205050579	8206140363	82/06/02	FOIA
8205060494	8206090002	82/05/11	50-171 F
8205100228	8205100225	82/04/28	50-334 S
8205110121	8206070154	82/05/23	50-445 A
8205110161	8205050100	82/05/04	50-352 K
8205130491	8205130486	82/04/14	CONTRACT
8205130330	8206280071	82/05/12	FOIA
8205140572	8205190455	82/05/05	50-368 P
8205170293	8205170285	82/04/28	50-447 K
8205180108	8205180100	82/05/06	50-460 K
8205180111	8205180100	82/05/06	50-460 K
8205180116	8205180100	82/05/06	50-460 K
8205180309	8205180306	82/05/07	50-460 F
8205190357	8206070163	82/03/31	50-3 Q
8205200084	8206010480	82/05/20	50-237 P
8205260008	8205260229	82/05/19	50-316 S
8205260012	8205260229	82/05/19	50-316 S
8205270051	8205270043	82/05/17	50-327 P
8205270059	8205270043	82/05/17	50-327 P
8205270499	8206020356	82/05/23	10CFR
8205270619	8206040245	82/05/23	50-255 F
8205270733	8206080513	82/05/20	10CFR
8205280396	8205280389	82/05/10	70-143
8205280404	8205280389	82/05/10	70-143
8205280410	8205280389	82/05/10	70-143
8205280421	8205280389	82/05/10	70-143
8206010008	8206010004	82/05/10	50-313 S
8206010011	8206010007	82/05/27	50-443 A
8206010013	8206010007	82/05/27	50-443 A
8206010019	8206010017	82/05/20	71-6374
8206010023	8206010021	82/05/24	50-458
8206010025	8206010021	82/05/24	50-458
8206010028	8206010021	82/05/24	50-458
8206010029	8206010020	82/05/18	50-324
8206010034	8206010031	82/04/28	50-289
8206010038	8206010031	82/04/28	50-289
8206010041	8206010036	82/05/12	40-8398
8206010043	8206010031	82/04/28	50-289
8206010045	8206010031	82/04/28	50-289
8206010049	8206010044	82/05/06	40-8064
8206010050	8206010048	82/05/12	50-247
8206010053	8206010051	82/05/19	50-259
8206010057	8206010054	82/05/10	40-8786
8206010058	8206010044	82/05/20	50-29
8206010060	8206010051	82/05/19	50-259
8206010063	8206010051	82/05/19	50-259
8206010066	8206010062	82/05/19	50-247
8206010069	8206010064	82/05/13	40-8745
8206010074	8206010070	82/05/10	50-250
8206010075	8206010035	82/04/16	FOIA
8206010085	8206010035	82/04/16	FOIA
8206010088	8206010083	82/05/20	50-29
8206010094	8206010035	82/04/16	FOIA
8206010095	8206010092	82/04/30	FOIA
8206010096	8206010089	82/05/17	50-271
8206010104	8205190455	82/05/05	50-368
8206010105	8206010100	82/05/10	50-241
8206010106	8206010035	82/04/16	FOIA
8206010110	8206010102	82/05/11	50-89
8206010118	8206010103	82/05/21	50-482
8206010112	8206010109	82/05/19	50-302
8206010119	8206010102	82/05/11	50-89
8206010117	8206010035	82/04/16	FOIA
8206010121	8206010116	82/05/21	50-327
8206010122	8206010114	82/05/18	50-325
8206010125	8206010035	82/04/16	FOIA
8206010130	8206010124	82/04/22	50-328

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

557

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206010132	8206010126	82/05/12	COMMISSION	8206010318	8206010035	82/04/16	FOIA
8206010135	8206010128	82/05/14	50-287 S	8206010321	8206010311	82/04/19	50-302 S
8206010137	8206010126	82/05/12	COMMISSION	8206010322	8206010317	82/05/27	50-322 O
8206010139	8206010126	82/05/12	COMMISSION	8206010323	8206010313	82/04/08	50-302 S
8206010140	8206010134	82/05/17	50-280 S	8206010326	8206010319	82/05/11	50-259 R
8206010143	8206010126	82/05/12	COMMISSION	8206010331	8206010324	82/04/22	50-324 S
8206010145	8206010134	82/05/17	50-280 S	8206010333	8206010330	82/05/12	50-313 R
8206010148	8206010126	82/05/12	COMMISSION	8206010337	8206010329	82/04/23	50-327 S
8206010149	8206010035	82/04/16	FOIA	8206010339	8206010327	82/04/19	50-302 S
8206010150	8206010141	82/05/04	50-324 S	8206010341	8206010035	82/04/16	FOIA
8206010151	8206010134	82/05/17	50-280 S	8206010344	8206010338	82/05/24	50-247 O
8206010157	8206010154	82/05/12	COMMISSION	8206010345	8206010340	82/04/19	50-303 S
8206010158	8206010035	82/04/16	FOIA	8206010347	8206010338	82/04/14	50-247 O
8206010160	8206010153	82/05/17	50-325 S	8206010352	8206010348	82/04/21	50-324 S
8206010161	8206010155	82/05/04	50-259 S	8206010353	8206010035	82/04/16	FOIA
8206010170	8206010164	82/05/12	50-321 S	8206010359	8206010356	82/02/25	50-366 S
8206010173	8206010168	82/05/14	50-358 U	8206010360	8206010035	82/04/16	FOIA
8206010176	8206010035	82/04/16	FOIA	8206010361	8206010355	82/05/13	50-316 R
8206010177	8206010167	82/05/04	50-260 S	8206010362	8206010358	82/05/18	50-325 S
8206010178	8206010172	82/05/14	50-369 S	8206010366	8206010035	82/04/16	FOIA
8206010183	8206010179	82/05/14	COMMISSION	8206010367	8206010363	82/05/17	50-324 S
8206010186	8206010181	82/05/07	50-155 R	8206010369	8206010368	82/05/12	50-206 R
8206010187	8206010035	82/04/16	FOIA	8206010370	8206010035	82/04/16	FOIA
8206010188	8206010179	82/05/14	COMMISSION	8206010372	8206010035	82/04/16	FOIA
8206010190	8206010182	82/05/04	50-296 S	8206010373	8206010371	82/05/25	50-313 O
8206010192	8206010179	82/05/14	COMMISSION	8206010374	8206010365	82/04/08	50-302 S
8206010193	8206010189	82/05/04	50-298 R	8206010377	8206010375	82/03/24	50-361 S
8206010195	8206010179	82/05/14	COMMISSION	8206010387	8206010379	82/04/08	50-302 S
8206010198	8206010194	82/05/18	50-260 S	8206010388	8206010385	82/05/07	50-346 R
8206010200	8206010035	82/04/16	FOIA	8206010393	8206010389	82/04/08	50-302 S
8206010201	8206010196	82/05/18	50-324 S	8206010395	8206010390	82/04/23	50-328 F
8206010203	8206010202	82/05/17	50-325 S	8206010399	8206010395	82/05/17	50-280 R
8206010206	8206010204	82/05/10	50-305 R	8206010402	8206010394	82/04/21	50-324 S
8206010209	8206010035	82/04/16	FOIA	8206010403	8206010396	82/05/17	50-280 R
8206010210	8206010208	82/04/29	50-348 S	8206010404	8206010400	82/05/13	50-313 R
8206010214	8206010035	82/04/16	FOIA	8206010405	8206010398	82/05/25	50-247 O
8206010215	8206010213	82/05/05	50-409 R	8206010406	8206010396	82/05/17	50-280 R
8206010218	8206010212	82/05/11	50-280 S	8206010409	8206010395	82/05/17	50-280 R
8206010220	8206010217	82/05/18	50-325 S	8206010410	8206010398	82/05/25	50-247 O
8206010221	8206010219	82/05/26	50-416 R	8206010412	8206010408	82/05/19	50-335 S
8206010225	8206010212	82/05/11	50-280 S	8206010414	8206010411	82/05/14	50-245 R
8206010226	8206010035	82/04/16	FOIA	8206010420	8206010413	82/04/28	50-328 S
8206010228	8206010223	82/04/23	50-369 S	8206010422	8206010415	82/04/21	50-244 S
8206010229	8206010227	82/05/14	50-327 S	8206010424	8206010418	82/05/18	50-325 S
8206010232	8206010212	82/05/11	50-280 S	8206010425	8206010419	82/04/29	50-324 S
8206010234	8206010230	82/05/18	50-296 S	8206010431	8206010426	82/05/18	50-259 S
8206010236	8206010035	82/04/16	FOIA	8206010438	8206010434	82/05/20	50-366 S
8206010239	8206010233	82/02/25	50-366 S	8206010439	8206010435	82/04/23	50-358 S
8206010240	8206010238	82/05/14	50-247 R	8206010443	8206010437	82/05/17	50-317 R
8206010243	8206010235	82/05/04	50-325 S	8206010446	8206010444	82/05/06	50-267 O
8206010246	8206010245	82/05/12	50-286 R	8206010452	8206010444	82/05/20	50-293 S
8206010251	8206010244	82/04/30	50-280 S	8206010455	8206010445	82/05/20	50-323 S
8206010252	8206010249	82/05/18	50-219 R	8206010459	8206010453	82/05/20	50-323 S
8206010254	8206010035	82/04/16	FOIA	8206010460	8206010434	82/05/19	50-322 O
8206010257	8206010255	82/05/12	50-368 R	8206010461	8206010456	82/05/28	50-337 S
8206010259	8206010250	82/05/18	50-321 S	8206010462	8206010454	82/05/19	50-322 O
8206010260	8206010258	82/05/07	50-133 R	8206010467	8206010463	82/05/20	50-289 P
8206010261	8206010244	82/04/30	50-280 S	8206010469	8206010463	82/04/13	50-259 S
8206010266	8206010263	82/05/06	50-334 R	8206010472	8206010464	82/05/20	50-323 S
8206010267	8206010035	82/04/16	FOIA	8206010474	8206010463	82/05/20	50-289 P
8206010268	8206010244	82/05/10	50-298 R	8206010475	8206010467	82/05/21	50-373 R
8206010271	8206010263	82/05/06	50-334 R	8206010476	8206010468	82/04/23	50-327 S
8206010274	8206010263	82/05/06	50-334 R	8206010483	8206010035	82/04/16	FOIA
8206010275	8206010265	82/05/24	50-296 S	8206010485	8206010479	82/05/20	50-323 S
8206010278	8206010035	82/04/16	FOIA	8206010491	8206010484	82/04/29	50-302 S
8206010281	8206010277	82/05/19	50-338 S	8206010492	8206010486	82/04/22	50-324 S
8206010283	8206010280	82/05/23	50-155 O	8206010495	8206010035	82/04/16	FOIA
8206010284	8206010035	82/04/16	FOIA	8206010498	8206010478	82/04/19	50-302 S
8206010285	8206010279	82/05/21	50-259 S	8206010502	8206010493	82/05/21	50-325 S
8206010294	8206010288	82/05/24	50-528 O	8206010504	8206010494	82/04/21	50-327 S
8206010295	8206010035	82/04/16	FOIA	8206010505	8206010490	82/05/17	50-324 S
8206010296	8206010271	82/05/14	50-230 R	8206010506	8206010497	82/04/28	50-250 S
8206010300	8206010279	82/05/05	50-336 R	8206010507	8206010481	82/05/19	50-312 S
8206010301	8206010035	82/04/16	FOIA	8206010510	8206010503	82/05/14	50-321 S
8206010304	8206010035	82/04/16	FOIA	8206010513	8206010500	82/05/21	50-275 S
8206010308	8206010302	82/04/15	50-324 S	8206010519	8206010511	82/04/30	50-299 S
8206010309	8206010306	82/05/26	50-293 P	8206010525	8206010514	82/05/05	50-328 S
8206010310	8206010315	82/05/24	50-220 P	8206010526	8206010522	82/04/23	50-328 S
8206010312	8206010277	82/05/24	50-133 T	8206010530	8206010517	82/04/19	50-302 S
8206010315	8206010310	82/05/24	50-220 P				

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

558

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206010532	8206010520	82/04/15	50-328 S
8206010539	8206010535	82/05/20	50-324 P
8206010543	8206010534	82/05/19	50-296 S
8206010547	8206010535	82/05/20	50-324 P
8206010551	8206010542	82/04/14	50-259 S
8206010555	8206010546	82/05/20	50-296 S
8206010557	8206010535	82/05/20	50-324 P
8206010562	8206010554	82/05/14	50-338 R
8206010563	8206010550	82/04/08	50-302 S
8206010564	8206010559	82/05/21	50-267 S
8206010567	8206010560	82/04/14	50-259 S
8206010568	8206010558	82/05/20	50-281 S
8206010576	8206010565	82/05/19	50-204 S
8206010578	8206010571	82/05/20	50-366 S
8206010579	8206010572	82/04/15	50-327 S
8206010580	8206010575	82/05/14	50-293 R
8206010582	8206010569	82/05/20	50-259 S
8206010585	8206010574	82/04/02	50-280 S
8206010589	8206010577	82/04/20	50-259 S
8206010590	8206010584	82/04/21	50-321 S
8206010592	8206010586	82/04/15	50-327 S
8206010593	8206010588	82/05/10	50-344 R
8206010594	8206010574	82/04/02	50-280 S
8206010595	8206010581	82/05/03	50-336 S
8206010599	8206010591	82/05/07	50-280 S
8206010601	8206010587	82/05/21	50-302 S
8206010603	8206010597	82/04/28	50-364 S
8206010604	8206010574	82/04/02	50-280 S
8206010605	8206010598	82/04/20	50-259 S
8206010606	8206010600	82/04/15	50-328 S
8206010608	8206010591	82/05/07	50-280 S
8206010611	8206010602	82/05/14	50-361 R
8206010612	8206010596	82/04/22	50-324 S
8206010613	8206010574	82/04/02	50-280 S
8206010617	8206010609	82/04/13	50-260 S
8206010619	8206010614	82/05/14	50-313 R
8206010620	8206010607	82/05/24	50-348 S
8206010621	8206010615	82/04/23	50-280 S
8206010625	8206010618	82/05/10	50-348 S
8206010626	8206010615	82/04/23	50-280 S
8206010627	8206010614	82/04/29	50-302 S
8206010628	8206010610	82/05/25	50-244 P
8206010634	8206010615	82/04/23	50-280 S
8206010637	8206010630	82/05/07	50-261 S
8206010639	8206010629	82/05/18	50-324 S
8206010640	8206010610	82/05/25	50-244 P
8206010642	8206010633	82/05/25	50-366 S
8206010643	8206010614	82/05/14	50-313 R
8206010644	8206010638	82/05/19	50-382 Q
8206010647	8206010636	82/04/08	50-302 S
8206010651	8206010635	82/04/15	50-325 S
8206010653	8206010610	82/05/25	50-244 P
8206010656	8206010646	82/05/04	50-275 R
8206010657	8206010645	82/05/10	50-324 S
8206010660	8206010649	82/05/19	50-338 S
8206010662	8206010650	82/04/28	50-321 S
8206010663	8206010610	82/05/25	50-244 P
8206010669	8206010654	82/05/21	50-327 S
8206010671	8206010666	82/05/19	50-338 S
8206010673	8206010664	82/04/19	50-324 S
8206010682	8206010668	82/05/25	50-361 Q
8206010691	8206010685	82/05/20	50-361 K
8206010693	8206010687	82/05/12	50-498 Q
8206010697	8206010685	82/05/20	50-361 F
8206010698	8206010696	82/05/06	50-244 R
8206010735	8206010734	82/05/13	70-2884
8206010739	8206010738	82/05/11	71-475
8206010743	8206010742	82/04/23	70-1193
8206020008	8206020004	82/05/12	40-8598
8206020024	8206020017	82/05/20	50-443 A
8206020029	8206020025	82/05/20	50-255 Q
8206020039	8206020035	82/05/19	50-346 Q
8206020041	8206020034	82/05/25	50-269 F
8206020046	8206020014	82/04/26	50-321 F
8206020047	8206020034	82/05/25	50-269 F
8206020049	8206020014	82/04/26	FOIA
8206020057	8206020014	82/04/26	50-280 F
8206020058	8206020034	82/05/25	50-269 F
8206020061	8206020054	82/05/24	50-316 S
8206020063	8206020034	82/05/25	50-269 F

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206020064	8206020039	82/05/21	50-272 F
8206020075	8206020062	81/11/04	50-352 A
8206020077	8206020072	82/05/25	50-321 F
8206020078	8206020071	82/05/25	50-315 F
8206020081	8206020072	82/05/25	50-321 F
8206020083	8206020071	82/05/25	50-315 F
8206020090	8206020085	82/05/25	50-315 F
8206020093	8206020087	82/05/25	50-320 F
8206020096	8206020085	82/05/25	50-315 F
8206020100	8206020087	82/05/25	50-320 F
8206020106	8206020094	82/02/22	50-369 Q
8206020114	8206020108	82/05/25	50-259 F
8206020117	8206020094	82/02/22	FOIA
8206020121	8206020108	82/05/25	50-259 F
8206020122	8206020120	82/05/25	50-261 F
8206020125	8206020094	82/02/22	FOIA
8206020127	8206020120	82/05/25	50-261 F
8206020130	8206020094	82/02/22	FOIA
8206020133	8206020094	82/02/22	FOIA
8206020136	8206020131	82/05/25	50-313 F
8206020138	8206020124	82/05/25	50-373 F
8206020139	8206020094	82/02/22	FOIA
8206020143	8206020131	82/05/25	50-313 F
8206020145	8206020094	82/02/22	FOIA
8206020151	8206020124	82/05/25	50-373 F
8206020153	8206020147	82/05/25	50-331 F
8206020156	8206020147	82/05/25	50-331 F
8206020160	8206020147	82/05/25	50-331 F
8206020169	8206020159	82/05/25	50-266 F
8206020172	8206020166	82/05/25	50-263 F
8206020174	8206020159	82/05/25	50-266 F
8206020177	8206020166	82/05/25	50-263 F
8206020184	8206020180	82/05/25	50-321 F
8206020187	8206020180	82/05/25	50-321 F
8206020188	8206020179	82/05/25	50-254 F
8206020193	8206020179	82/05/25	50-254 F
8206020196	8206020191	82/05/25	50-244 F
8206020202	8206020191	82/05/25	50-244 F
8206020204	8206020198	82/05/25	50-348 F
8206020210	8206020203	81/10/30	FOIA
8206020213	8206020203	81/10/30	FOIA
8206020216	8206020198	82/05/25	50-348 F
8206020218	8206020203	81/10/30	FOIA
8206020219	8206020215	82/03/24	40-8200
8206020222	8206020203	81/10/30	FOIA
8206020226	8206020223	82/05/12	50-344 P
8206020227	8206020220	82/05/17	50-339 P
8206020228	8206020203	81/10/30	FOIA
8206020230	8206020223	82/05/12	50-344 P
8206020231	8206020224	82/05/05	WASTE MGT
8206020233	8206020223	82/05/12	50-344 P
8206020234	8206020220	82/05/17	50-339 P
8206020235	8206020203	81/10/30	FOIA
8206020238	8206020224	82/05/05	WASTE MGT
8206020241	8206020220	82/05/17	50-339 P
8206020242	8206020237	82/05/10	50-298 P
8206020243	8206020203	81/10/30	FOIA
8206020246	8206020237	82/05/10	50-298 P
8206020247	8206020237	82/08/10	50-298 P
8206020263	8206020203	81/10/30	FOIA
8206020274	8206020271	82/05/26	50-329 A
8206020276	8206020271	82/05/26	50-329 A
8206020277	8206020203	81/10/30	FOIA
8206020279	8206020203	81/10/30	FOIA
8206020280	8206020203	81/10/30	FOIA
8206020281	8206020203	81/10/30	FOIA
8206020284	8206020203	81/10/30	FOIA
8206020288	8206020286	82/05/17	50-339 P
8206020297	8206020293	82/05/26	50-298 Q
8206020300	8206020296	82/05/25	50-316 S
8206020306	8206020303	82/05/18	50-249 S
8206020307	8206020305	82/05/12	50-275 Q
8206020310	8206020309	82/05/24	50-346 S
8206020313	8206020311	82/05/25	50-308 A
8206020318	8206020316	82/05/14	GA999
8206020319	8206020316	82/05/14	GA999
8206020324	8206020322	82/05/27	50-220 I
8206020332	8206020203	81/10/30	FOIA
8206020334	8206020203	81/10/30	FOIA
8206020336	8206020203	81/10/30	FOIA

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

559

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206020337	8206020331	82/05/26	50-322 A	8206030039	8206030033	82/01/25	FOIA
8206020340	8206020203	81/10/30	FOIA	8206030041	8206030037	82/05/13	FOIA
8206020343	8206020203	81/10/30	FOIA	8206030046	8206030033	82/01/25	FOIA
8206020345	8206020203	81/10/30	FOIA	8206030052	8206030048	82/05/24	FOIA
8206020346	8206020341	82/05/24	50-304 B	8206030053	8206030050	82/05/26	CONTRACT
8206020356	8206020351	82/05/24	50-275 S	8206030055	8206030033	82/01/25	FOIA
8206020363	8206020358	82/05/26	27-48	8206030056	8206030048	82/05/24	FOIA
8206020364	8206020357	82/05/20	50-263 B	8206030057	8206030048	82/05/24	FOIA
8206020365	8206020359	82/05/25	50-249 F	8206030058	8206030033	82/01/25	FOIA
8206020375	8206020369	82/05/20	50-285 P	8206030059	8206030048	82/01/25	FOIA
8206020376	8206020370	82/05/26	50-341 A	8206030060	8206030048	82/05/24	FOIA
8206020381	8206020312	82/05/27	50-220 I	8206030061	8206030033	82/01/25	FOIA
8206020385	8206020312	82/05/27	50-220 I	8206030066	8206030048	82/05/24	FOIA
8206020389	8206020203	81/10/30	FOIA	8206030067	8206030062	82/05/25	50-348 F
8206020390	8206020384	82/05/27	50-250 Q	8206030070	8206030033	82/01/25	FOIA
8206020397	8206020392	82/05/27	50-255 Q	8206030071	8206030062	82/05/25	50-348 F
8206020401	8206020396	82/05/10	50-375 G	8206030072	8206030048	82/05/24	FOIA
8206020404	8206020394	82/05/20	50-254 P	8206030075	8206030048	82/05/24	FOIA
8206020412	8206020409	82/05/26	50-382 A	8206030077	8206030048	82/05/24	FOIA
8206020418	8206020371	82/05/28	50-313 P	8206030078	8206030033	82/01/25	FOIA
8206020421	8206020420	82/05/26	50-395 A	8206030081	8206030048	82/05/24	FOIA
8206020431	8206020424	82/05/11	50-362 Q	8206030086	8206030033	82/01/25	FOIA
8206020437	8206020432	82/05/25	50-315 S	8206030087	8206030048	82/05/24	FOIA
8206020438	8206020312	82/05/27	50-220 I	8206030091	8206030033	82/01/25	FOIA
8206020439	8206020433	82/05/28	50-206 F	8206030098	8206030094	82/05/28	50-275 R
8206020451	8206020443	82/05/21	50-373 Q	8206030100	8206020181	82/05/12	50-443 F
8206020452	8206020450	82/05/27	GA999	8206030103	8206030102	82/05/26	70-356
8206020454	8206020450	82/05/27	GA999	8206030108	8206030104	82/05/28	50-275 R
8206020456	8206020450	82/05/27	GA999	8206030118	8206030116	82/05/12	50-245 Q
8206020458	8206020443	82/05/21	50-373 Q	8206030127	8206030120	82/05/27	50-244 P
8206020460	8206020455	82/05/18	50-312 Q	8206030129	8206030119	82/05/13	70-2761
8206020463	8206020450	82/05/27	GA999	8206030130	8206030033	82/01/25	FOIA
8206020467	8206020203	81/10/30	FOIA	8206030132	8206030033	82/01/25	FOIA
8206020469	8206020466	82/05/28	50-358 K	8206030133	8206030126	82/04/20	70-820
8206020471	8206020464	82/05/27	GA999	8206030136	8206030135	82/05/17	70-832
8206020472	8206020450	82/05/27	GA999	8206030137	8206030033	82/01/25	FOIA
8206020473	8206020203	81/10/30	FOIA	8206030142	8206030033	82/01/25	FOIA
8206020475	8206020470	82/05/17	50-460 Q	8206030151	8206030150	82/03/10	50-10 R
8206020476	8206020450	82/05/27	GA999	8206030152	8206030033	82/01/25	FOIA
8206020482	8206020203	81/10/30	FOIA	8206030155	8206030153	82/05/24	50-352 Q
8206020483	8206020450	82/05/27	GA999	8206030156	8206030033	82/01/25	FOIA
8206020484	8206020470	82/05/17	50-460 Q	8206030159	8206030033	82/01/25	FOIA
8206020486	8206020479	82/05/11	50-206 Q	8206030161	8206030033	82/01/25	FOIA
8206020487	8206020478	82/05/28	50-461 E	8206030164	8206030033	82/01/25	FOIA
8206020488	8206020450	82/05/27	GA999	8206030165	8206030163	82/05/20	50-219 B
8206020489	8206020481	82/05/27	GA999	8206030166	8206030033	82/01/25	FOIA
8206020492	8206020481	82/05/27	GA999	8206030167	8206030163	82/05/20	50-219 B
8206020497	8206020481	82/05/27	GA999	8206030169	8206030168	82/05/24	50-352 Q
8206020498	8206020203	81/10/30	FOIA	8206030170	8206030033	82/01/25	FOIA
8206020502	8206020493	82/05/24	50-237 Q	8206030171	8206030163	82/05/20	50-219 B
8206020507	8206020500	82/05/10	50-528 Q	8206030181	8206030033	82/01/25	FOIA
8206020515	8206020203	81/10/30	FOIA	8206030185	8206030184	82/05/12	50-352 Q
8206020517	8206020513	82/05/26	50-277 P	8206030192	8206030191	82/05/12	50-311 B
8206020522	8206020813	82/05/26	50-277 P	8206030196	8206030193	82/06/01	50-416 A
8206020525	8206020520	82/05/26	50-498 Q	8206030203	8206030033	82/01/25	FOIA
8206020529	8206020521	82/05/17	50-373 B	8206030206	8206030202	82/05/21	50-247 B
8206020530	8206020516	82/05/27	50-250 Q	8206030212	8206030182	82/05/26	50-275 R
8206020535	8206020531	82/05/18	50-155 Q	8206030216	8206030211	82/05/17	50-387 Q
8206020536	8206020532	82/05/28	50-447 K	8206030218	8206030214	82/05/20	50-219 B
8206020537	8206020203	81/10/30	FOIA	8206030222	8206030219	82/05/17	50-220 Q
8206020541	8206020533	82/05/28	50-315 Q	8206030224	8206030221	82/05/21	70-687
8206020543	8206020538	82/05/14	GA999	8206030227	8206030219	82/05/17	50-220 Q
8206020547	8206020544	82/05/26	50-334 P	8206030229	8206030221	82/05/21	70-687
8206020548	8206020203	81/10/30	FOIA	8206030230	8206030225	82/05/25	50-269 P
8206020555	8206020203	81/10/30	FOIA	8206030231	8206030228	82/05/19	50-272 B
8206020557	8206020553	82/05/17	50-113 Q	8206030235	8206030232	82/05/17	50-219 Q
8206020558	8206020203	81/10/30	FOIA	8206030237	8206030234	82/05/12	50-333 Q
8206020560	8206020545	82/05/21	50-295 B	8206030241	8206030238	82/05/26	50-220 Q
8206020562	8206020559	82/05/12	50-528 B	8206030247	8206030245	82/05/19	50-272 B
8206020563	8206020551	82/05/21	50-295 P	8206030249	8206030033	82/01/25	FOIA
8206020564	8206020203	81/10/30	FOIA	8206030250	8206030033	82/01/25	FOIA
8206020565	8206020559	82/05/12	50-528 Q	8206030252	8206030033	82/01/25	FOIA
8206020567	8206020203	81/10/30	FOIA	8206030254	8206030033	82/01/25	FOIA
8206020568	8206020203	81/10/30	FOIA	8206030255	8206030251	82/05/24	50-387 Q
8206020571	8206020569	82/05/26	50-302 P	8206030256	8206030253	82/05/12	50-387 Q
8206020575	8206020572	82/05/28	50-458 Q	8206030257	8206030033	82/01/25	FOIA
8206020578	8206020572	82/05/28	50-458 Q	8206030260	8206030033	82/01/25	FOIA
8206020580	8206020577	82/05/26	CONTRACT	8206030261	8206030033	82/01/25	FOIA
8206020583	8206020581	82/04/27	50-518 A	8206030262	8206030258	82/05/25	50-277 Q
8206030032	8206030027	82/05/21	50-443 A	8206030263	8206030033	82/01/25	FOIA

TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206030264	8206030259	82/05/20	50-219 S	8206040359	8206040354	82/05/12	70-143
8206030266	8206030033	82/01/25	FOIA	8206040360	8206040356	82/05/19	50-272 Q
8206030268	8206030033	82/01/25	FOIA	8206040361	8206040357	82/05/27	NUREG
8206030269	8206030265	82/05/12	50-311 S	8206040371	8206040356	82/05/19	50-272 Q
8206030270	8206030267	82/05/12	50-334 Q	8206040374	8206040357	82/05/07	70-824
8206030281	8206030278	82/05/24	50-352 Q	8206040378	8206040372	82/05/26	50-247 Q
8206030283	8206030282	82/05/10	40-2225	8206040379	8206040363	82/05/28	50-273 R
8206030287	8206030285	82/05/10	40-3453	8206040394	8206040390	82/05/23	50-322 T
8206030310	8206030309	82/05/27	50-328 Q	8206040396	8206040392	82/05/19	50-237 P
8206030322	8206030318	82/05/07	40-8355	8206040399	8206040390	82/05/23	50-322 T
8206030328	8206030325	82/04/26	XPORTLIC	8206040400	8206040395	82/05/20	50-361 F
8206040015	8206040012	82/05/11	71-236	8206040402	8206040392	82/05/19	50-237 P
8206040033	8206040029	82/05/24	CONTRACT	8206040403	8206040397	82/04/27	70-1113
8206040039	8206040037	82/05/26	50-320 T	8206040404	8206040390	82/05/23	50-322 T
8206040048	8206040044	82/05/24	XPORTLIC	8206040405	8206040392	82/05/19	50-237 P
8206040065	8206040063	82/05/24	50-259 P	8206040408	8206040390	82/05/23	50-322 T
8206040067	8206040063	82/05/24	50-259 P	8206040411	8206040390	82/05/23	50-322 T
8206040068	8206040063	82/05/24	50-259 P	8206040414	8206040390	82/05/23	50-322 T
8206040071	8206040070	82/05/27	50-247 Q	8206040417	8206040413	82/05/28	50-219 P
8206040092	8206040088	82/05/21	50-373 S	8206040419	8206040412	82/05/23	50-308 K
8206040102	8206040098	82/05/23	50-219 S	8206040420	8206040390	82/05/23	50-322 T
8206040103	8206040100	82/06/01	XPORTLIC	8206040423	8206040412	82/05/23	50-308 M
8206040113	8206040107	82/05/21	50-317 Q	8206040426	8206040412	82/05/23	50-308 K
8206040116	8206040113	82/06/02	50-356 Q	8206040427	8206040390	82/05/23	50-322 T
8206040119	8206040114	82/05/28	50-461 Q	8206040428	8206040412	82/05/23	50-308 C
8206040130	8206040127	82/05/26	50-244 F	8206040430	8206040412	82/05/23	50-308 F
8206040131	8206040121	82/05/26	50-244 Q	8206040432	8206040390	82/05/23	50-322 T
8206040134	8206040126	82/05/23	50-247 Q	8206040434	8206040412	82/05/23	50-308 K
8206040135	8206040129	82/05/18	70-2683	8206040435	8206040390	82/05/23	50-322 T
8206040145	8206040138	82/05/27	50-273 Q	8206040481	8206040474	82/06/01	10CFR
8206040146	8206040136	82/05/26	50-213 Q	8206040503	8206040500	82/04/02	40-6622
8206040147	8206040139	82/05/26	50-393 Q	8206040523	8206040511	82/05/23	50-428 P
8206040148	8206040143	82/06/01	50-247 Q	8206040526	8206040511	82/05/23	50-463 P
8206040151	8206040143	82/06/01	50-247 Q	8206040528	8206040511	82/05/23	50-463 P
8206040154	8206040143	82/06/01	50-247 Q	8206040529	8206040511	82/05/23	50-463 P
8206040157	8206040143	82/06/01	50-247 Q	8206040530	8206040511	82/05/23	50-463 P
8206040159	8206040156	82/05/13	50-237 P	8206070003	8206070001	82/05/14	PR
8206040160	8206040143	82/06/01	50-247 Q	8206070004	8206070001	82/05/14	PR
8206040161	8206040156	82/05/13	50-237 P	8206070005	8206070001	82/05/14	PR
8206040163	8206040158	82/05/24	70-1257	8206070006	8206070001	82/05/14	PR
8206040166	8206040156	82/05/13	50-237 P	8206070007	8206070001	82/05/14	PR
8206040169	8206040163	82/06/01	50-309 Q	8206070008	8206070002	82/01/04	ACRS
8206040173	8206040162	82/05/28	50-356 Q	8206070010	8206070001	82/05/14	PR
8206040176	8206040170	82/04/29	70-27	8206070011	8206070001	82/05/14	PR
8206040179	8206040171	82/05/23	50-206 Q	8206070012	8206070001	82/05/14	PR
8206040181	8206040177	82/05/19	50-410 Q	8206070013	8206070001	82/05/14	PR
8206040187	8206040177	82/05/23	50-410 Q	8206070014	8206070001	82/05/14	PR
8206040190	8206040182	82/05/13	50-219 P	8206070016	8206070001	82/05/14	PR
8206040193	8206040175	82/05/23	50-312 S	8206070017	8206070001	82/05/14	PR
8206040194	8206040185	82/05/28	50-333 Q	8206070018	8206070001	82/05/14	PR
8206040201	8206040197	82/05/26	50-389 K	8206070019	8206070001	82/05/14	PR
8206040203	8206040200	82/05/28	50-537 Q	8206070021	8206070001	82/05/14	PR
8206040217	8206040212	82/05/27	50-155 Q	8206070022	8206070001	82/05/14	PR
8206040218	8206040200	82/05/28	50-537 Q	8206070023	8206070001	82/05/14	PR
8206040220	8206040212	82/05/27	50-155 Q	8206070024	8206070001	82/05/14	PR
8206040240	8206040236	82/06/01	50-153 T	8206070026	8206070001	82/05/14	PR
8206040253	8206040231	82/05/18	50-373 S	8206070027	8206070001	82/05/14	PR
8206040254	8206040244	82/05/28	50-302 P	8206070029	8206070001	82/05/14	PR
8206040258	8206040244	82/05/28	50-302 P	8206070031	8206070001	82/05/14	PR
8206040265	8206040261	82/05/26	50-312 Q	8206070033	8206070001	82/05/14	PR
8206040268	8206040263	82/05/13	50-244 Q	8206070035	8206070001	82/05/14	PR
8206040271	8206040266	82/05/29	50-498 Q	8206070036	8206070001	82/05/14	PR
8206040275	8206040273	82/05/28	50-498 Q	8206070037	8206070001	82/05/14	PR
8206040283	8206040279	82/05/23	50-322 T	8206070040	8206070001	82/05/14	PR
8206040284	8206040280	82/04/21	50-253 P	8206070041	8206070001	82/05/14	PR
8206040298	8206040294	82/06/01	50-322 T	8206070043	8206070001	82/05/14	PR
8206040304	8206040293	82/05/21	REOPD	8206070044	8206070001	82/05/14	PR
8206040309	8206040306	82/05/22	50-244 P	8206070047	8206070001	82/05/14	PR
8206040313	8206040306	82/05/22	50-244 P	8206070048	8206070001	82/05/14	PR
8206040319	8206040316	82/06/01	50-373 P	8206070050	8206070001	82/05/14	PR
8206040320	8206040315	82/05/18	50-10 F	8206070051	8206070001	82/05/14	PR
8206040322	8206040317	82/05/28	50-352 Q	8206070054	8206070001	82/05/14	PR
8206040323	8206040321	82/05/13	50-354 Q	8206070055	8206070001	82/05/14	PR
8206040325	8206040321	82/05/13	50-354 Q	8206070057	8206070053	82/06/01	50-206 S
8206040329	8206040327	82/05/21	50-309 Q	8206070058	8206070001	82/05/14	PR
8206040331	8206040327	82/05/21	50-309 Q	8206070060	8206070001	82/05/14	PR
8206040335	8206040333	82/05/07	70-1201	8206070061	8206070001	82/05/14	PR
8206040342	8206040339	82/05/26	50-316 S	8206070063	8206070001	82/05/14	PR
8206040347	8206040344	82/05/28	50-461 K	8206070064	8206070059	82/05/20	50-366 S
8206040353	8206040344	82/05/28	50-461 F	8206070065	8206070001	82/05/14	PR

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

561

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206070066	8206070001	82/05/14	PR	8206070067	8206070001	82/05/14	PR
8206070069	8206070001	82/05/14	PR	8206070070	8206070067	82/05/25	50-321 B
8206070070	8206070067	82/05/25	50-321 B	8206070071	8206070001	82/05/14	PR
8206070071	8206070001	82/05/14	PR	8206070074	8206040007	82/05/24	CONTRACT
8206070074	8206040007	82/05/24	CONTRACT	8206070078	8206070075	82/05/26	50-325 B
8206070078	8206070075	82/05/26	50-325 B	8206070079	8206070077	82/05/20	50-321 B
8206070079	8206070077	82/05/20	50-321 B	8206070087	8206070084	82/05/27	50-364 B
8206070087	8206070084	82/05/27	50-364 B	8206070091	8206070084	82/05/27	50-364 B
8206070091	8206070084	82/05/27	50-364 B	8206070099	8206070097	82/05/28	TOPREP
8206070099	8206070097	82/05/28	TOPREP	8206070101	8206070096	82/05/25	50-321 B
8206070101	8206070096	82/05/25	50-321 B	8206070103	8206070098	82/05/26	PRQJ
8206070103	8206070098	82/05/26	PRQJ	8206070114	8206070085	82/05/26	50-259 B
8206070114	8206070085	82/05/26	50-259 B	8206070116	8206070112	82/05/28	50-331 F
8206070116	8206070112	82/05/28	50-331 F	8206070117	8206070109	82/05/25	50-366 B
8206070117	8206070109	82/05/25	50-366 B	8206070123	8206070119	82/05/27	50-348 B
8206070123	8206070119	82/05/27	50-348 B	8206070126	8206070119	82/05/27	50-348 B
8206070126	8206070119	82/05/27	50-348 B	8206070127	8206070120	82/05/24	50-333 S
8206070127	8206070120	82/05/24	50-333 S	8206070128	8206070125	82/05/17	50-269 Q
8206070128	8206070125	82/05/17	50-269 Q	8206070129	8206070124	82/06/03	50-537 Q
8206070129	8206070124	82/06/03	50-537 Q	8206070131	8206070119	82/05/27	50-348 B
8206070131	8206070119	82/05/27	50-348 B	8206070136	8206070132	82/05/28	50-298 B
8206070136	8206070132	82/05/28	50-298 B	8206070138	8206070125	82/05/17	50-269 Q
8206070138	8206070125	82/05/17	50-269 Q	8206070143	8206070139	82/05/27	50-368 B
8206070143	8206070139	82/05/27	50-368 B	8206070153	8206070148	82/05/18	CONTRACT
8206070153	8206070148	82/05/18	CONTRACT	8206070155	8206070149	82/05/20	50-321 B
8206070155	8206070149	82/05/20	50-321 B	8206070156	8206070151	82/05/19	50-254 P
8206070156	8206070151	82/05/19	50-254 P	8206070162	8206070157	82/05/28	50-327 G
8206070162	8206070157	82/05/28	50-327 G	8206070164	8206070159	82/05/27	50-324 S
8206070164	8206070159	82/05/27	50-324 S	8206070174	8206070166	82/05/26	50-339 B
8206070174	8206070166	82/05/26	50-339 B	8206070178	8206070169	82/05/28	50-328 B
8206070178	8206070169	82/05/28	50-328 B	8206070181	8206070173	82/05/27	50-373 F
8206070181	8206070173	82/05/27	50-373 F	8206070186	8206070182	82/05/17	REGID
8206070186	8206070182	82/05/17	REGID	8206070188	8206070179	82/05/28	50-327 B
8206070188	8206070179	82/05/28	50-327 B	8206070192	8206070185	82/05/27	50-320 F
8206070192	8206070185	82/05/27	50-320 F	8206070198	8206070185	82/05/27	50-320 F
8206070198	8206070185	82/05/27	50-320 F	8206070202	8206070197	82/05/20	50-307 X
8206070202	8206070197	82/05/20	50-307 X	8206070204	8206070196	82/05/27	50-269 F
8206070204	8206070196	82/05/27	50-269 F	8206070206	8206070201	82/06/04	50-537 C
8206070206	8206070201	82/06/04	50-537 C	8206070208	8206070196	82/05/27	50-269 F
8206070208	8206070196	82/05/27	50-269 F	8206070210	8206070205	82/05/27	50-313 F
8206070210	8206070205	82/05/27	50-313 F	8206070212	8206070207	82/05/28	CONTRACT
8206070212	8206070207	82/05/28	CONTRACT	8206070213	8206070200	82/05/28	50-54 F
8206070213	8206070200	82/05/28	50-54 F	8206070214	8206070196	82/05/27	50-269 F
8206070214	8206070196	82/05/27	50-269 F	8206070216	8206070209	82/05/27	50-366 B
8206070216	8206070209	82/05/27	50-366 B	8206070217	8206070205	82/05/27	50-113 F
8206070217	8206070205	82/05/27	50-113 F	8206070219	8206070215	82/05/28	CONTRACT
8206070219	8206070215	82/05/28	CONTRACT	8206070223	8206070211	82/05/11	50-373 A
8206070223	8206070211	82/05/11	50-373 A	8206070225	8206070218	82/05/27	50-373 F
8206070225	8206070218	82/05/27	50-373 F	8206070226	8206070221	82/06/02	50-361 P
8206070226	8206070221	82/06/02	50-361 P	8206070228	8206070211	82/05/27	50-373 A
8206070228	8206070211	82/05/27	50-373 A	8206070229	8206070218	82/05/27	50-373 F
8206070229	8206070218	82/05/27	50-373 F	8206070230	8206070221	82/06/02	50-361 P
8206070230	8206070221	82/06/02	50-361 P	8206070235	8206070211	82/05/11	50-373 A
8206070235	8206070211	82/05/11	50-373 A	8206070238	8206070232	82/05/27	50-373 F
8206070238	8206070232	82/05/27	50-373 F	8206070239	8206070211	82/05/11	50-373 A
8206070239	8206070211	82/05/11	50-373 A	8206070240	8206070234	82/05/28	50-313 R
8206070240	8206070234	82/05/28	50-313 R	8206070241	8206070232	82/05/27	50-373 F
8206070241	8206070232	82/05/27	50-373 F	8206070242	8206070211	82/05/11	50-373 A
8206070242	8206070211	82/05/11	50-373 A	8206070246	8206070211	82/05/11	50-373 A
8206070246	8206070211	82/05/11	50-373 A	8206070252	8206070211	82/05/11	50-374 A
8206070252	8206070211	82/05/11	50-374 A	8206070254	8206070249	82/05/27	50-334 P
8206070254	8206070249	82/05/27	50-334 P	8206070256	8206070211	82/05/11	50-373 A
8206070256	8206070211	82/05/11	50-373 A	8206070258	8206070211	82/05/11	50-373 A
8206070258	8206070211	82/05/11	50-373 A	8206070260	8206070251	82/04/30	50-289 R
8206070260	8206070251	82/04/30	50-289 R	8206070263	8206070211	82/05/11	50-373 P
8206070263	8206070211	82/05/11	50-373 P	8206070266	8206070211	82/05/11	50-373 A
8206070266	8206070211	82/05/11	50-373 A	8206070272	8206070211	82/05/11	50-373 A
8206070272	8206070211	82/05/11	50-373 A	8206070273	8206070267	82/05/27	50-271 R
8206070273	8206070267	82/05/27	50-271 R	8206070275	8206070211	82/05/11	50-373 A
8206070275	8206070211	82/05/11	50-373 A	8206070279	8206070211	82/05/11	50-373 T
8206070279	8206070211	82/05/11	50-373 T	8206070287	8206070280	82/06/04	50-387 K
8206070287	8206070280	82/06/04	50-387 K	8206070290	8206070280	82/06/04	50-387 K
8206070290	8206070280	82/06/04	50-387 K	8206070295	8206070293	82/06/01	50-220 Q
8206070295	8206070293	82/06/01	50-220 Q	8206070304	8206070295	82/05/26	50-325 B
8206070304	8206070295	82/05/26	50-325 B	8206070306	8206070297	82/05/26	50-259 B
8206070306	8206070297	82/05/26	50-259 B	8206070312	8206070308	82/05/28	50-334 Q
8206070312	8206070308	82/05/28	50-334 Q	8206070319	8206070308	82/05/28	50-334 Q
8206070319	8206070308	82/05/28	50-334 Q	8206070322	8206070310	82/05/26	50-369 B
8206070322	8206070310	82/05/26	50-369 B	8206070324	8206070320	82/05/11	50-389 Q
8206070324	8206070320	82/05/11	50-389 Q				

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206070325	8206070315	82/05/28	50-361 B	8206070332	8206070316	82/05/27	50-366 B
8206070332	8206070316	82/05/27	50-366 B	8206070335	8206070328	82/05/11	50-424 Q
8206070335	8206070328	82/05/11	50-424 Q	8206070341	8206070337	82/06/02	50-29 Q
8206070341	8206070337	82/06/02	50-29 Q	8206070342	8206070340	82/05/19	50-454 Q
8206070342	8206070340	82/05/19	50-454 Q	8206070346	8206070340	82/05/19	50-454 Q
8206070346	8206070340	82/05/19	50-454 Q	8206070349	8206070345	82/05/27	50-348 Q
8206070349	8206070345	82/05/27	50-348 Q	8206070352	8206070345	82/05/27	50-348 Q
8206070352	8206070345	82/05/27	50-348 Q	8206070355	8206070345	82/05/27	50-348 Q
8206070355	8206070345	82/05/27	50-348 Q	8206070358	8206070354	82/05/28	50-309 F
8206070358	8206070354	82/05/28	50-309 F	8206070360	8206070350	82/05/13	50-269 Q
8206070360	8206070350	82/05/13	50-269 Q	8206070361	8206070345	82/05/27	50-348 Q
8206070361	8206070345	82/05/27	50-348 Q	8206070368	8206070364	82/05/21	50-220 Q
8206070368	8206070364	82/05/21	50-220 Q	8206070371	8206070364	82/05/21	50-220 Q
8206070371	8206070364	82/05/21	50-220 Q	8206070373	8206070367	82/05/12	50-416 Q
8206070373	8206070367	82/05/12	50-416 Q	8206070385	8206070366	82/06/01	50-269 Q
8206070385	8206070366	82/06/01	50-269 Q	8206070386	8206070377	50-338 Q	
8206070386	8206070377			8206070391	8206070382	82/06/03	40-5239
8206070391	8206070382	82/06/03	40-5239	8206070395	8206070393	82/06/01	50-443 Q
8206070395	8206070393	82/06/01	50-443 Q	8206070396	8206070388	82/05/26	50-325 B
8206070396	8206070388	82/05/26	50-325 B	8206070402	8206070399	82/05/20	70-374
8206070402	8206070399	82/05/20	70-374	8206070404	8206070403	82/05/11	70-143
8206070404	8206070403	82/05/11	70-143	8206070410	8206070408	82/05/25	50-366 B
8206070410	8206070408	82/05/25	50-366 B	8206070420	8206070414	82/05/28	50-296 B
8206070420	8206070414	82/05/28	50-296 B	8206070427	8206070425	82/05/24	50-338 B
8206070427	8206070425	82/05/24	50-338 B	8206070432	8206070422	82/05/20	50

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206070667	8206070661	82/05/27	50-327 P	8206080024	8206080022	82/05/27	50-373 F
8206070673	8206070666	82/05/19	50-311 S	8206080029	8206080026	82/05/25	50-266 F
8206070675	8206070671	82/05/28	40-86	8206080030	8206080025	82/05/27	50-263 F
8206070676	8206070670	82/05/24	50-338 S	8206080031	8206080026	82/05/25	50-266 P
8206070684	8206070680	82/05/20	50-219 G	8206080032	8206080028	82/05/27	50-3 F
8206070686	8206070679	82/05/17	50-461 G	8206080035	8206080026	82/05/25	50-266 P
8206070688	8206070680	82/05/20	50-219 G	8206080036	8206080028	82/05/27	50-3 F
8206070696	8206070685	82/05/20	50-155 G	8206080037	8206080025	82/05/27	50-263 F
8206070702	8206070694	82/06/03	50-387 A	8206080045	8206080039	82/05/27	50-289 F
8206070704	8206070679	82/05/17	50-461 G	8206080049	8206080040	82/05/18	70-687
8206070705	8206070697	82/05/24	50-346 G	8206080050	8206080039	82/05/27	50-289 F
8206070712	8206070706	82/05/28	50-305 S	8206080077	8206080069	82/05/24	50-247 S
8206070721	8206070713	82/05/25	50-269 G	8206080085	8206080080	82/05/28	50-331 S
8206070723	8206070716	82/05/19	50-237 S	8206080101	8206080099	82/06/04	50-537 Q
8206070724	8206070707	82/05/26	50-286 S	8206080102	8206080098	82/06/03	50-445 Q
8206070725	8206070715	82/05/10	50-250 G	8206080104	8206080099	82/06/04	50-537 Q
8206070729	8206070719	82/05/28	50-324 G	8206080108	8206080099	82/06/04	50-537 Q
8206070730	8206070726	82/05/17	50-261 G	8206080111	8206080107	82/05/24	50-445 G
8206070732	8206070713	82/05/25	50-269 G	8206080117	8206080099	82/06/04	50-537 Q
8206070736	8206070719	82/05/28	50-324 G	8206080118	8206080114	82/05/28	50-267 Q
8206070737	8206070713	82/05/25	50-269 G	8206080122	8206080114	82/05/28	50-267 Q
8206070740	8206070722	82/05/25	50-373 S	8206080124	8206080099	82/06/04	50-537 Q
8206070743	8206070733	82/06/03	50-263 G	8206080135	8206080132	82/05/28	50-333 S
8206070746	8206070731	82/05/24	50-373 S	8206080136	8206080131	82/06/03	50-320 Q
8206070748	8206070713	82/05/25	50-269 G	8206080148	8206080144	82/05/26	50-289 S
8206070749	8206070739	82/05/17	50-261 G	8206080151	8206080146	82/05/26	50-317 P
8206070750	8206070719	82/05/28	50-324 G	8206080157	8206080146	82/05/26	50-317 P
8206070753	8206070719	82/05/28	50-324 G	8206080158	8206080156	82/05/19	50-331 P
8206070759	8206070734	82/05/20	50-219 G	8206080162	8206080156	82/05/19	50-331 P
8206070763	8206070757	82/05/27	50-155 S	8206080177	8206080175	82/05/20	50-3 H
8206070767	8206070719	82/05/28	50-324 G	8206080184	8206080182	82/05/25	50-368 P
8206070768	8206070761	82/05/21	State Frag	8206080187	8206080182	82/05/25	50-368 P
8206070772	8206070758	82/05/26	50-311 S	8206080189	8206080182	82/05/25	50-368 P
8206070776	8206070770	82/05/28	50-331 F	8206080193	8206080186	82/05/28	70-1359
8206070778	8206070771	82/05/28	50-237 S	8206080194	8206080190	82/05/21	50-397 G
8206070779	8206070774	82/05/23	50-373 S	8206080195	8206080192	82/05/10	50-271 F
8206070784	8203170522	82/02/18	50-324 G	8206080196	8206080186	82/05/28	70-1359
8206070785	8206070781	82/05/21	50-10 G	8206080200	8206080197	82/05/20	50-206 Q
8206070790	8206070777	82/05/14	50-318 G	8206080202	8206080199	82/05/14	TOPREP
8206070792	8203170522	82/02/18	50-324 G	8206080204	8206080197	82/05/20	50-206 Q
8206070795	8206070781	82/05/21	50-10 G	8206080211	8206080206	82/05/21	50-338 S
8206070796	8206070791	82/06/02	50-359 G	8206080212	8206080205	82/05/28	50-333 Q
8206070799	8206070788	82/05/03	50-373 S	8206080216	8206080205	82/05/28	50-333 Q
8206070806	8206070791	82/06/02	50-359 G	8206080218	8206080208	82/06/02	50-245 Q
8206070807	8206070800	82/05/12	50-322 G	8206080219	8206080215	82/05/27	50-293 S
8206070810	8206070802	82/05/27	50-315 S	8206080224	8206080208	82/06/02	50-245 Q
8206070812	8206070800	82/05/12	50-322 G	8206080234	8206080249	82/05/28	50-344 S
8206070813	8206070803	82/05/21	50-272 S	8206080235	8206080231	82/06/02	50-368 G
8206070814	8206070804	82/06/03	50-346 G	8206080238	8206080251	82/06/02	50-368 G
8206070815	8206070791	82/06/02	50-359 G	8206080260	8206080256	82/06/01	50-329 S
8206070816	8206070808	82/06/02	50-373 G	8206080266	8206080262	82/06/04	50-454 Q
8206070818	8206070802	82/05/27	50-315 S	8206080267	8206080263	82/05/19	GA999
8206070821	8206070804	82/06/03	50-346 G	8206080270	8206080265	82/05/27	50-309 P
8206070822	8206070800	82/05/12	50-322 G	8206080271	8206080263	82/05/19	GA999
8206070827	8206070819	82/05/28	50-369 G	8206080272	8206080262	82/06/04	50-454 Q
8206070828	8206070820	82/05/21	50-424 G	8206080273	8206080262	82/06/04	50-454 Q
8206070831	8206070823	82/05/14	50-348 G	8206080280	8206080262	82/06/04	50-454 Q
8206070834	8206070824	82/05/27	50-416 G	8206080283	8206080262	82/06/04	50-454 Q
8206070836	8206070820	82/05/21	50-424 G	8206080286	8206080282	82/05/24	50-275 R
8206070837	8206070819	82/05/28	50-369 G	8206080287	8206080284	82/06/04	50-261 R
8206070838	8206070820	82/05/21	50-424 G	8206080288	8206080262	82/06/04	50-454 Q
8206070839	8206070832	82/05/14	50-261 G	8206080289	8206080264	82/05/21	50-344 Q
8206070840	8206070819	82/05/28	50-369 G	8206080290	8206080262	82/06/04	50-454 Q
8206070841	8206070824	82/05/27	50-416 G	8206080294	8206080262	82/06/04	50-454 Q
8206070843	8206070829	82/06/03	50-324 P	8206080295	8206080261	82/05/19	GA999
8206070845	8206070820	82/05/21	50-424 G	8206080297	8206080262	82/06/04	50-454 Q
8206070849	8206070819	82/05/28	50-369 G	8206080298	8206080293	82/05/27	50-460 A
8206070850	8206070824	82/05/27	50-416 G	8206080300	8206080291	82/05/19	GA999
8206070856	8206070824	82/05/27	50-416 G	8206080301	8206080296	82/05/20	70-371
8206070858	8206070848	82/05/28	50-206 S	8206080302	8206080262	82/06/04	50-454 Q
8206070859	8206070853	82/05/27	50-316 S	8206080305	8206080262	82/06/04	50-454 Q
8206070876	8206070873	82/06/01	70-2203	8206080307	8206080262	82/06/04	50-454 Q
8206070877	8206070871	82/06/01	50-440 G	8206080308	8206080304	82/05/21	50-362 Q
8206080003	8206080002	82/05/21	50-335 P	8206080313	8206080311	82/05/31	50-334 R
8206080004	8206080002	82/05/21	50-335 P	8206080315	8206080312	82/05/21	50-508 Q
8206080011	8206080002	82/05/21	50-335 P	8206080317	8206080316	82/05/20	50-322 Q
8206080015	8206080009	82/05/20	CONTRACT	8206080322	8206080320	82/05/28	50-333 S
8206080017	8206080016	82/05/27	50-29 F	8206080325	8206080323	82/05/19	70-1201
8206080018	8206080016	82/05/28	10CFR	8206080327	8206080323	82/05/19	70-1201
8206080019	8206080016	82/05/27	50-29 F	8206080329	8206080328	82/05/24	50-275 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

563

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206080331	8206080328	82/05/24	50-275 Q
8206080333	8206080332	82/05/21	QA999
8206080334	8206080332	82/05/21	QA999
8206080341	8206080338	82/06/04	50-338 P
8206080344	8206080340	82/06/01	50-329 A
8206080355	8206080353	82/06/02	50-271 P
8206080358	8206080354	82/05/25	50-334 S
8206080365	8206080360	82/05/28	50-320 S
8206080366	8206080363	82/06/04	50-333 R
8206080369	8206080362	82/06/04	50-387 A
8206080370	8206080364	82/05/27	TOPREP
8206080371	8206080368	82/05/24	50-247 R
8206080377	8206080242	82/05/28	50-333 S
8206080379	8206080372	82/06/08	50-29 F
8206080380	8206080375	82/06/03	50-322 E
8206080387	8206080381	82/05/21	50-344 Q
8206080388	8206080383	82/05/21	50-320 P
8206080389	8206220397	82/06/14	50-29 P
8206080394	8206080381	82/05/21	50-344 Q
8206080395	8206080390	82/05/27	50-289 S
8206080404	8206080401	82/06/02	50-326 P
8206080405	8206080398	82/05/25	50-397 Q
8206080406	8206080399	82/05/28	50-317 S
8206080416	8206080408	82/05/25	50-224 Q
8206080424	8206080419	82/06/04	50-235 Q
8206080426	8206080422	82/05/24	QA999
8206080429	8206080422	82/05/24	QA999
8206080433	8206080432	82/05/28	CONTRACT
8206080439	8206080436	82/05/28	CONTRACT
8206080445	8206080442	82/05/06	50-289 P
8206080459	8206080449	82/05/28	50-10 F
8206080461	8206080457	82/05/24	XPORTRIC
8206080466	8206080449	82/05/28	50-10 F
8206080477	8206080471	82/05/28	50-321 F
8206080481	8206080471	82/05/28	50-321 F
8206080486	8206080485	82/06/02	50-346 F
8206080496	8206080493	82/05/28	50-10 F
8206080499	8206080493	82/05/28	50-10 F
8206090009	8206090002	82/05/11	50-259 F
8206090011	8206090002	82/05/11	50-313 F
8206090013	8206090010	82/06/01	50-329 A
8206090015	8206090010	82/06/01	50-329 A
8206090018	8206090010	82/06/01	50-329 A
8206090024	8206090002	82/05/11	FOIA
8206090026	8206090002	82/05/11	FOIA
8206090027	8206090025	82/06/04	50-201 Q
8206090029	8206090002	82/05/11	FOIA
8206090031	8206090028	82/06/02	50-247 Q
8206090033	8206090002	82/05/11	50-237 F
8206090035	8206090030	82/06/01	50-361 B
8206090037	8206090034	82/06/04	50-247 Q
8206090041	8206090034	82/06/04	50-247 Q
8206090042	8206090038	82/06/02	50-311 P
8206090046	8206090044	82/06/01	50-367 A
8206090054	8206090052	82/06/04	50-352 Q
8206090055	8206090002	82/05/11	FOIA
8206090056	8206090052	82/06/04	50-352 Q
8206090057	8206090053	82/06/02	50-445 Q
8206090060	8206090052	82/06/04	50-352 Q
8206090062	8206090052	82/06/04	50-352 Q
8206090064	8206090052	82/06/04	50-352 Q
8206090065	8206090052	82/06/04	50-352 Q
8206090067	8206090052	82/06/04	50-352 Q
8206090070	8206090052	82/06/04	50-352 Q
8206090071	8206090052	82/06/04	50-352 Q
8206090072	8206020532	82/05/28	50-447 K
8206090073	8206090002	82/05/11	50-315 F
8206090074	8206090052	82/06/04	50-352 Q
8206090078	8206090002	82/05/11	FOIA
8206090079	8206090052	82/06/04	50-352 Q
8206090080	8206090052	82/06/04	50-352 Q
8206090081	8206090052	82/06/04	50-352 Q
8206090082	8206090002	82/05/11	50-259 F
8206090084	8206090052	82/06/04	50-352 Q
8206090085	8206090002	82/05/11	50-335 F
8206090086	8206090077	82/06/08	50-338 P
8206090088	8206090002	82/05/11	50-247 F
8206090090	8206090002	82/05/11	50-335 F
8206090092	8206090077	82/06/08	50-338 P
8206090093	8206090089	82/06/04	50-397 K

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206090095	8206090052	82/06/04	50-352 Q
8206090097	8206090077	82/06/08	50-338 P
8206090099	8206090052	82/06/04	50-352 Q
8206090102	8206090052	82/06/04	50-352 Q
8206090104	8206090002	82/05/11	FOIA
8206090106	8206090052	82/06/04	50-352 Q
8206090108	8206090103	82/06/01	50-206 S
8206090133	8206090002	82/05/11	50-259 F
8206090145	8206090144	82/06/04	50-367 Q
8206090147	8206090144	82/06/04	50-367 Q
8206090148	8206090144	82/06/04	50-367 Q
8206090150	8206090144	82/06/04	50-367 Q
8206090157	8206090155	82/06/08	50-322 Q
8206090163	8206090159	82/06/04	50-133 Q
8206090165	8206090159	82/06/04	50-133 Q
8206090169	8206090166	82/06/03	50-206 F
8206090174	8206090002	82/05/11	50-313 F
8206090179	8206090175	82/06/07	50-247 T
8206090185	8206090175	82/06/07	50-247 T
8206090188	8206090175	82/06/07	50-247 T
8206090192	8206090175	82/06/07	50-247 T
8206090203	8206090200	82/05/21	71-4003
8206090217	8206090209	82/04/27	FOIA
8206090220	8206090209	82/04/27	FOIA
8206090222	8206090209	82/04/27	FOIA
8206090223	8206090219	82/05/21	71-9152
8206090224	8206090221	82/05/21	CONTRACT
8206090225	8206090209	82/04/27	FOIA
8206090226	8206090209	82/04/27	FOIA
8206090231	8206090209	82/04/27	FOIA
8206090237	8206090236	82/05/21	40-8681
8206090239	8206090233	82/04/05	70-820
8206090255	8206090253	82/05/24	71-9070
8206100011	8206100009	82/06/07	50-295 F
8206100019	8206100012	82/06/02	CONTRACT
8206100096	8206100093	82/05/26	50-247 Q
8206100100	8206100093	82/05/26	50-247 Q
8206100103	8206100093	82/05/26	50-247 Q
8206100107	8206100093	82/05/26	50-247 Q
8206100109	8206100105	82/06/02	50-285 S
8206100119	8206100115	82/05/26	50-368 S
8206100123	8206100117	82/05/21	50-311 S
8206100129	8206100126	82/06/02	50-445 Q
8206100131	8206100120	82/06/04	50-285 S
8206100135	8206100133	82/05/26	50-454 Q
8206100136	8206100130	82/06/03	50-155 S
8206100142	8206100139	82/05/19	50-311 S
8206100143	8206100140	82/06/01	50-298 S
8206100147	8206100141	82/06/04	50-315 S
8206100148	8206100144	82/06/03	50-346 S
8206100149	8206100145	82/05/27	50-352 Q
8206100151	8206100141	82/06/04	50-315 S
8206100157	8206100153	82/05/26	50-454 Q
8206100159	8206100155	82/06/04	50-316 S
8206100160	8206100156	82/05/27	50-337 A
8206100161	8206100158	82/05/24	50-277 Q
8206100165	8206100156	82/05/27	50-337 A
8206100166	8206100158	82/05/24	50-277 Q
8206100167	8206100154	82/06/04	50-352 Q
8206100170	8206100169	82/06/03	50-334 P
8206100174	8206100169	82/06/03	50-334 P
8206100176	8206100171	82/06/04	50-155 S
8206100179	8206100172	82/06/03	50-304 S
8206100183	8206100173	82/06/04	50-277 F
8206100184	8206100005	82/05/28	CONTRACT
8206100187	8206100180	82/05/24	50-213 Q
8206100189	8206100175	82/05/04	50-265 Q
8206100193	8206100190	82/05/24	50-317 Q
8206100197	8206100192	82/05/20	50-244 Q
8206100200	8206100195	82/05/26	50-443 Q
8206100205	8206100202		
8206100208	8206100203		
8206100218	8206100215		
8206100222	8206100219		
8206100229	8206100223		
8206100230	8206100227		
8206100232	8206100221		
8206100240	820610023		
8206100241	820610023		
8206100243	820610023		

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206100244	8206100233	82/05/26	50-272 S
8206100245	8206100242	82/06/04	50-331 Q
8206100246	8206100236	82/06/07	QA999
8206100249	8206100247	82/06/04	50-306 S
8206100252	8206100236	82/06/07	QA999
8206100253	8206100248	82/05/26	50-311 S
8206100254	8206100250	82/06/03	50-315 S
8206100257	8206100251	82/05/28	XPORTLIC
8206100258	8206100250	82/06/03	50-315 S
8206100260	8206100251	82/05/28	XPORTLIC
8206100261	8206100259	82/06/01	50-255 P
8206100262	8206100256	82/06/02	50-409 S
8206100263	8206100250	82/06/03	50-315 S
8206100264	8206100250	82/06/03	50-315 S
8206100265	8206100259	82/06/01	50-255 P
8206100267	8206100256	82/06/02	50-409 S
8206100268	8206100257	82/06/01	50-255 P
8206100269	8206100266	82/06/02	50-361 S
8206100270	8206100256	82/06/02	50-409 S
8206100272	8206100271	82/05/19	50-272 S
8206100278	8206100276	82/06/03	50-285 S
8206100286	8206100281	82/06/07	50-361 Q
8206100287	8206100283	82/06/03	50-316 S
8206100289	8206100281	82/06/07	50-361 Q
8206100291	8206100285	82/05/26	50-250 P
8206100294	8206100292	82/06/08	50-387 A
8206100295	8206100285	82/05/26	50-250 P
8206100299	8206100296	82/06/04	50-286 P
8206100300	8206100282	82/06/04	50-255 S
8206100304	8206100296	82/06/04	50-286 P
8206100308	8206100296	82/06/04	50-286 P
8206100316	8206100310	82/05/14	70-1100
8206100326	8206100307	82/05/26	50-311 S
8206100330	8206100325	82/05/28	50-331 Q
8206100337	8206100329	82/05/28	50-20 P
8206100344	8206100329	82/05/28	50-20 P
8206100367	8206100363	82/06/01	RES
8206100370	8206100363	82/06/01	RES
8206100372	8206100363	82/06/01	RES
8206100374	8206100363	82/06/01	RES
8206100377	8206100363	82/06/01	RES
8206100380	8206100363	82/06/01	RES
8206100381	8206100363	82/06/01	RES
8206100383	8206100363	82/06/01	RES
8206100385	8206100363	82/06/01	RES
8206100386	8206100376	82/05/20	70-36
8206100388	8206100363	82/06/01	RES
8206100390	8206100363	82/06/01	RES
8206100393	8206100363	82/06/01	RES
8206100394	8206100392	82/05/24	50-244 P
8206100396	8206100363	82/06/01	RES
8206100398	8206100363	82/06/01	RES
8206100404	8206100401	82/05/20	50-327 X
8206100409	8206100407	82/05/20	CONTRACT
8206100417	8206100412	82/05/27	CONTRACT
8206100423	8206100421	82/06/07	CONTRACT
8206100428	8206100426	82/05/28	70-143
8206100435	8206100432	82/06/07	CONTRACT
8206100440	8206100437	82/05/10	50-263 P
8206100442	8206100437	82/05/10	50-263 P
8206100444	8206100437	82/05/10	50-263 P
8206100449	8206100446	82/05/25	XPORTLIC
8206100450	8206100447	82/05/26	XPORTLIC
8206110007	8206110003	82/05/27	CONTRACT
8206110013	8206110010	82/06/02	CONTRACT
8206110019	8206110017	82/06/01	50-277 S
8206110020	8206110018	82/04/19	GEN TEC IS
8206110021	8206110017	82/06/01	50-277 S
8206110031	8206110030	82/05/28	70-135
8206110035	8206110030	82/05/28	70-135
8206110047	8206110043	82/06/01	50-272 S
8206110048	8206110044	82/06/02	CONTRACT
8206110049	8206110046	82/06/09	50-434 Q
8206110057	8206110050	82/06/03	50-267 S
8206110059	8206110055	82/05/28	XPORTLIC
8206110063	8206110058	82/06/04	50-260 S
8206110064	8206110054	82/06/07	50-247 Q
8206110065	8206110061	82/06/02	50-338 S
8206110071	8206110069	82/06/08	50-409 F
8206110072	8206110069	82/06/08	50-409 F

ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206110078	8206110076	82/05/24	CONTRACT
8206110081	8206110080	82/06/08	50-387 A
8206110082	8206110079	82/06/10	50-201 Q
8206110086	8206110079	82/06/10	50-201 Q
8206110093	8206110090	82/05/28	CONTRACT
8206110098	8206110074	82/06/08	50-10 F
8206110102	8206110096	82/06/02	CONTRACT
8206110103	8206110100	82/06/08	50-338 P
8206110104	8206110074	82/06/08	50-10 F
8206110111	8206110106	82/06/04	50-334 Q
8206110137	8206110132	82/06/01	50-333 S
8206110148	8206110143	82/06/02	50-312 P
8206110154	8206110150	82/05/25	50-272 P
8206110155	8206110149	82/06/02	50-336 S
8206110156	8206110150	82/05/25	50-272 P
8206110157	8206110150	82/05/25	50-272 P
8206110158	8206110152	82/06/02	50-339 S
8206110160	8206110147	82/06/04	50-338 S
8206110162	8206110109	82/05/27	50-321 S
8206110167	8206110165	82/06/02	50-348 S
8206110168	8206110166	82/06/04	50-338 S
8206110172	8206110165	82/06/02	50-348 S
8206110174	8206110171	82/06/04	50-339 S
8206110175	8206110165	82/06/02	50-348 S
8206110180	8206110165	82/06/02	50-348 S
8206110187	8206110173	82/06/02	50-339 S
8206110193	8206220316	82/06/15	50-219 P
8206110195	8206110191	82/06/02	50-366 S
8206110198	8206110192	82/06/04	50-259 S
8206110199	8206110194	82/05/27	50-366 S
8206110201	8206110197	82/05/26	50-368 S
8206110203	8206110196	82/06/04	50-328 S
8206110207	8206110204	82/06/03	50-366 S
8206110208	8206110205	82/05/27	50-321 S
8206110209	8206110206	82/06/08	50-293 R
8206110212	8206110211	82/06/04	50-391 Q
8206110215	8206110214	82/06/04	50-328 S
8206110228	8206110226	82/06/04	50-508 S
8206110239	8206110235	82/05/27	50-321 S
8206110240	8206110236	82/03/31	50-287 P
8206110242	8206110234	82/06/01	50-260 S
8206110247	8206110236	82/03/31	50-287 P
8206110249	8206110244	82/06/02	50-333 S
8206110253	8206110236	82/03/31	50-287 P
8206110262	8206110253	82/06/04	50-302 S
8206110267	8206110246	82/05/28	50-335 S
8206110268	8206110259	82/05/27	50-321 S
8206110271	8206110263	82/05/28	50-280 S
8206110278	8206110263	82/05/28	50-280 S
8206110283	8206110263	82/05/28	50-280 S
8206110287	8206110277	82/05/28	50-335 S
8206110288	8206110284	82/06/02	50-244 S
8206110289	8206110286	82/05/28	50-312 F
8206110295	8206110291	82/06/03	50-320 S
8206110296	8206110292	82/06/01	50-259 S
8206110299	8206110294	82/06/09	50-387 F
8206110301	8206110297	82/06/03	50-293 S
8206110306	8206110302	82/06/04	50-335 S
8206110308	8206110303	82/05/28	50-461 Q
8206110312	8206110311	82/06/07	50-373 P
8206110314	8206110310	82/06/04	50-325 S
8206110316	8206110313	82/06/01	50-259 S
8206110318	8206110315	82/06/02	50-333 S
8206110320	8206110317	82/06/03	50-29 S
8206110328	8206110326	82/06/01	TOPREP
8206110340	8206110339	82/05/28	50-266 P
8206110341	8206110339	82/05/28	50-266 P
8206110364	8206110362	82/06/02	WASTE MGT
8206110368	8206110365	82/06/03	50-440 A
8206110377	8206110375	82/06/04	CONTRACT
8206110385	8206110380	82/05/12	CONTRACT
8206110388	8206110387	82/05/25	XPORTLIC
8206110391	8206110387	82/05/25	XPORTLIC
8206110407	8206110405	82/06/01	71-3461
8206110410	8206110408	82/05/26	71-474
8206110412	8206110411	82/05/26	71-475
8206140002	8206140001	82/06/08	50-244 F
8206140003	8206140001	82/06/08	50-244 F
8206140004	8206140001	82/06/08	50-244 F
8206140010	8206140009	82/05/26	QA999

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

565

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206140014	8206140011	82/06/04	CONTRACT	8206140341	8206140338	82/06/07	50-298 P
8206140022	8206140021	82/06/07	50-255 R	8206140343	8206140340	82/05/25	50-293 H
8206140030	8206140027	82/06/08	50-461 Q	8206140344	8206140328	82/05/28	70-2375
8206140041	8206140038	82/06/07	50-443 Q	8206140351	8206140349	82/05/22	50-244 P
8206140049	8206140048	82/05/26	0A999	8206140352	8206140346	82/06/07	50-201 Q
8206140051	8206140048	82/05/26	0A999	8206140355	8206140346	82/06/07	50-201 Q
8206140053	8206140052	82/05/28	50-445 Q	8206140356	8206140349	82/05/22	50-244 P
8206140056	8206140055	82/06/08	50-364 R	8206140356	8206140359	82/05/17	70-1143
8206140059	8206140054	82/06/07	50-275 Q	8206140357	8206140363	82/06/02	FOIA
8206140063	8206140062	82/05/27	0A999	8206140375	8206140371	82/06/04	FOIA
8206140065	8206140064	82/06/07	50-321 Q	8206140376	8206140371	82/06/04	FOIA
8206140066	8206140062	82/05/27	0A999	8206140386	8206140382	82/06/08	50-277 F
8206140068	8206140067	82/05/26	0A999	8206140388	8206140382	82/06/08	50-277 F
8206140069	8206140067	82/05/26	0A999	8206140390	8206140389	82/06/08	50-295 F
8206140070	8206140067	82/05/26	0A999	8206140393	8206140389	82/06/08	50-295 F
8206140075	8206140074	82/06/08	50-220 R	8206140397	8206140394	82/06/08	50-397 F
8206140084	8206140082	82/05/27	0A999	8206140400	8206140399	82/06/08	50-267 F
8206140091	8206140090	82/06/07	50-206 T	8206140408	8206140405	82/06/04	50-395 A
8206140102	8206140099	82/06/04	50-237 P	8206150018	8206150016	82/04/21	50-267 F
8206140104	8206140098	82/05/26	50-387 F	8206150023	8206150016	82/04/21	50-10 F
8206140107	8206140101	82/05/28	50-243 P	8206150029	8206150016	82/04/21	50-331 Q
8206140108	8206140105	82/06/07	50-461 Q	8206150032	8206150028	82/06/07	50-201 Q
8206140110	8206140101	82/05/28	50-245 P	8206150033	8206150016	82/04/21	FOIA
8206140113	8206140101	82/05/28	50-245 P	8206150037	8206150016	82/04/21	50-346 S
8206140113	8206140112	82/06/07	50-247 T	8206150038	8206150016	82/04/21	FOIA
8206140118	8206140114	82/06/07	50-454 Q	8206150039	8206150034	82/06/01	CONTRACT
8206140120	8206140112	82/06/07	50-247 T	8206150043	8206150016	82/04/21	50-259 Q
8206140126	8206140114	82/06/07	50-454 Q	8206150044	8206150016	82/04/21	50-334 F
8206140127	8206140124	82/06/08	50-348 R	8206150045	8206150041	82/06/08	CONTRACT
8206140132	8206140114	82/06/07	50-454 Q	8206150049	8206150016	82/04/21	50-272 F
8206140133	8206140129	82/06/04	50-275 P	8206150051	8206150048	82/06/04	CONTRACT
8206140134	8206140112	82/06/07	50-247 T	8206150052	8206150016	82/04/21	FOIA
8206140135	8206140128	82/06/04	50-302 P	8206150053	8206150016	82/04/21	FOIA
8206140136	8206140114	82/06/07	50-454 Q	8206150056	8206150054	82/05/24	CONTRACT
8206140140	8206140114	82/06/07	50-454 Q	8206150057	8206150016	82/04/21	50-267 F
8206140141	8206140130	82/06/09	50-382 Q	8206150058	8206150055	82/06/09	CONTRACT
8206140144	8206140114	82/06/07	50-454 Q	8206150061	8206150059	82/04/20	CONTRACT
8206140146	8206140131	82/06/01	50-249 S	8206150063	8206150016	82/04/21	FOIA
8206140148	8206140114	82/06/07	50-454 Q	8206150064	8206150052	82/05/10	CONTRACT
8206140153	8206140114	82/06/07	50-454 Q	8206150066	8206150016	82/04/21	50-293 F
8206140159	8206140157	82/06/04	50-250 R	8206150068	8206150016	82/04/21	50-213 F
8206140160	8206140114	82/06/07	50-454 Q	8206150070	8206150016	82/04/21	50-171 F
8206140163	8206140114	82/06/07	50-454 Q	8206150072	8206150016	82/04/21	50-267 F
8206140165	8206140114	82/06/07	50-454 Q	8206150075	8206150016	82/04/21	50-213 F
8206140176	8206140164	82/06/07	50-333 P	8206150076	8206150016	82/04/21	50-272 F
8206140178	8206140169	82/06/03	50-259 P	8206150077	8206150016	82/04/21	50-334 F
8206140180	8206140114	82/06/07	50-454 Q	8206150079	8206150016	82/04/21	50-293 F
8206140184	8206140114	82/06/07	50-454 Q	8206150080	8206150016	82/04/21	50-213 F
8206140190	8206140114	82/06/07	50-454 Q	8206150084	8206150016	82/04/21	FOIA
8206140192	8206140114	82/06/07	50-454 Q	8206150085	8206150016	82/04/21	FOIA
8206140198	8206140114	82/06/07	50-454 Q	8206150086	8206150016	82/04/21	50-334 Q
8206140203	8206140114	82/06/07	50-454 Q	8206150089	8206150016	82/04/21	50-293 Q
8206140204	8206140196	82/06/10	50-416 A	8206150090	8206150016	82/04/21	50-325 B
8206140207	8206140169	82/06/03	50-259 P	8206150092	8206150016	82/04/21	50-293 Q
8206140210	8206140114	82/06/07	50-454 Q	8206150094	8206150016	82/04/21	50-277 Q
8206140211	8206140169	82/06/03	50-259 P	8206150095	8206150016	82/04/21	50-312 Q
8206140214	8206140169	82/06/03	50-259 P	8206150097	8206150016	82/04/21	50-312 Q
8206140216	8206140205	82/06/09	50-416 A	8206150100	8206150093	82/06/03	50-311 S
8206140219	8206140196	82/06/10	50-416 A	8206150102	8206150101	82/06/09	50-293 Q
8206140220	8206140226	82/06/04	50-341 F	8206150111	8206150110	82/06/08	50-321 R
8206140241	8206140238	82/05/27	State Prog	8206150115	8206150113	82/06/10	50-412 Q
8206140243	8206140238	82/05/27	State Prog	8206150116	8206150114	82/06/02	50-311 S
8206140244	8206140242	82/06/07	50-321 P	8206150130	8206150127	82/06/08	50-334 Q
8206140251	8206140245	82/06/08	50-309 F	8206150132	8206150128	82/06/08	50-334 R
8206140255	8206140245	82/06/08	50-309 F	8206150138	8206150134	82/06/10	50-272 R
8206140263	8206140259	82/06/08	50-321 F	8206150143	8206150140	82/06/08	50-155 S
8206140269	8206140259	82/06/08	50-321 F	8206150152	8206150151	82/06/10	50-271 R
8206140272	8206140267	82/06/08	70-36	8206150160	8206150156	82/06/07	40-8661
8206140275	8206140271	82/06/08	50-315 F	8206150166	8206150162	82/06/07	50-384 Q
8206140280	8206140271	82/06/08	50-315 F	8206150167	8206150163	82/06/11	50-313 F
8206140287	8206140283	82/06/08	50-266 F	8206150172	8206150164	82/06/07	50-352 Q
8206140291	8206140283	82/06/08	50-266 F	8206150173	8206150169	82/06/07	50-29 S
8206140292	8206140284	82/06/02	50-344 Q	8206150179	8206150177	82/05/28	50-368 S
8206140300	8206140296	82/06/08	50-373 F	8206150187	8206150182	82/06/08	50-263 S
8206140302	8206140295	82/06/02	50-270 Q	8206150188	8206150183	82/06/07	50-454 E
8206140304	8206140296	82/06/08	50-373 F	8206150192	8206150181	82/06/09	50-304 S
8206140311	8206140307	82/06/08	50-320 F	8206150195	8206150190	82/06/10	50-282 R
8206140314	8206140307	82/06/08	50-320 F	8206150202	8206150194	82/06/08	50-289 Q
8206140323	8206140319	82/06/08	50-321 F	8206150208	8206150200	82/06/04	50-320 R
8206140325	8206140319	82/06/08	50-321 F	8206150210	8206150206	82/06/08	50-320 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				SUBJECT CATEGORY
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED		
8206150214	8206150204	82/06/10	50-304	S
8206150215	8206150211	82/06/09	50-309	Q
8206150218	8206150212	82/06/10	50-409	S
8206150222	8206150219	82/05/28	50-272	Q
8206150226	8206150219	82/05/28	50-272	Q
8206150228	8206150212	82/06/10	50-409	S
8206150233	8206150232	82/06/10	50-277	Q
8206150238	8206150235	82/06/04	50-324	R
8206150245	8206150240	82/06/10	50-537	A
8206150247	8206150242	82/05/18	50-312	Q
8206150248	8206150244	82/06/10	50-311	R
8206150249	8206150241	82/06/10	50-440	A
8206150258	8206150255	82/06/09	50-305	R
8206150263	8206150261	82/05/28	50-277	Q
8206150265	8206150264	82/05/24	50-284	R
8206150267	8206150261	82/05/28	50-277	Q
8206150271	8206150269	82/06/07	50-440	E
8206150272	8206150270	82/05/27	50-528	Q
8206150274	8206150269	82/06/07	50-440	A
8206150278	8206150275	82/06/10	50-263	R
8206150281	8206150279	82/06/10	50-312	R
8206150290	8206150284	82/06/09	50-409	R
8206150291	8206150286	82/05/27	0A999	
8206150292	8206150283	82/06/10	50-254	Q
8206150293	8206150289	82/06/08	50-301	S
8206150296	8206150294	82/05/28	50-387	Q
8206150300	8206150286	82/05/27	0A999	
8206150304	8206150294	82/05/28	50-387	Q
8206150313	8206150310	82/06/01	50-10	R
8206150314	8206150309	82/06/10	50-331	P
8206150318	8206150313	82/05/27	50-397	Q
8206150320	8206150316	82/06/03	50-341	A
8206150323	8206150321	82/06/03	50-409	P
8206150326	8206150325	82/06/07	50-312	Q
8206150327	8206150324	82/05/28	40-8384	
8206150331	8206150329	82/06/09	50-261	P
8206150343	8206150339	82/06/07	50-267	R
8206150349	8206150345	82/06/09	50-369	P
8206150357	8206150350	82/06/10	50-461	Q
8206150367	8206150363	82/06/08	50-344	Q
8206150443	8206150442	82/06/11	50-277	F
8206150447	8206150445	82/06/03	50-309	S
8206150448	8206150444	82/06/11	50-390	F
8206150449	8206150444	82/06/11	50-390	F
8206150454	8206150453	82/06/08	50-315	P
8206150463	8206150458	82/05/07	50-249	P
82061506009	82061506007	82/06/03	50-483	A
82061506026	82061506022	82/06/01	WASTE MGT	
82061506029	82061506022	82/06/01	WASTE MGT	
82061506036	82061506022	82/06/01	WASTE MGT	
82061506040	82061506022	82/06/01	WASTE MGT	
82061506041	82061506022	82/06/01	WASTE MGT	
82061506042	82061506042	82/06/11	50-277	F
82061506044	82061506022	82/06/01	WASTE MGT	
82061506053	82061506050	82/06/04	50-251	P
82061506056	82061506052	82/06/11	50-382	Q
82061506060	82061506050	82/06/04	50-251	P
82061506065	82061506050	82/06/04	50-251	P
82061506068	82061506064	82/06/11	50-537	Q
82061506075	82061506070	82/06/01	WASTE MGT	
82061506080	82061506070	82/06/01	WASTE MGT	
82061506115	82061506110	82/06/14	50-247	Q
82061506123	82061506117	82/06/14	50-327	P
82061506125	82061506118	82/06/09	50-423	A
82061506130	82061506118	82/06/09	50-423	A
82061506134	82061506118	82/06/09	50-423	A
82061506136	82061506135	82/06/11	50-395	A
82061506144	82061506137	82/06/09	50-275	R
82061506148	82061506143	82/06/14	TOPREP	
82061506151	82061506146	82/06/14	50-315	F
82061506156	82061506146	82/06/14	50-315	F
82061506165	82061506160	82/06/14	50-3	F
82061506172	82061506160	82/06/14	50-3	F
82061506184	82061506182	82/06/11	50-261	Q
82061506193	82061506190	82/06/11	50-275	R
82061506211	82061506205	82/06/14	50-250	F
82061506218	82061506205	82/06/14	50-250	F
82061506234	82061506228	82/06/14	50-289	F
82061506236	82061506222	82/06/07	50-10	P
82061506241	82061506228	82/06/14	50-289	F

ACCESSION NUMBER				SUBJECT CATEGORY
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED		
8206150247	8206150242	82/06/10	50-387	E
8206150252	8206150242	82/06/10	50-387	E
8206150257	8206150242	82/06/10	50-387	E
8206150258	8206150249	82/06/14	50-305	F
8206150266	8206150249	82/06/14	50-305	F
8206150280	8206150274	82/06/09	XPORTLIC	
8206150282	8206150277	82/06/14	50-315	F
8206150286	8206150277	82/06/14	50-315	F
8206150313	8206150300	82/06/14	50-334	F
8206150317	8206150300	82/06/14	50-334	F
8206150318	8206150316	82/06/11	50-395	A
8206150324	8206150319	82/06/10	50-266	R
8206150325	8206150320	82/06/14	50-315	F
8206150328	8206150320	82/06/14	50-315	F
8206150333	8206150330	82/06/14	50-313	F
8206150335	8206150330	82/06/14	50-313	F
8206150338	8206150330	82/06/14	50-313	F
8206150351	8206150348	82/05/28	CONTRACT	
8206150377	8206150366	82/06/16	50-369	F
8206150387	8206150366	82/06/16	50-369	F
8206150419	8206150415	82/06/07	50-461	A
8206150424	8206150415	82/06/07	50-461	A
8206150428	8206150415	82/06/07	50-461	A
8206150435	8206150415	82/06/07	50-461	A
8206150482	8206150470	82/06/02	50-305	P
8206150487	8206150486	82/04/20	71-5874	
8206150489	8206150470	82/06/02	50-305	P
8206150491	8206150486	82/04/20	71-5874	
8206150492	8206150470	82/06/02	50-305	P
8206150494	8206150493	82/01/19	40-8380	
8206150495	8206150493	82/01/19	40-8380	
8206150496	8206150493	82/01/19	40-8380	
8206150498	8206150497	82/05/03	40-1341	
8206170012	8206170011	82/05/19	50-309	F
8206170028	8206170027	82/06/06	50-318	S
8206170041	8206170038	82/06/15	50-387	A
8206170047	8206170044	82/06/11	40-8211	
8206170056	8206170053	82/06/09	50-244	S
8206170093	8206170092	82/06/01	50-440	Q
8206170101	8206170099	82/06/07	50-219	S
8206170105	8206170093	82/06/14	50-312	Q
8206170110	8206170107	82/05/26	50-311	Q
8206170111	8206170107	82/05/26	50-311	Q
8206170118	8206170115	82/06/11	50-395	K
8206170121	8206170116	82/06/01	50-341	Q
8206170126	8206170123	82/05/24	50-247	Q
8206170136	8206170133	82/06/15	50-528	A
8206170145	8206170138	82/06/09	50-409	S
8206170146	8206170142	82/06/11	50-461	T
8206170149	8206170142	82/06/11	50-461	T
8206170152	8206170142	82/06/11	50-461	T
8206170153	8206170148	82/06/08	50-373	S
8206170154	8206170150	82/06/09	50-537	Q
8206170155	8206170142	82/06/11	50-461	T
8206170158	8206170142	82/06/11	50-461	T
8206170161	8206170142	82/06/11	50-461	T
8206170164	8206170142	82/06/11	50-461	T
8206170168	8206170142	82/06/11	50-461	T
8206170174	8206170165	82/06/01	50-265	S
8206170177	8206170172	82/06/10	50-373	S
8206170178	8206170176	82/06/04	50-269	P
8206170181	8206170180	82/06/11	50-334	P
8206170182	8206170171	82/06/11	50-413	K
8206170184	8206170180	82/06/11	50-334	P
8206170186	8206170185	82/06/04	50-254	S
8206170195	8206170192	82/06/01	50-254	R
8206170200	8206170189	82/06/02	50-305	Q
8206170202	8206170197	82/06/14	50-322	T
8206170204	8206170199	82/06/02	50-373	S
8206170205	8206170201	82/06/14	50-373	P
8206170206	8206170197	82/06/14	50-322	T
8206170214	8206170212	82/05/24	50-322	Q
8206170219	8206170212	82/05/24	50-322	Q
8206170220	8206170213	82/06/15	50-528	Q
8206170225	8206170216	82/06/02	50-373	S
8206170226	8206170222	82/06/11	50-316	S
8206170228	8206170213	82/06/15	50-528	Q
8206170230	8206170227	82/06/08	50-193	Q
8206170233	8206170222	82/06/11	50-316	S
8206170240	8206170236	82/06/08	50-247	Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

587

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206170243	8206170236	82/06/08	50-247 Q	8206180313	8206180308	82/06/10	50-358 A
8206170244	8206170238	82/06/14	50-322 T	8206180317	8206180314	82/06/15	50-320 F
8206170245	8206170241	82/03/26	50-410 Q	8206180319	8206180272	82/06/15	50-400 G
8206170247	8206170242	82/06/10	50-373 S	8206180333	8206180327	82/06/01	40-8477
8206170252	8206170248	82/06/07	50-409 P	8206180335	8206180323	82/06/09	50-331 P
8206170257	8206170250	82/06/09	50-247 Q	8206180337	8206180323	82/06/09	50-331 P
8206170262	8206170250	82/06/09	50-247 Q	8206180344	8206180342	82/06/16	50-289 Q
8206170272	8206170162	82/06/04	50-247 Q	8206180399	8206180324	82/03/21	40-6622
8206170274	8206170269	82/06/14	TOPREP	8206180412	8206180408	82/06/03	XPORTLIC
8206170278	8206170259	82/03/24	50-317 Q	8206210018	8206210015	82/06/09	50-234 P
8206170288	8206170282	82/06/11	50-315 S	8206210021	8206210015	82/06/09	50-254 P
8206170289	8206170281	82/06/11	50-275 Q	8206210023	8206210015	82/06/09	50-234 P
8206170290	8206170259	82/03/24	50-317 Q	8206210025	8206210015	82/06/09	50-234 P
8206170303	8206170299	82/06/09	50-275 P	8206210033	8206210030	82/06/09	50-220 P
8206170307	8206170301	82/06/11	50-305 S	8206210035	8206210030	82/06/09	50-220 P
8206170308	8206170301	82/06/11	50-305 S	8206210036	8206210032	82/06/11	50-280 S
8206170310	8206170306	82/06/10	50-334 P	8206210038	8206210031	82/05/17	50-320 P
8206170314	8206170301	82/06/11	50-303 S	8206210039	8206210031	82/05/17	50-320 P
8206170315	8206170306	82/06/10	50-334 P	8206210042	8206210031	82/05/17	50-320 P
8206170317	8206170312	82/06/09	50-315 S	8206210043	8206210032	82/06/11	50-280 S
8206170322	8206170318	82/05/18	TOPREP	8206210044	8206210041	82/06/09	50-331 P
8206170323	8206170312	82/06/09	50-315 S	8206210048	8206210047	82/06/17	50-289 Q
8206170324	8206170319	82/06/02	50-244 P	8206210051	8206210047	82/06/17	50-289 Q
8206170327	8206170319	82/06/02	50-244 P	8206210052	8206210045	82/06/15	CONTRACT
8206170332	8206170328	82/03/26	50-443 Q	8206210054	8206210041	82/06/09	50-331 P
8206170333	8206170326	82/06/14	50-267 F	8206210056	8206210053	82/06/11	50-302 S
8206170340	8206170328	82/03/26	50-443 Q	8206210063	8206210059	82/06/04	50-369 S
8206170352	8206170345	82/06/02	50-373 S	8206210077	8206210072	82/06/15	50-269 R
8206170353	8206170351	82/03/24	50-280 P	8206210087	8206210082	82/06/11	50-334 Q
8206170357	8206170346	82/06/10	50-331 S	8206210091	8206210085	82/06/03	50-249 S
8206170363	8206170355	82/06/03	50-265 S	8206210095	8206210093	82/03/26	50-312 Q
8206170364	8206170356	82/06/02	50-373 S	8206210101	8206210097	82/06/15	50-302 R
8206170369	8206170361	82/06/11	50-213 Q	8206210108	8206210103	82/06/03	50-298 Q
8206170370	8206170367	82/06/11	50-321 P	8206210109	8206210107	82/06/15	50-301 S
8206170417	8206170412	82/06/16	50-275 Q	8206210127	8206210110	82/06/17	50-295 P
8206170418	8206170412	82/06/16	50-275 Q	8206210131	8206210119	82/06/03	50-321 S
8206170421	8206170412	82/06/16	50-275 Q	8206210138	8206210110	82/06/17	50-295 P
8206180007	8206180006	82/06/14	50-289 R	8206210141	8206210134	82/06/03	50-287 S
8206180008	8206180005	82/06/03	50-201 P	8206210149	8206210110	82/06/17	50-295 P
8206180014	8206180011	82/06/10	50-344 P	8206210151	8206210145	82/06/14	50-315 S
8206180019	8206180011	82/06/10	50-344 P	8206210157	8206210132	82/06/11	50-348 S
8206180028	8206180023	82/06/07	50-280 Q	8206210160	8206210134	82/06/07	50-275 S
8206180032	8206290042	82/03/28	MISC	8206210165	8206210132	82/06/11	50-348 S
8206180035	8206180023	82/06/07	50-280 Q	8206210168	8206210164	82/06/11	50-361 S
8206180037	8206180034	82/03/18	CONTRACT	8206210179	8206210132	82/06/11	50-348 S
8206180038	8206300176	82/06/23	TOPREP	8206210184	8206210180	82/03/27	50-285 Q
8206180080	8206180078	82/06/09	50-277 R	8206210189	8206210180	82/03/27	50-285 Q
8206180088	8206180084	82/06/16	50-329 A	8206210197	8206210194	82/06/14	50-213 R
8206180095	8203100313	82/04/30	50-498 A	8206210199	8206210190	82/06/13	50-297 Q
8206180100	8203100313	82/04/30	50-498 A	8206210202	8206210196	82/06/08	50-280 S
8206180158	8206180128	82/06/11	50-275 R	8206210204	8206210201	82/06/15	50-369 R
8206180171	8206180163	82/06/15	50-247 Q	8206210208	8206210196	82/06/08	50-280 S
8206180181	8206180178	82/06/11	50-321 P	8206210214	8206210196	82/06/08	50-280 S
8206180186	8206180183	82/03/26	50-358 F	8206210220	8206210196	82/06/08	50-280 S
8206180189	8206180183	82/03/26	50-358 F	8206210223	8206210228	82/06/09	50-325 S
8206180193	8206180188	82/06/14	50-322 T	8206210254	8206210248	82/06/03	50-366 S
8206180194	8206180190	82/06/16	50-445 Q	8206210270	8206210265	82/06/11	50-397 A
8206180196	8206180192	82/06/11	50-275 R	8206210279	8206210278	82/06/14	50-331 R
8206180199	8206180190	82/06/16	50-445 Q	8206210290	8206210285	82/06/02	50-338 S
8206180210	8206180202	82/06/16	50-528 T	8206210292	8206210287	82/03/26	50-285 Q
8206180221	8206180211	82/06/14	50-247 Q	8206210301	8206210297	82/06/08	50-219 S
8206180224	8206180216	82/06/11	50-361 Q	8206210308	8206210306	82/06/11	50-336 S
8206180230	8206180211	82/06/14	50-247 Q	8206210309	8206210307	82/06/08	50-259 S
8206180243	8206180211	82/06/14	50-247 Q	8206210310	8206210305	82/06/11	50-298 S
8206180247	8206180236	82/06/10	50-416 G	8206210312	8206210311	82/06/11	50-338 S
8206180250	8206180239	82/03/06	50-498 A	8206210314	8206210313	82/06/10	40-8452
8206180251	8206180242	82/06/02	50-313 F	8206210320	8206210318	82/06/08	50-498 Q
8206180259	8206180242	82/06/02	50-313 F	8206210334	8206210329	82/06/11	50-328 S
8206180269	8206180262	82/06/15	50-247 Q	8206210336	8206210330	82/06/11	50-321 S
8206180280	8206180272	82/06/15	50-400 Q	8206210357	8206210350	82/06/09	--
8206180282	8206180271	82/03/27	50-220 F	8206210353	8206210356	82/06/15	50-498 Q
8206180286	8206180285	82/03/26	50-409 F	8206210364	8206210359	82/06/08	50-498 Q
8206180288	8206180287	82/03/26	50-282 F	8206210368	8206210356	82/06/15	50-498 Q
8206180289	8206180272	82/06/15	50-400 Q	8206210373	8206210361	82/06/10	50-498 Q
8206180292	8206180272	82/06/15	50-400 Q	8206210374	8206210371	82/06/14	50-498 Q
8206180293	8206180290	82/03/26	50-244 F	8206210384	8206210377	82/06/15	50-498 Q
8206180295	8206180272	82/06/15	50-400 Q	8206210385	8206210374	82/06/07	50-498 Q
8206180300	8206180297	82/03/26	50-10 F	8206210388	8206210382	82/06/07	50-498 Q
8206180302	8206180272	82/06/15	50-400 Q	8206210390	8206210377	82/06/15	50-498 Q
8206180311	8206180310	82/06/16	50-361 P	8206210393	8206210380	82/06/10	50-498 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206210398	8206210395	82/06/15	50-4 R	8206220123	8206220120	82/06/14	50-282 P
8206210411	8206210403	82/06/07	50-272 S	8206220129	8206220125	82/06/07	50-295 S
8206210413	8206210407	82/06/08	50-366 S	8206220133	8206220130	82/06/03	71-454
8206210417	8206210410	82/06/11	50-328 S	8206220139	8206220135	82/06/04	50-344 Q
8206210428	8206210414	82/06/03	50-498 Q	8206220143	8206220140	82/05/26	WASTE MGT
8206210430	8206210424	82/06/15	40-8610	8206220146	8206220136	82/06/15	50-254 Q
8206210441	8206210433	82/06/14	50-389 A	8206220154	8206220148	82/06/16	50-302 S
8206210445	8206210440	82/06/14	50-395 A	8206220161	8206220157	82/06/16	50-247 F
8206210449	8206210437	82/06/09	50-324 S	8206220166	8206220164	82/05/26	50-298 F
8206210457	8206210455	82/06/10	50-250 P	8206220168	8206220163	82/06/07	50-249 S
8206210460	8206210444	82/06/07	50-272 S	8206220169	8206220159	82/06/09	50-522 F
8206210466	8206210463	82/06/14	50-327 S	8206220173	8206220162	82/06/16	50-277 P
8206210467	8206210462	82/06/16	50-387 A	8206220179	8206220162	82/06/16	50-277 F
8206210468	8206210461	82/05/24	50-458 Q	8206220181	8206220176	82/05/24	40-8743
8206210470	8206210448	82/06/08	50-321 S	8206220183	8206220172	82/06/16	50-373 S
8206210473	8206210462	82/06/16	50-387 A	8206220184	8206220177	82/06/10	50-334 F
8206210478	8206210472	82/05/24	40-8399	8206220185	8206220182	82/06/09	50-311 S
8206210480	8206210462	82/06/16	50-387 A	8206220192	8206220188	82/06/16	50-219 Q
8206210483	8206210474	82/06/11	PR	8206220194	8206220190	82/06/10	50-317 S
8206210489	8206210479	82/06/09	50-324 S	8206220200	8206220193	82/06/11	50-346 S
8206210490	8206210482	82/06/11	50-461 Q	8206220203	8206220198	82/06/07	50-460 Q
8206210492	8206210481	82/06/11	50-333 Q	8206220208	8206220202	82/06/14	50-400 A
8206210494	8206210487	82/06/04	50-366 S	8206220211	8206220198	82/06/07	50-460 Q
8206210495	8206210474	82/06/11	PR	8206220212	8206220210	82/06/16	50-454 K
8206210496	8206210488	82/06/11	50-339 S	8206220214	8206220202	82/06/14	50-400 A
8206210497	8206210482	82/06/11	50-461 Q	8206220223	8206220217	82/06/04	50-361 Q
8206210500	8206210474	82/06/11	PR	8206220226	8206220222	82/03/27	50-269 Q
8206210506	8206210482	82/06/11	50-461 Q	8206220230	8206220225	82/06/09	50-324 Q
8206210507	8206210493	82/06/14	50-305 P	8206220232	8206220224	82/06/08	50-315 Q
8206210510	8206210474	82/06/11	PR	8206220236	8206220225	82/06/09	50-324 Q
8206210511	8206210504	82/06/14	50-508 S	8206220239	8206220233	82/06/15	50-305 S
8206210512	8206210501	82/06/15	50-317 Q	8206220240	8206220237	82/06/10	50-424 Q
8206210517	8206210474	82/06/11	PR	8206220242	8206220225	82/06/09	50-324 Q
8206210522	8206210474	82/06/11	PR	8206220243	8206220237	82/06/10	50-424 Q
8206210523	8206210513	82/06/04	50-282 Q	8206220245	8206220225	82/06/09	50-324 Q
8206210526	8206210518	82/06/16	50-324 P	8206220246	8206220237	82/06/10	50-424 Q
8206210530	8206210520	82/06/15	50-324 S	8206220250	8206220237	82/06/10	50-424 Q
8206210535	8206210519	82/06/08	50-302 S	8206220252	8206220225	82/06/09	50-324 Q
8206210538	8206210524	82/06/15	50-302 P	8206220254	8206220237	82/06/10	50-424 Q
8206210548	8206210537	82/06/15	50-325 S	8206220258	8206220248	82/05/26	50-424 Q
8206210556	8206210543	82/06/14	50-317 R	8206220263	8206220256	82/06/17	50-461 E
8206210561	8206210555	82/06/10	50-259 S	8206220264	8206220260	82/06/04	50-320 Q
8206210562	8206210543	82/06/14	50-317 R	8206220266	8206220261	82/06/04	50-334 Q
8206210572	8206210563	82/06/17	50-537 A	8206220273	8206220268	82/06/17	50-498 A
8206210573	8206210542	82/06/03	50-321 S	8206220277	8206220271	82/06/08	50-313 S
8206210579	8206210570	82/06/17	50-387 Q	8206220278	8206220268	82/06/17	50-498 A
8206210582	8206210563	82/06/17	50-537 A	8206220287	8206220283	82/06/10	50-285 R
8206210587	8206210574	82/05/14	50-237 S	8206220289	8206220284	82/06/13	50-267 S
8206210594	8206210588	82/06/14	50-247 Q	8206220297	8206220294	82/06/15	50-267 S
8206210595	8206210563	82/06/17	50-537 A	8206220298	8206220285	82/06/14	50-409 S
8206210596	8206210585	82/06/16	50-373 Q	8206220300	8206220295	82/06/15	50-255 S
8206210598	8206210590	82/06/14	50-329 A	8206220301	8206220296	82/06/11	50-273 S
8206210602	8206210591	82/06/14	50-260 S	8206220309	8206220306	82/06/04	50-293 Q
8206210603	8206210563	82/06/17	50-537 A	8206220310	8206220280	82/06/16	50-351 S
8206210608	8206210599	82/06/11	50-339 S	8206220311	8206220304	82/05/28	50-335 Q
8206210618	8206210612	82/06/17	50-413 A	8206220313	8206220312	82/06/16	50-280 Q
8206210628	8206210613	82/06/03	0A999	8206220317	8206220316	82/06/15	50-271 Q
8206210629	8206210598	82/06/01	50-366 S	8206220326	8206220321	82/06/02	50-344 Q
8206210632	8206210630	82/06/14	MUREQ	8206220329	8206220324	82/05/28	50-322 Q
8206210638	8206210633	82/06/11	50-213 P	8206220331	8206220325	82/06/07	50-245 S
8206210644	8206210633	82/06/11	50-213 P	8206220339	8206220307	82/06/14	50-266 P
8206210650	8206210643	82/06/15	50-338 S	8206220342	8206220335	82/06/15	50-250 S
8206210660	8206210655	82/06/04	50-321 S	8206220347	8206220328	82/06/08	50-387 Q
8206220032	8206220027	82/05/26	WASTE MGT	8206220348	8206220341	82/05/28	50-389 Q
8206220041	8206220037	82/05/21	40-8786	8206220354	8206220344	82/06/15	50-325 S
8206220052	8206220044	82/05/21	40-8714	8206220356	8206220350	82/06/09	50-321 Q
8206220053	8206220045	82/06/09	70-1143	8206220358	8206220345	82/06/07	50-508 Q
8206220058	8206220043	82/06/09	70-1143	8206220360	8206220353	82/06/15	50-304 S
8206220060	8206220055	82/06/04	50-259 X	8206220361	8206220350	82/06/09	50-321 Q
8206220064	8206220055	82/06/04	50-259 X	8206220367	8206220350	82/06/09	50-321 Q
8206220067	8206220061	82/05/25	50-400 Q	8206220370	8206220362	82/06/18	50-344 Q
8206220075	8206220071	82/05/24	50-324 Q	8206220371	8206220366	82/06/07	50-528 Q
8206220076	8206220073	82/05/24	50-416 Q	8206220372	8206220350	82/06/09	50-321 Q
8206220077	8206220074	82/06/16	50-361 Q	8206220373	8206220368	82/06/11	50-271 S
8206220083	8206220078	82/05/21	50-324 Q	8206220375	8206220359	82/06/09	50-272 S
8206220090	8206220085	82/06/15	50-470 A	8206220378	8206220365	82/06/14	50-335 S
8206220097	8206220093	82/05/20	40-1162	8206220380	8206220374	82/06/04	50-29 Q
8206220098	8206220094	82/06/09	50-311 S	8206220382	8206220379	82/06/10	50-29 F
8206220102	8206220100	82/05/28	40-2239	8206220384	8206220374	82/06/04	50-29 Q
8206220109	8206220105	82/05/26	40-8102	8206220386	8206220376	82/06/11	50-219 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

569

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206220375	8206220387	82/06/09	50-272 S	8206220369	8206220347	82/07/03	50-111 Q
8206220378	8206220385	82/06/11	50-29 S	8206220373	8206220367	82/06/10	50-318 S
8206220379	8206220389	82/06/16	50-325 S	8206220378	8206220347	82/07/03	50-111 Q
8206220401	8206220394	82/06/08	50-416 Q	8206220381	8206220376	82/05/24	50-335 Q
8206220404	8206220392	82/06/03	50-277 Q	8206220384	8206220382	82/06/17	50-361 Q
8206220406	8206220402	82/06/16	50-303 P	8206220393	8206220388	82/06/15	50-315 S
8206220407	8206220405	82/06/11	70-143	8206220400	8206220398	82/03/21	71-9165
8206220408	8206220400	82/06/11	50-271 S	8206220428	8206220427	82/06/08	50-329 A
8206220409	8206220394	82/06/08	50-416 Q	8206220018	8206220014	82/06/17	50-277 F
8206220415	8206220394	82/06/08	50-416 Q	8206220023	8206220007	82/04/29	FOIA
8206220416	8206220413	82/06/15	50-247 R	8206220026	8206220007	82/04/29	FOIA
8206220418	8206220410	82/06/14	50-280 S	8206220028	8206220007	82/04/29	FOIA
8206220424	8206220394	82/06/08	50-416 Q	8206220032	8206220021	82/06/17	50-10 F
8206220425	8206220410	82/06/14	50-280 S	8206220033	8206220030	82/05/14	NUREG
8206220426	8206220421	82/06/08	50-400 Q	8206220035	8206220007	82/04/29	FOIA
8206220430	8206220421	82/06/08	50-400 Q	8206220037	8206220021	82/06/17	50-10 F
8206220431	8206220410	82/06/14	50-280 S	8206220038	8206220007	82/04/29	FOIA
8206220432	8206220420	82/06/16	50-328 S	8206220041	8206220007	82/04/29	FOIA
8206220434	8206220422	82/06/08	50-271 Q	8206220042	8206220007	82/04/29	FOIA
8206220435	8206220421	82/06/08	50-400 Q	8206220044	8206220007	82/04/29	50-289 P
8206220439	8206220421	82/06/08	50-400 Q	8206220047	8206220045	82/06/17	50-315 F
8206220443	8206220436	82/05/25	50-416 Q	8206220048	8206220043	82/06/15	PT21
8206220444	8206220438	82/06/18	50-387 K	8206220049	8206220046	82/06/21	50-440 Q
8206220446	8206220442	82/05/28	50-321 Q	8206220050	8206220045	82/06/17	50-315 F
8206220452	8206220440	82/06/08	50-266 Q	8206220052	8206220007	82/04/29	FOIA
8206220457	8206220448	82/06/16	50-286 Q	8206220055	8206220007	82/04/29	FOIA
8206220459	8206220449	82/06/09	50-272 S	8206220057	8206220007	82/04/29	FOIA
8206220462	8206220453	82/05/25	50-395 Q	8206220059	8206220053	82/06/21	50-322 Q
8206220465	8206220458	82/06/03	50-334 Q	8206220061	8206220058	82/06/14	50-409 P
8206220472	8206220454	82/06/11	50-245 P	8206220062	8206220053	82/06/21	50-322 Q
8206220473	8206220469	82/06/08	50-423 Q	8206220063	8206220060	82/06/02	XPORTLIC
8206220475	8206220467	82/06/09	50-324 Q	8206220065	8206220007	82/04/29	FOIA
8206220476	8206220471	82/06/16	50-334 P	8206220067	8206220053	82/06/21	50-322 A
8206220478	8206220466	82/06/09	50-438 Q	8206220069	8206220007	82/04/29	FOIA
8206220479	8206220469	82/06/08	50-423 Q	8206220074	8206220007	82/04/29	FOIA
8206220480	8206220470	82/05/21	50-395 Q	8206220078	8206220007	82/04/29	FOIA
8206220484	8206220466	82/06/09	50-438 Q	8206220081	8206220007	82/04/29	FOIA
8206220486	8206220467	82/06/09	50-324 Q	8206220082	8206220007	82/04/29	FOIA
8206220488	8206220466	82/06/09	50-438 Q	8206220083	8206220079	82/06/16	50-250 P
8206220489	8206220482	82/05/26	50-261 Q	8206220086	8206220007	82/04/29	FOIA
8206220493	8206220467	82/06/09	50-324 Q	8206220089	8206220087	82/06/15	71-6722
8206220495	8206220474	82/06/09	50-313 S	8206220093	8206220007	82/04/29	FOIA
8206220496	8206220464	82/06/09	50-438 Q	8206220094	8206220007	82/04/29	FOIA
8206220497	8206220487	82/06/16	50-293 Q	8206220096	8206220007	82/04/29	FOIA
8206220498	8206220467	82/06/09	50-324 Q	8206220103	8206220098	82/06/21	TOPREP
8206220499	8206220490	82/05/26	50-416 Q	8206220104	8206220095	82/06/15	71-473
8206220505	8206220501	82/06/09	50-311 S	8206220111	8206220107	82/06/11	50-334 S
8206220508	8206220467	82/06/09	50-324 Q	8206220112	8206220108	82/06/09	50-311 S
8206220512	8206220507	82/05/27	50-322 Q	8206220117	8206220007	82/04/29	FOIA
8206220514	8206220504	82/05/12	50-219 P	8206220122	8206220007	82/04/29	FOIA
8206220518	8206220507	82/05/27	50-322 Q	8206220124	8206220007	82/04/29	FOIA
8206220520	8206220511	82/06/11	50-271 F	8206220126	8206220120	82/06/11	50-318 S
8206220522	8206220510	82/06/09	50-324 Q	8206220129	8206220121	82/06/14	50-219 S
8206220523	8206220515	82/06/11	50-302 Q	8206220132	8206220007	82/04/29	FOIA
8206220524	8206220517	82/06/11	50-395 Q	8206220134	8206220007	82/04/29	FOIA
8206220527	8206220515	82/06/11	50-302 Q	8206220138	8206220007	82/04/29	FOIA
8206220529	8206220510	82/06/09	50-324 Q	8206220141	8206220007	82/04/29	FOIA
8206220530	8206220521	82/06/11	50-333 S	8206220143	8206220007	82/04/29	FOIA
8206220531	8206220517	82/06/11	50-395 Q	8206220144	8206220137	82/06/15	50-155 Q
8206220532	8206220525	82/06/03	50-261 Q	8206220145	8206220007	82/04/29	FOIA
8206220533	8206220528	82/06/15	50-382 A	8206220147	8206220140	82/06/16	50-272 F
8206220535	8206220515	82/06/11	50-302 Q	8206220150	8206220137	82/06/15	50-155 Q
8206220536	8206220510	82/06/09	50-324 Q	8206220153	8206220131	82/05/24	40-8681
8206220538	8206220526	82/06/07	50-289 Q	8206220154	8206220137	82/06/15	50-155 Q
8206220539	8206220517	82/06/11	50-395 Q	8206220156	8206220137	82/06/15	50-155 Q
8206220540	8206220525	82/06/03	50-261 Q	8206220158	8206220007	82/04/29	FOIA
8206220542	8206220510	82/06/09	50-324 Q	8206220160	8206220007	82/04/29	FOIA
8206220543	8206220525	82/06/03	50-261 Q	8206220161	8206220159	82/06/18	71-6400
8206220546	8206220517	82/06/11	50-395 Q	8206220162	8206220155	82/06/21	50-828 Q
8206220548	8206220510	82/06/09	50-324 Q	8206220164	8206220155	82/06/21	50-828 Q
8206220549	8206220515	82/06/11	50-302 Q	8206220165	8206220007	82/04/29	FOIA
8206220551	8206220525	82/06/03	50-261 Q	8206220168	8206220007	82/04/29	FOIA
8206220552	8206220534	82/06/09	50-272 S	8206220169	8206220166	82/06/17	50-247 Q
8206220553	8206220537	82/06/17	50-329 A	8206220173	8206220007	82/04/29	FOIA
8206220555	8206220550	82/06/07	50-237 Q	8206220179	8206220176	82/06/09	50-298 P
8206220556	8206220547	82/07/03	50-111 Q	8206220182	8206220176	82/06/09	50-298 P
8206220558	8206220510	82/06/09	50-324 Q	8206220183	8206220176	82/06/09	50-298 P
8206220559	8206220547	82/07/03	50-111 Q	8206220186	8206220164	82/06/21	50-237 Q
8206220563	8206220550	82/06/07	50-237 Q	8206220199	8206220197	82/06/18	50-275 P
8206220564	8206220560	82/06/04	50-317 Q	8206220200	8206220197	82/06/18	50-275 P

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206230205	8206230007	82/04/29	FOIA	8206240215	8206240209	82/06/18	50-537 Q
8206230206	8206230203	82/06/18	50-267 F	8206240235	8206240221	82/06/16	50-247 Q
8206230208	8206230007	82/04/29	FOIA	8206240245	8206240241	82/06/18	50-366 S
8206230211	8206230007	82/04/29	FOIA	8206240252	8206240248	82/06/17	50-443 Q
8206230214	8206230007	82/04/29	FOIA	8206240256	8206240254	82/06/01	50-322 T
8206230217	8206230007	82/04/29	FOIA	8206240258	8206240248	82/06/17	50-443 Q
8206230220	8206230007	82/04/29	FOIA	8206240259	8206240253	82/06/21	50-309 F
8206230222	8206230007	82/04/29	FOIA	8206240267	8206240262	82/06/18	50-315 S
8206230226	8206230225	82/05/20	71-394	8206240272	8206240270	82/06/21	50-537 A
8206230229	8206230228	82/06/14	50-334 S	8206240273	8206240268	82/06/17	50-373 P
8206230235	8206230232	82/06/16	50-267 S	8206240275	8206240262	82/06/18	50-315 S
8206230236	8206230234	82/06/08	71-9032	8206240280	8206240279	82/06/11	50-336 P
8206230238	8206230007	82/04/29	FOIA	8206240285	8206240271	82/06/21	50-324 P
8206230240	8206230007	82/04/29	FOIA	8206240288	8206240271	82/06/21	50-324 P
8206230242	8206230007	82/04/29	FOIA	8206240290	8206240271	82/06/21	50-324 P
8206230245	8206230007	82/04/29	FOIA	8206240291	8206240287	82/06/11	50-341 Q
8206230248	8206230007	82/04/29	FOIA	8206240297	8206240289	82/06/15	50-285 P
8206230251	8206230007	82/04/29	FOIA	8206240307	8206240306	82/06/15	50-338 S
8206230259	8206230007	82/04/29	50-361 P	8206240313	8206240312	82/06/18	50-327 S
8206230261	8206230007	82/04/29	50-361 A	8206240316	8206240314	82/06/18	50-373 Q
8206230266	8206230007	82/04/29	FOIA	8206240317	8206240315	82/06/18	50-296 S
8206230268	8206230007	82/04/29	FOIA	8206240324	8206240322	82/06/15	50-338 S
8206230271	8206230007	82/04/29	50-286 P	8206240327	8206240325	82/06/18	50-213 S
8206230305	8206230302	82/06/04	CONTRACT	8206240331	8206240328	82/06/17	50-409 S
8206230307	8206230299	82/06/09	CONTRACT	8206240335	8206240333	82/06/17	50-316 S
8206230326	8206230320	82/05/13	CONTRACT	8206240336	8206240334	82/06/18	50-346 S
8206230348	8206230343	82/06/14	CONTRACT	8206240337	8206240295	82/06/15	50-338 S
8206230357	8206230355	82/05/24	70-1113	8206240338	8206240332	82/06/16	50-10 F
8206240011	8206240007	82/06/16	CONTRACT	8206240346	8206240339	82/06/15	50-296 S
8206240012	8206240009	82/06/18	50-255 F	8206240349	8206240345	82/06/17	50-316 S
8206240015	8206240009	82/06/18	50-255 F	8206240350	8206240347	82/06/16	50-247 T
8206240020	8206240017	82/06/16	CONTRACT	8206240351	8206240347	82/06/16	50-247 T
8206240022	8206240018	82/06/18	50-220 F	8206240353	8206240344	82/06/16	50-280 P
8206240026	8206240018	82/06/18	50-220 F	8206240354	8206240347	82/06/16	50-247 T
8206240037	8206240033	82/06/08	FOIA	8206240358	8206240347	82/06/16	50-247 T
8206240039	8206240033	82/06/08	FOIA	8206240359	8206240347	82/06/16	50-247 T
8206240042	8206240033	82/06/08	FOIA	8206240361	8206240355	82/06/15	50-339 S
8206240049	8206240032	82/06/18	50-10 F	8206240362	8206240347	82/06/16	50-247 T
8206240050	8206240045	82/06/11	FOIA	8206240367	8206240347	82/06/16	50-247 T
8206240057	8206240051	82/06/18	50-250 S	8206240374	8206240368	82/06/15	50-296 S
8206240065	8206240061	82/06/18	50-409 F	8206240375	8206240370	82/06/11	50-245 Q
8206240067	8206240062	82/06/17	50-339 S	8206240377	8206240376	82/06/18	50-443 Q
8206240071	8206240061	82/06/18	50-409 F	8206240380	8206240376	82/06/18	50-443 Q
8206240080	8206240079	82/06/07	FOIA	8206240383	8206240376	82/06/18	50-443 Q
8206240081	8206240075	82/06/18	50-277 F	8206240384	8206240382	82/06/22	50-361 Q
8206240086	8206240075	82/06/18	50-277 F	8206240385	8206240378	82/06/16	50-254 S
8206240089	8206240087	82/06/10	CONTRACT	8206240386	8206240376	82/06/18	50-443 Q
8206240101	8206240099	82/06/07	FOIA	8206240394	8206240389	82/06/11	50-219 Q
8206240102	8206240097	82/06/10	CONTRACT	8206240403	8206240397	82/06/15	50-373 S
8206240104	8206240100	82/06/15	CONTRACT	8206240413	8206240410	82/06/09	50-213 S
8206240110	8206240107	82/06/11	CONTRACT	8206240419	8206240414	82/06/10	CONTRACT
8206240114	8206240099	82/06/07	FOIA	8206240421	8206240417	82/06/15	50-338 S
8206240121	8206240112	82/06/18	50-254 F	8206240427	8206240424	82/06/18	50-348 F
8206240122	8206240099	82/06/07	FOIA	8206240437	8206240432	82/06/18	50-255 F
8206240125	8206240099	82/06/07	FOIA	8206240440	8206240432	82/06/18	50-255 F
8206240126	8206240118	82/06/15	50-339 S	8206240453	8206240449	82/04/22	50-289 P
8206240128	8206240112	82/06/18	50-254 F	8206240458	8206240455	82/05/27	50-269 P
8206240129	8206240099	82/06/07	FOIA	8206240459	8206240455	82/05/27	50-269 P
8206240133	8206240099	82/06/07	FOIA	8206240467	8206240464	82/06/02	CONTRACT
8206240134	8206240131	82/06/11	50-219 P	8206240472	8206240469	82/06/04	CONTRACT
8206240135	8206240131	82/06/11	50-219 P	8206240480	8206240477	82/06/10	50-219 F
8206240138	8206240131	82/06/11	50-219 P	8206240481	8206240479	82/06/02	CONTRACT
8206240141	8206240099	82/06/07	FOIA	8206240484	8206240483	82/06/18	50-315 F
8206240144	8206240140	82/06/15	50-328 S	8206250009	8206240483	82/06/18	50-315 F
8206240145	8206240099	82/06/07	FOIA	8206250014	8206250012	82/06/16	50-219 R
8206240150	8206240148	82/06/18	50-335 S	8206250020	8206250016	82/06/18	50-313 F
8206240153	8206240151	82/06/15	50-366 S	8206250023	8206250016	82/06/18	50-313 F
8206240163	8206240159	82/06/18	50-338 Q	8206250028	8206250028	82/06/08	CONTRACT
8206240166	8206240162	82/06/15	50-338 S	8206250043	8206250039	82/05/25	CONTRACT
8206240181	8206240177	82/06/10	50-206 F	8206250059	8206250051	82/06/14	CONTRACT
8206240182	8206240175	82/06/18	50-325 S	8206250071	8206250068	82/06/04	CONTRACT
8206240187	8206240179	82/06/14	71-477	8206250084	8206250077	82/03/26	CONTRACT
8206240188	8206240183	82/06/17	50-315 S	8206250089	8206250086	82/06/02	50-293 U
8206240192	8206240186	82/06/18	50-325 S	8206250103	8206250097	82/03/27	50-244 P
8206240194	8206240190	82/06/16	50-407 S	8206250109	8206250101	82/06/04	70-1151
8206240195	8206240191	82/06/18	50-373 P	8206250121	8206250118	82/06/18	50-324 Q
8206240199	8206240197	82/06/18	50-303 S	8206250125	8206250119	82/06/14	50-309 Q
8206240200	8206240196	82/06/17	50-259 S	8206250130	8206250128	82/06/15	50-29 F
8206240207	8206240206	82/06/22	50-331 F	8206250132	8206250124	82/06/15	50-458 A
8206240213	8206240204	82/06/10	50-354 Q	8206250133	8206250119	82/06/16	50-309 Q

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

571

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206250143	8206250137	82/06/16	50-309 P	8206280190	8206280180	82/05/19	50-313 Q
8206250144	8206250137	82/06/16	50-309 P	8206280194	8206280071	82/05/12	FOIA
8206250147	8206250144	82/06/24	50-247 Q	8206280198	8206280071	82/05/12	FOIA
8206250167	8206250160	82/06/02	70-1113	8206280199	8206280071	82/05/12	FOIA
8206250173	8206250166	82/06/07	50-443 Q	8206280207	8206280071	82/05/12	FOIA
8206250198	8206250195	82/06/22	50-234 Q	8206280211	8206280071	82/05/12	FOIA
8206250213	8206250210	82/06/10	50-293 Q	8206280214	8206280071	82/05/12	50-312 Q
8206250215	8206250205	82/06/23	50-443 A	8206280216	8206280071	82/05/12	FOIA
8206250219	8206250210	82/06/10	50-293 Q	8206280222	8206280218	82/06/09	50-142 Q
8206250220	8206250216	82/06/23	50-416 P	8206280223	8206280071	82/05/12	FOIA
8206250222	8206250205	82/06/23	50-443 A	8206280226	8206280071	82/05/12	FOIA
8206250223	8206250205	82/06/23	50-443 A	8206280228	8206280218	82/06/09	50-142 Q
8206250238	8206250236	82/06/08	0A977	8206280230	8206280224	82/06/15	40-2061
8206250241	8206250236	82/06/08	0A977	8206280231	8206280071	82/05/12	FOIA
8206250244	8206250240	82/06/08	50-286 Q	8206280239	8206280071	82/05/12	FOIA
8206250256	8206250250	82/05/28	70-27	8206280242	8206280071	82/05/12	FOIA
8206250259	8206250257	82/06/15	50-483 Q	8206280244	8206280237	82/06/16	50-318 S
8206250263	8206250257	82/06/15	50-483 Q	8206280245	8206280071	82/05/12	FOIA
8206250277	8206250275	82/06/18	50-267 S	8206280247	8206280071	82/05/12	FOIA
8206250279	8206250271	82/06/11	PR	8206280254	8206280071	82/05/12	FOIA
8206250281	8206250271	82/06/11	PR	8206280256	8206280071	82/05/12	FOIA
8206250285	8206250271	82/06/11	PR	8206280257	8206280248	82/06/09	50-334 S
8206250286	8206250282	82/06/02	70-1151	8206280259	8206280071	82/05/12	FOIA
8206250293	8206250271	82/06/11	PR	8206280262	8206280071	82/05/12	FOIA
8206250301	8206250271	82/06/11	PR	8206280266	8206280071	82/05/12	50-289 T
8206250302	8206250298	82/06/18	50-336 P	8206280268	8206280071	82/05/12	50-312 Q
8206250307	8206250271	82/06/11	PR	8206280269	8206280264	82/06/22	50-333 P
8206250310	8206250306	82/06/08	70-1100	8206280273	8206280071	82/05/12	FOIA
8206250314	8206250309	82/06/23	50-387 A	8206280275	8206280071	82/05/12	FOIA
8206250347	8206250344	82/05/26	WASTE MGT	8206280276	8206280071	82/05/12	FOIA
8206250354	8206250349	82/06/21	50-482 D	8206280278	8206280271	82/06/24	50-352 Q
8206250363	8206250362	82/06/09	50-269 P	8206280279	8206280071	82/05/12	FOIA
8206250370	8206250366	82/06/16	50-269 Q	8206280287	8206280071	82/05/12	FOIA
8206280004	8206280002	82/06/17	50-277 P	8206280291	8206280071	82/05/12	FOIA
8206280007	8206280002	82/06/17	50-277 P	8206280292	8206280071	82/05/12	FOIA
8206280008	8206280002	82/06/17	50-277 P	8206280293	8206280071	82/05/12	FOIA
8206280014	8206280012	82/06/16	CONTRACT	8206280295	8206280071	82/05/12	FOIA
8206280016	8206280015	82/06/18	50-293 Q	8206280297	8206280071	82/05/12	FOIA
8206280018	8206280015	82/06/18	50-293 Q	8206280299	8206280071	82/05/12	FOIA
8206280020	8206280015	82/06/18	50-293 Q	8206280302	8206280071	82/05/12	FOIA
8206280022	8206280019	82/06/14	CONTRACT	8206280303	8206280071	82/05/12	FOIA
8206280024	8206280015	82/06/18	50-293 Q	8206280306	8206280071	82/05/12	FOIA
8206280031	8206280027	82/06/18	50-344 Q	8206280307	8206280071	82/05/12	FOIA
8206280036	8206280027	82/06/18	50-344 Q	8206280310	8206280071	82/05/12	FOIA
8206280038	8206280015	82/06/18	50-293 Q	8206280311	8206280308	82/06/11	50-344 Q
8206280042	8206280015	82/06/18	50-293 Q	8206280313	8206280071	82/05/12	FOIA
8206280045	8206280015	82/06/18	50-293 Q	8206280314	8206280071	82/05/12	FOIA
8206280058	8206280046	82/06/16	50-317 S	8206280316	8206280312	82/06/11	50-320 P
8206280093	8206280089	82/06/18	70-27	8206280317	8206280071	82/05/12	FOIA
8206280094	8206280066	82/06/16	50-247 Q	8206280318	8206280071	82/05/12	FOIA
8206280102	8206280071	82/05/12	FOIA	8206280319	8206280071	82/05/12	FOIA
8206280104	8206280066	82/06/16	50-247 Q	8206280320	8206280071	82/05/12	FOIA
8206280106	8206280071	82/05/12	FOIA	8206280321	8206280312	82/06/11	50-320 P
8206280115	8206280066	82/06/16	50-247 Q	8206280322	8206280071	82/05/12	FOIA
8206280121	8206280071	82/05/12	FOIA	8206280323	8206280071	82/05/12	FOIA
8206280123	8206280066	82/06/16	50-247 Q	8206280324	8206280071	82/05/12	FOIA
8206280126	8206280108	82/06/21	CONTRACT	8206280326	8206280071	82/05/12	FOIA
8206280127	8206280071	82/05/12	50-289 T	8206280327	8206280325	82/06/22	50-155 J
8206280128	8206280066	82/06/16	50-247 Q	8206280328	8206280325	82/06/22	50-155 J
8206280129	8206280071	82/05/12	FOIA	8206280330	8206280325	82/06/22	50-155 J
8206280132	8206280071	82/05/12	FOIA	8206280331	8206280325	82/06/22	50-155 J
8206280133	8206280066	82/06/16	50-247 Q	8206280333	8206280325	82/06/22	50-155 J
8206280135	8206280066	82/06/16	50-247 Q	8206280334	8206280332	82/06/11	50-334 S
8206280136	8206280131	82/06/21	CONTRACT	8206280335	8206280071	82/05/12	FOIA
8206280137	8206280066	82/06/16	50-247 Q	8206280336	8206280071	82/05/12	FOIA
8206280140	8206280071	82/05/12	50-312 P	8206280339	8206280071	82/05/12	FOIA
8206280142	8206280066	82/06/16	50-247 Q	8206280358	8206280071	82/05/12	FOIA
8206280143	8206280071	82/05/12	FOIA	8206280361	8206280071	82/05/12	FOIA
8206280144	8206280138	82/05/21	50-289 P	8206280364	8206280071	82/05/12	FOIA
8206280147	8206280071	82/05/12	50-289 P	8206280367	8206280355	82/06/18	50-320 S
8206280148	8206280146	82/06/21	50-482 D	8206280371	8206280071	82/05/12	FOIA
8206280154	8206280071	82/05/12	FOIA	8206280373	8206280071	82/05/12	FOIA
8206280158	8206280071	82/05/12	FOIA	8206280377	8206280369	82/06/16	50-317 S
8206280159	8206280071	82/05/12	FOIA	8206280386	8206280376	82/06/08	50-206 Q
8206280171	8206280071	82/05/12	FOIA	8206280387	8206280071	82/05/12	FOIA
8206280175	8206280071	82/05/12	FOIA	8206280388	8206280071	82/05/12	FOIA
8206280178	8206280071	82/05/12	FOIA	8206280395	8206280385	82/06/23	50-275 P
8206280181	8206280071	82/05/12	FOIA	8206280397	8206280071	82/05/12	FOIA
8206280185	8206280071	82/05/12	FOIA	8206280402	8206280071	82/05/12	FOIA
8206280188	8206280071	82/05/12	FOIA	8206280408	8206280071	82/05/12	FOIA

CROSS REFERENCE OF ENCLOSURES TO PRINCIPAL DOCUMENTS

ACCESSION NUMBER				ACCESSION NUMBER			
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY
8206280410	8206280394	82/06/22	50-409 Q	8206280977	8206280561	82/06/10	FOIA
8206280411	8206280401	82/06/10	40-3392	8206280600	82062800071	82/05/12	FOIA
8206280413	8206280071	82/05/12	FOIA	8206280602	8206280561	82/06/10	FOIA
8206280415	8206280071	82/05/12	FOIA	8206280606	8206280071	82/05/12	FOIA
8206280417	8206280071	82/05/12	FOIA	8206280607	8206280071	82/05/12	FOIA
8206280421	8206280392	82/06/10	50-219 S	8206280608	8206280561	82/06/10	FOIA
8206280422	8206280071	82/05/12	FOIA	8206280610	8206280590	82/06/17	50-280 P
8206280423	8206280071	82/05/12	FOIA	8206280613	8206280071	82/05/12	FOIA
8206280425	8206280407	82/06/24	50-244 P	8206280614	8206280590	82/06/17	50-280 P
8206280431	8206280427	82/06/14	50-219 S	8206280615	8206280071	82/05/12	FOIA
8206280432	8206280071	82/05/12	FOIA	8206280617	8206280561	82/06/10	FOIA
8206280435	8206280071	82/05/12	FOIA	8206280621	8206280071	82/05/12	FOIA
8206280436	8206280407	82/06/24	50-244 P	8206280626	8206280590	82/06/17	50-280 P
8206280438	8206280071	82/05/12	FOIA	8206280628	8206280561	82/06/10	FOIA
8206280442	8206280071	82/05/12	FOIA	8206280641	8206280561	82/06/10	FOIA
8206280445	8206280071	82/05/12	FOIA	8206280649	8206280561	82/06/10	FOIA
8206280448	8206280071	82/05/12	FOIA	8206280656	8206280561	82/06/10	FOIA
8206280451	8206280433	82/06/21	50-305 P	8206280660	8206280561	82/06/10	FOIA
8206280453	8206280071	82/05/12	FOIA	8206280662	8206280635	82/06/22	50-289 F
8206280458	8206280071	82/05/12	FOIA	8206280664	8206280561	82/06/10	FOIA
8206280462	8206280455	82/06/11	QA999	8206280669	8206280655	82/06/22	50-289 F
8206280467	8206280071	82/05/12	FOIA	8206280670	8206280071	82/05/12	FOIA
8206280468	8206280455	82/06/11	QA999	8206280672	8206280561	82/06/10	FOIA
8206280470	8206280071	82/05/12	FOIA	8206280678	8206280561	82/06/10	FOIA
8206280475	8206280459	82/06/13	50-404 A	8206280679	8206280674	82/06/22	50-373 F
8206280477	8206280071	82/05/12	FOIA	8206280681	8206280676	82/06/14	50-334 P
8206280478	8206280472	82/06/08	50-460 Q	8206280683	8206280561	82/06/10	FOIA
8206280481	8206280071	82/05/12	FOIA	8206280685	8206280676	82/06/14	50-334 P
8206280484	8206280071	82/05/12	FOIA	8206280690	8206280676	82/06/14	50-334 P
8206280487	8206280071	82/05/12	FOIA	8206290007	8206290002	82/06/18	CONTRACT
8206280489	8206280472	82/06/08	50-460 Q	8206290013	8206290009	82/06/09	70-36
8206280491	8206280071	82/05/12	FOIA	8206290018	8206290015	82/06/18	50-336 P
8206280494	8206280488	82/06/08	50-312 Q	8206290026	8206290023	82/05/28	50-293 P
8206280498	8206280071	82/05/12	FOIA	8206290032	8206290023	82/05/28	50-293 P
8206280501	8206280071	82/05/12	FOIA	8206290036	8206290023	82/05/28	50-293 P
8206280506	8206280071	82/05/12	FOIA	8206290048	8206290044	82/06/21	CONTRACT
8206280508	8206280071	82/05/12	FOIA	8206290052	8206290053	82/06/23	50-316 S
8206280509	8206280503	82/06/21	50-333 P	8206290063	8206290055	82/06/08	40-6622
8206280510	8206280071	82/05/12	FOIA	8206290069	8206290065	82/06/14	50-243 Q
8206280511	8206280505	82/06/24	50-206 P	8206290100	8206290094	82/06/22	70-374
8206280513	8206280507	82/06/22	50-277 P	8206290127	8206290121	82/06/25	50-255 P
8206280514	8206280071	82/05/12	FOIA	8206290132	8206290121	82/06/25	50-255 P
8206280515	8206280503	82/06/21	50-333 P	8206290152	8206290148	82/06/23	50-219 Q
8206280517	8206280071	82/05/12	FOIA	8206290156	8206290147	82/06/11	50-277 Q
8206280519	8206280071	82/05/12	FOIA	8206290169	8206290164	82/06/18	50-336 S
8206280524	8206280071	82/05/12	FOIA	8206290176	8206290172	82/06/17	50-285 S
8206280527	8206280518	82/06/11	50-312 Q	8206290185	8206290180	82/06/22	50-305 S
8206280528	8206280071	82/05/12	FOIA	8206290189	8206290174	82/06/25	50-387 A
8206280529	8206280071	82/05/12	FOIA	8206290191	8206290180	82/06/22	50-305 S
8206280530	8206280522	82/06/22	27-48	8206290197	8206290188	82/06/25	50-244 P
8206280531	8206280526	82/06/18	50-29 S	8206290201	8206290174	82/06/25	50-387 A
8206280535	8206280071	82/05/12	FOIA	8206290209	8206290206	82/06/15	50-346 Q
8206280536	8206280533	82/06/08	QA999	8206290215	8206290206	82/06/15	50-346 Q
8206280538	8206280071	82/05/12	FOIA	8206290231	8206290221	82/06/17	50-317 P
8206280539	8206280071	82/05/12	FOIA	8206290239	8206290235	82/06/23	50-255 P
8206280540	8206280071	82/05/12	FOIA	8206290241	8206290235	82/06/23	50-255 P
8206280542	8206280533	82/06/08	QA999	8206290250	8206290247	82/06/08	70-1100
8206280543	8206280071	82/05/12	FOIA	8206290252	8206290248	82/06/15	50-219 S
8206280547	8206280071	82/05/12	FOIA	8206290253	8206290246	82/06/21	50-373 S
8206280548	8206280071	82/05/12	50-361 Q	8206290254	8206290247	82/06/08	70-1100
8206280549	8206280071	82/05/12	50-361 Q	8206290265	8206290258	82/06/14	50-220 Q
8206280553	8206280071	82/05/12	50-361 Q	8206290271	8206290268	82/06/22	70-2815
8206280556	8206280071	82/05/12	50-275 Q	8206290274	8206290267	82/06/25	50-387 A
8206280558	8206280535	82/06/10	QA999	8206290280	8206290281	82/06/18	50-327 P
8206280560	8206280071	82/05/12	50-275 Q	8206290309	8206290303	82/06/09	50-373 Q
8206280562	8206280071	82/05/12	FOIA	8206290318	8206290303	82/06/09	50-373 Q
8206280563	8206280535	82/06/10	QA999	8206290326	8206290322	82/06/25	50-289 R
8206280564	8206280561	82/06/10	FOIA	8206290350	8206290342	82/06/18	50-409 S
8206280565	8206280071	82/05/12	FOIA	8206290353	8206290348	82/06/07	XPRTLIC
8206280566	8206280537	82/06/18	50-278 S	8206290373	8206290368	82/06/23	50-267 F
8206280568	8206280071	82/05/12	FOIA	8206290376	8206290368	82/06/23	50-267 F
8206280570	8206280561	82/06/10	FOIA	8206290378	8206290371	82/06/18	50-373 S
8206280572	8206280071	82/05/12	50-275 Q	8206290379	8206290374	82/06/21	50-346 S
8206280576	8206280071	82/05/12	FOIA	8206290387	8206290386	82/06/23	50-255 P
8206280577	8206280569	82/06/08	50-373 Q	8206290389	8206290384	82/06/16	50-311 S
8206280578	8206280071	82/05/12	FOIA	8206290390	8206290383	82/06/21	50-346 P
8206280579	8206280573	82/05/17	CONTRACT	8206290391	8206290386	82/06/23	50-255 P
8206280580	8206280071	82/05/12	FOIA	8206290392	8206290383	82/06/21	50-346 P
8206280582	8206280071	82/05/12	FOIA	8206290397	8206290385	82/06/02	50-219 Q
8206280591	8206280071	82/05/12	FOIA	8206290401	8206290396	82/06/14	50-410 Q

ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8206290406	8206290402	82/06/14	50-272	Q
8206290408	8206290403	82/06/25	50-255	P
8206290411	8206290402	82/06/14	50-272	Q
8206290412	8206290403	82/06/25	50-255	P
8206290418	8206290414	82/06/25	50-206	P
8206290422	8206290421	82/06/23	50-315	S
8206290428	8206290421	82/06/23	50-315	S
8206290430	8206290417	82/06/11	50-373	S
8206290435	8206290425	82/06/23	50-334	Q
8206290452	8206290440	82/06/22	50-267	F
8206290459	8206290455	82/06/22	70-135	
8206290462	8206290458	82/06/14	50-333	Q
8206290467	8206290458	82/06/14	50-333	Q
8206290468	8206290463	82/06/18	50-336	S
8206290473	8206290470	82/06/17	50-373	S
8206290483	8206290480	82/06/24	50-498	A
8206290485	8206290482	82/06/23	50-315	P
8206290488	8206290477	82/06/25	50-295	Q
8206290489	8206290481	82/06/22	50-423	Q
8206290490	8206290486	82/06/24	50-324	P
8206290492	8206290487	82/06/23	50-142	P
8206290494	8206290487	82/06/23	50-142	P
8206290498	8206290493	82/06/08	50-213	Q
8206290502	8206290496	82/06/25	50-155	P
8206290507	8206290496	82/06/25	50-155	P
8206290510	8206290503	82/06/24	50-373	S
8206290511	8206290503	82/06/04	FOIA	
8206290516	8206290505	82/06/04	FOIA	
8206290518	8206290505	82/06/04	FOIA	
8206290521	8206290513	82/06/22	50-315	S
8206290523	8206290505	82/06/04	FOIA	
8206290531	8206290525	82/06/16	50-373	S
8206290535	8206290528	82/06/15	50-331	P
8206290537	8206290533	82/06/17	50-333	S
8206290541	8206290528	82/06/15	50-331	P
8206290542	8206290534	82/06/24	50-373	S
8206290550	8206290544	82/06/18	50-373	P
8206290562	8206290557	82/06/17	40-8406	
8206290563	8206290558	82/06/23	50-259	R
8206290569	8206290187	82/06/23	50-244	Q
8206290582	8206290579	82/06/08	50-261	P
8206290584	8206290581	82/06/23	CONTRACT	
8206290587	8206290579	82/06/08	50-261	P
8206290588	8206290579	82/06/08	50-261	P
8206290591	8206290586	82/06/10	CONTRACT	
8206290592	8206290579	82/06/08	50-261	P
8206290611	8206290607	82/06/11	50-454	F
8206290615	8206290607	82/06/11	50-454	F
8206290618	8206290616	82/06/22	50-837	A
8206290649	8206290631	82/06/15	CONTRACT	
8206290665	8206290649	82/06/16	CONTRACT	
8206300007	8206300004	82/06/22	50-312	F
8206300008	8206300004	82/06/22	50-312	F
8206300012	8206300009	82/06/09	50-259	X
8206300014	8206300009	82/06/09	50-259	X
8206300061	8206300036	82/06/22	50-302	S
8206300075	8206300074	82/06/14	XPORTLIC	
8206300076	8206300071	82/06/01	71-9510	
8206300081	8206300077	82/06/22	50-254	F
8206300083	8206300077	82/06/22	50-254	F
8206300088	8206300085	82/06/22	50-255	F
8206300090	8206300085	82/06/22	50-255	F
8206300091	8206300087	82/06/23	50-244	F
8206300097	8206300087	82/06/23	50-244	F
8206300098	8206300095	82/06/22	50-269	F
8206300101	8206300095	82/06/22	50-269	F
8206300103	8206300100	82/06/23	50-271	F
8206300107	8206300104	82/06/22	50-346	F
8206300108	8206300100	82/06/23	50-271	F
8206300109	8206300105	82/06/21	50-325	S
8206300110	8206300104	82/06/22	50-346	F
8206300115	8206300111	82/06/14	50-287	S
8206300118	8206300113	82/03/02	50-275	Q
8206300119	8206300117	82/06/17	50-321	S
8206300121	8206300112	82/06/23	50-10	F
8206300125	8206300112	82/06/23	50-10	F
8206300126	8206300123	82/06/18	50-366	S
8206300131	8206300130	82/06/24	50-283	F
8206300132	8206300129	82/06/21	50-346	P
8206300133	8206300130	82/06/24	50-283	F

ACCESSION NUMBER				
ENCLOSURE	PRINCIPAL DOCUMENT	DATE ISSUED	SUBJECT CATEGORY	
8206300136	8206300129	82/06/21	50-346	P
8206300140	8206300137	82/06/22	50-259	S
8206300146	8206300142	82/06/17	50-260	S
8206300159	8206300116	82/06/21	50-348	S
8206300164	8206300158	82/06/17	50-366	S
8206300167	8206300165	82/06/23	50-206	P
8206300169	8206300165	82/06/23	50-206	P
8206300175	8206300174	82/06/24	50-338	P
8206300180	8206300176	82/06/23	TOPREP	
8206300181	8206300179	82/06/28	50-382	A
8206300189	8206300186	82/05/10	50-280	Q
8206300191	8206300190	82/06/15	NUREG	
8206300206	8206300204	82/06/25	50-282	K
8206300207	8206300202	82/06/15	50-219	P
8206300208	8206300202	82/06/15	50-219	P
8206300225	8206300217	82/06/22	50-296	S
8206300232	8206300222	82/06/18	50-296	S
8206300234	8206300231	82/06/25	50-416	P
8206300235	8206300231	82/06/25	50-416	P
8206300244	8206300231	82/06/25	50-416	P
8206300245	8206300240	82/06/18	50-369	S
8206300246	8206300231	82/06/25	50-416	P
8206300248	8206300231	82/06/25	50-416	P
8206300251	8206300231	82/06/25	50-416	P
8206300252	8206300231	82/06/25	50-416	P
8206300253	8206300247	82/06/16	50-369	S
8206300254	8206300231	82/06/25	50-416	P
8206300255	8206300231	82/06/25	50-416	P
8206300258	8206300231	82/06/25	50-416	P
8206300260	8206300231	82/06/25	50-416	P
8206300261	8206300256	82/06/28	50-29	J
8206300263	8206300231	82/06/25	50-416	P
8206300265	8206300231	82/06/25	50-416	P
8206300268	8206300231	82/06/25	50-416	P
8206300273	8206300231	82/06/25	50-416	P
8206300277	8206300231	82/06/25	50-416	P
8206300279	8206300231	82/06/25	50-416	P
8206300282	8206300231	82/06/25	50-416	P
8206300284	8206300231	82/06/25	50-416	P
8206300286	8206300231	82/06/25	50-416	P
8206300288	8206300231	82/06/25	50-416	P
8206300290	8206300231	82/06/25	50-416	P
8206300294	8206300231	82/06/25	50-416	P
8206300295	8206300231	82/06/25	50-416	P
8206300297	8206300289	82/03/27	NUREG	
8206300298	8206300231	82/06/25	50-416	P
8206300299	8206300231	82/06/25	50-416	P
8206300302	8206300231	82/06/25	50-416	P
8206300304	8206300231	82/06/25	50-416	P
8206300306	8206300231	82/06/25	50-416	P
8206300308	8206300303	82/06/09	50-213	P
8206300310	8206300231	82/06/25	50-416	P
8206300312	8206300231	82/06/25	50-416	P
8206300316	8206300231	82/06/25	50-416	P
8206300317	8206300231	82/06/25	50-416	P
8206300319	8206300231	82/06/25	50-416	P
8206300321	8206300231	82/06/25	50-416	P
8206300323	8206300231	82/06/25	50-416	P
8206300325	8206300231	82/06/25	50-416	P
8206300327	8206300320	82/06/22	50-344	F
8206300328	8206300231	82/06/25	50-416	P
8206300332	8206300324	82/06/23	REVIEW	GRP
8206300334	8206300330	82/06/22	50-155	F
8206300340	8206300333	82/06/22	50-313	F
8206300345	8206300333	82/06/22	50-313	F
8206300357	8206300351			
8206300359	8206300351			
8206300365	8206300361			
8206300368	8206300361			
8206300372	8206300367			

DEFINITIONS OF DOCKET 50 CATEGORIES

A. APPLICATION/CONSTRUCTION STAGE DOCUMENTS AND CORRESPONDENCE

This category follows the application from submission to the day preceding the issuance of an operating license. It includes all correspondence and documents with substantive technical content that do not fall into other specific categories. Included are:

1. Application for construction permit.
2. General Information submitted with construction permit application.
3. Amendments and changes to items 1 and 2.
4. NRC questions, requests for additional information, and applicant responses.
5. Correspondence and documents relating to unresolved design and construction issues.
6. Meeting announcements and summaries of meeting discussions on issues of item 5.
7. Correspondence regarding the Preliminary Safety Analysis Report (PSAR).
8. Information on laws and changes in regulations or policy that affect the status of the application (NEPA, Water Quality Improvement Act, Water Pollution Control Act, etc.).
9. Construction Permit, amendments, and correspondence relating to the construction permit.
10. Scheduling of license application submission or review.
11. Environmental review information.
12. Application for operating license.
13. General Information submitted with operating license application.
14. Amendments and changes to items 12 and 13.
15. Correspondence regarding the Final Safety Analysis Report (FSAR).
16. Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
17. Reports of site visits.
18. Backup technical documents (e.g., topical reports) submitted in support of the application.

B. UTILITY PRELIMINARY SAFETY ANALYSIS REPORT (PSAR) AND AME

This category is strictly limited to the items listed below. All related correspondence Category A.

1. Preliminary Safety Analysis Report (PSAR) submitted by utility (formerly called Summary Report or Safety Analysis Report).
2. Amendments and changes to the PSAR.

4. Certificates of service to the PSAR.

C. UTILITY ENVIRONMENTAL REPORT (ER), AMENDMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are filed in Categories A, D, M, P or R

- 1 Environmental Report (ER) submitted by the utility
- 2 Amendments and supplements to the ER
3. Transmittal and acknowledgement letters.
4. Information on scheduling of submittal or review of ER
5. NRC questions, requests for additional information, and applicant responses
6. Federal register notices citing the availability of items 1 and 2.
7. Correspondence relating to the review of ER
8. Meeting announcements or reports of meetings where the primary subject of discussion is the ER.

D. NRC DRAFT AND FINAL ENVIRONMENTAL (IMPACT) STATEMENTS (DES AND FES), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other environmental documents and correspondence are in categories A, C, M, P or R.

1. Draft and Final Environmental (Impact) Statements (DES and FES) prepared by the NRC.
- 2 Supplements to the DES and FES
3. Correspondence relating to the DES and FES.
4. Comments from other federal, state and local government agencies.
5. Transmittal and acknowledgement letters.
6. Documents related to NRC review of environmental issues or of ER obtained for purposes of writing the environmental statements.
7. Backup technical documents submitted in connection with above.
8. Federal register notice citing availability of items 1 and 2.
9. Site visits to obtain information for DES or FES.
10. Meeting announcements or reports of meetings where the primary subject of discussion is the DES or FES.

E. NRC SAFETY EVALUATION REPORT (SER), SUPPLEMENTS AND CORRESPONDENCE

This category is strictly limited to the items listed below. Other documents dealing with safety related issues are filed in categories A, P or W, depending on the phase of the licensing process.

2. Supplements to SER.
3. Correspondence relating to SER
4. Federal register notices citing availability of items 1 and 2
5. Information on scheduling of SER submittals and review
6. Requests for additional information for use in preparing SER; responses to such requests
7. Meeting announcements or reports of meetings where the primary subject of discussion is the SER.
8. Transmittal and acknowledgement letters.

F. SECURITY, MEDICAL, EMERGENCY AND FIRE PROTECTION PLANS

All plans in this category are individual submissions. Information submitted as part of the PSAR or FSAR is excluded

1. Fire Hazard Protection Plan and surveys.
2. Plant evacuation correspondence.
3. Safeguards Contingency Plans.
4. Review of Health Physics Program.
5. Correspondence relating to aforementioned plans.
6. Supplements, changes and revisions to plans.

G. LEGAL AND ADJUDICATORY CORRESPONDENCE

This category contains all non-antitrust legal and adjudicatory documentation, except for transcripts, briefings and testimony, which are filed in category T.

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) hearing related documents.
2. Federal register notices regarding hearings.
3. Requests to make appearances at hearings.
4. Motions, briefs, arguments, statements and related correspondence filed by participants for hearings.
5. Transmittal of supporting documents (e.g., SER, FES) to the boards.
6. Correspondence to and from intervenors.
7. Board orders and decisions.
8. Petitions for Commission action.
9. Legal filings and Commission orders and decisions resulting from item 8.

This category includes documents with little or no bearing on the status of the application or license. Items that have no substantive technical content or meaning for the status of the license or application are included

1. Change of address notifications.
2. Changes in structure of organization
3. Changes in service lists.
4. NRC requests to applicant for additional copies of documents.
5. Correspondence from the public requesting information about the facility and NRC responses.
6. Correspondence on strictly administrative matters
7. Letters of support, concern or opposition to the facility.
8. Correspondence regarding the Local Public Document Rooms (LPDRs).
9. Professional qualification statements not pertaining to the hearing process.

I. FINANCIAL INFORMATION

This category contains all financial information except that submitted as part of the application or its amendments or relating to the imposition of civil penalties.

1. Company annual reports.
2. Separately submitted financial information and related correspondence.

J. INSURANCE AND INDEMNITY INFORMATION

1. Indemnity agreements and amendments
2. Endorsements insurance policies.
3. Other correspondence regarding indemnity and insurance matters.

K. UTILITY FINAL SAFETY ANALYSIS REPORT (FSAR) AND AMENDMENTS

This category is strictly limited to the items listed below. All related correspondence falls in category A or P.

1. Final Safety Analysis Report (FSAR) (formerly called Final Hazards Summary Report).
2. Amendments and changes to the FSAR.
3. Federal register notices citing availability of items 1 and 2.
4. Transmittal and acknowledgement letters.
5. Certificates of service to the FSAR.

This category is limited to documents pertaining to Limited Work Authorizations (LWA) whereby applicants can carry out limited site preparation and construction prior to the granting of a construction permit

1. Limited Work Authorizations (LWA) and amendments.
2. Correspondence pertaining to work performed under LWA s.

M. ANTITRUST REVIEW AND ANTITRUST CORRESPONDENCE

1. Document submitted as part of the applications for a construction permit and operating license entitled "Information Requested by the Attorney General for Antitrust Review".
2. Correspondence where the primary topic of discussion is antitrust matters.
3. All antitrust proceeding related documents except for hearing transcripts, testimony and briefings, which are filed in category N

N. ANTITRUST HEARING TRANSCRIPTS, TESTIMONY AND BRIEFINGS

This category contains word-for-word transcripts of hearings, testimony and briefings in antitrust matters. Related correspondence falls in category M.

O. ADVISORY COMMITTEE ON REACTOR SAFEGUARDS (ACRS) REPORTS AND CORRESPONDENCE

1. Correspondence and letter reports relating to Advisory Committee on Reactor Safeguards (ACRS) reviews.
2. Correspondence from ACRS.
3. Announcement of ACRS meetings.
4. Transmittal and acknowledgement letters.
5. ACRS reports.
6. Statements and written testimony by ACRS members or presented by individuals at ACRS proceedings.
7. Minutes at ACRS Subcommittee Meetings.

P OPERATING LICENSE STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Application/Construction Stage (category A) file for general technical items dated from the issuance of the operating license to the application for termination of the license.

1. Operating license, amendments, proposed amendments, changes and related correspondence.
2. Technical specifications and changes.

- 4 Federal register notices citing availability of items 1 and 2
- 5 Correspondence regarding the Final Safety Analysis Report (FSAR)
- 6 All general technical correspondence, meeting announcements or meeting summaries relating to technical specifications, the operating license or technical issues arising after the issuance of the operating license
- 7 Correspondence regarding codes (e.g., ASME), regulations, laws or changes in policy that may affect plant operation or bear on the operating license
- 8 Information on the Standard Review Plan (STP)
- 9 Results of surveys or tests conducted in accordance with the technical specifications (not periodic reports, which fall in category R).
- 10 Correspondence relating to NRC's Systematic Evaluation Program (SEP)
- 11 Owner's group meeting announcements and reports.
- 12 Quality assurance information
- 13 Environmental matters (technical)
- 14 Emergency core cooling system documents.
- 15 Radioactive waste information.
- 16 Correspondence regarding expansion of spent fuel storage pool.
- 17 Start-up test reports
- 18 Correspondence and documentation on generic technical matters highlighted by an event at another facility which may affect the subject facility; not covered by an IE Bulletin.
- 19 Reports of site visits.

Q. INSPECTION REPORTS; IE BULLETINS, CIRCULARS AND INFORMATION NOTICES; CIVIL PENALTIES AND RELATED CORRESPONDENCE

- 1 Inspection reports
- 2 IE Bulletins (formerly called Regulatory Operations (RO) Bulletins), Circulars and Information Notices.
- 3 Responses by applicant to IE correspondence.
- 4 Applicant's determination of proprietary nature of inspection reports
- 5 Letters concerning areas of noncompliance.
- 6 Pre-service and in-service inspections and procedures.
- 7 Correspondence and orders relating to imposition and payment of civil penalties, including Notification of Significant Enforcement Actions (ENs).
- 8 Any correspondence relating to inspection and enforcements that does not specifically relate to incidents or events as defined in category S.

R. PERIODIC OPERATING REPORTS AND RELATED CORRESPONDENCE

This category includes periodic reports of a routine nature

1. Monthly, semiannual, or annual operating reports (other than financial).
2. Periodic environmental monitoring, effluent testing, or similar reports.
3. Periodic personnel exposure reports.
4. Operational Logbooks:
 - Logbooks on Environmental Data
 - Logbooks on Radiological Data
 - Operations Log on Plant Systems Core
 - Plant Status Summary Sheets.
5. Correspondence or other documents relating to the above listed items.

S. REPORTABLE OCCURRENCES, PNOs, PNSs AND RELATED CORRESPONDENCE

This category contains all materials relating to abnormal, unusual, reportable or nonroutine occurrences or events. This includes:

1. All 24-hour, 10-day, 30-day, interim and final Licensee Event Reports (LERs) and follow-up correspondence (also called incident reports, abnormal occurrence reports and reportable occurrences).
2. Potential or possible reportable deficiency reports and related correspondence.
3. Personnel exposure reports.
4. Construction deficiency reports submitted under 10 CFR 50.55e.
5. Preliminary Notification of Occurrence (PNOs) and Preliminary Notification of Safeguards Events (PNSs).
6. Environmental Technical Specifications violation reports and Environmental Event reports.
7. Part 21 Reports of defects and noncompliance.
8. Correspondence or other documents relating to items 1-7.

T. TRANSCRIPTS, TESTIMONY AND BRIEFINGS ON NON-ANTITRUST MATTERS

This category contains all word-for-word transcripts, except for antitrust matters (category N), testimony and briefings, and congressional matters (category U).

1. Atomic Safety and Licensing Board (ASLB) and Atomic Safety and Licensing Appeal Board (ASLAB) transcripts.
2. Testimony and statements submitted to ASLB and ASLAB.
3. Commission meeting transcripts.
4. NRC staff briefings to the Commission.
5. Statements and written testimony submitted at Commission meeting or hearings.
6. Transcripts of utility briefs to NRC staff.
7. Advisory Committee on Reactor Safeguards (ACRS) meeting transcripts

U. CONGRESSIONAL/EXECUTIVE CORRESPONDENCE

This category contains correspondence on substantive matters. Routine responses to constituent inquiries are filed in category H.

1. Statements and testimony before Congress or before bodies/committees appointed by the Executive or Legislative Branches
2. Preparatory and backup documents for item 1.
3. Correspondence to and from NRC Office of Congressional Affairs, Congress and the Executive Branch on other than constituent response matters.

V. LICENSING OPERATORS AND RELATED CORRESPONDENCE

1. Operator licenses or administrative information bearing on licensing of operators.
2. NRC examination results.
3. Power plant examination summary sheet.

W. DECOMMISSIONING STAGE DOCUMENTS AND CORRESPONDENCE

This file assumes the position of the Operating License Stage (category P) file for general technical items from the application for termination of the operating license onward.

1. Application for authority to voluntarily surrender license.
2. Application to dismantle the facility and dispose of component parts.
3. Technical documents submitted in support of items 1 and 2, such as: Decommissioning Plan, Dismantling Plan, Environmental Report on Dismantling, Safety Analysis Report on Decommissioning.
4. Documents relating to disposal of radioactive material and decontamination of the site.
5. Other correspondence relating to above items
6. All documentation relating to the ongoing operation of the plan, formerly filed in category P.

X. ONSITE LOW-LEVEL WASTES STORAGE

This category contains items related to the onsite storage of low-level radioactive wastes generated onsite.

APPENDIX B

DEFINITIONS OF NONDOCKETED CATEGORIES

10CFR – Commission Meeting Records

This category contains documentation pertaining to open and closed Commission meetings. It includes:

1. Sunshine Act Federal Register notices.
2. Full, written explanation of closed meetings.
3. Certification of General Counsel on closed meetings.
4. Commission Determination Statements regarding the public disclosure of transcripts of Commission meetings.
5. Verbatim unofficial and official transcripts or portions of transcripts of open and closed Commission meetings made publicly available in accordance with provisions of 10CFR Part 9, the Sunshine Act, and Commission policies.
6. Enclosures to released transcripts, including applicable viewgraphs, staff papers, and staff correspondence.
7. Staff requirements memoranda for open meetings; memoranda to record; record of votes of Commissioners on items under consideration at meetings.

ACRS – Advisory Committee on Reactor Safeguards

This category contains documentation pertaining to the responsibilities of the Advisory Committee on Reactor Safeguards. ACRS serves as an independent advisory committee to the Commission in safety-related areas. The committee provides advice with respect to the hazards of new or existing nuclear facilities and the adequacy of related safety standards. The documents in this category are:

1. Verbatim transcripts of ACRS subcommittee and full committee meetings relating to facility license applications and safety-related matters.
2. ACRS meeting announcements; description of meeting agendas.
3. ACRS-generated reports, memoranda and correspondence that are publicly available.
4. ACRS consultant reports, comments and related correspondence.
5. ACRS and NRC technical correspondence pertaining to safety matters under review by the Advisory Committee on Reactor Safeguards.

COMMISSION – NRC Commissioners

This category contains documentation pertaining to the daily conduct of Commission business in the Office of the Commissioners, including:

1. Incoming and outgoing correspondence to and from the Commissioners relating to official NRC business, including reports and other enclosures.

(SECY series number) prepared by the Executive Director for Operations (EDO) for the Commissioners, providing a summary of key events and items of interest undertaken by individual staff and program offices

NOTE: For transcripts of Commission meetings, see 10CFR category. For all other staff papers with a SECY series designation prepared for Commission review, see SECY category.

CONTRACT – NRC Contracts and Modifications

This category contains documentation pertaining to AEC and NRC contracts and Interagency Agreements, including:

1. Notifications of issuance of request for proposal (RFP) and invitations for bid (IFB).
2. Solicitations (RFP or IFB) issued by the NRC.
3. Notifications of contract execution, specifying contract number, project title, contractor name, contract type, funding, and period of performance.
4. Contractual documents and contract modifications, if any.

DISCLOSURE – Financial Disclosure Information

This category contains financial disclosure information in accordance with the Ethics in Government Act of 1978.

FOIA – Freedom of Information Act Requests and Releases

This category contains requests for agency records and records released in accordance with the provisions of the Freedom of Information Act (FOIA). Documents in this category include:

1. Requests made by any member of the public (assigned an identifying number YY-NNN for last two digits of the year—numerical sequence) for NRC records made in accordance with the provisions of the Freedom of Information Act.
2. Correspondence between the NRC and the requester relevant to the processing, appeal, denial or granting of an FOIA request.
3. Records or portions of records released in response to specific requests made under FOIA.

GEN TECH IS – Generic Technical Issues

This category contains records pertaining to unresolved safety issues of a generic nature that are being analyzed by the Division of Nuclear Reactor Regulation.

1. Draft reports of action plans to accomplish generic tasks in the regulatory program.
2. Correspondence with industry and internal correspondence regarding the methodologies, analyses, and programmatic and technical aspects of issues.

3. Meeting notifications and minutes
4. Interim findings and status reports on generic tasks addressing related aspects of generic technical issues.

I&E – Inspection and Enforcement

This category contains bulletins, circulars and information notices that are issued by the Office of Inspection and Enforcement. These issuances describe particular events that occur at a facility that may require some follow-up action on the part of licensees. Also included in this category are preliminary notifications of events (PNOs).

1. I&E Circulars, which describe an event at a licensed facility and are informational in nature.
2. I&E Information Notices, which are similar to circulars but are preliminary in nature and issued shortly after an event has occurred.
3. I&E Bulletins, which describe an event at a licensed facility and request all recipients to perform certain actions as a result of this event.
4. Preliminary Notifications of Events (PNOs), which provide updated information of an event of safety or public interest significance.

NOTE: For letters forwarding the above issuances, utility responses to such issuances, and related correspondence, see Category Q of individual docket categories.

MISC – Public Document Room Miscellaneous

This category contains documents that do not fall into the scope of the other nondocketed categories.

NUREG – NUREG Reports and Related Correspondence

These documents are formal reports issued by the U.S. Nuclear Regulatory Commission which carry the NUREG series code and correspondence pertaining to those reports. NUREG reports are accounts of work performed either by the NRC staff or by NRC contractors.

1. These reports are normally final work products and are characterized by the following criteria:
 - a. They are predecisional documents which present information to be considered in Commission licensing and policy decisions.
 - b. They present the results of Commission licensing and policy decisions.
 - c. They present the results of technical research conducted for the Commission.
2. Correspondence from industry, government and interested members of the public commenting on reports or requesting clarification or interpretation.
3. Internal NRC memoranda summarizing meetings or discussions pertaining to the content of the reports.

This category contains correspondence with professional organizations and associations; records other than Regulatory Guides that pertain to the activities of NRC's Office of Standards Development, and emergency petitions not assigned Petition for Rulemaking (PRM) numbers that request the Commission to take immediate action on some issue. Included are:

1. Meeting summaries and technical correspondence between NRC and professional associations and international bodies, such as the Atomic Industrial Forum and the International Atomic Energy Agency.
2. Correspondence between NRC's Office of Standards Development and other government agencies in which both parties have joint regulatory responsibility, e.g., EPA has authority to control all radioactive pollutants emitted into the air.
3. Internal memoranda, correspondence between NRC and Congress, and other technical correspondence dealing with the role and activities of the Office of Standards Development.
4. Statements, motions, orders and correspondence dealing with emergency petitions filed by parties on such topics as fire protection and re-analysis of the capacity of operating U.S. plants to withstand earthquakes.

NOTE. For Regulatory Guides and comments to Regulatory Guides issued by the NRC Office of Standards Development, see the REGGD category.

For petitions for rule makings filed by the public to amend, rescind or change an NRC regulation, see the PRM category.

PR – Proposed Rule

This category contains records dealing with NRC staff proposals to adopt, amend or repeal a Commission regulation. Proposed Rules (PRs) are normally the result of a Commission determination that sufficient grounds exist for it to proceed with a petition for change in an NRC regulation (PRM) filed by an outside party or person. The documents in this category are:

1. Federal Register notices stating the terms or substance of the proposed rule or a specification of the subject and issues involved.
2. Text of the Proposed Rule (PR).
3. Comments, statements, information, opinions or arguments on the proposed change to a part of the Code of Federal Regulations, Title 10.
4. Requests from the nuclear industry, organizations and other parties for written interpretations of the PR.

PRM – Petition for Rulemaking

This category contains records dealing with petitions filed with the Commission by an outside party to issue, amend or rescind an NRC regulation. Included are:

1. Petitions filed by any interested person or party to issue, amend or rescind an NRC regulation.
2. Federal Register cause notices of the filing of the petition.

4. Comments from the nuclear industry, professional associations, public interest groups and others in favor of or in opposition to the PRM.

NOTE For staff recommendations to the Commissioners on whether the PRM should be denied or issued as a Proposed Rule, see the SECY category.

For Commission review of staff recommendations, see the 10CFR category.

PROJ – Projects—Predocket Licensing

This category contains records pertaining to two classes of projects (1) commercial nuclear power plants for which NRC has full licensing responsibilities; and (2) government-owned reactors for which NRC provides technical expertise and occasional review. Both classes are identified with a "P" prefix, followed by a series of numbers.

1. "Pre-docketed" commercial nuclear power plants

This category contains all documentation up until the time that the NRC considers the application and the Preliminary Safety Analysis Report (PSAR) is submitted by the utility for staff review. The unit is then assigned a docket number, and transferred to the Docket 50 category.

These documents are grouped together in categories, designated by alphabetic characters. These are the same categories as those used for the Docket 50 series.

A. Application/Construction Stage

1. Application submitted by the utility.
2. Meeting notices, summaries and correspondence discussing the completeness and adequacy of the PSAR.
3. Applicant's Quality Assurance Manual.
4. Early site review information.
5. Backup technical documents submitted in support of the application.
6. Early site visits.

B. Utility PSAR and Amendments

1. PSARs submitted by the utility.
2. Amendments and changes to the PSAR.
3. Transmittal letters.
4. Letters acknowledging receipt of the PSAR.

G. Adjudicatory Correspondence

1. Motions, briefs, orders, *et al.* pertaining to pre-hearing conferences, if any.

M. Antitrust Correspondence

1. Submittals and related material pertaining to the antitrust review.

1. Inspection reports of the applicant's quality assurance program.
2. Notices of deviations.
3. Follow-up correspondence resolving deviations cited.

2. Government-owned reactors

Meeting summaries and technical correspondence between NRC and other government technical personnel related to test reactors, critical experiments, and DOD reactors on navy ships and other sites.

PT21 – Noncompliance Reports and Related Correspondence

Deficiency reports are performed in compliance with Part 21 of Title 10 of the Code of Federal Regulations and include:

1. Reports by firms involved in the nuclear industry concerning noncompliance with NRC regulations or the existence of defects which could create a substantial safety hazard.
2. Correspondence pertaining to the NRC review of reports to assess the possibility of generic defects.
3. NRC inspection reports of defects cited.
4. Correspondence specifying appropriate follow-up actions taken by the Agency.

QA999 – Quality Assurance Inspections

This category contains inspection reports of vendors' quality assurance programs and follow-up correspondence. Each vendor facility is assigned a docket number and is part of the QA999 series.

Vendors are defined here as companies, both U.S. and foreign, that are engaged in the design or the manufacture of nuclear components for plants licensed by NRC. QA comprises all those planned and systematic actions necessary to provide adequate confidence that a structure, system or component being manufactured will perform satisfactorily once it is put in service. The controlling criteria are 10 CFR Part 50, Appendix B, vendor QA topical reports, and the PSAR and FSAR submitted by utilities for specific facilities. Documents in this category include:

1. NRC inspection reports, conducted on a quarterly or semi-annual basis, of vendor sites. Inspections may cover the design, fabrication, construction and testing of structural systems and components.
2. Notices of deviations.
3. Vendor corrective actions and other follow-up correspondence associated with the resolution of inspection findings.

REGGD – Regulatory Guides

This category contains new and revised regulatory guides issued by the Commission and related correspondence. These guides describe for the industry and the public methods acceptable to the NRC

guide

regarding the issuance and availability of a proposed regulatory

2. Revised or newly issued Regulatory Guides.
3. NRC value/impact assessment and industry codes, when applicable, that pertain to the issuance of a specific Regulatory Guide.
4. Comments submitted by the nuclear industry and interested members of the public regarding a proposed Regulatory Guide.
5. Summary of meetings held in the NRC to discuss proposed Regulatory Guides.

NOTE: For documentation pertaining to other work products and activities of the NRC Office of Standards Development, see the Organization category.

RES – Research and Technical Assistance Reports

This category contains reports, generally of an interim nature, submitted by NRC contractors providing research and technical assistance to the Commission. It also includes documentation pertaining to research activities of the Commission. Included are:

1. Project description documents.
2. Letter reports of accomplishments and data reports, for example,
 - a. model documentation reports
 - b. code documentation reports
 - c. code verification reports
3. Pre-test prediction reports.
4. "Quick look" reports.
5. Informal experimental data reports and post-irradiation examination analyses.
6. Conceptual design descriptions.
7. Letter reports of foreign travel and site visits by contractors.
8. Letter, monthly, quarterly, interim or annual status or progress reports on other research projects contracted for by the NRC.
9. Meeting summaries and correspondence dealing with technical matters and technical assistance contracts.
10. Staff Research Information Letters (RILs) transmitting the documented research programs.

NOTE: For final reports of research conducted by contractors

REVIEW GRP – NRC Research Review Groups

This category contains records pertaining to the activities of the research review groups which provide a broad base of technical expertise.

projects, new research projects, and priorities within the technical areas covered by the research review group. Documents in this category are:

1. Agendas for quarterly review group meetings.
2. Summary minutes of review group meetings representing views expressed, including dissenting views.
3. Research plans and predicted results of major experiments, presentations by research contractors.
4. Comments on meetings from attendees, including representatives from contractors, universities, vendors and other agencies.
5. Internal memoranda relating to topics under discussion.

RM -- Rulemakings

This category contains records pertaining to public hearings held on proposed changes (PRs) to the Commission's regulations. Hearings are instituted at the discretion of the Commission based on the importance and the magnitude of the subject under consideration. Documents in this category include:

1. Designations of the presiding officer and any special directions for the conduct of the hearing.
2. Notifications of hearing board meetings.
3. Petitions, motions, testimony and statements submitted by parties to the hearings.
4. Hearing board orders and rulings.
5. Technical reports submitted as evidence in the proceeding.
6. Reports, if any, of the special board to the Commission regarding a rulemaking proceeding.

SECY -- Position Papers Before the Commission

This category consists of staff papers prepared for the information or approval of the Commissioners which are assigned a SECY report series code. Included are:

1. Commission Action papers, which normally include alternatives and recommendations by the staff on a given issue and require Commission action.
2. Consent Calendar items and Policy Session items.

NOTE. For Weekly Information Reports prepared by EDO to the Commissioners providing a summary of key events and items of interest undertaken by staff and program offices, see the NRC Commissioners category.

STATE PROG -- State Programs

This category contains records that pertain to the Commission's activities and interaction with State governments. Areas covered include: (1) the State Agreements Program, whereby States may assume certain of the NRC's regulatory authority over nuclear materials, (2) the Agency's role in assisting

1. Correspondence between and among NRC Office of State Programs and State officials, mostly State liaison officers, regarding
 - a. cooperative programs in such technical areas as radiation control, emergency response planning to radiological incidents, water quality and transportation surveillance,
 - b. technical assistance to Agreement States in reviewing applications, compliance actions, developing regulations, and other areas.
2. Agendas, reports and transcripts of regional workshops and training programs on current matters of policy and regulations; i.e. decommissioning and facility siting.
3. State Legislative Reports
4. Agreement State Licensing Statistics Reports.

NOTE. For specific uranium milling and mining projects in which the Agency is providing technical assistance to States, see the Projects category

TOPREP -- Vendor Reports and Related Correspondence

This category contains topical reports, generally of a technical generic nature, submitted by vendors, and correspondence pertaining to the NRC review of these reports. General vendor related correspondence that is not docket specific is also included in this category.

1. Topical reports, dealing with such technical matters as specifications, testing and safety submitted by architect, engineers and other vendors.
2. Revisions, modifications and amendments to topical reports.
3. Correspondence between NRC and vendors pertaining to the review of submittals.
4. Meeting agendas, summaries, minutes and correspondence pertinent to vendor activities, programs, methodologies and design criteria.

NOTE: For reports submitted by utilities that are written by vendors on their behalf and that relate to docketed cases, see the categories for the Docket 50 series.

WASTE MGT -- Nuclear Waste Management

This category is topical in nature and contains records dealing with the activities of the NRC Division of Waste Management. Each topic has been assigned a number, with the series designated by a WM prefix. These documents deal primarily with NRC's interaction with DOE and its future role in licensing and regulating DOE facilities designed for the disposal of high-level waste in geologic repositories. This category will be enlarged later to include records dealing with low-level waste issues and tasks. The documents in this category are:

1. Meeting agenda and minutes of DOE/NRC meetings in which DOE presents information on their geological exploration program to identify sites for nuclear waste repositories.
2. Briefings by DOE on research being conducted on spent fuel storage and nuclear waste management.

in the Waste Isolation Pilot Plan (WIPP) for burial of defense wastes.

4. NRC draft staff guides for developing positions on the content and format of environmental reports for geological repositories.

XPORTLIC – Export and Import Licenses

This category contains records relating to the issuance of licenses to export or import nuclear facilities and materials. Included are:

1. License applications and amendments to export or import special nuclear material, source material, byproduct material, reactors, nuclear facility components or reactor materials.
2. Correspondence between NRC and applicant or licensee pertaining to the review or status of a pending application or license amendment.
3. Commission letters requesting Executive Branch views.
4. Review and findings of the Executive Branch on whether issuance of a license would be inimical to U.S. common defense and security.
5. Correspondence from foreign governments, international organizations, and members of the public.
6. Staff position papers (SECY series code) prepared for Commissioners review of import or export licenses.
7. Filings pursuant to hearing requests or intervention petitions, if any.
8. Hearing records and decisions.
9. Memoranda from the Office of the Secretary to the Executive Director for Operations regarding the Commission decision on issuance of a proposed license.
10. Licenses, license amendments and license renewals for types specified in item 1.

NOTE: For transcripts of Commission meetings and papers submitted for Commissioner consideration or information, see 10CFR category.

(11 B1) US NUCLEAR REGULATORY COMMISSION BIBLIOGRAPHIC DATA SHEET		1 REPORT NUMBER (Assigned by DDC) NUREG-0540 Vol. 4, No. 6	
4 TITLE AND SUBTITLE (Add Volume No., if appropriate) Title List of Documents Made Publicly Available June 1-30, 1982		2 (Leave blank)	
7 AUTHOR(S)		3 RECIPIENT'S ACCESSION NO	
9. PERFORMING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code) Division of Technical Information and Document Control Office of Administration U.S. Nuclear Regulatory Commission Washington, DC 20555		5 DATE REPORT COMPLETED MONTH YEAR	
12 SPONSORING ORGANIZATION NAME AND MAILING ADDRESS (Include Zip Code) Same as 9, above.		DATE REPORT ISSUED MONTH YEAR November 1982	
		6 (Leave blank)	
		8 (Leave blank)	
		10 PROJECT/TASK/WORK UNIT NO	
		11 FIN NO	
13 TYPE OF REPORT Monthly		PERIOD COVERED (Inclusive dates) June 1-30, 1982	
15 SUPPLEMENTARY NOTES		14 (Leave blank)	
16. ABSTRACT (200 words or less) This document is a monthly publication containing descriptions of information received and generated by the U.S. NRC. This information includes (1) docketed material associated with civilian nuclear power plants and other uses of radio-active materials, and (2) nondocketed material received and generated by NRC pertinent to its role as a regulatory agency. The following indexes are included: Personal Author Index, Corporate Source Index, Report Number Index, and Cross Reference to Principal Documents Index.			
17. KEY WORDS AND DOCUMENT ANALYSIS		17a DESCRIPTORS	
17b IDENTIFIERS/OPEN-ENDED TERMS			
18 AVAILABILITY STATEMENT Unlimited		19 SECURITY CLASS (This report) Unclassified	21 NO OF PAGES
		20 SECURITY CLASS (This page) Unclassified	22 PRICE \$